

PS3.16

DICOM PS3.16 ~~2019a~~2019b - Content Mapping
Resource

PS3.16: DICOM PS3.16 ~~2019a~~2019b - Content Mapping Resource

Copyright © 2019 NEMA

A DICOM® publication

Table of Contents

Notice and Disclaimer	61
Foreword	63
1. Scope and Field of Application	65
2. Normative References	67
3. Definitions	73
4. Symbols and Abbreviations	75
5. Conventions	77
6. Form of Template Specifications	79
6.1. Template Table Field Definition	80
6.1.1. Row Number	81
6.1.2. Nesting Level (NL)	81
6.1.3. Relationship With Source Content Item (Parent)	81
6.1.4. Value Type (VT)	82
6.1.5. Concept Name	82
6.1.6. Value Multiplicity (VM)	82
6.1.7. Requirement Type	82
6.1.8. Condition	83
6.1.9. Value Set Constraint	83
6.1.9.1. NUM Units Constraint	83
6.1.9.2. CONTAINER Continuation Flag Constraint	83
6.1.9.3. SCORD Graphic Type Constraint	84
6.2. Special Conventions for Template Tables	84
6.2.1. Multiple Value Sets Depending On Different Conditions	84
6.2.2. Target Content Items of Relationships	84
6.2.3. Inclusion of Templates	84
6.2.3.1. Template Parameters	84
6.2.4. Post-coordinated Codes and Has Concept Modifier Relationship	85
6.2.5. Extension of Templates	85
7. DCMR Context Group Specifications	87
7.1. Context Group Table Field Definition	87
7.2. Special Conventions for Context Group Tables	88
7.2.1. Include Context Group	88
7.2.2. Units of Measurement	88
7.2.3. Extension of Context Groups	89
8. Coding Schemes	91
8.1. SNOMED CT	101
8.1.1. Use of SNOMED Anatomic Concepts	102
8.2. ISO OID	102
8.3. Retired Codes and Expected Behavior	102
A. Structured Reporting Templates (Normative)	103
General Templates.	103
TID 300. Measurement	103
TID 310. Measurement Properties	105
TID 311. Measurement Statistical Properties	105
TID 312. Normal Range Properties	106
TID 315. Equation or Table	106
TID 320. Image or Spatial Coordinates	107
TID 321. Waveform or Temporal Coordinates	107
TID 350. References to Supporting Evidence	108
TID 351. Previous Reports	108
TID 400. Reference Location	109
TID 1000. Quotation	109
TID 1001. Observation Context	110
TID 1002. Observer Context	111
TID 1003. Person Observer Identifying Attributes	111
TID 1004. Device Observer Identifying Attributes	112
TID 1005. Procedure Context	113

TID 1006. Subject Context	114
TID 1007. Subject Context, Patient	114
TID 1008. Subject Context, Fetus	115
TID 1009. Subject Context, Specimen	116
TID 1010. Subject Context, Device	117
TID 1020. Person Participant	117
TID 1021. Device Participant	118
TID 1200. Language Designation	119
TID 1201. Language of Value	119
TID 1202. Language of Name and Value	119
TID 1204. Language of Content Item and Descendants	120
TID 1210. Equivalent Meaning(s) of Concept Name	120
TID 1211. Equivalent Meaning(s) of Value	121
TID 1350. Negation Modifier, Presence of Finding	122
TID 1400. Linear Measurement	122
TID 1401. Area Measurement	123
TID 1402. Volume Measurement	124
TID 1404. Numeric Measurement	125
TID 1406. Three Dimensional Linear Measurement	126
TID 1410. Planar ROI Measurements and Qualitative Evaluations	126
TID 1411. Volumetric ROI Measurements and Qualitative Evaluations	129
TID 1419. ROI Measurements	132
TID 1420. Measurements Derived From Multiple ROI Measurements	134
TID 1500. Measurement Report	136
TID 1501. Measurement and Qualitative Evaluation Group	138
TID 1502. Time Point Context	141
TID 1600. Image Library	142
TID 1601. Image Library Entry	142
TID 1602. Image Library Entry Descriptors	143
TID 1603. Image Library Entry Descriptors for Projection Radiography	144
TID 1604. Image Library Entry Descriptors for Cross-Sectional Modalities	144
TID 1605. Image Library Entry Descriptors for CT	145
TID 1606. Image Library Entry Descriptors for MR	146
TID 1607. Image Library Entry Descriptors for PET	146
TID 2000. Basic Diagnostic Imaging Report	148
TID 2001. Basic Diagnostic Imaging Report Observations	149
TID 2002. Report Narrative	149
TID 2005. Transcribed Diagnostic Imaging Report	150
TID 2006. Imaging Report With Conditional Radiation Exposure and Protection Information	151
TID 2007. Imaging Procedure Description	152
TID 2008. Radiation Exposure and Protection Information	153
TID 2010. Key Object Selection	154
TID 2020. Spectacle Prescription Report	155
TID 2021. Template for Spectacle Prescription Details	156
TID 2100. Macular Grid Thickness and Volume Report	156
TID 2101. Macular Grid Thickness and Volume Measurement	157
TID 2102. Quality Rating Identification	159
Procedure Log IOD Templates.	159
TID 3001. Procedure Log	159
TID 3010. Log Entry Qualifiers	161
TID 3100. Procedure Action	162
TID 3101. Image Acquisition	163
TID 3102. Waveform Acquisition	163
TID 3103. Referenced Object	164
TID 3104. Consumables	164
TID 3105. Lesion Identification and Properties	165
TID 3106. Drugs/Contrast Administered	166
TID 3107. Device Used	166
TID 3108. Intervention	167
TID 3109. Measurements	168

TID 3110. Impressions or Findings	168
TID 3111. Percutaneous Entry	169
TID 3112. Specimen Obtained	169
TID 3113. Patient Support	170
TID 3114. Patient Assessment	170
TID 3115. ECG ST Assessment	172
Quantitative Ventricular Analysis Report SR IOD Templates.	173
TID 3202. Ventricular Analysis	173
TID 3205. Calibration	174
TID 3206. VA Main Results	176
TID 3207. AA Main Results	179
TID 3208. Frame-to-Frame Results	180
TID 3209. Centerline Wall Motion	181
TID 3210. Radial Based Wall Motion	183
TID 3211. Landmark Based Wall Motion	184
Quantitative Arterial Analysis Report SR IOD Templates.	185
TID 3213. Quantitative Arterial Analysis	185
TID 3214. Analyzed Segment	186
TID 3215. Angiographic Lesion Analysis	188
TID 3216. Stenotic Flow Reserve	192
TID 3217. Sub-segmental Data	193
TID 3218. Position in Arterial Segment	194
TID 3219. Segment Values	195
IVUS Report Templates.	196
TID 3250. IVUS Report	196
TID 3251. IVUS Vessel	197
TID 3252. IVUS Lesion	197
TID 3253. IVUS Measurements	198
TID 3254. IVUS Qualitative Assessments	200
TID 3255. IVUS Volume Measurement	200
Stress Testing Report Templates.	201
TID 3300. Stress Testing Report	201
TID 3301. Stress Test Procedure Description	202
TID 3303. Stress Test Phase Data	203
TID 3304. Stress Test Measurement Group	204
TID 3307. NM/PET Perfusion Measurement Group	207
TID 3309. Stress Echo Measurement Group	208
TID 3311. Stress Test Summary	210
TID 3312. Physiological Summary	210
TID 3313. Stress ECG Summary	212
TID 3317. Stress Imaging Summary	214
TID 3318. Comparison to Prior Stress Exam	215
TID 3320. Conclusions and Recommendations	216
Hemodynamics Report Templates.	217
TID 3500. Hemodynamics Report	217
TID 3501. Hemodynamics Measurement Group	218
TID 3504. Arterial Pressure Measurement	219
TID 3505. Atrial Pressure Measurement	220
TID 3506. Venous Pressure Measurement	220
TID 3507. Ventricular Pressure Measurement	221
TID 3508. Gradient Measurement	222
TID 3509. Blood Velocity Measurement	223
TID 3510. Vital Signs	224
TID 3515. Cardiac Output Measurement by Indicator Dilution	225
TID 3516. Blood Lab Measurements	226
TID 3520. Hemodynamic Clinical Context	227
TID 3521. Relative Time	228
TID 3530. Hemodynamic Acquisition Context	229
TID 3550. Pressure Waveform Measurements	229
TID 3560. Derived Hemodynamic Measurements	231

TID 3570. Summary, Hemodynamics	234
TID 3601. Procedure Context	235
TID 3602. Cardiovascular Patient Characteristics	235
TID 3603. Procedure Environmental Characteristics	237
ECG Report Templates.	237
TID 3700. ECG Report	237
TID 3701. Clinical Context, ECG (Retired)	238
TID 3702. Prior ECG Exam	238
TID 3704. Patient Characteristics for ECG	239
TID 3708. ECG Waveform Information	239
TID 3713. ECG Global Measurements	240
TID 3714. ECG Lead Measurements	241
TID 3715. ECG Measurement Source	242
TID 3717. ECG Qualitative Analysis	242
TID 3718. ECG Interpretive Statement (Retired)	243
TID 3719. Summary, ECG	243
Cath Lab Clinical Report Templates.	243
TID 3800. Cardiac Catheterization Report Root	244
TID 3802. Cardiovascular Patient History	245
TID 3803. Patient Presentation, Cath	248
TID 3806. Cath Procedure	249
TID 3807. Percutaneous Coronary Intervention Procedure	250
TID 3808. Lesion Intervention Information	251
TID 3809. Other Interventional Procedures	253
TID 3810. Cardiac Catheterization Findings	253
TID 3812. Hemodynamic Findings	254
TID 3814. Left Ventriculography Findings	255
TID 3815. Right Ventriculography Findings	256
TID 3816. Ventricular Assessment	257
TID 3817. Coronary Arteriography Findings	257
TID 3818. Other Cardiographic Findings	258
TID 3819. Common Findings	259
TID 3820. Adverse Outcomes, Cath	259
TID 3824. Summary, Cath	260
TID 3828. Discharge Summary, Cath	261
TID 3829. Problem Properties	261
TID 3830. Procedure Properties	262
TID 3831. Medical Device Use	263
CT/MR Cardiovascular Analysis Report Templates.	264
TID 3900. CT/MR Cardiovascular Analysis Report	264
TID 3901. Procedure Summary	264
TID 3902. Vascular Analysis	265
TID 3905. Calcium Scoring Results	270
TID 3906. Vascular Section Measurements	271
TID 3907. Vessel Measurements	272
TID 3908. Vascular Lesion	273
TID 3909. Best Illustration of Findings	275
TID 3910. Flow Quantification	276
TID 3911. Plaque Properties	278
TID 3912. Stenosis Properties	279
TID 3913. Aneurysm Properties	280
TID 3914. Arterial Dissection Properties	281
TID 3915. Vascular Occlusion Properties	281
TID 3916. Stent Properties	282
TID 3917. Aneurysm Measurements	282
TID 3920. Ventricular Analysis	283
TID 3921. Ventricular Measurements	284
TID 3922. Absolute Values of Ventricular Measurements	284
TID 3923. BSA-Normalized Ventricular Measurements	286
TID 3924. Heart Rate-Normalized Ventricular Measurements	287

TID 3925. Ventricular Thickening Analysis	288
TID 3926. Myocardial Perfusion Analysis	289
TID 3927. Report Summary	291
TID 3929. Cardiovascular Analysis Observation Context	292
TID 3990. Two Dimensional Measurement Graph	292
Mammography CAD SR IOD Templates.	293
TID 4000. Mammography CAD Document Root	294
TID 4001. Mammography CAD Overall Impression/Recommendation	296
TID 4002. Mammography CAD Impression/Recommendation Body	297
TID 4003. Mammography CAD Individual Impression/Recommendation	298
TID 4004. Mammography CAD Composite Feature	299
TID 4005. Mammography CAD Composite Feature Body	300
TID 4006. Mammography CAD Single Image Finding	303
TID 4007. Mammography CAD Breast Composition	306
TID 4008. Mammography CAD Breast Geometry	306
TID 4009. Mammography CAD Individual Calcification	307
TID 4010. Mammography CAD Calcification Cluster	307
TID 4011. Mammography CAD Density	308
TID 4012. Mammography CAD Non-lesion	309
TID 4013. Mammography CAD Selected Region	309
TID 4014. CAD Image Quality	310
TID 4015. CAD Detections Performed	311
TID 4016. CAD Analyses Performed	311
TID 4017. CAD Detection Performed	312
TID 4018. CAD Analysis Performed	313
TID 4019. Algorithm Identification	314
TID 4020. CAD Image Library Entry	315
TID 4021. Mammography CAD Geometry	318
TID 4022. CAD Observation Context	318
TID 4023. CAD Operating Points	318
Chest CAD SR IOD Templates.	319
TID 4100. Chest CAD Document Root	320
TID 4101. Chest CAD Findings Summary	321
TID 4102. Chest CAD Composite Feature	322
TID 4103. Chest CAD Composite Feature Body	324
TID 4104. Chest CAD Single Image Finding	325
TID 4105. Chest CAD Descriptors	327
TID 4106. Response Evaluation	328
TID 4107. Chest CAD Geometry	329
TID 4108. Tracking Identifier	329
Colon CAD SR IOD Templates.	330
TID 4120. Colon CAD Document Root	331
TID 4121. Colon CAD Findings Summary	332
TID 4122. CAD Common Image Properties Entry	332
TID 4125. Colon CAD Composite Feature	333
TID 4126. Colon CAD Composite Feature Body	334
TID 4127. Colon CAD Single Image Finding	335
TID 4128. Colon CAD Descriptors	337
TID 4129. Colon CAD Geometry	338
Breast Imaging Report Templates.	339
TID 4200. Breast Imaging Report	340
TID 4201. Breast Imaging Procedure Reported	341
TID 4202. Breast Imaging Report Narrative	342
TID 4203. Breast Imaging Assessment	342
TID 4204. Breast Imaging Report Intervention Section	343
TID 4205. Breast Composition Section	344
TID 4206. Breast Imaging Report Finding Section	345
TID 4207. Breast Imaging Pathology Results	347
TID 4208. Breast Imaging Report Supplementary Data	348
TID 4209. Breast Patient Characteristics	349

OB-GYN Report Templates.	349
TID 5000. OB-GYN Ultrasound Procedure Report	349
TID 5001. OB-GYN Patient Characteristics	351
TID 5002. OB-GYN Procedure Summary Section	352
TID 5003. OB-GYN Fetus Summary	352
TID 5004. Fetal Biometry Ratio Section	353
TID 5005. Fetal Biometry Section	353
TID 5006. Fetal Long Bones Section	354
TID 5007. Fetal Cranium Section	354
TID 5008. Fetal Biometry Group	355
TID 5009. Fetal Biophysical Profile Section	356
TID 5010. Amniotic Sac Section	357
TID 5011. Early Gestation Section	357
TID 5012. Ovaries Section	358
TID 5013. Follicles Section	359
TID 5014. Follicle Measurement Group	359
TID 5015. Pelvis and Uterus Section	360
TID 5016. LWH Volume Group	360
TID 5025. OB-GYN Fetal Vascular Ultrasound Measurement Group	361
TID 5026. OB-GYN Pelvic Vascular Ultrasound Measurement Group	362
Vascular Ultrasound Report Templates.	363
TID 5100. Vascular Ultrasound Report	363
TID 5101. Vascular Patient Characteristics	367
TID 5102. Vascular Procedure Summary Section	368
TID 5103. Vascular Ultrasound Section	368
TID 5104. Vascular Ultrasound Measurement Group	369
TID 5105. Ultrasound Graft Section	370
Echocardiography Procedure Report Templates.	371
TID 5200. Echocardiography Procedure Report	371
TID 5201. Echocardiography Patient Characteristics	373
TID 5202. Echo Section	374
TID 5203. Echo Measurement	375
TID 5204. Wall Motion Analysis	376
TID 5220. Pediatric, Fetal and Congenital Cardiac Ultrasound Reports	378
TID 5221. Cardiac Ultrasound Pediatric Echo Measurement Section	379
TID 5222. Pediatric, Fetal and Congenital Cardiac Ultrasound Section	381
TID 5223. Pediatric, Fetal and Congenital Cardiac Ultrasound Measurement	381
TID 5225. Cardiac Ultrasound Fetal Characteristics	383
TID 5226. Cardiac Ultrasound Summary Section	383
TID 5227. Cardiac Ultrasound Fetal Summary Section	384
TID 5228. Cardiac Ultrasound Fetal Measurement Section	384
Simplified Adult Echocardiography Templates.	385
TID 5300. Simplified Echo Procedure Report	386
TID 5301. Pre-coordinated Echo Measurement	389
TID 5302. Post-coordinated Echo Measurement	390
TID 5303. Adhoc Measurement	394
Implantation Plan SR Document Templates.	395
TID 7000. Implantation Plan	396
TID 7001. Related Implantation Reports	401
Acquisition Context SR IOD Templates.	401
TID 8101. Preclinical Small Animal Image Acquisition Context	401
TID 8110. Biosafety Conditions	404
TID 8121. Animal Housing	404
TID 8122. Animal Feeding	407
TID 8130. Anesthesia	408
TID 8131. Medications and Mixture Medications	410
TID 8140. Heating Conditions	411
TID 8150. Circadian Effects	412
TID 8170. Physiological Monitoring Performed During Procedure	413
TID 8182. Exogenous Substance Administration	413

Relevant Patient Information Templates.	415
TID 9000. Relevant Patient Information for Breast Imaging	415
TID 9001. Gynecological History	416
TID 9002. Medication, Substance, Environmental Exposure	418
TID 9003. Previous Procedure	419
TID 9004. Indicated Problem	420
TID 9005. Risk Factor	421
TID 9006. Obstetric History	422
TID 9007. General Relevant Patient Information	423
X-Ray Radiation Dose SR IOD Templates.	424
TID 10001. Projection X-Ray Radiation Dose	424
TID 10002. Accumulated X-Ray Dose	427
TID 10003. Irradiation Event X-Ray Data	429
TID 10003A. Irradiation Event X-Ray Detector Data	432
TID 10003B. Irradiation Event X-Ray Source Data	433
TID 10003C. Irradiation Event X-Ray Mechanical Data	435
TID 10004. Accumulated Fluoroscopy and Acquisition Projection X-Ray Dose	436
TID 10005. Accumulated Mammography X-Ray Dose	437
TID 10006. Accumulated Cassette-based Projection Radiography Dose	438
TID 10007. Accumulated Total Projection Radiography Dose	438
CT Radiation Dose SR IOD Templates.	439
TID 10011. CT Radiation Dose	439
TID 10012. CT Accumulated Dose Data	441
TID 10013. CT Irradiation Event Data	442
TID 10014. Scanning Length	449
TID 10015. CT Dose Check Details	450
Radiopharmaceutical Radiation Dose SR IOD Templates.	453
TID 10021. Radiopharmaceutical Radiation Dose	453
TID 10022. Radiopharmaceutical Administration Event Data	454
TID 10023. Organ Dose	456
TID 10024. Imaging Agent Administration Patient Characteristics	457
Patient Radiation Dose SR IOD Templates.	459
TID 10030. Patient Radiation Dose	459
TID 10031. Radiation Dose Estimate	460
TID 10032. Radiation Dose Estimate Representation	461
TID 10033. Radiation Dose Estimate Methodology	461
TID 10034. Radiation Dose Estimate Parameters	465
Imaging Agent Administration SR IOD Templates.	466
Planned Imaging Agent Administration SR IOD Templates.	466
TID 11001. Planned Imaging Agent Administration	466
TID 11002. Imaging Agent Information	467
TID 11003. Imaging Agent Administration Syringe/Pump Phase Activity	468
TID 11004. Imaging Agent Component	470
TID 11005. Imaging Agent Administration Consumable	472
TID 11006. Imaging Agent Administration Steps	474
TID 11007. Imaging Agent Administration Step	474
TID 11008. Imaging Agent Administration Phase	476
Performed Imaging Agent Administration SR IOD Templates.	477
TID 11020. Performed Imaging Agent Administration	477
TID 11021. Imaging Agent Administration Adverse Events	479
TID 11022. Imaging Agent Administration Injector Events	480
TID 11023. Imaging Agent Administration Graph	481
B. DCMR Context Groups (Normative)	483
B.1. Context Groups	483
CID 2. Anatomic Modifier	483
CID 4. Anatomic Region	484
CID 5. Transducer Approach	487
CID 6. Transducer Orientation	488
CID 7. Ultrasound Beam Path	489
CID 8. Angiographic Interventional Devices	489

CID 9. Image Guided Therapeutic Procedures	490
CID 10. Interventional Drug	491
CID 11. Route of Administration	492
CID 12. Radiographic Contrast Agent	493
CID 13. Radiographic Contrast Agent Ingredient	495
CID 18. Isotopes in Radiopharmaceuticals	496
CID 19. Patient Orientation	497
CID 20. Patient Orientation Modifier	498
CID 21. Patient Equipment Relationship	498
CID 23. Cranio-Caudal Angulation	499
CID 25. Radiopharmaceuticals	499
CID 26. Nuclear Medicine Projections	503
CID 27. Basic Cardiac Views	504
CID 29. Acquisition Modality	504
CID 30. DICOM Devices	506
CID 31. Abstract Priors	506
CID 32. Non-Acquisition Modality	507
CID 33. Modality	508
CID 42. Numeric Value Qualifier	508
CID 50. Instance Availability Status	508
CID 60. Imaging Agent Administration Adverse Events	509
CID 61. Time Relative to Procedure	510
CID 62. Imaging Agent Administration Phase Type	510
CID 63. Imaging Agent Administration Mode	510
CID 64. Imaging Agent Administration Patient State	511
CID 65. Pre-medication For Imaging Agent Administration	511
CID 66. Medication For Imaging Agent Administration	512
CID 67. Imaging Agent Administration Completion Status	512
CID 68. Imaging Agent Administration Pharmaceutical Unit of Presentation	513
CID 69. Imaging Agent Administration Consumables	513
CID 70. Flush	514
CID 71. Imaging Agent Administration Injector Event Type	514
CID 72. Imaging Agent Administration Step Type	515
CID 73. Bolus Shaping Curves	515
CID 74. Imaging Agent Administration Consumable Catheter Type	515
CID 75. Low-high-equal	516
CID 76. Type of Pre-medication	516
CID 82. Units of Measurement	516
CID 83. Units for Real World Value Mapping	516
CID 84. PET Units	517
CID 85. SUV Units	517
CID 91. Functional Condition Present During Acquisition	518
CID 92. Joint Position During Acquisition	518
CID 93. Joint Positioning Method	519
CID 94. Physical Force Applied During Acquisition	519
CID 100. Quantitative Diagnostic Imaging Procedures	519
CID 218. Quantitative Image Features	520
CID 220. Level of Significance	520
CID 221. Measurement Range Concepts	521
CID 222. Normality Codes	521
CID 223. Normal Range Values	521
CID 224. Selection Method	522
CID 225. Measurement Uncertainty Concepts	522
CID 226. Population Statistical Descriptors	522
CID 227. Sample Statistical Descriptors	523
CID 228. Equation or Table	523
CID 230. Yes-No	523
CID 231. Yes-No Only	524
CID 240. Present-Absent	524
CID 241. Present-Absent Only	524

CID 242. Normal-Abnormal	525
CID 244. Laterality	525
CID 245. Laterality with Median	525
CID 246. Relative Laterality	525
CID 250. Positive-Negative	526
CID 251. Severity of Complication	526
CID 252. S-M-L Size Descriptor	526
CID 270. Observer Type	526
CID 271. Observation Subject Class	527
CID 280. Longitudinal Temporal Event Types	527
CID 300. Multi-energy Relevant Materials	527
CID 301. Multi-energy Material Units	528
CID 400. Audit Event ID	528
CID 401. Audit Event Type Code	529
CID 402. Audit Active Participant Role ID Code	530
CID 403. Security Alert Type Code	530
CID 404. Audit Participant Object ID Type Code	531
CID 405. Media Type Code	531
CID 501. Volumetric View Description	532
CID 502. Volumetric View Modifier	532
CID 601. Biosafety Levels	532
CID 602. Biosafety Control Reasons	533
CID 603. Animal Room Types	533
CID 604. Device Reuse	533
CID 605. Animal Bedding Material	534
CID 606. Animal Shelter Types	534
CID 607. Animal Feed Types	534
CID 608. Animal Feed Sources	535
CID 609. Animal Feeding Methods	535
CID 610. Water Types	536
CID 611. Anesthesia Category Code Type for Small Animal Anesthesia	536
CID 612. Anesthesia Category Code Type from Anesthesia Quality Initiative (AQI)	536
CID 613. Anesthesia Induction Code Type for Small Animal Anesthesia	537
CID 614. Anesthesia Induction Code Type from Anesthesia Quality Initiative (AQI)	537
CID 615. Anesthesia Maintenance Code Type for Small Animal Anesthesia	537
CID 616. Anesthesia Maintenance Code Type from Anesthesia Quality Initiative (AQI)	538
CID 617. Airway Management Method Code Type for Small Animal Anesthesia	538
CID 618. Airway Management Method Code Type from Anesthesia Quality Initiative (AQI)	538
CID 619. Airway Management Sub-Method Code Type for Small Animal Anesthesia	539
CID 620. Airway Management Sub-Method Code Type from Anesthesia Quality Initiative (AQI)	539
CID 621. Type of Medication for Small Animal Anesthesia	540
CID 622. Medication Type Code Type from Anesthesia Quality Initiative (AQI)	540
CID 623. Medication for Small Animal Anesthesia	542
CID 624. Inhalational Anesthesia Agents for Small Animal Anesthesia	542
CID 625. Injectable Anesthesia Agents for Small Animal Anesthesia	543
CID 626. Premedication Agents for Small Animal Anesthesia	544
CID 627. Neuromuscular Blocking Agents for Small Animal Anesthesia	544
CID 628. Ancillary Medications for Small Animal Anesthesia	544
CID 629. Carrier Gases for Small Animal Anesthesia	545
CID 630. Local Anesthetics for Small Animal Anesthesia	545
CID 631. Phase of Procedure Requiring Anesthesia	545
CID 632. Phase of Surgical Procedure Requiring Anesthesia	546
CID 633. Phase of Imaging Procedure Requiring Anesthesia	546
CID 634. Phase of Animal Handling	546
CID 635. Heating Method	547
CID 636. Temperature Sensor Device Component Type for Small Animal Procedures	547
CID 637. Exogenous Substance Types	548
CID 638. Exogenous Substance	548
CID 639. Tumor Graft Histologic Type	548
CID 640. Fibrils	549

CID 641. Viruses	550
CID 642. Cytokines	550
CID 643. Toxins	550
CID 644. Exogenous Substance Administration Sites	550
CID 645. Exogenous Substance Tissue of Origin	551
CID 646. Preclinical Small Animal Imaging Procedures	552
CID 647. Position Reference Indicator for Frame of Reference	552
CID 701. Content Assessment Types	553
CID 702. RT Content Assessment Types	553
CID 703. Basis of Assessment	553
CID 800. Protocol Assertion Codes	553
CID 1000. CT Transverse Plane Reference Basis	554
CID 1001. Anatomical Reference Basis	554
CID 1002. Anatomical Reference Basis - Head	555
CID 1003. Anatomical Reference Basis - Spine	556
CID 1004. Anatomical Reference Basis - Chest	556
CID 1005. Anatomical Reference Basis - Abdomen/Pelvis	557
CID 1006. Anatomical Reference Basis - Extremities	558
CID 1010. Reference Geometry - Planes	558
CID 1011. Reference Geometry - Points	559
CID 1015. Patient Alignment Methods	559
CID 1200. Contraindications For CT Imaging	559
CID 3000. Audio Channel Source	560
CID 3001. ECG Leads	560
CID 3003. Hemodynamic Waveform Sources	563
CID 3004. Arterial Pulse Waveform	564
CID 3005. Respiration Waveform	564
CID 3010. Cardiovascular Anatomic Locations	565
CID 3011. Electrophysiology Anatomic Locations	568
CID 3014. Coronary Artery Segments	570
CID 3015. Coronary Arteries	571
CID 3016. Major Coronary Arteries	572
CID 3019. Cardiovascular Anatomic Location Modifiers	572
CID 3082. Cardiology Units of Measurement (Retired)	573
CID 3083. Units of Radioactivity	573
CID 3090. Time Synchronization Channel Types	573
CID 3101. Cardiac Procedural State Values	574
CID 3102. Rest-Stress	574
CID 3104. Cardiac Synchronization Technique	574
CID 3106. PET Cardiology Protocols	575
CID 3107. PET Cardiology Radiopharmaceuticals	575
CID 3108. NM/PET Procedures	575
CID 3110. Nuclear Cardiology Protocols	576
CID 3111. Nuclear Cardiology Radiopharmaceuticals	576
CID 3112. Attenuation Correction	577
CID 3113. Types of Perfusion Defects	577
CID 3114. Study Quality	577
CID 3115. Stress Imaging Quality Issues	577
CID 3116. NM Extracardiac Findings	578
CID 3117. Attenuation Correction Methods	578
CID 3118. Level of Risk	578
CID 3119. LV Function	579
CID 3120. Perfusion Findings	579
CID 3121. Perfusion Morphology	579
CID 3122. Ventricular Enlargement	580
CID 3200. Stress Test Procedure	580
CID 3201. Indications for Stress Test	580
CID 3202. Chest Pain	581
CID 3203. Exerciser Device	581
CID 3204. Stress Agents	582

CID 3205. Indications for Pharmacological Stress Test	582
CID 3206. Non-invasive Cardiac Imaging Procedures	583
CID 3207. Stress Test Procedure Phases	583
CID 3208. Summary Codes Exercise ECG	583
CID 3209. Summary Codes Stress Imaging	584
CID 3210. Speed of Response	584
CID 3211. BP Response	584
CID 3212. Treadmill Speed	585
CID 3213. Stress Hemodynamic Findings	585
CID 3215. Perfusion Finding Method	585
CID 3217. Comparison Finding	585
CID 3220. Stress Symptoms	586
CID 3221. Stress Test Termination Reasons	586
CID 3227. QTc Measurements	587
CID 3228. ECG Timing Measurements	587
CID 3229. ECG Axis Measurements	588
CID 3230. ECG Findings	588
CID 3231. ST Segment Findings	590
CID 3232. ST Segment Location	590
CID 3233. ST Segment Morphology	591
CID 3234. Ectopic Beat Morphology	591
CID 3235. Perfusion Comparison Findings	591
CID 3236. Tolerance Comparison Findings	592
CID 3237. Wall Motion Comparison Findings	592
CID 3238. Stress Scoring Scales	592
CID 3239. Perceived Exertion Scales	592
CID 3240. Electrophysiology Measurement Functions and Techniques	593
CID 3241. Hemodynamic Measurement Techniques	593
CID 3250. Catheterization Procedure Phase	594
CID 3254. Electrophysiology Procedure Phase	595
CID 3261. Stress Protocols	595
CID 3262. ECG Patient State Values	596
CID 3263. Electrode Placement Values	596
CID 3264. XYZ Electrode Placement Values (Retired)	597
CID 3271. Hemodynamic Physiological Challenges	597
CID 3335. ECG Annotations	598
CID 3337. Hemodynamic Annotations	601
CID 3339. Electrophysiology Annotations	602
CID 3400. Procedure Log Titles	602
CID 3401. Types of Log Notes	603
CID 3402. Patient Status and Events	603
CID 3403. Percutaneous Entry	604
CID 3404. Staff Actions	604
CID 3405. Procedure Action Values	604
CID 3406. Non-coronary Transcatheter Interventions	605
CID 3407. Purpose of Reference to Object	605
CID 3408. Actions With Consumables	606
CID 3409. Administration of Drugs/Contrast	606
CID 3410. Numeric Parameters of Drugs/Contrast	606
CID 3411. Intracoronary Devices	607
CID 3412. Intervention Actions and Status	608
CID 3413. Adverse Outcomes	608
CID 3414. Procedure Urgency	608
CID 3415. Cardiac Rhythms	609
CID 3416. Respiration Rhythms	611
CID 3418. Lesion Risk	611
CID 3419. Findings Titles	612
CID 3421. Procedure Action	612
CID 3422. Device Use Actions	612
CID 3423. Numeric Device Characteristics	612

CID 3425. Intervention Parameters	613
CID 3426. Consumables Parameters	613
CID 3427. Equipment Events	613
CID 3428. Imaging Procedures	614
CID 3429. Catheterization Devices	614
CID 3430. DateTime Qualifiers	615
CID 3440. Peripheral Pulse Locations	615
CID 3441. Patient Assessments	616
CID 3442. Peripheral Pulse Methods	616
CID 3446. Skin Condition	616
CID 3448. Airway Assessment	617
CID 3451. Calibration Objects	617
CID 3452. Calibration Methods	617
CID 3453. Cardiac Volume Methods	617
CID 3455. Index Methods	618
CID 3456. Sub-segment Methods	618
CID 3458. Contour Realignment	618
CID 3460. Circumferential Extent	618
CID 3461. Regional Extent	619
CID 3462. Chamber Identification	619
CID 3463. Ventricle Identification	619
CID 3465. QA Reference Methods	620
CID 3466. Plane Identification	620
CID 3467. Ejection Fraction	620
CID 3468. ED Volume	621
CID 3469. ES Volume	621
CID 3470. Vessel Lumen Cross-sectional Area Calculation Methods	621
CID 3471. Estimated Volumes	621
CID 3472. Cardiac Contraction Phase	622
CID 3480. IVUS Procedure Phases	622
CID 3481. IVUS Distance Measurements	622
CID 3482. IVUS Area Measurements	622
CID 3483. IVUS Longitudinal Measurements	623
CID 3484. IVUS Indices and Ratios	623
CID 3485. IVUS Volume Measurements	624
CID 3486. Vascular Measurement Sites	624
CID 3487. Intravascular Volumetric Regions	624
CID 3488. Min/Max/Mean	625
CID 3489. Calcium Distribution	625
CID 3491. IVUS Lesion Morphologies	625
CID 3492. Vascular Dissection Classifications	626
CID 3493. IVUS Relative Stenosis Severities	626
CID 3494. IVUS Non Morphological Findings	627
CID 3495. IVUS Plaque Composition	627
CID 3496. IVUS Fiducial Points	627
CID 3497. IVUS Arterial Morphology	628
CID 3500. Pressure Units	628
CID 3502. Hemodynamic Resistance Units	628
CID 3503. Indexed Hemodynamic Resistance Units	629
CID 3510. Catheter Size Units	629
CID 3515. Specimen Collection	629
CID 3520. Blood Source Type	629
CID 3524. Blood Gas Pressures	630
CID 3525. Blood Gas Content	630
CID 3526. Blood Gas Saturation	631
CID 3527. Blood Base Excess	631
CID 3528. Blood pH	631
CID 3529. Arterial / Venous Content	631
CID 3530. Oxygen Administration Actions	632
CID 3531. Oxygen Administration	632

CID 3550. Circulatory Support Actions	632
CID 3551. Ventilation Actions	632
CID 3552. Pacing Actions	633
CID 3553. Circulatory Support	633
CID 3554. Ventilation	633
CID 3555. Pacing	634
CID 3560. Blood Pressure Methods	634
CID 3600. Relative Times	634
CID 3602. Hemodynamic Patient State	634
CID 3604. Arterial Lesion Locations	635
CID 3606. Arterial Source Locations	635
CID 3607. Venous Source Locations	637
CID 3608. Atrial Source Locations	638
CID 3609. Ventricular Source Locations	639
CID 3610. Gradient Source Locations	639
CID 3611. Pressure Measurements	640
CID 3612. Blood Velocity Measurements	640
CID 3613. Hemodynamic Time Measurements	640
CID 3614. Valve Areas, Non-mitral	641
CID 3615. Valve Areas	641
CID 3616. Hemodynamic Period Measurements	641
CID 3617. Valve Flows	642
CID 3618. Hemodynamic Flows	642
CID 3619. Hemodynamic Resistance Measurements	642
CID 3620. Hemodynamic Ratios	643
CID 3621. Fractional Flow Reserve	643
CID 3627. Measurement Type	643
CID 3628. Cardiac Output Methods	644
CID 3629. Procedure Intent	644
CID 3630. Cardiovascular Anatomic Locations	645
CID 3640. Hypertension	645
CID 3641. Hemodynamic Assessments	646
CID 3642. Degree Findings	646
CID 3651. Hemodynamic Measurement Phase	646
CID 3663. Body Surface Area Equations	647
CID 3664. Oxygen Consumption Equations and Tables	647
CID 3666. P50 Equations	648
CID 3667. Framingham Scores	648
CID 3668. Framingham Tables	648
CID 3670. ECG Procedure Types	649
CID 3671. Reason for ECG Exam	649
CID 3672. Pacemakers	649
CID 3673. Diagnosis (Retired)	650
CID 3675. Other Filters (Retired)	650
CID 3676. Lead Measurement Technique	650
CID 3677. Summary Codes ECG	650
CID 3678. QT Correction Algorithms	651
CID 3679. ECG Morphology Descriptions (Retired)	651
CID 3680. ECG Lead Noise Descriptions	651
CID 3681. ECG Lead Noise Modifiers (Retired)	652
CID 3682. Probability (Retired)	652
CID 3683. Modifiers (Retired)	652
CID 3684. Trend (Retired)	652
CID 3685. Conjunctive Terms (Retired)	652
CID 3686. ECG Interpretive Statements (Retired)	652
CID 3687. Electrophysiology Waveform Durations	652
CID 3688. Electrophysiology Waveform Voltages	653
CID 3689. ECG Global Waveform Durations	654
CID 3690. ECG Control Variables Numeric	655
CID 3691. ECG Control Variables Text	655

CID 3692. ICDs	656
CID 3700. Cath Diagnosis	656
CID 3701. Cardiac Valves and Tracts	658
CID 3703. Wall Motion	658
CID 3704. Myocardium Wall Morphology Findings	659
CID 3705. Chamber Size	659
CID 3706. Overall Contractility	659
CID 3707. VSD Description	660
CID 3709. Aortic Root Description	660
CID 3710. Coronary Dominance	660
CID 3711. Valvular Abnormalities	661
CID 3712. Vessel Descriptors	661
CID 3713. TIMI Flow Characteristics	662
CID 3714. Thrombus	662
CID 3715. Lesion Margin	662
CID 3716. Severity	663
CID 3717. Myocardial Wall Segments	663
CID 3718. Myocardial Wall Segments in Projection	664
CID 3719. Canadian Clinical Classification	665
CID 3720. Cardiac History Dates (Retired)	665
CID 3721. Cardiovascular Surgeries	665
CID 3722. Diabetic Therapy	666
CID 3723. MI Types	666
CID 3724. Smoking History	666
CID 3726. Indications for Coronary Intervention	667
CID 3727. Indications for Catheterization	667
CID 3728. Cath Findings	668
CID 3729. Admission Status	669
CID 3730. Insurance Payor	669
CID 3733. Primary Cause of Death	670
CID 3735. Acute Coronary Syndrome Time Period	670
CID 3736. NYHA Classification	670
CID 3737. Non-invasive Test - Ischemia	671
CID 3738. Pre-Cath Angina Type	671
CID 3739. Cath Procedure Type	671
CID 3740. Thrombolytic Administration	672
CID 3741. Medication Administration, Lab Visit	672
CID 3742. Medication Administration, PCI	672
CID 3743. Clopidogrel/Ticlopidine Administration	673
CID 3744. EF Testing Method	673
CID 3745. Calculation Method	674
CID 3746. Percutaneous Entry Site	674
CID 3747. Percutaneous Closure	674
CID 3748. Angiographic EF Testing Method	675
CID 3749. PCI Procedure Result	675
CID 3750. Previously Dilated Lesion	675
CID 3752. Guidewire Crossing	675
CID 3754. Vascular Complications	676
CID 3755. Cath Complications	676
CID 3756. Cardiac Patient Risk Factors	677
CID 3757. Cardiac Diagnostic Procedures	677
CID 3758. Cardiovascular Family History	678
CID 3760. Hypertension Therapy	679
CID 3761. Antilipemic Agents	679
CID 3762. Antiarrhythmic Agents	680
CID 3764. Myocardial Infarction Therapies	680
CID 3769. Concern Types	680
CID 3770. Problem Status	681
CID 3772. Health Status	681
CID 3773. Use Status	682

CID 3774. Social History	682
CID 3777. Implanted Devices	682
CID 3778. Stages	682
CID 3802. Plaque Structures	683
CID 3804. Stenosis Measurement Methods	683
CID 3805. Stenosis Types	683
CID 3806. Stenosis Shape	684
CID 3807. Volume Measurement Methods	684
CID 3808. Aneurysm Types	684
CID 3809. Associated Conditions	685
CID 3810. Vascular Morphology	685
CID 3813. Stent Findings	686
CID 3814. Stent Composition	686
CID 3815. Source of Vascular Finding	687
CID 3817. Vascular Sclerosis Types	687
CID 3820. Non-invasive Vascular Procedures	688
CID 3821. Papillary Muscle Included/Excluded	688
CID 3823. Respiratory Status	688
CID 3826. Heart Rhythm	689
CID 3827. Vessel Segments	689
CID 3829. Pulmonary Arteries	689
CID 3831. Stenosis Length	690
CID 3832. Stenosis Grade	690
CID 3833. Cardiac Ejection Fraction	690
CID 3835. Cardiac Volume Measurements	691
CID 3836. Time-based Perfusion Measurements	691
CID 3837. Fiducial Feature	691
CID 3838. Diameter Derivation	692
CID 3839. Coronary Veins	692
CID 3840. Pulmonary Veins	692
CID 3843. Myocardial Subsegment	693
CID 3850. Contrast Bolus Substance	693
CID 4005. Partial View Section for Mammography	693
CID 4009. DX Anatomy Imaged	694
CID 4010. DX View	694
CID 4011. DX View Modifier	696
CID 4012. Projection Eponymous Name	696
CID 4013. Anatomic Region for Mammography	699
CID 4014. View for Mammography	699
CID 4015. View Modifier for Mammography	700
CID 4016. Anatomic Region for Intra-oral Radiography	701
CID 4017. Anatomic Region Modifier for Intra-oral Radiography	701
CID 4018. Primary Anatomic Structure for Intra-oral Radiography (Permanent Dentition - Designation of Teeth)	702
CID 4019. Primary Anatomic Structure for Intra-oral Radiography (Deciduous Dentition - Designation of Teeth)	704
CID 4020. PET Radionuclide	705
CID 4021. PET Radiopharmaceutical	706
CID 4025. Primary Anatomic Structure for Intra-oral Radiography (Supernumerary Dentition - Designation of Teeth)	710
CID 4026. Primary Anatomic Structure for Intra-oral and Craniofacial Radiography - Teeth	712
CID 4028. Craniofacial Anatomic Regions	712
CID 4029. Dermatology Anatomic Sites	714
CID 4030. CT, MR and PET Anatomy Imaged	724
CID 4031. Common Anatomic Regions	725
CID 4032. MR Spectroscopy Metabolites	728
CID 4033. MR Proton Spectroscopy Metabolites	728
CID 4040. Endoscopy Anatomic Regions	729
CID 4042. XA/XRF Anatomy Imaged	730
CID 4050. Drug or Contrast Agent Characteristics	730
CID 4051. General Devices	731
CID 4052. Phantom Devices	731
CID 4100. T1 Measurement Methods	732

CID 4101. Tracer Kinetic Models	732
CID 4102. Perfusion Measurement Methods	732
CID 4103. Arterial Input Function Measurement Methods	732
CID 4104. Bolus Arrival Time Derivation Methods	733
CID 4105. Perfusion Analysis Methods	733
CID 4106. Quantitative Methods used for Perfusion And Tracer Kinetic Models	733
CID 4107. Tracer Kinetic Model Parameters	734
CID 4108. Perfusion Model Parameters	734
CID 4109. Model-Independent Dynamic Contrast Analysis Parameters	735
CID 4110. Tracer Kinetic Modeling Covariates	736
CID 4111. Contrast Characteristics	736
CID 4200. Ophthalmic Imaging Agent	737
CID 4201. Patient Eye Movement Command	737
CID 4202. Ophthalmic Photography Acquisition Device	737
CID 4203. Ophthalmic Photography Illumination	738
CID 4204. Ophthalmic Filter	739
CID 4205. Ophthalmic Lens	739
CID 4206. Ophthalmic Channel Description	739
CID 4207. Ophthalmic Image Position	740
CID 4208. Mydriatic Agent	741
CID 4209. Ophthalmic Anatomic Structure Imaged	741
CID 4210. Ophthalmic Tomography Acquisition Device	742
CID 4211. Ophthalmic OCT Anatomic Structure Imaged	742
CID 4214. Ophthalmic Horizontal Directions	743
CID 4215. Ophthalmic Vertical Directions	743
CID 4216. Ophthalmic Visual Acuity Type	743
CID 4220. Visual Fixation Quality During Acquisition	744
CID 4221. Visual Fixation Quality Problem	744
CID 4222. Ophthalmic Macular Grid Problem	744
CID 4230. Ophthalmic Ultrasound Axial Measurements Type	745
CID 4231. Lens Status	745
CID 4232. Vitreous Status	745
CID 4233. Ophthalmic Axial Length Measurements Segment Names	746
CID 4234. Refractive Surgery Types	746
CID 4235. Keratometry Descriptors	746
CID 4236. IOL Calculation Formula	747
CID 4237. Lens Constant Type	747
CID 4238. Refractive Error Types	748
CID 4239. Anterior Chamber Depth Definition	748
CID 4240. Ophthalmic Measurement or Calculation Data Source	748
CID 4241. Ophthalmic Axial Length Selection Method	748
CID 4242. Cornea Measurement Method Descriptors	749
CID 4243. Ophthalmic Quality Metric Type	749
CID 4244. Ophthalmic Agent Concentration Units	749
CID 4245. Wide Field Ophthalmic Photography Transformation Method	749
CID 4250. Visual Field Static Perimetry Test Patterns	750
CID 4251. Visual Field Static Perimetry Test Strategies	750
CID 4252. Visual Field Static Perimetry Screening Test Modes	751
CID 4253. Visual Field Static Perimetry Fixation Strategy	751
CID 4254. Visual Field Static Perimetry Test Analysis Results	752
CID 4255. Visual Field Illumination Color	752
CID 4256. Visual Field Procedure Modifier	752
CID 4257. Visual Field Global Index Name	753
CID 4260. Ophthalmic Mapping Units for Real World Value Mapping	753
CID 4261. Ophthalmic Mapping Acquisition Method	753
CID 4262. Retinal Thickness Definition	753
CID 4263. Ophthalmic Thickness Map Value Type	754
CID 4264. Ophthalmic Map Purposes of Reference	754
CID 4265. Ophthalmic Thickness Deviation Categories	754
CID 4266. Ophthalmic Anatomic Structure Reference Point	755

CID 4267. Corneal Topography Mapping Units for Real World Value Mapping	755
CID 4268. Corneal Topography Map Value Type	755
CID 4270. OCT-A Processing Algorithm Families	756
CID 4271. En Face Image Types	756
CID 4272. Opt Scan Pattern Types	757
CID 4273. Retinal Segmentation Surfaces	757
CID 5000. Languages	758
CID 5001. Countries	758
CID 5002. Organizations	758
CID 6000. Overall Breast Composition	759
CID 6001. Overall Breast Composition from BI-RADS®	759
CID 6002. Change Since Last Mammogram or Prior Surgery	759
CID 6003. Change Since Last Mammogram or Prior Surgery from BI-RADS®	760
CID 6004. Mammography Characteristics of Shape	760
CID 6005. Characteristics of Shape from BI-RADS®	760
CID 6006. Mammography Characteristics of Margin	761
CID 6007. Characteristics of Margin from BI-RADS®	761
CID 6008. Density Modifier	762
CID 6009. Density Modifier from BI-RADS®	762
CID 6010. Mammography Calcification Types	762
CID 6011. Calcification Types from BI-RADS®	763
CID 6012. Calcification Distribution Modifier	763
CID 6013. Calcification Distribution Modifier from BI-RADS®	764
CID 6014. Mammography Single Image Finding	764
CID 6015. Single Image Finding from BI-RADS®	764
CID 6016. Mammography Composite Feature	765
CID 6017. Composite Feature from BI-RADS®	765
CID 6018. Clockface Location or Region	766
CID 6019. Clockface Location or Region from BI-RADS®	766
CID 6020. Quadrant Location	767
CID 6021. Quadrant Location from BI-RADS®	767
CID 6022. Side	767
CID 6023. Side from BI-RADS®	768
CID 6024. Depth	768
CID 6025. Depth from BI-RADS®	768
CID 6026. Mammography Assessment	769
CID 6027. Assessment from BI-RADS®	769
CID 6028. Mammography Recommended Follow-up	770
CID 6029. Recommended Follow-up from BI-RADS®	770
CID 6030. Mammography Pathology Codes	771
CID 6031. Benign Pathology Codes from BI-RADS®	771
CID 6032. High Risk Lesions Pathology Codes from BI-RADS®	774
CID 6033. Malignant Pathology Codes from BI-RADS®	774
CID 6034. Intended Use of CAD Output	776
CID 6035. Composite Feature Relations	776
CID 6036. Scope of Feature	777
CID 6037. Mammography Quantitative Temporal Difference Type	777
CID 6038. Mammography Qualitative Temporal Difference Type	777
CID 6039. Nipple Characteristic	778
CID 6040. Non-lesion Object Type	778
CID 6041. Mammography Image Quality Finding	778
CID 6042. Status of Results	780
CID 6043. Types of Mammography CAD Analysis	780
CID 6044. Types of Image Quality Assessment	781
CID 6045. Mammography Types of Quality Control Standard	781
CID 6046. Units of Follow-up Interval	781
CID 6047. CAD Processing and Findings Summary	781
CID 6048. CAD Operating Point Axis Label	782
CID 6050. Breast Procedure Reported	782
CID 6051. Breast Procedure Reason	784

CID 6052. Breast Imaging Report Section Title	784
CID 6053. Breast Imaging Report Elements	785
CID 6054. Breast Imaging Findings	785
CID 6055. Breast Clinical Finding or Indicated Problem	786
CID 6056. Associated Findings for Breast	787
CID 6057. Ductography Findings for Breast	787
CID 6058. Procedure Modifiers for Breast	787
CID 6059. Breast Implant Types	788
CID 6060. Breast Biopsy Techniques	788
CID 6061. Breast Imaging Procedure Modifiers	789
CID 6062. Interventional Procedure Complications	789
CID 6063. Interventional Procedure Results	790
CID 6064. Ultrasound Findings for Breast	790
CID 6065. Instrument Approach	791
CID 6066. Target Confirmation	791
CID 6067. Fluid Color	792
CID 6068. Tumor Stages From AJCC	792
CID 6069. Nottingham Combined Histologic Grade	792
CID 6070. Bloom-Richardson Histologic Grade	793
CID 6071. Histologic Grading Method	793
CID 6072. Breast Implant Findings	793
CID 6080. Gynecological Hormones	794
CID 6081. Breast Cancer Risk Factors	794
CID 6082. Gynecological Procedures	795
CID 6083. Procedures for Breast	795
CID 6084. Mammoplasty Procedures	796
CID 6085. Therapies for Breast	796
CID 6086. Menopausal Phase	796
CID 6087. General Risk Factors	797
CID 6088. OB-GYN Maternal Risk Factors	797
CID 6089. Substances	798
CID 6090. Relative Usage, Exposure Amount	798
CID 6091. Relative Frequency of Event Values	798
CID 6092. Quantitative Concepts for Usage, Exposure	799
CID 6093. Qualitative Concepts for Usage, Exposure Amount	799
CID 6094. Qualitative Concepts for Usage, Exposure Frequency	799
CID 6095. Numeric Properties of Procedures	800
CID 6096. Pregnancy Status	800
CID 6097. Side of Family	800
CID 6098. Clinical Course of Disease	800
CID 6099. Racial Group	801
CID 6100. Chest Component Categories	801
CID 6101. Chest Finding or Feature	802
CID 6102. Chest Finding or Feature Modifier	802
CID 6103. Abnormal Lines Finding or Feature	802
CID 6104. Abnormal Opacity Finding or Feature	803
CID 6105. Abnormal Lucency Finding or Feature	804
CID 6106. Abnormal Texture Finding or Feature	804
CID 6107. Width Descriptor	805
CID 6108. Chest Anatomic Structure Abnormal Distribution	805
CID 6109. Radiographic Anatomy Finding or Feature	805
CID 6110. Lung Anatomy Finding or Feature	806
CID 6111. Bronchovascular Anatomy Finding or Feature	806
CID 6112. Pleura Anatomy Finding or Feature	807
CID 6113. Mediastinum Anatomy Finding or Feature	807
CID 6114. Osseous Anatomy Finding or Feature	808
CID 6115. Osseous Anatomy Modifiers	808
CID 6116. Muscular Anatomy	809
CID 6117. Vascular Anatomy	810
CID 6118. Size Descriptor	811

CID 6119. Chest Border Shape	812
CID 6120. Chest Border Definition	812
CID 6121. Chest Orientation Descriptor	813
CID 6122. Chest Content Descriptor	813
CID 6123. Chest Opacity Descriptor	813
CID 6124. Location in Chest	814
CID 6125. General Chest Location	814
CID 6126. Location in Lung	814
CID 6127. Segment Location in Lung	815
CID 6128. Chest Distribution Descriptor	815
CID 6129. Chest Site Involvement	816
CID 6130. Severity Descriptor	816
CID 6131. Chest Texture Descriptor	817
CID 6132. Chest Calcification Descriptor	817
CID 6133. Chest Quantitative Temporal Difference Type	817
CID 6134. Chest Qualitative Temporal Difference Type	818
CID 6135. Image Quality Finding	818
CID 6136. Chest Types of Quality Control Standard	819
CID 6137. Types of CAD Analysis	819
CID 6138. Chest Non-lesion Object Type	819
CID 6139. Non-lesion Modifiers	820
CID 6140. Calculation Methods	820
CID 6141. Attenuation Coefficient Measurements	820
CID 6142. Calculated Value	821
CID 6143. Lesion Response	821
CID 6144. RECIST Defined Lesion Response	821
CID 6145. Baseline Category	822
CID 6146. Time Point Types	822
CID 6147. Response Criteria	823
CID 6151. Background Echotexture	823
CID 6152. Orientation	823
CID 6153. Lesion Boundary	824
CID 6154. Echo Pattern	824
CID 6155. Posterior Acoustic Features	824
CID 6157. Vascularity	825
CID 6158. Correlation to Other Findings	825
CID 6159. Malignancy Type	825
CID 6160. Breast Primary Tumor Assessment From AJCC	826
CID 6161. Clinical Regional Lymph Node Assessment for Breast	827
CID 6162. Assessment of Metastasis for Breast	827
CID 6163. Menstrual Cycle Phase	828
CID 6164. Time Intervals	828
CID 6165. Breast Linear Measurements	828
CID 6166. CAD Geometry Secondary Graphical Representation	828
CID 6200. Colon Overall Assessment	829
CID 6201. Colon Finding or Feature	829
CID 6202. Colon Finding or Feature Modifier	830
CID 6203. Colon Non-lesion Object Type	830
CID 6204. Anatomic Non-colon Findings	831
CID 6205. Clockface Location for Colon	832
CID 6206. Recumbent Patient Orientation for Colon	832
CID 6207. Colon Quantitative Temporal Difference Type	832
CID 6208. Colon Types of Quality Control Standard	833
CID 6209. Colon Morphology Descriptor	833
CID 6210. Location in Intestinal Tract	833
CID 6211. Colon CAD Material Description	834
CID 6212. Calculated Value for Colon Findings	834
CID 6300. Prostate Sector Anatomy	834
CID 6301. Prostate Sector Anatomy from PI-RADS v2	835
CID 6302. Prostate Sector Anatomy from European Consensus 16 Sector (Minimal) Model	837

CID 6303. Prostate Sector Anatomy from European Concensus 27 Sector (Optimal) Model	838
CID 6401. Non-lesion Object Type - Physical Objects	840
CID 6402. Non-lesion Object Type - Substances	841
CID 6403. Non-lesion Object Type - Tissues	841
CID 6404. Chest Non-lesion Object Type - Physical Objects	841
CID 6405. Chest Non-lesion Object Type - Tissues	842
CID 7000. Diagnostic Imaging Report Document Titles	842
CID 7001. Diagnostic Imaging Report Headings	843
CID 7002. Diagnostic Imaging Report Elements	844
CID 7003. Diagnostic Imaging Report Purposes of Reference	844
CID 7004. Waveform Purposes of Reference	845
CID 7005. Contributing Equipment Purposes of Reference	845
CID 7006. SR Document Purposes of Reference	845
CID 7007. Signature Purpose	846
CID 7008. Media Import	846
CID 7009. Purpose of Reference to Predecessor Report	846
CID 7010. Key Object Selection Document Title	847
CID 7011. Rejected for Quality Reasons	848
CID 7012. Best in Set	849
CID 7013. Non-Image Source Instance Purposes of Reference	849
CID 7014. Export Additional Information Document Titles	849
CID 7015. Export Delay Reasons	849
CID 7016. Level of Difficulty	850
CID 7017. Category of Teaching Material - Imaging	850
CID 7018. Miscellaneous Document Titles	851
CID 7019. Segmentation Non-Image Source Purposes of Reference	851
CID 7020. Document Titles	851
CID 7021. Measurement Report Document Titles	851
CID 7022. Radiotherapy Purposes of Reference	852
CID 7023. RT Process Output	852
CID 7024. RT Process Input	852
CID 7025. RT Process Input Used	853
CID 7026. Radiotherapeutic Dose Measurement Devices	853
CID 7027. Segmented Radiotherapeutic Dose Measurement Devices	854
CID 7030. Institutional Departments, Units and Services	854
CID 7035. Actionable Finding Classification	857
CID 7036. Image Quality Assessment	857
CID 7039. Pediatric Size Categories	857
CID 7040. Broselow-Luten Pediatric Size Categories	858
CID 7041. Calcium Scoring Patient Size Categories	858
CID 7042. CMDCTECC Calcium Scoring Patient Size Categories	858
CID 7050. De-identification Method	859
CID 7060. Encapsulated Document Source Purposes of Reference	859
CID 7061. Model Document Titles	859
CID 7062. Purpose of Reference to Predecessor 3D Model	860
CID 7063. Model Scale Units	860
CID 7064. Model Usage	860
CID 7100. RCS Registration Method Type	861
CID 7101. Brain Atlas Fiducials	861
CID 7110. Fiducials Categories	862
CID 7111. Fiducials	862
CID 7112. Radiotherapy Fiducials	862
CID 7140. Brain Structures for Volumetric Measurements	863
CID 7150. Segmentation Property Categories	864
CID 7151. Segmentation Property Types	864
CID 7152. Cardiac Structure Segmentation Types	865
CID 7153. CNS Segmentation Types	865
CID 7154. Abdominal Segmentation Types	867
CID 7155. Thoracic Segmentation Types	868
CID 7156. Vascular Segmentation Types	868

CID 7157. Device Segmentation Types	869
CID 7158. Artifact Segmentation Types	869
CID 7159. Lesion Segmentation Types	870
CID 7160. Pelvic Organ Segmentation Types	870
CID 7161. Physiology Segmentation Types	871
CID 7162. Surface Processing Algorithm Families	871
CID 7165. Abstract Segmentation Types	871
CID 7166. Common Tissue Segmentation Types	872
CID 7167. Peripheral Nervous System Segmentation Types	873
CID 7168. Brain Lesion Segmentation Types With Necrosis	873
CID 7169. Brain Lesion Segmentation Types Without Necrosis	873
CID 7180. Abstract Multi-dimensional Image Model Component Semantics	874
CID 7181. Abstract Multi-dimensional Image Model Component Units	877
CID 7182. Abstract Multi-dimensional Image Model Dimension Semantics	878
CID 7183. Abstract Multi-dimensional Image Model Dimension Units	879
CID 7184. Abstract Multi-dimensional Image Model Axis Direction	879
CID 7185. Abstract Multi-dimensional Image Model Axis Orientation	879
CID 7186. Abstract Multi-dimensional Image Model Qualitative Dimension Sample Semantics	880
CID 7191. Tissue Segmentation Property Types	880
CID 7192. Anatomical Structure Segmentation Property Types	881
CID 7193. Physical Object Segmentation Property Types	881
CID 7194. Morphologically Abnormal Structure Segmentation Property Types	882
CID 7195. Function Segmentation Property Types	882
CID 7196. Spatial and Relational Concept Segmentation Property Types	882
CID 7197. Body Substance Segmentation Property Types	883
CID 7198. Substance Segmentation Property Types	883
CID 7201. Referenced Image Purposes of Reference	883
CID 7202. Source Image Purposes of Reference	884
CID 7203. Image Derivation	884
CID 7205. Purpose of Reference to Alternate Representation	885
CID 7210. Related Series Purposes of Reference	886
CID 7215. Spectroscopy Purpose of Reference	886
CID 7220. RT Dose Derivation	886
CID 7221. RT Dose Purpose of Reference	886
CID 7222. Parametric Map Derivation Image Purpose of Reference	887
CID 7250. Multi-Frame Subset Type	887
CID 7260. Diffusion Acquisition Value Types	887
CID 7261. Diffusion Model Value Types	888
CID 7262. Diffusion Tractography Algorithm Families	888
CID 7263. Diffusion Tractography Measurement Types	888
CID 7270. MR Diffusion Component Semantics	889
CID 7271. MR Diffusion Anisotropy Indices	889
CID 7272. MR Diffusion Model Parameters	890
CID 7273. MR Diffusion Models	890
CID 7274. MR Diffusion Model Fitting Methods	891
CID 7275. MR Diffusion Model Specific Methods	891
CID 7276. MR Diffusion Model Inputs	891
CID 7277. Units of Diffusion Rate Area Over Time	892
CID 7300. Implant Materials	892
CID 7301. Intervention Types	892
CID 7302. Implant Templates View Orientations	892
CID 7303. Implant Templates Modified View Orientations	893
CID 7304. Implant Target Anatomy	893
CID 7305. Implant Planning Landmarks	894
CID 7306. Human Hip Implant Planning Landmarks	895
CID 7307. Implant Component Types	895
CID 7308. Human Hip Implant Component Types	895
CID 7309. Human Trauma Implant Component Types	896
CID 7310. Implant Fixation Method	896
CID 7320. Planning Methods	897

CID 7445. Device Participating Roles	897
CID 7449. Reader Specialty	897
CID 7450. Person Roles	898
CID 7451. Family Member	898
CID 7452. Organizational Roles	899
CID 7453. Performing Roles	900
CID 7454. Animal Taxonomic Rank Values	900
CID 7455. Sex	902
CID 7456. Units of Measure for Age	903
CID 7457. Sex - Male Female or Both	903
CID 7460. Units of Linear Measurement	903
CID 7461. Units of Area Measurement	903
CID 7462. Units of Volume Measurement	904
CID 7464. General Region of Interest Measurement Modifiers	904
CID 7465. Measurements Derived From Multiple ROI Measurements	905
CID 7466. PET Region of Interest Measurements	905
CID 7467. Gray Level Co-occurrence Matrix Measurements	905
CID 7468. Texture Measurements	906
CID 7469. Generic Intensity and Size Measurements	906
CID 7470. Linear Measurements	907
CID 7471. Area Measurements	907
CID 7472. Volume Measurements	908
CID 7473. General Area Calculation Methods	908
CID 7474. General Volume Calculation Methods	908
CID 7475. Gray Level Run Length Based Features	909
CID 7476. Gray Level Size Zone Based Features	909
CID 7477. Global Shape Descriptors	910
CID 7478. Intensity Histogram Features	911
CID 7479. Grey Level Distance Zone Based Features	911
CID 7480. Breed	912
CID 7481. Breed Registry	985
CID 7482. DX Anatomy Imaged for Animals	986
CID 7483. Common Anatomic Regions for Animals	986
CID 7484. DX View for Animals	988
CID 7486. Mixed Breeds	991
CID 7490. Research Animal Source Registries	991
CID 7500. Neighbourhood Grey Tone Difference Based Features	992
CID 7501. Neighbouring Grey Level Dependence Based Features	992
CID 7600. Lymph Node Anatomic Sites	993
CID 7601. Head and Neck Cancer Anatomic Sites	998
CID 7701. Fiber Tracts In Brainstem	999
CID 7702. Projection and Thalamic Fibers	1000
CID 7703. Association Fibers	1000
CID 7704. Limbic System Tracts	1001
CID 7705. Commissural Fibers	1001
CID 7706. Cranial Nerves	1002
CID 7707. Spinal Cord Fibers	1002
CID 7710. Tractography Anatomic Sites	1003
CID 8101. Container Types	1003
CID 8102. Container Component Types	1004
CID 8103. Anatomic Pathology Specimen Types	1004
CID 8104. Breast Tissue Specimen Types	1004
CID 8109. Specimen Collection Procedure	1005
CID 8110. Specimen Sampling Procedure	1005
CID 8111. Specimen Preparation Procedure	1006
CID 8112. Specimen Stains	1006
CID 8113. Specimen Preparation Steps	1012
CID 8114. Specimen Fixatives	1013
CID 8115. Specimen Embedding Media	1013
CID 8120. WSI Referenced Image Purposes of Reference	1014

CID 8121. Microscopy Lens Type	1014
CID 8122. Microscopy Illuminator and Sensor Color	1014
CID 8123. Microscopy Illumination Method	1015
CID 8124. Microscopy Filter	1015
CID 8125. Microscopy Illuminator Type	1016
CID 8130. Staining Protocols	1016
CID 8131. Pathology Imaging Protocols	1016
CID 8132. Magnification Selection	1017
CID 8133. Tissue Selection	1017
CID 8201. Surface Scan Acquisition Types	1017
CID 8202. Surface Scan Mode Types	1018
CID 8203. Surface Scan Registration Method Types	1018
CID 8300. Visual Evaluation Methods	1018
CID 8301. Test Pattern Codes	1019
CID 8302. Measurement Pattern Codes	1022
CID 8303. Display Device Type	1022
CID 9000. Physical Quantity Descriptors	1022
CID 9231. Workitem Definition	1023
CID 9232. Non-DICOM Output Types (Retired)	1023
CID 9233. Requested Report Types	1023
CID 9241. Radiotherapy General Workitem Definition	1024
CID 9242. Radiotherapy Acquisition Workitem Definition	1024
CID 9243. Radiotherapy Registration Workitem Definition	1025
CID 9250. Scheduled Processing Parameter Concept Codes for RT Treatment	1025
CID 9300. Procedure Discontinuation Reasons	1025
CID 9301. Modality PPS Discontinuation Reasons	1026
CID 9302. Media Import PPS Discontinuation Reasons	1026
CID 9303. Interpretation Request Discontinuation Reasons	1027
CID 9401. IEC61217 Device Position Parameters	1027
CID 9402. IEC61217 Gantry Position Parameters	1027
CID 9403. IEC61217 Patient Support Position Parameters	1028
CID 9500. Dosimetric Objective Types	1028
CID 9501. Prescription Anatomy Categories	1028
CID 9502. RT Segment Annotation Categories	1029
CID 9503. Radiotherapy Therapeutic Role Categories	1029
CID 9504. RT Geometric Information	1029
CID 9505. Fixation or Positioning Devices	1030
CID 9506. Brachytherapy Devices	1030
CID 9507. External Body Models	1030
CID 9508. Non-specific Volumes	1030
CID 9509. Purpose of Reference For RT Physician Intent Input	1031
CID 9510. Purpose of Reference For RT Treatment Planning Input	1031
CID 9511. General External Radiotherapy Procedure Techniques	1031
CID 9512. Tomotherapeutic Radiotherapy Procedure Techniques	1032
CID 9513. Fixation Devices	1032
CID 9514. Anatomical Structures For Radiotherapy	1032
CID 9515. RT Patient Support Devices	1033
CID 9516. Radiotherapy Bolus Device Types	1033
CID 9517. Radiotherapy Block Device Types	1033
CID 9518. Radiotherapy Accessory No-slot Holder Device Types	1033
CID 9519. Radiotherapy Accessory Slot Holder Device Types	1034
CID 9520. Segmented RT Accessory Devices	1034
CID 9521. Radiotherapy Treatment Energy Unit	1034
CID 9522. Multi-source Radiotherapy Procedure Techniques	1034
CID 9523. Robotic Radiotherapy Procedure Techniques	1035
CID 9524. Radiotherapy Procedure Techniques	1035
CID 9525. Radiation Therapy Particle	1035
CID 9526. Ion Therapy Particle	1035
CID 9527. Teletherapy Isotope	1036
CID 9528. Brachytherapy Isotope	1036

CID 9529. Single Dose Dosimetric Objectives	1037
CID 9530. Percentage and Dose Dosimetric Objectives	1037
CID 9531. Volume and Dose Dosimetric Objectives	1037
CID 9532. No-Parameter Dosimetric Objectives	1037
CID 9533. Delivery Time Structure	1038
CID 9534. Radiotherapy Targets	1038
CID 9535. Radiotherapy Dose Calculation Roles	1039
CID 9536. Radiotherapy Prescribing and Segmenting Person Roles	1039
CID 9537. Effective Dose Calculation Method Categories	1039
CID 9538. Radiation Transport-based Effective Dose Method Modifiers	1040
CID 9539. Fractionation-based Effective Dose Method Modifiers	1040
CID 10000. Scope of Accumulation	1040
CID 10001. UID Types	1040
CID 10002. Irradiation Event Types	1041
CID 10003. Equipment Plane Identification	1041
CID 10004. Fluoro Modes	1041
CID 10006. X-Ray Filter Materials	1042
CID 10007. X-Ray Filter Types	1042
CID 10008. Dose Related Distance Measurements	1042
CID 10009. Measured/Calculated	1043
CID 10010. Dose Measurement Devices	1043
CID 10011. Effective Dose Evaluation Method	1043
CID 10013. CT Acquisition Type	1044
CID 10014. Contrast Imaging Technique	1044
CID 10015. CT Dose Reference Authorities	1044
CID 10016. Anode Target Material	1045
CID 10017. X-Ray Grid	1045
CID 10020. Source of Projection X-Ray Dose Information	1045
CID 10021. Source of CT Dose Information	1046
CID 10022. Label Types	1046
CID 10023. Size Specific Dose Estimation Method for CT	1046
CID 10024. Water Equivalent Diameter Method	1047
CID 10025. Radiation Dose Reference Points	1047
CID 10030. Detector Types	1047
CID 10031. CR/DR Mechanical Configuration	1047
CID 10032. Projection X-Ray Acquisition Device Types	1048
CID 10033. CT Reconstruction Algorithm	1048
CID 10034. Reason for Repeating Acquisition	1048
CID 10040. Radiopharmaceutical Organ Dose Reference Authority	1049
CID 10041. Source of Radioisotope Activity Information	1049
CID 10043. Intravenous Extravasation Symptoms	1049
CID 10044. Radiosensitive Organs	1050
CID 10045. Radiopharmaceutical Patient State	1051
CID 10046. GFR Measurements	1052
CID 10047. GFR Measurement Methods	1052
CID 10050. Summary Radiation Exposure Quantities	1052
CID 10060. Organs for Radiation Dose Estimates	1053
CID 10061. Absorbed Radiation Dose Types	1053
CID 10062. Equivalent Radiation Dose Types	1053
CID 10063. Radiation Dose Estimate Distribution Representation	1054
CID 10064. Patient Model Type	1054
CID 10065. Radiation Transport Model Type	1054
CID 10066. Attenuator Category	1055
CID 10067. Radiation Attenuator Materials	1055
CID 10068. Estimate Method Types	1055
CID 10069. Radiation Dose Estimation Parameter	1056
CID 10070. Radiation Dose Types	1056
CID 10071. Radiation Dose Units	1057
CID 12001. Ultrasound Protocol Types	1057
CID 12002. Ultrasound Protocol Stage Types	1058

CID 12003. OB-GYN Dates	1058
CID 12004. Fetal Biometry Ratios	1058
CID 12005. Fetal Biometry Measurements	1059
CID 12006. Fetal Long Bones Biometry Measurements	1059
CID 12007. Fetal Cranium	1060
CID 12008. OB-GYN Amniotic Sac	1060
CID 12009. Early Gestation Biometry Measurements	1061
CID 12011. Ultrasound Pelvis and Uterus	1061
CID 12012. OB Equations and Tables	1061
CID 12013. Gestational Age Equations and Tables	1061
CID 12014. OB Fetal Body Weight Equations and Tables	1064
CID 12015. Fetal Growth Equations and Tables	1065
CID 12016. Estimated Fetal Weight Percentile Equations and Tables	1066
CID 12017. Growth Distribution Rank	1067
CID 12018. OB-GYN Summary	1067
CID 12019. OB-GYN Fetus Summary	1067
CID 12020. Fetal Biometry Anatomic Sites	1068
CID 12021. Fetal Long Bone Anatomic Sites	1068
CID 12022. Fetal Cranium Anatomic Sites	1069
CID 12023. Pelvis and Uterus Anatomic Sites	1069
CID 12030. Ultrasound Contrast/Bolus Agents	1069
CID 12031. Protocol Interval Events	1070
CID 12032. Transducer Scan Pattern	1070
CID 12033. Ultrasound Transducer Geometry	1070
CID 12034. Ultrasound Transducer Beam Steering	1071
CID 12035. Ultrasound Transducer Application	1071
CID 12101. Vascular Summary	1071
CID 12102. Temporal Periods Relating to Procedure or Therapy	1072
CID 12103. Vascular Ultrasound Anatomic Location	1072
CID 12104. Extracranial Arteries	1072
CID 12105. Intracranial Cerebral Vessels	1073
CID 12106. Intracranial Cerebral Vessels (Unilateral)	1073
CID 12107. Upper Extremity Arteries	1074
CID 12108. Upper Extremity Veins	1074
CID 12109. Lower Extremity Arteries	1075
CID 12110. Lower Extremity Veins	1075
CID 12111. Abdominal Arteries (Lateral)	1076
CID 12112. Abdominal Arteries (Unilateral)	1076
CID 12113. Abdominal Veins (Lateral)	1077
CID 12114. Abdominal Veins (Unilateral)	1077
CID 12115. Renal Vessels	1078
CID 12116. Vessel Segment Modifiers	1078
CID 12117. Vessel Branch Modifiers	1079
CID 12118. Measurement Orientation	1079
CID 12119. Vascular Ultrasound Property	1080
CID 12120. Blood Velocity Measurements by Ultrasound	1080
CID 12121. Vascular Indices and Ratios	1080
CID 12122. Other Vascular Properties	1081
CID 12123. Carotid Ratios	1081
CID 12124. Renal Ratios	1081
CID 12140. Pelvic Vasculature Anatomical Location	1082
CID 12141. Fetal Vasculature Anatomical Location	1082
CID 12200. Echocardiography Left Ventricle	1082
CID 12201. Left Ventricle Linear	1083
CID 12202. Left Ventricle Volume	1083
CID 12203. Left Ventricle Other	1084
CID 12204. Echocardiography Right Ventricle	1084
CID 12205. Echocardiography Left Atrium	1085
CID 12206. Echocardiography Right Atrium	1085
CID 12207. Echocardiography Mitral Valve	1085

CID 12208. Echocardiography Tricuspid Valve	1086
CID 12209. Echocardiography Pulmonic Valve	1086
CID 12210. Echocardiography Pulmonary Artery	1087
CID 12211. Echocardiography Aortic Valve	1087
CID 12212. Echocardiography Aorta	1087
CID 12214. Echocardiography Pulmonary Veins	1088
CID 12215. Echocardiography Vena Cavae	1088
CID 12216. Echocardiography Hepatic Veins	1089
CID 12217. Echocardiography Cardiac Shunt	1089
CID 12218. Echocardiography Congenital	1089
CID 12219. Pulmonary Vein Modifiers	1089
CID 12220. Echocardiography Common Measurements	1090
CID 12221. Flow Direction	1090
CID 12222. Orifice Flow Properties	1090
CID 12223. Echocardiography Stroke Volume Origin	1092
CID 12224. Ultrasound Image Modes	1092
CID 12226. Echocardiography Image View	1092
CID 12227. Echocardiography Measurement Method	1093
CID 12228. Echocardiography Volume Methods	1094
CID 12229. Echocardiography Area Methods	1094
CID 12230. Gradient Methods	1095
CID 12231. Volume Flow Methods	1095
CID 12232. Myocardium Mass Methods	1095
CID 12233. Cardiac Phase	1095
CID 12234. Respiration State	1096
CID 12235. Mitral Valve Anatomic Sites	1096
CID 12236. Echo Anatomic Sites	1096
CID 12237. Echocardiography Anatomic Site Modifiers	1097
CID 12238. Wall Motion Scoring Schemes	1097
CID 12239. Cardiac Output Properties	1097
CID 12240. Left Ventricle Area	1098
CID 12241. Tricuspid Valve Finding Sites	1098
CID 12242. Aortic Valve Finding Sites	1098
CID 12243. Left Ventricle Finding Sites	1098
CID 12244. Congenital Finding Sites	1099
CID 12245. Cardiac Ultrasound Report Titles	1099
CID 12246. Cardiac Ultrasound Indication for Study	1099
CID 12247. Pediatric, Fetal and Congenital Cardiac Surgical Interventions	1100
CID 12248. Cardiac Ultrasound Summary Codes	1101
CID 12249. Cardiac Ultrasound Fetal Summary Codes	1102
CID 12250. Cardiac Ultrasound Common Linear Measurements	1103
CID 12251. Cardiac Ultrasound Linear Valve Measurements	1103
CID 12252. Cardiac Ultrasound Cardiac Function	1103
CID 12253. Cardiac Ultrasound Area Measurements	1104
CID 12254. Cardiac Ultrasound Hemodynamic Measurements	1104
CID 12255. Cardiac Ultrasound Myocardium Measurements	1105
CID 12257. Cardiac Ultrasound Left Ventricle	1105
CID 12258. Cardiac Ultrasound Right Ventricle	1106
CID 12259. Cardiac Ultrasound Ventricles Measurements	1106
CID 12260. Cardiac Ultrasound Pulmonary Artery	1106
CID 12261. Cardiac Ultrasound Pulmonary Vein	1107
CID 12262. Cardiac Ultrasound Pulmonary Valve	1107
CID 12263. Cardiac Ultrasound Venous Return Pulmonary Measurements	1108
CID 12264. Cardiac Ultrasound Venous Return Systemic Measurements	1108
CID 12265. Cardiac Ultrasound Atria and Atrial Septum Measurements	1108
CID 12266. Cardiac Ultrasound Mitral Valve	1109
CID 12267. Cardiac Ultrasound Tricuspid Valve	1109
CID 12268. Cardiac Ultrasound Atrioventricular Valves Measurements	1110
CID 12269. Cardiac Ultrasound Interventricular Septum Measurements	1110
CID 12270. Cardiac Ultrasound Aortic Valve	1110

CID 12271. Cardiac Ultrasound Outflow Tracts Measurements	1111
CID 12272. Cardiac Ultrasound Semilunar Valves, Annulate and Sinuses Measurements	1111
CID 12273. Cardiac Ultrasound Aortic Sinotubular Junction	1111
CID 12274. Cardiac Ultrasound Aorta Measurements	1111
CID 12275. Cardiac Ultrasound Coronary Arteries Measurements	1112
CID 12276. Cardiac Ultrasound Aorto Pulmonary Connections Measurements	1112
CID 12277. Cardiac Ultrasound Pericardium and Pleura Measurements	1112
CID 12279. Cardiac Ultrasound Fetal General Measurements	1113
CID 12280. Cardiac Ultrasound Target Sites	1113
CID 12281. Cardiac Ultrasound Target Site Modifiers	1114
CID 12282. Cardiac Ultrasound Venous Return Systemic Finding Sites	1115
CID 12283. Cardiac Ultrasound Venous Return Pulmonary Finding Sites	1115
CID 12284. Cardiac Ultrasound Atria and Atrial Septum Finding Sites	1116
CID 12285. Cardiac Ultrasound Atrioventricular Valves Finding Sites	1116
CID 12286. Cardiac Ultrasound Interventricular Septum Finding Sites	1116
CID 12287. Cardiac Ultrasound Ventricles Finding Sites	1117
CID 12288. Cardiac Ultrasound Outflow Tracts Finding Sites	1117
CID 12289. Cardiac Ultrasound Semilunar Valves, Annulus and Sinuses Finding Sites	1117
CID 12290. Cardiac Ultrasound Pulmonary Arteries Finding Sites	1118
CID 12291. Cardiac Ultrasound Aorta Finding Sites	1118
CID 12292. Cardiac Ultrasound Coronary Arteries Finding Sites	1119
CID 12293. Cardiac Ultrasound Aortopulmonary Connections Finding Sites	1119
CID 12294. Cardiac Ultrasound Pericardium and Pleura Finding Sites	1120
CID 12300. Core Echo Measurements	1120
CID 12301. Measurement Selection Reasons	1127
CID 12302. Echo Finding Observation Types	1128
CID 12303. Echo Measurement Types	1128
CID 12304. Echo Measured Properties	1128
CID 12305. Basic Echo Anatomic Sites	1130
CID 12306. Echo Flow Directions	1131
CID 12307. Cardiac Phases and Time Points	1132
C. Acquisition Context Module, Protocol and Workflow Context Templates (Normative)	1133
Templates for Acquisition, Protocol and Workflow Context.	1133
TID 3401. ECG Acquisition Context	1133
TID 3403. Catheterization Acquisition Context	1133
TID 3450. Cardiac Electrophysiology Acquisition Context	1134
TID 3460. Projection Radiography Acquisition Context	1134
TID 3470. NM/PET Acquisition Context	1134
TID 3471. PET Covariates Acquisition Context	1134
TID 8001. Specimen Preparation	1135
TID 8002. Specimen Sampling	1136
TID 8003. Specimen Staining	1137
TID 8004. Specimen Localization	1137
TID 8010. Slide Imaging Parameters	1138
TID 8200. Radiology Reading Task Parameters	1138
TID 15100. Contrast Agent/Pre-Medication Protocol Context	1139
TID 15101. NM/PET Protocol Context	1139
TID 15200. JJ1017 Protocol Context	1140
TID 15300. RT Prescription Annotation	1141
TID 15301. RT Segment Characteristics	1142
TID 15400. Real-World Quantity Definition	1143
TID 15401. Real-World Quantity Definition for X-Ray Attenuation Properties	1143
D. DICOM Controlled Terminology Definitions (Normative)	1145
E. French Language Meanings of Selected Codes Used in the DCMR (Normative)	1385
F. Japanese Language Meanings of Selected Codes Used in The DCMR (Normative)	1419
G. English Code Meanings of Selected Codes (Normative)	1431
H. Code Meanings of LOINC Codes in DCMR	1439
I. Relationship of Endoscopy Procedures to Anatomic Regions (Informative)	1449
J. SNOMED Retired Codes	1451
K. Relevant Patient Information Templates (Normative)	1471

L. Correspondence of Anatomic Region Codes and Body Part Examined Defined Terms	1473
M. German Language Meanings of Selected Codes Used in The DCMR (Normative)	1503
N. Externally Defined Value Sets (Informative)	1505
N.1. HL7 Value Sets	1505
N.1.1. ActPriority Value Set	1505
N.1.2. AdministrativeGender Value Set	1506
N.1.3. ImageMediaType Value Set	1506
N.1.4. NullFlavor Value Set	1506
N.1.5. ObservationInterpretation Value Set	1506
N.1.6. x_BasicConfidentialityKind Value Set	1507
N.1.7. x_serviceEventPerformer Value Set	1507
N.2. LOINC Value Sets	1507
N.2.1. LOINC Imaging Document Codes (examples)	1508
N.2.2. LOINC Y/N/NA	1508
O. SNOMED Concept ID to SNOMED ID Mapping	1509

List of Figures

A-3. Quantitative Ventricular Analysis Report SR IOD Template Structure	173
A-4. Quantitative Arterial Analysis Report SR IOD Template Structure	185
A-4b. Direction of Blood Flow	188
A-5. IVUS Report Template Hierarchy	196
A-6. Hemodynamic Report Template Hierarchy	217
A-7. Cardiac Catheterization Report Template Hierarchy	244
A-8. Mammography CAD SR IOD Template Structure	294
A-8a. Example of Breast Outline Including Pectoral Muscle Tissue	307
A-8b. Example of Pectoral Muscle Outline	307
A-9. Chest CAD SR IOD Template Structure	320
A-9b. Colon CAD SR IOD Template Structure	330
A-10. Breast Imaging Report Template Structure	340
A-10b. Simplified Adult Echocardiography Template Structure	386
A-11. Implantation Plan SR Document IOD Template Structure	395
A-12. Implant Assembly and Components Terminology	396
A-13. References to Registration Objects	400
A-14. X-Ray Radiation Dose SR IOD Template Structure	424
A-15. CT Radiation Dose SR IOD Template Structure	439
A-16. Spiral Acquisition Parameters	450
A-17. Radiopharmaceutical Radiation Dose SR IOD Template Structure	453
A-18. Patient Radiation Dose Structured Report IOD Template Structure	459
A-19. Planned Imaging Agent Administration SR IOD Template Structure	466
A-20. Planned Imaging Agent Administration SR IOD Template Structure	477

List of Tables

TID <#>. <SR Context Template Name>	80
TID <#>. <Acquisition Context Template Name>	80
TID <#>. <Protocol Context Template Name>	80
6.1.3-1. Syntax of Relationship Constraints	82
6.1.6-1. Permitted Values for VM	82
CID <#>. <Context Group Name>	87
7.2.1-1. Include Context Group Macro	88
8-1. Coding Schemes	91
8-2. HL7v3 Coding Schemes	100
TID 300. Parameters	103
TID 300. Measurement	103
TID 310. Parameters	105
TID 310. Measurement Properties	105
TID 311. Parameters	106
TID 311. Measurement Statistical Properties	106
TID 312. Parameters	106
TID 312. Normal Range Properties	106
TID 315. Parameters	106
TID 315. Equation or Table	107
TID 320. Parameters	107
TID 320. Image or Spatial Coordinates	107
TID 321. Parameters	108
TID 321. Waveform or Temporal Coordinates	108
TID 350. References to Supporting Evidence	108
TID 351. Previous Reports	109
TID 400. Reference Location	109
TID 1000. Quotation	110
TID 1001. Observation Context	111
TID 1002. Observer Context	111
TID 1003. Person Observer Identifying Attributes	112
TID 1004. Device Observer Identifying Attributes	112
TID 1005. Procedure Context	113
TID 1006. Subject Context	114
TID 1007. Subject Context, Patient	115
TID 1008. Subject Context, Fetus	115
TID 1009. Subject Context, Specimen	116
TID 1010. Subject Context, Device	117
TID 1020. Parameters	117
TID 1020. Person Participant	117
TID 1021. Parameters	118
TID 1021. Device Participant	118
TID 1200. Language Designation	119
TID 1201. Language of Value	119
TID 1202. Language of Name and Value	120
TID 1204. Language of Content Item and Descendants	120
TID 1210. Equivalent Meaning(s) of Concept Name	120
TID 1211. Equivalent Meaning(s) of Value	121
TID 1350. Negation Modifier, Presence of Finding	122
TID 1400. Linear Measurement	122
TID 1401. Area Measurement	123
TID 1402. Volume Measurement	124
TID 1404. Numeric Measurement	125
TID 1406. Three Dimensional Linear Measurement	126
TID 1410. Parameters	126
TID 1410. Planar ROI Measurements and Qualitative Evaluations	127
TID 1411. Parameters	129
TID 1411. Volumetric ROI Measurements and Qualitative Evaluations	130

TID 1419. Parameters	132
TID 1419. ROI Measurements	133
TID 1420. Parameters	134
TID 1420. Measurements Derived From Multiple ROI Measurements	135
TID 1500. Measurement Report	137
TID 1501. Parameters	139
TID 1501. Measurement and Qualitative Evaluation Group	139
TID 1502. Time Point Context	141
TID 1600. Image Library	142
TID 1601. Image Library Entry	142
TID 1602. Image Library Entry Descriptors	143
TID 1603. Image Library Entry Descriptors for Projection Radiography	144
TID 1604. Image Library Entry Descriptors for Cross-Sectional Modalities	145
TID 1605. Image Library Entry Descriptors for CT	146
TID 1606. Image Library Entry Descriptors for MR	146
TID 1607. Image Library Entry Descriptors for PET	146
TID 2000. Basic Diagnostic Imaging Report	148
TID 2001. Basic Diagnostic Imaging Report Observations	149
TID 2002. Report Narrative	149
TID 2005. Transcribed Diagnostic Imaging Report	150
TID 2006. Imaging Report With Conditional Radiation Exposure and Protection Information	151
TID 2007. Imaging Procedure Description	152
TID 2008. Radiation Exposure and Protection Information	153
TID 2010. Key Object Selection	154
TID 2020. Spectacle Prescription Report	155
TID 2021. Spectacle Prescription Details	156
TID 2100. Macular Grid Thickness and Volume Report	157
TID 2101. Parameters	157
TID 2101. Macular Grid Thickness and Volume Measurement	157
TID 2102. Quality Rating Identification	159
TID 3001. Procedure Log	160
TID 3010. Log Entry Qualifiers	161
TID 3100. Procedure Action	162
TID 3101. Image Acquisition	163
TID 3102. Waveform Acquisition	163
TID 3103. Referenced Object	164
TID 3104. Consumables	164
TID 3105. Lesion Identification and Properties	165
TID 3106. Drugs/Contrast Administered	166
TID 3107. Device Used	166
TID 3108. Intervention	167
TID 3109. Measurements	168
TID 3110. Impressions or Findings	168
TID 3111. Percutaneous Entry	169
TID 3112. Specimen Obtained	169
TID 3113. Patient Support	170
TID 3114. Patient Assessment	171
TID 3115. ECG ST Assessment	172
TID 3202. Ventricular Analysis	173
TID 3205. Parameters	175
TID 3205. Calibration	175
TID 3206. VA Main Results	176
TID 3207. AA Main Results	180
TID 3208. Frame-To-Frame Result	180
TID 3209. Centerline Wall Motion	181
TID 3210. Radial Based Wall Motion	183
TID 3211. Landmark Based Wall Motion	184
TID 3213. Quantitative Arterial Analysis	185
TID 3214. Analyzed Segment	186
TID 3215. Angiographic Lesion Analysis	188

TID 3216. Stenotic Flow Reserve	193
TID 3217. Sub-Segmental Data	193
TID 3218. Position in Arterial Segment	194
TID 3219. Segment Values	195
TID 3250. IVUS Report	196
TID 3251. IVUS Vessel	197
TID 3252. IVUS Lesion	197
TID 3253. IVUS Measurements	199
TID 3254. IVUS Qualitative Assessments	200
TID 3255. IVUS Volume Measurement	201
TID 3300. Stress Testing Report	201
TID 3301. Stress Test Procedure Description	202
TID 3303. Stress Test Phase Data	203
TID 3304. Stress Test Measurement Group	204
TID 3307. NM/PET Perfusion Measurement Group	207
TID 3309. Stress Echo Measurement Group	208
TID 3311. Stress Test Summary	210
TID 3312. Physiological Summary	211
TID 3313. Stress ECG Summary	212
TID 3317. Stress Imaging Summary	214
TID 3318. Comparison to Prior Stress Exam	215
TID 3320. Conclusions and Recommendations	216
TID 3500. Hemodynamics Report	217
TID 3501. Hemodynamics Measurement Group	218
TID 3504. Arterial Pressure Measurement	219
TID 3505. Atrial Pressure Measurement	220
TID 3506. Venous Pressure Measurement	221
TID 3507. Ventricular Pressure Measurement	221
TID 3508. Gradient Measurement	222
TID 3509. Blood Velocity Measurement	223
TID 3510. Vital Signs	224
TID 3515. Cardiac Output Measurement By Indicator Dilution	225
TID 3516. Blood Lab Measurements	226
TID 3520. Hemodynamic Clinical Context	227
TID 3521. Parameters	228
TID 3521. Relative Time	229
TID 3530. Parameters	229
TID 3530. Hemodynamic Acquisition Context	229
TID 3550. Pressure Waveform Measurements	230
TID 3560. Derived Hemodynamic Measurements	231
TID 3570. Summary, Hemodynamics	234
TID 3601. Procedure Context	235
TID 3602. Cardiovascular Patient Characteristics	235
TID 3603. Procedure Environmental Characteristics	237
TID 3700. ECG Report	237
TID 3702. Prior ECG Exam	238
TID 3704. Patient Characteristics for ECG	239
TID 3708. ECG Waveform Information	239
TID 3713. ECG Global Measurements	240
TID 3714. ECG Lead Measurements	241
TID 3715. ECG Measurement Source	242
TID 3717. Qualitative Analysis, ECG	242
TID 3719. Summary, ECG	243
TID 3800. Cardiac Catheterization Report Root	244
TID 3802. Cardiovascular Patient History	245
TID 3803. Patient Presentation, Cath	248
TID 3806. Cath Procedure	249
TID 3807. Percutaneous Coronary Intervention Procedure	250
TID 3808. Lesion Intervention Information	251
TID 3809. Other Interventional Procedures	253

TID 3810. Cardiac Catheterization Findings	253
TID 3812. Hemodynamic Findings	254
TID 3814. Left Ventriculography Findings	255
TID 3815. Right Ventriculography Findings	256
TID 3816. Ventricular Assessment	257
TID 3817. Coronary Arteriography Findings	258
TID 3818. Other Cardiographic Findings	258
TID 3819. Parameters	259
TID 3819. Common Findings	259
TID 3820. Adverse Outcomes, Cath	259
TID 3824. Summary, Cath	260
TID 3828. Discharge Summary, Cath	261
TID 3829. Parameters	261
TID 3829. Problem Properties	261
TID 3830. Parameters	262
TID 3830. Procedure Properties	262
TID 3831. Parameters	263
TID 3831. Medical Device Use	263
TID 3900. CT/MR Cardiovascular Analysis Report	264
TID 3901. Procedure Summary	265
TID 3902. Parameters	265
TID 3902. Vascular Analysis	265
TID 3905. Calcium Scoring Results	270
TID 3906. Parameters	271
TID 3906. Vascular Section Measurements	271
TID 3907. Vessel Measurements	273
TID 3908. Vascular Lesion	273
TID 3909. Best Illustration of Findings	275
TID 3910. Flow Quantification	276
TID 3911. Plaque Properties	278
TID 3912. Stenosis Properties	279
TID 3913. Aneurysm Properties	280
TID 3914. Arterial Dissection Properties	281
TID 3915. Vascular Occlusion Properties	281
TID 3916. Stent Properties	282
TID 3917. Aneurysm Measurements	282
TID 3920. Ventricular Analysis	283
TID 3921. Parameters	284
TID 3921. Ventricular Measurements	284
TID 3922. Absolute Values of Ventricular Measurements	284
TID 3923. BSA-Normalized Ventricular Measurements	286
TID 3924. Heart Rate-Normalized Ventricular Measurements	287
TID 3925. Thickening Analysis	288
TID 3926. Myocardial Perfusion Analysis	290
TID 3927. Report Summary	291
TID 3929. Cardiovascular Analysis Observation Context	292
TID 3990. Parameters	292
TID 3990. Two Dimensional Measurement Graph	292
TID 4000. Mammography CAD Document Root	295
TID 4001. Mammography CAD Overall Impression/Recommendation	296
TID 4002. Mammography CAD Impression/Recommendation Body	297
TID 4003. Mammography CAD Individual Impression/Recommendation	298
TID 4004. Mammography CAD Composite Feature	299
TID 4005. Mammography CAD Composite Feature Body	300
TID 4006. Mammography CAD Single Image Finding	303
TID 4007. Mammography CAD Breast Composition	306
TID 4008. Mammography CAD Breast Geometry	306
TID 4009. Mammography CAD Individual Calcification	307
TID 4010. Mammography CAD Calcification Cluster	308
TID 4011. Mammography CAD Density	308

TID 4012. Mammography CAD Non-lesion	309
TID 4013. Mammography CAD Selected Region	310
TID 4014. Parameters	310
TID 4014. CAD Image Quality	310
TID 4015. Parameters	311
TID 4015. CAD Detections Performed	311
TID 4016. Parameters	311
TID 4016. CAD Analyses Performed	312
TID 4017. Parameters	312
TID 4017. CAD Detection Performed	312
TID 4018. Parameters	313
TID 4018. CAD Analysis Performed	313
TID 4019. Algorithm Identification	315
TID 4020. Parameters	315
TID 4020. CAD Image Library Entry	315
TID 4021. Mammography CAD Geometry	318
TID 4022. CAD Observation Context	318
TID 4023. CAD Operating Points	319
TID 4100. Chest CAD Document Root	321
TID 4101. Chest CAD Findings Summary	322
TID 4102. Chest CAD Composite Feature	322
TID 4103. Chest CAD Composite Feature Body	324
TID 4104. Chest CAD Single Image Finding	325
TID 4105. Chest CAD Descriptors	328
TID 4106. Response Evaluation	329
TID 4107. Chest CAD Geometry	329
TID 4108. Tracking Identifier	330
TID 4120. Colon CAD Document Root	331
TID 4121. Colon CAD Findings Summary	332
TID 4122. CAD Common Image Properties Entry	332
TID 4125. Colon CAD Composite Feature	334
TID 4126. Colon CAD Composite Feature Body	335
TID 4127. Colon CAD Single Image Finding	336
TID 4128. Colon CAD Descriptors	337
TID 4129. Colon CAD Geometry	338
TID 4200. Breast Imaging Report	340
TID 4201. Breast Imaging Procedure Reported	341
TID 4202. Breast Imaging Report Narrative	342
TID 4203. Breast Imaging Assessment	342
TID 4204. Breast Imaging Report Intervention Section	343
TID 4205. Breast Composition Section	344
TID 4206. Breast Imaging Report Finding Section	345
TID 4207. Breast Imaging Pathology Results	347
TID 4208. Breast Imaging Report Supplementary Data	348
TID 4209. Breast Patient Characteristics	349
TID 5000. OB-GYN Ultrasound Procedure Report	349
TID 5001. OB-GYN Patient Characteristics	351
TID 5002. OB-GYN Procedure Summary Section	352
TID 5003. OB-GYN Procedure Fetus Summary	352
TID 5004. Fetal Biometry Ratio Section	353
TID 5005. Fetal Biometry Section	353
TID 5006. Fetal Long Bones Section	354
TID 5007. Fetal Cranium Section	355
TID 5008. Parameters	355
TID 5008. Fetal Biometry Group	355
TID 5009. Fetal Biophysical Profile Section	356
TID 5010. Amniotic Sac Section	357
TID 5011. Early Gestation Section	358
TID 5012. Ovaries Section	358
TID 5013. Parameters	359

TID 5013. Follicles Section	359
TID 5014. Follicle Measurement Group	360
TID 5015. Pelvis and Uterus Section	360
TID 5016. Parameters	361
TID 5016. LWH Volume Group	361
TID 5025. Parameters	361
TID 5025. OB-GYN Fetal Vascular Ultrasound Measurement Group	362
TID 5026. Parameters	362
TID 5026. OB-GYN Pelvic Vascular Ultrasound Measurement Group	362
TID 5100. Vascular Ultrasound Report	363
TID 5101. Vascular Patient Characteristics	368
TID 5102. Vascular Procedure Summary Section	368
TID 5103. Parameters	368
TID 5103. Vascular Ultrasound Section	369
TID 5104. Parameters	369
TID 5104. Vascular Ultrasound Measurement Group	369
TID 5105. Ultrasound Graft Section	370
TID 5200. Echocardiography Procedure Report	371
TID 5201. Echocardiography Patient Characteristics	373
TID 5202. Parameters	374
TID 5202. Echo Section	374
TID 5203. Parameters	375
TID 5203. Echo Measurement	375
TID 5204. Parameters	376
TID 5204. Wall Motion Analysis	376
5204-1. Numeric Score Assignment for Segmental Findings	377
TID 5220. Pediatric, Fetal and Congenital Cardiac Ultrasound Reports	378
TID 5221. Cardiac Ultrasound Pediatric Echo Measurement Section	379
TID 5222. Parameters	381
TID 5222. Pediatric, Fetal and Congenital Cardiac Ultrasound Section	381
TID 5223. Parameters	382
TID 5223. Pediatric, Fetal and Congenital Cardiac Ultrasound Measurement	382
TID 5225. Cardiac Ultrasound Fetal Characteristics	383
TID 5226. Cardiac Ultrasound Summary Section	383
TID 5227. Cardiac Ultrasound Fetal Summary Section	384
TID 5228. Cardiac Ultrasound Fetal Measurement Section	384
TID 5300. Simplified Echo Procedure Report	387
TID 5301. Parameters	389
TID 5301. Pre-coordinated Echo Measurement	389
TID 5302. Parameters	391
TID 5302. Post-coordinated Echo Measurement	391
TID 5303. Parameters	395
TID 5303. Adhoc Measurement	395
TID 7000. Implantation Plan	396
TID 7001. Related Implantation Reports	401
TID 8101. Preclinical Small Animal Image Acquisition Context	402
TID 8110. Biosafety Conditions	404
TID 8121. Animal Housing	404
TID 8122. Animal Feeding	407
TID 8130. Anesthesia	408
TID 8131. Parameters	410
TID 8131. Medications and Mixture Medications	410
TID 8140. Heating Conditions	412
TID 8150. Circadian Effects	412
TID 8170. Physiological Monitoring Performed During Procedure	413
TID 8182. Parameters	413
TID 8182. Exogenous Substance Administration	414
TID 9000. Relevant Patient Information for Breast Imaging	415
TID 9001. Gynecological History	417
TID 9002. Parameters	418

TID 9002. Medication, Substance, Environmental Exposure	418
TID 9003. Parameters	419
TID 9003. Previous Procedure	420
TID 9004. Parameters	420
TID 9004. Indicated Problem	421
TID 9005. Parameters	421
TID 9005. Risk Factor	421
TID 9006. Obstetric History	422
TID 9007. General Relevant Patient Information	423
TID 10001. Projection X-Ray Radiation Dose	424
TID 10002. Parameters	427
TID 10002. Accumulated X-Ray Dose	427
TID 10003. Irradiation Event X-Ray Data	429
TID 10003A. Irradiation Event X-Ray Detector Data	432
TID 10003B. Irradiation Event X-Ray Source Data	433
TID 10003C. Irradiation Event X-Ray Mechanical Data	435
TID 10004. Accumulated Fluoroscopy and Acquisition Projection X-Ray Dose	437
TID 10005. Accumulated Mammography X-Ray Dose	437
TID 10006. Accumulated Cassette-Based Projection Radiography Dose	438
TID 10007. Accumulated Total Projection Radiography Dose	438
TID 10011. CT Radiation Dose	440
TID 10012. CT Accumulated Dose Data	441
TID 10013. CT Irradiation Event Data	443
TID 10014. Scanning Length	449
TID 10015. CT Dose Check Details	450
TID 10021. Radiopharmaceutical Radiation Dose	453
TID 10022. Radiopharmaceutical Administration Event Data	454
TID 10023. Organ Dose	457
TID 10024. Imaging Agent Administration Patient Characteristics	457
TID 10030. Patient Radiation Dose	459
TID 10031. Radiation Dose Estimate	460
TID 10032. Radiation Dose Estimate Representation	461
TID 10033. Radiation Dose Estimate Methodology	462
TID 10034. Radiation Dose Estimate Parameters	466
TID 11001. Planned Imaging Agent Administration	467
TID 11002. Imaging Agent Information	468
TID 11003. Imaging Agent Administration Syringe/Pump Phase Activity	468
TID 11004. Imaging Agent Component	470
TID 11005. Imaging Agent Administration Consumable	472
TID 11006. Imaging Agent Administration Steps	474
TID 11007. Imaging Agent Administration Step	474
TID 11008. Imaging Agent Administration Phase	476
TID 11020. Performed Imaging Agent Administration	478
TID 11021. Imaging Agent Administration Adverse Events	479
TID 11022. Imaging Agent Administration Injector Events	480
TID 11023. Imaging Agent Administration Graph	481
CID 2. Anatomic Modifier	483
CID 4. Anatomic Region	484
CID 5. Transducer Approach	487
CID 6. Transducer Orientation	488
CID 7. Ultrasound Beam Path	489
CID 8. Angiographic Interventional Devices	489
CID 9. Image Guided Therapeutic Procedures	490
CID 10. Interventional Drug	491
CID 11. Route of Administration	492
CID 12. Radiographic Contrast Agent	493
CID 13. Radiographic Contrast Agent Ingredient	496
CID 18. Isotopes in Radiopharmaceuticals	496
CID 19. Patient Orientation	497
CID 20. Patient Orientation Modifier	498

CID 21. Patient Equipment Relationship	499
CID 23. Cranio-Caudad Angulation	499
CID 25. Radiopharmaceuticals	500
CID 26. Nuclear Medicine Projections	503
CID 27. Basic Cardiac Views	504
CID 29. Acquisition Modality	504
CID 30. DICOM Devices	506
CID 31. Abstract Priors	506
CID 32. Non-Acquisition Modality	507
CID 33. Non-Acquisition Modality	508
CID 42. Numeric Value Qualifier	508
CID 50. Instance Availability Status	509
CID 60. Imaging Agent Administration Adverse Events	509
CID 61. Time Relative to Procedure	510
CID 62. Imaging Agent Administration Phase Type	510
CID 63. Imaging Agent Administration Mode	511
CID 64. Imaging Agent Administration Patient State	511
CID 65. Pre-Medication for Imaging Agent Administration	512
CID 66. Medication for Imaging Agent Administration	512
CID 67. Imaging Agent Administration Completion Status	512
CID 68. Imaging Agent Administration Pharmaceutical Unit of Presentation	513
CID 69. Imaging Agent Administration Consumables	513
CID 70. Flush	514
CID 71. Imaging Agent Administration Injector Event Type	514
CID 72. Imaging Agent Administration Step Type	515
CID 73. Bolus Shaping Curves	515
CID 74. Imaging Agent Administration Consumable Catheter Type	515
CID 75. Low-High-Equal	516
CID 76. Type of Pre-Medication	516
CID 83. Units for Real World Value Mapping	517
CID 84. PET Units	517
CID 85. SUV Units	517
CID 91. Functional Condition Present During Acquisition	518
CID 92. Joint Position During Acquisition	519
CID 93. Joint Positioning Method	519
CID 94. Physical Force Applied During Acquisition	519
CID 100. Quantitative Diagnostic Imaging Procedures	520
CID 218. Quantitative Image Features	520
CID 220. Level of Significance	520
CID 221. Measurement Range Concepts	521
CID 222. Normality Codes	521
CID 223. Normal Range Values	521
CID 224. Selection Method	522
CID 225. Measurement Uncertainty Concepts	522
CID 226. Population Statistical Descriptors	522
CID 227. Sample Statistical Descriptors	523
CID 228. Equation or Table	523
CID 230. Yes-No	523
CID 231. Yes-No Only	524
CID 240. Present-Absent	524
CID 241. Present-Absent Only	524
CID 242. Normal-Abnormal	525
CID 244. Laterality	525
CID 245. Laterality with Median	525
CID 246. Relative Laterality	526
CID 250. Positive-Negative	526
CID 251. Severity of Complication	526
CID 252. S-M-L Size Descriptor	526
CID 270. Observer Type	527
CID 271. Observation Subject Class	527

CID 280. Longitudinal Temporal Event Types	527
CID 300. Multi-energy Relevant Materials	527
CID 301. Multi-energy Material Units	528
CID 400. Audit Event ID	529
CID 401. Audit Event Type Code	529
CID 402. Audit Active Participant Role ID Code	530
CID 403. Security Alert Type Code	530
CID 404. Audit Participant Object ID Type Code	531
CID 405. Media Type Code	531
CID 501. Volumetric View Description	532
CID 502. Volumetric View Modifier	532
CID 601. Biosafety Levels	532
CID 602. Biosafety Control Reasons	533
CID 603. Animal Room Types	533
CID 604. Device Reuse	534
CID 605. Animal Bedding Material	534
CID 606. Animal Shelter Types	534
CID 607. Animal Feed Types	534
CID 608. Animal Feed Sources	535
CID 609. Animal Feeding Methods	535
CID 610. Water Types	536
CID 611. Anesthesia Category Code Type for Small Animal Anesthesia	536
CID 612. Anesthesia Category Code Type from Anesthesia Quality Initiative (AQI)	536
CID 613. Anesthesia Induction Code Type for Small Animal Anesthesia	537
CID 614. Anesthesia Induction Code Type from Anesthesia Quality Initiative (AQI)	537
CID 615. Anesthesia Maintenance Code Type for Small Animal Anesthesia	537
CID 616. Anesthesia Maintenance Code Type from Anesthesia Quality Initiative (AQI)	538
CID 617. Airway Management Method Code Type for Small Animal Anesthesia	538
CID 618. Airway Management Method Code Type from Anesthesia Quality Initiative (AQI)	538
CID 619. Airway Management Sub-Method Code Type for Small Animal Anesthesia	539
CID 620. Airway Management Sub-Method Code Type from Anesthesia Quality Initiative (AQI)	539
CID 621. Type of Medication for Small Animal Anesthesia	540
CID 622. Medication Type Code Type from Anesthesia Quality Initiative (AQI)	540
CID 623. Medication for Small Animal Anesthesia	542
CID 624. Inhalational Anesthesia Agents for Small Animal Anesthesia	542
CID 625. Injectable Anesthesia Agents for Small Animal Anesthesia	543
CID 626. Premedication Agents for Small Animal Anesthesia	544
CID 627. Neuromuscular Blocking Agents for Small Animal Anesthesia	544
CID 628. Ancillary Medications for Small Animal Anesthesia	544
CID 629. Carrier Gases for Small Animal Anesthesia	545
CID 630. Local Anesthetics for Small Animal Anesthesia	545
CID 631. Phase of Procedure Requiring Anesthesia	546
CID 632. Phase of Surgical Procedure Requiring Anesthesia	546
CID 633. Phase of Imaging Procedure Requiring Anesthesia	546
CID 634. Phase of Animal Handling	546
CID 635. Heating Method	547
CID 636. Temperature Sensor Device Component Type for Small Animal Procedures	547
CID 637. Exogenous Substance Types	548
CID 638. Exogenous Substance	548
CID 639. Tumor Graft Histologic Type	549
CID 640. Fibrils	549
CID 641. Viruses	550
CID 642. Cytokines	550
CID 643. Toxins	550
CID 644. Exogenous Substance Administration Sites	551
CID 645. Exogenous Substance Tissue of Origin	551
CID 646. Preclinical Small Animal Imaging Procedures	552
CID 647. Position Reference Indicator for Frame of Reference	552
CID 701. Content Assessment Types	553
CID 702. RT Content Assessment Types	553

CID 703. Basis of Assessment	553
CID 800. Protocol Assertion Codes	553
CID 1000. CT Transverse Plane Reference Basis	554
CID 1001. Anatomical Reference Basis	555
CID 1002. Anatomical Reference Basis - Head	555
CID 1003. Anatomical Reference Basis - Spine	556
CID 1004. Anatomical Reference Basis - Chest	557
CID 1005. Anatomical Reference Basis - Abdomen/Pelvis	557
CID 1006. Anatomical Reference Basis - Extremities	558
CID 1010. Reference Geometry - Planes	558
CID 1011. Reference Geometry - Points	559
CID 1015. Patient Alignment Methods	559
CID 1200. Contraindications For CT Imaging	560
CID 3000. Audio Channel Source	560
CID 3001. ECG Leads	560
CID 3003. Hemodynamic Waveform Sources	563
CID 3004. Arterial Pulse Waveform	564
CID 3005. Respiration Waveform	565
CID 3010. Cardiovascular Anatomic Locations	565
CID 3011. Electrophysiology Anatomic Locations	568
CID 3014. Coronary Artery Segments	570
CID 3015. Coronary Arteries	572
CID 3016. Major Coronary Arteries	572
CID 3019. Cardiovascular Anatomic Location Modifiers	572
CID 3083. Units of Radioactivity	573
CID 3090. Time Synchronization Channel Types	573
CID 3101. Cardiac Procedural State Values	574
CID 3102. Rest-Stress	574
CID 3104. Cardiac Synchronization Technique	574
CID 3106. PET Cardiology Protocols	575
CID 3107. PET Cardiology Radiopharmaceuticals	575
CID 3108. NM/PET Procedures	575
CID 3110. Nuclear Cardiology Protocols	576
CID 3111. Nuclear Cardiology Radiopharmaceuticals	576
CID 3112. Attenuation Correction	577
CID 3113. Types of Perfusion Defects	577
CID 3114. Study Quality	577
CID 3115. Stress Imaging Quality Issues	578
CID 3116. NM Extracardiac Findings	578
CID 3117. Attenuation Correction Methods	578
CID 3118. Level of Risk	578
CID 3119. LV Function	579
CID 3120. Perfusion Findings	579
CID 3121. Perfusion Morphology	579
CID 3122. Ventricular Enlargement	580
CID 3200. Stress Test Procedure	580
CID 3201. Indications for Stress Test	580
CID 3202. Chest Pain	581
CID 3203. Exerciser Device	581
CID 3204. Stress Agents	582
CID 3205. Indications for Pharmacological Stress Test	582
CID 3206. Non-invasive Cardiac Imaging Procedures	583
CID 3207. Stress Test Procedure Phases	583
CID 3208. Summary Codes Exercise ECG	584
CID 3209. Summary Codes Stress Imaging	584
CID 3210. Speed of Response	584
CID 3211. BP Response	584
CID 3212. Treadmill Speed	585
CID 3213. Stress Hemodynamic Findings	585
CID 3215. Perfusion Finding Method	585

CID 3217. Comparison Finding	586
CID 3220. Stress Symptoms	586
CID 3221. Stress Test Termination Reasons	586
CID 3227. QTc Measurements	587
CID 3228. ECG Timing Measurements	588
CID 3229. ECG Axis Measurements	588
CID 3230. ECG Findings	589
CID 3231. ST Segment Findings	590
CID 3232. ST Segment Location	590
CID 3233. ST Segment Morphology	591
CID 3234. Ectopic Beat Morphology	591
CID 3235. Perfusion Comparison Findings	591
CID 3236. Tolerance Comparison Findings	592
CID 3237. Wall Motion Comparison Findings	592
CID 3238. Stress Scoring Scales	592
CID 3239. Perceived Exertion Scales	593
CID 3240. Electrophysiology Measurement Functions and Techniques	593
CID 3241. Hemodynamic Measurement Techniques	593
CID 3250. Catheterization Procedure Phase	594
CID 3254. Electrophysiology Procedure Phase	595
CID 3261. Stress Protocols	595
CID 3262. ECG Patient State Values	596
CID 3263. Electrode Placement Values	596
CID 3271. Hemodynamic Physiological Challenges	598
CID 3335. ECG Annotations	598
CID 3337. Hemodynamic Annotations	601
CID 3339. Electrophysiology Annotations	602
CID 3400. Procedure Log Titles	603
CID 3401. Types of Log Notes	603
CID 3402. Patient Status and Events	603
CID 3403. Percutaneous Entry	604
CID 3404. Staff Actions	604
CID 3405. Procedure Action Values	605
CID 3406. Non-coronary Transcatheter Interventions	605
CID 3407. Purpose of Reference to Object	606
CID 3408. Actions With Consumables	606
CID 3409. Administration of Drugs/Contrast	606
CID 3410. Numeric Parameters of Drugs/Contrast	606
CID 3411. Intracoronary Devices	607
CID 3412. Intervention Actions and Status	608
CID 3413. Adverse Outcomes	608
CID 3414. Procedure Urgency	608
CID 3415. Cardiac Rhythms	609
CID 3416. Respiration Rhythms	611
CID 3418. Lesion Risk	611
CID 3419. Findings Titles	612
CID 3421. Procedure Action	612
CID 3422. Device Use Actions	612
CID 3423. Numeric Device Characteristics	613
CID 3425. Intervention Parameters	613
CID 3426. Consumables Parameters	613
CID 3427. Equipment Events	614
CID 3428. Imaging Procedures	614
CID 3429. Catheterization Devices	615
CID 3430. DateTime Qualifiers	615
CID 3440. Peripheral Pulse Locations	615
CID 3441. Patient Assessments	616
CID 3442. Peripheral Pulse Methods	616
CID 3446. Skin Condition	616
CID 3448. Airway Assessment	617

CID 3451. Calibration Objects	617
CID 3452. Calibration Methods	617
CID 3453. Cardiac Volume Methods	617
CID 3455. Index Methods	618
CID 3456. Sub-segment Methods	618
CID 3458. Contour Realignment	618
CID 3460. Circumferential Extent	619
CID 3461. Regional Extent	619
CID 3462. Chamber Identification	619
CID 3463. Ventricle Identification	619
CID 3465. QA Reference Methods	620
CID 3466. Plane Identification	620
CID 3467. Ejection Fraction	620
CID 3468. ED Volume	621
CID 3469. ES Volume	621
CID 3470. Vessel Lumen Cross-sectional Area Calculation Methods	621
CID 3471. Estimated Volumes	621
CID 3472. Cardiac Contraction Phase	622
CID 3480. IVUS Procedure Phases	622
CID 3481. IVUS Distance Measurements	622
CID 3482. IVUS Area Measurements	623
CID 3483. IVUS Longitudinal Measurements	623
CID 3484. IVUS Indices and Ratios	623
CID 3485. IVUS Volume Measurements	624
CID 3486. Vascular Measurement Sites	624
CID 3487. Intravascular Volumetric Regions	625
CID 3488. Min/Max/Mean	625
CID 3489. Calcium Distribution	625
CID 3491. IVUS Lesion Morphologies	626
CID 3492. Vascular Dissection Classifications	626
CID 3493. IVUS Relative Stenosis Severities	627
CID 3494. IVUS Non Morphological Findings	627
CID 3495. IVUS Plaque Composition	627
CID 3496. IVUS Fiducial Points	628
CID 3497. IVUS Arterial Morphology	628
CID 3500. Pressure Units	628
CID 3502. Hemodynamic Resistance Units	628
CID 3503. Indexed Hemodynamic Resistance Units	629
CID 3510. Catheter Size Units	629
CID 3515. Specimen Collection	629
CID 3520. Blood Source Type	630
CID 3524. Blood Gas Pressures	630
CID 3525. Blood Gas Content	630
CID 3526. Blood Gas Saturation	631
CID 3527. Blood Base Excess	631
CID 3528. Blood pH	631
CID 3529. Arterial / Venous Content	632
CID 3530. Oxygen Administration Actions	632
CID 3531. Oxygen Administration	632
CID 3550. Circulatory Support Actions	632
CID 3551. Ventilation Actions	633
CID 3552. Pacing Actions	633
CID 3553. Circulatory Support	633
CID 3554. Ventilation	633
CID 3555. Pacing	634
CID 3560. Blood Pressure Methods	634
CID 3600. Relative Times	634
CID 3602. Hemodynamic Patient State	635
CID 3604. Arterial Lesion Locations	635
CID 3606. Arterial Source Locations	635

CID 3607. Venous Source Locations	637
CID 3608. Atrial Source Locations	638
CID 3609. Ventricular Source Locations	639
CID 3610. Gradient Source Locations	639
CID 3611. Pressure Measurements	640
CID 3612. Blood Velocity Measurements	640
CID 3613. Hemodynamic Time Measurements	641
CID 3614. Valve Areas, Non-mitral	641
CID 3615. Valve Areas	641
CID 3616. Hemodynamic Period Measurements	642
CID 3617. Valve Flows	642
CID 3618. Hemodynamic Flows	642
CID 3619. Hemodynamic Resistance Measurements	643
CID 3620. Hemodynamic Ratios	643
CID 3621. Fractional Flow Reserve	643
CID 3627. Measurement Type	644
CID 3628. Cardiac Output Methods	644
CID 3629. Procedure Intent	645
CID 3630. Cardiovascular Anatomic Locations	645
CID 3640. Hypertension	645
CID 3641. Hemodynamic Assessments	646
CID 3642. Degree Findings	646
CID 3651. Hemodynamic Measurement Phase	647
CID 3663. Body Surface Area Equations	647
CID 3664. Oxygen Consumption Equations and Tables	648
CID 3666. P50 Equations	648
CID 3667. Framingham Scores	648
CID 3668. Framingham Tables	649
CID 3670. ECG Procedure Types	649
CID 3671. Reason for ECG Exam	649
CID 3676. Lead Measurement Technique	650
CID 3677. Summary Codes ECG	650
CID 3678. QT Correction Algorithms	651
CID 3680. ECG Lead Noise Descriptions	651
CID 3687. Electrophysiology Waveform Durations	652
CID 3688. Electrophysiology Waveform Voltages	653
CID 3689. ECG Global Waveform Durations	654
CID 3690. ECG Control Variables Numeric	655
CID 3691. ECG Control Variables Text	656
CID 3700. Cath Diagnosis	656
CID 3701. Cardiac Valves and Tracts	658
CID 3703. Wall Motion	658
CID 3704. Myocardium Wall Morphology Findings	659
CID 3705. Chamber Size	659
CID 3706. Overall Contractility	660
CID 3707. VSD Description	660
CID 3709. Aortic Root Description	660
CID 3710. Coronary Dominance	661
CID 3711. Valvular Abnormalities	661
CID 3712. Vessel Descriptors	661
CID 3713. TIMI Flow Characteristics	662
CID 3714. Thrombus	662
CID 3715. Lesion Margin	662
CID 3716. Severity	663
CID 3717. Myocardial Wall Segments	663
CID 3718. Myocardial Wall Segments in Projection	664
CID 3719. Canadian Clinical Classification	665
CID 3721. Cardiovascular Surgeries	665
CID 3722. Diabetic Therapy	666
CID 3723. MI Types	666

CID 3724. Smoking History	667
CID 3726. Indications for Coronary Intervention	667
CID 3727. Indications for Catheterization	667
CID 3728. Cath Findings	668
CID 3729. Admission Status	669
CID 3730. Insurance Payor	669
CID 3733. Primary Cause of Death	670
CID 3735. Acute Coronary Syndrome Time Period	670
CID 3736. NYHA Classification	670
CID 3737. Non-invasive Test - Ischemia	671
CID 3738. Pre-Cath Angina Type	671
CID 3739. Cath Procedure Type	671
CID 3740. Thrombolytic Administration	672
CID 3741. Medication Administration, Lab Visit	672
CID 3742. Medication Administration, PCI	672
CID 3743. Clopidogrel/Ticlopidine Administration	673
CID 3744. EF Testing Method	673
CID 3745. Calculation Method	674
CID 3746. Percutaneous Entry Site	674
CID 3747. Percutaneous Closure	674
CID 3748. Angiographic EF Testing Method	675
CID 3749. PCI Procedure Result	675
CID 3750. Previously Dilated Lesion	675
CID 3752. Guidewire Crossing	675
CID 3754. Vascular Complications	676
CID 3755. Cath Complications	676
CID 3756. Cardiac Patient Risk Factors	677
CID 3757. Cardiac Diagnostic Procedures	678
CID 3758. Cardiovascular Family History	679
CID 3760. Hypertension Therapy	679
CID 3761. Antilipemic Agents	679
CID 3762. Antiarrhythmic Agents	680
CID 3764. Myocardial Infarction Therapies	680
CID 3769. Concern Types	680
CID 3770. Problem Status	681
CID 3772. Health Status	681
CID 3773. Use Status	682
CID 3774. Social History	682
CID 3777. Implanted Devices	682
CID 3778. Stages	683
CID 3802. Plaque Structures	683
CID 3804. Stenosis Measurement Methods	683
CID 3805. Stenosis Types	684
CID 3806. Stenosis Shape	684
CID 3807. Volume Measurement Methods	684
CID 3808. Aneurysm Types	685
CID 3809. Associated Conditions	685
CID 3810. Vascular Morphology	685
CID 3813. Stent Findings	686
CID 3814. Stent Composition	686
CID 3815. Source of Vascular Finding	687
CID 3817. Vascular Sclerosis Types	687
CID 3820. Non-invasive Vascular Procedures	688
CID 3821. Papillary Muscle Included/Excluded	688
CID 3823. Respiratory Status	688
CID 3826. Heart Rhythm	689
CID 3827. Vessel Segments	689
CID 3829. Pulmonary Arteries	690
CID 3831. Stenosis Length	690
CID 3832. Stenosis Grade	690

CID 3833. Cardiac Ejection Fraction	691
CID 3835. Cardiac Volume Measurements	691
CID 3836. Time-based Perfusion Measurements	691
CID 3837. Fiducial Feature	691
CID 3838. Diameter Derivation	692
CID 3839. Coronary Veins	692
CID 3840. Pulmonary Veins	693
CID 3843. Myocardial Subsegment	693
CID 3850. Contrast Bolus Substance	693
CID 4005. Partial View Section for Mammography	694
CID 4009. DX Anatomy Imaged	694
CID 4010. DX View	694
CID 4011. DX View Modifier	696
CID 4012. Projection Eponymous Name	696
CID 4013. Anatomic Region for Mammography	699
CID 4014. View for Mammography	699
CID 4015. View Modifier for Mammography	700
CID 4016. Anatomic Region for Intra-oral Radiography	701
CID 4017. Anatomic Region Modifier for Intra-oral Radiography	702
CID 4018. Primary Anatomic Structure for Intra-oral Radiography (Permanent Dentition - Designation of Teeth)	702
CID 4019. Primary Anatomic Structure for Intra-oral Radiography (Deciduous Dentition - Designation of Teeth)	704
CID 4020. PET Radionuclide	705
CID 4021. PET Radiopharmaceutical	706
CID 4025. Primary Anatomic Structure for Intra-oral Radiography (Supernumerary Dentition - Designation of Teeth)	710
CID 4026. Primary Anatomic Structure for Intra-oral and Craniofacial Radiography - Teeth	712
CID 4028. Craniofacial Anatomic Regions	712
CID 4029. Dermatology Anatomic Sites	714
CID 4030. CT, MR and PET Anatomy Imaged	724
CID 4031. Common Anatomic Regions	725
CID 4032. MR Spectroscopy Metabolites	728
CID 4033. MR Proton Spectroscopy Metabolites	728
CID 4040. Endoscopy Anatomic Regions	729
CID 4042. XA/XRF Anatomy Imaged	730
CID 4050. Drug or Contrast Agent Characteristics	731
CID 4051. General Devices	731
CID 4052. Phantom Devices	731
CID 4100. T1 Measurement Methods	732
CID 4101. Tracer Kinetic Models	732
CID 4102. Perfusion Measurement Methods	732
CID 4103. Arterial Input Function Measurement Methods	733
CID 4104. Bolus Arrival Time Derivation Methods	733
CID 4105. Perfusion Analysis Methods	733
CID 4106. Quantitative Methods used for Perfusion And Tracer Kinetic Models	733
CID 4107. Tracer Kinetic Model Parameters	734
CID 4108. Perfusion Model Parameters	734
CID 4109. Model-Independent Dynamic Contrast Analysis Parameters	735
CID 4110. Tracer Kinetic Modeling Covariates	736
CID 4111. Contrast Characteristics	737
CID 4200. Ophthalmic Imaging Agent	737
CID 4201. Patient Eye Movement Command	737
CID 4202. Ophthalmic Photography Acquisition Device	738
CID 4203. Ophthalmic Photography Illumination	738
CID 4204. Ophthalmic Filter	739
CID 4205. Ophthalmic Lens	739
CID 4206. Ophthalmic Channel Description	740
CID 4207. Ophthalmic Image Position	740
CID 4208. Mydriatic Agent	741
CID 4209. Ophthalmic Anatomic Structure Imaged	741
CID 4210. Ophthalmic Tomography Acquisition Device	742
CID 4211. Ophthalmic OCT Anatomic Structure Imaged	742

CID 4214. Ophthalmic Horizontal Directions	743
CID 4215. Ophthalmic Vertical Directions	743
CID 4216. Ophthalmic Visual Acuity Type	743
CID 4220. Visual Fixation Quality During Acquisition	744
CID 4221. Visual Fixation Quality Problem	744
CID 4222. Ophthalmic Macular Grid Problem	744
CID 4230. Ophthalmic Ultrasound Axial Measurements Type	745
CID 4231. Lens Status	745
CID 4232. Vitreous Status	746
CID 4233. Ophthalmic Axial Length Measurements Segment Names	746
CID 4234. Refractive Surgery Types	746
CID 4235. Keratometry Descriptors	747
CID 4236. IOL Calculation Formula	747
CID 4237. Lens Constant Type	747
CID 4238. Refractive Error Types	748
CID 4239. Anterior Chamber Depth Definition	748
CID 4240. Ophthalmic Measurement or Calculation Data Source	748
CID 4241. Ophthalmic Axial Length Selection Method	749
CID 4242. Cornea Measurement Method Descriptors	749
CID 4243. Ophthalmic Quality Metric Type	749
CID 4244. Ophthalmic Agent Concentration Units	749
CID 4245. Wide Field Ophthalmic Photography Transformation Method	750
CID 4250. Visual Field Static Perimetry Test Patterns	750
CID 4251. Visual Field Static Perimetry Test Strategies	750
CID 4252. Visual Field Static Perimetry Screening Test Modes	751
CID 4253. Visual Field Static Perimetry Fixation Strategy	751
CID 4254. Visual Field Static Perimetry Test Analysis Results	752
CID 4255. Visual Field Illumination Color	752
CID 4256. Visual Field Procedure Modifier	752
CID 4257. Visual Field Global Index Name	753
CID 4260. Ophthalmic Mapping Units for Real World Value Mapping	753
CID 4261. Ophthalmic Mapping Acquisition Method	753
CID 4262. Retinal Thickness Definition	754
CID 4263. Ophthalmic Thickness Map Value Type	754
CID 4264. Ophthalmic Map Purposes of Reference	754
CID 4265. Ophthalmic Thickness Deviation Categories	754
CID 4266. Ophthalmic Anatomic Structure Reference Point	755
CID 4267. Corneal Topography Mapping Units for Real World Value Mapping	755
CID 4268. Corneal Topography Map Value Type	755
CID 4270. OCT-A Processing Algorithm Families	756
CID 4271. En Face Image Types	756
CID 4272. OPT Scan Pattern Types	757
CID 4273. Retinal Segmentation Surfaces	757
CID 6000. Overall Breast Composition	759
CID 6001. Overall Breast Composition from BI-RADS®	759
CID 6002. Change Since Last Mammogram or Prior Surgery	759
CID 6003. Change Since Last Mammogram or Prior Surgery from BI-RADS®	760
CID 6004. Mammography Characteristics of Shape	760
CID 6005. Characteristics of Shape from BI-RADS®	761
CID 6006. Mammography Characteristics of Margin	761
CID 6007. Characteristics of Margin from BI-RADS®	761
CID 6008. Density Modifier	762
CID 6009. Density Modifier from BI-RADS®	762
CID 6010. Mammography Calcification Types	762
CID 6011. Calcification Types from BI-RADS®	763
CID 6012. Calcification Distribution Modifier	763
CID 6013. Calcification Distribution Modifier from BI-RADS®	764
CID 6014. Mammography Single Image Finding	764
CID 6015. Single Image Finding from BI-RADS®	765
CID 6016. Mammography Composite Feature	765

CID 6017. Composite Feature from BI-RADS®	766
CID 6018. Clockface Location or Region	766
CID 6019. Clockface Location or Region from BI-RADS®	766
CID 6020. Quadrant Location	767
CID 6021. Quadrant Location from BI-RADS®	767
CID 6022. Side	768
CID 6023. Side from BI-RADS®	768
CID 6024. Depth	768
CID 6025. Depth from BI-RADS®	769
CID 6026. Mammography Assessment	769
CID 6027. Assessment from BI-RADS®	769
CID 6028. Mammography Recommended Follow-up	770
CID 6029. Recommended Follow-up from BI-RADS®	770
CID 6030. Mammography Pathology Codes	771
CID 6031. Benign Pathology Codes from BI-RADS®	772
CID 6032. High Risk Lesions Pathology Codes from BI-RADS®	774
CID 6033. Malignant Pathology Codes from BI-RADS®	774
CID 6034. Intended Use of CAD Output	776
CID 6035. Composite Feature Relations	777
CID 6036. Scope of Feature	777
CID 6037. Mammography Quantitative Temporal Difference Type	777
CID 6038. Mammography Qualitative Temporal Difference Type	777
CID 6039. Nipple Characteristic	778
CID 6040. Non-lesion Object Type	778
CID 6041. Mammography Image Quality Finding	778
CID 6042. Status of Results	780
CID 6043. Types of Mammography CAD Analysis	780
CID 6044. Types of Image Quality Assessment	781
CID 6045. Mammography Types of Quality Control Standard	781
CID 6046. Units of Follow-up Interval	781
CID 6047. CAD Processing and Findings Summary	782
CID 6048. CAD Operating Point Axis Label	782
CID 6050. Breast Procedure Reported	782
CID 6051. Breast Procedure Reason	784
CID 6052. Breast Imaging Report Section Title	785
CID 6053. Breast Imaging Report Elements	785
CID 6054. Breast Imaging Findings	785
CID 6055. Breast Clinical Finding or Indicated Problem	786
CID 6056. Associated Findings for Breast	787
CID 6057. Ductography Findings for Breast	787
CID 6058. Procedure Modifiers for Breast	787
CID 6059. Breast Implant Types	788
CID 6060. Breast Biopsy Techniques	788
CID 6061. Breast Imaging Procedure Modifiers	789
CID 6062. Interventional Procedure Complications	790
CID 6063. Interventional Procedure Results	790
CID 6064. Ultrasound Findings for Breast	790
CID 6065. Instrument Approach	791
CID 6066. Target Confirmation	791
CID 6067. Fluid Color	792
CID 6068. Tumor Stages From AJCC	792
CID 6069. Nottingham Combined Histologic Grade	793
CID 6070. Bloom-Richardson Histologic Grade	793
CID 6071. Histologic Grading Method	793
CID 6072. Breast Implant Findings	794
CID 6080. Gynecological Hormones	794
CID 6081. Breast Cancer Risk Factors	795
CID 6082. Gynecological Procedures	795
CID 6083. Procedures for Breast	795
CID 6084. Mammoplasty Procedures	796

CID 6085. Therapies for Breast	796
CID 6086. Menopausal Phase	796
CID 6087. General Risk Factors	797
CID 6088. OB-GYN Maternal Risk Factors	797
CID 6089. Substances	798
CID 6090. Relative Usage, Exposure Amount	798
CID 6091. Relative Frequency of Event Values	799
CID 6092. Quantitative Concepts for Usage, Exposure	799
CID 6093. Qualitative Concepts for Usage, Exposure Amount	799
CID 6094. Qualitative Concepts for Usage, Exposure Frequency	800
CID 6095. Numeric Properties of Procedures	800
CID 6096. Pregnancy Status	800
CID 6097. Side of Family	800
CID 6098. Clinical Course of Disease	801
CID 6099. Racial Group	801
CID 6100. Chest Component Categories	801
CID 6101. Chest Finding or Feature	802
CID 6102. Chest Finding or Feature Modifier	802
CID 6103. Abnormal Lines Finding or Feature	802
CID 6104. Abnormal Opacity Finding or Feature	803
CID 6105. Abnormal Lucency Finding or Feature	804
CID 6106. Abnormal Texture Finding or Feature	804
CID 6107. Width Descriptor	805
CID 6108. Chest Anatomic Structure Abnormal Distribution	805
CID 6109. Radiographic Anatomy Finding or Feature	806
CID 6110. Lung Anatomy Finding or Feature	806
CID 6111. Bronchovascular Anatomy Finding or Feature	806
CID 6112. Pleura Anatomy Finding or Feature	807
CID 6113. Mediastinum Anatomy Finding or Feature	807
CID 6114. Osseous Anatomy Finding or Feature	808
CID 6115. Osseous Anatomy Modifiers	809
CID 6116. Muscular Anatomy	810
CID 6117. Vascular Anatomy	810
CID 6118. Size Descriptor	812
CID 6119. Chest Border Shape	812
CID 6120. Chest Border Definition	812
CID 6121. Chest Orientation Descriptor	813
CID 6122. Chest Content Descriptor	813
CID 6123. Chest Opacity Descriptor	814
CID 6124. Location in Chest	814
CID 6125. General Chest Location	814
CID 6126. Location in Lung	814
CID 6127. Segment Location in Lung	815
CID 6128. Chest Distribution Descriptor	815
CID 6129. Chest Site Involvement	816
CID 6130. Severity Descriptor	816
CID 6131. Chest Texture Descriptor	817
CID 6132. Chest Calcification Descriptor	817
CID 6133. Chest Quantitative Temporal Difference Type	817
CID 6134. Chest Qualitative Temporal Difference Type	818
CID 6135. Image Quality Finding	818
CID 6136. Chest Types of Quality Control Standard	819
CID 6137. Types of CAD Analysis	819
CID 6138. Chest Non-lesion Object Type	819
CID 6139. Non-lesion Modifiers	820
CID 6140. Calculation Methods	820
CID 6141. Attenuation Coefficient Measurements	820
CID 6142. Calculated Value	821
CID 6143. Lesion Response	821
CID 6144. RECIST Defined Lesion Response	822

CID 6145. Baseline Category	822
CID 6146. Time Point Types	822
CID 6147. Response Criteria	823
CID 6151. Background Echotexture	823
CID 6152. Orientation	823
CID 6153. Lesion Boundary	824
CID 6154. Echo Pattern	824
CID 6155. Posterior Acoustic Features	824
CID 6157. Vascularity	825
CID 6158. Correlation to Other Findings	825
CID 6159. Malignancy Type	826
CID 6160. Breast Primary Tumor Assessment From AJCC	826
CID 6161. Clinical Regional Lymph Node Assessment for Breast	827
CID 6162. Assessment of Metastasis for Breast	827
CID 6163. Menstrual Cycle Phase	828
CID 6164. Time Intervals	828
CID 6165. Breast Linear Measurements	828
CID 6166. CAD Geometry Secondary Graphical Representation	829
CID 6200. Colon Overall Assessment	829
CID 6201. Colon Finding or Feature	829
CID 6202. Colon Finding or Feature Modifier	830
CID 6203. Colon Non-lesion Object Type	830
CID 6204. Anatomic Non-colon Findings	831
CID 6205. Clockface Location for Colon	832
CID 6206. Recumbent Patient Orientation for Colon	832
CID 6207. Colon Quantitative Temporal Difference Type	833
CID 6208. Colon Types of Quality Control Standard	833
CID 6209. Colon Morphology Descriptor	833
CID 6210. Location in Intestinal Tract	834
CID 6211. Colon CAD Material Description	834
CID 6212. Calculated Value for Colon Findings	834
CID 6300. Prostate Sector Anatomy	835
CID 6301. Prostate Sector Anatomy from PI-RADS v2	835
CID 6302. Prostate Sector Anatomy from European Consensus 16 Sector (Minimal) Model	838
CID 6303. Prostate Sector Anatomy from European Consensus 27 Sector (Optimal) Model	839
CID 6401. Non-lesion Object Type - Physical Objects	840
CID 6402. Non-lesion Object Type - Substances	841
CID 6403. Non-lesion Object Type - Tissues	841
CID 6404. Chest Non-lesion Object Type - Physical Objects	841
CID 6405. Chest Non-lesion Object Type - Tissues	842
CID 7000. Diagnostic Imaging Report Document Titles	842
CID 7001. Diagnostic Imaging Report Headings	843
CID 7002. Diagnostic Imaging Report Elements	844
CID 7003. Diagnostic Imaging Report Purposes of Reference	844
CID 7004. Waveform Purposes of Reference	845
CID 7005. Contributing Equipment Purposes of Reference	845
CID 7006. SR Document Purposes of Reference	845
CID 7008. Media Import	846
CID 7009. Purpose of Reference to Predecessor Report	846
CID 7010. Key Object Selection Document Title	847
CID 7011. Rejected for Quality Reasons	848
CID 7012. Best in Set	849
CID 7013. Non-Image Source Instance Purposes of Reference	849
CID 7014. Export Additional Information Document Titles	849
CID 7015. Export Delay Reasons	850
CID 7016. Level of Difficulty	850
CID 7017. Category of Teaching Material - Imaging	850
CID 7018. Miscellaneous Document Titles	851
CID 7019. Segmentation Non-Image Source Purposes of Reference	851
CID 7021. Measurement Report Document Titles	851

CID 7022. Radiotherapy Purposes of Reference	852
CID 7023. RT Process Output	852
CID 7024. RT Process Input	852
CID 7025. RT Process Input Used	853
CID 7026. Radiotherapeutic Dose Measurement Devices	853
CID 7027. Segmented Radiotherapeutic Dose Measurement Devices	854
CID 7030. Institutional Departments, Units and Services	855
CID 7035. Actionable Finding Classification	857
CID 7036. Image Quality Assessment	857
CID 7039. Pediatric Size Categories	858
CID 7040. Broselow-Luten Pediatric Size Categories	858
CID 7041. Calcium Scoring Patient Size Categories	858
CID 7042. CMDCTECC Calcium Scoring Patient Size Categories	859
CID 7050. De-identification Method	859
CID 7060. Encapsulated Document Source Purposes of Reference	859
CID 7061. Model Document Titles	860
CID 7062. Purpose of Reference to Predecessor 3D Model	860
CID 7063. Model Scale Units	860
CID 7064. Model Usage	861
CID 7100. RCS Registration Method Type	861
CID 7101. Brain Atlas Fiducials	861
CID 7110. Fiducials Categories	862
CID 7111. Fiducials	862
CID 7112. Radiotherapy Fiducials	862
CID 7140. Brain Structures for Volumetric Measurements	863
CID 7150. Segmentation Property Categories	864
CID 7151. Segmentation Property Types	865
CID 7152. Cardiac Structure Segmentation Types	865
CID 7153. CNS Segmentation Types	865
CID 7154. Abdominal Segmentation Types	867
CID 7155. Thoracic Segmentation Types	868
CID 7156. Vascular Segmentation Types	869
CID 7157. Device Segmentation Types	869
CID 7158. Artifact Segmentation Types	869
CID 7159. Lesion Segmentation Types	870
CID 7160. Pelvic Organ Segmentation Types	870
CID 7161. Physiology Segmentation Types	871
CID 7162. Surface Processing Algorithm Families	871
CID 7165. Abstract Segmentation Types	872
CID 7166. Common Tissue Segmentation Types	872
CID 7167. Peripheral Nervous System Segmentation Types	873
CID 7168. Brain Lesion Segmentation Types With Necrosis	873
CID 7169. Brain Lesion Segmentation Types Without Necrosis	874
CID 7180. Abstract Multi-dimensional Image Model Component Semantics	874
CID 7181. Abstract Multi-dimensional Image Model Component Units	877
CID 7182. Abstract Multi-dimensional Image Model Dimension Semantics	878
CID 7183. Abstract Multi-dimensional Image Model Dimension Units	879
CID 7184. Abstract Multi-dimensional Image Model Axis Direction	879
CID 7185. Abstract Multi-dimensional Image Model Axis Orientation	879
CID 7186. Abstract Multi-dimensional Image Model Qualitative Dimension Sample Semantics	880
CID 7191. Tissue Segmentation Property Types	881
CID 7192. Anatomical Structure Segmentation Property Types	881
CID 7193. Physical Object Segmentation Property Types	882
CID 7194. Morphologically Abnormal Structure Segmentation Property Types	882
CID 7195. Function Segmentation Property Types	882
CID 7196. Spatial and Relational Concept Segmentation Property Types	882
CID 7197. Body Substance Segmentation Property Types	883
CID 7198. Substance Segmentation Property Types	883
CID 7201. Referenced Image Purposes of Reference	883
CID 7202. Source Image Purposes of Reference	884

CID 7203. Image Derivation	884
CID 7205. Purpose of Reference to Alternate Representation	885
CID 7210. Related Series Purposes of Reference	886
CID 7215. Spectroscopy Purpose of Reference	886
CID 7220. RT Dose Derivation	886
CID 7221. RT Dose Purpose of Reference	887
CID 7222. Parametric Map Derivation Image Purpose of Reference	887
CID 7250. Multi-Frame Subset Type	887
CID 7260. Diffusion Acquisition Value Types	887
CID 7261. Diffusion Model Value Types	888
CID 7262. Diffusion Tractography Algorithm Families	888
CID 7263. Diffusion Tractography Measurement Types	888
CID 7270. MR Diffusion Component Semantics	889
CID 7271. MR Diffusion Anisotropy Indices	890
CID 7272. MR Diffusion Model Parameters	890
CID 7273. MR Diffusion Models	891
CID 7274. MR Diffusion Model Fitting Methods	891
CID 7275. MR Diffusion Model Specific Methods	891
CID 7276. MR Diffusion Model Inputs	891
CID 7277. Units of Diffusion Rate Area Over Time	892
CID 7300. Implant Materials	892
CID 7301. Intervention Types	892
CID 7302. Implant Templates View Orientations	893
CID 7303. Implant Templates Modified View Orientations	893
CID 7304. Implant Target Anatomy	893
CID 7305. Implant Planning Landmarks	895
CID 7306. Human Hip Implant Planning Landmarks	895
CID 7307. Implant Component Types	895
CID 7308. Human Hip Implant Component Types	895
CID 7309. Human Trauma Implant Component Types	896
CID 7310. Implant Fixation Method	896
CID 7320. Planning Methods	897
CID 7445. Device Participating Roles	897
CID 7449. Reader Specialty	897
CID 7450. Person Roles	898
CID 7451. Family Member	898
CID 7452. Organizational Roles	899
CID 7453. Performing Roles	900
CID 7454. Animal Taxonomic Rank Values	901
CID 7455. Sex	902
CID 7456. Units of Measure for Age	903
CID 7457. Sex - Male Female or Both	903
CID 7460. Units of Linear Measurement	903
CID 7461. Units of Area Measurement	904
CID 7462. Units of Volume Measurement	904
CID 7464. General Region of Interest Measurement Modifiers	904
CID 7465. Measurements Derived From Multiple ROI Measurements	905
CID 7466. PET Region of Interest Measurements	905
CID 7467. Gray Level Co-occurrence Matrix Measurements	905
CID 7468. Texture Measurements	906
CID 7469. Generic Intensity and Size Measurements	907
CID 7470. Linear Measurements	907
CID 7471. Area Measurements	908
CID 7472. Volume Measurements	908
CID 7473. General Area Calculation Methods	908
CID 7474. General Volume Calculation Methods	909
CID 7475. Gray Level Run Length Based Features	909
CID 7476. Gray Level Size Zone Based Features	909
CID 7477. Global Shape Descriptors	910
CID 7478. Intensity Histogram Features	911

CID 7479. Grey Level Distance Zone Based Features	912
CID 7480. Breed	912
CID 7481. Breed Registry	985
CID 7482. DX Anatomy Imaged for Animals	986
CID 7483. Common Anatomic Regions for Animals	986
CID 7484. DX View for Animals	988
CID 7486. Mixed Breeds	991
CID 7490. Research Animal Source Registries	992
CID 7500. Neighbourhood Grey Tone Difference Based Features	992
CID 7501. Neighbouring Grey Level Dependence Based Features	992
CID 7600. Lymph Node Anatomic Sites	993
CID 7601. Head and Neck Cancer Anatomic Sites	998
CID 7701. Fiber Tracts In Brainstem	999
CID 7702. Projection and Thalamic Fibers	1000
CID 7703. Association Fibers	1001
CID 7704. Limbic System Tracts	1001
CID 7705. Commissural Fibers	1001
CID 7706. Cranial Nerves	1002
CID 7707. Spinal Cord Fibers	1002
CID 7710. Tractography Anatomic Sites	1003
CID 8101. Container Types	1003
CID 8102. Container Component Types	1004
CID 8103. Anatomic Pathology Specimen Types	1004
CID 8104. Breast Tissue Specimen Types	1005
CID 8109. Specimen Collection Procedure	1005
CID 8110. Specimen Sampling Procedure	1006
CID 8111. Specimen Preparation Procedure	1006
CID 8112. Specimen Stains	1006
CID 8113. Specimen Preparation Steps	1012
CID 8114. Specimen Fixatives	1013
CID 8115. Specimen Embedding Media	1013
CID 8120. WSI Referenced Image Purposes of Reference	1014
CID 8121. Microscopy Lens Type	1014
CID 8122. Microscopy Illuminator and Sensor Color	1014
CID 8123. Microscopy Illumination Method	1015
CID 8124. Microscopy Filter	1015
CID 8125. Microscopy Illuminator Type	1016
CID 8130. Staining Protocols	1016
CID 8131. Pathology Imaging Protocols	1017
CID 8132. Magnification Selection	1017
CID 8133. Tissue Selection	1017
CID 8201. Surface Scan Acquisition Types	1017
CID 8202. Surface Scan Mode Types	1018
CID 8203. Surface Scan Registration Method Types	1018
CID 8300. Visual Evaluation Methods	1018
CID 8301. Test Pattern Codes	1019
CID 8302. Measurement Pattern Codes	1022
CID 8303. Display Device Type	1022
CID 9000. Physical Quantity Descriptors	1022
CID 9231. Workitem Definition	1023
CID 9233. Requested Report Types	1024
CID 9241. Radiotherapy General Workitem Definition	1024
CID 9242. Radiotherapy Acquisition Workitem Definition	1024
CID 9243. Radiotherapy Registration Workitem Definition	1025
CID 9250. Scheduled Processing Parameter Concept Codes for RT Treatment	1025
CID 9300. Procedure Discontinuation Reasons	1025
CID 9301. Modality PPS Discontinuation Reasons	1026
CID 9302. Media Import PPS Discontinuation Reasons	1027
CID 9303. Interpretation Request Discontinuation Reasons	1027
CID 9401. IEC61217 Device Position Parameters	1027

CID 9402. IEC61217 Gantry Position Parameters	1028
CID 9403. IEC61217 Patient Support Position Parameters	1028
CID 9500. Dosimetric Objective Types	1028
CID 9501. Prescription Anatomy Categories	1029
CID 9502. RT Segment Annotation Categories	1029
CID 9503. Radiotherapy Therapeutic Role Categories	1029
CID 9504. RT Geometric Information	1030
CID 9505. Fixation or Positioning Devices	1030
CID 9506. Brachytherapy Devices	1030
CID 9507. External Body Models	1030
CID 9508. Nonspecific Volumes	1031
CID 9509. Purpose of Reference for RT Physician Intent Input	1031
CID 9510. Purpose of Reference for RT Treatment Planning Input	1031
CID 9511. General External Radiotherapy Procedure Techniques	1031
CID 9512. Tomotherapeutic Radiotherapy Procedure Techniques	1032
CID 9513. Fixation Devices	1032
CID 9514. Anatomical Structures for Radiotherapy	1033
CID 9515. RT Patient Support Devices	1033
CID 9516. Radiotherapy Bolus Device Types	1033
CID 9517. Radiotherapy Block Device Types	1033
CID 9518. Radiotherapy Accessory No-Slot Holder Device Types	1034
CID 9519. Radiotherapy Accessory Slot Holder Device Types	1034
CID 9520. Segmented RT Accessory Devices	1034
CID 9521. Radiotherapy Treatment Energy Unit	1034
CID 9522. Multi-Source Radiotherapy Procedure Techniques	1035
CID 9523. Robotic Radiotherapy Procedure Techniques	1035
CID 9524. Radiotherapy Procedure Techniques	1035
CID 9525. Radiation Therapy Particle	1035
CID 9526. Ion Therapy Particle	1036
CID 9527. Teletherapy Isotope	1036
CID 9528. Brachytherapy Isotope	1036
CID 9529. Single Dose Dosimetric Objectives	1037
CID 9530. Percentage and Dose Dosimetric Objectives	1037
CID 9531. Volume and Dose Dosimetric Objectives	1037
CID 9532. No-Parameter Dosimetric Objectives	1038
CID 9533. Delivery Time Structure	1038
CID 9534. Radiotherapy Targets	1038
CID 9535. Radiotherapy Dose Calculation Roles	1039
CID 9536. Radiotherapy Prescribing and Segmenting Person Roles	1039
CID 9537. Effective Dose Calculation Method Categories	1039
CID 9538. Radiation Transport-Based Effective Dose Method Modifiers	1040
CID 9539. Fractionation-Based Effective Dose Method Modifiers	1040
CID 10000. Scope of Accumulation	1040
CID 10001. UID Types	1041
CID 10002. Irradiation Event Types	1041
CID 10003. Equipment Plane Identification	1041
CID 10004. Fluoro Modes	1041
CID 10006. X-Ray Filter Materials	1042
CID 10007. X-Ray Filter Types	1042
CID 10008. Dose Related Distance Measurements	1042
CID 10009. Measured/Calculated	1043
CID 10010. Dose Measurement Devices	1043
CID 10011. Effective Dose Evaluation Method	1044
CID 10013. CT Acquisition Type	1044
CID 10014. Contrast Imaging Technique	1044
CID 10015. CT Dose Reference Authorities	1044
CID 10016. Anode Target Material	1045
CID 10017. X-Ray Grid	1045
CID 10020. Source of Projection X-Ray Dose Information	1045
CID 10021. Source of CT Dose Information	1046

CID 10022. Label Types	1046
CID 10023. Size Specific Dose Estimation Method for CT	1046
CID 10024. Water Equivalent Diameter Method	1047
CID 10025. Radiation Dose Reference Points	1047
CID 10030. Detector Types	1047
CID 10031. CR/DR Mechanical Configuration	1048
CID 10032. Projection X-Ray Acquisition Device Types	1048
CID 10033. CT Reconstruction Algorithm	1048
CID 10034. Reason for Repeating Acquisition	1048
CID 10040. Radiopharmaceutical Organ Dose Reference Authority	1049
CID 10041. Source of Radioisotope Activity Information	1049
CID 10043. Intravenous Extravasation Symptoms	1049
CID 10044. Radiosensitive Organs	1050
CID 10045. Radiopharmaceutical Patient State	1051
CID 10046. GFR Measurements	1052
CID 10047. GFR Measurement Methods	1052
CID 10050. Summary Radiation Exposure Quantities	1052
CID 10060. Organs for Radiation Dose Estimates	1053
CID 10061. Absorbed Radiation Dose Types	1053
CID 10062. Equivalent Radiation Dose Types	1054
CID 10063. Radiation Dose Estimate Distribution Representation	1054
CID 10064. Patient Model Type	1054
CID 10065. Radiation Transport Model Type	1054
CID 10066. Attenuator Category	1055
CID 10067. Radiation Attenuator Materials	1055
CID 10068. Estimate Method Types	1055
CID 10069. Radiation Dose Estimation Parameter	1056
CID 10070. Radiation Dose Types	1057
CID 10071. Radiation Dose Units	1057
CID 12001. Ultrasound Protocol Types	1057
CID 12002. Ultrasound Protocol Stage Types	1058
CID 12003. OB-GYN Dates	1058
CID 12004. Fetal Biometry Ratios	1059
CID 12005. Fetal Biometry Measurements	1059
CID 12006. Fetal Long Bones Biometry Measurements	1060
CID 12007. Fetal Cranium	1060
CID 12008. OB-GYN Amniotic Sac	1060
CID 12009. Early Gestation Biometry Measurements	1061
CID 12011. Ultrasound Pelvis and Uterus	1061
CID 12012. OB Equations and Tables	1061
CID 12013. Gestational Age Equations and Tables	1062
CID 12014. OB Fetal Body Weight Equations and Tables	1065
CID 12015. Fetal Growth Equations and Tables	1065
CID 12016. Estimated Fetal Weight Percentile Equations and Tables	1066
CID 12017. Growth Distribution Rank	1067
CID 12018. OB-GYN Summary	1067
CID 12019. OB-GYN Fetus Summary	1068
CID 12020. Fetal Biometry Anatomic Sites	1068
CID 12021. Fetal Long Bone Anatomic Sites	1068
CID 12022. Fetal Cranium Anatomic Sites	1069
CID 12023. Pelvis and Uterus Anatomic Sites	1069
CID 12030. Ultrasound Contrast/Bolus Agents	1069
CID 12031. Protocol Interval Events	1070
CID 12032. Transducer Scan Pattern	1070
CID 12033. Ultrasound Transducer Geometry	1071
CID 12034. Ultrasound Transducer Beam Steering	1071
CID 12035. Ultrasound Transducer Application	1071
CID 12101. Vascular Summary	1071
CID 12102. Temporal Periods Relating to Procedure or Therapy	1072
CID 12103. Vascular Ultrasound Anatomic Location	1072

CID 12104. Extracranial Arteries	1072
CID 12105. Intracranial Cerebral Vessels	1073
CID 12106. Intracranial Cerebral Vessels (Unilateral)	1074
CID 12107. Upper Extremity Arteries	1074
CID 12108. Upper Extremity Veins	1074
CID 12109. Lower Extremity Arteries	1075
CID 12110. Lower Extremity Veins	1075
CID 12111. Abdominal Arteries (Lateral)	1076
CID 12112. Abdominal Arteries (Unilateral)	1077
CID 12113. Abdominal Veins (Lateral)	1077
CID 12114. Abdominal Veins (Unilateral)	1078
CID 12115. Renal Vessels	1078
CID 12116. Vessel Segment Modifiers	1079
CID 12117. Vessel Branch Modifiers	1079
CID 12118. Measurement Orientation	1079
CID 12119. Vascular Ultrasound Property	1080
CID 12120. Blood Velocity Measurements by Ultrasound	1080
CID 12121. Vascular Indices and Ratios	1080
CID 12122. Other Vascular Properties	1081
CID 12123. Carotid Ratios	1081
CID 12124. Renal Ratios	1081
CID 12140. Pelvic Vasculature Anatomical Location	1082
CID 12141. Fetal Vasculature Anatomical Location	1082
CID 12200. Echocardiography Left Ventricle	1082
CID 12201. Left Ventricle Linear	1083
CID 12202. Left Ventricle Volume	1083
CID 12203. Left Ventricle Other	1084
CID 12204. Echocardiography Right Ventricle	1084
CID 12205. Echocardiography Left Atrium	1085
CID 12206. Echocardiography Right Atrium	1085
CID 12207. Echocardiography Mitral Valve	1085
CID 12208. Echocardiography Tricuspid Valve	1086
CID 12209. Echocardiography Pulmonic Valve	1087
CID 12210. Echocardiography Pulmonary Artery	1087
CID 12211. Echocardiography Aortic Valve	1087
CID 12212. Echocardiography Aorta	1088
CID 12214. Echocardiography Pulmonary Veins	1088
CID 12215. Echocardiography Vena Cavae	1088
CID 12216. Echocardiography Hepatic Veins	1089
CID 12217. Echocardiography Cardiac Shunt	1089
CID 12218. Echocardiography Congenital	1089
CID 12219. Pulmonary Vein Modifiers	1090
CID 12220. Echocardiography Common Measurements	1090
CID 12221. Flow Direction	1090
CID 12222. Orifice Flow Properties	1091
CID 12223. Echocardiography Stroke Volume Origin	1092
CID 12224. Ultrasound Image Modes	1092
CID 12226. Echocardiography Image View	1092
CID 12227. Echocardiography Measurement Method	1094
CID 12228. Echocardiography Volume Methods	1094
CID 12229. Echocardiography Area Methods	1094
CID 12230. Gradient Methods	1095
CID 12231. Volume Flow Methods	1095
CID 12232. Myocardium Mass Methods	1095
CID 12233. Cardiac Phase	1095
CID 12234. Respiration State	1096
CID 12235. Mitral Valve Anatomic Sites	1096
CID 12236. Echo Anatomic Sites	1097
CID 12237. Echocardiography Anatomic Site Modifiers	1097
CID 12238. Wall Motion Scoring Schemes	1097

CID 12239. Cardiac Output Properties	1097
CID 12240. Left Ventricle Area	1098
CID 12241. Tricuspid Valve Finding Sites	1098
CID 12242. Aortic Valve Finding Sites	1098
CID 12243. Left Ventricle Finding Sites	1099
CID 12244. Congenital Finding Sites	1099
CID 12245. Cardiac Ultrasound Report Titles	1099
CID 12246. Cardiac Ultrasound Indication for Study	1099
CID 12247. Pediatric, Fetal and Congenital Cardiac Surgical Interventions	1100
CID 12248. Cardiac Ultrasound Summary Codes	1101
CID 12249. Cardiac Ultrasound Fetal Summary Codes	1102
CID 12250. Cardiac Ultrasound Common Linear Measurements	1103
CID 12251. Cardiac Ultrasound Linear Valve Measurements	1103
CID 12252. Cardiac Ultrasound Cardiac Function	1103
CID 12253. Cardiac Ultrasound Area Measurements	1104
CID 12254. Cardiac Ultrasound Hemodynamic Measurements	1104
CID 12255. Cardiac Ultrasound Myocardium Measurements	1105
CID 12257. Cardiac Ultrasound Left Ventricle	1105
CID 12258. Cardiac Ultrasound Right Ventricle	1106
CID 12259. Cardiac Ultrasound Ventricles Measurements	1106
CID 12260. Cardiac Ultrasound Pulmonary Artery	1106
CID 12261. Cardiac Ultrasound Pulmonary Vein	1107
CID 12262. Cardiac Ultrasound Pulmonary Valve	1107
CID 12263. Cardiac Ultrasound Venous Return Pulmonary Measurements	1108
CID 12264. Cardiac Ultrasound Venous Return Systemic Measurements	1108
CID 12265. Cardiac Ultrasound Atria and Atrial Septum Measurements	1108
CID 12266. Cardiac Ultrasound Mitral Valve	1109
CID 12267. Cardiac Ultrasound Tricuspid Valve	1109
CID 12268. Cardiac Ultrasound Atrioventricular Valves Measurements	1110
CID 12269. Cardiac Ultrasound Interventricular Septum Measurements	1110
CID 12270. Cardiac Ultrasound Aortic Valve	1110
CID 12271. Cardiac Ultrasound Outflow Tracts Measurements	1111
CID 12272. Cardiac Ultrasound Semilunar Valves, Annulate and Sinuses Measurements	1111
CID 12273. Cardiac Ultrasound Aortic Sinotubular Junction	1111
CID 12274. Cardiac Ultrasound Aorta Measurements	1112
CID 12275. Cardiac Ultrasound Coronary Arteries Measurements	1112
CID 12276. Cardiac Ultrasound Aorto Pulmonary Connections Measurements	1112
CID 12277. Cardiac Ultrasound Pericardium and Pleura Measurements	1112
CID 12279. Cardiac Ultrasound Fetal General Measurements	1113
CID 12280. Cardiac Ultrasound Target Sites	1114
CID 12281. Cardiac Ultrasound Target Site Modifiers	1114
CID 12282. Cardiac Ultrasound Venous Return Systemic Finding Sites	1115
CID 12283. Cardiac Ultrasound Venous Return Pulmonary Finding Sites	1115
CID 12284. Cardiac Ultrasound Atria and Atrial Septum Finding Sites	1116
CID 12285. Cardiac Ultrasound Atrioventricular Valves Finding Sites	1116
CID 12286. Cardiac Ultrasound Interventricular Septum Finding Sites	1117
CID 12287. Cardiac Ultrasound Ventricles Finding Sites	1117
CID 12288. Cardiac Ultrasound Outflow Tracts Finding Sites	1117
CID 12289. Cardiac Ultrasound Semilunar Valves, Annulus and Sinuses Finding Sites	1118
CID 12290. Cardiac Ultrasound Pulmonary Arteries Finding Sites	1118
CID 12291. Cardiac Ultrasound Aorta Finding Sites	1118
CID 12292. Cardiac Ultrasound Coronary Arteries Finding Sites	1119
CID 12293. Cardiac Ultrasound Aortopulmonary Connections Finding Sites	1119
CID 12294. Cardiac Ultrasound Pericardium and Pleura Finding Sites	1120
CID 12300. Core Echo Measurements	1120
CID 12301. Measurement Selection Reasons	1128
CID 12302. Echo Finding Observation Types	1128
CID 12303. Echo Measurement Types	1128
CID 12304. Echo Measured Properties	1129
CID 12305. Basic Echo Anatomic Sites	1130

CID 12306. Echo Flow Directions	1131
CID 12307. Cardiac Phases and Time Points	1132
TID 3401. ECG Acquisition Context	1133
TID 3403. Catheterization Acquisition Context	1133
TID 3450. Cardiac Electrophysiology Acquisition Context	1134
TID 3460. Projection Radiography Acquisition Context	1134
TID 3470. NM/PET Acquisition Context	1134
TID 3471. PET Covariates Acquisition Context	1135
TID 8001. Specimen Preparation	1135
TID 8002. Specimen Sampling	1136
TID 8003. Specimen Staining	1137
TID 8004. Specimen Localization	1137
TID 8010. Slide Imaging Parameters	1138
TID 8200. Radiology Reading Task Parameters	1139
TID 15100. Contrast Agent/Pre-Medication Protocol Context	1139
TID 15101. NM/PET Protocol Context	1139
TID 15200. JJ1017 Protocol Context	1141
TID 15300. RT Prescription Annotation	1141
TID 15301. RT Segment Characteristics	1142
TID 15400. Real-World Quantity Definition	1143
TID 15401. Real-World Quantity Definition for X-Ray Attenuation Properties	1143
D-1. DICOM Controlled Terminology Definitions (Coding Scheme Designator "DCM" Coding Scheme Version "01")	1145
E-1. French Language Meanings of Selected Codes	1385
E-2. Mapping of Pathology Codes used in DICOM to ADICAP	1415
F-1. Japanese Language Meanings of Selected Codes	1419
G-1. English Code Meanings of Selected Codes	1431
H-1. Code Meanings of LOINC Codes	1439
I-1. Examples of the Common Nomenclature for the Type of Endoscopy Performed	1449
J-1. SNOMED Codes Retired from DICOM Use	1451
J-2. SNOMED Synonyms Retired from DICOM Use	1470
L-1. Corresponding Codes and Terms for Human Use	1473
L-2. Corresponding Codes and Terms for Large Animals	1485
L-3. Corresponding Codes And Terms for Small Animal Use	1486
L-4. Correspondence between Animal-specific and Generic NCI Thesaurus Codes	1490
L-5. Pairedness of Anatomic Concepts	1493
M-1. German Language Meanings of Selected Codes	1503
N.1-1. HL7 Value Sets	1505
N.1.1-1. ActPriority Value Set	1505
N.1.2-1. AdministrativeGender Value Set	1506
N.1.3-1. ImageMediaType Value Set	1506
N.1.4-1. NullFlavor Value Set	1506
N.1.5-1. ObservationInterpretation Value Set	1507
N.1.6-1. x_BasicConfidentialityKind Value Set	1507
N.1.7-1. x_serviceEventPerformer Value Set	1507
N.2-1. LOINC Value Sets	1508
N.2.1-1. LOINC Imaging Document Codes (examples)	1508
N.2.2-1. LOINC Y/N/NA	1508
O-1. SNOMED Concept ID to SNOMED ID Mapping	1509

Notice and Disclaimer

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

NEMA standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

Foreword

This DICOM Standard was developed according to the procedures of the DICOM Standards Committee.

The DICOM Standard is structured as a multi-part document using the guidelines established in [ISO/IEC Directives, Part 2].

PS3.1 should be used as the base reference for the current parts of this Standard.

DICOM® is the registered trademark of the National Electrical Manufacturers Association for its standards publications relating to digital communications of medical information, all rights reserved.

HL7® and CDA® are the registered trademarks of Health Level Seven International, all rights reserved.

SNOMED®, SNOMED Clinical Terms®, SNOMED CT® are the registered trademarks of SNOMED International, all rights reserved.

LOINC® is the registered trademark of Regenstrief Institute, Inc, all rights reserved.

1 Scope and Field of Application

This Part of the DICOM Standard specifies the DICOM Content Mapping Resource (DCMR), which defines the Templates and Context Groups used elsewhere in the Standard.

2 Normative References

The following standards contain provisions that, through reference in this text, constitute provisions of this Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this Standard are encouraged to investigate the possibilities of applying the most recent editions of the standards indicated below.

2.1 General

- [Alderman 1992] *Coronary Artery Disease*. Alderman EL and Stadius M. 1992. 3. 12. 1189-208. "The angiographic definitions of the bypass angioplasty revascularization investigation". http://journals.lww.com/coronary-artery/Abstract/1992/12000/The_angiographie_definitions_of_the_Bypass.12.aspx .
- [ASTM E 1762-04] ASTM. . *Standard Guide for Electronic Authentication of Health Care Information*, ASTM International.
- [ASTM E 2084-00] ASTM. . *Standard Specification for Authentication of Healthcare Information Using Digital Signatures*, ASTM International.
- [AAPM Report 204] American Association of Physicists in Medicine, College Park, Maryland. 2011. *Size-Specific Dose Estimates (SSDE) in Pediatric and Adult Body CT Examinations*. http://www.aapm.org/pubs/reports/RPT_204.pdf .
- [AAPM Report 220] American Association of Physicists in Medicine. September 2014. *Report of AAPM Task Group 220 - Use of Water Equivalent Diameter for Calculating Patient Size and Size-Specific Dose Estimates (SSDE) in CT*. http://www.aapm.org/pubs/reports/rpt_220.pdf .
- [AAPM OR 03] American Association of Physicists in Medicine. 2005. *Assessment of Display Performance for Medical Imaging Systems*. http://www.aapm.org/pubs/reports/OR_03.pdf .
- [DIN 6868-57] Deutsches Institut für Normung. 2001. *Image quality assurance in diagnostic X-ray departments - Acceptance testing for image display devices*.
- [ETDRS Report Number 10] ETDRS. . *Report Number 10, Grading Diabetic Retinopathy from Stereoscopic Color Fundus Photographs- An Extension of the Modified Airlie House Classification*. *Ophthalmology*, May 1991, vol98 (p786-805), Supplement.
- [Feuvret] *International Journal of Radiation Oncology, Biology, Physics*. Feuvret L, Noël G, Mazeron JJ, and Bey P. 2006. 64. 2. 333-342. "Conformity index: a review". <http://dx.doi.org/10.1016/j.ijrobp.2005.09.028> .
- [HL7 v3 CMET] HL7. . *Version 3 Standard: Common Message Element Types*.
- [IBSI Features] >arXiv. Zwanenburg A, Leger S, Vallières M, and Löck S. 17 Sep 2018. arXiv:1612.07003v7. "Image biomarker standardisation initiative - Reference manual". <http://arxiv.org/abs/1612.07003> .
- [ICRU Report 50] International Commission on Radiation Units and Measurements. 1993. *Prescribing, Recording, and Reporting Photon Beam Therapy*.
- [IEC 60601-2-44] IEC. . *Medical Electrical Equipment - Part 2-44: Particular Requirements for the Safety of X-Ray Equipment for Computed Tomography*.
- [IEC 61217] IEC. 2011. Ed 2.0. *Radiotherapy Equipment - Coordinates, Movements and Scales*.
- [IEC 62563-1] IEC. 2009. Ed 1.0. *Medical Electrical Equipment - Medical image display systems - Part 1: Evaluation methods*.
- [ISO/IEC Directives, Part 2] ISO/IEC. 2016/05. 7.0. *Rules for the structure and drafting of International Standards*. http://www.iec.ch/members_experts/refdocs/iec/isoiecdir-2%7Bed7.0%7Den.pdf .
- [ISO 639] ISO. . *Codes for the representation of names of languages*.
- [ISO 639-1] ISO. 2002. *Codes for the representation of names of languages — Part 1: Alpha-2 code*.
- [ISO 639-2] ISO. 1998. *Codes for the representation of names of languages — Part 2: Alpha-3 code*.

- [ISO 639-3] ISO. 2007. *Codes for the representation of names of languages — Part 3: Alpha-3 code for comprehensive coverage of languages*.
- [ISO 3166] ISO. . *Codes for the representation of names of countries*.
- [ISO 3166-1] ISO. . *Codes for the representation of names of countries — Part 1: Country codes*.
- [ISO 8824-1] ISO. 2015. *Information Technology - Abstract Syntax 1 (ASN.1): Specification of Basic Notation*.
- [ISO 9834-1] ISO. 2012. *Information technology - Open Systems Interconnection - Procedures for the operation of OSI Registration Authorities: General procedures and top arcs of the ASN.1 Object Identifier tree*.
- [ISO 15924] ISO. 2004. *Codes for the representation of names of scripts*.
- [JJ1017] Japan Medical Imaging and Radiological Systems Industries Association (JIRA) and Japanese Association of Healthcare Information Systems Industry (JAHIS). October 5, 2005. 3.0. *Guidelines for HIS, RIS, PACS - Modality Data Communication on Scheduling, Billing, and Examination Records*. http://www.jira-net.or.jp/commission/system/04_information/files/JJ1017VER3_20051005.doc .
- [NEMA XR 25-2010] National Electrical Manufacturers Association, Rosslyn, Virginia. 2010. *Computed Tomography Dose Check Standard*. <http://www.nema.org/stds/xr25.cfm> .
- [RadLex] RSNA, Chicago. 2006. *A Lexicon for Uniform Indexing and Retrieval of Radiology Information Resources*. <http://www.radlex.org/> .
- [RFC 1766] IETF. March 1995. *Tags for the Identification of Languages*.
- [RFC 3066] IETF. January 2001. *Tags for the Identification of Languages*.
- [RFC 3881] IETF. September 2004. *Security Audit and Access Accountability Message - XML Data Definitions for Healthcare Applications*.
- [RFC 4646] IETF. September 2006. *Tags for Identifying Languages*.
- [RFC 4647] IETF. September 2006. *Matching of Language Tags*.
- [RFC 5646] IETF. September 2009. *Tags for Identifying Languages*.
- [Scanlon 1999] *Journal of the American College of Cardiology*. Scanlon PJ and et al. May 1999. 33. 6. 1756-824. "ACC/AHA guidelines for coronary angiography - A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Coronary Angiography) developed in collaboration with the Society for Cardiac Angiography and Interventions". 10.1016/S0735-1097(99)00126-6. <http://www.sciencedirect.com/science/article/pii/S0735109799001266> .
- [SMPTE RP133] Society of Motion Picture and Television Engineers (SMPTE). 1991. *Specifications for Medical Diagnostic Imaging Test Pattern for Television Monitors and Hard-copy Recording Cameras*.
- [Stout et al 2013] *Molecular Imaging*. Stout D, Berr SS, LeBlanc A, Kalen JD, Osborne D, Price J, Schiffer W, Kuntner C, and Wall J. 2013. 12. 7. 1-15. "Guidance for Methods Descriptions Used in Preclinical Imaging Papers". <http://journals.sagepub.com/doi/pdf/10.2310/7290.2013.00055> .

2.2 BI-RADS® Terminology and Nomenclature

A portion of the terminology used within the Mammography CAD SR SOP Class and the Breast Imaging Report and Relevant Patient Information for Breast Imaging Templates is derived from BI-RADS®, a copyrighted lexicon of breast imaging terminology and nomenclature licensed by DICOM from the American College of Radiology.

- [BI-RADS®] American College of Radiology, Reston, Virginia. 1998. 3.0. *Breast Imaging Reporting and Data System Atlas*. <http://www.acr.org/Quality-Safety/Resources/BIRADS> .

2.3 MQCM 1999 Terminology and Nomenclature

References to MQCM 1999 are made in the description of the Mammography CAD SR SOP Class. In this MQCM 1999 refers to the Mammography Quality Control Manual 1999, available from the American College of Radiology. This document describes a standardized approach to mammographic acquisition standards, patient positioning, and so on. The DICOM Standard does not require Mammography CAD SR SOP Class implementations to adhere to MQCM 1999.

[MQCM] American College of Radiology, Reston, Virginia. 1999. *Mammography Quality Control Manual*. <http://www.acr.org/Education/Education-Catalog/Products/639> .

2.4 MQSA Terminology and Nomenclature

References to MQSA are made in the description of the Mammography CAD SR SOP Class. In this MQSA refers to the Mammography Quality Standards Act final rules. While MQSA is a federal regulation of the United States government, it provides the only widely published standards for mammographic quality and is incorporated in this document for that reason. The DICOM Standard does not require Mammography CAD SR SOP Class implementations to adhere to MQSA.

[MQSA] U.S. Food and Drug Administration, Silver Spring, Maryland. 2002. *Mammography Quality Standards Act Regulations*. <http://www.fda.gov/Radiation-EmittingProducts/MammographyQualityStandardsActandProgram/Regulations/ucm110906.htm> .

2.5 ACR Position Statement

[ACR Position Statement] American College of Radiology, Reston, Virginia. 2001. *Quality Control and Improvement, Safety, Infection Control, and Patient Education*. <http://www.acr.org/Quality-Safety/Radiology-Safety> .

2.6 Chest Radiology and CT

References are made in the description of the Chest CAD SR Templates and context groups.

[Fraser and Pare] Fraser, Muller, Colman, and Pare. 1999. 4th. I. xvii-xxxi. *Diagnosis of Diseases of the Chest*. Terms Used in Chest Radiology.

[Fraser and Pare] Fraser, Muller, Colman, and Pare. 1999. 4th. I. xxxiii-xxxvi. *Diagnosis of Diseases of the Chest*. Terms for CT of the Lungs.

[ACR CT PE] American College of Radiology, Reston, Virginia. 2001. 109-113. *ACR Standards*. ACR Standard for the Performance of Computed Tomography for the Detection of Pulmonary Embolism in Adults.

[ACR HR CT] American College of Radiology, Reston, Virginia. 2001. 115-118. *ACR Standards*. ACR Standard for the Performance of High-Resolution Computed Tomography (HRCT) of the Lungs in Adults.

[ACR Radiography] American College of Radiology, Reston, Virginia. 2001. 95-98. *ACR Standards*. ACR Standard for the Performance of Pediatric and Adult Chest Radiography.

[ACR Thoracic CT] American College of Radiology, Reston, Virginia. 2001. 103-107. *ACR Standards*. ACR Standard for the Performance of Pediatric and Adult Thoracic Computed Tomography (CT).

2.7 Response Evaluation Criteria

References to Response Evaluation Criteria are made from the Chest CAD SR Templates and context groups

[RECIST] *Journal of the National Cancer Institute*. Therasse. February 2, 2000. 92. 3. 205-216. "New Guidelines to Evaluate the Response to Treatment in Solid Tumors". <http://www.eortc.be/recist/> .

[WHO] World Health Organization, Geneva. 1979. *WHO Handbook for Reporting Results for Cancer Treatment*. WHO Offset Publication No. 48. <http://whqlibdoc.who.int/publications/9241700483.pdf> .

2.8 Myocardial Segmentation

[Cerqueira 2002] *Circulation*. Cerqueira MD. 2002. 105. 4. 539. "AHA Scientific Statement: Standardized Myocardial Segmentation and Nomenclature for Tomographic Imaging of the Heart". 10.1161/hc0402.102975.

2.9 Quantitation of the Left Ventricle

[Schiller 1989] *Journal of the American Society of Echocardiography*. Schiller. Oct 1989. 2. 5. 358-367. "Recommendations for Quantitation of the Left Ventricle by Two-Dimensional Echocardiography".

2.10 Cancer Staging

[AJCC] American Joint Committee on Cancer. 2002. Sixth. *AJCC Cancer Staging Handbook: From the AJCC Cancer Staging Manual*. Springer-Verlag. 0-387-95270-5.

2.11 Quantitative Arteriography and Ventriculography

[Sheehan, 1986] *Circulation*. Sheehan FH, Bolson EL, Dodge HT, Mathey DG, Schofer J, and Woo HW. 1986. 74. 2. 293-305. "Advantages and applications of the centerline method for characterizing regional ventricular function". 10.1161/01.CIR.74.2.293.

[Slager, 1986] *J Am Coll Cardiol.* Slager CJ, Hooghoudt TE, Serruys PW, Schuurbijs JC, Reiber JH, Meester GT, Verdouw PD, and Hugenholtz PG. 1986. 6. 2. 317-26. "Quantitative assessment of regional left ventricular motion using endocardial landmarks". 10.1016/S0735-1097(86)80498-3.

[Kennedy, 1970] *Am Heart J*. Kennedy JW, Trenholme SE, and Kasser IS. 1970. 80. 3. 343. "Left ventricular volume and mass from single-plane cineangiogram. A comparison of anteroposterior and right anterior oblique methods".

[Dodge, 1960] *Am Heart J*. Dodge HT, Sandler H, Ballew DW, and Lord JD. 1960. 60. 5. 762. "The use of biplane angiocardiology for the measurement of left ventricular volume in man". <http://www.sciencedirect.com/science/article/pii/0002870360903598>

[Wynne, 1978] *Am J Cardiol*. Wynne J, Green LH, Mann T, Levin D, and Grossman W. 1978. 41. 4. 726. "Estimation of left ventricular volumes in man from biplane cineangiograms filmed in oblique projections".

[Boak, 1977] *Cathet Cardiovasc Diagn*. Boak, JG, Bove AA, Kreulen T, and Spann JF. 1977. 3. 3. 217-30. "A geometric basis for calculation of right ventricular volume in man". 10.1002/ccd.1810030305.

[Ferlinz, 1977] *Am Heart J*. Ferlinz J. 1977. 94. 1. 87-90. "Measurements of right ventricular volumes in man from single plane cineangiograms. A comparison to the biplane approach". <http://www.sciencedirect.com/science/article/pii/S0002870377803487>

[Graham, 1973] *Circulation*. Graham TP, Jarmakani JM, Atwood GF, and Canent RV. 1973. 47. 1. 144-53. "Right ventricular volume determinations in children. Normal values and observations with volume or pressure overload". 10.1161/01.CIR.47.1.144.

[Arcilla, 1971] *Chest*. Arcilla RA, Tsai P, Thilenius O, and Ranniger K. 1971. 60. 5. 446. "Angiographic method for volume estimation of right and left ventricles". 10.1378/chest.60.5.446.

2.12 IVUS

[Mintz, 2001] *Journal of the American College of Cardiology*. Mintz GS. 2001. 37. 5. 1478-1492. "American College of Cardiology Clinical Expert Consensus Document on Standards for Acquisition, Measurement and Reporting of Intravascular Ultrasound Studies (IVUS)". 10.1016/S0735-1097(01)01175-5.

[Di Mario, 1998] *European Heart Journal*. Di Mario C. 1998. 19. 2. 207-229. "Clinical Application and Image Interpretation in Intravascular Ultrasound". 10.1053/euhj.1996.0433.

[Tobis and Yock] Tobis JM and Yock PC. 1992. *Intravascular Ultrasound Imaging*. 0443088098.

2.13 C-RADS CT Colonography Reporting and Data System

[Zalis, 2005] *Radiology*. Zalis ME. 2005. 236. 1. 3-9. "CT Colonography Reporting and Data System: A Consensus Proposal". 10.1148/radiol.2361041926.

2.14 Implants

[Eggl, 1998] *J Bone Joint Surg Br*. Eggl S, Pisan M, and Müller ME. 1998. 80-B. 3. 382-390. "The value of preoperative planning for total hip arthroplasty". <http://www.bjj.boneandjoint.org.uk/content/80-B/3/382> .

2.15 LOINC

[LOINC] Regenstrief Institute, Indianapolis. 2014. *Logical Observation Identifier Names and Codes*. <http://loinc.org/> .

This product includes all or a portion of the LOINC® table, LOINC panels and forms file, LOINC document ontology file, and/or LOINC hierarchies file, or is derived from one or more of the foregoing, subject to a license from Regenstrief Institute, Inc. Your use of the LOINC table, LOINC codes, LOINC panels and forms file, LOINC document ontology file, and LOINC hierarchies file also is subject to this license, a copy of which is available at <http://loinc.org/terms-of-use>. The current complete LOINC table, LOINC Users' Guide, LOINC panels and forms file, LOINC document ontology file, and LOINC hierarchies file are available for download at <http://loinc.org/>. The LOINC table and LOINC codes are copyright © 1995-2014, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee. The LOINC panels and forms file, LOINC document ontology file, and LOINC hierarchies file are copyright © 1995-2014, Regenstrief Institute, Inc. All rights reserved.

The LOINC table (in all formats), LOINC panels and forms file, LOINC document ontology file, and LOINC hierarchies are provided "as is." Any express or implied warranties are disclaimed, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

A small portion of the LOINC table may include content (e.g., survey instruments) that is subject to copyrights owned by third parties. Such content has been mapped to LOINC terms under applicable copyright and terms of use. Notice of such third party copyright and license terms would need to be included if such content is included.

2.16 UCUM

[UCUM] Regenstrief Institute, Indianapolis. 2013. *Unified Code for Units of Measure*. <http://unitsofmeasure.org/> .

This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org/>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org/>. The UCUM table and UCUM codes are copyright © 1995-2013, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved.

The UCUM table (in all formats), UCUM definitions, and specification are provided "as is." Any express or implied warranties are disclaimed, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

2.17 Anesthesia Quality Institute Schema

[AQI Schema] Anesthesia Quality Institute, Schaumburg, IL. 2015/07/30. *Anesthesia Quality Institute Schema*. <http://www.aqihq.org/aqischdoc/default.html> .

Used by permission of the Anesthesia Quality Institute (AQI) (<http://www.aqihq.org/>), established by the American Society of Anesthesiologists (ASA).

2.18 Point-of-Care Medical Device Nomenclature

Extracts of ISO/IEEE 11073 reprinted by permission of IEEE, 3 Park Avenue, New York, NY 10016-5997 USA. Copyright by IEEE. <http://standards.ieee.org/>.

Under license from IEEE, the term codes and descriptions of the ISO/IEEE 11073 Nomenclature are available at no cost through the Rosetta Terminology Mapping Management System of the U.S. National Institute of Standards and Technology. <http://rtmms.nist.gov/rtmms/index.htm>

[ISO/IEEE 11073-10101] ISO/IEEE. 2004. . *Health informatics - Point-of-care medical device communication - Nomenclature*.

[ISO/IEEE 11073-10101a] ISO/IEEE. 2015. . *Health informatics - Point-of-care medical device communication - Nomenclature Amendment 1: Additional Definitions*.

[ISO/IEEE 11073-10102] ISO/IEEE. 2015. . *Health informatics - Point-of-care medical device communication - Annotated ECG - Nomenclature*.

2.19 SNOMED Clinical Terms

This DICOM Standard incorporates SNOMED CT®, used by permission of SNOMED International. SNOMED CT®, was originally created by The College of American Pathologists (CAP). SNOMED International was formerly known as the International Health Terminology Standards Development Organisation (IHTSDO).

The SNOMED CT terms used in this Standard (the SNOMED CT DICOM Subset) are the subject of a licensing agreement between NEMA and SNOMED International that allows the use of this defined subset in DICOM conformant applications without further license or payment of fee. Any use of SNOMED CT beyond the terms published in the DICOM Standard is subject to SNOMED CT licensing rules, which may include a fee. For further information about SNOMED CT licensing, go to <http://www.snomed.org/snomed-ct/get-snomed> or contact SNOMED International at info@snomed.org.

This DICOM Standard incorporates various veterinary terms from the SNOMED CT VetSCT extension, used by permission of the Veterinary Terminology Services Laboratory (VTSL) (<http://vtsl.vetmed.vt.edu/>). These terms were previously included in SNOMED CT but have since been inactivated as moved elsewhere.

[SNOMED] SNOMED International. . *SNOMED CT Systematized Nomenclature of Medicine - Clinical Terms*.

2.20 Prostate Reporting Terminology and Nomenclature

The Prostate Imaging and Report and Data System Version 2 (PI-RADS v2) is a joint effort of the European Society of Urogenital Radiology, the American College of Radiology and the AdMetech Foundation.

[PI-RADS v2] *Eur Urol*. Weinreb JC, Barentsz JO, Choyke PL, Cornud F, Haider MA, Macura KJ, Margolis D, Schnall, MD, Shtern, F, Tempany, CM., Thoeny, HC, and Verma, S. 2016/01. 69. 1. 16-40. "PI-RADS Prostate Imaging - Reporting and Data System: 2015, Version 2". 10.1016/j.eururo.2015.08.052. <http://www.europeanurology.com/article/S0302-2838%2815%2900848-9/>.

Note

PI-RADS is also available from the following sources:

- American College of Radiology: <http://www.acr.org/~media/ACR/Documents/PDF/QualitySafety/Resources/PIRADS/PIRADS%20V2.pdf>

[Prostate Eu Consensus] *Eur Urol*. Dickinson L, Ahmed HU., Allen C, Barentsz JO, Carey B, Futterer JJ, Heijmink SW, Hoskin PJ, Kirkham A, and Padhani AR. 2011. 59. 4. 477-94. "Magnetic resonance imaging for the detection, localisation, and characterisation of prostate cancer: recommendations from a European consensus meeting". 10.1016/j.eururo.2010.12.009. [http://www.europeanurology.com/article/S0302-2838\(10\)01187-5/](http://www.europeanurology.com/article/S0302-2838(10)01187-5/).

[ESUR Guidelines] *Eur Radiol*. Barentsz JO, Richenberg J, Clements R, Choyke P, Verma S, Villeirs G, Rouviere O, Logager V, and Futterer JJ. 2012/04. 22. 4. 746-57. "ESUR prostate MR guidelines 2012". 10.1007/s00330-011-2377-y. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3297750/>.

3 Definitions

For the purposes of this Standard the following definitions apply.

3.1 Codes and Controlled Terminology Definitions:

The following definitions are commonly used in this Part of the DICOM Standard:

Baseline Context Group Identifier (BCID)	Identifier that specifies the suggested Context Group for a Code Sequence Attribute. See Table 5.6-1 "Conventions for Specification of Context Groups" in PS3.3.
Baseline Template Identifier (BTID)	Identifier that specifies a Template suggested to be used in the creation of a set of Content Items.
Coding Scheme	Dictionary (lexicons) of concepts (terms) with assigned codes and well defined meanings. Note Examples of coding schemes include SNOMED and LOINC.
Context Group	A set of coded concepts defined by a Mapping Resource forming a set appropriate to use in a particular context.
Context Group Version	Version of a Context Group.
Context ID (CID)	Identifier of a Context Group.
Defined Context Group Identifier (DCID)	Identifier that specifies the Context Group for a Code Sequence Attribute that shall be used. See Table 5.6-1 "Conventions for Specification of Context Groups" in PS3.3.
Defined Template Identifier (DTID)	Identifier that specifies a Template that shall be used in the creation of a set of Content Items.
DICOM Content Mapping Resource (DCMR)	A Mapping Resource that defines Templates and Context Groups for use in DICOM IODs.
Extensible Context Group	Context Group that may be extended by a particular application by inclusion of additional concepts. See Table 5.6-1 "Conventions for Specification of Context Groups" in PS3.3.
Extensible Template	A Template that may be extended by a particular application by inclusion of additional Content Items beyond those specified in the Template.
Mapping Resource	A resource that defines context-dependent usage constraints (i.e., Value Set or Relationship Type restrictions) for Attributes. A resource that specifies the mapping of the content of an external controlled terminology to the components of a message standard.
Non-Extensible Context Group	Context Group whose defined set of concepts shall not be extended by an application. See Table 5.6-1 "Conventions for Specification of Context Groups" in PS3.3.
Non-Extensible Template	A Template that specifies the exact set of Content Items and corresponding Value Sets that shall be used and that shall not be extended by an application.
Relationship Type	The association between two Concepts. Examples: "HAS PROPERTIES", "CONTAINS", "INFERRED FROM".
Root Template	A Template whose first content item is a CONTAINER content item intended to be encoded in the top level Data Set of a SOP Instance. I.e., the "root node" of the "content tree".

Template	A pattern that describes the Content Items, Value Types, Relationship Types and Value Sets that may be used in part of a Structured Report content tree, or in other Content Item constructs, such as Acquisition Context or Protocol Context. Analogous to a Module of an Information Object Definition.
Template ID (TID)	Identifier of a Template.
Value Set	The allowed values of a Code Sequence Attribute in a given context. Specified either as one or more individual values or by reference to a Context Group.

3.2 Information Object Definitions:

This Part of the Standard makes use of the following terms defined in PS3.3:

Code Sequence Attribute	Code Sequence Attribute.
-------------------------	--------------------------

3.3 Contrast Administration Definitions

Imaging Agent	A substance administered to improve the imaging of specific organs, tissues, diseases and physiological functions. Adapted from Wikipedia http://en.wikipedia.org/wiki/Imaging_agent .
---------------	---

Note

1. Imaging agents include iodinated X-Ray and gadolinium-based MR contrast agents.
2. Saline flush is not an imaging agent but may be administered in conjunction with imaging agents.
3. Air used as a negative contrast agent is an imaging agent.

3.4 DICOM Introduction and Overview Definitions

This Part of the Standard makes use of the following terms defined in PS3.1:

Service-Object Pair Class (SOP Class)	Service-Object Pair Class (SOP Class).
---------------------------------------	--

3.5 DICOM Service Class Definitions

This Part of the Standard makes use of the following terms defined in PS3.4:

Service-Object Pair Instance (SOP Instance)	Service-Object Pair Instance (SOP Instance).
---	--

3.6 DICOM Data Structures and Encoding

This Part of the Standard makes use of the following terms defined in PS3.5:

Data Set	Data Set.
----------	-----------

4 Symbols and Abbreviations

The following symbols and abbreviations are used in this Part of the Standard.

Mammography CAD	Computer-Aided Detection and/or Computer-Aided Diagnosis for Mammography
Chest CAD	Computer-Aided Detection and/or Computer-Aided Diagnosis for chest radiography
Colon CAD	Computer-Aided Detection and/or Computer-Aided Diagnosis for colon radiography
ACR	American College of Radiology
ASE	American Society of Echocardiography
CAP	College of American Pathologists
DCMR	DICOM Content Mapping Resource
FHIR	Fast Healthcare Interoperability Resources
HTML	HyperText Markup Language
IHE	Integrating the Healthcare Enterprise
IHE SVS	IHE Sharing Value Sets
JSON	JavaScript Object Notation
NEMA	National Electrical Manufacturers Association
RECIST	Response Evaluation Criteria In Solid Tumors
SNOMED	Systematized Nomenclature of Medicine
UCUM	Unified Code for Units of Measure
WHO	World Health Organization
XML	eXtensible Markup Language
EV	Enumerated Value
DT	Defined Term
CNAME	Context Group Name
TNAME	Template Name
BCID	Baseline Context Group ID
DCID	Defined Context Group ID
ECID	Enumerated Context Group ID
BTID	Baseline Template ID
DTID	Defined Template ID
ETID	Enumerated Template ID

The following upper-case abbreviations represent specific Attributes:

CV	Code Value (0008,0100) or Long Code Value (0008,0119) or URN Code Value (0008,0120)
CSD	Coding Scheme Designator (0008,0102)
CM	Code Meaning (0008,0104)
CSV	Coding Scheme Version (0008,0103)

5 Conventions

Terms listed in Section 3 are capitalized throughout the document.

6 Form of Template Specifications

Templates are patterns that specify the Concept Names, Requirements, Conditions, Value Types, Value Multiplicity, Value Set restrictions, Relationship Types and other attributes of Content Items for a particular application.

An IOD may specify that particular Standard Templates shall be used or may be used to define or constrain the content of a Content Item construct. A Content Item construct includes a coded concept name and one of several types of coded values. Content Item constructs are used in:

- the main Data Set and recursively nested Content Sequences (0040,A730) of the SR Document Content Module
- the Acquisition Context Sequence(0040,0555) of the Acquisition Context Module,
- the Protocol Context Sequence (0040,0440) and Content Item Modifier Sequence (0040,0441) of the Scheduled Procedure Step Module, Image Acquisition Results Module, and others.
- the Specimen Preparation Step Content Item Sequence (0040,0612) of the Specimen Module.

Annexes A and C of this Part define Standard Templates.

Note

Standard Extended and Private Templates may be defined by implementers of the Standard. The rules for definition of Standard Extended and Private SR Templates are similar to the rules for definition of Standard Extended and Private SOP Classes. One row of a Template definition table corresponds to one row of a Module table.

Each Standard Template is specified by a Template table in this Part. Each Template table specifies exactly one Template, corresponding to a pattern of content within a Content Item construct.

Each Template table identifies whether the order of Content Items is significant or not significant. SOP Instances whose content is based on a Template where the order is significant shall encode the top level Content Items in the order they are specified in the Template, and the subsidiary Content Items under each parent item in the order they are specified, and so on for each Nesting Level. The significance of the order applies only to the Template itself; subsidiary included Templates may have a different order significance.

Note

Even if a Template specifies that the order is not significant, there may be significance to the order in which Content Items are encoded in a SOP Instance. For example, CONTAINER Content Items with attribute Continuity of Content (0040,A050) value CONTINUOUS encode Content Items in narrative sequence, and procedure logs encode Content Items in time order.

The Content Items from subsidiary Templates may be intermingled if and only if the parent and subsidiary all specify that the order is not significant. This permits later refactoring into reusable Templates.

The range of concepts and the options that are permitted in a family of SR Documents vary inversely with the level of constraint that is applied by the corresponding SR Template. The more narrow the range of concepts and the more restricted the options permitted by a Template, the more predictable the content of the SR Documents will be.

Note

1. A very specific Template defines a family of SR Documents that are very similar to each other. They have a narrow range of content options (e.g., high level of constraint of Content Item values; use of CODE or NUM with Enumerated Context Groups) and their content is therefore highly predictable. A very general (e.g., permissive or broad) Template defines a family of SR Documents that may differ considerably from one another. They have a broader range of content options (e.g., low level of constraint of Content Item values; use of TEXT and relatively little restriction of Content Item values) and their content is less predictable.
2. The degree of interoperability that may be achieved with a family of SR Documents generated from a Template may be determined intentionally and precisely at a desired level by appropriate Template design to achieve the necessary degree of predictability of SR Document contents.

6.1 Template Table Field Definition

SR Templates are described using tables of the following form:

Type: (Non-) Extensible
Order: (Non-) Significant
Root: Yes or No

Table TID <#>. <SR Context Template Name>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1								
2								
3								

Acquisition Context Templates are described using tables of the following form:

Type: (Non-) Extensible
Order: (Non-) Significant

Table TID <#>. <Acquisition Context Template Name>

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1						
2						
3						

Protocol Context Templates are described using tables of the following form:

Type: (Non-) Extensible
Order: (Non-) Significant

Table TID <#>. <Protocol Context Template Name>

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1							
2							
3							

The semantics of the fields (columns) of Template tables are defined by subsections of this Section. A row of a Template table specifies either one Content Item or inclusion of another Template that may specify any number of Content Items (see Section 6.2.3 for definition of Included Templates). Each Template table is named by a title, identified by a TID number and further explained by a description such as explanation of Template contents, purpose and use cases.

The following conventions are defined for the form of references to coded concepts, Context Groups and Templates.

Code Meanings are enclosed in quotation marks (for example "cm"). Code Values and Coding Scheme Designators are not enclosed in quotation marks unless a comma occurs in the string.

References to coded concepts take the following form:

- EV or DT (CV, CSD, "CM")

e.g., an Enumerated Value with only CV, CSD, and CM defined is represented as follows: EV (CV, CSD, "CM"), for example EV (T-04000, SRF76752008, SCT, "Breast").

- MemberOf { BCID or DCID (CID) CNAME } MemberOf selects one term from the specified context group.

If reference to a specific coding scheme version is required, it takes the following form:

- EV or DT (CV, CSD [CSV], "CM")

e.g., DT (D3-81922, SRT [V1MA.II.A.5.4A, BI [4.0], "Aortic fistula4A - Low suspicion").

References to Context Groups take the following form:

- BCID or DCID (CID) CNAME

e.g., Defined Context Group 5000 is represented as follows: DCID (5000) Language.

References to Templates take the following form:

- BTID or DTID (TID) TNAME

e.g., Baseline Template 1000 is represented as follows: BTID (1000) Quotation.

6.1.1 Row Number

Each row of a Template Table is denoted by a row number. The first row is numbered 1 and subsequent rows are numbered in ascending order with increments of 1. This number denotes a row for convenient description as well as reference in conditions. The Row Number of a Content Item in a Template may or may not be the same as the ordinal position of the corresponding Sequence Item (representing the Content Item) in a Content Sequence (0040,A730), depending on the number of times the Content Item is repeated.

The Content Item specified in the first row of a Template table may be of any Value Type. Specifically, it is not constrained to be a CONTAINER.

6.1.2 Nesting Level (NL)

The nesting level of Content Items is denoted by ">" symbols, one per level of nesting below the initial Source Content Item (of the Template) in a manner similar to the depiction of nested Sequences of Items in Modules Tables in PS3.3. When it is necessary to specify the Target Content Item(s) of a relationship, they are specified in the row(s) immediately following the corresponding Source Content Item. The Nesting Level of a Target Content Item is one greater than the Nesting Level of the corresponding (parent) Source Content Item. The Content Item specified in row 1 of a Template Table is at the top level (i.e., no ">" symbol is ever present in the NL field for the first Content Item in the table).

Acquisition Context Templates have no Nesting Level field. Protocol Context and UPS Processing Parameter Templates allow a single Nesting Level implemented through the Content Item Modifier Sequence (see PS3.3).

6.1.3 Relationship With Source Content Item (Parent)

Relationship Type and Relationship Mode (i.e., By-value or By-reference) constraints, if defined, are specified in this field, as described Table 6.1.3-1.

Relationship Type and Mode are specified for each row that specifies a target Content Item.

Relationship Type and Mode may also be specified when another Template is included, either "top-down" or "bottom-up" or both (i.e., in the "INCLUDE Template" row of the calling Template, or in all rows of the included Template, or in both places). There shall be no conflict between the Relationship Type and Mode of a row that includes another Template and the Relationship Type and Mode of the rows of the included Template.

Note

SR IODs specify Enumerated Values for Relationship Types. If a Relationship Type other than one of the Defined Terms for Relationship Type (0040,A010) is specified in a Private SOP Class, there is a significant risk to interoperability. Documentation accompanying Templates for Private SOP Classes should define any Relationship-type extensions in the manner that the Standard Relationship Types are defined in PS3.3.

Acquisition Context and Protocol Context Templates have no Relationship field.

Table 6.1.3-1. Syntax of Relationship Constraints

Expression	Definition
RTYPE	Relationship Mode is By-value and Relationship Type is RTYPE. For example, "INFERRED FROM".
R-RTYPE	Relationship Mode is By-reference and Relationship Type is RTYPE. For example, "R-INFERRED FROM".

6.1.4 Value Type (VT)

The Value Type field specifies the SR Value Type of the Content Item or conveys the word "INCLUDE" to indicate that another Template is to be included (substituted for the row). See Section 6.2.3 for further description of "Included Templates".

6.1.5 Concept Name

Any constraints on the Concept Name are specified in the Concept Name field as defined or enumerated coded entries, or as baseline or defined context groups. Alternatively, when the VT field is "INCLUDE", the Concept Name field specifies the Template to be included.

The absence of an entry in the Concept Name field means that any code may be used, from any coding scheme, including codes from private coding schemes.

6.1.6 Value Multiplicity (VM)

The VM field indicates the number of times that either a Content Item of the specified pattern or an included Template may appear in this position. Table 6.1.6-1 specifies the values that are permitted in this field.

Table 6.1.6-1. Permitted Values for VM

Expression	Definition
i (where 'i' represents an integer)	Exactly i occurrences, where $i \geq 1$. E.g., when $i=1$ there shall be one occurrence of the Content Item in this position.
i-j (where 'i' and 'j' represent integers)	From i to j occurrences, where i and j are ≥ 1 and $j > i$.
i-n (where 'i' and 'n' represent integers)	i or more occurrences, where $i \geq 1$.

6.1.7 Requirement Type

The Requirement Type field specifies the requirements on the presence or absence of the Content Item or included Template.

Note

There is typically no need to specify Requirement Type separately for SCU and SCP of the Basic SR SOP Classes, because the SCP is required to support the entire content of any SR Document it receives. Therefore, for Basic SR SOP Classes, Requirement Type effectively only applies to the SCU.

The following symbols are used:

- M** Mandatory. Shall be present.
- MC** Mandatory Conditional. Shall be present if the specified condition is satisfied.
- U** User Option. May or may not be present.
- UC** User Option Conditional. May not be present. May be present according to the specified condition.

Note

There is an interaction between the VM and the Requirement Type with respect to the number of times that a Content Item (or included Template) may actually be present, as follows:

Req Type	VM	Actual number of occurrences in the content tree
M	1	1

Req Type	VM	Actual number of occurrences in the content tree
M	1-n	1 to n
U	1	0 or 1
U	1-n	0 to n

6.1.8 Condition

The Condition field specifies any conditions upon which presence or absence of the Content Item or its values depends. This field specifies any Concept Name(s) or Values upon which there are dependencies.

References in Condition statements to coded concepts or values, whether to select a Content Item to test or to specify a value to test against, are of the form (CV, CSD, "CM"). As is always the case for coded entries, the matching is performed against CV and CSD, irrespective of the string value of CM.

References may also be made to row numbers (e.g., to specify exclusive OR conditions that span multiple rows of a Template table).

The following abbreviations are used:

XOR Exclusive OR. One and only one row shall be selected from mutually-exclusive options.

Note

For example, if one of rows 1, 2, 3 or 4 may be included, then for row 2, the abbreviation "XOR rows 1, 3, 4" is specified for the condition.

IF Shall be present if the condition is TRUE; may be present otherwise.

IFF If and only if. Shall be present if the condition is TRUE; shall not be present otherwise.

6.1.9 Value Set Constraint

Any constraints on the Value Set for a CODE Content Item are specified in this field as defined or enumerated coded entries, or as baseline or defined context groups.

The absence of an entry in the Value Set Constraint field for a CODE Content Item means that any code may be used, from any coding scheme, including codes from private coding schemes.

The Value Set Constraint column may specify a default value for the Content Item if the Content Item is not present, either as a fixed value, or by reference to another Content Item, or by reference to an Attribute from the Data Set other than within the Content Sequence (0040,A730).

6.1.9.1 NUM Units Constraint

Any constraints on units of measurement are specified in the Value Set Constraint field if and only if the Value Type is NUM. The constraints are specified either as defined or enumerated coded entries, or as baseline or defined context groups.

The absence of any constraint on units of measurement means that any code for units may be used, from any coding scheme, including codes from private coding schemes.

6.1.9.2 CONTAINER Continuation Flag Constraint

The value of the Continuity of Content Flag (0040,A050) may be specified in the Value Set Constraint field if and only if the Value Type is CONTAINER.

Note

The SR Document Content Module specifies "SEPARATE" and "CONTINUOUS" as the Enumerated Values for Continuity of Content Flag (0040,A050).

6.1.9.3 SCOORD Graphic Type Constraint

Constraints on the value of the Graphic Type(0070,0023) may be specified in the Value Set Constraint field if and only if the Value Type is SCOORD. The constraint may specify a set of allowed values, or a set of disallowed values. For example:

- GRAPHIC TYPE = {POINT}
- GRAPHIC TYPE = {CIRCLE, ELLIPSE}
- GRAPHIC TYPE = not {MULTIPOINT}

6.2 Special Conventions for Template Tables

6.2.1 Multiple Value Sets Depending On Different Conditions

When a Content Item may have different value sets, each depending on different conditions, the description of each different case begins in a separate row of the Template Table.

6.2.2 Target Content Items of Relationships

When it is necessary to specify the Target Content Item(s) of a relationship, they are specified in the row(s) immediately following the Source Content Item. The Nesting level of a Target Content Item (or set of Target Content Items specified indirectly via an 'include Template' macro) is one greater than the Nesting Level of the corresponding Source Content Item, as indicated by an increase in the number of ">" characters in the nesting level.

When a Content Item may be the Source of multiple relationships having different Relationship Types and/or different Relationship Modes and/or different patterns of Target Content Item(s), the description of each different case begins in a separate row of the Template Table.

When the Source Content Item of a relationship has VM of greater than 1, the specified pattern of Target Content Items applies to all instantiations of the Source Content Item.

Note

For example, if a Template specifies that the VM of a Source Content Item is 1-n and specifies a By-value relationship to two CODE Content Items with particular value set constraints, then each instantiation of the Source Content Item has a By-value relationship to two CODE Content Items with the specified value constraints.

When a Source Content Item that has a Requirement Type of U, UC or MC is not present (is not instantiated), no Target Content Items of that Source Content Item are present, even if one or more of the Target Content Items is designated with a Requirement Type of M or MC.

Note

In other words, potential children are not present when there is no parent.

6.2.3 Inclusion of Templates

A Template may specify another Template to be included by specifying "INCLUDE" in the Value Type field and the identifier of the included Template in the Concept Name field. All of the rows of the specified Template are included in the invoking Template, effectively substituting the specified Template for the row where the inclusion is invoked. Whether or not the inclusion is user optional, mandatory or conditional is specified in the Requirement and Condition fields. The number of times the included Template may be repeated is specified in the VM field.

6.2.3.1 Template Parameters

A Template that is included by another Template may include parameters that are replaced by values defined in the invoking Template. Parameters may be used to specify coded concepts or Context Groups in the Concept Name, Condition, or Value Set Constraint fields of a Template.

An included Template that accepts parameters shall be introduced by a table listing those parameters of the form:

Parameter Name	Parameter Usage
...	...
...	...

Parameters are indicated by a name beginning with the character "\$".

The invoking Template may specify the value of the parameters in the included Template by name in the Value Set Constraint field of the INCLUDE row. The parameter in the included Template shall be replaced by the specified parameter value. Specification of a parameter value shall be of one of the following forms:

Notation	Definition
\$parametername = EV or DT (CV, CSD, "CM")	The parameter passed to the Template is the specified coded term.
\$parametername = (CV, CSD, "CM")	The parameter passed to the Template is the specified coded term, used as a parameter in a Condition field of the included Template.
\$parametername = BCID or DCID (CID) CNAME	The parameter passed to the Template is the Context Group.
\$parametername = MemberOf {BCID or DCID (CID) CNAME}	The parameter passed to the Template is a single coded term from the Context Group in curly braces.

The specification of a parameter value is valid only for the directly included Template. Therefore, it needs to be explicitly respecified in Templates intermediate between the originally specifying Template and the target Template. The intermediate Template may use the same parameter name as used by the Template it invokes; in such a case, the intermediate Template would invoke the subsidiary Template with a specification in the Value Set Constraint field such as:

\$parametername = \$parametername

Note

In this case, the left hand instance of \$parametername is the name in the subsidiary Template, and the right hand instance is the (parametrized) value passed into the current Template.

The invoking Template is not required to specify all parameters of included Templates. If not specified, the value set (term or context group) for that parameter is unconstrained. An unconstrained value in a Condition will cause the condition to fail.

6.2.4 Post-coordinated Codes and Has Concept Modifier Relationship

Though it may not be explicitly shown in a particular Template, the use of any coded Concept Name in any Content Item may be defined in a post-coordinated rather than pre-coordinated manner, unless explicitly forbidden by the IOD or the Template.

Accordingly, any such Content Item may have any number of Target Content Items via a "HAS CONCEPT MOD" relationship, even if not explicitly specified in a Template. Each Target Content Item of such a relationship may be more complicated than a single Content Item if the IOD permits (i.e., the post-coordinated concept may potentially be defined by a complex sub-tree).

6.2.5 Extension of Templates

An Extensible Template may be extended in an Application generating SOP Instances to include additional Content Items in its definition. Such Content Items shall not duplicate concepts for which an encoding is defined in the Template. I.e., if a method is provided for the encoding of a concept in the Template, that concept shall not be encoded using a different Content Item in an extension to the Template.

Note

There is no requirement that the included additional Content Items in a Template extension be placed at the end of the Template. The additional Content Items may be included at any semantically appropriate location in the Template, regardless of whether the order of Content Items in the Template is significant.

A Non-extensible Template shall not be modified in an Application by the addition of Content Items to its definition.

Note

The set of Content Items in either an Extensible or a Non-extensible Template may be changed in subsequent editions of the Standard, in accordance with the procedures of the DICOM Standards Committee.

A Non-Extensible Template may include a Template that is Extensible. In invoking such a Template, the content structure of SOP Instances created from the Non-Extensible Template may vary according to the varying content structure allowed by the extension of the included Template.

Note

Specification of such extensible content in a Non-Extensible Template may be desirable if the Template defines, e.g., a fixed top level structure into which a variety of lower level structures may be "plugged".

7 DCMR Context Group Specifications

Context Groups specify Value Set restrictions for Code Value (0008,0100) (or Long Code Value (0008,0119) or URN Code Value (0008,0120)) and Code Meaning (0008,0104) of Code Sequence Attributes for given functional or operational contexts. This Section specifies the semantics of DCMR Context Group Tables.

7.1 Context Group Table Field Definition

Context Groups are described using tables of the following form (optional columns are shown with *italic* column titles):

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: (Non-) Extensible
Version: <yyyymmdd>
UID: 1.2.840.10008.6.1.uuuu

Table CID <#>. <Context Group Name>

Coding Scheme Designator	<i>Coding Scheme Version</i>	Code Value	Code Meaning	<i><Reference Terminology> Equivalent Value</i>	Units
...
...

A row of a Context Group table specifies one coded concept. Each Context Group table is named by a title and identified by a CID number and version.

The columns of the tables consist of:

- Coding Scheme Designator: the value of Coding Scheme Designator (0008,0102)
- Code Value: the value of Code Value (0008,0100) or Long Code Value (0008,0119) or URN Code Value (0008,0120)
- Coding Meaning: the value of Code Meaning (0008,0104)

In those cases where it is necessary, Coding Scheme Version (the value of Coding Scheme Version (0008,0103)) may also be specified. This column may be absent if Coding Scheme Version is not required for any of the coded concepts in the Context Group.

The value specified in the Code Meaning field is an acceptable value for the specified code value, but does not preclude the use of other synonymous text in the same or other language.

Note

1. Some coding schemes do not specify the equivalent of a Code Meaning.
2. Capitalization in the Code Meaning is generally not significant, except for abbreviations used in units of measurement prefixes (e.g., "ml" milliliter vs. "Ml" megaliter, or "pV" picovolt vs. "PV" petavolt).

If further description of the concept represented by the code is required in the DCMR (rather than referring to an external coding scheme), it is included in a separate table.

Optional columns may provide an informative mapping from the coded concepts of the Context Group to a reference terminology specified in the column heading. Typical reference terminologies include SNOMED CT and UMLS.

An optional column may provide a normative baseline or defined set of units to use for numeric measurements using the concept, either as a single term (e.g., DT ({ratio}, UCUM, "ratio")), a list of such terms, or a reference to a Context Group (e.g., DCID 7277 "Units of Diffusion Rate Area Over Time").

A Context Group may alternatively be defined by narrative reference to an externally defined coding scheme.

Note

See for instance CID 82 "Units of Measurement".

7.2 Special Conventions for Context Group Tables

7.2.1 Include Context Group

The 'Include Context Group' macro is a concise mechanism for including (by-reference) all of the rows of a specified Context Group in the invoking Context Group, effectively substituting the specified Context Group for the row where the macro is invoked. If an 'Include Context Group' is specified, it shall be specified in the Concept Name column of a Context Group Table. Table 7.2.1-1 specifies the syntax of the 'Include Context Group' macro. Inclusion may be nested, in that included Context Groups may themselves include other Context Groups. This gives rise to the possibility of circular inclusion and multiple inclusion, in which case the Context Group shall consist of the transitive closure of the set of all coded concepts within the included Context Groups.

Note

For example, it is reasonable to have the following definitions for context groups:

- Context ID 1, includes Context IDs 2 and 3
- Context ID 2, includes Context IDs 4 and 5
- Context ID 3, includes Context IDs 5 and 6
- Context ID 4 contains a, b, c
- Context ID 5 contains e, f, g
- Context ID 6 contains a, h, i

The contents of Context ID 1 will be a, b, c, e, f, g, h, i.

Table 7.2.1-1. Include Context Group Macro

Coding Scheme Designator	Code Value	Code Meaning
...
<i>Include CID nnn</i>		
...

7.2.2 Units of Measurement

Context Group 82 is defined to include all units of measurement relevant to DICOM IODs. In the past it was envisaged that an extensible list of pre-coordinated codes would be included in the mapping resource.

DICOM has now adopted the Unified Codes for Units of Measurement (UCUM) standard for all units of measurement. This coding scheme allows for the "construction" of pre-coordinated codes from atomic components.

The specialization of the UCUM standard as it is used in DICOM involves the following rules:

- the Coding Scheme Designator is specified as "UCUM"
- the version of UCUM from which a code is constructed is not required, as it is not needed to resolve ambiguity in the Code Value or Code Meaning; however, there is no restriction on the version being specified in Coding Scheme Version
- the Code Value will be constructed from UCUM and make use of the "case-sensitive" form of UCUM code (e.g., "ml/s")
- the Code Meaning for other than UCUM unity may be one of the following:
 - the "print" value specified in UCUM (e.g., "mmHg" for Code Value mm[Hg])

- the same string as sent in the Code Value (e.g., "ml/s")
- constructed from the "names" of individual components using the Americanized form of name (e.g., "milliliters/second")
- constructed from the "names" of individual components using the European form of name (e.g., "millilitres/second")
- In the case of UCUM unity ("1", or curly braces expression) it is forbidden to use "1" as a Code Meaning. Annex G provides Code Meanings for a Code Value (0008,0100) of 1. A Template or Context Group may constrain the Code Meaning according to the following rules:
 - UCUM default unit 1 shall use one of the Code Meaning synonyms specified in Annex G
 - ratios of identically dimensioned values may use ({ratio}, UCUM, "ratio")
 - unitless numeric scores may use ({M:N}, UCUM, "range: M:N") to specify the minimum and maximum value, for example, ({0:10}, UCUM, "range: 0:10")
 - counts using UCUM annotation shall always use the text within the curly braces as the Code Meaning, for example, ({masses}, UCUM, "masses")
 - compositions of a curly braces expression with other UCUM values may use a conventional clinical representation, for example, ({H.B.}/min, UCUM, "BPM")

The UCUM standard states that the preferred display values for codes deg (degrees of plane angle) and Cel (degrees Celsius) are "°" and "°C". However, the character ° does not have a representation in the DICOM default character set (ASCII, ISO-IR 6). The Code Meaning specified in this Part therefore uses "deg" and "C". SOP Instances that specify a Specific Character Set that allows the character ° may use Code Meanings "°" and "°C".

Note

1. Code Meaning "C" formally conflicts with the Code Meaning for Coulomb. In the context of DICOM use, the possibility of confusion to a user based on the display of the Code Meaning is considered remote, as there is little use of Coulomb in imaging, and the context of the displayed item Concept Name would resolve between temperature and electric charge. Automated processing based on the Code Values should not face an issue as the Code Values differ.
2. The character ° has Unicode code point U+00B0, and is represented as 0xB0 in ISO-IR 100 (Latin-1), ISO-IR 101 (Latin-2), ISO-IR 109 (Latin-3), ISO-IR 110 (Latin-4), ISO-IR 126 (Greek), ISO-IR 138 (Hebrew), and ISO-IR 148 (Latin-5). It is not encodable in ISO-IR 13 (Katakana), ISO-IR 144 (Cyrillic), ISO-IR 127 (Arabic), or ISO-IR 166 (Thai).

7.2.3 Extension of Context Groups

An Application may extend an Extensible Context Group by adding terms for new concepts. Applications may not substitute other terms of the same concept in the Context Group. Applications may not add a term that means "unspecified" or "missing" or "unknown" similar; if such a concept is intended to be permitted then the Standard will include it in the Context Group already. Such extension may be made without a change in Context Group Identifier, but with the specification of Context Group Extensions (see PS3.3).

Non-extensible Context Groups shall not be modified in an Application.

Note

The set of concepts in either an Extensible or a Non-extensible Context Group may be changed in subsequent editions of the Standard, in accordance with the procedures of the DICOM Standards Committee.

8 Coding Schemes

Table 8-1 lists the coding schemes (and their designators) defined for use in DICOM; Table 8-2 lists the HL7v3 coding schemes referenced for use in DICOM. Additionally, any coding scheme may be used that has an entry in the HL7 Registry of Coding Schemes (HL7 v2 Table 0396, or the equivalent online registry), in which case the HL7 Symbolic Name shall be used as the value for the Coding Scheme Designator in DICOM, as long as it does not conflict with an entry Table 8-1 and fits within the Value Representation of the DICOM Coding Scheme Designator (0008,0102) attribute. As specified in the HL7 v2 Table 0396, local or private coding schemes shall be identified by an alphanumeric identifier beginning with the characters "99".

Note

1. An earlier version of this table was formerly contained in Annex D of PS3.3.
2. See Section 8.2 "Coding Scheme Designator and Coding Scheme Version" in PS3.3 for further description.
3. The Coding Scheme UIDs are provided for reference only; the normative specification of UIDs and their associated meaning is the responsibility of the coding scheme developer and/or HL7.
4. The current version of HL7 v2 Table 0396 is available at http://www.hl7.org/special/committees/vocab/table_0396/index.cfm.
5. The HL7 registration of Coding Schemes is available at <http://www.hl7.org/oid/index.cfm>.
6. Publication of codes or references to coding schemes within DICOM does not constitute a grant of intellectual property rights to implementers. Use of some Coding Schemes may require a license, or purchase of the relevant coding scheme publication. Implementers should consult the relevant coding scheme publisher; see also Section 2.
7. The values of Coding Scheme Name (0008,0115), Coding Scheme Responsible Organization (0008,0116) and Coding Scheme Resources Sequence (0008,0109), if available, may be used to fill the corresponding optional attributes of the Coding Scheme Identification Sequence (0008,0110) in the Section C.12.1 "SOP Common Module" in PS3.3.

Table 8-1. Coding Schemes

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
ACR	2.16.840.1.113883.6.76	ACR Index	ACR		ACR Index for Radiology Diagnosis Revised, 3 rd 1986
ASTM-sigpurpose	1.2.840.10065.1.12	ASTM E 2084	ASTM		[ASTM E 2084-00] Significance codes (see Annex of ASTM E 2084), ASTM Subcommittee E 31.20 and System Security for Health Information
BARI		BARI			Bypass Angioplasty Revascularization Investigation[Alderman endorsed by ACC/AHA Guidelines for Coronary Angiography][Scanlon

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
BI		BI-RADS	ACR		<p>ACR Breast Imaging Reporting and Data System [BI-RADS®], Coding Scheme Version (0008,0103) is required; code values are section and paragraph identifiers within the publication where the code meaning is defined (e.g., "I.D.1", where I = Breast Imaging Lexicon, D = Spec Cases, 1 = Tubular Density as the code value for "Tubular Density").</p> <p>Note</p> <p>In the HL7 registry, the abbreviation BI is assigned to a different coding scheme, specifically the Beth Israel problem list.</p>
C4	2.16.840.1.113883.6.12	CPT-4	AMA		American Medical Association's Current Procedure Terminology 4 (CPT-4)
C5	2.16.840.1.113883.6.82	CPT-5	AMA		American Medical Association's Current Procedure Terminology 5 (CPT-5)
caDSR	2.16.840.1.113883.3.26.2	Cancer Data Standard Repository	NCI		<p>The Public ID is used as the Code Value.</p> <p>These can be looked up as the following example (the version is required): http://cdebrowser.nci.nih.gov/CDEBrowser/search?dataElementDetails=9/&cdeld=2178693&version=2&PageId=DataElementsGroup</p>
CD2	2.16.840.1.113883.6.13	CDT-2	ADA		American Dental Association (ADA) Current Dental Terminology 2 (CDT-2)
CTV3	2.16.840.1.113883.6.6	Clinical Terms Version 3	UK NHS		Read Codes

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
DC	1.2.840.10008.2.16.10	Dublin Core	W3C	DOC: http://dublincore.org/documents/1998/09/dces/ DOC: http://www.ietf.org/rfc/rfc2413.txt	Dublin Code Metadata Resource Discovery. The code value is the Label e.g., "Creator" (capital significant).
DCM	1.2.840.10008.2.16.4	DICOM Controlled Terminology	DICOM	DOC: http://dicom.nema.org/medical/dicom/current/output/chtml/part16/chapter_D.html OWL: ftp://medical.nema.org/medical/dicom/current/ontology/dcm.owl.zip	PS3.16 Content Mapping Resource, Annex D (N HL7 also specifies an 2.16.840.1.113883.6.3 deprecates it in favor of 1.2.840.10008.2.16.4)
DCMUID	1.2.840.10008.2.6.1	DICOM UID Registry	DICOM	DOC: http://dicom.nema.org/medical/dicom/current/output/chtml/part06/chapter_A.html	
FMA	2.16.840.1.113883.6.119	FMA	University of Washington, Seattle	DOC: http://sig.biostr.washington.edu/projects/fm/AboutFM.html OWL: http://sig.biostr.washington.edu/share/downloads/fma/release/latest/fma.zip	Digital Anatomist Found Model of Anatomy
HPC	2.16.840.1.113883.6.14				Healthcare Financing Administration (HCFA) Common Procedure Code System (HCPCS)
I10	2.16.840.1.113883.6.3	ICD-10	WHO		International Classification of Diseases revision 10 (ICD-10)
I10P	2.16.840.1.113883.6.4	ICD-10-PCS	US DHHS CMS		ICD-10 Procedure Coding System (ICD 10 PCS)
I11	1.2.840.10008.2.16.10 1.2.840.10008.2.16.10	ICD-11	WHO	DOC: http://icd.who.int/browse11/l-m/en	International Classification of Diseases revision 11 (ICD-11)
I9	2.16.840.1.113883.6.42	ICD-9	WHO		International Classification of Diseases revision 9 (ICD-9)
I9C	2.16.840.1.113883.6.2	ICD-9-CM			International Classification of Diseases revision 9, with Clinical Modifications (ICD-9-CM)
IBSI	1.2.840.10008.2.16.13	Image Biomarker Standardisation Initiative		DOC: http://arxiv.org/abs/1612.07003	

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
IETF4646		RFC 4646	IETF	DOC: http://tools.ietf.org/html/rfc4646	[RFC 4646], Tags for Identifying Languages, The Internet Society (2005) [RFC 4646] has been superseded by [RFC 5646]
ISO639_1	2.16.840.1.113883.6.99	ISO 639-1	ISO		[ISO 639-1] Two-letter language codes Note HL7 uses "ISO639-1" for the symbolic name, with a hyphen rather than an underscore
ISO639_2	2.16.840.1.113883.6.100	ISO 639-2	ISO		[ISO 639-2] Three-letter language codes Note HL7 uses "ISO639-2" for the symbolic name, with a hyphen rather than an underscore
ISO3166_1	2.16.1	ISO 3166-1	ISO		[ISO 3166-1] alpha-2 Country Codes Note HL7 uses "ISO3166-1" for the symbolic name, with a hyphen rather than an underscore
ISO5218_1		ISO 5218-1	ISO		Representation of Human Sexes (not used) ISO5218_1, which uses numeric codes, was improperly specified in CID 7455 Sex in earlier editions of the Standard. The alphanumeric codes improperly attributed to that coding scheme have been added to the DICOM Controlled Terminology, and thus all references to coding scheme ISO5218_1 should be considered equivalent to coding scheme DCM.

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
ISO_OID		ISO OID	ISO		[ISO 8824-1] ISO/IEC 8824-1:1988 Information Technology - Abstract Syntax 1 (ASN.1) Specification of Basic Notation, and [ISO 9834] Information technology - Systems Interconnection - Procedures for the operation of OSI Registration Authorities: General procedures and top architecture. ASN.1 Object Identifier
ITIS_TSN	1.2.840.10008.2.16.7	ITIS TSN	ITIS	DOC: http://www.itis.gov	A Taxonomic Serial Number (TSN) is a unique, permanent, non-intelligent identifier of a scientific name in the context of the Integrated Taxonomic Information System (ITIS).
LN	2.16.840.1.113883.6.1	LOINC	Regenstrief Institute	DOC: http://loinc.org/	[LOINC] Logical Observation Identifier Names and Codes
MA	1.2.840.10008.2.16.5	Adult Mouse Anatomy Ontology	The Jackson Laboratory	DOC: http://www.informatics.jax.org/searches/AMA.cgi?id=MA:0002405	Hayamizu TF, Mangano Corradi JP, Kadin JA, Ringwald M. The Adult Mouse Anatomical Dictionary: a resource for annotating and integrating data. Genome Biology 2005;6(3):R29. doi:10.1186/gb-2005-6(3)R29. http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1088888/
MAYOASRG	1.2.840.10008.2.16.12 1.2.840.10008.2.16.12	Mayo Clinic Non-radiological Images Specific Body Structure Anatomical Surface Region Guide			The numeric code of elements in the Mayo Clinic Non-radiological Images Specific Body Structure Anatomical Surface Region Guide.
MDC	2.16.840.1.113883.6.24				ISO/IEEE 11073 Medical Device Nomenclature, including all its subelements ([ISO/IEEE 11073-10101] [ISO/IEEE 11073-10102] [ISO/IEEE 11073-10103] etc.), encoded as decimal strings <partition>:<element>
MDNS					Universal Medical Device (UMD) Nomenclature System
MGI	1.2.840.10008.2.16.8	MGI	The Jackson Laboratory	DOC: http://www.informatics.jax.org/mgihome/nomen/	The MGI ID from the Mouse Genome Initiative (MGI) nomenclature.

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
MSH	2.16.840.1.113883.6.177	MeSH	NLM	DOC: http://www.nlm.nih.gov/mesh/meshhome.html	US National Library of Medicine (NLM) Medical Subject Headings (MeSH)
NBD	2.16.840.1.113883.15.2				NASPE/BPEG Defibrillator Code Bernstein AD, et al."The NASPE/BPEG Defibrillator Code" PACE, 16:1776-178 1993
NBG	2.16.840.1.113883.15.3			DOC: http://www.hrsonline.org/Practice-Guidance/Clinical-Guidelines-Documents/2002-The-Revised-NASPE-BPEG-Generic-Code-for-Antibradycardia-AdaptiveRate-and-Multisite-Pacing	NASPE/BPEG Generic Pacemaker Code (2000) Bernstein AD, et al."The Revised NASPE/BPEG Generic Code for antibradycardia, adaptive-ra and multisite pacing." Pacing Clin Electrophysiol., 25:260-264, 2002 See http://www.hrsonline.org/Practice-Guidance/Clinical-Guidelines-Documents/2002-The-Revised-NASPE-BPEG-Generic-Code-for-Antibradycardia-AdaptiveRate-and-Multisite-Pacing .
NCDR					American College of Cardiology National Cardiovascular Data Registry™ Cath Lab Module Version 1.1, 1997; Version 2.0b, 1999
NCIt	2.16.840.1.113883.3.26.1.1	NCI Thesaurus	NCI	DOC: http://ncit.nci.nih.gov/	
NDC	2.16.840.1.113883.6.69	National Drug Code Directory	US FDA	DOC: http://www.fda.gov/Drugs/InformationOnDrugs/ucm142438.htm DOC: http://www.hl7.org/fhir/ndc.html	The code value is the 10 digit 3 segment NDC code with hyphen between segments include asterisk and no asterisk (leading zero placeholder).
NEU	2.16.840.1.113883.6.210	NeuroNames		DOC: http://braininfo.rprc.washington.edu/aboutBrainInfo.aspx#NeuroNames	The numeric brainInfoID is used as the code value. See
NICIP	2.16.840.1.113883.2.1.3.2.4.21	NICIP	UK NHS	DOC: http://digital.nhs.uk/article/1108/National-Interim-Clinical-Imaging-Procedure-NICIP-Code-Set	UK National Health Service National Interim Clinical Imaging Procedures (NICIP) Short Code (e.g., "CCHAP" for CT Thorax abdomen pelvis with contrast)

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
NPI					HCFA National Provider Identifier
NYUMCCG	1.2.840.10008.2.1.11 1.2.840.10008.2.16.11	New York University Melanoma Clinical Cooperative Group		DOC: http://www.anatomymapper.com/nyu/	The numeric code of e in the New York Unive Melanoma Clinical Cooperative Group's numbering system.
PATHLEX	1.3.6.1.4.1.19376.1.8.2.1 1.3.6.1.4.1.19376.1.8.2.1	PathLex	IHE	DOC: http://www.ihe.net/Technical_Framework/upload/IHE_PAT_Suppl_APSR_Appendix_Value_Sets_2011_03_31.xls DOC: http://purl.bioontology.org/ontology/PATHLEX	The numeric pathLexC used as the code value
POS	2.16.840.1.113883.6.50				HCFA Place of Service Codes for Professional
PUBCHEM_CID	1.2.840.10008.2.16.9	PubChem	NCBI	DOC: http://pubchem.ncbi.nlm.nih.gov/	US National Center for Biotechnology Information (NCBI) PubChem Com CID.
RADLEX	2.16.840.1.113883.6.256	RadLex	RSNA	DOC: http://www.radlex.org/	[RadLex]
RFC3066	2.16.840.1.113883.6.121	RFC 3066	IETF	DOC: http://tools.ietf.org/html/rfc3066	[RFC 3066], Tags for t Identification of Language Internet Engineering T Force Note HL7 uses "IETF3066" for the symbolic name. [RFC 3066] has been superseded [RFC 4646], which turn has been superceded by [R 5646].

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
RFC-3881		RFC 3881	IETF	DOC: http://tools.ietf.org/html/rfc3881	<p>[RFC 3881], Security Audit and Access Accountability Message - XML Data Definitions for Healthcare Applications</p> <p>Note</p> <p>A hyphen is used in the Coding Scheme Designator for consistency with historical use in IHE. See IHE ITI TF Vol2a. Section 3.20.7.1.3.</p>
RFC5646	2.16.840.1.113883.6.316	RFC 5646	IETF	DOC: http://tools.ietf.org/html/rfc5646	<p>[RFC 5646], Tags for Identifying Languages, The Internet Society (2009)</p> <p>Note</p> <p>The HL7 OID Registry specifies "rfc5646", not "ietf5646", as the Desired Symbolic Name (inconsistent with the pattern used for [RFC 4646]).</p> <p>[RFC 5646] constitutes one part of IETF Best Current Practice BCP 47 Tags for Identifying Languages, which also includes [RFC 4647] Matching of Language Tags; [RFC 4647] is not relevant in this context.</p>
RO	1.2.840.10008.2.1.2.840.10008.2.16.14	Radiomics Ontology		DOC: http://biportal.bioontology.org/ontologies/RO	
99SDM	2.16.840.1.113883.6.53	SDM	DICOM		SNOMED DICOM Microglossary (Retired) (see Section 8.1)

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
SCPECG					Standard Communication Protocol for Computer-Assisted Electrocardiography, DICOM proposal for ISO Standard AAMI, Revision 1.3
SNM3	2.16.840.1.113883.6.51	SNOMED V3	SNOMED International	DOC: http://www.snomed.org/	SNOMED International Version 3 (see Section 6.1.1) Note This coding scheme is deprecated. The use of "SNOMED-III style" code values is no longer authorized by SNOMED except for creation by legacy devices, legacy objects in archives, and receiving systems that need to understand them.
SCT	2.16.840.1.113883.6.96	SNOMED CT	SNOMED International	DOC: http://www.snomed.org/	[SNOMED], using the C values

Coding Scheme Designator (0008,0102)	Coding Scheme UID (0008,010C)	Coding Scheme Name (0008,0115)	Coding Scheme Responsible Organization (0008,0116)	Coding Scheme Resources Sequence (0008,0109) Type: URL	Description
SRT	2.16.840.1.113883.6.96	SNOMED CT	SNOMED International	DOC: http://www.snomed.org/	<p>[SNOMED], using the "SNOMED-RT style" code values (see Section 8.1)</p> <p>Note</p> <p>HL7 uses "SNM" for the symbolic name:</p> <ol style="list-style-type: none"> 1. HL7 uses "SNM" for the symbolic name. 2. This coding scheme is deprecated. The use of "SNOMED-RT style" code values is no longer authorized by SNOMED except for creation by legacy devices, legacy objects in archives, and receiving systems that need to understand them.
UBERON	1.2.840.10008.2.16.6	UBERON		DOC: http://uberon.org/	The Uberon ID from the Uberon integrated cross-species ontology covering anatomical structures in animals.
UCUM	2.16.840.1.113883.6.8	UCUM	Regenstrief Institute	DOC: http://unitsofmeasure.org/ucum.html	[UCUM] Unified Code for Units of Measure
UMLS	2.16.840.1.113883.6.86	UMLS	NLM	DOC: http://www.nlm.nih.gov/research/umls/	UMLS codes as CUIs making up the values in a coding system
UPC	2.16.840.1.113883.6.55				Universal Product Code - Universal Code Council

Table 8-2. HL7v3 Coding Schemes

Coding Scheme Designator	Coding Scheme UID	Description
ActCode	2.16.840.1.113883.5.4	

Coding Scheme Designator	Coding Scheme UID	Description
ActPriority	2.16.840.1.113883.5.7	
AdministrativeGender	2.16.840.1.113883.5.1	
mediaType	2.16.840.1.113883.5.79	RFC2046
NullFlavor	2.16.840.1.113883.5.1008	
ObservationInterpretation	2.16.840.1.113883.5.83	
Confidentiality	2.16.840.1.113883.5.25	
ParticipationType	2.16.840.1.113883.5.90	

8.1 SNOMED CT

SNOMED (the Systematized Nomenclature of Medicine) **Clinical Terms (CT)** is the preferred coding system within DICOM for anatomy, clinical findings, procedures, pharmaceutical/biologic products (including contrast agents), and other clinical terms.

SNOMED has had various versions, including SNOMED International (Version 3), which was issued in 1993 and revised through 1998, SNOMED Reference Terminology, the successor to SNOMED 3 that was published between 1999 and 2001, and SNOMED Clinical Terms, which has been the name since 2002. The coding scheme is fully backward-compatible across SNOMED 3, SNOMED-RT, and SNOMED CT. SNOMED CT introduced a solely numeric set of codes (ConceptID) in addition to the former alphanumeric codes (SnomedID), but all SNOMED terminology concepts have both a numeric and an alphanumeric code.

In previous editions of the DICOM Standard, the following Coding Scheme Designators were used for SNOMED codes in DICOM:

- "99SDM", denoting the provisional SNOMED DICOM Microglossary
- "SNM3", denoting SNOMED International (Version 3)
- "SRT", originally denoting SNOMED-RT, but later used to identify SNOMED CT concepts using "SNOMED-RT style" alphanumeric code values

All uses of SNOMED CT coded terms in DICOM are now indicated by the Coding Scheme Designator **"SRTSCT"**, identifying them as SNOMED CT ~~terms using the "SNOMED-RT style" alphanumeric code values, with some exceptions:~~ numeric Concept IDs as code values.

- ~~The Section A.5 "Nuclear Medicine Image IOD" in PS3.3 and Section A.21 "Positron Emission Tomography Image IOD" in PS3.3 in some code sequences require the Coding Scheme Designator "99SDM" as an Enumerated Value (see PS3.3).~~
- ~~The Mammography View Codes of CID 4014 "View for Mammography" and CID 4015 "View Modifier for Mammography" may use the Coding Scheme Designator "SNM3" for implementation adherence to regulatory approvals.~~

~~Consequently, when~~When a Coding Scheme Designator of "99SDM", "SNM3" or "SNM3SRT" is encountered, ~~it shall be treated as equivalent to "SRT" for the purpose of interpreting the Code Value~~ by a receiving system, the "SNOMED-RT style" alphanumeric Code Value needs to be mapped to the corresponding concept designated by the SNOMED CT Concept IDs assigned to the same concept.

Note

"SRT" as a coding scheme designator ~~is~~was used only in the DICOM Standard. HL7v2 did not standardize a coding scheme designator for SNOMED-RT.

When interoperating with systems that use SNOMED CT codes ~~obtained from a source other than the DICOM Standard~~, Application Entities may receive ~~Code Sequences with a Coding Scheme Designator of "SNOMED-CT" and~~and are expected to send Code Sequences with a numeric ConceptID code. It is the responsibility of such Application Entities to convert any ~~such codes to the~~ alphanumeric SnomedID with Coding Scheme Designator "SRT" ~~for use in~~used in old DICOM objects and services to the corresponding numeric ConceptID code.

Note

1. Some non-DICOM systems may use a Coding Scheme Designator of "SNOMED-CT" rather than "SCT" as is used in DICOM.
2. The SNOMED organization's policy on the use of "antecedent versions", including the continued use of "SNOMED-RT style" alphanumeric code values is described at: <http://www.snomed.org/news-articles/timetable-for-the-withdrawal-of-legacy-snomed-codes>.
3. Since the SNOMED organization no longer distributes a reference set that includes a mapping of "SNOMED-RT style" SNOMED IDs to SNOMED Concept IDs a complete mapping of those used in DICOM is provided in Annex O to allow implementers to process legacy objects from legacy devices and archives.

8.1.1 Use of SNOMED Anatomic Concepts

In general, DICOM uses the anatomic concepts with the term "structure", rather than with the term "entire". This is an important distinction in SNOMED. "Entire" is a child concept to "structure", has a more restricted meaning, and typically is used in conjunction with treatments (e.g., "excision of *entire* right kidney"). It is used in distinction to other sibling children of the parent concept that may identify parts of the parent anatomic feature. Since imaging typically targets both the anatomic feature and the area around it, or sometimes just part of the anatomic feature, DICOM usually uses "structure" concepts that are more inclusive than the "entire" concepts.

8.2 ISO_OID

[ISO 8824-1] and [ISO 9834-1] are the standards defined for the generation of object identifiers that are used as DICOM Unique Identifiers (see PS3.5), can also serve as a general mechanism for identifying organizations and objects defined by those organizations.

When the Coding Scheme Designator is ISO_OID, the Code Value shall be the numeric (dot delimited) form of a valid object identifier.

A repository of known existing object identifiers can be found at <http://www.oid-info.com/index.htm>. For example:

- the ISO 9834-1 assigned numeric object identifier for the country France, is "1.0.3166.2.2.1.250" (since ISO 3166 defines a means for maintaining country codes using object identifiers)
- the object identifier for the RIPEMD-160 cryptographic hash function is "1.0.10118.3.0.49"
- the object identifier for the HL7 V2 table of codes for marital status is "2.16.840.1.113883.12.2"

The re-use of object identifiers for existing concepts that do not have an alternative more appropriate coding scheme compatible with DICOM provides a mechanism to avoid defining new codes. For example, HL7 assigned object identifiers can be found at <http://www.hl7.org/oid/index.cfm>.

Though the intent of ISO_OID is to define organizational roots for the hierarchical assignment of object identifiers, and not specifically to identify organizations per se, the organizational root values can be construed as identifying the organization. For example, the DICOM Standards Organization itself can be identified by the value "1.2.840.10008". See also CID 5002 "Organizations".

8.3 Retired Codes and Expected Behavior

As this Standard and external coding schemes are maintained, the codes specified as Concept Names, Concept Values and in Conditions may change. The previous codes are considered Retired but implementations may continue to send them and receivers will be expected to be able to continue to recognize the Retired codes, including the Code Value and Coding Scheme Designator, even if the current Standard does not publish them.

A notable example is the change throughout the Standard from using "SNOMED-RT style" code values with a Coding Scheme Designator of "SRT", "SNM3" or "99SDM", to the use of SNOMED CT numeric code values with a Coding Scheme Designator of "SCT". A mapping of retired to new SNOMED codes is found in Annex O.

A Structured Reporting Templates (Normative)

This Annex specifies the content of Standard Templates that may be used by DICOM SR IODs.

General Templates

TID 300 Measurement

This Template provides a general structure for a numeric measurement, together with evaluations of its normality and/or significance, and the inference source(s) for its value. This structure is instantiated by inclusion of this Template with specific contextual parameters from a parent Template.

Table TID 300. Parameters

Parameter Name	Parameter Usage
\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Units	Units of Measurement
\$ModType	Modifier Name for Concept Name of measurement
\$ModValue	Modifier Value for Concept Name of measurement
\$Method	Value for Measurement Method
\$Derivation	Value for Measurement Derivation
\$TargetSite	Value(s) for Anatomic Location of measurement
\$TargetSiteMod	Modifier Value for Anatomic Location of measurement
\$Equation	Coded term or Context Group for the equation or table from which the measurement was derived or computed
\$ImagePurpose	Purpose of Reference for an image used as a source of the measurement
\$WavePurpose	Purpose of Reference for a waveform used as a source of the measurement
\$RefAuthority	Bibliographic reference or authority for statistical properties of a reference population
\$RangeAuthority	Bibliographic reference or authority for the normal range of the measurement
\$DerivationParameter	Coded term or Context Group for Concept Name of a derivation parameter
\$DerivationParameterUnits	Units of derivation parameter

Type: Extensible
Order: Significant
Root: No

Table TID 300. Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	\$Measurement	1	M		UNITS = \$Units
2	>	HAS CONCEPT MOD	CODE	\$ModType	1-n	U		\$ModValue
3	>	HAS CONCEPT MOD	CODE	EV (G-C036; SRT370129005, SCT, "Measurement Method")	1	U		\$Method

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	U		\$Derivation
5	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1-n	U		\$TargetSite
6	>>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT, "Laterality")	1	U		DCID 244 "Laterality"
7	>>	HAS CONCEPT MOD	CODE	DT (G-A1F8 , SRT106233006 , SCT, "Topographical modifier")	1	U		\$TargetSiteMod
8	>	HAS PROPERTIES	INCLUDE	DTID 310 "Measurement Properties"	1	U		\$RefAuthority = \$RefAuthority \$RangeAuthority = \$RangeAuthority
9	>	INFERRED FROM	NUM	\$DerivationParameter	1-n	UC	XOR Row 10	UNITS = \$DerivationParameterUnits
10	>	R-INFERRED FROM	NUM	\$DerivationParameter	1-n	UC	XOR Row 9	UNITS = \$DerivationParameterUnits
11	>	INFERRED FROM	INCLUDE	DTID 315 "Equation or Table"	1	UC	XOR Row 12	\$Equation = \$Equation
12	>	INFERRED FROM	TEXT	DCID 228 "Equation or Table"	1	UC	XOR Row 11	
13	>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1-n	U		\$Purpose = \$ImagePurpose
14	>		INCLUDE	DTID 321 "Waveform or Temporal Coordinates"	1-n	U		\$Purpose = \$WavePurpose
15	>		INCLUDE	DTID 1000 "Quotation"	1	U		
16	>	HAS CONCEPT MOD	TEXT	EV (121050, DCM, "Equivalent Meaning of Concept Name")	1	U		
17	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		
18	>	INFERRED FROM	COMPOSITE	EV (126100, DCM, "Real World Value Map used for measurement")	1	U		SOP Class UID shall be Real World Value Mapping Storage ("1.2.840.10008.5.1.4.1.1.67")
19	>	HAS CONCEPT MOD	INCLUDE	DTID 4019 "Algorithm Identification"	1	U		

Content Item Descriptions

Rows 2, 3, 4, 5	The HAS CONCEPT MOD items allow the explicit definition of terms for post-coordination of the measurement concept name. Additional post-coordinated modifier terms may be included in a SOP Instance based on this Template, in accordance with section 6.2.4, or as defined by Templates that invoke this Template and explicitly define additional post-coordinated modifiers (e.g., TID 5203).
Row 5	Finding site may be multiple when a region of interest spans multiple anatomical locations and there is not a single pre-coordinated code describing the combination of locations. E.g., when a malignant, inflammatory or traumatic process spans actual or defined anatomical boundaries. There is no requirement that the multiple locations be contiguous.

Rows 9, 10	The INFERRED FROM items allow the specification (by-value or by-reference) of numeric values that were used in the derivation of the numeric measurement of Row 1. The nature of the inference is not explicitly conveyed; it may be implicit in the Concept Names of the measurements. Inference by-reference is valid only in SOP Classes that permit the INFERRED FROM relationship by-reference.
Row 16	Equivalent Meaning of Concept Name allows the creating application to specify the preferred composed concept name representing the measurement and the associated post-coordinated concept modifiers. The concept modifiers may include those specified in this Template, in a Template that invokes this Template, or at the option of the creating application in accordance with section 6.2.4. This composed concept name may be rendered by a display application.
Row 18	Row 18 is a reference to an RWV that describes how measurements were made in units that differ from the stored pixel values in the images referenced in Row 13. E.g., for a PET SUVbw measurement, the mapping from activity/concentration units in the referenced image that was used (and which may be reused for measurements in the future) may be encoded in a referenced RWV instance. This reference overrides any reference in an including Template (such as for a Measurement Group).

TID 310 Measurement Properties

This Template provides the properties of a numeric measurement, including evaluations of its normality and/or significance, its relationship to a reference population, and an indication of its selection from a set of measurements.

Table TID 310. Parameters

Parameter Name	Parameter Usage
\$RefAuthority	Bibliographic reference or authority for statistical properties of a reference population
\$RangeAuthority	Bibliographic reference or authority for the normal range of the measurement

Type: Extensible
Order: Significant
Root: No

Table TID 310. Measurement Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121402, DCM, "Normality")	1	U		DCID 222 "Normality Codes"
2			INCLUDE	DTID 311 "Measurement Statistical Properties"	1	U		\$RefAuthority = \$RefAuthority
3			INCLUDE	DTID 312 "Normal Range Properties"	1	U		\$RangeAuthority = \$RangeAuthority
4			CODE	EV (121403, DCM, "Level of Significance")	1	U		DCID 220 "Level of Significance"
5			NUM	DCID 225 "Measurement Uncertainty Concepts"	1-n	U		
6			CODE	EV (121404, DCM, "Selection Status")	1	U		DCID 224 "Selection Method"

TID 311 Measurement Statistical Properties

This Template provides the statistical properties of a reference population for a numeric measurement, and/or the position of a measurement in such a reference population.

Table TID 311. Parameters

Parameter Name	Parameter Usage
\$RefAuthority	Bibliographic reference or authority for statistical properties of a reference population

Type: Extensible
Order: Significant
Root: No

Table TID 311. Measurement Statistical Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	DCID 221 "Measurement Range Concepts"	1-n	M		
2			TEXT	EV (121405, DCM, "Population description")	1	U		
3			TEXT	EV (121406, DCM, "Reference Authority")	1	UC	XOR row 4	
4			CODE	EV (121406, DCM, "Reference Authority")	1	UC	XOR row 3	\$RefAuthority

TID 312 Normal Range Properties

This Template provides the normal range of values for a numeric measurement.

Table TID 312. Parameters

Parameter Name	Parameter Usage
\$RangeAuthority	Bibliographic reference or authority for the normal range of the measurement

Type: Extensible
Order: Significant
Root: No

Table TID 312. Normal Range Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	DCID 223 "Normal Range Values"	1-n	M		
2			TEXT	EV (121407, DCM, "Normal Range description")	1	U		
3			TEXT	EV (121408, DCM, "Normal Range Authority")	1	UC	XOR row 4	
4			CODE	EV (121408, DCM, "Normal Range Authority")	1	UC	XOR row 3	\$RangeAuthority

TID 315 Equation or Table**Table TID 315. Parameters**

Parameter Name	Parameter Usage
\$Equation	Coded term or Context Group for the equation or table from which a measurement was derived or computed

Type: Extensible
Order: Significant
Root: No

Table TID 315. Equation or Table

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	DCID 228 "Equation or Table"	1	M		\$Equation
2	>	HAS PROPERTIES	NUM		1-n	U		
3	>	R-HAS PROPERTIES	NUM		1-n	U		

Content Item Descriptions

Row 2	The HAS PROPERTIES allows the specification of the numeric values used as input to the equation or table identified in Row 1.
Row 3	The HAS PROPERTIES allows the specification by-reference of the numeric values used as input to the equation or table. This row is valid only in SOP Classes that permit the HAS PROPERTIES relationship by-reference.

Note

For example, if Row 1 identifies a specific Body Surface Area equation, Rows 2 and 3 can be used to convey (by-value or by-reference) the Patient Height and Patient Weight numeric measurements used in the BSA computation.

TID 320 Image or Spatial Coordinates

This Template provides a general structure for inference from an image, either as a whole, or with specific spatial coordinates, as a single included Template in the invoking Template. If allowed by the IOD, the Image Content Item may be included by-reference.

Table TID 320. Parameters

Parameter Name	Parameter Usage
\$Purpose	Purpose of Reference for an image used as a source of the measurement

Type: Extensible
Order: Significant
Root: No

Table TID 320. Image or Spatial Coordinates

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		INFERRED FROM	IMAGE	\$Purpose	1	MC	XOR Rows 2, 3	
2		R-INFERRED FROM	IMAGE		1	MC	XOR Rows 1, 3	
3		INFERRED FROM	SCCOORD	\$Purpose	1	MC	XOR Rows 1, 2	
4	>	SELECTED FROM	IMAGE		1	MC	XOR Row 5	
5	>	R-SELECTED FROM	IMAGE		1	MC	XOR Row 4	

TID 321 Waveform or Temporal Coordinates

This Template provides a general structure for referencing a waveform, either as a whole, or with specific temporal coordinates, as a single included Template in the invoking Template. If allowed by the IOD, the Waveform Content Item may be included by-reference.

Table TID 321. Parameters

Parameter Name	Parameter Usage
\$Purpose	Purpose of Reference for a waveform used as a source of the measurement

Type: Extensible
Order: Significant
Root: No

Table TID 321. Waveform or Temporal Coordinates

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		INFERRED FROM	WAVEFORM	\$Purpose	1	MC	XOR Rows 2, 3	
2		R-INFERRED FROM	WAVEFORM		1	MC	XOR Rows 1, 3	
3		INFERRED FROM	TCOORD	\$Purpose	1	MC	XOR Rows 1, 2	
4	>	SELECTED FROM	WAVEFORM		1	MC	XOR Row 5	
5	>	R-SELECTED FROM	WAVEFORM		1	MC	XOR Row 4	

TID 350 References to Supporting Evidence

This Template provides references to supporting evidence in the form of DICOM composite objects. This includes references to images, spatial coordinates on images, and other composite objects, such as Structured Reports.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 350. References to Supporting Evidence

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			IMAGE	BCID 7003 "Diagnostic Imaging Report Purposes of Reference"	1-n	U		
2			SCOORD	BCID 7003 "Diagnostic Imaging Report Purposes of Reference"	1-n	U		
3	>	SELECTED FROM	IMAGE		1	M		
4			COMPOSITE	DT (122073, DCM, "Current procedure evidence")	1-n	U		
5	>	HAS CONCEPT MOD	CODE	EV (121144, DCM, "Document Title")	1	U		

TID 351 Previous Reports

This general Template provides a means to reference previous structured reporting composite object instances.

Type: Extensible
Order: Significant
Root: No

Table TID 351. Previous Reports

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111549, DCM, "Previous Reports")	1	M		
2	>	CONTAINS	COMPOSITE		1-n	M		

Content Item Descriptions

Row 2	Concept Name may be the Root Concept Name (title) of a Structured Report composite object instance.
-------	---

TID 400 Reference Location

This TID is a subset of the Reference Location Macro. See Section 10.27 "Reference Location Macro" in PS3.3.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 400. Reference Location

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (128772, DCM, "Reference Basis")	1	M		BCID 1001 "Anatomical Reference Basis"
2			CODE	EV (128773, DCM, "Reference Geometry")	1	M		BCID 1010 "Reference Geometry - Planes"

TID 1000 Quotation

Unless otherwise specified, content in an SR tree is "directly" observed. When material is quoted (from a source that is either a document or something spoken), then it is necessary to specify:

- the fact that one is quoting
- who is doing the quoting
- the source of the quote
- who is being quoted, and who and what the quote is about

This Template establishes a mechanism for quoting by specifying:

- the fact that one is quoting, by the presence of the contents of the Template in the tree
- that the "observer context" above the invocation of this Template establishes who is doing the quoting
- the source of the quote, by the values of the Content Items in this Template
- who is being quoted, and who and what the quote is about, by the observation context that is established at the start of the quoted material

This Template may be invoked recursively, to nest quotes within quotes. In essence, the chain of who is quoting whom can be established by maintaining a "stack" of observer context.

If a dimension of observation context is the same in the quoted material as in the enclosing tree, then the observation context does not need to be respecified (e.g., the quote may be about the same subject or procedure). Typically, the observer context would change (unless one were quoting oneself).

In the case of quoting something that was spoken, the "observer" is the person speaking.

TID 1000 is attached using HAS OBS CONTEXT relationships to the top node of the material that is being quoted. The presence of the Quoted Source concept signals the fact that the material is quoted rather than directly observed.

Type: Extensible
Order: Significant
Root: No

Table TID 1000. Quotation

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS OBS CONTEXT	CODE	EV (121001, DCM, "Quotation Mode")	1	M		EV (121003, DCM, "Document") EV (121004, DCM, "Verbal")
2		HAS OBS CONTEXT	COMPOSITE	EV (121002, DCM, "Quoted Source")	1	MC	Required if quoted material source is a DICOM composite object	
3		HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		

TID 1001 Observation Context

Specifies attributes of observation context that may be defined, extended or replaced at any location in the SR tree.

This includes attributes that specify:

- who or what the observation is about ("subject context")
- what procedure the observation is about ("procedure context")
- who or what is making the observation ("observer context")

Establishing context includes two aspects of each dimension: identification and description (e.g., patient name and ID vs. patient's age, height or weight).

Whenever one dimension of context is changed or an attribute is added, all attributes of that dimension of context are "flushed", that is they need to be repeated in their entirety. For example, when the subject is changed from patient (name, id) to fetus (number), then the parameters of the patient are discarded. E.g., the patient's ID does not apply to the fetus.

"Extending" the same class and dimension of observation context isn't feasible, since one cannot "null out" or remove a previously set attribute. Any time a dimension of observation context is "replaced", any attributes that are unspecified remain unspecified (i.e., they are not inherited).

Type: Non-Extensible
Order: Significant
Root: No

Table TID 1001. Observation Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	MC	Required if all aspects of observer context are not inherited.	Defaults to the attributes of the Author Observer Sequence (0040,A078), or the Verifying Observer Sequence (0040,A073) if the Author Observer Sequence is not present
2		HAS OBS CONTEXT	INCLUDE	DTID 1005 "Procedure Context"	1	MC	Required if all aspects of procedure context are not inherited.	
3		HAS OBS CONTEXT	INCLUDE	DTID 1006 "Subject Context"	1	MC	Required if all aspects of observation subject context are not inherited.	

TID 1002 Observer Context

The observer (person or device) that created the Content Items to which this context applies.

Whenever this Template is invoked, all previously inherited attributes of Observer Context are discarded and replaced.

There may be more than one observer, as this Template may be invoked with a VM 1-n, and both person and device observers. In such a case, the Content Items of TID 1003 "Person Observer Identifying Attributes" and TID 1004 "Device Observer Identifying Attributes" shall be included in the order in which the values of Observer Type are specified. Since TID 1003 "Person Observer Identifying Attributes" and TID 1004 "Device Observer Identifying Attributes" both include a single mandatory Content Item as their first Content Item, which observer is being described can be determined

Type: Non-Extensible
Order: Significant
Root: No

Table TID 1002. Observer Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS OBS CONTEXT	CODE	EV (121005, DCM, "Observer Type")	1	MC	IF Observer type is device	DCID 270 "Observer Type" Defaults to (121006, DCM, "Person")
2		HAS OBS CONTEXT	INCLUDE	DTID 1003 "Person Observer Identifying Attributes"	1	MC	IFF Row 1 value = (121006, DCM, "Person") or Row 1 is absent	
3		HAS OBS CONTEXT	INCLUDE	DTID 1004 "Device Observer Identifying Attributes"	1	MC	IFF Row 1 value = (121007, DCM, "Device")	

TID 1003 Person Observer Identifying Attributes

This Template contains identifying (and optionally descriptive) attributes of persons that are observers.

Type: Extensible
Order: Significant

Root: No

Table TID 1003. Person Observer Identifying Attributes

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			PNAME	EV (121008, DCM, "Person Observer Name")	1	M		
1a			TEXT	EV (128774, DCM, "Person Observer's Login Name")	1	U		
2			TEXT	EV (121009, DCM, "Person Observer's Organization Name")	1	U		Defaults to Institution Name (0008,0080) of the General Equipment Module
3			CODE	EV (121010, DCM, "Person Observer's Role in the Organization")	1	U		BCID 7452 "Organizational Roles"
4			CODE	EV (121011, DCM, "Person Observer's Role in this Procedure")	1	U		BCID 7453 "Performing Roles"
5	>	HAS CONCEPT MOD	TEXT	EV (128775, DCM, "Identifier within Person Observer's Role")	1	U		

Row 5	E.g., "1" or "2", or "A" or "B"; should not recapitulate the role (i.e., should not be "READER1"), since it is used in conjunction with a separate coded concept for the role itself.
-------	---

TID 1004 Device Observer Identifying Attributes

This Template (derived from the Section C.7.5.1 "General Equipment Module" in PS3.3) contains identifying (and optionally descriptive) attributes of devices that are observers.

Type: Extensible
Order: Significant
Root: No

Table TID 1004. Device Observer Identifying Attributes

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			UIDREF	EV (121012, DCM, "Device Observer UID")	1	M		
2			TEXT	EV (121013, DCM, "Device Observer Name")	1	U		Defaults to value of Station Name (0008,1010) in General Equipment Module
3			TEXT	EV (121014, DCM, "Device Observer Manufacturer")	1	U		Defaults to value of Manufacturer (0008,0070) in General Equipment Module
4			TEXT	EV (121015, DCM, "Device Observer Model Name")	1	U		Defaults to value of Manufacturer's Model Name (0008,1090) in General Equipment Module
5			TEXT	EV (121016, DCM, "Device Observer Serial Number")	1	U		Defaults to value of Device Serial Number (0018,1000) in General Equipment Module

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6			TEXT	EV (121017, DCM, "Device Observer Physical Location During Observation")	1	U		
7			CODE	EV (113876, DCM, "Device Role in Procedure")	1-n	U		BCID 7445 "Device Participating Roles"
8			TEXT	EV (110119, DCM, "Station AE Title")	1	U		

Content Item Descriptions

Row 7	If the device performing the observations has other roles, e.g., as the irradiating device in a dose report, this may be recorded here, if not implicit.
-------	--

TID 1005 Procedure Context

This Template contains identifying (and optionally descriptive) attributes of the procedure that is the source of evidence being interpreted.

Whenever this Template is invoked, all previously inherited attributes of Procedure Context are discarded and replaced.

Note

If an observed digital image is identified by other than a DICOM UID, a Study Instance UID must be generated for the non-DICOM evidence. The same must be done to document interpretation of hard-copy radiographs generated outside of the scope of the DICOM system.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 1005. Procedure Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			UIDREF	EV (121018, DCM, "Procedure Study Instance UID")	1	U		Defaults to Study Instance UID (0020, 000D) of General Study Module
2			UIDREF	EV (121019, DCM, "Procedure Study Component UID")	1-n	U		
3			TEXT	EV (121020, DCM, "Placer Number")	1	U		
4	>	HAS CONCEPT MOD	TEXT	EV (110190, DCM, "Issuer of Identifier")	1	U		
5			TEXT	EV (121021, DCM, "Filler Number")	1	U		
6	>	HAS CONCEPT MOD	TEXT	EV (110190, DCM, "Issuer of Identifier")	1	U		
7			TEXT	EV (121022, DCM, "Accession Number")	1	U		Defaults to (0008,0050)

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
8	>	HAS CONCEPT MOD	TEXT	EV (110190, DCM, "Issuer of Identifier")	1	U		
9			CODE	EV (121023, DCM, "Procedure Code")	1-n	U		Defaults to Procedure Code Sequence (0008,1032) of General Study Module

Content Item Descriptions

Rows 5, 6	The issuer shall be formatted in accordance with the HL7v2 Hierarchic Designator Data Type. That format is [<i>Namespace ID</i>] ^ [<i>Universal ID</i> ^ <i>Universal ID Type</i>], where <i>Namespace ID</i> identifies an entity within the local namespace or domain, <i>Universal ID</i> is a universal or unique identifier for an entity, and <i>Universal ID Type</i> specifies the standard format of the Universal ID (see HL7 v2 Section 2.A.33).
-----------	--

TID 1006 Subject Context

This Template contains identifying (and optionally descriptive) attributes of the subject of the observation.

Subject context identifies (and optionally) describes the subject of the observation, whether it be a patient (human or animal), a fetus (human or animal), a specimen, or a device.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 1006. Subject Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121024, DCM, "Subject Class")	1	MC	IF subject is not the Patient	DCID 271 "Observation Subject Class" Defaults to (121025, DCM, "Patient")
2			INCLUDE	DTID 1007 "Subject Context, Patient"	1	UC	IFF Row 1 value = (121025, DCM, "Patient") or Row 1 is absent	May be used for human or animal patients
3			INCLUDE	DTID 1008 "Subject Context, Fetus"	1	UC	IFF Row 1 value = (121026, DCM, "Fetus")	May be used for human or animal fetuses
4			INCLUDE	DTID 1009 "Subject Context, Specimen"	1	UC	IFF Row 1 value = (121027, DCM, "Specimen")	
5			INCLUDE	DTID 1010 "Subject Context, Device"	1	UC	IFF Row 1 value = (121192, DCM, "Device Subject")	

TID 1007 Subject Context, Patient

Identifies (and optionally describes) a patient who is the subject.

Type: Extensible
Order: Significant
Root: No

Table TID 1007. Subject Context, Patient

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			UIDREF	EV (121028, DCM, "Subject UID")	1	U		E.g., SOP Instance UID of Detached Patient Instance
2			PNAME	EV (121029, DCM, "Subject Name")	1	MC	Required if not inherited.	Defaults to value of Patient's Name (0010,0010) in Patient Module
3			CODE	EV (121030, DCM, "Subject ID")	1	MC	Required if not inherited.	Defaults to value of Patient ID (0010,0020) in Patient Module
4			DATE	EV (121031, DCM, "Subject Birth Date")	1	U		Defaults to value of Patient's Birth Date (0010,0030) in Patient Module
5			CODE	EV (121032, DCM, "Subject Sex")	1	U		Defaults to value equivalent to Patient's Sex (0010,0040) in Patient Module DCID 7455 "Sex"
6			NUM	EV (121033, DCM, "Subject Age")	1	U		Defaults to value of Patient's Age (0010,1010) in Patient Study Module UNITS = DCID 7456 "Units of Measure for Age"
7			CODE	EV (121034, DCM, "Subject Species")	1	MC	Required if not inherited.	DCID 7454 "Animal Taxonomic Rank Values" Defaults to value of Patient Species Code Sequence (0010,2202) in Patient Module, or if absent, (L-85003 , SRT , "Homo" 337915000, SCT, "Homo sapiens").
8			CODE	EV (121035, DCM, "Subject Breed")	1	U		Defaults to value of Patient Breed Code Sequence (0010,2293) in Patient Module DCID 7480 "Breed"
9			CODE	EV (S-0004D , SRT 415229000, SCT, "Racial group")	1	U		Defaults to the coded equivalent of the text value of Ethnic Group (0010,2160) in Patient Module, which is defined as "race or ethnic group" DCID 6099 "Racial Group"

TID 1008 Subject Context, Fetus

Identifies (and optionally describes) a fetus who is the subject.

Type: Extensible
Order: Significant
Root: No

Table TID 1008. Subject Context, Fetus

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			PNAME	EV (121036, DCM, "Mother of fetus")	1	U		Defaults to an observation subject that is a patient prior to replacing the Observation Subject Class with Fetus.

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2			UIDREF	EV (121028, DCM, "Subject UID")	1	U		For longitudinal tracking of individual fetuses
3			TEXT	EV (121030, DCM, "Subject ID")	1	MC	IF row 4 is absent	For longitudinal tracking of individual fetuses (human readable value e.g., "A" or "1")
4			TEXT	EV (11951-1, LN, "Fetus ID")	1	MC	IF row 3 is absent	For separation of multiple fetuses during this procedure e.g., fetus '1' of '2' ... not for longitudinal comparisons.; i.e., the "m" of fetus "m" of "n"
5			NUM	EV (11878-6, LN, "Number of Fetuses by US")	1	U	XOR Row 6	UNITS = EV (1, UCUM, "no units")
6			NUM	EV (55281-0, LN, "Number of Fetuses")	1	UC	XOR Row 5	UNITS = EV (1, UCUM, "no units")

Content Item Descriptions

Row 5, 6	The "n" of fetus "m" of "n"; either the code for the ultrasound method (Row 5) or for the non-specific method (Row 6) may be used
----------	---

TID 1009 Subject Context, Specimen

Identifies (and optionally describes) a specimen that is the subject.

Type: Extensible
Order: Significant
Root: No

Table TID 1009. Subject Context, Specimen

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			UIDREF	EV (121039, DCM, "Specimen UID")	1	U		
2			INCLUDE	DTID 1007 "Subject Context, Patient"	1	UC	IFF the source of the specimen is a human or animal patient	
3			TEXT	EV (121041, DCM, "Specimen Identifier")	1	U		
4			TEXT	EV (111724, DCM, "Issuer of Specimen Identifier")	1	U		See Content Item descriptions
5			CODE	EV (R-00254, SRT371439000, SCT, "Specimen Type")	1	U		DCID 8103 "Anatomic Pathology Specimen Types"
6			TEXT	EV (111700, DCM, "Specimen Container Identifier")	1	U		

Content Item Descriptions

Rows 5, 6	The Issuer of Specimen Identifier shall be formatted in accordance with the HL7 v2 Hierarchic Designator data type (see HL7 v2.6 Section 2.A.33), i.e., [<i>Namespace ID</i>] ^ [<i>Universal ID</i> ^ <i>Universal ID Type</i>]
-----------	--

TID 1010 Subject Context, Device

Identifies (and optionally describes) a device that is the subject of observations.

Type: Extensible
Order: Significant
Root: No

Table TID 1010. Subject Context, Device

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (121193, DCM, "Device Subject Name")	1	M		
2			UIDREF	EV (121198, DCM, "Device Subject UID")	1	U		
3			TEXT	EV (121194, DCM, "Device Subject Manufacturer")	1	U		
4			TEXT	EV (121195, DCM, "Device Subject Model Name")	1	U		
5			TEXT	EV (121196, DCM, "Device Subject Serial Number")	1	U		
6			TEXT	EV (121197, DCM, "Device Subject Physical Location during observation")	1	U		

TID 1020 Person Participant

This Template describes a person participating in an activity as other than an observer or subject. E.g., for a dose report documenting an irradiating procedure, participants include the person administering the irradiation and the person authorizing the irradiation.

This Template is included with specific contextual parameters from a parent Template.

Table TID 1020. Parameters

Parameter Name	Parameter Usage
\$PersonProcedureRole	Coded term or Context Group for the Concept Name that describes the nature of the person's participation in this procedure.

Type: Extensible
Order: Significant
Root: No

Table TID 1020. Person Participant

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			PNAME	EV (113870, DCM, "Person Name")	1	M		
2	>	HAS PROPERTIES	CODE	EV (113875, DCM, "Person Role in Procedure")	1	M		\$PersonProcedureRole
3	>	HAS PROPERTIES	TEXT	EV (113871, DCM, "Person ID")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	HAS PROPERTIES	TEXT	EV (113872, DCM, "Person ID Issuer")	1	U		
5	>	HAS PROPERTIES	TEXT	EV (113873, DCM, "Organization Name")	1	U		
6	>	HAS PROPERTIES	CODE	EV (113874, DCM, "Person Role in Organization")	1	U		BCID 7452 "Organizational Roles"

Content Item Descriptions

Row 1	The name of the person participating in the role identified in Row 2.
Row 2	The procedural role played by the person in this procedure.
Row 6	The organizational role played by the person in the organization.

TID 1021 Device Participant

This Template describes a device participating in an activity as other than an observer or subject. E.g., for a dose report documenting an irradiating procedure, participants include the irradiating device.

This Template is included with specific contextual parameters from a parent Template.

Table TID 1021. Parameters

Parameter Name	Parameter Usage
\$DeviceProcedureRole	Coded term or Context Group for the Concept Name that describes the nature of the device's participation in this procedure.

Type: Extensible
Order: Significant
Root: No

Table TID 1021. Device Participant

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (113876, DCM, "Device Role in Procedure")	1	M		\$DeviceProcedureRole
2	>	HAS PROPERTIES	TEXT	EV (113877, DCM, "Device Name")	1	U		
3	>	HAS PROPERTIES	TEXT	EV (113878, DCM, "Device Manufacturer")	1	M		
4	>	HAS PROPERTIES	TEXT	EV (113879, DCM, "Device Model Name")	1	M		
5	>	HAS PROPERTIES	TEXT	EV (113880, DCM, "Device Serial Number")	1	M		
6	>	HAS PROPERTIES	UIDREF	EV (121012, DCM, "Device Observer UID")	1	M		

Content Item Descriptions

Row 1	If no Device Procedure Role is provided, BCID 7445 "Device Participating Roles" may be used.
Row 2	This may be used for the name by which the organization manages the device.

TID 1200 Language Designation

Defines a mechanism for specifying a language, optionally with designation of the country in which that language applies.

Note

1. For example, the French language could be specified unmodified, or French as written in France or Canada could be distinguished.
2. The language codes specified in CID 5000 "Languages" optionally allow the encoding of the country of language in the code value for the language. Encoding of the country of language in a separate subsidiary Concept Modifier Content Item is allowed for backward compatibility with previous editions of the Standard.

Type: Extensible
Order: Significant
Root: No

Table TID 1200. Language Designation

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121045, DCM, "Language")	1	M		DCID 5000 "Languages"
2	>	HAS CONCEPT MOD	CODE	EV (121046, DCM, "Country of Language")	1	U		DCID 5001 "Countries"

TID 1201 Language of Value

Defines a mechanism for specifying the language in which the value of the parent Content Item (only) is written. Does not specify the language of the Concept Name of the parent Content Item, nor of any other descendants of the parent Content Item.

Note

The language codes specified in CID 5000 "Languages" optionally allow the encoding of the country of language in the code value for the language. Encoding of the country of language in a separate subsidiary Concept Modifier Content Item is allowed for backward compatibility with previous editions of the Standard.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 1201. Language of Value

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	CODE	EV (121047, DCM, "Language of Value")	1	M		DCID 5000 "Languages"
2	>	HAS CONCEPT MOD	CODE	EV (121046, DCM, "Country of Language")	1	U		DCID 5001 "Countries"

TID 1202 Language of Name and Value

Defines a mechanism for specifying the language in which the value and the Concept Name of the parent Content Item (only) is written. Does not specify the language of any other descendants of the parent Content Item.

Note

The language codes specified in CID 5000 "Languages" optionally allow the encoding of the country of language in the code value for the language. Encoding of the country of language in a separate subsidiary Concept Modifier Content Item is allowed for backward compatibility with previous editions of the Standard.

Type: Extensible

Order: Significant
Root: No

Table TID 1202. Language of Name and Value

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	CODE	EV (121048, DCM, "Language of Name and Value")	1	M		DCID 5000 "Languages"
2	>	HAS CONCEPT MOD	CODE	EV (121046, DCM, "Country of Language")	1	U		DCID 5001 "Countries"

TID 1204 Language of Content Item and Descendants

Defines a mechanism for specifying the language in which the value and the Concept Name of the parent Content Item and any other descendants of the parent Content Item is written.

Note

The language codes specified in CID 5000 "Languages" optionally allow the encoding of the country of language in the code value for the language. Encoding of the country of language in a separate subsidiary Concept Modifier Content Item is allowed for backward compatibility with previous editions of the Standard.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 1204. Language of Content Item and Descendants

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	CODE	EV (121049, DCM, "Language of Content Item and Descendants")	1	M		DCID 5000 "Languages"
2	>	HAS CONCEPT MOD	CODE	EV (121046, DCM, "Country of Language")	1	U		DCID 5001 "Countries"

TID 1210 Equivalent Meaning(s) of Concept Name

Defines a mechanism for specifying one or more equivalent meanings for the Concept Name of the parent Content Item.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 1210. Equivalent Meaning(s) of Concept Name

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	TEXT	EV (121050, DCM, "Equivalent Meaning of Concept Name")	1-n	MC	XOR Row 3	Plain text equivalent of code meaning of the concept name of the Content Item being modified, in the specified language from the specified country, using the default character set or a character set selected from Specified Character Set

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>		INCLUDE	DTID 1201 "Language of Value"	1	U		
3		HAS CONCEPT MOD	CODE	EV (121050, DCM, "Equivalent Meaning of Concept Name")	1-n	MC	XOR Row 1	
4	>		INCLUDE	DTID 1201 "Language of Value"	1	U		

Note

A coded equivalent meaning for the Concept Name can also be included using the attribute Equivalent Code Sequence (0008,0121) in the Concept Name Code Sequence (0040,A043) (see Section 8.9 "Equivalent Code Sequence" in PS3.3), though the equivalent code(s) in the Equivalent Code Sequence (0008,0121) need not be the same as those in TID 1210.

TID 1211 Equivalent Meaning(s) of Value

Defines a mechanism for specifying one or more equivalent meanings for the Value of the parent Content Item.

Type: Extensible
Order: Significant
Root: No

Table TID 1211. Equivalent Meaning(s) of Value

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	TEXT	EV (121051, DCM, "Equivalent Meaning of Value")	1-n	MC	XOR Row 3	Plain text equivalent of code meaning of the value of the Content Item being modified, in the specified language from the specified country, using the default character set or a character set selected from Specified Character Set
2	>		INCLUDE	DTID 1201 "Language of Value"	1	U		
3		HAS CONCEPT MOD	CODE	EV (121051, DCM, "Equivalent Meaning of Value")	1-n	MC	XOR Row 1	
4	>		INCLUDE	DTID 1201 "Language of Value"	1	U		

Note

- For example, to describe a longer, more meaningful equivalent (in the same language) for a procedure code than is defined in a coding scheme:

CODE: (121023, DCM, "Procedure Code") = (50291CC, ICD10PCS, "IMAGING:CNS:CT:SELLA:LOWOSMOLAR:IT, U, E:2PLANE3D")

> *HAS CONCEPT MOD* TEXT: (121051, DCM, "Equivalent meaning of value") = "imaging study central nervous system of the sella turcica/pituitary gland with low osmolar contrast intrathecal, unenhanced and enhanced, in two planes with 3D reconstructions"

- For example, to specify a concept name and value in both French and English in Canada:

CODE:(~~T-D0005~~,~~SRT~~91723000, SCT, "Anatomical structure") = (~~T-04000~~,~~SRT~~76752008, SCT, "Breast")

> HAS CONCEPT MOD CODE: (121048, DCM, "Language of name and value") = (en-CA, RFC5646, "English, Canada")

> HAS CONCEPT MOD CODE: (121050, DCM, "Equivalent meaning of concept name") = (~~T-D0005~~,~~SRT~~91723000, SCT, Structure de l'anatomie")

>> HAS CONCEPT MOD CODE: (121047, DCM, "Langue de la valeur") = (fr-CA, RFC5646, "Français, Canadien")

> HAS CONCEPT MOD CODE: (121051, DCM, "Equivalent meaning of value") = (~~T-04000~~,~~SRT~~76752008, SCT, "Sein")

>> HAS CONCEPT MOD CODE: (121047, DCM, "Langue de la valeur") = (fr-CA, RFC5646, "Français, Candie")

3. 3. A coded equivalent meaning for the Concept Value of a CODE Content Item can also be included using the attribute Equivalent Code Sequence (0008,0121) in the Concept Code Sequence (0040, A168) (see Section 8.9 "Equivalent Code Sequence" in PS3.3).

TID 1350 Negation Modifier, Presence of Finding

Concept Name Modifier for negation of the presence of a finding represented by a post-coordinated concept.

Note

1. For example, negation modifier applied to "distention" in the post-coordinated structure:

CODE: "anatomic location" = "bile duct"

> HAS PROPERTY CODE: "morphology" = "distention"

>> HAS CONCEPT MOD CODE: "presence of property" = "absent"

means: "bile duct distention not present"

2. The presence-negation modifier modifies the entire post-coordinated concept, not just the Source Content Item of the HAS CONCEPT MOD relationship. The entire branch of the tree from the Content Item is included in the post-coordinated structure that is negated.

Type: Extensible
Order: Significant
Root: No

Table TID 1350. Negation Modifier, Presence of Finding

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	CODE	EV (121052, DCM, "Presence of property")	1	M		DCID 240 "Present-Absent"

TID 1400 Linear Measurement

Type: Extensible
Order: Significant
Root: No

Table TID 1400. Linear Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	DCID 7470 "Linear Measurements"	1	M		UNITS = DCID 7460 "Units of Linear Measurement"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	INFERRED FROM	SCOORD	EV (121055, DCM, "Path")	1	UC	XOR Row 5	GRAPHIC TYPE = {POLYLINE, CIRCLE, ELLIPSE}
3	>>	R-SELECTED FROM	IMAGE		1	MC	XOR Row 4	
4	>>	SELECTED FROM	IMAGE		1	MC	XOR Row 3	
5	>	INFERRED FROM	SCOORD	EV (121230, DCM, "Path Vertex")	2-n	UC	XOR Row 2	GRAPHIC TYPE = {POINT}
6	>>	R-SELECTED FROM	IMAGE		1	MC	XOR Row 7	
7	>>	SELECTED FROM	IMAGE		1	MC	XOR Row 6	
8	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		

Content Item Descriptions

Row 2	Path shall represent the measured path or a projection of the measured path in the image. The Graphic Type (0070,0023) of the Path SCOORD shall be: <ul style="list-style-type: none"> • an open POLYLINE with two different points (to measure length, diameter, distance, proximity, etc), • a CIRCLE or ELLIPSE (to measure circumference) or • an open or closed POLYLINE (closed polygon) to measure path length (open) or perimeter (closed).
Row 5 "Path Vertex"	A measured path that traverses two or more images (e.g., the ends of the path are in different cross-sectional plane images) shall be identified by vertices along the path. The Path Vertices shall be ordered by the order of their SCOORD Content Items to identify the measured path. The Graphic Type (0070,0023) of each SCOORD shall be POINT

TID 1401 Area Measurement

Type: Extensible
Order: Significant
Root: No

Table TID 1401. Area Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	DCID 7471 "Area Measurements"	1	M		Value shall be > 0 UNITS = DCID 7461 "Units of Area Measurement"
2	>	INFERRED FROM	SCOORD	EV (121056, DCM, "Area Outline")	1	MC	IF concept name of Row 1 is (G-A16A, SRT131184002, SCT, "Area of defined region"), and IFF Row 5 or 6 not present.	GRAPHIC TYPE = not {MULTIPOINT}
3	>>	R-SELECTED FROM	IMAGE		1	MC	XOR Row 4	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>>	SELECTED FROM	IMAGE		1	MC	XOR Row 3	
5	>	INFERRED FROM	IMAGE	EV (121214, DCM, "Referenced Segmentation Frame")	1	MC	IF concept name of Row 1 is (G-A16A , SRT131184002 , SCT , "Area of defined region"), and IFF Row 2 or 6 not present.	Reference shall be to a Segmentation Image, with a single value specified in Referenced Frame Number
6	>	R- INFERRED FROM	IMAGE		1	MC	IF concept name of Row 1 is (G-A16A , SRT131184002 , SCT , "Area of defined region"), and IFF Row 2 or 5 not present.	Reference shall be to a Segmentation Image, with a single value specified in Referenced Frame Number
7	>	HAS PROPERTIES	CODE	EV (G-C036 , SRT370129005 , SCT , "Measurement Method")	1	U		DCID 7473 "General Area Calculation Methods"
8	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		

Content Item Descriptions

Row 2 "Area Outline"	A Graphic Type of POINT implies that the object is a single pixel and the object's area is the area of the pixel. Otherwise the type shall be a closed POLYLINE (start and end point the same) or a CIRCLE or an ELLIPSE.
Rows 5, 6	Referenced Frame Number (0008,1160) is an attribute of the IMAGE Content Item. If the Referenced Segmentation SOP Instance has Segmentation Type (0062,0001) value BINARY, it identifies the area of defined (measured) region by pixel values in the referenced frame with value 1. For Segmentation Type value FRACTIONAL, the area is computed by an implementation dependent method. Frame number shall be specified even if the Segmentation SOP Instance has only a single frame.
Row 8	The values of (112039, DCM, "Tracking Identifier") and (112040, DCM, "Tracking Unique Identifier"), if present, shall match the corresponding values of Tracking ID (0062,0020) and Tracking UID (0062,0021), if present, in the corresponding Segment of any Segmentation instance referenced in Row 5.

TID 1402 Volume Measurement

Type: Extensible
Order: Significant
Root: No

Table TID 1402. Volume Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	DCID 7472 "Volume Measurements"	1	M		Value shall be > 0 UNITS = DCID 7462 "Units of Volume Measurement"
2	>	INFERRED FROM	SCOORD	EV (121057, DCM, "Perimeter Outline")	1-n	UC	XOR row 5, 6	GRAPHIC TYPE = not {MULTIPOINT}
3	>>	R-SELECTED FROM	IMAGE		1	MC	XOR Row 4	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>>	SELECTED FROM	IMAGE		1	MC	XOR Row 3	
5	>	INFERRED FROM	IMAGE	EV (121191, DCM, "Referenced Segment")	1	UC	XOR row 2, 6	Reference shall be to a Segmentation Image, with a value specified in Referenced Segment Number
6	>	R- INFERRED FROM	IMAGE		1	UC	XOR row 2, 5	Reference shall be to a Segmentation Image, with a value specified in Referenced Segment Number
7	>	HAS PROPERTIES	CODE	EV (G-C036, SRT370129005, SCT, "Measurement Method")	1	U		DCID 7474 "General Volume Calculation Methods"
8	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		

Content Item Descriptions

Row 2 "Perimeter Outline"	The two dimensional perimeter of the volume's intersection with or projection into the image. A Graphic Type of POINT implies that the volume's intersection or projection in a plane is a single pixel. A single pixel projection perimeter cannot cause a volume calculation to become 0. Otherwise the type shall be a closed POLYLINE (start and end point the same) or a CIRCLE or an ELLIPSE.
Rows 5, 6	Referenced Segment Number (0062,000B) is an attribute of the IMAGE Content Item. If the Referenced Segmentation SOP Instance has Segmentation Type (0062,0001) value BINARY, it identifies the defined (measured) volume by pixel/voxel values in the frames of the referenced segment with value 1. For Segmentation Type value FRACTIONAL, the volume is computed by an implementation dependent method. Segment number shall be specified even if the Segmentation SOP Instance has only a single segment.
Row 8	The values of (112039, DCM, "Tracking Identifier") and (112040, DCM, "Tracking Unique Identifier"), if present, shall match the corresponding values of Tracking ID (0062,0020) and Tracking UID (0062,0021), if present, in the corresponding Segment of any Segmentation instance referenced in Row 5.

TID 1404 Numeric Measurement

Type: Extensible
Order: Significant
Root: No

Table TID 1404. Numeric Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM		1	M		UNITS = DCID 82 "Units of Measurement"
2	>	INFERRED FROM	SCOORD		1-n	UC	XOR Row 5, 6	
3	>>	R-SELECTED FROM	IMAGE		1	MC	XOR Row 4	
4	>>	SELECTED FROM	IMAGE		1	MC	XOR Row 3	
5	>	R-INFERRED FROM	IMAGE	BCID 7003 "Diagnostic Imaging Report Purposes of Reference"	1-n	UC	XOR Row 2, 6	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	INFERRED FROM	IMAGE	BCID 7003 "Diagnostic Imaging Report Purposes of Reference"	1-n	UC	XOR Row 2, 5	
7	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		

Content Item Descriptions

Row 2	The SCOORD may indicate the points or area where the measurement was taken (e.g., a POINT showing the pixel location of a density measurement, or an open POLYLINE of three points showing the calculation of an angle).
Rows 3, 5	Valid only in IODs that permit relationships by-reference.

TID 1406 Three Dimensional Linear Measurement

Type: Extensible
Order: Significant
Root: No

Table TID 1406. Three Dimensional Linear Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	DCID 7470 "Linear Measurements"	1	M		UNITS = DCID 7460 "Units of Linear Measurement"
2	>	INFERRED FROM	SCOORD3D	EV (121055, DCM, "Path")	1	M		GRAPHIC TYPE = {POLYLINE, ELLIPSE, POLYGON}
3	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		

Content Item Descriptions

Rows 5, 6	<p>Path shall represent the measured path in a reference coordinate space. The Graphic Type (0070,0023) of the Path SCOORD3D shall be:</p> <ul style="list-style-type: none"> an open POLYLINE with two or more different (x,y,z) triplets (to measure length, diameter, distance, proximity, etc.), an ELLIPSE (to measure circumference) or a closed POLYGON to measure perimeter, where the (x,y,z) triplets are coplanar.
-----------	--

TID 1410 Planar ROI Measurements and Qualitative Evaluations

This Template provides a general structure to report measurements for some metric, e.g., density, flow, or concentration, and/or qualitative evaluations, over a planar region of interest in an image. The ROI may be specified by an SCOORD on an image, or by a Segmentation Image.

Table TID 1410. Parameters

\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Units	Units for the measurement
\$ModType	Modifier Name for Concept Name of measurement

\$ModValue	Modifier Value for Concept Name of measurement
\$Method	Value for Measurement Method
\$Derivation	Value for Measurement Derivation
\$TargetSite	Value for Anatomic Location of measurement
\$TargetSiteMod	Modifier Value for Anatomic Location of measurement
\$Equation	Coded term or Context Group for the equation or table from which the measurement was derived or computed
\$RefAuthority	Bibliographic reference or authority for statistical properties of a reference population
\$RangeAuthority	Bibliographic reference or authority for the normal range of the measurement
\$DerivationParameter	Coded term or Context Group for Concept Name of a derivation parameter
\$DerivationParameterUnits	Units of derivation parameter
\$QualitativeEvaluations	Evaluations encoded with code or text responses
\$FindingType	Type of the finding

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1410. Planar ROI Measurements and Qualitative Evaluations

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125007, DCM, "Measurement Group")	1	M		
1b	>	HAS OBS CONTEXT	TEXT	EV (C67447, NCIt, "Activity Session")	1	U		
2	>	HAS OBS CONTEXT	TEXT	DT (112039, DCM, "Tracking Identifier")	1	M		
3	>	HAS OBS CONTEXT	UIDREF	EV (112040, DCM, "Tracking Unique Identifier")	1	M		
3b	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1	U		\$FindingType
4	>	HAS OBS CONTEXT	INCLUDE	DTID 1502 "Time Point Context"	1	U		
5	>	CONTAINS	SCOORD	EV (111030, DCM, "Image Region")	1	MC	XOR Row 7	GRAPHIC TYPE = not {MULTIPOINT}
6	>>	SELECTED FROM	IMAGE		1	M		
7	>	CONTAINS	IMAGE	EV (121214, DCM, "Referenced Segmentation Frame")	1	MC	XOR Row 5	Reference shall be to a Segmentation Image, with a single value specified in Referenced Frame Number, and with a single value specified in Referenced Segment Number
8	>	CONTAINS	IMAGE	EV (121233, DCM, "Source image for segmentation")	1	MC	IFF Row 7	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9	>	CONTAINS	IMAGE	EV (121200, DCM, "Illustration of ROI")	1	U		
10	>	CONTAINS	COMPOSITE	EV (126100, DCM, "Real World Value Map used for measurement")	1	U		SOP Class UID shall be Real World Value Mapping Storage ("1.2.840.10008.5.1.4.1.1.67")
11	>	CONTAINS	INCLUDE	DTID 1419 "ROI Measurements"	1	U		\$Measurement = \$Measurement \$Units = \$Units \$ModType = \$ModType \$ModValue = \$ModValue \$Method = \$Method \$Derivation = \$Derivation \$TargetSite = \$TargetSite \$TargetSiteMod = \$TargetSiteMod \$Equation = \$Equation \$RefAuthority = \$RefAuthority \$RangeAuthority = \$RangeAuthority \$DerivationParameter = \$DerivationParameter \$DerivationParameterUnits = \$DerivationParameterUnits
12	>	CONTAINS	CODE	\$QualitativeEvaluations	1-n	U		
13	>	CONTAINS	TEXT	\$QualitativeEvaluations	1-n	U		

Content Item Descriptions

Row 1b	Identifies the session during which the measurements were made. The NCI Thesaurus definition is "time, period, or term devoted to some activity".
Rows 2, 3	The Tracking Identifier and Tracking Unique Identifier are defined as a text label or unique identifier (respectively) used for tracking a finding or feature, potentially across multiple reporting objects, over time. As such, they are distinct from the Observation UID (0040,A171), which is unique identifier of the specific Content Item and its subsidiary Content Items that constitute an individual observation, and would be different for different observations on different occasions of the same finding or feature. The values of these content items shall match the corresponding values of Tracking ID (0062,0020) and Tracking UID (0062,0021), if present, in the corresponding Segment of any Segmentation instance referenced in Row 7.
Row 3b	The type of the finding describes whatever entity (finding or feature) is identified by Rows 2 and 3. E.g., a finding might be a lesion, a tumor, or a reference region (as distinct from its anatomical location, which is encoded in a different content item (Finding Site).
Row 5	To describe an infinitely small area, such as the center of a lesion, a Graphic Type of POINT may be used.

Rows 6, 7	<p>Referenced Frame Number (0008,1160) is an attribute of the IMAGE Content Item, and shall be present with a single value.</p> <p>If the Referenced Segmentation SOP Instance has Segmentation Type (0062,0001) value BINARY, it identifies the area of defined (measured) region of interest by pixel values in the referenced frame with value 1. For Segmentation Type value FRACTIONAL, the area is computed by an implementation dependent method.</p> <p>Frame number shall be specified even if the Segmentation SOP Instance has only a single frame.</p>
Row 8	Identifies the source image that was segmented to identify the ROI, and whose properties are described in this container.
Row 9	This referenced image may contain a "screen shot" illustrating a rendered version of the ROI.
Row 10	The reference to an RWV in Row 10 allows measurements to be made in units that differ from the stored pixel values in the images referenced elsewhere in the Template. E.g., for a PET SUVbw measurement, the mapping from activity/concentration units in the referenced image that was used (and which may be reused for measurements in the future) may be encoded in a referenced RWV instance. This reference applies to any measurements in included Templates, unless overridden).
Row 11	Measurements may be omitted, for example if it is desired to describe only the location of a finding or to provide categorical information about it.
Rows 12, 13	Allows encoding a flat list of name-value pairs that are coded questions with coded or text answers, for example, to record categorical observations related to the subject of the measurement group.

TID 1411 Volumetric ROI Measurements and Qualitative Evaluations

This Template provides a general structure to report measurements for some metric, e.g., density, flow, or concentration, and/or qualitative evaluations, over a volumetric region of interest in a set of images or a Frame of Reference. The volumetric ROI may be specified by a set of SCOORDs on an image set representing a volume, by a volumetric Segmentation Image, by a volume defined in a Surface Segmentation, or by a SCOORD3D.

Table TID 1411. Parameters

\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Units	Units for the measurement
\$ModType	Modifier Name for Concept Name of measurement
\$ModValue	Modifier Value for Concept Name of measurement
\$Method	Value for Measurement Method
\$Derivation	Value for Measurement Derivation
\$TargetSite	Value for Anatomic Location of measurement
\$TargetSiteMod	Modifier Value for Anatomic Location of measurement
\$Equation	Coded term or Context Group for the equation or table from which the measurement was derived or computed
\$RefAuthority	Bibliographic reference or authority for statistical properties of a reference population
\$RangeAuthority	Bibliographic reference or authority for the normal range of the measurement
\$DerivationParameter	Coded term or Context Group for Concept Name of a derivation parameter
\$DerivationParameterUnits	Units of derivation parameter
\$QualitativeEvaluations	Evaluations encoded with code or text responses
\$FindingType	Type of the finding

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1411. Volumetric ROI Measurements and Qualitative Evaluations

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125007, DCM, "Measurement Group")	1	M		
1b	>	HAS OBS CONTEXT	TEXT	EV (C67447, NCIt, "Activity Session")	1	U		
2	>	HAS OBS CONTEXT	TEXT	DT (112039, DCM, "Tracking Identifier")	1	M		
3	>	HAS OBS CONTEXT	UIDREF	EV (112040, DCM, "Tracking Unique Identifier")	1	M		
3b	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1	U		\$FindingType
4	>	HAS OBS CONTEXT	INCLUDE	DTID 1502 "Time Point Context"	1	U		
5	>	CONTAINS	SCOORD	EV (111030, DCM, "Image Region")	1-n	MC	XOR Rows 7, 10	GRAPHIC TYPE = not {MULTIPOINT}
6	>>	SELECTED FROM	IMAGE		1	M		
7	>	CONTAINS	IMAGE	EV (121191, DCM, "Referenced Segment")	1	MC	XOR Rows 5, 10	Reference shall be to a Segmentation Image or Surface Segmentation object, with a single value specified in Referenced Segment Number
10	>	CONTAINS	SCOORD3D	EV (121231, DCM, "Volume Surface")	1	MC	XOR Rows 5, 7	GRAPHIC TYPE = {ELLIPSOID}
11	>	CONTAINS	IMAGE	EV (121233, DCM, "Source image for segmentation")	1-n	MC	XOR Row 12 and IFF (Row 7 or Row 10)	
12	>	CONTAINS	UIDREF	EV (121232, DCM, "Source series for segmentation")	1	MC	XOR Row 11 and IFF ((Row 7 or Row 10)	
13	>	CONTAINS	IMAGE	EV (121200, DCM, "Illustration of ROI")	1-n	U		
14	>	CONTAINS	COMPOSITE	EV (126100, DCM, "Real World Value Map used for measurement")	1	U		SOP Class UID shall be Real World Value Mapping Storage ("1.2.840.10008.5.1.4.1.1.67")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
15	>	CONTAINS	INCLUDE	DTID 1419 "ROI Measurements"	1	U		\$Measurement = \$Measurement \$Units = \$Units \$ModType = \$ModType \$ModValue = \$ModValue \$Method = \$Method \$Derivation = \$Derivation \$TargetSite = \$TargetSite \$TargetSiteMod = \$TargetSiteMod \$Equation = \$Equation \$RefAuthority = \$RefAuthority \$RangeAuthority = \$RangeAuthority \$DerivationParameter = \$DerivationParameter \$DerivationParameterUnits = \$DerivationParameterUnits
16	>	CONTAINS	CODE	\$QualitativeEvaluations	1-n	U		
17	>	CONTAINS	TEXT	\$QualitativeEvaluations	1-n	U		

Content Item Descriptions

Row 1b	Identifies the session during which the measurements were made. The NCI Thesaurus definition is "time, period, or term devoted to some activity".
Rows 2, 3	The Tracking Identifier and Tracking Unique Identifier are defined as a text label or unique identifier (respectively) used for tracking a finding or feature, potentially across multiple reporting objects, over time. As such, they are distinct from the Observation UID (0040,A171), which is unique identifier of the specific Content Item and its subsidiary Content Items that constitute an individual observation, and would be different for different observations on different occasions of the same finding or feature. The values of these content items shall match the corresponding values of Tracking ID (0062,0020) and Tracking UID (0062,0021), if present, in the corresponding Segment of any Segmentation instance referenced in Row 7.
Row 3b	The type of the finding describes whatever entity (finding or feature) is identified by Rows 2 and 3. E.g., a finding might be a lesion, a tumor, or a reference region (as distinct from its anatomical location, which is encoded in a different content item (Finding Site).
Rows 5, 10	To describe an infinitely small volume, such as the center of a lesion, a Graphic Type of POINT may be used.

Rows 6, 7	<p>Referenced Segment Number (0062,000B) is an attribute of the IMAGE Content Item, and shall be present with a single value.</p> <p>If the Referenced SOP Instance is a Segmentation Image, it shall have a defined Frame of Reference. If it has Segmentation Type (0062,0001) value BINARY, it identifies the volume of defined (measured) region of interest by voxel values in the referenced segment with value 1. If it has Segmentation Type value FRACTIONAL, the volume is defined by an implementation dependent method.</p> <p>If the referenced SOP Instance is a Surface Segmentation, the referenced segment shall constitute a finite volume. It identifies the volume of the defined (measured) region of interest by the interior of the finite volume.</p> <p>Segment number shall be specified even if the Segmentation SOP Instance has only a single segment.</p>
Row 11	Identifies the source images that were segmented to identify the ROI, when, for example a subset of images in a series was used.
Row 12	Identifies the source series of images that were segmented to identify the ROI, when, for example an entire set of images in a series was used.
Row 13	These referenced images may contain "screen shot" illustrating rendered versions of the ROI.
Row 14	The reference to an RWV in Row 14 allows measurements to be made in units that differ from the stored pixel values in the images referenced elsewhere in the Template. E.g., for a PET SUVbw measurement, the mapping from activity/concentration units in the referenced image that was used (and which may be reused for measurements in the future) may be encoded in a referenced RWV instance. This reference applies to any measurements in included Templates, unless overridden).
Row 15	Measurements may be omitted, for example if it is desired to describe only the location of a finding or to provide categorical information about it.
Rows 16, 17	Allows encoding a flat list of name-value pairs that are coded questions with coded or text answers, for example, to record categorical observations related to the subject of the measurement group.

TID 1419 ROI Measurements

This Template encodes measurements for some metric, e.g., density, flow, or concentration.

Table TID 1419. Parameters

\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Units	Units for the measurement
\$ModType	Modifier Name for Concept Name of measurement
\$ModValue	Modifier Value for Concept Name of measurement
\$Method	Value for Measurement Method
\$Derivation	Value for Measurement Derivation
\$TargetSite	Value(s) for Anatomic Location of measurement
\$TargetSiteMod	Modifier Value for Anatomic Location of measurement
\$Equation	Coded term or Context Group for the equation or table from which the measurement was derived or computed
\$RefAuthority	Bibliographic reference or authority for statistical properties of a reference population
\$RangeAuthority	Bibliographic reference or authority for the normal range of the measurement
\$DerivationParameter	Coded term or Context Group for Concept Name of a derivation parameter
\$DerivationParameterUnits	Units of derivation parameter

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1419. ROI Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	CODE	EV (G-C036; SRT370129005, SCT, "Measurement Method")	1	U		\$Method
2		HAS CONCEPT MOD	CODE	EV (G-C0E3; SRT363698007, SCT, "Finding Site")	1-n	U		\$TargetSite
3	>	HAS CONCEPT MOD	CODE	EV (G-C171; SRT272741003, SCT, "Laterality")	1	U		DCID 244 "Laterality"
4	>	HAS CONCEPT MOD	CODE	DT (G-A1F8; SRT106233006, SCT, "Topographical modifier")	1	U		\$TargetSiteMod
5			NUM	\$Measurement	1-n	M		UNITS = \$Units
6	>	HAS CONCEPT MOD	CODE	\$ModType	1-n	U		\$ModValue
7	>	HAS CONCEPT MOD	CODE	EV (G-C036; SRT370129005, SCT, "Measurement Method")	1	U		\$Method
8	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	U		\$Derivation
9	>	HAS CONCEPT MOD	CODE	EV (G-C0E3; SRT363698007, SCT, "Finding Site")	1-n	U		\$TargetSite
10	>>	HAS CONCEPT MOD	CODE	EV (G-C171; SRT272741003, SCT, "Laterality")	1	U		DCID 244 "Laterality"
11	>>	HAS CONCEPT MOD	CODE	DT (G-A1F8; SRT106233006, SCT, "Topographical modifier")	1	U		\$TargetSiteMod
12	>	HAS PROPERTIES	INCLUDE	DTID 310 "Measurement Properties"	1	U		\$RefAuthority = \$RefAuthority \$RangeAuthority = \$RangeAuthority
13	>	INFERRED FROM	NUM	\$DerivationParameter	1-n	UC	XOR Row 14	\$DerivationParameterUnits
14	>	R-INFERRED FROM	NUM	\$DerivationParameter	1-n	UC	XOR Row 13	\$DerivationParameterUnits
14b	>	INFERRED FROM	CODE	\$DerivationParameter	1-n	U		
14c	>	INFERRED FROM	TEXT	\$DerivationParameter	1-n	U		
15	>	INFERRED FROM	INCLUDE	DTID 315 "Equation or Table"	1	UC	XOR Row 16	\$Equation = \$Equation
16	>	INFERRED FROM	TEXT	DCID 228 "Equation or Table"	1	UC	XOR Row 15	
17	>		INCLUDE	DTID 1000 "Quotation"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
18	>	HAS CONCEPT MOD	TEXT	EV (121050, DCM, "Equivalent Meaning of Concept Name")	1	U		
19	>	CONTAINS	COMPOSITE	EV (126100, DCM, "Real World Value Map used for measurement")	1	U		SOP Class UID shall be Real World Value Mapping Storage ("1.2.840.10008.5.1.4.1.1.67")
20	>	HAS CONCEPT MOD	INCLUDE	DTID 4019 "Algorithm Identification"	1	U		

Content Item Descriptions

Rows 2, 9	Finding site may be multiple when a region of interest spans multiple anatomical locations and there is not a single pre-coordinated code describing the combination of locations. E.g., when a malignant, inflammatory or traumatic process spans actual or defined anatomical boundaries. There is no requirement that the multiple locations be contiguous.
Row 5	Specifies the metric for which measurements are reported, e.g., density, flow, or concentration. This metric is computed at each sample point (e.g., pixel or voxel) in an ROI (defined in the invoking Template), but those individual point measurements are not encoded. Instead, just the summary measurements for the ROI are encoded, and the means of computing a single value is defined in Row 8 Derivation (e.g., mean).
Rows 1, 2, 3, 4, 6, 7, 8, 9, 10, 11	The HAS CONCEPT MOD items allow the explicit definition of terms for post-coordination of the measurement concept name. Additional post-coordinated modifier terms may be included in a SOP Instance based on this Template, in accordance with section 6.2.4, or as defined by Templates that invoke this Template and explicitly define additional post-coordinated modifiers.
Rows 13, 14	The INFERRED FROM items allow the specification (by-value or by-reference) of numeric values that were used in the derivation of the numeric measurement of Row 1. The nature of the inference is not explicitly conveyed; it may be implicit in the Concept Names of the measurements. Inference by-reference is valid only in SOP Classes that permit the INFERRED FROM relationship by-reference.
Row 18	Equivalent Meaning of Concept Name allows the creating application to specify the preferred composed concept name representing the measurement and the associated post-coordinated concept modifiers. The concept modifiers may include those specified in this Template, in a Template that invokes this Template, or at the option of the creating application in accordance with section 6.2.4. This composed concept name may be rendered by a display application.
Row 19	The reference to an RWV in Row 19 allows measurements to be made in units that differ from the stored pixel values in the images referenced in the parent Template. E.g., for a PET SUVbw measurement, the mapping from activity/concentration units in the referenced image that was used (and which may be reused for measurements in the future) may be encoded in a referenced RWV instance. This reference overrides any reference in an including Template (such as for a Measurement Group).

TID 1420 Measurements Derived From Multiple ROI Measurements

This Template encodes measurements for some metric, e.g., density, flow, or concentration, which are acquired over some defined sampling (e.g., over successive time slots in a dynamic contrast enhanced acquisition).

Table TID 1420. Parameters

\$Measurement	Coded term or Context Group for Concept Name of measurement
\$MeasurementUnits	Units for the measurement
\$ModType	Modifier Name for Concept Name of measurement
\$ModValue	Modifier Value for Concept Name of measurement
\$Method	Value for Measurement Method
\$Derivation	Value for Measurement Derivation

\$TargetSite	Value for Anatomic Location of measurement
\$TargetSiteMod	Modifier Value for Anatomic Location of measurement
\$Equation	Coded term or Context Group for the equation or table from which the measurement was derived or computed
\$RefAuthority	Bibliographic reference or authority for statistical properties of a reference population
\$RangeAuthority	Bibliographic reference or authority for the normal range of the measurement
\$StatisticalRefAuthority	Bibliographic reference or authority for statistical properties of a reference population
\$StatisticalRangeAuthority	Bibliographic reference or authority for the normal range of the measurement
\$DerivationParameter	Coded term or Context Group for Concept Name of a derivation parameter
\$DerivationParameterUnits	Units of derivation parameter

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1420. Measurements Derived From Multiple ROI Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	DCID 7465 "Measurements Derived From Multiple ROI Measurements"	1-n	M		
2	>	R-INFERRED FROM	INCLUDE	DTID 1410 "Planar ROI Measurements and Qualitative Evaluations"	1-n	MC	XOR Row 3	\$Measurement = \$Measurement \$Units = \$MeasurementUnits \$ModType = \$ModType \$ModValue = \$ModValue \$Method = \$Method \$Derivation = \$Derivation \$TargetSite = \$TargetSite \$TargetSiteMod = \$TargetSiteMod \$Equation = \$Equation \$RefAuthority = \$RefAuthority \$RangeAuthority = \$RangeAuthority \$DerivationParameter = \$DerivationParameter \$DerivationParameterUnits = \$DerivationParameterUnits

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	R-INFERRED FROM	INCLUDE	DTID 1411 "Volumetric ROI Measurements and Qualitative Evaluations"	1-n	MC	XOR Row 2	\$Measurement = \$Measurement \$Units = \$MeasurementUnits \$ModType = \$ModType \$ModValue = \$ModValue \$Method = \$Method \$Derivation = \$Derivation \$TargetSite = \$TargetSite \$TargetSiteMod = \$TargetSiteMod \$Equation = \$Equation \$RefAuthority = \$RefAuthority \$RangeAuthority = \$RangeAuthority \$DerivationParameter = \$DerivationParameter \$DerivationParameterUnits = \$DerivationParameterUnits
4	>	HAS PROPERTIES	INCLUDE	DTID 310 "Measurement Properties"	1	U		\$RefAuthority = \$RefAuthority \$RangeAuthority = \$RangeAuthority

Content Item Descriptions

Row 1	Specifies the type of derived measurement reported, e.g., the mean of the individual ROI mean density values. Note that the units may be different from the units in the ROI measurements
Rows 2, 3	The measurement values of each ROI that contributes to the derived measurement, e.g., the mean density within an ROI. These are specified by reference, so as to not have to repeat the ROI information when it contributes to multiple derived measurements (e.g., if both mean and SD of ROI mean density values were specified).

TID 1500 Measurement Report

This Root Template encodes a list of Measurement Groups each containing lists of measurements, together with any derived measurements.

Each Measurement Group is identified by Tracking ID and UIDs.

An image library is available to describe characteristics of the images referenced by the measurements, if any.

Type: Extensible
Order: Non-Significant
Root: Yes

Table TID 1500. Measurement Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DCID 7021 "Measurement Report Document Titles"	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
4	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1-n	M		BCID 100 "Quantitative Diagnostic Imaging Procedures"
5	>	CONTAINS	INCLUDE	DTID 1600 "Image Library"	1	M		
6	>	CONTAINS	CONTAINER	EV (126010, DCM, "Imaging Measurements")	1	C	IF row 10 and 12 are absent	
7	>>	CONTAINS	INCLUDE	DTID 1410 "Planar ROI Measurements and Qualitative Evaluations"	1-n	U		\$Measurement = BCID 218 "Quantitative Image Features" \$Units = BCID 7181 "Abstract Multi-dimensional Image Model Component Units" \$Derivation = BCID 7464 "General Region of Interest Measurement Modifiers" \$Method = BCID 6147 "Response Criteria"
8	>>	CONTAINS	INCLUDE	DTID 1411 "Volumetric ROI Measurements and Qualitative Evaluations"	1-n	U		\$Measurement = BCID 218 "Quantitative Image Features" \$Units = BCID 7181 "Abstract Multi-dimensional Image Model Component Units" \$Derivation = BCID 7464 "General Region of Interest Measurement Modifiers" \$Method = BCID 6147 "Response Criteria"
9	>>	CONTAINS	INCLUDE	DTID 1501 "Measurement and Qualitative Evaluation Group"	1-n	U		\$Measurement = BCID 218 "Quantitative Image Features" \$Units = BCID 7181 "Abstract Multi-dimensional Image Model Component Units" \$Derivation = BCID 7464 "General Region of Interest Measurement Modifiers" \$Method = BCID 6147 "Response Criteria"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10	>	CONTAINS	CONTAINER	EV (126011, DCM, "Derived Imaging Measurements")	1	C	IF row 6 and 12 are absent	
11	>>	CONTAINS	INCLUDE	DTID 1420 "Measurements Derived From Multiple ROI Measurements"	1-n	U		
12	>	CONTAINS	CONTAINER	EV (C0034375, UMLS, "Qualitative Evaluations")	1	C	IF row 6 and 10 are absent	
13	>>	CONTAINS	CODE		1-n	U		
14	>>	CONTAINS	TEXT		1-n	U		

Content Item Descriptions

Rows 6, 10, 12	The conditions require that at least one of the "heading" containers be present, though any of them may be present but empty.
Rows 7, 8, 9	<p>The baseline context group allows for generic intensity, size, texture and other feature measurements, regardless of the geometry of the ROI (e.g., linear distance can be measured on volumes, or volume can be estimated from a linear distance), and being baseline, do not constrain the invoker from using other appropriate concepts specific to the application.</p> <p>Different measurements of the same real world lesion made using different types of measurements (different templates) can be correlated by a shared value of Tracking Unique Identifier. See also Section RRR.5 "Measurement Report SR Document Volumetric ROI with RECIST Linear Distance Specified by Coordinates on CT Example" in PS3.17.</p>
Row 7	Planar ROI measurements are those defined on a single plane by a segmentation reference or planar spatial coordinates.
Row 8	Volumetric ROI measurements are those defined on a volume by raster or surface segmentation references or a set of 2D or 3D spatial coordinates.
Row 9	<p>Generic measurements include those specified on an image as a whole or by unconstrained graphic coordinates. These may be used for such things as whole image scores or quality measures, and for linear distance measurements, such as for RECIST or WHO tumor treatment response criteria evaluation.</p> <p>A Measurement Group is used to contain one or more individual measurements that are invocations of TID 300, consistent with TIDs 1410 and 1411, which both already have Measurement Group containers as their roots.</p>
Rows 12, 13, 14	These Content Items allow encoding a flat list of name-value pairs that are coded questions with coded or text answers, for example, to record categorical observations related to the entire subject of the report rather than specific measurement groups.

TID 1501 Measurement and Qualitative Evaluation Group

This Template groups ~~Measurement~~ and ~~sand~~ measurements and/or qualitative evaluations into a Measurement Group.

Each Measurement Group is identified by Tracking ID and UIDs, and may be described as having being made at a particular time point.

Measurement groups may contain various common measurement modifiers that are shared by all measurements in the group, such as method and finding site.

Table TID 1501. Parameters

Parameter Name	Parameter Usage
\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Units	Units of Measurement
\$ModType	Modifier Name for Concept Name of measurement
\$ModValue	Modifier Value for Concept Name of measurement
\$Method	Value for Measurement Method
\$Derivation	Value for Measurement Derivation
\$TargetSite	Value(s) for Anatomic Location of measurement
\$TargetSiteMod	Modifier Value for Anatomic Location of measurement
\$Equation	Coded term or Context Group for the equation or table from which the measurement was derived or computed
\$ImagePurpose	Purpose of Reference for an image used as a source of the measurement
\$WavePurpose	Purpose of Reference for a waveform used as a source of the measurement
\$RefAuthority	Bibliographic reference or authority for statistical properties of a reference population
\$RangeAuthority	Bibliographic reference or authority for the normal range of the measurement
\$DerivationParameter	Coded term or Context Group for Concept Name of a derivation parameter
\$DerivationParameterUnits	Units of derivation parameter
\$QualitativeEvaluations	Evaluations encoded with code or text responses
\$FindingType	Type of the finding

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1501. Measurement and Qualitative Evaluation Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (125007, DCM, "Measurement Group")	1	M		
1b	>	HAS OBS CONTEXT	TEXT	EV (C67447, NCI, "Activity Session")	1	U		
2	>	HAS OBS CONTEXT	TEXT	DT (112039, DCM, "Tracking Identifier")	1	M		
3	>	HAS OBS CONTEXT	UIDREF	EV (112040, DCM, "Tracking Unique Identifier")	1	M		
3b	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1	U		\$FindingType
4	>	HAS OBS CONTEXT	INCLUDE	DTID 1502 "Time Point Context"	1	U		
5	>	HAS CONCEPT MOD	CODE	EV (G-C036, SRT370129005, SCT, "Measurement Method")	1	U		\$Method
6	>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1-n	U		\$TargetSite

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>>	HAS CONCEPT MOD	CODE	EV (G-C171; SRT272741003, SCT, "Laterality")	1	U		DCID 244 "Laterality"
8	>>	HAS CONCEPT MOD	CODE	DT (G-A1F8; SRT106233006, SCT, "Topographical modifier")	1	U		\$TargetSiteMod
9	>	CONTAINS	COMPOSITE	EV (126100, DCM, "Real World Value Map used for measurement")	1	U		SOP Class UID shall be Real World Value Mapping Storage ("1.2.840.10008.5.1.4.1.1.67")
10	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = \$Measurement \$Units = \$Units \$ModType = \$ModType \$ModValue = \$ModValue \$Method = \$Method \$Derivation = \$Derivation \$TargetSite = \$TargetSite \$TargetSiteMod = \$TargetSiteMod \$Equation = \$Equation \$ImagePurpose = \$ImagePurpose \$RefAuthority = \$RefAuthority \$RangeAuthority = \$RangeAuthority \$DerivationParameter = \$DerivationParameter \$DerivationParameterUnits = \$DerivationParameterUnits
11	>	CONTAINS	CODE	\$QualitativeEvaluations	1-n	U		
12	>	CONTAINS	TEXT	\$QualitativeEvaluations	1-n	U		

Content Item Descriptions

Row 1b	Identifies the session during which the measurements were made. The NCI Thesaurus definition is "time, period, or term devoted to some activity".
Rows 2, 3, 10	The included TID 300 already contains an optional inclusion of TID 1408 Tracking Identifier, which in turns allows for either or both Tracking Identifier and Tracking Unique Identifier Content Items; the intent of Rows 2 and 3 is not to send these Content Items twice, but rather to specialize their use such that their presence is mandatory, consistent with TIDs 1410 and 1411.
Row 3b	The type of the finding describes whatever entity (finding or feature) is identified by Rows 2 and 3. E.g., a finding might be a lesion, a tumor, or a reference region (as distinct from its anatomical location, which is encoded in a different content item (Finding Site).

Row 6	Finding site may be multiple when a region of interest spans multiple anatomical locations and there is not a single pre-coordinated code describing the combination of locations. E.g., when a malignant, inflammatory or traumatic process spans actual or defined anatomical boundaries. There is no requirement that the multiple locations be contiguous.
Row 9	The reference to an RWV in Row 9 allows measurements to be made in units that differ from the stored pixel values in the images referenced elsewhere in the Template. E.g., for a PET SUVbw measurement, the mapping from activity/concentration units in the referenced image that was used (and which may be reused for measurements in the future) may be encoded in a referenced RWV instance. This reference applies to any measurements in included Templates, unless overridden).
Rows 11, 12	Allows encoding a flat list of name-value pairs that are coded questions with coded or text answers, for example, to record categorical observations related to the subject of the measurement group.

TID 1502 Time Point Context

This Template describes information about the time point, for example, at which a measurement was obtained.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1502. Time Point Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS OBS CONTEXT	TEXT	EV (126070, DCM, "Subject Time Point Identifier")	1	U		
2		HAS OBS CONTEXT	TEXT	EV (126071, DCM, "Protocol Time Point Identifier")	1	U		
3		HAS OBS CONTEXT	TEXT	EV (C2348792, UMLS, "Time Point")	1	M		
4		HAS OBS CONTEXT	CODE	EV (126072, DCM, "Time Point Type")	1-n	U		BCID 6146 "Time Point Types"
5		HAS OBS CONTEXT	NUM	EV (126073, DCM, "Time Point Order")	1	U		UNITS = EV (1, UCUM, "no units")
6		HAS OBS CONTEXT	NUM	EV (128740, DCM, "Longitudinal Temporal Offset from Event")	1	U		UNITS = DT (d, UCUM, "days")
7	>	HAS CONCEPT MOD	CODE	EV (128741, DCM, "Longitudinal Temporal Event Type")	1	M		DCID 280 "Longitudinal Temporal Event Types"

Content Item Descriptions

Row 1	Usually the same value as the Clinical Trial Time Point ID (0012,0050) attribute in the Clinical Trial Study Module, though not confined to clinical trial use. May or may not be human readable, and not required to be a DICOM UID.
Row 2	All of the subjects within a treatment protocol that are examined at a particular scheduled time point (e.g., "baseline", "pre-treatment", "first post-treatment") will have the same Protocol Time Point Identifier, but different Subject Time Point Identifiers. However, in different protocols, the Protocol Time Point Identifiers for the same conceptual "time point" will be different. E.g., the "baseline" time point will have different Protocol Time Point Identifiers in different protocols. May or may not be human readable, and not required to be a DICOM UID.

Row 3	Typically a short pre-defined label that has the same scope as Protocol Time Point Identifier (i.e., same conceptual time point within a treatment protocol) but is human-readable and understandable, e.g., "BASELINE" or "TP0", "TP1", etc. Usually the same value as Clinical Trial Time Point Description (0012,0051) attribute in the Clinical Trial Study Module, though not confined to clinical trial use. The Concept Name is selected as (C2348792, UMLS, "Time Point") (which is (C68568, NCI, "Time Point"), defined as "a specific point in the time continuum, including those established relative to an event") in order to be compatible with external terminologies.
Row 4	More than one type is permitted, e.g., a time point may be "posttreatment" as well as "unscheduled" or "nadir", etc.
Row 5	The order is expected to be monotonically increasing within a particular scope of usage, but is not required to start at 0 or 1, nor required to increase in increments of 1 or even the same increment (e.g., to allow for retrospective insertion of unscheduled time points). In clinical usage, the Time Point Order would be expected to be temporally increasing, but in a clinical trial may be a randomized reading order rather than a temporal order.
Rows 6, 7	Longitudinal temporal information may be inherited from Longitudinal Temporal Offset from Event (0012,0052) and Longitudinal Temporal Event Type (0012,0053) in the PS3.3 Section C.7.2.3 Clinical Trial Study Module, or may be specified or overridden within this template (e.g., if different measurements in the same SR Instance were measured on different time points).

TID 1600 Image Library

The Image Library contains references to images and selected attributes describing them that facilitate analysis without having to retrieve the entire set of referenced images.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1600. Image Library

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111028, DCM, "Image Library")	1	M		
2	>	CONTAINS	CONTAINER	EV (126200, DCM, "Image Library Group")	1-n	U		
3	>>	HAS ACQ CONTEXT	INCLUDE	DTID 1602 "Image Library Entry Descriptors"	1	U		
4	>>	CONTAINS	INCLUDE	DTID 1601 "Image Library Entry"	1-n	U		

TID 1601 Image Library Entry

Each instance of the Image Library Entry Template contains the Image SOP Class and Instance UIDs, and selected attributes for an image that facilitate analysis without having to retrieve the entire set of referenced images.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1601. Image Library Entry

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			IMAGE		1	M		
2	>	HAS ACQ CONTEXT	INCLUDE	DTID 1602 "Image Library Entry Descriptors"	1	U		

TID 1602 Image Library Entry Descriptors

This Template contains selected attributes for an image or group of images. The descriptive information may be copied from images or derived.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1602. Image Library Entry Descriptors

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS ACQ CONTEXT	CODE	EV (121139, DCM, "Modality")	1	U		DCID 29 "Acquisition Modality"
2		HAS ACQ CONTEXT	CODE	EV (123014, DCM, "Target Region")	1	U		DCID 4031 "Common Anatomic Regions"
3		HAS ACQ CONTEXT	CODE	EV (111027, DCM, "Image Laterality")	1	U		DCID 244 "Laterality"
4		HAS ACQ CONTEXT	DATE	EV (111060, DCM, "Study Date")	1	U		
5		HAS ACQ CONTEXT	TIME	EV (111061, DCM, "Study Time")	1	U		
6		HAS ACQ CONTEXT	DATE	EV (111018, DCM, "Content Date")	1	U		
7		HAS ACQ CONTEXT	TIME	EV (111019, DCM, "Content Time")	1	U		
8		HAS ACQ CONTEXT	DATE	EV (126201, DCM, "Acquisition Date")	1	U		
9		HAS ACQ CONTEXT	TIME	EV (126202, DCM, "Acquisition Time")	1	U		
10		HAS ACQ CONTEXT	UIDREF	EV (112227, DCM, "Frame of Reference UID")	1	U		
11		HAS ACQ CONTEXT	NUM	EV (110910, DCM, "Pixel Data Rows")	1	U		UNITS = EV ({pixels}, UCUM, "pixels")
12		HAS ACQ CONTEXT	NUM	EV (110911, DCM, "Pixel Data Columns")	1	U		UNITS = EV ({pixels}, UCUM, "pixels")
13		HAS ACQ CONTEXT	INCLUDE	DTID 1603 "Image Library Entry Descriptors for Projection Radiography"	1	U		
14		HAS ACQ CONTEXT	INCLUDE	DTID 1604 "Image Library Entry Descriptors for Cross-Sectional Modalities"	1	U		
15		HAS ACQ CONTEXT	INCLUDE	DTID 1605 "Image Library Entry Descriptors for CT"	1	U		
16		HAS ACQ CONTEXT	INCLUDE	DTID 1606 "Image Library Entry Descriptors for MR"	1	U		
17		HAS ACQ CONTEXT	INCLUDE	DTID 1607 "Image Library Entry Descriptors for PET"	1	U		

Content Item Descriptions

Target Region	The value of Anatomic Region Sequence (0008,2218) in the Image IOD, or a code derived from Body Part Examined (0018,0015) using the mapping described in Annex L.
---------------	---

TID 1603 Image Library Entry Descriptors for Projection Radiography

This Template contains selected attributes for a projection radiography image or group of such images. The descriptive information may be copied from images or derived.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1603. Image Library Entry Descriptors for Projection Radiography

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS ACQ CONTEXT	CODE	EV (111031, DCM, "Image View")	1	U		
2	>	HAS CONCEPT MOD	CODE	EV (111032, DCM, "Image View Modifier")	1-n	U		
3		HAS ACQ CONTEXT	TEXT	EV (111044, DCM, "Patient Orientation Row")	1	U		
4		HAS ACQ CONTEXT	TEXT	EV (111043, DCM, "Patient Orientation Column")	1	U		
5		HAS ACQ CONTEXT	NUM	EV (111026, DCM, "Horizontal Pixel Spacing")	1	U		UNITS = EV (mm, UCUM, "millimeter")
6		HAS ACQ CONTEXT	NUM	EV (111066, DCM, "Vertical Pixel Spacing")	1	U		UNITS = EV (mm, UCUM, "millimeter")
7		HAS ACQ CONTEXT	NUM	EV (112011, DCM, "Positioner Primary Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
8		HAS ACQ CONTEXT	NUM	EV (112012, DCM, "Positioner Secondary Angle")	1	U		UNITS = EV (deg, UCUM, "deg")

Content Item Descriptions

Patient Orientation Row	First (row) and second (column) components of Patient Orientation (0020,0020) in the Image IOD. See Section C.7.6.1.1.1 "Patient Orientation" in PS3.3.
Patient Orientation Column	
Horizontal Imager Pixel Spacing	The second component of Imager Pixel Spacing (0018,1164) in the Image IOD. See Section C.8.11.4 "DX Detector Module" in PS3.3.
Vertical Imager Pixel Spacing	The first component of Imager Pixel Spacing (0018,1164) in the Image IOD. See Section C.8.11.4 "DX Detector Module" in PS3.3.

TID 1604 Image Library Entry Descriptors for Cross-Sectional Modalities

This Template contains selected attributes for a cross-sectional image or group of such images. The descriptive information may be copied from images or derived.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1604. Image Library Entry Descriptors for Cross-Sectional Modalities

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS ACQ CONTEXT	NUM	EV (111026, DCM, "Horizontal Pixel Spacing")	1	U		UNITS = EV (mm, UCUM, "millimeter")
2		HAS ACQ CONTEXT	NUM	EV (111066, DCM, "Vertical Pixel Spacing")	1	U		UNITS = EV (mm, UCUM, "millimeter")
3		HAS ACQ CONTEXT	NUM	EV (112226, DCM, "Spacing between slices")	1	U		UNITS = EV (mm, UCUM, "millimeter")
4		HAS ACQ CONTEXT	NUM	EV (112225, DCM, "Slice Thickness")	1	U		UNITS = EV (mm, UCUM, "millimeter")
5		HAS ACQ CONTEXT	NUM	EV (110901, DCM, "Image Position (Patient) X")	1	U		UNITS = EV (mm, UCUM, "millimeter")
6		HAS ACQ CONTEXT	NUM	EV (110902, DCM, "Image Position (Patient) Y")	1	U		UNITS = EV (mm, UCUM, "millimeter")
7		HAS ACQ CONTEXT	NUM	EV (110903, DCM, "Image Position (Patient) Z")	1	U		UNITS = EV (mm, UCUM, "millimeter")
8		HAS ACQ CONTEXT	NUM	EV (110904, DCM, "Image Orientation (Patient) Row X")	1	U		UNITS = EV ({-1:1}, UCUM, "{-1:1}")
9		HAS ACQ CONTEXT	NUM	EV (110905, DCM, "Image Orientation (Patient) Row Y")	1	U		UNITS = EV ({-1:1}, UCUM, "{-1:1}")
10		HAS ACQ CONTEXT	NUM	EV (110906, DCM, "Image Orientation (Patient) Row Z")	1	U		UNITS = EV ({-1:1}, UCUM, "{-1:1}")
11		HAS ACQ CONTEXT	NUM	EV (110907, DCM, "Image Orientation (Patient) Column X")	1	U		UNITS = EV ({-1:1}, UCUM, "{-1:1}")
12		HAS ACQ CONTEXT	NUM	EV (110908, DCM, "Image Orientation (Patient) Column Y")	1	U		UNITS = EV ({-1:1}, UCUM, "{-1:1}")
13		HAS ACQ CONTEXT	NUM	EV (110909, DCM, "Image Orientation (Patient) Column Z")	1	U		UNITS = EV ({-1:1}, UCUM, "{-1:1}")

Content Item Descriptions

Horizontal Imager Pixel Spacing	The second component of Pixel Spacing (0028,0030) in the Image IOD. See Section 10.7.1.1 "Pixel Spacing" in PS3.3 and Section C.7.6.2 "Image Plane Module" in PS3.3.
Vertical Imager Pixel Spacing	The first component of Pixel Spacing (0028,0030) in the Image IOD. See Section 10.7.1.1 "Pixel Spacing" in PS3.3 and Section C.7.6.2 "Image Plane Module" in PS3.3.

TID 1605 Image Library Entry Descriptors for CT

This Template contains selected attributes for a CT image or group of such images. The descriptive information may be copied from images or derived.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1605. Image Library Entry Descriptors for CT

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS ACQ CONTEXT	CODE	EV (113820, DCM, "CT Acquisition Type")	1	U		DCID 10013 "CT Acquisition Type"
2		HAS ACQ CONTEXT	CODE	EV (113961, DCM, "Reconstruction Algorithm")	1	U		DCID 10033 "CT Reconstruction Algorithm"

Content Item Descriptions

CT Acquisition Type	A code derived from the value of Acquisition Type (0018,9302) in the Image IOD. See Section C.8.15.3.2 "CT Acquisition Type Macro" in PS3.3.
Reconstruction Algorithm	A code derived from the value of Reconstruction Algorithm (0018,9315) in the Image IOD. See Section C.8.15.3.7 "CT Reconstruction Macro" in PS3.3.

TID 1606 Image Library Entry Descriptors for MR

This Template contains selected attributes for a MR image or group of such images. The descriptive information may be copied from images or derived.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1606. Image Library Entry Descriptors for MR

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS ACQ CONTEXT	TEXT	EV (128230, DCM, "Pulse Sequence Name")	1	U		

Content Item Descriptions

Pulse Sequence Name	The value of Pulse Sequence Name (0018,9005) or Sequence Name (0018,0024) in the Image IOD. See Section C.8.13.4 "MR Pulse Sequence Module" in PS3.3.
---------------------	---

TID 1607 Image Library Entry Descriptors for PET

This Template contains selected attributes for a PET image or group of such images. The descriptive information may be copied from images or derived.

Note

The content of this Template is similar to that in TID 15101 NM/PET Protocol Context, but is in the form of an SR Template rather than a Protocol Context Template, and the content items are not nested as modifiers. There is also some similarity to TID 3307 NM/PET Perfusion Measurement Group.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 1607. Image Library Entry Descriptors for PET

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS ACQ CONTEXT	CODE	EV (C-10072 , SRT 89457008, SCT , "Radionuclide")	1	U		DCID 4020 "PET Radionuclide"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2		HAS ACQ CONTEXT	CODE	EV (F-61FDB, SRT417881006, SCT, "Radiopharmaceutical agent")	1	U		DCID 4021 "PET Radiopharmaceutical"
3		HAS ACQ CONTEXT	NUM	EV (R-42806, SRT304283002, SCT, "Half-life of radiopharmaceutical")	1	U		UNITS = EV (s, UCUM, "s")
3b		HAS ACQ CONTEXT	TEXT	EV (121022, DCM, "Accession Number")	1	U		
4		HAS ACQ CONTEXT	DATETIME	EV (123003, DCM, "Radiopharmaceutical Start DateTime")	1	U		
5		HAS ACQ CONTEXT	DATETIME	EV (123004, DCM, "Radiopharmaceutical Stop DateTime")	1	U		
6		HAS ACQ CONTEXT	NUM	EV (123005, DCM, "Radiopharmaceutical Volume")	1	U		UNITS = DT (cm3, UCUM, "cm3")
7		HAS ACQ CONTEXT	NUM	EV (123006, DCM, "Radionuclide Total Dose")	1	U		UNITS = DT (Bq, UCUM, "Bq")
8		HAS ACQ CONTEXT	NUM	EV (123007, DCM, "Radiopharmaceutical Specific Activity")	1	U		UNITS = DT (Bq/mol, UCUM, "Bq/mol")
9		HAS ACQ CONTEXT	CODE	EV (G-C340, SRT410675002, SCT, "Route of Administration")	1	U		BCID 11 "Route of Administration"
10		HAS ACQ CONTEXT	NUM	EV (123009, DCM, "Radionuclide Syringe Counts")	1	U		UNITS = DT ({counts}/s, UCUM "counts/s")
11		HAS ACQ CONTEXT	NUM	EV (123010, DCM, "Radionuclide Residual Syringe Counts")	1	U		UNITS = DT ({counts}/s, UCUM "counts/s")
12		HAS ACQ CONTEXT	NUM	EV (126203, DCM, "PET Radionuclide Incubation Time")	1	U		UNITS = EV (min, UCUM, "min")
13		HAS ACQ CONTEXT	NUM	EV (14749-6, LN, "Glucose")	1	U		UNITS = EV (mmol/l, UCUM, "mmol/l")
14		HAS ACQ CONTEXT	DATE	EV (127857, DCM, "Glucose Measurement Date")	1	MC	IF Row 13 Glucose is present and does not contain Observation DateTime (0040,A032).	
15		HAS ACQ CONTEXT	TIME	EV (127858, DCM, "Glucose Measurement Time")	1	MC	IF Row 13 Glucose is present and does not contain Observation DateTime (0040,A032).	

Content Item Descriptions

Row 3	Half-life of radiopharmaceutical	The units for half life are chosen to be seconds, to match the units used for Radionuclide Half Life (0018,1075). See Section C.8.9.2 "PET Isotope Module" in PS3.3.
Row 14	Glucose Measurement Date	In an earlier edition of the Standard, an incorrect DCM code was used for this concept, which was already assigned as (109081, DCM, "Prospective gating").
Row 15	Glucose Measurement Time	In an earlier edition of the Standard, an incorrect DCM code was used for this concept, which was already assigned as (109082, DCM, "Retrospective gating").

TID 2000 Basic Diagnostic Imaging Report

Basic report Template for general diagnostic imaging interpretation reports.

Can only be instantiated at the root node and cannot be included in other Templates.

Type: Non-Extensible
Order: Significant
Root: Yes

Table TID 2000. Basic Diagnostic Imaging Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	BCID 7000 "Diagnostic Imaging Report Document Titles"	1	M		Root node
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1-n	U		
3	>	HAS CONCEPT MOD	CODE	EV (122142, DCM, "Acquisition Device Type")	1-n	U		DCID 29 "Acquisition Modality"
4	>	HAS CONCEPT MOD	CODE	EV (123014, DCM, "Target Region")	1-n	U		
5	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
6	>	HAS CONCEPT MOD	INCLUDE	DTID 1210 "Equivalent Meaning(s) of Concept Name"	1-n	U		
7	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
8	>	CONTAINS	CONTAINER	BCID 7001 "Diagnostic Imaging Report Headings"	1-n	U		
9	>>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	U		
10	>>		INCLUDE	DTID 2002 "Report Narrative"	1	M		

No Content Items other than those defined in Observation Context TID 1001 "Observation Context" may be the target of a HAS OBS CONTEXT relationship when TID 2000 "Basic Diagnostic Imaging Report" is invoked.

Content Item Descriptions

Rows 2, 3, 4	The content of rows 2, 3, and 4 shall not be inconsistent with the meaning of the report title of row 1. If the report title does not include the concepts of the procedure type, modality, or target site (e.g., the generic "Diagnostic Imaging Report"), these rows may provide post-coordination of those concepts. If the report title does include such concepts (e.g., "CT Head Report"), they may be encoded duplicatively to support report categorization and search.
--------------	---

TID 2001 Basic Diagnostic Imaging Report Observations

Individual numeric or image observations that may be useful for inclusion as individual findings or as the source of inferences in a report.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 2001. Basic Diagnostic Imaging Report Observations

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			IMAGE	BCID 7003 "Diagnostic Imaging Report Purposes of Reference"	1	MC	XOR Rows 2, 3, 4, 5.	
2			INCLUDE	DTID 1400 "Linear Measurement"	1	MC	XOR Rows 1, 3, 4, 5. Shall not be present if the NUM value type is not supported by the IOD.	
3			INCLUDE	DTID 1401 "Area Measurement"	1	MC	XOR Rows 1, 2, 4, 5. Shall not be present if the NUM value type is not supported by the IOD.	
4			INCLUDE	DTID 1402 "Volume Measurement"	1	MC	XOR Rows 1, 2, 3, 5. Shall not be present if the NUM value type is not supported by the IOD.	
5			INCLUDE	DTID 1404 "Numeric Measurement"	1	MC	XOR Rows 1, 2, 3, 4. Shall not be present if the NUM value type is not supported by the IOD.	

TID 2002 Report Narrative

The Report Narrative allows recording of text, code, and numeric observations. The order of Content Items in the Template is not significant; the order of Content Items in a SOP Instance may be significant to the narrative flow of the report.

Type: Non-Extensible
Order: Non-Significant
Root: No

Table TID 2002. Report Narrative

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CODE	BCID 7002 "Diagnostic Imaging Report Elements"	1-n	U		
2	>	INFERRED FROM	INCLUDE	DTID 2001 "Basic Diagnostic Imaging Report Observations"	1-n	U		
3		CONTAINS	TEXT	BCID 7002 "Diagnostic Imaging Report Elements"	1-n	U		
4	>	INFERRED FROM	INCLUDE	DTID 2001 "Basic Diagnostic Imaging Report Observations"	1-n	U		
5		CONTAINS	INCLUDE	DTID 2001 "Basic Diagnostic Imaging Report Observations"	1-n	U		

TID 2005 Transcribed Diagnostic Imaging Report

Basic report Template for general diagnostic imaging interpretation reports produced in a dictation/transcription workflow. SR documents encoded using this Template are intended to be transformable to HL7 Clinical Document Architecture format (see Section X.3 "Transcribed Diagnostic Imaging CDA Instance Content" in PS3.17 and Annexes in PS3.20).

This Template can be instantiated only at the root node, and cannot be included in other Templates.

Observation Context shall be inherited from outside the SR Content tree, and shall not be changed within the Content tree. To satisfy the requirement that Observer Context is inherited, either or both the Author Observer Sequence (0040,A078) or the Verifying Observer Sequence (0040,A073) from the SR Document Module must be present in the SOP Instance.

Note

See Section C.17.5 "Observation Context Encoding" in PS3.3.

Type: Non-Extensible
Order: Significant
Root: Yes

Table TID 2005. Transcribed Diagnostic Imaging Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	BCID 7000 "Diagnostic Imaging Report Document Titles"	1	M		Root node
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1-n	U		
3	>	HAS CONCEPT MOD	CODE	EV (122142, DCM, "Acquisition Device Type")	1-n	U		DCID 29 "Acquisition Modality"
4	>	HAS CONCEPT MOD	CODE	EV (123014, DCM, "Target Region")	1-n	U		
5	>	HAS CONCEPT MOD	CODE	EV (121049, DCM, "Language of Content Item and Descendants")	1	M		DCID 5000 "Languages"
6	>	CONTAINS	CONTAINER	BCID 7001 "Diagnostic Imaging Report Headings"	1-n	M		
7	>>	CONTAINS	TEXT	BCID 7002 "Diagnostic Imaging Report Elements"	1	U		
8	>	CONTAINS	CONTAINER	EV (55113-5, LN, "Key Images")	1-n	U		
9	>>	CONTAINS	TEXT	EV (113012, DCM, "Key Object Description")	1	U		
10	>>	CONTAINS	IMAGE	Purpose of Reference is not used	1-n	M		

Content Item Descriptions

Rows 2, 3, 4	The content of rows 2, 3, and 4 shall not be inconsistent with the meaning of the report title of row 1. If the report title does not include the concepts of the procedure type, modality, or target site (e.g., the generic "Diagnostic Imaging Report"), these rows may provide post-coordination of those concepts. If the report title does include such concepts (e.g., "CT Head Report"), they may be encoded duplicatively to support report categorization and search.
Row 6	CONTAINER Concept Name may be absent.
Row 10	IMAGE Concept Name shall be absent. Purpose of reference is not specified.

TID 2006 Imaging Report With Conditional Radiation Exposure and Protection Information

This Template is used for general imaging reports for both radiation producing and non-radiation producing modalities.

For radiation producing modalities, radiation exposure and protection information is required, such as to support nationally-specific legal or standard requirements.

It contains mandatory sections, each of which may appear only once in objects instantiated from the Template, including the medical content of the report that comprises relevant medical history data, information on the current request (i.e., clinical question that is expected to be answered by the requested procedure), impressions on the current imaging procedure that has been performed, and radiation exposure and protection information.

This Template is a specialization of TID 2000 "Basic Diagnostic Imaging Report", in that it uses the same structure of headings and content, but mandates the presence and order of specific headings, and extends the subordinate content with specific Content Items.

Type: Non-Extensible
Order: Non-Significant
Root: Yes

Table TID 2006. Imaging Report With Conditional Radiation Exposure and Protection Information

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	BCID 7000 "Diagnostic Imaging Report Document Titles"	1	M		Root node
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1-n	U		
3	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
4	>	HAS CONCEPT MOD	INCLUDE	DTID 1210 "Equivalent Meaning(s) of Concept Name"	1-n	U		
5	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
6	>	CONTAINS	CONTAINER	EV (55111-9, LN, "Current Procedure Descriptions")	1	M		
7	>>		INCLUDE	DTID 2007 "Imaging Procedure Description"	1	M		
8	>	CONTAINS	CONTAINER	EV (55114-3, LN, "Prior Procedure Descriptions")	1-n	MC	IF relevant prior procedures have been performed.	
9	>>		INCLUDE	DTID 2007 "Imaging Procedure Description"	1	M		
10	>	CONTAINS	CONTAINER	EV (11329-0, LN, "History")	1	M		
11	>>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	U		
12	>>		INCLUDE	DTID 2002 "Report Narrative"	1	M		
13	>	CONTAINS	CONTAINER	EV (55115-0, LN, "Request")	1	M		
14	>>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	U		
15	>>		INCLUDE	DTID 2002 "Report Narrative"	1	M		
16	>	CONTAINS	CONTAINER	EV (19005-8, LN, "Impressions")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
17	>>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	U		
18	>>		INCLUDE	DTID 2002 "Report Narrative"	1	M		
19	>	CONTAINS	INCLUDE	DTID 2008 "Radiation Exposure and Protection Information"	1	MC	IF the current procedure exposes the patient to ionizing radiation.	
20	>	CONTAINS	CONTAINER	BCID 7001 "Diagnostic Imaging Report Headings"	1-n	U		
21	>>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	U		
22	>>		INCLUDE	DTID 2002 "Report Narrative"	1	M		

No Content Items other than those defined in TID 1001 "Observation Context" may be the target of a HAS OBS CONTEXT relationship when TID 2006 "Imaging Report With Conditional Radiation Exposure and Protection Information" is invoked.

Content Item Descriptions

Row 2	Even though this information is related to the content of Row 6 in TID 2007 "Imaging Procedure Description", it is present here for consistency with other report Templates.
Rows 5, 6	Information on at least one of the following person observers is mandatory: 1) "Performing Physician" 2) "Performing Technologist". (For those person observers, requirement types as specified in TID 1003 "Person Observer Identifying Attributes" apply. That means that "Person Observer Name" is the only mandatory attribute).
Row 20	Each heading (concept code from CID 7001 "Diagnostic Imaging Report Headings") may appear only once, and may not repeat the headings (concept codes) used when instantiating any other rows of this Template.

TID 2007 Imaging Procedure Description

Contains information related to the procedure.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 2007. Imaging Procedure Description

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	U		
2		CONTAINS	TEXT	EV (123014, DCM, "Target Region")	1	MC	XOR with Row 3	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3		CONTAINS	CODE	EV (123014, DCM, "Target Region")	1	MC	XOR with Row 2	DCID 4028 "Craniofacial Anatomic Regions" DCID 4030 "CT, MR and PET Anatomy Imaged" DCID 4031 "Common Anatomic Regions"
4	>	HAS CONCEPT MOD	CODE	EV (122142, DCM, "Acquisition Device Type")	1-n	U		DCID 29 "Acquisition Modality"
5		CONTAINS	TEXT	EV (121065, DCM, "Procedure Description")	1	M		
6		CONTAINS	DATE	EV (111060, DCM, "Study Date")	1	M		Shall be equal to the Study Date (0020,0020) in the General Study Module in the images to which this report applies.
7		CONTAINS	TIME	EV (111061, DCM, "Study Time")	1	U		If present, shall be equal to the Study Time (0020,0030) in the General Study Module in the images to which this report applies.
8		CONTAINS	COMPOSITE	EV (113701, DCM, "X-Ray Radiation Dose Report")	1-n	U		

TID 2008 Radiation Exposure and Protection Information

Contains information related to the radiation exposure and protection of the patient, as is required by national legal requirements or standards.

Other information about the current procedure is described in TID 2006 "Imaging Report With Conditional Radiation Exposure and Protection Information" and not repeated here.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 2008. Radiation Exposure and Protection Information

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (73569-6, LN, "Radiation Exposure and Protection Information")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	U		
3	>	CONTAINS	CODE	EV (364320009, SCT, "Pregnancy observable")	1	MC	IF female patient of child-bearing age	DCID 6096 "Pregnancy Status"
4	>	CONTAINS	TEXT	EV (18785-6, LN, "Indications for Procedure")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	PNAME	EV (113850, DCM, "Irradiation Authorizing ")	1	M		
6	>	CONTAINS	TEXT	EV (113921, DCM, "Radiation Exposure")	1	MC	IFF ionizing radiation is applied in the context of the current procedure	
7	>	CONTAINS	TEXT	EV (440252007, SCT, "Administration of radiopharmaceutical")	1	MC	IFF radioactive substance is administered in the context of the current procedure	

Content Item Descriptions

Row 5	The clinician responsible for determining that the irradiating procedure was appropriate for the indications.
Row 6	A textual, human-readable description of the radiation exposure is all that is required by this Template (such as is sufficient to comply with, for example, German law). Detailed specification of exposure is out of the scope of this Template. Such information may be given in a separate SR instances such as described in TID 10001 "Projection X-Ray Radiation Dose" or TID 10011 "CT Radiation Dose", and referenced from TID 2007 "Imaging Procedure Description".

TID 2010 Key Object Selection

The Key Object Selection Template is intended for flagging one or more significant images, waveforms, or other composite SOP Instances. Key Object Selection contains:

- coded document title stating the reason for significance of the referenced objects in the Key Object Selection,
- optional free form text comment in an explicitly identified language, and
- optional identification of the observer (device or person) that created the Key Object Selection.

Note

1. For instance, when this Template is used to identify images rejected for quality reasons, the device or person performing the quality assessment is identified in observation context items (invoked through TID 1002 "Observer Context"). The reason for rejection can be included both as a code used as a concept modifier for the document title, and as text description.
2. The order of object references may be significant, e.g., when the title concept is "For Conference".
3. Instances referenced in a Key Object Selection Document may be securely referenced by Digital Signature or MAC mechanisms within the SR Document General Module (see PS3.3).

The Template can only be instantiated at the root node and cannot be included in other Templates. The Template is not extensible; that is, no other Content Items may be added to this Template, or the Templates that are included, recursively.

Type: Non-Extensible
Order: Non-Significant
Root: Yes

Table TID 2010. Key Object Selection

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DCID 7010 "Key Object Selection Document Title"	1	M		Root node

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	CODE	EV (113011, DCM, "Document Title Modifier")	1-n	U		
3	>	HAS CONCEPT MOD	CODE	EV (113011, DCM, "Document Title Modifier")	1	UC	IF Row 1 Concept Name = (113001, DCM, "Rejected for Quality Reasons") or (113010, DCM, "Quality Issue")	DCID 7011 "Rejected for Quality Reasons"
4	>	HAS CONCEPT MOD	CODE	EV (113011, DCM, "Document Title Modifier")	1	MC	IF Row 1 Concept Name = (113013, DCM, "Best In Set")	DCID 7012 "Best in Set"
5	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
6	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	U		
7	>	CONTAINS	TEXT	EV (113012, DCM, "Key Object Description")	1	U		
8	>	CONTAINS	IMAGE	Purpose of Reference shall not be present	1-n	MC	At least one of Rows 8, 9 and 10 shall be present	
9	>	CONTAINS	WAVEFORM	Purpose of Reference shall not be present	1-n	MC	At least one of Rows 8, 9 and 10 shall be present	
10	>	CONTAINS	COMPOSITE	Purpose of Reference shall not be present	1-n	MC	At least one of Rows 8, 9 and 10 shall be present	

Content Item Descriptions

Rows 8, 9, 10	Purpose of reference shall not be present.
---------------	--

TID 2020 Spectacle Prescription Report

The Spectacle Prescription Report is a structured report used to represent the prescription for a patient. Usually a prescription is for both eyes, but sometimes just one. The Spectacle Prescription Report defines a refractive correction relative to which visual acuity may be measured subjectively, and thus may be referenced by a Visual Acuity Measurements Storage SOP Instance.

Type: Extensible
Order: Significant
Root: Yes

Table TID 2020. Spectacle Prescription Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111671, DCM, "Spectacle Prescription Report")	1	M		Root node
2	>	CONTAINS	CONTAINER	EV (111688, DCM, "Right Eye Rx")	1	UC	IF Right Spectacle Lens is prescribed	
3	>>	CONTAINS	INCLUDE	DTID 2021 "Template for Spectacle Prescription Details"	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	CONTAINER	EV (111689, DCM, "Left Eye Rx")	1	UC	IF Left Spectacle Lens is prescribed	
5	>>	CONTAINS	INCLUDE	DTID 2021 "Template for Spectacle Prescription Details"	1	M		
6	>	CONTAINS	NUM	EV (111679, DCM, "Distance Pupillary Distance")	1	U		UNITS = EV (mm, UCUM, "mm")
7	>	CONTAINS	NUM	EV (111680, DCM, "Near Pupillary Distance")	1	U		UNITS = EV (mm, UCUM, "mm")
8	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

TID 2021 Template for Spectacle Prescription Details

Type: Extensible
 Order: Significant
 Root: No

Table TID 2021. Spectacle Prescription Details

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	NUM	EV (F-02FB4; SRT251795007, SCT, "Sphere")	1	M		UNITS = EV ([diop], UCUM, "diopters")
2		CONTAINS	NUM	EV (F-A2143; SRT251797004, SCT, "Cylinder Power")	1	UC	IF Cylinder is prescribed	UNITS = EV ([diop], UCUM, "diopters")
3		CONTAINS	NUM	EV (F-02FB7; SRT251799001, SCT, "Axis")	1	MC	IF ROW 2 is Present	UNITS = EV (deg, UCUM, "degrees")
4		CONTAINS	NUM	EV (111672, DCM, "Add Near")	1	UC	IF Add Near is prescribed	UNITS = EV ([diop], UCUM, "diopters")
5		CONTAINS	NUM	EV (111673, DCM, "Add Intermediate")	1	UC	IF Add Intermediate is prescribed	UNITS = EV ([diop], UCUM, "diopters")
6		CONTAINS	NUM	EV (111674, DCM, "Add Other")	1	UC	IF Add Other is prescribed	UNITS = EV ([diop], UCUM, "diopters")
7		CONTAINS	NUM	EV (111675, DCM, "Horizontal Prism Power")	1	UC	IF Horizontal Prism is prescribed	UNITS = EV ([p'diop], UCUM, "prism diopters")
8		CONTAINS	CODE	EV (111676, DCM, "Horizontal Prism Base")	1	MC	IF ROW 7 is present	DCID 4214 "Ophthalmic Horizontal Directions"
9		CONTAINS	NUM	EV (111677, DCM, "Vertical Prism Power")	1	UC	IF Vertical Prism is prescribed	UNITS = EV ([p'diop], UCUM, "prism diopters")
10		CONTAINS	CODE	EV (111678, DCM, "Vertical Prism Base")	1	MC	IF Row 9 is present	DCID 4215 "Ophthalmic Vertical Directions"

TID 2100 Macular Grid Thickness and Volume Report

The Macular Grid Thickness and Volume Report is a structured report encoding the macular grid thickness and volume values derived from ophthalmic images, such as ophthalmic OPT images. This may encode measurements of either or both eyes.

The macular grid conveyed by this report is based upon the grid employed by the Early Treatment of Diabetic Retinopathy Study (ETDRS) to measure area and proximity of macular edema to the anatomic center (fovea) of the macula. See *ETDRS Report Number 10*.

Type: Extensible
Order: Significant
Root: Yes

Table TID 2100. Macular Grid Thickness and Volume Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111690, DCM, "Macular Grid Thickness and Volume Report")	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
4	>	CONTAINS	INCLUDE	DTID 2101 "Macular Grid Thickness and Volume Measurement"	1	MC	IF Row 5 is absent.	\$Laterality = EV (G-A100; SRT24028007, SCT, "Right")
5	>	CONTAINS	INCLUDE	DTID 2101 "Macular Grid Thickness and Volume Measurement"	1	MC	IF Row 4 is absent.	\$Laterality = EV (G-A101; SRT7771000, SCT, "Left")

TID 2101 Macular Grid Thickness and Volume Measurement

This Template encodes the macular grid thickness and volume measurements for a single eye.

Table TID 2101. Parameters

Parameter Name	Parameter Usage
\$Laterality	Which eye

Type: Extensible
Order: Significant
Root: No

Table TID 2101. Macular Grid Thickness and Volume Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-G0E3; SRT363698007, SCT, "Finding Site")	1	M		EV (T-AA000; SRT81745001, SCT, "Eye")
3	>>	HAS CONCEPT MOD	CODE	EV (G-G171; SRT272741003, SCT, "Laterality")	1	M		\$Laterality
4	>	CONTAINS	NUM	EV (57108-3, LN, "Macular Grid.Center Point Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	NUM	EV (57109-1, LN, "Macular Grid.Center Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
6	>	CONTAINS	NUM	EV (57110-9, LN, "Macular Grid.Inner Superior Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
7	>	CONTAINS	NUM	EV (57111-7, LN, "Macular Grid.Inner Nasal Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
8	>	CONTAINS	NUM	EV (57112-5, LN, "Macular Grid.Inner Inferior Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
9	>	CONTAINS	NUM	EV (57113-3, LN, "Macular Grid.Inner Temporal Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
10	>	CONTAINS	NUM	EV (57114-1, LN, "Macular Grid.Outer Superior Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
11	>	CONTAINS	NUM	EV (57115-8, LN, "Macular Grid.Outer Nasal Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
12	>	CONTAINS	NUM	EV (57116-6, LN, "Macular Grid.Outer Inferior Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
13	>	CONTAINS	NUM	EV (57117-4, LN, "Macular Grid.Outer Temporal Subfield Thickness")	1	M		UNITS = EV (um, UCUM, "micrometer")
14	>	CONTAINS	NUM	EV (57118-2, LN, "Macular Grid.Total Volume")	1	M		UNITS = EV (mm3, UCUM, "mm3")
15	>	CONTAINS	NUM	EV (111691, DCM, "Number of Images Used for Macular Measurements")	1	M		UNITS = EV ({images}, UCUM, "images")
16	>	CONTAINS	NUM	EV (111692, DCM, "Number of Samples Used per Image")	1	M		UNITS = EV ({samples}, UCUM, "samples")
17	>	CONTAINS	NUM	EV (111693, DCM, "Analysis Quality Rating")	1	M		UNITS = EV ({0:100}, UCUM, "range:0:100") Value = 0 - 100
18	>>	HAS OBS CONTEXT	INCLUDE	DTID 2102 "Quality Rating Identification"	1	M		
19	>	CONTAINS	NUM	EV (111694, DCM, "Image Set Quality Rating")	1	M		UNITS = EV ({0:100}, UCUM, "range:0:100") Value = 0 - 100
20	>>	HAS OBS CONTEXT	INCLUDE	DTID 2102 "Quality Rating Identification"	1	M		
21	>	CONTAINS	NUM	EV (111029, DCM, "Image Quality Rating")	1-n	U		UNITS = EV ({0:100}, UCUM, "range:0:100") Value = 0 - 100

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
22	>>	INFERRED FROM	IMAGE	No purpose of reference	1	M		
23	>>	HAS OBS CONTEXT	INCLUDE	DTID 2102 "Quality Rating Identification"	1	M		
24	>	CONTAINS	CODE	EV (111696, DCM, "Visual Fixation Quality During Acquisition")	1	U		DCID 4220 "Visual Fixation Quality During Acquisition"
25	>>	HAS CONCEPT MOD	CODE	EV (111697, DCM, "Visual Fixation Quality Problem")	1-n	U		DCID 4221 "Visual Fixation Quality Problem"
26	>	CONTAINS	CODE	EV (111698, DCM, "Ophthalmic Macular Grid Problem")	1-n	U		DCID 4222 "Ophthalmic Macular Grid Problem"
27	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 22	No purpose of reference is specified.
--------	---------------------------------------

TID 2102 Quality Rating Identification

This Template specifies the algorithm (and parameters) used to create a quality rating for an image or image set.

It is expected that the identified algorithm will create a consistent quality rating when analyzing a given image. If the algorithm allows change to its parameters that would alter the quality rating created, the specific parameters used should be specified.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 2102. Quality Rating Identification

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (111001, DCM, "Algorithm Name")	1	M		
2			TEXT	EV (111003, DCM, "Algorithm Version")	1	M		
3			TEXT	EV (122405, DCM, "Algorithm Manufacturer")	1	M		
4			TEXT	EV (111002, DCM, "Algorithm Parameters")	1-n	U		

Procedure Log IOD Templates

TID 3001 Procedure Log

The Procedure Log Template is intended for the representation of reports or logs of time-stamped events occurring during an image-guided interventional or other procedure.

This Template does not require a particular ordering of the subsidiary Content Items.

Note

1. The Procedure Log IOD (PS3.3) requires ordering by Observation DateTime; thus log entries of different types (i.e., specified by different Rows in the Template) may appear in any order.

2. While this Template is extensible, the Procedure Log IOD forbids Container Content Items subsidiary to the top level Container.

Type: Extensible
Order: Non-Significant
Root: Yes

Table TID 3001. Procedure Log

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DCID 3400 "Procedure Log Titles"	1	M		Root node
2	>		INCLUDE	DTID 1002 "Observer Context"	1-n	M		
3	>		INCLUDE	DTID 3601 "Procedure Context"	1	M		
4	>	HAS ACQ CONTEXT	TEXT	EV (121121, DCM, "Room identification")	1	U		
5	>	HAS ACQ CONTEXT	TEXT	EV (121122, DCM, "Equipment identification")	1-n	U		
6	>	CONTAINS	TEXT	DCID 3401 "Types of Log Notes"	1-n	U		
7	>>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
8	>	CONTAINS	CODE	EV (121123, DCM, "Patient Status or Event")	1-n	U		DCID 3402 "Patient Status and Events"
9	>>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
10	>	CONTAINS	PNAME	DCID 3404 "Staff Actions"	1-n	U		
11	>>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
12	>	CONTAINS	TEXT	DCID 3427 "Equipment Events"	1-n	U		Equipment identifier
13	>>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
14	>	CONTAINS	INCLUDE	DTID 3100 "Procedure Action"	1-n	U		
15	>	CONTAINS	INCLUDE	DTID 3101 "Image Acquisition"	1-n	U		
16	>	CONTAINS	INCLUDE	DTID 3102 "Waveform Acquisition"	1-n	U		
17	>	CONTAINS	INCLUDE	DTID 3103 "Referenced Object"	1-n	U		
18	>	CONTAINS	INCLUDE	DTID 3104 "Consumables"	1-n	U		
19	>	CONTAINS	INCLUDE	DTID 3105 "Lesion Identification and Properties"	1-n	U		
20	>	CONTAINS	INCLUDE	DTID 3106 "Drugs/Contrast Administered"	1-n	U		
21	>	CONTAINS	INCLUDE	DTID 3107 "Device Used"	1-n	U		
22	>	CONTAINS	INCLUDE	DTID 3108 "Intervention"	1-n	U		
23	>	CONTAINS	CODE	EV (DD-60002 , SRT 116224001, SCT , "Complication of Procedure")	1-n	U		DCID 3413 "Adverse Outcomes"
24	>>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
25	>	CONTAINS	INCLUDE	DTID 3109 "Measurements"	1-n	U		
26	>	CONTAINS	INCLUDE	DTID 3110 "Impressions or Findings"	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
27	>	CONTAINS	INCLUDE	DTID 3111 "Percutaneous Entry"	1-n	U		
28	>	CONTAINS	INCLUDE	DTID 3112 "Specimen Obtained"	1-n	U		
29	>	CONTAINS	INCLUDE	DTID 3113 "Patient Support"	1-n	U		
30	>	CONTAINS	INCLUDE	DTID 3114 "Patient Assessment"	1-n	U		
31	>	CONTAINS	INCLUDE	DTID 3115 "ECG ST Assessment"	1-n	U		

Content Item Descriptions

Row 2	Includes TID 1002 "Observer Context", which shall be used to record the identity of the person responsible for recording the log, as well as all other participants in the procedure, even though these personnel may not technically be "observers" of the Procedure Log. As participants in the procedure, they are potential sources for events and observations recorded in the Log. TID 1002 "Observer Context" allows the specification of the person's role in the organization (e.g., physician, nurse), as well as the role in the procedure (e.g., circulating, performing, etc.).
Row 5	Shall be used to record the identity of the major equipment used in the procedure.
Row 6	May be used to record any event not covered by a specific log entry Template.

TID 3010 Log Entry Qualifiers

The Log Entry Qualifiers Template provides a common means for adding additional description to a procedure log Content Item. It allows identification of a source for the procedure log entry (other than the recording observer for the log as a whole), a free text comment, a link to a particular Procedure Action item, a link to a particular lesion, or the date/time of recording (if different than the time of the event occurrence recorded in the Observation DateTime of the parent Content Item).

Type: Extensible
Order: Significant
Root: No

Table TID 3010. Log Entry Qualifiers

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			INCLUDE	DTID 1000 "Quotation"	1	U		
2		HAS PROPERTIES	TEXT	EV (121106, DCM, "Comment")	1	U		
3		HAS OBS CONTEXT	TEXT	EV (121124, DCM, "Procedure Action ID")	1-n	U		
4		HAS OBS CONTEXT	TEXT	EV (121151, DCM, "Lesion Identifier")	1-n	U		Up to 3 numeric characters
5		HAS OBS CONTEXT	DATETIME	EV (121125, DCM, "DateTime of Recording of Log Entry")	1	U		
6		INFERRED FROM	IMAGE		1-n	U		
7		INFERRED FROM	WAVEFORM		1-n	U		
8		INFERRED FROM	COMPOSITE		1-n	U		
9		HAS OBS CONTEXT	CODE	EV (121135, DCM, "Observation DateTime Qualifier")	1	U		DCID 3430 "DateTime Qualifiers"

Content Item Descriptions

Row 3	Procedure Action ID allows linking recorded events to a particular action, step, or phase of a procedure. See description for TID 3100 "Procedure Action".
Row 4	Lesion Identifier is specified as a numeric text string, and allows linking recorded events to the diagnosis or therapy of particular lesion. See description for TID 3105 "Lesion Identification and Properties".

TID 3100 Procedure Action

The Procedure Action Template is intended for the recording of the beginning or end of procedure steps or action items in a procedure. The level of granularity of the recorded events is not specified, and may vary between institutions, or even be at multiple levels within a single procedure log. There is no requirement for the real-world procedure step or action item recorded with this Template to end before another one begins; there may be overlapping or simultaneous procedure steps or action items.

This log entry Template may be used to record the start or stop of timers.

Other recorded events in the procedure may be linked to a particular step or action item by Procedure Action ID (see TID 3010 "Log Entry Qualifiers").

Type: Extensible
Order: Significant
Root: No

Table TID 3100. Procedure Action

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	DCID 3421 "Procedure Action"	1	M		BCID 3405 "Procedure Action Values"
2	>	HAS PROPERTIES	TEXT	EV (121124, DCM, "Procedure Action ID")	1	M		
3	>	HAS PROPERTIES	PNAME	BCID 7453 "Performing Roles"	1-n	U		
4	>	HAS PROPERTIES	NUM	EV (121128, DCM, "Procedure Action Duration")	1	U		
5	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
6	>	HAS PROPERTIES	UIDREF	EV (121126, DCM, "Performed Procedure Step SOP Instance UID")	1	MC	IFF a Performed Procedure Step SOP Class is used to provide status of the Procedure Step	
7	>	HAS PROPERTIES	UIDREF	EV (121127, DCM, "Performed Procedure Step SOP Class UID")	1	MC	IFF a Performed Procedure Step SOP Class is used to provide status of the Procedure Step	

Content Item Descriptions

Row 2	The value of the Procedure Action ID shall be uniquely associated with the step or action within the context of the Study, and may be used to associate various Procedure Log entries with the step or action.
Row 3	May be used to record the identity of staff roles for the purpose of this Procedure Action, which may differ from their roles in the procedure as a whole.

TID 3101 Image Acquisition

The Image Acquisition Template allows recording of the essential parameters of a digital image acquired during the procedure.

Type: Extensible
Order: Significant
Root: No

Table TID 3101. Image Acquisition

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			IMAGE	EV (121138, DCM, "Image Acquired")	1	M		
2	>	HAS ACQ CONTEXT	UIDREF	EV (112002, DCM, "Series Instance UID")	1	M		
3	>	HAS ACQ CONTEXT	CODE	EV (121139, DCM, "Modality")	1	M		DCID 29 "Acquisition Modality" Derived from referenced image SOP Instance attribute (0008,0060)
4	>	HAS PROPERTIES	NUM	EV (121140, DCM, "Number of Frames")	1	U		
5	>	HAS PROPERTIES	TEXT	EV (121141, DCM, "Image Type")	1	U		From referenced image SOP Instance attribute (0008,0008)
6	>	HAS ACQ CONTEXT	NUM	EV (112011, DCM, "Positioner Primary Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
7	>	HAS ACQ CONTEXT	NUM	EV (112012, DCM, "Positioner Secondary Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
8	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3102 Waveform Acquisition

The Waveform Acquisition Template allows recording of the essential parameters of a digital waveform acquired during the procedure.

Type: Extensible
Order: Significant
Root: No

Table TID 3102. Waveform Acquisition

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			WAVEFORM	EV (121143, DCM, "Waveform Acquired")	1	M		
2	>	HAS ACQ CONTEXT	CODE	EV (121139, DCM, "Modality")	1	M		DCID 29 "Acquisition Modality" Derived from referenced waveform SOP Instance attribute (0008,0060)

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	HAS ACQ CONTEXT	NUM	EV (121142, DCM, "Acquisition Duration")	1	U		
4	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3103 Referenced Object

The Referenced Object Template allows reference to measurement or report objects, such as prior medical reports, laboratory results, hemodynamic measurement reports, or quantitative analysis reports.

Type: Extensible
Order: Significant
Root: No

Table TID 3103. Referenced Object

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			COMPOSITE	BCID 3407 "Purpose of Reference to Object"	1	M		
2	>	HAS PROPERTIES	CODE	EV (121144, DCM, "Document Title")	1	MC	IFF Row 1 references an SR object	Root node concept of referenced SR object
3	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3104 Consumables

The Consumables Template allows recording of devices (e.g., catheters or stents), drugs, or contrast agents accessed in a procedure. This Content Item is directed towards inventory control and billing. The actual clinical use of the particular consumable is recorded using TID 3106 "Drugs/Contrast Administered" or TID 3107 "Device Used".

This Template allows recording both consumable retrieval from, and return to, inventory or stock, and disposal of used material. The quantity involved in each recorded transaction may be specified.

Type: Extensible
Order: Significant
Root: No

Table TID 3104. Consumables

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	DCID 3408 "Actions With Consumables"	1	M		Vendor or local bar coded values
2	>	HAS PROPERTIES	TEXT	DCID 3426 "Consumables Parameters"	1-n	U		
3	>	HAS PROPERTIES	NUM	EV (121146, DCM, "Quantity of Material")	1	U		
4	>	HAS PROPERTIES	CODE	EV (121147, DCM, "Billing Code")	1	U		local billing codes
5	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3105 Lesion Identification and Properties

The Lesion Identification and Properties Template allows recording the identification of each lesion addressed in a procedure. The lesion identifier may be used to relate diagnostic or therapeutic actions with their target lesion (see Row 4 in TID 3010 "Log Entry Qualifiers"). This Content Item may include the initial visually estimated measurements of stenosis or TIMI flow; measured values from a quantitative measurement report may be referenced indirectly (through TID 3103 "Referenced Object"), or by quotation (TID 3109 "Measurements"). Subsequent (e.g., post-intervention) stenosis measurements may be encoded using TID 3109 "Measurements", with the Lesion Identifier conveyed through its subsidiary TID 3010 "Log Entry Qualifiers" Template.

Type: Extensible
Order: Significant
Root: No

Table TID 3105. Lesion Identification and Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (121151, DCM, "Lesion Identifier")	1	M		Up to 3 numeric characters
2	>	HAS PROPERTIES	CODE	EV (G-C0E3 , SRT363698007 , SCT , "Finding Site")	1	M		DCID 3604 "Arterial Lesion Locations"
3	>>	HAS CONCEPT MOD	CODE	EV (G-A1F8 , SRT106233006 , SCT , "Topographical modifier")	1	U		DCID 3019 "Cardiovascular Anatomic Location Modifiers"
4	>	HAS PROPERTIES	CODE	EV (121153, DCM, "Lesion Risk")	1	U		DCID 3418 "Lesion Risk"
5	>	HAS PROPERTIES	NUM	EV (R-101BB , SRT408715008 , SCT , "Lumen Diameter Stenosis")	1	U		UNITS = EV (% , UCUM, "%")
6	>>	HAS CONCEPT MOD	CODE	EV (G-72BB , SRT129085009 , SCT , "Catheterization Procedure Phase")	1	M		EV (G-7293 , SRT128955008 , SCT , "Baseline Phase")
7	>>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	U		DCID 3745 "Calculation Method"
8	>	HAS PROPERTIES	CODE	EV (122109, DCM, "Baseline TIMI Flow")	1	UC	IFF Row 2 specifies a coronary artery	DCID 3713 "TIMI Flow Characteristics"
9	>	HAS PROPERTIES	CODE	EV (122131, DCM, "Degree of Thrombus")	1	U		DCID 3714 "Thrombus"
10	>	HAS PROPERTIES	CODE	EV (F-01740 , SRT129737002 , SCT , "Lesion Margin Characteristics")	1	U		DCID 3715 "Lesion Margin"
11	>	HAS PROPERTIES	CODE	EV (122134, DCM, "Vessel Morphology")	1-n	U		DCID 3712 "Vessel Descriptors"
12	>	HAS PROPERTIES	CODE	EV (122132, DCM, "Severity of Calcification")	1	U		DCID 3716 "Severity"
13	>	HAS PROPERTIES	IMAGE	DT (121080, DCM, "Best illustration of finding")	1	U		
14	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

Content Item Descriptions

Row 1	Lesion Identifier is specified as a numeric text string in order to facilitate transcoding to DICOM Attribute (0018,3105) Lesion Number and to formats for outcomes registries, such as the ACC National Cardiovascular Data Registry™.
-------	---

TID 3106 Drugs/Contrast Administered

The Drugs/Contrast Administered Template allows the recording of the start or end of that type of event, together with its parameters. If start and end are represented by a single log entry (e.g., for an injection), the concept name "Drug/contrast administered" shall be used.

Type: Extensible
Order: Significant
Root: No

Table TID 3106. Drugs/Contrast Administered

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	DCID 3409 "Administration of Drugs/Contrast"	1	M		BCID 10 "Interventional Drug" or BCID 12 "Radiographic Contrast Agent"
2	>	HAS PROPERTIES	TEXT	EV (121145, DCM, "Description of Material")	1	U		
3	>	HAS PROPERTIES	CODE	EV (G-C340-SRT 410675002, SCT, "Route of administration")	1	U		BCID 11 "Route of Administration"
4	>	HAS PROPERTIES	NUM	DCID 3410 "Numeric Parameters of Drugs/Contrast"	1-n	U		
5	>	HAS PROPERTIES	PNAME	EV (121152, DCM, "Person administering drug/contrast")	1	U		
6	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3107 Device Used

The Device Used Template allows recording of the use of interventional diagnostic and therapeutic devices.

The identification of one device used to deploy another device (e.g., a balloon catheter to deploy a stent) may be described with two entries, with one identified as a deployment device in the Concept Modifier of Row 6 of this Template, and linked by the same Procedure Action ID in the Log Entry Qualifiers of the included TID 3010 "Log Entry Qualifiers".

Type: Extensible
Order: Significant
Root: No

Table TID 3107. Device Used

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	DCID 3422 "Device Use Actions"	1	M		BCID 3429 "Catheterization Devices"
2	>	HAS PROPERTIES	CODE	EV (121150, DCM, "Device Code")	1-n	U		Vendor or local bar coded values

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	HAS PROPERTIES	TEXT	EV (121145, DCM, "Description of Material")	1	U		
4	>	HAS PROPERTIES	NUM	DCID 3423 "Numeric Device Characteristics"	1-n	U		
5	>	HAS PROPERTIES	CODE	EV (G-C0E9, SRT363704007, SCT, "Procedure site")	1	U		BCID 3630 "Cardiovascular Anatomic Locations"
6	>	HAS CONCEPT MOD	CODE	EV (G-C0E8, SRT363703001, SCT, "Has Intent")	1	U		DT (121155, DCM, "Deployment")
7	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3108 Intervention

The Intervention Template allows recording of interventions, including atherectomy, angioplasty, stent placement, brachytherapy, etc. The record may include reference to an image that documents the intervention.

Type: Extensible
Order: Significant
Root: No

Table TID 3108. Intervention

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (122090, DCM, "Intervention Action")	1	M		DCID 3412 "Intervention Actions and Status"
2	>	HAS PROPERTIES	CODE	EV (G-C0E9, SRT363704007, SCT, "Procedure site")	1	M		DCID 3604 "Arterial Lesion Locations"
3	>>	HAS CONCEPT MOD	CODE	EV (G-A1F8, SRT106233006, SCT, "Topographical modifier")	1	U		DCID 3019 "Cardiovascular Anatomic Location Modifiers"
4	>	HAS PROPERTIES	TEXT	EV (121154, DCM, "Intervention attempt identifier")	1	M		Up to 3 numeric characters
5	>	HAS PROPERTIES	CODE	EV (G-C50A, SRT116682006, SCT, "Uses Equipment")	1-n	U		BCID 3411 "Intracoronary Devices"
6	>>	HAS CONCEPT MOD	CODE	EV (122111, DCM, "Primary Intervention Device")	1	MC	IF Device is Primary for this Lesion	DCID 230 "Yes-No"
7	>	HAS PROPERTIES	NUM	DCID 3425 "Intervention Parameters"	1-n	U		
8	>	HAS PROPERTIES	IMAGE	BCID 7003 "Diagnostic Imaging Report Purposes of Reference"	1	U		
9	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

Content Item Descriptions

Row 4	Intervention attempt Identifier is specified as a numeric text string, and shall be treated as the ordinal of the recorded attempted intervention within this procedure (i.e., "1" for the first attempted intervention, "2" for the second, etc.).
-------	---

TID 3109 Measurements

The Measurements Template allows recording of significant measurements, such as vital signs, laboratory results, hemodynamic measurements, or quantitative analysis measurements. These measurements are often quoted from another source, which would be documented in the included TID 3010 "Log Entry Qualifiers".

Type: Extensible
Order: Significant
Root: No

Table TID 3109. Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM		1	U		
2	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
3	>	HAS PROPERTIES	INCLUDE	DTID 310 "Measurement Properties"	1	U		
4			CODE		1	U		
5	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3110 Impressions or Findings

The Impressions or Findings Template allows the recording of unconfirmed (provisional) impressions or findings noted during the procedure. It is not intended to convey the Cath Lab Clinical Report (the formal report from the performing physician), although it may be used (like any Procedure Log entry) for the subsequent construction of the Cath Lab Clinical Report.

A finding that is supported by a specific image frame may reference that image in the INFERRED FROM / IMAGE row of the included TID 3010 "Log Entry Qualifiers" Template.

Type: Extensible
Order: Significant
Root: No

Table TID 3110. Impressions or Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121071, DCM, "Finding")	1	U		BCID 3728 "Cath Findings"
2	>	HAS PROPERTIES	CODE	EV (G-C197 , SRT246112005 , SCT , "Severity")	1	U		DCID 3716 "Severity"
3	>	HAS PROPERTIES	CODE	EV (G-C0E3 , SRT363698007 , SCT , "Finding Site")	1	U		
4	>>	HAS CONCEPT MOD	CODE	EV (G-A1F8 , SRT106233006 , SCT , "Topographical modifier")	1	U		DCID 3019 "Cardiovascular Anatomic Location Modifiers"
5	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6			TEXT	BCID 3419 "Findings Titles"	1	U		
7	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

Content Item Descriptions

Row 3	Finding Site has no Baseline Context ID specified. Typically terms would be drawn from coronary segments, other arterial segments, myocardial segments, etc.
-------	--

TID 3111 Percutaneous Entry

The Percutaneous Entry Template allows recording of the opening or closing of invasive access ports.

Type: Extensible
Order: Significant
Root: No

Table TID 3111. Percutaneous Entry

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121156, DCM, "Percutaneous Entry Action")	1	M		DCID 3403 "Percutaneous Entry"
2	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT 272741003, SCT, "Laterality")	1	U		DCID 244 "Laterality"
3	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3112 Specimen Obtained

The Specimen Obtained Template allows recording of obtaining a specimen, and the identifiers for that specimen. This is particularly designed for blood samples that will be analyzed for blood oxygen-related measurements. The analysis of the sample may be recorded in one or more log entries using TID 3109 "Measurements", or in a separate Structured Report SOP Instance referenced by a log entry using TID 3103 "Referenced Object".

Type: Extensible
Order: Significant
Root: No

Table TID 3112. Specimen Obtained

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121123, DCM, "Patient Status or Event")	1	M		DCID 3515 "Specimen Collection"
2	>	HAS ACQ CONTEXT	CODE	EV (R-00254 , SRT 371439000, SCT, "Specimen Type")	1	UC	IFF specimen is blood sample	DCID 3520 "Blood Source Type"
3	>	HAS ACQ CONTEXT	CODE	EV (G-C0E9 , SRT 363704007, SCT, "Procedure site")	1	U		BCID 3630 "Cardiovascular Anatomic Locations"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	HAS PROPERTIES	INCLUDE	DTID 1009 "Subject Context, Specimen"	1	U		

TID 3113 Patient Support

The Patient Support Template allows recording of the use of various support technologies, including oxygen, ventilation, pacing, etc.

Type: Extensible
Order: Significant
Root: No

Table TID 3113. Patient Support

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	DCID 3530 "Oxygen Administration Actions"	1	U		DCID 3531 "Oxygen Administration"
2	>	HAS PROPERTIES	NUM	EV (121160, DCM, "Oxygen Administration Rate")	1	MC	IFF Row 1 Concept is (121161, DCM, "Begin Oxygen Administration")	UNITS = DT (l/min, UCUM, "l/min")
3	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
4			CODE	DCID 3550 "Circulatory Support Actions"	1	U		DCID 3553 "Circulatory Support"
5	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
6			CODE	DCID 3551 "Ventilation Actions"	1	U		DCID 3554 "Ventilation"
7	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		
8			CODE	DCID 3552 "Pacing Actions"	1	U		DCID 3555 "Pacing"
9	>		INCLUDE	DTID 3010 "Log Entry Qualifiers"	1	U		

TID 3114 Patient Assessment

The Patient Assessment Template allows recording of the assessment of the patient's cardiovascular, neurological, and/or respiratory condition. A particular use of this Template is for "vital signs", which are a specific subset of mandatory patient assessment measurements.

Type: Extensible
Order: Significant
Root: No

Table TID 3114. Patient Assessment

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121123, DCM, "Patient Status or Event")	1	M		DT (121165, DCM, "Patient Assessment Performed") DT (PA-00500 , SRT61746007 , SCT , "Observation of Vital Signs")
2	>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	MC	IF Row 1 value = (PA-00500 , SRT61746007 , SCT , "Observation of Vital Signs")	\$Measurement = EV (F-008EC , SRT271649006 , SCT , "Systolic blood pressure") \$Units = DCID 3500 "Pressure Units" \$Method = BCID 3560 "Blood Pressure Methods"
3	>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	MC	IF Row 1 value = (PA-00500 , SRT61746007 , SCT , "Observation of Vital Signs")	\$Measurement = EV (F-008ED , SRT271650006 , SCT , "Diastolic blood pressure") \$Units = DCID 3500 "Pressure Units"
4	>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	MC	IF Row 1 value = (PA-00500 , SRT61746007 , SCT , "Observation of Vital Signs")	\$Measurement = EV (8867-4, LN, "Heart rate") \$Units = EV ({H.B.}/min, UCUM, "BPM")
5	>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	MC	IF Row 1 value = (PA-00500 , SRT61746007 , SCT , "Observation of Vital Signs")	\$Measurement = EV (8310-5, LN, "Body temperature") \$Units = EV (Cel, UCUM, "C")
6	>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	MC	IF Row 1 value = (PA-00500 , SRT61746007 , SCT , "Observation of Vital Signs")	\$Measurement = DCID 3526 "Blood Gas Saturation" \$Units = EV (% , UCUM, "%")
7	>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	MC	IF Row 1 value = (PA-00500 , SRT61746007 , SCT , "Observation of Vital Signs")	\$Measurement = EV (F-21000 , SRT86290005 , SCT , "Respiration rate") \$Units = EV (/min, UCUM, "breaths/min")
8	>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1-n	MC	IF Row 1 value = (PA-00500 , SRT61746007 , SCT , "Observation of Vital Signs")	\$Measurement = EV (122195, DCM, "Pulse Strength") \$Method = BCID 3442 "Peripheral Pulse Methods" \$TargetSite = BCID 3440 "Peripheral Pulse Locations" \$Units = DT ({0:4}, UCUM, "range 0:4")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9	>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	MC	IF Row 1 value = (PA-00500; SRT61746007, SCT, "Observation of Vital Signs")	\$Measurement = EV (F-009EA; SRT225908003, SCT, "Pain Score") \$Units = DT ({1:10}, UCUM, "range 1:10")
10	>	HAS PROPERTIES	CODE	DT (8884-9, LN, "Cardiac Rhythm")	1	U		BCID 3415 "Cardiac Rhythms"
11	>	HAS PROPERTIES	CODE	DT (9304-7, LN, "Respiration Rhythm")	1	U		BCID 3416 "Respiration Rhythms"
12	>	HAS PROPERTIES	CODE	DT (F-043E6; SRT364062005, SCT, "Respiration Assessment")	1	U		BCID 3448 "Airway Assessment"
13	>	HAS PROPERTIES	CODE	DT (F-046D8; SRT364528001, SCT, "Skin condition")	1-n	U		BCID 3446 "Skin Condition"
14	>	HAS PROPERTIES	CODE	DT (F-04317; SRT363871006, SCT, "Patient mental state assessment")	1	U		
15	>	HAS PROPERTIES	TEXT	BCID 3441 "Patient Assessments"	1-n	U		

Content Item Descriptions

Row 8	Pulse Strength allows the assessment of the patient's pulse at multiple locations using the Topographical concept modifier. It may also be used for a single pulse strength measurement from an unspecified location, as is typical of vital signs assessments.
Row 16	Allows free text description of patient assessments that are not expressible by coded entries of Rows 10 to 14.

TID 3115 ECG ST Assessment

The ECG ST Assessment Template allows recording of the assessment of changes in the patient ECG relative to baseline.

Type: Extensible
Order: Significant
Root: No

Table TID 3115. ECG ST Assessment

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121123, DCM, "Patient Status or Event")	1	M		DT (R-41D8B; SRT258181008, SCT, "ECG Analysis")
2	>	HAS PROPERTIES	NUM	DT (122099, DCM, "ST change from baseline")	1-n	M		UNITS = EV (uV, UCUM, "uV")
3	>>	HAS CONCEPT MOD	CODE	DT (122148, DCM, "Lead ID")	1	M		BCID 3001 "ECG Leads"

Quantitative Ventricular Analysis Report SR IOD Templates

The Templates that comprise the Quantitative Ventricular Analysis SR are interconnected as in Figure A-3:




Figure A-3. Quantitative Ventricular Analysis Report SR IOD Template Structure

TID 3202 Ventricular Analysis

The Ventricular Analysis Template provides a CONTAINER with a structure for reporting the result of the ventricular analysis.

Type: Extensible
Order: Significant
Root: No

Table TID 3202. Ventricular Analysis

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122292, DCM, "Quantitative Ventriculography Report")	1	M		
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	M		
4	>	CONTAINS	INCLUDE	DTID 3602 "Cardiovascular Patient Characteristics"	1	U		
5	>	CONTAINS	CONTAINER	EV (122144, DCM, "Quantitative Analysis")	1-n	M		
6	>>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	U		
7	>>	HAS OBS CONTEXT	TEXT	EV (111001, DCM, "Algorithm Name")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
8	>>	HAS OBS CONTEXT	TEXT	EV (111003, DCM, "Algorithm Version")	1	M		
9	>>	HAS OBS CONTEXT	TEXT	EV (122405, DCM, "Algorithm Manufacturer")	1	M		
10	>>	CONTAINS	IMAGE	EV (121112, DCM, "Source of Measurement")	1-n	M		
11	>>>	HAS CONCEPT MOD	CODE	EV (G-A60B; SRT246092007, SCT, "Cardiac Phase")	1	M		DCID 12233 "Cardiac Phase"
12	>>>	HAS CONCEPT MOD	CODE	EV (111031, DCM, "Image View")	1	MC	If Biplane Analysis	DCID 3466 "Plane Identification"
13	>>	HAS ACQ CONTEXT	INCLUDE	DTID 3205 "Calibration"	1-2	U	VM = 1: Single plane analysis, VM = 2: Biplane analysis	\$CalibrationPlane = DCID 3466 "Plane Identification"
14	>>	HAS ACQ CONTEXT	INCLUDE	DTID 3520 "Hemodynamic Clinical Context"	1	U		
15	>>	CONTAINS	INCLUDE	DTID 3206 "VA Main Results"	1	M		
16	>>	CONTAINS	INCLUDE	DTID 3207 "AA Main Results"	1	U		
17	>>	CONTAINS	INCLUDE	DTID 3208 "Frame-to-Frame Results"	1	U		
18	>>	CONTAINS	INCLUDE	DTID 3209 "Centerline Wall Motion"	1-2	U	VM = 1: Single plane analysis, VM = 2: Biplane analysis	
19	>>	CONTAINS	INCLUDE	DTID 3210 "Radial Based Wall Motion"	1-2	U	VM = 1: Single plane analysis, VM = 2: Biplane analysis	
20	>>	CONTAINS	INCLUDE	DTID 3211 "Landmark Based Wall Motion"	1-2	U	VM = 1: Single plane analysis, VM = 2: Biplane analysis	

Content Item Descriptions

Row 7	Identifies the Ventricular Analysis program
Row 8	Identifies the Ventricular Analysis program version
Row 9	Identifies the Ventricular Analysis program manufacturer
Row 10	Identifies the ES and ED images on which the analysis is based, for frame by frame analysis the analyzed image are specified in the frame by frame results (3208) Template

TID 3205 Calibration

The Calibration Template consists of a CONTAINER, with a structure for reporting of the calibration of images used in the analysis.

Table TID 3205. Parameters

Parameter Name	Parameter Usage
\$CalibrationPlane	XA Imaging plane

Type: Extensible
Order: Significant
Root: No

Table TID 3205. Calibration

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122505, DCM, "Calibration")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111031, DCM, "Image View")	1	U		\$CalibrationPlane
3	>	HAS OBS CONTEXT	TEXT	EV (111001, DCM, "Algorithm Name")	1	MC	IF different from Analysis program specified in the invoking Template	
4	>	HAS OBS CONTEXT	TEXT	EV (111003, DCM, "Algorithm Version")	1	MC	IF different from Analysis program specified in the invoking Template	
5	>	HAS OBS CONTEXT	TEXT	EV (122405, DCM, "Algorithm Manufacturer")	1	MC	IF different from Analysis program specified in the invoking Template	
6	>	CONTAINS	CODE	EV (122422, DCM, "Calibration Method")	1	M		DCID 3452 "Calibration Methods"
7	>	CONTAINS	CODE	EV (122421, DCM, "Calibration Object")	1	MC	If row 6 value specifies Calibration Object Used	DCID 3451 "Calibration Objects"
8	>	CONTAINS	NUM	EV (122423, DCM, "Calibration Object Size")	1	MC	If row 6 value specifies Calibration Object Used	DCID 3510 "Catheter Size Units"
9	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (111026, DCM, "Horizontal Pixel Spacing") \$Unit = DT (mm/{pixel}, UCUM, "mm/pixel") \$ImagePurpose = EV (121112, DCM, "Source of Measurement")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (111066, DCM, "Vertical Pixel Spacing") \$Unit = DT (mm/{pixel}, UCUM, "mm/pixel") \$ImagePurpose = EV (121112, DCM, "Source of Measurement")
11	>	CONTAINS	IMAGE	No purpose of reference	1	U		

Content Item Descriptions

Row 3	Identifies the Calibration program
Row 4	Identifies the Calibration program version
Row 5	Identifies the Calibration program manufacturer
Row 7	Besides a Sphere and a Catheter, a Distance can be identified as a Calibration Object. In this case a distance measurement of a known dimension of the object is used to calculate the pixel size.
Row 8	The catheter size units is also used to specify the size of other calibration objects (e.g., sphere)
Row 9, 10	Spacing in the patient body. Point to a single frame containing the image used for calibration if applicable, the actual measurements may be indicated by a SCOORD (see TID 320 "Image or Spatial Coordinates", row 3)
Row 11	Secondary Capture image with calibration position. No purpose of reference is specified.

TID 3206 VA Main Results

The VA Main Results Template consists of a CONTAINER with a structure for reporting the main ventricular analysis measurements.

Type: Extensible
Order: Significant
Root: No

Table TID 3206. VA Main Results

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	M		DCID 3462 "Chamber Identification"
3	>	CONTAINS	CODE	EV (122429, DCM, "Volume Method")	1	M		DCID 3453 "Cardiac Volume Methods"
4	>	CONTAINS	NUM	EV (122435, DCM, "Regression Volume Exponent")	1	U		Unit = DT (1, UCUM, "no units")
5	>	CONTAINS	NUM	EV (122431, DCM, "Regression Slope ED")	1	U		Unit = DT ({ratio}, UCUM, "ratio")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	CONTAINS	NUM	EV (122432, DCM, "Regression Offset ED")	1	U		Unit = DT (ml, UCUM, "ml")
7	>	CONTAINS	NUM	EV (122433, DCM, "Regression Slope ES")	1	U		Unit = DT ({ratio}, UCUM, "ratio")
8	>	CONTAINS	NUM	EV (122434, DCM, "Regression Offset ES")	1	U		Unit = DT (ml, UCUM, "ml")
9	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = DCID 3467 "Ejection Fraction" \$Unit = DT (% , UCUM, "%")
10	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3468 "ED Volume" \$Unit = DT (ml, UCUM, "ml")
11	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3469 "ES Volume" \$Unit = DT (ml, UCUM, "ml")
12	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32120 , SRT90096001 , SCT, "Stroke Volume") \$Unit = DT (ml, UCUM, "ml")
13	>	CONTAINS	NUM	EV (8867-4, LN, "Heart Rate")	1	U		Unit = DT ({H.B.}/min, UCUM, "BPM")
14	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3468 "ED Volume" \$ModType = EV (121425, DCM, "Index") \$ModValue = DCID 3455 "Index Methods" \$Unit = DT (ml/m2, UCUM, "ml/m2")
15	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3468 "ED Volume" \$ModType = EV (121425, DCM, "Index") \$ModValue = EV (29463-7, LN, "Patient Weight") \$Unit = DT (ml/kg, UCUM, "ml/kg")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
16	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3469 "ES Volume" \$ModType = EV (121425, DCM, "Index") \$ModValue = DCID 3455 "Index Methods" \$Unit = DT (ml/m2, UCUM, "ml/m2")
17	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3469 "ES Volume" \$ModType = EV (121425, DCM, "Index") \$ModValue = EV (29463-7, LN, "Patient Weight") \$Unit = DT (ml/kg, UCUM, "ml/kg")
18	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32120; SRT90096001, SCT, "Stroke Volume") \$ModType = EV (121425, DCM, "Index") \$ModValue = DCID 3455 "Index Methods" \$Unit = DT (ml/m2, UCUM, "ml/m2")
19	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32120; SRT90096001, SCT, "Stroke Volume") \$ModType = EV (121425, DCM, "Index") \$ModValue = EV (29463-7, LN, "Patient Weight") \$Unit = DT (ml/kg, UCUM, "ml/kg")
20	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32100; SRT82799009, SCT, "Cardiac Output") \$Unit = DT (l/min, UCUM, "l/min")
21	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32110; SRT54993008, SCT, "Cardiac Index") \$ModType = EV (121425, DCM, "Index") \$ModValue = DCID 3455 "Index Methods" \$Unit = DT (l/min/m2, UCUM, "l/min/m2")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
22	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122445, DCM, "Wall Thickness") \$Unit = DT (mm, UCUM, "mm")
23	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122446, DCM, "Wall Volume") \$Unit = DT (ml, UCUM, "ml")
24	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122447, DCM, "Wall Mass") \$Unit = DT (g, UCUM, "gram")
25	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122447, DCM, "Wall Mass") \$ModType = EV (121425, DCM, "Index") \$ModValue = DCID 3455 "Index Methods" \$Unit = DT (g/m2, UCUM, "gram/m2")
26	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122447, DCM, "Wall Mass") \$ModType = EV (121425, DCM, "Index") \$ModValue = EV (29463-7, LN, "Patient Weight") \$Unit = DT (g/kg, UCUM, "gram/kg")
27	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122448, DCM, "Wall Stress") \$Unit = DT (dyn/cm2, UCUM, "dynes/cm2")
28	>	CONTAINS	IMAGE	No purpose of reference	1-n	U		

Content Item Descriptions

Row 28	Secondary Capture image with ED and/or ES contours. No purpose of reference is specified.
--------	---

TID 3207 AA Main Results

The AA Main Results Template consists of a CONTAINER with a structure for reporting the main atrial analysis measurements.

Type: Extensible
Order: Significant
Root: No

Table TID 3207. AA Main Results

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	M		DCID 3462 "Chamber Identification"
3	>	CONTAINS	CODE	EV (122429, DCM, "Volume Method")	1	M		DCID 3453 "Cardiac Volume Methods"
4	>	CONTAINS	NUM	EV (122435, DCM, "Regression Volume Exponent")	1	U		Unit = DT (1, UCUM, "no units")
5	>	CONTAINS	NUM	EV (122431, DCM, "Regression Slope ED")	1	U		Unit = DT ({ratio}, UCUM, "ratio")
6	>	CONTAINS	NUM	EV (122432, DCM, "Regression Offset ED")	1	U		Unit = DT (ml, UCUM, "ml")
7	>	CONTAINS	NUM	EV (122433, DCM, "Regression Slope ES")	1	U		Unit = DT ({ratio}, UCUM, "ratio")
8	>	CONTAINS	NUM	EV (122434, DCM, "Regression Offset ES")	1	U		Unit = DT (ml, UCUM, "ml")
9	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3468 "ED Volume" \$Unit = DT (ml, UCUM, "ml")
10	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3469 "ES Volume" \$Unit = DT (ml, UCUM, "ml")
11	>	CONTAINS	IMAGE	No purpose of reference	1-n	U		

Content Item Descriptions

Row 11	Secondary Capture image with ED and/or ES contours. No purpose of reference is specified.
--------	---

TID 3208 Frame-to-Frame Results

The Frame-to-Frame Result Template consists of a CONTAINER providing measurements derived from the angiographic images on frame-by-frame basis.

Type: Extensible
Order: Significant
Root: No

Table TID 3208. Frame-To-Frame Result

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122499, DCM, "Frame to Frame Analysis")
3	>	CONTAINS	IMAGE	EV (121112, DCM, "Source of Measurement")	1-2	M	VM = 1: Single plane analysis, VM = 2: Biplane analysis	
4	>	CONTAINS	CODE	EV (122429, DCM, "Volume Method")	1	M		DCID 3453 "Cardiac Volume Methods"
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$Measurement = DCID 3471 "Estimated Volumes" \$TargetSite = DCID 3462 "Chamber Identification" \$Unit = DT (ml, UCUM, "ml")
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (122445, DCM, "Wall Thickness") \$Unit = DT (mm, UCUM, "mm")
7	>	CONTAINS	IMAGE	No purpose of reference	1-n	U		

Content Item Descriptions

Row 3	Identifies each frame analyzed, using the multi-valued Referenced Frame Number (0008,1160) attribute of the IMAGE Content Item.
Row 5, 6	Includes one measurement for each frame referenced in Row 3.
Row 7	Secondary Capture image with ventricular contours. No purpose of reference is specified.

TID 3209 Centerline Wall Motion

The Centerline Wall Motion Template consists of a CONTAINER providing measurements of the centerline wall motion.

Type: Extensible
Order: Significant
Root: No

Table TID 3209. Centerline Wall Motion

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122449, DCM, "Centerline Wall Motion Analysis")
3	>>	HAS CONCEPT MOD	CODE	EV (122410, DCM, "Contour Realignment")	1	M		DCID 3458 "Contour Realignment"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	100	M		\$Measurement = EV (122450, DCM, "Normalized Chord Length") \$Unit = DT (% , UCUM, "%")
5	>	CONTAINS	NUM	EV (122411, DCM, "Threshold Value")	1	M		Values shall be 1, 2 or 3 UNITS = EV ({sd}, UCUM, "Standard Deviations")
6	>	CONTAINS	CONTAINER	EV (122451, DCM, "Abnormal Region")	1-6	U		
7	>>	CONTAINS	CODE	EV (F-32050 , SRT60797005 , SCT, "Cardiac Wall Motion")	1	M		DCID 3703 "Wall Motion"
8	>>	CONTAINS	CODE	EV (R-404F0 , SRT255593009 , SCT, "Circumferential Extent")	1	U		DCID 3460 "Circumferential Extent"
9	>>	CONTAINS	NUM	EV (122452, DCM, "First Chord of Abnormal Region")	1	M		Unit = DT (1, UCUM, "no unit")
10	>>	CONTAINS	NUM	EV (122453, DCM, "Last Chord of Abnormal Region")	1	M		Unit = DT (1, UCUM, "no unit")
11	>	CONTAINS	CONTAINER	EV (122417, DCM, "Regional Abnormal Wall Motion ")	1-4	U		
12	>>	HAS CONCEPT MOD	CODE	EV (G-60E3 , SRT363698007 , SCT, "Finding Site")	1	M		DCID 3461 "Regional Extent"
13	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122459, DCM, "Territory Region Severity") \$ModType = EV (F-32050 , SRT60797005 , SCT, "Cardiac Wall Motion") \$ModValue = DCID 3703 "Wall Motion" \$Unit = DT ({sd}, UCUM, "Standard Deviations")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
14	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122461, DCM, "Opposite Region Severity") \$ModType = EV (F-32050, SRT60797005, SCT, "Cardiac Wall Motion") \$ModValue = DCID 3703 "Wall Motion" \$Unit = DT ({sd}, UCUM, "Standard Deviations")
15	>	CONTAINS	IMAGE	No purpose of reference	1	U		

Content Item Descriptions

Row 4	Normalized lengths of the chords determined between ED and ES contour. The measurement Template allows the specification of the statistical properties of the normal population and of the chord measurement relative to the population.
Row 8	If the Circumferential Extent is not specified no limitations to the boundaries for regions are assumed.
Row 11	The Regional Abnormal Wall Motion container holds the information on the severity of the decreased or increased wall motion of the 4 predefined regions as described in [Sheehan, 1986].
Row 12	The name of the region with an abnormal ventricular wall motion as described in [Sheehan, 1986].
Row 13	The severity of the wall motion abnormality expressed in Standard Deviations above or below normal in the territory region as described in [Sheehan, 1986].
Row 14	The severity of the wall motion abnormality expressed in Standard Deviations above or below normal in the opposite region as described in [Sheehan, 1986].
Row 15	Secondary Capture image with centerline analysis result. No purpose of reference is specified.

TID 3210 Radial Based Wall Motion

The Radial Based Wall Motion Template consists of a CONTAINER providing measurements of the radial based wall motion.

Type: Extensible
Order: Significant
Root: No

Table TID 3210. Radial Based Wall Motion

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122493, DCM, "Radial Based Wall Motion Analysis")
3	>>	HAS CONCEPT MOD	CODE	EV (122410, DCM, "Contour Realignment")	1	M		DCID 3458 "Contour Realignment"
4	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	M		
5	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	M		DCID 3718 "Myocardial Wall Segments in Projection"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122495, DCM, "Regional Contribution to Ejection Fraction") \$Unit = DT (% , UCUM, "%")
7	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (122496, DCM, "Radial Shortening") \$Unit = DT (% , UCUM, "%")
8	>	CONTAINS	IMAGE	No purpose of reference	1	U		

Content Item Descriptions

Row 6	The CREF values of the 6 regions determined for the radial based wall motion
Row 7	The shortening of the measured radials within the region
Row 8	Secondary Capture image with radial based analysis result. No purpose of reference is specified.

TID 3211 Landmark Based Wall Motion

The Landmark Based Wall Motion Template consists of a CONTAINER providing measurements of the landmark based wall motion.

Type: Extensible
Order: Significant
Root: No

Table TID 3211. Landmark Based Wall Motion

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122497, DCM, "Landmark Based Wall Motion Analysis")
3	>>	HAS CONCEPT MOD	CODE	EV (122410, DCM, "Contour Realignment")	1	M		DCID 3458 "Contour Realignment"
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$Measurement = EV (122498, DCM, "Slice Contribution to Ejection Fraction") \$Unit = DT (% , UCUM, "%")
5	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	5	M		
6	>>	HAS CONCEPT MOD	CODE	EV (G-00E3, SRT363698007, SCT, "Finding Site")	1	M		DCID 3718 "Myocardial Wall Segments in Projection"
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122495, DCM, "Regional Contribution to Ejection Fraction") \$Unit = DT (% , UCUM, "%")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
8	>	CONTAINS	IMAGE	No purpose of reference	1	U		

Content Item Descriptions

Row 8	Secondary Capture image with Landmark Based Analysis result. No purpose of reference is specified.
-------	--

Quantitative Arterial Analysis Report SR IOD Templates

The Templates that comprise the Quantitative Arterial Analysis SR are interconnected as in Figure A-4:




Figure A-4. Quantitative Arterial Analysis Report SR IOD Template Structure

TID 3213 Quantitative Arterial Analysis

The Quantitative Arterial Analysis Template consists of a CONTAINER with a structure for reporting the result of the quantitative arterial analysis process.

Type: Extensible
Order: Significant
Root: No

Table TID 3213. Quantitative Arterial Analysis

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122291, DCM, "Quantitative Arteriography Report")	1	M		
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	M		
4	>	CONTAINS	INCLUDE	DTID 3602 "Cardiovascular Patient Characteristics"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	HAS OBS CONTEXT	TEXT	EV (111001, DCM, "Algorithm Name")	1	M		
6	>	HAS OBS CONTEXT	TEXT	EV (111003, DCM, "Algorithm Version")	1	M		
7	>	HAS OBS CONTEXT	TEXT	EV (122405, DCM, "Algorithm Manufacturer")	1	M		
8	>	CONTAINS	INCLUDE	DTID 3214 "Analyzed Segment"	1-n	M		

Content Item Descriptions

Row 5	Identifies the Arterial Analysis program
Row 6	Identifies the Arterial Analysis program version
Row 7	Identifies the Arterial Analysis program manufacturer

TID 3214 Analyzed Segment

The Analyzed Segment Template consists of a CONTAINER providing quantitative arterial analysis measurements derived from the angiographic images.

Type: Extensible
Order: Significant
Root: No

Table TID 3214. Analyzed Segment

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT 363698007, SCT, "Finding Site")	1	M		DCID 3604 "Arterial Lesion Locations"
3	>	CONTAINS	IMAGE	EV (121112, DCM, "Source of Measurement")	1	M		
4	>	CONTAINS	INCLUDE	DTID 3205 "Calibration"	1	M		
5	>	HAS ACQ CONTEXT	INCLUDE	DTID 3520 "Hemodynamic Clinical Context"	1	U		
6	>	HAS ACQ CONTEXT	CODE	EV (G-72BB , SRT 129085009, SCT, "Catheterization Procedure Phase")	1	U		DCID 3651 "Hemodynamic Measurement Phase"
7	>	CONTAINS	SCOORD	EV (122507, DCM, "Left Contour")	1	M		GRAPHIC TYPE = POLYLINE
8	>>	R-SELECTED FROM	IMAGE		1	M		Must reference Row 3
9	>	CONTAINS	SCOORD	EV (122508, DCM, "Right Contour")	1	M		GRAPHIC TYPE = POLYLINE
10	>>	R-SELECTED FROM	IMAGE		1	M		Must reference Row 3
11	>	CONTAINS	INCLUDE	DTID 3219 "Segment Values"	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (G-0364 , SRT397413000 , SCT, "Vessel Luminal Diameter") \$Derivation = EV (R-404FB , SRT255605001 , SCT, "Minimum") \$Unit = DT (mm, UCUM, "mm")
13	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (G-0364 , SRT397413000 , SCT, "Vessel Luminal Diameter") \$Derivation = EV (G-A437 , SRT56851009 , SCT, "Maximum") \$Unit = DT (mm, UCUM, "mm")
14	>	CONTAINS	CONTAINER	EV (122509, DCM, "Diameter Graph")	1	U		
15	>>	CONTAINS	NUM	EV (122511, DCM, "Graph Increment")	1	M		Value = 1 UNITS = DT ({pixels}, UCUM, "pixels")
16	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$Measurement = EV (G-0364 , SRT397413000 , SCT, "Vessel Luminal Diameter") \$Unit = DT (mm, UCUM, "mm")
17	>	CONTAINS	NUM	EV (122382, DCM, "Site of Luminal Minimum ")	1	U		UNITS = DT ({pixels}, UCUM, "pixels")
18	>	CONTAINS	NUM	EV (122516, DCM, "Site of Luminal Maximum")	1	U		UNITS = DT ({pixels}, UCUM, "pixels")
19	>	CONTAINS	INCLUDE	DTID 3215 "Angiographic Lesion Analysis"	1-n	U		
20	>	CONTAINS	INCLUDE	DTID 3217 "Sub-segmental Data"	1-n	U		
21	>	CONTAINS	IMAGE	No purpose of reference	1	U		

Content Item Descriptions

Row 1	Observation DateTime (0040,A032) of container needs to be flagged with the time of the analysis
Row 6	Numeric coordinates (x,y) identifying the contour points from proximal to distal of left contour. Left is relative to the direction of the blood flow.
Row 9	Numeric coordinates (x,y) identifying the contour points from proximal to distal of right contour. Right is relative to the direction of the blood flow.

Row 12, 13	Positions are relative to the midpoint between the first left and right contour points and measured along the midline between the left and right contour.
Row 14	The X-axis represents the pixel points of the midline of the vessel from proximal to distal. The points on the midline are not necessarily equidistant.
Row 16	For each point of the midline of the vessel a measurement value for the diameter is calculated.
Row 17, 18	The positions in the graph are related to the points on the midline of the vessel.
Row 21	Secondary Capture image with Arterial Analysis contour. No purpose of reference is specified.

Definition of Left and Right defined by the direction of the blood flow as in Figure A-4b:




Figure A-4b. Direction of Blood Flow

TID 3215 Angiographic Lesion Analysis

The Angiographic Lesion Analysis Template consists of a CONTAINER providing quantitative arterial analysis measurements derived for an obstruction in a total analyzed segment.

Type: Extensible
Order: Significant
Root: No

Table TID 3215. Angiographic Lesion Analysis

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (F-03FGD, SRT300577008, SCT, "Lesion Finding")	1	M		
2	>	CONTAINS	TEXT	EV (121151, DCM, "Lesion Identifier")	1	M		
3	>>	HAS PROPERTIES	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	M		DCID 3604 "Arterial Lesion Locations"
4	>>>	HAS CONCEPT MOD	CODE	EV (G-A1F8, SRT106233006, SCT, "Topographical modifier")	1	U		DCID 3019 "Cardiovascular Anatomic Location Modifiers"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (G-0364 , SRT397413000 , SCT, "Vessel Luminal Diameter") \$Derivation = EV (R-404FB , SRT255605001 , SCT, "Minimum") \$Unit = DT (mm, UCUM, "mm")
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (G-0366 , SRT397415007 , SCT, "Vessel Lumen Cross-Sectional Area") \$Method = DCID 3470 "Vessel Lumen Cross-sectional Area Calculation Methods" \$Derivation = EV (R-404FB , SRT255605001 , SCT, "Minimum") \$Unit = DT (mm2, UCUM, "mm2")
7	>	CONTAINS	CODE	EV (122430, DCM, "Reference Method")	1	M		DCID 3465 "QA Reference Methods"
8	>	CONTAINS	CONTAINER	EV (122438, DCM, "Reference Points")	1	U		
9	>>	CONTAINS	NUM	EV (122337, DCM, "Relative Position")	1-n	M		UNITS = DT (mm, UCUM, "mm")
10	>>>	HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (G-0364 , SRT397413000 , SCT, "Vessel Luminal Diameter") \$Unit = DT (mm, UCUM, "mm")
11	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (G-0364 , SRT397413000 , SCT, "Vessel Luminal Diameter") \$TargetSite = (122382, DCM, "Site of Luminal Minimum") \$Unit = DT (mm, UCUM, "mm")
12	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (G-0366 , SRT397415007 , SCT, "Vessel Lumen Cross-Sectional Area") \$Derivation = EV (122404, DCM, "Reconstructed") \$TargetSite = (122382, DCM, "Site of Luminal Minimum") \$Unit = DT (mm2, UCUM, "mm2")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
13	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		<p>\$Measurement = EV (G-0364, SRT397413000, SCT, "Vessel Luminal Diameter")</p> <p>\$Derivation = EV (R-41D2D, SRT258090004, SCT, "Calculated")</p> <p>\$TargetSite = EV (122481, DCM, "Contour Start")</p> <p>\$Unit = DT (mm, UCUM, "mm")</p>
14	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		<p>\$Measurement = EV (G-0364, SRT397413000, SCT, "Vessel Luminal Diameter")</p> <p>\$Derivation = EV (R-41D2D, SRT258090004, SCT, "Calculated")</p> <p>\$TargetSite = EV (122482, DCM, "Contour End")</p> <p>\$Unit = DT (mm, UCUM, "mm")</p>
15	>	CONTAINS	INCLUDE	DTID 3218 "Position in Arterial Segment"	1	M		
16	>	CONTAINS	CONTAINER	EV (122517, DCM, "Densitometric Luminal Cross-sectional Area Graph")	1	U		
17	>>	CONTAINS	NUM	EV (122511, DCM, "Graph Increment")	1	M		<p>Value = 1</p> <p>UNITS = DT ({pixels}, UCUM, "pixels")</p>
18	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		<p>\$Measurement = EV (G-0366, SRT397415007, SCT, "Vessel Lumen Cross-Sectional Area")</p> <p>\$Unit = (mm2, UCUM, "mm2")</p>
19	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		<p>\$Measurement = EV (G-0366, SRT397415007, SCT, "Vessel Lumen Cross-Sectional Area")</p> <p>\$Derivation = EV (R-41D2D, SRT258090004, SCT, "Calculated")</p> <p>\$Method = EV (122474, DCM, "Densitometric method")</p> <p>\$TargetSite = EV (122481, DCM, "Contour Start")</p> <p>\$Unit = (mm2, UCUM, "mm2")</p>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
20	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (G-0366 , SRT397415007 , SCT , "Vessel Lumen Cross-Sectional Area") \$Derivation = EV (R-41D2D , SRT258090004 , SCT , "Calculated") \$Method = EV (122474, DCM, "Densitometric method") \$TargetSite = EV (122482, DCM, "Contour End") \$Unit = (mm2, UCUM, "mm2")
21	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (R-101BC , SRT408716009 , SCT , "Stenotic Lesion Length") \$Unit = DT (mm, UCUM, "mm")
22	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (R-101BB , SRT408715008 , SCT , "Lumen Diameter Stenosis") \$Unit = DT (% , UCUM, "%")
23	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (R-101BA , SRT408714007 , SCT , "Lumen Area Stenosis") \$Method = DCID 3470 "Vessel Lumen Cross-sectional Area Calculation Methods" \$Unit = DT (% , UCUM, "%")
24	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (122372, DCM, "Lumen Volume") \$Method = DCID 3470 "Vessel Lumen Cross-sectional Area Calculation Methods" \$Unit = DT (mm3, UCUM, "mm3")
25	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122542, DCM, "Plaque Area") \$Unit = DT (mm2, UCUM, "mm2")
26	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122376, DCM, "Total Plaque Volume") \$Unit = DT (mm3, UCUM, "mm3")
27	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122544, DCM, "Diameter Symmetry") \$Unit = DT ({ratio}, UCUM, "ratio")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
28	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122545, DCM, "Area Symmetry") \$Unit = DT ({ratio}, UCUM, "ratio")
29	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122546, DCM, "Inflow Angle") \$Unit = DT (deg, UCUM, "deg")
30	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122547, DCM, "Outflow Angle") \$Unit = DT (deg, UCUM, "deg")
31	>	CONTAINS	INCLUDE	DTID 3216 "Stenotic Flow Reserve"	1	U		
32	>	CONTAINS	IMAGE	No purpose of reference	1	U		

Content Item Descriptions

Row 8	Set of user defined reference position for method that requires local reference position.
Row 9	Distance of local reference position from an arbitrary landmark.
Row 10	Diameter at a local reference position.
Row 11	The reference diameter for the arterial lesion calculated with the applicable reference method
Row 12	The reference area for the arterial lesion calculated with the applicable reference method
Row 13	The diameter measurement at the start of the reconstruction line in the diameter graph (TID 3214 "Analyzed Segment" Row 14)
Row 14	The diameter measurement at the end of the reconstruction line in the diameter graph (TID 3214 "Analyzed Segment" Row 14)
Row 15	The positions of the lesion, borders of the lesion, etc.
Row 16	The graph with the calculated cross sectional area results based on the densitometric method
Row 18	The cross sectional area measurements calculated based on the densitometric method
Row 19	The cross sectional area measurement at the start of the reconstruction line in the area graph
Row 20	The cross sectional area measurement at the end of the reconstruction line in the area graph
Row 21	Measured along the midline of the left and right contour
Row 22	The diameter stenosis is calculated as follows: (Reference Luminal Diameter - Minimum Luminal Diameter / Reference Luminal Diameter) * 100%
Row 23	The circular and the densitometric area stenosis are calculated respectively as: (Reference Vessel Lumen Cross-Sectional Area - Minimum Luminal Circular Area / Reference Vessel Lumen Cross-Sectional Area) * 100%(Reference Vessel Lumen Cross-Sectional Area - Minimum Luminal Densitometric Area / Reference Vessel Lumen Cross-Sectional Area) * 100%
Row 24	Estimated lumen volume between proximal border and distal border of lesion (TID 3218 "Position in Arterial Segment", row 1 and 2)
Row 32	Secondary Capture image with obstruction analysis contour. No purpose of reference is specified.

TID 3216 Stenotic Flow Reserve

The Stenotic Flow Reserve Template consists of a CONTAINER providing quantitative arterial analysis measurements derived for an obstruction in a total analyzed segment.

Type: Extensible
Order: Significant
Root: No

Table TID 3216. Stenotic Flow Reserve

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122548, DCM, "Stenotic Flow Reserve") \$Unit = DT ({ratio}, UCUM, "ratio")
2		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122549, DCM, "Poiseuille Resistance") \$Unit = DT (mm[Hg].s/cm, UCUM, "mmHG.s/cm")
3		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122550, DCM, "Turbulence Resistance") \$Unit = DT (mm[Hg].s2/cm2, UCUM, "mmHG.s2/cm2")
4		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122555, DCM, "Estimated Normal Flow") \$Unit = DT (ml/s, UCUM, "ml/s")
5		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122551, DCM, "Pressure Drop at SFR") \$Unit = DT (mm[Hg], UCUM, "mmHg")
6		CONTAINS	IMAGE	No purpose of reference	1	U		

Content Item Descriptions

Row 6	Secondary Capture image with SFR analysis contour. No purpose of reference is specified.
-------	--

TID 3217 Sub-segmental Data

The Sub-segmental Data Template consists of a CONTAINER providing quantitative arterial analysis measurements derived for a sub-segment in a total analyzed segment.

Type: Extensible
Order: Significant
Root: No

Table TID 3217. Sub-Segmental Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	M		DCID 3604 "Arterial Lesion Locations"
3	>>	HAS CONCEPT MOD	CODE	EV (G-A1F8, SRT106233006, SCT, "Topographical modifier")	1	U		DCID 3019 "Cardiovascular Anatomic Location Modifiers"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	CODE	EV (122554, DCM, "Segmentation Method")	1	M		DCID 3456 "Sub-segment Methods"
5	>	CONTAINS	INCLUDE	DTID 3219 "Segment Values"	1	U		
6	>	CONTAINS	INCLUDE	DTID 3218 "Position in Arterial Segment"	1	M		
7	>	CONTAINS	IMAGE	No purpose of reference	1	U		

Content Item Descriptions

Row 7	Secondary Capture image with obstruction analysis contour. No purpose of reference is specified.
-------	--

TID 3218 Position in Arterial Segment

The Position in Arterial Segment Template consists of the position Content Items common for the Angiographic Lesion Analysis and Sub-Segmental Data.

Type: Extensible
Order: Significant
Root: No

Table TID 3218. Position in Arterial Segment

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122528, DCM, "Position of Proximal Border") \$Unit = DT (mm, UCUM, "mm")
2		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122529, DCM, "Position of Distal Border") \$Unit = DT (mm, UCUM, "mm")
3		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122382, DCM, "Site of Luminal Minimum") \$Unit = DT (mm, UCUM, "mm")
4		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122516, DCM, "Site of Luminal Maximum") \$Unit = DT (mm, UCUM, "mm")
5		CONTAINS	NUM	EV (122528, DCM, "Position of Proximal Border")	1	UC	IFF TID 3214 "Analyzed Segment" Row 14 is present	UNITS = DT ({pixels}, UCUM, "pixels")
6		CONTAINS	NUM	EV (122529, DCM, "Position of Distal Border")	1	UC	IFF TID 3214 "Analyzed Segment" Row 14 is present	UNITS = DT ({pixels}, UCUM, "pixels")
7		CONTAINS	NUM	EV (122382, DCM, "Site of Luminal Minimum")	1	UC	IFF TID 3214 "Analyzed Segment" Row 14 is present	UNITS = DT ({pixels}, UCUM, "pixels")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
8		CONTAINS	NUM	EV (122516, DCM, "Site of Luminal Maximum")	1	UC	IFF TID 3214 "Analyzed Segment" Row 14 is present	UNITS = DT ({pixels}, UCUM, "pixels")

Content Item Descriptions

Row 1, 2, 3, 4	Positions are relative to the midpoint of the first left and right contour points and measured along the midline of the left and right contour
Row 5, 6, 7, 8	The positions are relative to the measurement locations of the Diameter Graph of TID 3214 "Analyzed Segment" row 14.

TID 3219 Segment Values

The Segment Values Template consists of Content Items providing quantitative arterial analysis measurements for a total analyzed segment or sub segment.

Type: Extensible
Order: Significant
Root: No

Table TID 3219. Segment Values

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122510, DCM, "Length Luminal Segment") \$Unit = DT (mm, UCUM, "mm")
2		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (G-0364 , SRT397413000 , SCT , "Vessel Luminal Diameter") \$Derivation = EV (R-404FB , SRT255605001 , SCT , "Minimum") \$Unit = DT (mm, UCUM, "mm")
3		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (G-0364 , SRT397413000 , SCT , "Vessel Luminal Diameter") \$Derivation = EV (G-A437 , SRT56851009 , SCT , "Maximum") \$Unit = DT (mm, UCUM, "mm")
4		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (G-0364 , SRT397413000 , SCT , "Vessel Luminal Diameter") \$Derivation = EV (R-00317 , SRT373098007 , SCT , "Mean") \$Unit = DT (mm, UCUM, "mm")
5		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (G-0364 , SRT397413000 , SCT , "Vessel Luminal Diameter") \$Derivation = EV (R-10047 , SRT386136009 , SCT , "Standard Deviation") \$Unit = DT (mm, UCUM, "mm")

Content Item Descriptions

Row 1	Measured along the midline of the left and right contour.
-------	---

IVUS Report Templates

The Templates that comprise the IVUS Report within the Evidence Report IOD are interconnected as shown in Figure A-5.




Figure A-5. IVUS Report Template Hierarchy

TID 3250 IVUS Report

The IVUS Report Template is the root structure for the representation of IVUS measurements acquired during a catheterization procedure.

Type: Extensible
Order: Significant
Root: Yes

Table TID 3250. IVUS Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122325, DCM, "IVUS Report")	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	U		
4	>		INCLUDE	DTID 3601 "Procedure Context"	1	U		
5	>	CONTAINS	INCLUDE	DTID 3602 "Cardiovascular Patient Characteristics"	1	U		
6	>	CONTAINS	CONTAINER	EV (111028, DCM, "Image Library")	1	U		
7	>>	CONTAINS	IMAGE	No purpose of reference	1-n	U		
8	>	CONTAINS	INCLUDE	DTID 3251 "IVUS Vessel"	1-n	M		

Content Item Descriptions

Row 7	No purpose of reference is specified.
-------	---------------------------------------

TID 3251 IVUS Vessel

The IVUS Vessel Template provides a structure for grouping one or more lesions analyzed and/or treated during a single phase of a catheterization procedure, according to vessel (or arterial location).

Type: Extensible
Order: Significant
Root: No

Table TID 3251. IVUS Vessel

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	U		DCID 3604 "Arterial Lesion Locations"
3	>>	HAS CONCEPT MOD	CODE	EV (G-A1F8, SRT106233006, SCT, "Topographical modifier")	1	U		DCID 3019 "Cardiovascular Anatomic Location Modifiers"
4	>>	HAS CONCEPT MOD	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	UC	IFF anatomy has laterality	DCID 244 "Laterality"
5	>	HAS ACQ CONTEXT	CODE	EV (G-72BB, SRT129085009, SCT, "Catheterization Procedure Phase")	1	U		DCID 3480 "IVUS Procedure Phases"
6	>	CONTAINS	CODE	EV (122134, DCM, "Vessel Morphology")	1-n	U		CID 3712 "Vessel Descriptors"
7	>	CONTAINS	INCLUDE	DTID 3819 "Common Findings"	1-n	U		
8	>	CONTAINS	CODE	EV (115, NCDR [2.0b], "Dissection in segment")	1	U		DCID 230 "Yes-No"
9	>	CONTAINS	INCLUDE	DTID 3252 "IVUS Lesion"	1-n	U		

TID 3252 IVUS Lesion

The IVUS Lesion Template provides a structure for grouping measurements and observations made on a single lesion during an Intravascular Ultrasound Procedure.

Type: Extensible
Order: Significant
Root: No

Table TID 3252. IVUS Lesion

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (F-03FGD, SRT300577008, SCT, "Lesion Finding")	1	M		
2	>	HAS OBS CONTEXT	TEXT	EV (121151, DCM, "Lesion Identifier")	1	M		Up to 3 numeric characters

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3; SRT363698007, SCT, "Finding Site")	1-n	U		DCID 3604 "Arterial Lesion Locations"
4	>>>	HAS CONCEPT MOD	CODE	EV (G-A1F8; SRT106233006, SCT, "Topographical modifier")	1	U		DCID 3019 "Cardiovascular Anatomic Location Modifiers"
5	>	HAS ACQ CONTEXT	INCLUDE	DTID 3107 "Device Used"	1-n	U		
6	>	CONTAINS	INCLUDE	DTID 3253 "IVUS Measurements"	1	MC	One or both of rows 6 & 7 must be present	
7	>	CONTAINS	INCLUDE	DTID 3254 "IVUS Qualitative Assessments"	1	MC	One or both of rows 6 & 7 must be present	
8	>	CONTAINS	INCLUDE	DTID 3819 "Common Findings"	1-n	U		

Content Item Descriptions

Row 2	<p>Lesion Identifier is specified as a numeric text string in order to facilitate trans-coding to DICOM Attribute (0018,3105) Lesion Number and to formats for outcomes registries, such as the ACC National Cardiovascular Data Registry™.</p> <p>Note</p> <p>Also see TID 3105 "Lesion Identification and Properties".</p>
Row 3	<p>Finding site may span multiple segments with the proximal and distal extent specified by separate items. These may not be totally contained with the segment specified at the Vessel level.</p>

TID 3253 IVUS Measurements

The IVUS measurements Template groups together simple distance, area and angle measurements, along with derived measurements that made during an IVUS procedure. Refer to the "ACC Clinical Expert Consensus Document on Standards for Acquisition, measurement and Reporting of Intravascular Ultrasound Studies (IVUS)" for more information.

Type: Extensible
Order: Significant
Root: No

Table TID 3253. IVUS Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3481 "IVUS Distance Measurements" \$Units = EV (mm, UCUM, "mm") \$Derivation = DCID 3488 "Min/Max/Mean" \$TargetSite = BCID 3486 "Vascular Measurement Sites"
2			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3482 "IVUS Area Measurements" \$Units = EV (mm2, UCUM, "mm2") \$Derivation = DCID 3488 "Min/Max/Mean" \$TargetSite = BCID 3486 "Vascular Measurement Sites"
3			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3483 "IVUS Longitudinal Measurements" \$Units = EV (mm, UCUM, "mm")
4			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (122355, DCM, "Arc of Calcium") \$Units = EV (deg, UCUM, "degrees") \$TargetSite = BCID 3486 "Vascular Measurement Sites"
5			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (R-101BA , SRT 408714007, SCT, "Lumen Area Stenosis") \$Units = EV (% , UCUM, "%")
6			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122354, DCM, "Plaque Burden") \$Units = EV (% , UCUM, "%") \$TargetSite = BCID 3486 "Vascular Measurement Sites"
7			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3484 "IVUS Indices and Ratios" \$Units = EV ({ratio}, UCUM, "ratio") \$TargetSite = BCID 3486 "Vascular Measurement Sites"
8			INCLUDE	DTID 3255 "IVUS Volume Measurement"	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122339, DCM, "Stent Volume Obstruction") \$Units = EV (%, UCUM, "%")

TID 3254 IVUS Qualitative Assessments

The IVUS Qualitative Assessments Template groups together the qualitative properties of a lesion that are observed during an IVUS procedure. Refer to the "ACC Clinical Expert Consensus Document on Standards for Acquisition, measurement and Reporting of Intravascular Ultrasound Studies (IVUS) " for more information.

Type: Extensible
Order: Significant
Root: No

Table TID 3254. IVUS Qualitative Assessments

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (122133, DCM, "Lesion Morphology")	1-n	U		DCID 3491 "IVUS Lesion Morphologies"
2			CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3494 "IVUS Non Morphological Findings"
3	>		INCLUDE	DTID 1350 "Negation Modifier, Presence of Finding"	1	U		
4			CODE	EV (121071, DCM, "Finding")	1	U		EV (D3-80086 , SRT710864009, SCT, "Arterial Dissection")
5	>	HAS CONCEPT MOD	CODE	EV (122387, DCM, "Dissection Classification")	1	U		DCID 3492 "Vascular Dissection Classifications"
6	>		INCLUDE	DTID 1350 "Negation Modifier, Presence of Finding"	1	U		
7			CODE	EV (122391, DCM, "Relative Stenosis Severity")	1	U		DCID 3493 "IVUS Relative Stenosis Severities"
8			CODE	EV (108, NCDR [2.0b], "Previously Dilated Lesion ")	1	U		DCID 3750 "Previously Dilated Lesion"
9			CODE	EV (121071, DCM, "Finding")	1	U		EV (122393, DCM, "Restenotic Lesion")
10	>		INCLUDE	DTID 1350 "Negation Modifier, Presence of Finding"	1	U		
11			CODE	EV (111009, DCM, "Calcification Type")	1	U		DCID 3489 "Calcium Distribution"

TID 3255 IVUS Volume Measurement

The IVUS Volume Measurement Template contains information describing an IVUS Volumetric measurement

Type: Extensible
Order: Significant
Root: No

Table TID 3255. IVUS Volume Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = DCID 3485 "IVUS Volume Measurements" \$Units = EV (mm3, UCUM, "mm3") \$TargetSite = BCID 3487 "Intravascular Volumetric Regions"
2	>	HAS PROPERTIES	NUM	EV (122336, DCM, "Vascular Volume measurement length")	1	U		UNITS = DT (mm, UCUM, "mm")
3	>	HAS PROPERTIES	NUM	EV (122337, DCM, "Relative position")	1	U		UNITS = DT (mm, UCUM, "mm")
4	>>	HAS CONCEPT MOD	CODE	EV (122340, DCM, "Fiducial feature")	1	M		DCID 3496 "IVUS Fiducial Points"

Stress Testing Report Templates

TID 3300 Stress Testing Report

The Stress Testing Report Template is the root structure for the representation of measurements and findings of a stress testing procedure.

Type: Extensible
Order: Significant
Root: Yes

Table TID 3300. Stress Testing Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (18752-6, LN, "Stress Testing Report")	1	M		Root node
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DCID 3200 "Stress Test Procedure"
3	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
4	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	M		
5	>	CONTAINS	CONTAINER	EV (18785-6, LN, "Indications for Procedure")	1	U		
6	>>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3201 "Indications for Stress Test"
7	>>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1	U		
8	>	CONTAINS	INCLUDE	DTID 3602 "Cardiovascular Patient Characteristics"	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9	>	CONTAINS	INCLUDE	DTID 3802 "Cardiovascular Patient History"	1	U		
10	>	CONTAINS	INCLUDE	DTID 3301 "Stress Test Procedure Description"	1	M		
11	>	CONTAINS	INCLUDE	DTID 3303 "Stress Test Phase Data"	1-n	M		
12	>	CONTAINS	INCLUDE	DTID 3311 "Stress Test Summary"	1	U		
13	>	CONTAINS	INCLUDE	DTID 3318 "Comparison to Prior Stress Exam"	1	U		
14	>	CONTAINS	INCLUDE	DTID 3320 "Conclusions and Recommendations"	1	U		

TID 3301 Stress Test Procedure Description

Type: Extensible
 Order: Significant
 Root: No

Table TID 3301. Stress Test Procedure Description

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (55111-9, LN, "Current Procedure Descriptions")	1	M		
2	>	CONTAINS	CODE	DT (109056, DCM, "Stress Protocol")	1	U		BCID 3261 "Stress Protocols"
3	>	CONTAINS	TEXT	DT (109056, DCM, "Stress Protocol")	1	U		
4	>	CONTAINS	CODE	DT (10:11345, MDC, "Lead System")	1	U		BCID 3263 "Electrode Placement Values"
5	>	CONTAINS	CODE	DT (A-17200 , SRT111045004 , SCT, "Exerciser Device")	1	U		BCID 3203 "Exerciser Device"
6	>	CONTAINS	CODE	DT (G-611C , SRT246489000 , SCT, "Pharmacological Stress Agent")	1	MC	IFF Pharmacological Stress used	BCID 3204 "Stress Agents"
7	>	CONTAINS	CONTAINER	EV (122700, DCM, "Indications for Pharmacological Stress")	1	MC	IFF Pharmacological Stress used	
8	>>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3205 "Indications for Pharmacological Stress Test"
9	>	CONTAINS	CODE	DT (P0-0099A , SRT363679005 , SCT, "Imaging procedure")	1	MC	IFF imaging used in procedure	DCID 3206 "Non-invasive Cardiac Imaging Procedures"
10	>	CONTAINS	CODE	DT (125203, DCM, "Acquisition Protocol")	1	UC	IFF Nuclear imaging	DCID 3110 "Nuclear Cardiology Protocols"
11	>	CONTAINS	CODE	DT (125203, DCM, "Acquisition Protocol")	1	UC	IFF PET imaging	DCID 3106 "PET Cardiology Protocols"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12	>	CONTAINS	TEXT	DT (121141, DCM, "Image Type")	1	UC	IFF Nuclear or PET imaging	STATIC, DYNAMIC, or GATED.
13	>	CONTAINS	CODE	DT (RID11248, RADLEX, "Cardiac Gating")	1	U		DCID 3104 "Cardiac Synchronization Technique"
14	>	CONTAINS	CODE	DT (125203, DCM, "Acquisition Protocol")	1	UC	IFF Contrast echocardiography	DT (P5-B3090, SRT433231002, SCT, "Contrast echocardiography")
15	>	CONTAINS	CODE	DT (113743, DCM, "Patient Orientation")	1	U		DCID 19 "Patient Orientation"
16	>>	HAS CONCEPT MOD	CODE	EV (113744, DCM, "Patient Orientation Modifier")	1	U		DCID 20 "Patient Orientation Modifier"
17	>	CONTAINS	TEXT	DT (121065, DCM, "Procedure Description")	1	U		
18	>	CONTAINS	DATETIME	DT (122701, DCM, "Procedure Time Base")	1	U		

Content Item Descriptions

Row 12	Image Type may be copied from the NM Image SOP Instance attribute Image Type (0008,0008) value 3, or from the PET Image SOP Instance attribute Series Type (0054,1000).
Row 18	The Procedure Time Base is the time from which elapsed times are measured. The Study Time (0008,0030) may include the patient prep period, while this Procedure Time Base is typically established when baseline data collection begins.

TID 3303 Stress Test Phase Data

The Stress Test Phase Data Template provides a structure for measurements acquired during a single procedure phase.

Type: Extensible
Order: Significant
Root: No

Table TID 3303. Stress Test Phase Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	HAS ACQ CONTEXT	CODE	EV (G-7292, SRT128954007, SCT, "Procedure phase")	1	MC	XOR row 3	BCID 3207 "Stress Test Procedure Phases"
3	>	HAS ACQ CONTEXT	CODE	EV (G-7292, SRT128954007, SCT, "Procedure phase")	1	MC	IFF Nuclear Imaging; XOR row 2	DCID 3101 "Cardiac Procedural State Values"
4	>	HAS ACQ CONTEXT	TEXT	EV (G-7292, SRT128954007, SCT, "Procedure phase")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	INCLUDE	DTID 3301 "Stress Test Procedure Description"	1	MC	IFF protocol changed from initial specification	
6	>	HAS ACQ CONTEXT	NUM	EV (109055, DCM, "Protocol Stage")	1	U		UNITS = DT ({stage}, UCUM, "stage")
7	>	CONTAINS	INCLUDE	DTID 3304 "Stress Test Measurement Group"	1-n	U		
8	>	CONTAINS	INCLUDE	DTID 3307 "NM/PET Perfusion Measurement Group"	1	MC	IFF Nuclear or PET Imaging	
9	>	CONTAINS	INCLUDE	DTID 3309 "Stress Echo Measurement Group"	1	UC	IFF Echocardiography Imaging	

Content Item Descriptions

Row 1	The Container shall have a specific Content Item Observation DateTime (0040,A032) attribute to indicate the time at which the phase began.
-------	--

TID 3304 Stress Test Measurement Group

Each instance of the Stress Test Measurement Group represents a group of data elements acquired at approximately the same instant, and conventionally rendered as row in a tabular presentation. It is typically generated during the Stress exam whenever a time interval elapses (for example, every minute of the phase), when a technician observes data worth capturing, or when measurements exceed a given range.

Type: Extensible
Order: Significant
Root: No

Table TID 3304. Stress Test Measurement Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	CONTAINS	NUM	DT (F-034F9; SRT252131008, SCT, "Time since start of exam")	1	M		UNITS = DT (min, UCUM, "min")
3	>	CONTAINS	NUM	DT (122710, DCM, "Time since start of stage")	1	M		UNITS = DT (min, UCUM, "min")
4	>	CONTAINS	NUM	DT (122702, DCM, "Treadmill speed")	1	U		UNITS = DCID 3212 "Treadmill Speed"
5	>	CONTAINS	NUM	DT (122703, DCM, "Treadmill gradient")	1	U		UNITS = EV (% , UCUM, "%")
6	>	CONTAINS	NUM	DT (122704, DCM, "Ergometer power")	1	U		UNITS = EV (W, UCUM, "Watts")
7	>	CONTAINS	NUM	DT (122709, DCM, "Activity workload")	1	U		UNITS = DT ([MET], UCUM, "METS")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
8	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DT (122706, DCM, "Rating of Perceived Exertion") \$Method = BCID 3239 "Perceived Exertion Scales"
9	>	CONTAINS	NUM	DT (122705, DCM, "Pharmacological Stress Agent Dose Rate")	1	MC	IFF Pharmacological Stress used	UNITS = EV (ug/kg/min, UCUM, "ug/kg/min")
10	>	CONTAINS	INCLUDE	DTID 3106 "Drugs/Contrast Administered"	1	U		
11	>	CONTAINS	NUM	EV (8867-4, LN, "Heart Rate")	1	U		UNITS = EV ({H.B.}/min, UCUM, "BPM")
12	>	CONTAINS	NUM	EV (F-008EG , SRT271649006 , SCT, "Systolic Blood Pressure")	1	U		UNITS = DCID 3500 "Pressure Units"
13	>	CONTAINS	NUM	EV (F-008ED , SRT271650006 , SCT, "Diastolic Blood Pressure")	1	U		UNITS = DCID 3500 "Pressure Units"
14	>	CONTAINS	NUM	DT (122707, DCM, "Number of Ectopic Beats")	1	U		UNITS = EV ({beats}, UCUM, "beats")
15	>>	HAS PROPERTIES	NUM	DT (R-40861 , SRT260867005 , SCT, "Period of collection")	1	M		UNITS = DT (min, UCUM, "min")
16	>>	HAS PROPERTIES	CODE	EV (G-G504 , SRT116676008 , SCT, "Associated Morphology")	1-n	U		BCID 3234 "Ectopic Beat Morphology"
17	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DT (F-03204 , SRT164931005 , SCT, "ST Elevation") \$Units = DT (mV, UCUM, "mV") \$TargetSite = DCID 3001 "ECG Leads"
18	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DT (F-38279 , SRT429622005 , SCT, "ST Depression") \$Units = DT (mV, UCUM, "mV") \$TargetSite = DCID 3001 "ECG Leads"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
19	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3228 "ECG Timing Measurements" \$Units = DT (ms, UCUM, "ms") \$TargetSite = DCID 3001 "ECG Leads"
20	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3227 "QTc Measurements" \$Units = DT (ms, UCUM, "ms") \$TargetSite = DCID 3001 "ECG Leads" \$Equation = DCID 3678 "QT Correction Algorithms"
21	>>	INFERRED FROM	NUM	DT (2:16000, MDC, "RR Interval for QTc")	1	U		UNITS = DT (ms, UCUM, "ms")
22	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3229 "ECG Axis Measurements" \$Units = DT (deg, UCUM, "deg")
23	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3526 "Blood Gas Saturation" \$Units = EV (% , UCUM, "%")
24	>	CONTAINS	NUM	DT (122708, DCM, "Double Product")	1	U		UNITS = DT (mm[Hg].{H.B.}/min, UCUM, "mmHg.BPM")
25	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3220 "Stress Symptoms"
26	>	CONTAINS	CODE	EV (F-00033 , SRT 271921002, SCT, "ECG Finding")	1-n	U		DCID 3230 "ECG Findings"
27	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 1	The Container shall have a specific Content Item Observation DateTime (0040,A032) attribute to indicate the time at which the measurements were made.
Row 10	Included TID 3106 "Drugs/Contrast Administered" allows the recording of test medications other than the Pharmacological Stress Agent identified in TID 3301 "Stress Test Procedure Description".
Rows 17, 18	ECG ST elevation/depression is measured in units of mV, but is conventionally reported in units of mm, based on strip recordings with scaling of 100 uV/mm. The display application should render these measurements in units meaningful to the user.

Row 19	Note that the MDC codes for "per lead" measurements specified in CID 3228 "ECG Timing Measurements" are base codes for post-coordination with lead identifiers conveyed in the Target Site modifier in TID 300 "Measurement". MDC also defines pre-coordinated codes that include both the measurement and the lead, which may be used in this row.
Row 20	Note that the MDC code for "QTc interval per lead" specified in CID 3227 "QTc Measurements" is a base code for post-coordination with lead identifiers conveyed in the Target Site modifier in TID 300 "Measurement". MDC also defines pre-coordinated codes that include both the measurement and the lead, which may be used in this row. Note that TID 300 "Measurement" enables the encoding of a non-standard correction algorithm, either as a local code, or as a TEXT Method Citation (see TID 300 "Measurement" row 12).
Row 21	R-R interval used for QT correction algorithm
Row 22	Recommended range for ECG axis measurements is -90° to +270°

TID 3307 NM/PET Perfusion Measurement Group

Type: Extensible
Order: Significant
Root: No

Table TID 3307. NM/PET Perfusion Measurement Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DCID 3108 "NM/PET Procedures"
3	>	CONTAINS	CODE	EV (F-61FDB, SRT417881006, SCT, "Radiopharmaceutical agent")	1	M		DCID 3111 "Nuclear Cardiology Radiopharmaceuticals"
4	>	CONTAINS	NUM	EV (123006, DCM, "Radionuclide Total Dose")	1	M		DCID 3083 "Units of Radioactivity"
5	>	CONTAINS	DATETIME	EV (123003, DCM, "Radiopharmaceutical Start DateTime")	1	M		
6	>	CONTAINS	NUM	DT (122711, DCM, "Exercise duration after stress agent injection")	1	U		UNITS = DT (min, UCUM, "min")
7	>	CONTAINS	DATETIME	EV (122712, DCM, "Imaging Start DateTime")	1	M		
8	>	CONTAINS	CODE	EV (122713, DCM, "Attenuation correction")	1	U		BCID 3112 "Attenuation Correction"
9	>>	HAS PROPERTIES	CODE	EV (111001, DCM, "Algorithm Name")	1	U		BCID 3117 "Attenuation Correction Methods"
10	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		BCID 3113 "Types of Perfusion Defects"
11	>>	HAS PROPERTIES	CODE	EV (G-G0E3, SRT363698007, SCT, "Finding Site")	1	M		BCID 3717 "Myocardial Wall Segments"
12	>>	HAS PROPERTIES	CODE	EV (112025, DCM, "Size Descriptor")	1	M		BCID 252 "S-M-L Size Descriptor"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
13	>>	HAS PROPERTIES	CODE	EV (G-C197 , SRT246112005 , SCT, "Severity")	1	M		BCID 3716 "Severity"
14	>	CONTAINS	CODE	EV (F-02220 , SRT250907009 , SCT, "Left Ventricular Function")	1	U		BCID 3119 "LV Function"
15	>>	HAS PROPERTIES	CODE	EV (G-C197 , SRT246112005 , SCT, "Severity")	1	U		BCID 3716 "Severity"
16	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (10230-1, LN, "LV Ejection Fraction") \$Units = EV (% , UCUM, "%") \$Derivation = DT (R-41D2D , SRT258090004 , SCT, "Calculated")
17	>	CONTAINS	CODE	EV (F-02236 , SRT250924003 , SCT, "Left Ventricular Size")	1	U		BCID 3122 "Ventricular Enlargement"
18	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8821-1, LN, "Left Ventricular ED Volume") \$Units = EV (ml, UCUM, "ml")
19	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8823-7, LN, "Left Ventricular ES Volume") \$Units = EV (ml, UCUM, "ml")
20	>	CONTAINS	INCLUDE	DTID 5204 "Wall Motion Analysis"	1	U		\$Procedure = DCID 3108 "NM/PET Procedures"

TID 3309 Stress Echo Measurement Group

Type: Extensible
Order: Significant
Root: No

Table TID 3309. Stress Echo Measurement Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DT (P5-B3000 , SRT40701008 , SCT, "Echocardiography")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	INCLUDE	DTID 5203 "Echo Measurement"	1-n	U		\$Measurement = DCID 12200 "Echocardiography Left Ventricle" \$Method = CID 12227 "Echocardiography Measurement Method"
4	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	MC	IF Row 3 measurement concept is in CID 12222 "Orifice Flow Properties"	EV (T-32600, SRT87878005, SCT, "Left Ventricle")
5	>	CONTAINS	INCLUDE	DTID 5203 "Echo Measurement"	1-n	U		\$Measurement = DCID 12211 "Echocardiography Aortic Valve" \$Method = CID 12227 "Echocardiography Measurement Method"
6	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	MC	IF Row 5 measurement concept is in CID 12222 "Orifice Flow Properties"	EV (T-35400, SRT34202007, SCT, "Aortic Valve")
7	>	CONTAINS	INCLUDE	DTID 5203 "Echo Measurement"	1-n	U		\$Measurement = DCID 12207 "Echocardiography Mitral Valve" \$Method = CID 12227 "Echocardiography Measurement Method"
8	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	MC	IF Row 7 measurement concept is in CID 12222 "Orifice Flow Properties"	EV (T-35300, SRT91134007, SCT, "Mitral Valve")
9	>	CONTAINS	INCLUDE	DTID 5203 "Echo Measurement"	1-n	U		\$Measurement = DCID 12208 "Echocardiography Tricuspid Valve" \$Method = CID 12227 "Echocardiography Measurement Method"
10	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	MC	IF Row 9 measurement concept is in CID 12222 "Orifice Flow Properties"	EV (T-35100, SRT46030003, SCT, "Tricuspid Valve")
11	>	CONTAINS	INCLUDE	DTID 5204 "Wall Motion Analysis"	1	U		\$Procedure = DT (P5-B3121, SRT35757004, SCT, "Echocardiography for Determining Ventricular Contraction")

Content Item Descriptions

Rows 3-10	<p>These invocations of TID 5203 "Echo Measurement" do not include an inherited Findings Site concept, for example as in the invocations of TID 5203 "Echo Measurement" from TID 5202 "Echo Section". Echo measurements that do not have the associated Finding Site pre-coordinated in the measurement concept (i.e., the orifice flow measurements of CID 12222 "Orifice Flow Properties"), shall have the Finding Site explicitly post-coordinated with a Concept Modifier (Rows 4, 6, 8, and 10).</p> <p>This Template does not include the concept of an Image Library, for example as used in TID 5200 "Echocardiography Procedure Report". Image Content Items in the Echo Measurement Template shall be included with by-value relationships, not with by-reference relationships.</p>
-----------	--

TID 3311 Stress Test Summary

Type: Extensible
Order: Significant
Root: No

Table TID 3311. Stress Test Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121111, DCM, "Summary")	1	M		
2	>	CONTAINS	TEXT	EV (121111, DCM, "Summary")	1	U		
3	>	CONTAINS	INCLUDE	DTID 3312 "Physiological Summary"	1	U		
4	>	CONTAINS	INCLUDE	DTID 3313 "Stress ECG Summary"	1	U		
5	>	CONTAINS	INCLUDE	DTID 3317 "Stress Imaging Summary"	1	U		
6	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1	U		EV (D3-13025 , SRT300995000, SCT, "Exercise-induced angina")
7	>>		INCLUDE	DTID 1350 "Negation Modifier, Presence of Finding"	1	M		
8	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3220 "Stress Symptoms"
9	>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1	U		
10	>	CONTAINS	CODE	DT (G-0180 , SRT246101005, SCT, "Reason for stopping test")	1	U		DCID 3221 "Stress Test Termination Reasons"
11	>	CONTAINS	NUM	DT (122715, DCM, "Pharmacological Stress Agent Dose")	1	U		DT (mg/kg, UCUM, "mg/kg")

Content Item Descriptions

Rows 6-7	These rows allow an explicit finding of presence or absence of exercise-induced angina through the TID 1350 "Negation Modifier, Presence of Finding" Concept Modifier "Presence of property"
----------	--

TID 3312 Physiological Summary

Type: Extensible
Order: Significant
Root: No

Table TID 3312. Physiological Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	DT (40443-4, LN, "Resting Heart Rate")	1	M		UNITS = DT ({H.B.}/min, UCUM, "BPM")
2			NUM	EV (F-008EC, SRT271649006, SCT, "Systolic Blood Pressure")	1	M		UNITS = DCID 3500 "Pressure Units"
3	>	HAS CONCEPT MOD	CODE	EV (109054, DCM, "Patient State")	1	M		DT (F-01604, SRT128975004, SCT, "Resting State")
4			NUM	EV (F-008ED, SRT271650006, SCT, "Diastolic Blood Pressure")	1	M		UNITS = DCID 3500 "Pressure Units"
5	>	HAS CONCEPT MOD	CODE	EV (109054, DCM, "Patient State")	1	M		DT (F-01604, SRT128975004, SCT, "Resting State")
6			NUM	DT (F-04F92, SRT428420003, SCT, "Target HR")	1	M		UNITS = DT ({H.B.}/min, UCUM, "BPM")
7			NUM	DT (F-04FA6, SRT428630002, SCT, "Maximum HR Achieved")	1	M		UNITS = DT ({H.B.}/min, UCUM, "BPM")
8			NUM	DT (F-04FA6, SRT428630002, SCT, "Maximum HR Achieved")	1	M		UNITS = EV (% , UCUM, "%")
9	>	HAS CONCEPT MOD	CODE	EV (121425, DCM, "Index")	1	M		DT (F-04F92, SRT428420003, SCT, "Target HR")
10			NUM	DT (122716, DCM, "Maximum Power Output Achieved")	1	U		UNITS = DT (W, UCUM, "Watts")
11			NUM	DT (122717, DCM, "Peak activity workload")	1	U		UNITS = DT ([MET], UCUM, "METS")
12			CODE	DT (F-04F9F, SRT428531008, SCT, "HR Response")	1	U		DCID 3210 "Speed of Response"
13			NUM	DT (F-00E11, SRT314439003, SCT, "Maximum systolic blood pressure")	1	U		UNITS = DCID 3500 "Pressure Units"
14			NUM	DT (F-00E21, SRT314452008, SCT, "Maximum diastolic blood pressure")	1	U		UNITS = DCID 3500 "Pressure Units"
15			CODE	DT (F-04F74, SRT427732000, SCT, "BP Response")	1	U		DCID 3210 "Speed of Response"
16			NUM	DT (122718, DCM, "Peak Double Product")	1	U		UNITS = DT (mm[Hg].{H.B.}/min, UCUM, "mmHg.BPM")
17			NUM	DT (F-031F8, SRT252130009, SCT, "Total Exercise duration")	1	U		UNITS = DT (min, UCUM, "min")
18			NUM	DT (F-031F7, SRT252129004, SCT, "Total test duration")	1	U		UNITS = DT (min, UCUM, "min")
19			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DT (F-04FCC, SRT429160000, SCT, "Functional capacity")
20			TEXT	DT (F-04FCC, SRT429160000, SCT, "Functional capacity")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
21			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (122760, DCM, "Stress test score") \$Method = BCID 3238 "Stress Scoring Scales"
22			NUM	DT (F-04FCA, SRT429157007, SCT, "Heart rate recovery time")	1	U		UNITS = DT (s, UCUM, "s")
23			CODE	EV (121071, DCM, "Finding")	1-n	U		BCID 3213 "Stress Hemodynamic Findings"
24			CODE	EV (F-00F4E, SRT395112001, SCT, "Cardiovascular event risk")	1	U		BCID 3118 "Level of Risk"

Content Item Descriptions

Row 22	Numerical scoring of a patient's functional capacity shall include the range of the scoring system in the Units of Measurement (see Section 7.2.2), and may include a coded identifier for the scoring system in the Method concept modifier of TID 300 "Measurement".
--------	--

TID 3313 Stress ECG Summary

Type: Extensible
Order: Significant
Root: No

Table TID 3313. Stress ECG Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (F-00033, SRT271921002, SCT, "ECG Finding")	1	U		Device Generated Test Summary
2	>	HAS OBS CONTEXT	CODE	EV (121005, DCM, "Observer Type")	1	M		EV (121007, DCM, "Device")
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1004 "Device Observer Identifying Attributes"	1	M		
4			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (F-03204, SRT164931005, SCT, "ST Elevation") \$Units = DT (mV, UCUM, "mV") \$Derivation = EV (G-A437, SRT56851009, SCT, "Maximum") \$TargetSite = DCID 3001 "ECG Leads"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (F-38279; SRT429622005, SCT, "ST Depression") \$Units = DT (mV, UCUM, "mV") \$Derivation = EV (G-A437; SRT56851009, SCT, "Maximum") \$TargetSite = DCID 3001 "ECG Leads"
6			INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (F-38287; SRT428550008, SCT, "T wave alternans") \$Units = DT (uV, UCUM, "uV") \$Derivation = EV (G-A437; SRT56851009, SCT, "Maximum") \$TargetSite = DCID 3001 "ECG Leads"
7			CODE	EV (F-38035; SRT365416000, SCT, "ST Segment Finding")	1	U		BCID 3231 "ST Segment Findings"
8	>	HAS PROPERTIES	CODE	EV (G-C0E3; SRT363698007, SCT, "Finding Site")	1-n	U		BCID 3232 "ST Segment Location"
9	>	HAS PROPERTIES	CODE	EV (G-C504; SRT116676008, SCT, "Associated Morphology")	1	U		BCID 3233 "ST Segment Morphology"
10			NUM	DT (122707, DCM, "Number of Ectopic Beats")	1	U		UNITS = EV ({beats}, UCUM, "beats")
11	>	HAS PROPERTIES	CODE	EV (G-C504; SRT116676008, SCT, "Associated Morphology")	1-n	U		BCID 3234 "Ectopic Beat Morphology"
12			CODE	DT (8884-9, LN, "Cardiac Rhythm")	1-2	U		BCID 3415 "Cardiac Rhythms"
13	>	HAS CONCEPT MOD	CODE	EV (109054, DCM, "Patient State")	1	M		DCID 3102 "Rest-Stress"
14			CODE	EV (F-00033; SRT271921002, SCT, "ECG Finding")	1-n	U		BCID 3230 "ECG Findings"
15	>	HAS CONCEPT MOD	CODE	EV (109054, DCM, "Patient State")	1	U		BCID 3262 "ECG Patient State Values"

Content Item Descriptions

Rows 4-14	Each observation (measurement or finding) may have a specific Content Item Observation DateTime attribute to indicate the time in the procedure at which the observation was made (e.g., time of maximum heart rate, or time of occurrence of an arrhythmia).
-----------	---

Row 12-13	This Concept and the associated Concept Modifier may be instantiated twice, once for resting state measurements, once for stress.
-----------	---

TID 3317 Stress Imaging Summary

Type: Extensible
Order: Significant
Root: No

Table TID 3317. Stress Imaging Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	DT (122739, DCM, "Overall study quality")	1	M		BCID 3114 "Study Quality"
2			CODE	DT (113010, DCM, "Quality Issue")	1	U		BCID 3115 "Stress Imaging Quality Issues"
3			CODE	EV (121071, DCM, "Finding")	1	U		BCID 3116 "NM Extracardiac Findings"
4			INCLUDE	DTID 300 "Measurement"	1-2	U		\$Measurement = DT (F-04F76; SRT427751006, SCT, "Perfusion defect extent") \$ModType = EV (109054, DCM, "Patient State") \$ModValue = DCID 3102 "Rest-Stress" \$Units = EV (% , UCUM, "%")
5			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DT (F-04FGD; SRT429162008, SCT, "Stress ischemia extent") \$Units = EV (% , UCUM, "%")
6			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DT (122762, DCM, "Number of diseased vessel territories") \$Units = EV ({territories}, UCUM, "territories")
7			CODE	EV (121071, DCM, "Finding")	1	U		EV (D3-13040; SRT53741008, SCT, "Coronary artery disease")
8	>	HAS PROPERTIES	CODE	EV (G-C0E3; SRT363698007, SCT, "Finding Site")	1-n	M		BCID 3016 "Major Coronary Arteries"
9			CODE	EV (F-0238D; SRT251053005, SCT, "Myocardial perfusion")	1-2	U		BCID 3120 "Perfusion Findings"
10	>	HAS CONCEPT MOD	CODE	EV (G-C0E3; SRT363698007, SCT, "Finding Site")	1	M		BCID 3463 "Ventricle Identification"
11	>	HAS PROPERTIES	CODE	EV (G-C504; SRT116676008, SCT, "Associated Morphology")	1	U		BCID 3121 "Perfusion Morphology"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12			CODE	EV (121071, DCM, "Finding")	1	U		DT (D4-31124 , SRT 429710001, SCT , "Transient cavitory dilatation")
13	>		INCLUDE	DTID 1350 "Negation Modifier, Presence of Finding"	1	U		
14			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DT (F-04FB4 , SRT 428832008, SCT , "Transient cavitory dilatation ratio") \$Units = EV ({ratio}, UCUM, "ratio")
15			INCLUDE	DTID 300 "Measurement"	1-2	U		\$Measurement = EV (10230-1, LN, "LV Ejection Fraction") \$ModType = EV (109054, DCM, "Patient State") \$ModValue = DCID 3102 "Rest-Stress" \$Units = EV (% , UCUM, "%")

Content Item Descriptions

Row 4	This row may be instantiated twice, once for resting state measurements, once for stress.
Row 15	The LVEF code specified in this row is defined in LOINC with method "imaging". LVEF measurement by ultrasound may also be encoded elsewhere in the Content Tree (e.g., in TID 3309 "Stress Echo Measurement Group") with LOINC code 18043-0, which has method "ultrasound". It is recommended that such findings from the per-phase measurements be summarized here with the generic "LVEF by Imaging" concept code.

TID 3318 Comparison to Prior Stress Exam

This Template describes changes in findings from a prior stress exam. Comparison is to only one prior exam, even though the generic concept name for the Template uses the plural "exams".

Type: Extensible
Order: Significant
Root: No

Table TID 3318. Comparison to Prior Stress Exam

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111424, DCM, "Comparison to previous exams")	1	M		
2	>	CONTAINS	CODE	DT (121058, DCM, "Procedure Reported")	1	U		DCID 3200 "Stress Test Procedure"
3	>>	HAS PROPERTIES	DATETIME	EV (122146, DCM, "Procedure DateTime")	1	U		
4	>>	HAS PROPERTIES	UIDREF	EV (121018, DCM, "Procedure Study Instance UID")	1	U		
5	>>	HAS PROPERTIES	COMPOSITE	EV (122075, DCM, "Prior report for current patient")	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	CONTAINS	CODE	DT (F-03D1D , SRT248243004 , SCT , "Exercise tolerance")	1	U		BCID 3236 "Tolerance Comparison Findings"
7	>	CONTAINS	CODE	DT (F-0238D , SRT251053005 , SCT , "Myocardial Perfusion")	1	U		BCID 3235 "Perfusion Comparison Findings"
8	>>	HAS CONCEPT MOD	CODE	EV (G-0036 , SRT370129005 , SCT , "Measurement Method")	1-n	U		BCID 3215 "Perfusion Finding Method"
9	>	CONTAINS	CODE	DT (F-02225 , SRT250909007 , SCT , "LV Wall motion")	1-n	U		BCID 3237 "Wall Motion Comparison Findings"
10	>>	HAS CONCEPT MOD	CODE	EV (109054, DCM, "Patient State")	1	M		DCID 3102 "Rest-Stress"
11	>	CONTAINS	CODE	EV (111424, DCM, "Comparison to previous exams")	1	U		BCID 3217 "Comparison Finding"
12	>	CONTAINS	NUM	DT (122768, DCM, "Difference in Ejection Fraction")	1	U		UNITS = EV (% UCUM, "%")
13	>	CONTAINS	NUM	DT (122769, DCM, "Difference in ED LV Volume")	1	U		UNITS = EV (ml, UCUM, "ml")
14	>	CONTAINS	NUM	DT (122769, DCM, "Difference in ED LV Volume")	1	U		UNITS = EV (ml/m2, UCUM, "ml/m2")
15	>>	HAS CONCEPT MOD	CODE	EV (121425, DCM, "Index")	1	M		DT (8277-6, LN, "BSA")

TID 3320 Conclusions and Recommendations

Type: Extensible
Order: Non-Significant
Root: No

Table TID 3320. Conclusions and Recommendations

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121076, DCM, "Conclusions")	1	MC	IF Completion Flag (0040,A491) = COMPLETE	
2	>	CONTAINS	TEXT	EV (121077, DCM, "Conclusion")	1	U		
3	>	CONTAINS	CODE	EV (F-00033 , SRT271921002 , SCT , "ECG Finding")	1	M		DCID 3208 "Summary Codes Exercise ECG"
4	>	CONTAINS	CODE	EV (F-01969 , SRT365853002 , SCT , "Imaging Finding")	1	M		DCID 3209 "Summary Codes Stress Imaging"
5			CONTAINER	EV (121074, DCM, "Recommendations")	1	U		
6	>	CONTAINS	TEXT	EV (121075, DCM, "Recommendation")	1	U		

Hemodynamics Report Templates

The Templates that comprise the Hemodynamic Report are interconnected as shown in Figure A-6.




Figure A-6. Hemodynamic Report Template Hierarchy

Figure A-6 shows only the use of Templates specific to the Hemodynamic Report; it does not show common structural Templates such as TID 300 "Measurement".

Note

Figure A-6 shows the relationship of Templates; it does not show the structural hierarchy of Content Items in the IOD. See Figure L-1 "Hemodynamics Report Structure" in PS3.17.

TID 3500 Hemodynamics Report

The Hemodynamic Report Template is the root structure for the representation of measurements acquired during a procedure in a cardiac catheterization lab.

Type: Extensible
Order: Significant
Root: Yes

Table TID 3500. Hemodynamics Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122120, DCM, "Hemodynamics Report")	1	M		Root node
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	M		
3	>		INCLUDE	DTID 3601 "Procedure Context"	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	HAS OBS CONTEXT	INCLUDE	DTID 3602 "Cardiovascular Patient Characteristics"	1	M		
5	>	HAS ACQ CONTEXT	INCLUDE	DTID 3603 "Procedure Environmental Characteristics"	1	U		
6	>	CONTAINS	INCLUDE	DTID 3501 "Hemodynamics Measurement Group"	1-n	M		
7	>	CONTAINS	INCLUDE	DTID 3570 "Summary, Hemodynamics"	1	U		

TID 3501 Hemodynamics Measurement Group

The Hemodynamic Measurement Group Template provides a structure for measurements acquired during a single procedure phase in a cardiac catheterization lab.

Type: Extensible
Order: Significant
Root: No

Table TID 3501. Hemodynamics Measurement Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS ACQ CONTEXT	CODE	EV (G-72BB , SRT 129085009, SCT , "Catheterization Procedure Phase")	1	M		DCID 3651 "Hemodynamic Measurement Phase"
3	>	HAS ACQ CONTEXT	INCLUDE	DTID 3520 "Hemodynamic Clinical Context"	1	U		
4	>	HAS ACQ CONTEXT	TEXT	EV (121124, DCM, "Procedure Action ID")	1	U		
5	>	CONTAINS	INCLUDE	DTID 3510 "Vital Signs"	1-n	U		
6	>	CONTAINS	INCLUDE	DTID 3504 "Arterial Pressure Measurement"	1-n	U		
7	>	CONTAINS	INCLUDE	DTID 3505 "Atrial Pressure Measurement"	1-n	U		
8	>	CONTAINS	INCLUDE	DTID 3506 "Venous Pressure Measurement"	1-n	U		
9	>	CONTAINS	INCLUDE	DTID 3507 "Ventricular Pressure Measurement"	1-n	U		
10	>	CONTAINS	INCLUDE	DTID 3508 "Gradient Measurement"	1-n	U		
11	>	CONTAINS	INCLUDE	DTID 3509 "Blood Velocity Measurement"	1-n	U		
12	>	CONTAINS	INCLUDE	DTID 3515 "Cardiac Output Measurement by Indicator Dilution"	1-n	U		
13	>	CONTAINS	INCLUDE	DTID 3516 "Blood Lab Measurements"	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
14	>	CONTAINS	INCLUDE	DTID 3560 "Derived Hemodynamic Measurements"	1-n	U		
15	>	CONTAINS	INCLUDE	DTID 3714 "ECG Lead Measurements"	1-n	U		

Content Item Descriptions

Row 4	Procedure Action ID allows linkage between the hemodynamic measurements recorded in this Template and a procedure step or phase recorded in the Procedure Log, e.g., using TID 3100 "Procedure Action".
-------	---

TID 3504 Arterial Pressure Measurement

The Arterial Pressure Measurement Template consists of a CONTAINER, with an acquisition context of the measurement anatomic site, and containing systolic, diastolic, and mean measurements. This implies that the name of the measurement is effectively post-coordinated from the measurement name, the Hemodynamic Measurement Group container (procedure phase) name, and the acquisition context (finding site) value.

Type: Extensible
Order: Significant
Root: No

Table TID 3504. Arterial Pressure Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (P2-36102; SRT73002000, SCT, "Arterial pressure measurements")	1	M		
2	>		INCLUDE	DTID 3530 "Hemodynamic Acquisition Context"	1	M		\$LocationName = EV (G-C0E3; SRT363698007, SCT, "Finding Site") \$LocationValue = DCID 3606 "Arterial Source Locations"
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (8480-6, LN, "Intravascular arterial Systolic pressure") \$Units = DCID 3500 "Pressure Units"
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (8462-4, LN, "Intravascular arterial Diastolic pressure") \$Units = DCID 3500 "Pressure Units"
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (8478-0, LN, "Intravascular arterial mean pressure") \$Units = DCID 3500 "Pressure Units"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	CONTAINS	INCLUDE	DTID 3550 "Pressure Waveform Measurements"	1-n	U		

TID 3505 Atrial Pressure Measurement

The Atrial Pressure Measurement Template consists of a CONTAINER, with an acquisition context of the measurement anatomic site, and containing a-wave, v-wave, and mean measurements. This implies that the name of the measurement is effectively post-coordinated from the measurement name, the Hemodynamic Measurement Group container (procedure phase) name, and the acquisition context (finding site) value.

Type: Extensible
Order: Significant
Root: No

Table TID 3505. Atrial Pressure Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122121, DCM, "Atrial pressure measurements")	1	M		
2	>		INCLUDE	DTID 3530 "Hemodynamic Acquisition Context"	1	M		\$LocationName = EV (G-C0E3, SRT363698007, SCT, "Finding Site") \$LocationValue = DCID 3608 "Atrial Source Locations"
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (109016, DCM, "A-wave peak pressure") \$Units = DCID 3500 "Pressure Units"
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (109034, DCM, "V-wave peak pressure") \$Units = DCID 3500 "Pressure Units"
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (F-31150, SRT6797001, SCT, "Mean blood pressure") \$Units = DCID 3500 "Pressure Units"
6	>	CONTAINS	INCLUDE	DTID 3550 "Pressure Waveform Measurements"	1-n	U		

TID 3506 Venous Pressure Measurement

The Venous Pressure Measurement Template consists of a CONTAINER, with an acquisition context of the measurement anatomic site, and containing a mean measurement. This implies that the name of the measurement is effectively post-coordinated from the measurement name, the Hemodynamic Measurement Group container (procedure phase) name, and the acquisition context (finding site) value.

Type: Extensible
Order: Significant

Root: No

Table TID 3506. Venous Pressure Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (P2-36110 , SRT31724009 , SCT, "Venous pressure measurements")	1	M		
2	>		INCLUDE	DTID 3530 "Hemodynamic Acquisition Context"	1	M		\$LocationName = EV (G-C0E3 , SRT363698007 , SCT, "Finding Site") \$LocationValue = DCID 3607 "Venous Source Locations"
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (F-31150 , SRT6797001 , SCT, "Mean blood pressure") \$Units = DCID 3500 "Pressure Units"
4	>	CONTAINS	INCLUDE	DTID 3550 "Pressure Waveform Measurements"	1-n	U		

TID 3507 Ventricular Pressure Measurement

The Ventricular Pressure Measurement Template consists of a CONTAINER, with an acquisition context of the measurement anatomic site, and containing systolic and end-diastolic measurements. This implies that the name of the measurement is effectively post-coordinated from the measurement name, the Hemodynamic Measurement Group container (procedure phase) name, and the acquisition context (finding site) value.

Type: Extensible
Order: Significant
Root: No

Table TID 3507. Ventricular Pressure Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122122, DCM, "Ventricular pressure measurements")	1	M		
2	>		INCLUDE	DTID 3530 "Hemodynamic Acquisition Context"	1	M		\$LocationName = EV (G-C0E3 , SRT363698007 , SCT, "Finding Site") \$LocationValue = DCID 3609 "Ventricular Source Locations"
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	MC	IFF \$LocationValue selected in row 2 is (T-32600 , SRT87878005 , SCT, "Left Ventricle") or subsite thereof	\$Measurement = EV (F-03E0D , SRT276780008 , SCT, "Left Ventricular Systolic blood pressure") \$Units = DCID 3500 "Pressure Units"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	MC	IFF \$LocationValue selected in row 2 is (T-32600 , SRT87878005 , SCT , "Left Ventricle") or subsite thereof	\$Measurement = EV (F-03E0E , SRT276781007 , SCT , "Left Ventricle End Diastolic pressure") \$Units = DCID 3500 "Pressure Units"
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	MC	IFF \$LocationValue selected in row 2 is (T-32500 , SRT53085002 , SCT , "Right Ventricle") or subsite thereof	\$Measurement = EV (F-03DFE , SRT276772001 , SCT , "Right Ventricle Systolic blood pressure") \$Units = DCID 3500 "Pressure Units"
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	MC	IFF \$LocationValue selected in row 2 is (T-32500 , SRT53085002 , SCT , "Right Ventricle") or subsite thereof	\$Measurement = EV (F-03E02 , SRT276774000 , SCT , "Right Ventricle End Diastolic pressure") \$Units = DCID 3500 "Pressure Units"
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	MC	IFF \$LocationValue selected in row 2 is (D4-31120 , SRT45503006 , SCT , "Common Ventricle")	\$Measurement = EV (122194, DCM, "Ventricular Systolic blood pressure") \$Units = DCID 3500 "Pressure Units"
8	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	MC	IFF \$LocationValue selected in row 2 is (D4-31120 , SRT45503006 , SCT , "Common Ventricle")	\$Measurement = EV (122191, DCM, "Ventricular End Diastolic pressure") \$Units = DCID 3500 "Pressure Units"
9	>	CONTAINS	INCLUDE	DTID 3550 "Pressure Waveform Measurements"	1-n	U		

TID 3508 Gradient Measurement

The Gradient Measurement Template consists of a CONTAINER, with an acquisition context of the measurement anatomic site, and containing the gradient measurement. This implies that the name of the measurement is effectively post-coordinated from the measurement name, the Hemodynamic Measurement Group container (procedure phase) name, and the acquisition context (finding site) value.

Type: Extensible
Order: Significant
Root: No

Table TID 3508. Gradient Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122123, DCM, "Gradient assessment")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>		INCLUDE	DTID 3530 "Hemodynamic Acquisition Context"	1	MC	XOR with Rows 3 & 4 IFF single location is appropriate	\$LocationName = EV (G-C0E3; SRT363698007, SCT, "Finding Site") \$LocationValue = DCID 3610 "Gradient Source Locations"
3	>		INCLUDE	DTID 3530 "Hemodynamic Acquisition Context"	1	MC	XOR with Row 2 IFF a dual location is appropriate	\$LocationName = EV (121116, DCM, "Proximal Finding Site") \$LocationValue = DCID 3630 "Cardiovascular Anatomic Locations"
4	>		INCLUDE	DTID 3530 "Hemodynamic Acquisition Context"	1	MC	XOR with Row 2 IFF a dual location is appropriate	\$LocationName = EV (121117, DCM, "Distal Finding Site") \$LocationValue = DCID 3630 "Cardiovascular Anatomic Locations"
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$Measurement = EV (F-023F7; SRT251081004, SCT, "Pressure Gradient") \$Units = DCID 3500 "Pressure Units" \$Derivation = DCID 3627 "Measurement Type"
6	>	CONTAINS	INCLUDE	DTID 3550 "Pressure Waveform Measurements"	1-n	U		

Content Item Descriptions

Row 5	Is used to encode the gradient measurements. Uses TID 300 "Measurement" for the Content Item structure of the measurements. That Template allows an INFERRED FROM relationship to other numeric measurements used in the computation or derivation of the current measurement. In the case of a gradient measurement, the pressure measurements at the distal and proximal locations may thus be explicitly conveyed.
-------	---

TID 3509 Blood Velocity Measurement

The Blood Velocity Measurement Template consists of a CONTAINER, with an acquisition context of the measurement anatomic site, and containing primary (not derived) velocity measurements, e.g., from a Doppler catheter. Derived velocity measurements may be recorded using TID 3560 "Derived Hemodynamic Measurements".

Type: Extensible
Order: Significant
Root: No

Table TID 3509. Blood Velocity Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122124, DCM, "Blood velocity measurements")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>		INCLUDE	DTID 3530 "Hemodynamic Acquisition Context"	1	M		\$LocationName = EV (G-C0E9; SRT363704007, SCT, "Procedure site") \$LocationValue = BCID 3606 "Arterial Source Locations"
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$Measurement = DCID 3612 "Blood Velocity Measurements" \$Units = EV (mm/s, UCUM, "mm/s")
4	>	CONTAINS	INCLUDE	DTID 3550 "Pressure Waveform Measurements"	1-n	U		

TID 3510 Vital Signs

The Vital Signs Template consists of a CONTAINER containing the various vital signs measurements. These measurements may be acquired automatically from patient monitoring equipment, or may be entered based on manual measurements.

Type: Extensible
Order: Significant
Root: No

Table TID 3510. Vital Signs

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (8716-3, LN, "Vital Signs")	1	M		
2	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-008EG; SRT271649006, SCT, "Systolic blood pressure") \$Units = DCID 3500 "Pressure Units" \$Method = BCID 3560 "Blood Pressure Methods"
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-008ED; SRT271650006, SCT, "Diastolic blood pressure") \$Units = DCID 3500 "Pressure Units"
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8867-4, LN, "Heart rate") \$Units = EV ({H.B.}/min, UCUM, "BPM")
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8310-5, LN, "Body temperature") \$Units = EV (Cel, UCUM, "C")
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = DCID 3526 "Blood Gas Saturation" \$Units = EV (% , UCUM, "%")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-21000; SRT86290005, SCT, "Respiration rate") \$Units = EV (/min, UCUM, "breaths/min")
8	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122195, DCM, "Pulse Strength") \$Units = DT ({0:4}, UCUM, "range 0:4")
9	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-009EA; SRT225908003, SCT, "Pain Score") \$Units = DT ({1:10}, UCUM, "range 1:10")
10	>	CONTAINS	CODE	DT (8884-9, LN, "Cardiac Rhythm")	1	U		BCID 3415 "Cardiac Rhythms"
11	>	CONTAINS	CODE	DT (9304-7, LN, "Respiration Rhythm")	1	U		BCID 3416 "Respiration Rhythms"

TID 3515 Cardiac Output Measurement by Indicator Dilution

The Cardiac Output Measurement by Indicator Dilution Template consists of a CONTAINER containing the measurement and significant parameters of the technical method. If the measurement is based on a DICOM Hemodynamic Waveform SOP Instance, that object may also be referenced.

Note

Fick Cardiac Output is encoded in TID 3560 "Derived Hemodynamic Measurements".

Type: Extensible
Order: Significant
Root: No

Table TID 3515. Cardiac Output Measurement By Indicator Dilution

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (P2-34201; SRT117610000, SCT, "Cardiac Output measurement")	1	M		
2	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (8737-9, LN, "Cardiac Output by Indicator Dilution") \$Units = EV (l/min, UCUM, "l/min") \$Method = DCID 3628 "Cardiac Output Methods" \$WavePurpose = DT (121112, DCM, "Source of Measurement")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	HAS ACQ CONTEXT	NUM	EV (122319, DCM, "Catheter Size")	1	MC	IFF Row 2 indicates a thermal method	UNITS = DCID 3510 "Catheter Size Units"
4	>	HAS ACQ CONTEXT	NUM	EV (122320, DCM, "Injectate Temperature")	1	MC	IFF Row 2 indicates a thermal method	UNITS = EV (Cel, UCUM, "C")
5	>	HAS ACQ CONTEXT	NUM	EV (122321, DCM, "Injectate Volume")	1	M		UNITS = DT (ml, UCUM, "ml")
6	>	HAS ACQ CONTEXT	NUM	EV (122322, DCM, "Calibration Factor")	1	M		UNITS = DT (1, UCUM, "no units")

TID 3516 Blood Lab Measurements

The Blood Lab Measurements Template provides for the recording of measurements made on blood samples obtained during a catheterization procedure. The type and anatomic source of the blood is recorded as acquisition context. The results from the blood chemistry measurement system are quoted; the measurement names may be pre-coordinated with the type or source of the blood, or generic measurement names may be reported. In the latter case, the full measurement concept name may be effectively post-coordinated using the recorded acquisition context.

Type: Extensible
Order: Significant
Root: No

Table TID 3516. Blood Lab Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122125, DCM, "Blood lab measurements")	1	M		
2	>	HAS ACQ CONTEXT	CODE	EV (R-00254, SRT371439000, SCT, "Specimen Type")	1	M		DCID 3520 "Blood Source Type"
3	>	HAS ACQ CONTEXT	CODE	EV (G-G0E9, SRT363704007, SCT, "Procedure site")	1	M		BCID 3630 "Cardiovascular Anatomic Locations"
4	>		INCLUDE	DTID 1000 "Quotation"	1	U		
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (718-7, LN, "Hemoglobin") \$Units = DT (g/dl, UCUM, "g/dl")
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3524 "Blood Gas Pressures" \$Units = DCID 3500 "Pressure Units"
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3525 "Blood Gas Content" \$Units = DT (ml/dl, UCUM, "ml/dl")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
8	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3528 "Blood pH" \$Units = EV ([pH], UCUM, "pH")
9	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3526 "Blood Gas Saturation" \$Units = EV (% , UCUM, "%")
10	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3527 "Blood Base Excess" \$Units = DT (meq/dl, UCUM, "meq/dl")
11	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122183, DCM, "Blood temperature") \$Units = EV (Cel, UCUM, "C")

TID 3520 Hemodynamic Clinical Context

The Clinical Context Template allows the recording of information about the patient's clinical state that may affect interpretation of the hemodynamic measurements. This Template includes several coded conditions (e.g., complications, drugs, physiological challenges, etc.), each of which may have a Concept Modifier of "Relative Time". This Modifier indicates the temporal relationship of the hemodynamic measurements to the conditions recorded in this Template. E.g., the Content Item structure:

[CONTAINER] "Findings"

>HAS ACQ CONTEXT "Cath Procedure Phase" "Post-intervention phase"

>HAS ACQ CONTEXT [CONTAINER] "Clinical Context"

>>CONTAINS [CODE] "Complication" "Arrhythmia"

>>>HAS CONCEPT MOD [CODE] "Relative Time" "After"

>CONTAINS [CONTAINER] "Arterial Measurements"...

conveys the semantics that this group of measurements for the post-intervention phase of a cath procedure was made after an occurrence of arrhythmia in the patient.

In the absence of a Relative Time modifier, the acquisition context is during the identified event or state.

Type: Extensible
Order: Significant
Root: No

Table TID 3520. Hemodynamic Clinical Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122127, DCM, "Clinical Context")	1	M		
2	>	CONTAINS	CODE	EV (109054, DCM, "Patient State")	1-n	U		BCID 3602 "Hemodynamic Patient State"
3	>	CONTAINS	TEXT	EV (109054, DCM, "Patient State")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	INCLUDE	DTID 3521 "Relative Time"	1-n	U		\$ConditionName = EV (DD-60002 , SRT 116224001, SCT, "Complication of Procedure") \$ConditionValue = DCID 3413 "Adverse Outcomes"
5	>	CONTAINS	INCLUDE	DTID 3521 "Relative Time"	1-n	U		\$ConditionName = EV (122086, DCM, "Contrast administered") \$ConditionValue = BCID 12 "Radiographic Contrast Agent"
6	>	CONTAINS	INCLUDE	DTID 3521 "Relative Time"	1-n	U		\$ConditionName = EV (122083, DCM, "Drug administered") \$ConditionValue = BCID 10 "Interventional Drug"
7	>	CONTAINS	INCLUDE	DTID 3521 "Relative Time"	1-n	U		\$ConditionName = EV (109059, DCM, "Physiological challenges") \$ConditionValue = BCID 3271 "Hemodynamic Physiological Challenges"
8	>	CONTAINS	INCLUDE	DTID 3521 "Relative Time"	1-n	U		\$ConditionName = EV (122138, DCM, "Circulatory Support") \$ConditionValue = DCID 3553 "Circulatory Support"
9	>	CONTAINS	INCLUDE	DTID 3521 "Relative Time"	1-n	U		\$ConditionName = EV (P2-2290D , SRT 243147009, SCT, "Controlled ventilation") \$ConditionValue = DCID 3554 "Ventilation"
10	>	CONTAINS	INCLUDE	DTID 3521 "Relative Time"	1-n	U		\$ConditionName = EV (P2-35000 , SRT 18590009, SCT, "Cardiac Pacing") \$ConditionValue = BCID 3555 "Pacing"
11	>	CONTAINS	INCLUDE	DTID 3521 "Relative Time"	1-n	U		\$ConditionName = EV (P0-00000 , SRT 71388002, SCT, "Procedure") \$ConditionValue = BCID 3405 "Procedure Action Values"

TID 3521 Relative Time

The Relative Time Template is invoked by 3520 Hemodynamic Acquisition Context Template. It specifies an applicable clinical context condition and the time of the current measurements relative to that condition.

Table TID 3521. Parameters

Parameter Name	Parameter Usage
\$ConditionName	Coded term for Concept Name of condition
\$ConditionValue	Context Group for condition values

Type: Non-Extensible
 Order: Significant
 Root: No

Table TID 3521. Relative Time

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	\$ConditionName	1	M		\$ConditionValue
2	>	HAS CONCEPT MOD	CODE	EV (G-D709; SRT118578006, SCT, "Relative time")	1	U		BCID 3600 "Relative Times"

TID 3530 Hemodynamic Acquisition Context

The Hemodynamic Acquisition Context Template is invoked by the various hemodynamic measurement Templates.

Table TID 3530. Parameters

Parameter Name	Parameter Usage
\$LocationName	Coded term for Concept Name of measurement location
\$LocationValue	Context Group for appropriate anatomic locations

Type: Extensible
 Order: Significant
 Root: No

Table TID 3530. Hemodynamic Acquisition Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS CONCEPT MOD	CODE	\$LocationName	1	M		\$LocationValue
2	>	HAS CONCEPT MOD	CODE	EV (G-A1F8; SRT106233006, SCT, "Topographical modifier")	1	U		BCID 3019 "Cardiovascular Anatomic Location Modifiers"
3		HAS ACQ CONTEXT	CODE	EV (G-C036; SRT370129005, SCT, "Measurement Method ")	1	U		BCID 3241 "Hemodynamic Measurement Techniques"
4		HAS ACQ CONTEXT	WAVEFORM	DT (121112, DCM, "Source of Measurement")	1	UC	XOR Row 5	
5		HAS ACQ CONTEXT	TCOORD	DT (121112, DCM, "Source of Measurement")	1	UC	XOR Row 4	
6	>	SELECTED FROM	WAVEFORM		1	M		

TID 3550 Pressure Waveform Measurements

The Pressure Waveform Measurements Template is invoked by the various hemodynamic measurement Templates for recording general measurements made in conjunction with the specific required measurements for that anatomic location.

Type: Extensible
 Order: Significant
 Root: No

Table TID 3550. Pressure Waveform Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3611 "Pressure Measurements" \$Units = DCID 3500 "Pressure Units"
2		CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3612 "Blood Velocity Measurements" \$Units = EV (mm/s, UCUM, "mm/s")
3		CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3613 "Hemodynamic Time Measurements" \$Units = DT (ms, UCUM, "ms")
4		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32100; SRT82799009, SCT, "Cardiac Output") \$Units = EV (l/min, UCUM, "l/min")
5		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32120; SRT90096001, SCT, "Stroke Volume") \$Units = DT (ml, UCUM, "ml")
6		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (10230-1, LN, "LV Ejection Fraction") \$Units = EV (% , UCUM, "%")
7		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8867-4, LN, "Heart rate") \$Units = DT ({H.B.}/min, UCUM, "BPM")
8		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-21000; SRT86290005, SCT, "Respiration rate") \$Units = DT (/min, UCUM, "breaths/min")
9		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (109025, DCM, "Max dp/dt") \$Units = DT (mm[Hg]/s, UCUM, "mmHg/s")
10		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (109026, DCM, "Max neg dp/dt") \$Units = DT (mm[Hg]/s, UCUM, "mmHg/s")
11		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122190, DCM, "Max dp/dt/P") \$Units = DT (/s, UCUM, "/s")
12		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122192, DCM, "Indicator appearance time") \$Units = DT (s, UCUM, "s")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
13		CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122193, DCM, "Maximum pressure acceleration") \$Units = DT (mm[Hg]/s2, UCUM, "mmHg/s/s")
14		CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3617 "Valve Flows" \$Units = DT (ml/min, UCUM, "ml/min")

TID 3560 Derived Hemodynamic Measurements

The Derived Hemodynamic Measurements Template consists of a CONTAINER containing measurements derived from one or more other measurements. These measurements are associated with a particular procedure phase, but not necessarily with a particular anatomic location.

Type: Extensible
Order: Significant
Root: No

Table TID 3560. Derived Hemodynamic Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122126, DCM, "Derived Hemodynamic Measurements")	1	U		
2	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3614 "Valve Areas, Non-mitral" \$Units = EV (cm2, UCUM, "cm2") \$Equation = DT (122262, DCM, "Area = Flow / 44.5 * sqrt(Gradient[mmHg]) ")
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-02320 , SRT 251012002, SCT, "Mitral Valve Area") \$Units = EV (cm2, UCUM, "cm2") \$Equation = DT (122263, DCM, "MVA = Flow / 38.0 * sqrt(Gradient[mmHg]) ")
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3615 "Valve Areas" \$ModType = EV (121425, DCM, "Index") \$ModValue = EV (8277-6, LN, "Body Surface Area") \$Units = DT (cm2/m2, UCUM, "cm2/m2")
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3616 "Hemodynamic Period Measurements" \$Units = DT (s/min, UCUM, "s/min")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3617 "Valve Flows" \$Units = DT (ml/s, UCUM, "ml/s")
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32440; SRT54993008, SCT, "Cardiac Index") \$Units = DT (l/min/m2, UCUM, "l/min/m2")
8	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3529 "Arterial / Venous Content" \$Units = DT (ml/dl, UCUM, "ml/dl")
9	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3618 "Hemodynamic Flows" \$Units = DT (l/min, UCUM, "l/min")
10	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8736-1, LN, "FICK Cardiac Output") \$Units = DT (l/min, UCUM, "l/min")
11	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8750-2, LN, "FICK Cardiac Index") \$Units = DT (l/min/m2, UCUM, "l/min/m2")
12	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122229, DCM, "Arteriovenous difference") \$Units = DT (ml/dl, UCUM, "ml/dl")
13	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = BCID 3620 "Hemodynamic Ratios" \$Units = DT ({ratio}, UCUM, "ratio")
14	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122237, DCM, "Corrected Sinus Node Recovery Time") \$Units = DT (ms, UCUM, "ms")
15	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8861-7, LN, "Left Ventricular Stroke Work") \$Units = DT (gf.m, UCUM, "gf.m")
16	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8862-5, LN, "Right Ventricular Stroke Work") \$Units = DT (gf.m, UCUM, "gf.m")
17	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8863-3, LN, "Left Ventricular Stroke Work Index") \$Units = DT (gf.m/m2, UCUM, "gf.m/m2")
18	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (8864-1, LN, "Right Ventricular Stroke Work Index") \$Units = DT (gf.m/m2, UCUM, "gf.m/m2")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
19	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122238, DCM, "Max volume normalized to 50mmHg pulse pressure") \$Units = DT (ml, UCUM, "ml")
20	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122239, DCM, "Oxygen Consumption") \$Units = DT (ml/min, UCUM, "ml/min") \$Equation = BCID 3664 "Oxygen Consumption Equations and Tables"
21	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (19217-9, LN, "Oxygen partial pressure at 50% saturation (P50) ") \$Units = DCID 3500 "Pressure Units" \$Equation = BCID 3666 "P50 Equations"
22	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (11556-8, LN, "Blood Oxygen partial pressure") \$Units = DCID 3500 "Pressure Units"
23	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3618 "Hemodynamic Flows" \$ModType = EV (121425, DCM, "Index") \$ModValue = EV (8277-6, LN, "Body Surface Area") \$Units = DT (l/min/m2, UCUM, "l/min/m2")
24	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3619 "Hemodynamic Resistance Measurements" \$Units = DCID 3502 "Hemodynamic Resistance Units"
25	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3619 "Hemodynamic Resistance Measurements" \$ModType = EV (121425, DCM, "Index") \$ModValue = EV (8277-6, LN, "Body Surface Area") \$Units = DCID 3503 "Indexed Hemodynamic Resistance Units"
26	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122227, DCM, "Left to Right Flow") \$Units = DT (l/min, UCUM, "l/min")
27	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122228, DCM, "Right to Left Flow") \$Units = DT (l/min, UCUM, "l/min")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
28	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32120; SRT90096001, SCT, "Stroke Volume") \$Units = DT (ml, UCUM, "ml")
29	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32120; SRT90096001, SCT, "Stroke Volume") \$ModType = EV (121425, DCM, "Index") \$ModValue = EV (8277-6, LN, "Body Surface Area") \$Units = DT (ml/m2, UCUM, "ml/m2")
30	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-042BA; SRT268384009, SCT, "Total blood volume") \$Units = DT (l, UCUM, "l")
31	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3667 "Framingham Scores" \$Units = DT (% , UCUM, "%") \$Equation = DCID 3668 "Framingham Tables"

TID 3570 Summary, Hemodynamics

This Template allows the recording of any significant numeric measurements or findings.

Type: Extensible
Order: Significant
Root: No

Table TID 3570. Summary, Hemodynamics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121111, DCM, "Summary")	1	M		
2	>	CONTAINS	TEXT	EV (121111, DCM, "Summary")	1	U		
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		
4	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3640 "Hypertension"
5	>>		INCLUDE	DTID 1350 "Negation Modifier, Presence of Finding"	1	U		
6	>>	HAS PROPERTIES	CODE	EV (G-G197; SRT246112005, SCT, "Severity")	1	U		DCID 3716 "Severity"
7	>	CONTAINS	CODE	DCID 3641 "Hemodynamic Assessments"	1-n	U		DCID 3642 "Degree Findings"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
8	>>	HAS PROPERTIES	CODE	EV (G-C0B2; SRT260905004, SCT, "Condition")	1	U		EV (R-102B9; SRT414576002, SCT, "Large v-wave")
9	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1	U		EV (R-102BA; SRT413985002, SCT, "Diastolic pressure equalization")

TID 3601 Procedure Context

The Procedure Context Template describes acquisition context for measurements made or events recorded in a procedure.

Type: Extensible
Order: Significant
Root: No

Table TID 3601. Procedure Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS ACQ CONTEXT	TEXT	EV (121065, DCM, "Procedure Description")	1	U		Defaults to Study Description (0008,1030) of the General Study Module
2		HAS ACQ CONTEXT	CODE	EV (G-C0E8; SRT363703001, SCT, "Has Intent")	1	U		BCID 3629 "Procedure Intent"
3		HAS ACQ CONTEXT	CODE	EV (G-C09C; SRT260870009, SCT, "Procedure Priority")	1	U		BCID 3414 "Procedure Urgency"
4		HAS OBS CONTEXT	CODE	EV (121023, DCM, "Procedure Code")	1-n	U		Defaults to Procedure Code Sequence (0008,1032) of General Study Module

TID 3602 Cardiovascular Patient Characteristics

This Template describes the characteristics of the patient that are specific to the current clinical presentation (visit). Patient Characteristic concepts in this Template, which may replicate attributes in the Patient Study Module, are included here as possible targets of by-reference relationships from other Content Items in the SR tree.

Note

Several of the concepts in this Template duplicate concepts in TID 1007 "Subject Context, Patient". The difference in use is that this Template has those concepts as primary observations of the patient, while in TID 1007 "Subject Context, Patient" the concepts are used to set (or reset) the context for other observations.

Type: Extensible
Order: Significant
Root: No

Table TID 3602. Cardiovascular Patient Characteristics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121118, DCM, "Patient Characteristics")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	NUM	EV (121033, DCM, "Subject Age")	1	M		UNITS = DCID 7456 "Units of Measure for Age"
3	>	CONTAINS	CODE	EV (121032, DCM, "Subject Sex")	1	M		DCID 7455 "Sex"
4	>	CONTAINS	NUM	EV (8302-2, LN, "Patient Height")	1	M		UNITS = EV (cm, UCUM, "cm")
5	>	CONTAINS	NUM	EV (29463-7, LN, "Patient Weight")	1	M		UNITS = EV (kg, UCUM, "kg")
6	>	CONTAINS	NUM	EV (122221, DCM, "Thorax diameter, sagittal")	1	U		UNITS = EV (cm, UCUM, "cm")
7	>	CONTAINS	NUM	EV (8277-6, LN, "Body Surface Area")	1	MC	IF BSA used for indexed measurements in SOP Instance	UNITS = EV (m2, UCUM, "m2")
8	>>	INFERRED FROM	CODE	EV (8278-4, LN, "Body Surface Area Formula")	1	U		BCID 3663 "Body Surface Area Equations"
9	>	CONTAINS	NUM	EV (F-01860 , SRT60621009 , SCT , "Body Mass Index")	1	U		UNITS = EV (kg/m2, UCUM, "kg/m2")
10	>>	INFERRED FROM	CODE	EV (121420, DCM, "Equation")	1	U		DT (122265, DCM, "BMI = Wt/Ht^2")
11	>	CONTAINS	NUM	EV (8867-4, LN, "Heart Rate")	1	U		UNITS = EV ({H.B.}/min, UCUM, "BPM")
12	>	CONTAINS	NUM	EV (F-008EG , SRT271649006 , SCT , "Systolic Blood Pressure")	1	U		UNITS = DCID 3500 "Pressure Units"
13	>	CONTAINS	NUM	EV (F-008ED , SRT271650006 , SCT , "Diastolic Blood Pressure")	1	U		UNITS = DCID 3500 "Pressure Units"
14	>	CONTAINS	CODE	DT (8884-9, LN, "Cardiac Rhythm")	1	U		BCID 3415 "Cardiac Rhythms"
15	>	CONTAINS	NUM	EV (F-03D8C , SRT248366000 , SCT , "Chest Circumference")	1	U		UNITS = EV (cm, UCUM, "cm")
16	>	CONTAINS	TEXT	EV (F-009E4 , SRT248808008 , SCT , "Breast size")	1	U		Bra size as text string
17	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1	U		DCID 3202 "Chest Pain"
18	>	CONTAINS	CODE	EV (F-04FCG , SRT429160000 , SCT , "Functional capacity")	1	U		DCID 3719 "Canadian Clinical Classification"
19	>	CONTAINS	CODE	EV (F-04FCG , SRT429160000 , SCT , "Functional capacity")	1	U		DCID 3736 "NYHA Classification"
20	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
21	>	CONTAINS	TEXT	EV (121110, DCM, "Patient Presentation")	1	U		

Content Item Descriptions

Rows 11-13	Cardiac vital signs, for use when the SR SOP Instance does not record vital signs at multiple procedure phases or stages.
Row 16	Breast size for interpretation of attenuation in nuclear medicine imaging

TID 3603 Procedure Environmental Characteristics

Type: Extensible
Order: Significant
Root: No

Table TID 3603. Procedure Environmental Characteristics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122222, DCM, "Procedure Environmental Characteristics")	1	M		
2	>	CONTAINS	NUM	EV (122223, DCM, "Room oxygen concentration")	1	U		UNITS = EV (% UCUM, "%")
3	>	CONTAINS	NUM	EV (122224, DCM, "Room temperature")	1	U		UNITS = EV (Cel, UCUM, "C")
4	>	CONTAINS	NUM	EV (122225, DCM, "Room Barometric pressure")	1	U		UNITS = DT (mbar, UCUM, "millibar")

ECG Report Templates**TID 3700 ECG Report**

The ECG Report Template is the root structure for the representation of analysis of an ECG waveform, potentially in comparison to a prior ECG waveform analysis. The analyzed waveform may or may not be stored as a DICOM SOP Instance.

Type: Extensible
Order: Significant
Root: Yes

Table TID 3700. ECG Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (28010-7, LN, "ECG Report")	1	M		Root node
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	U		DCID 3670 "ECG Procedure Types"
3	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
4	>	CONTAINS	INCLUDE	DTID 1002 "Observer Context"	1-n	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	CONTAINER	EV (18785-6, LN, "Indications for Procedure")	1	U		
6	>>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3671 "Reason for ECG Exam"
7	>>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1	U		
8	>	CONTAINS	INCLUDE	DTID 3802 "Cardiovascular Patient History"	1	U		
9	>	CONTAINS	INCLUDE	DTID 3704 "Patient Characteristics for ECG"	1	U		
10	>	CONTAINS	INCLUDE	DTID 3702 "Prior ECG Exam"	1	U		
11	>	CONTAINS	INCLUDE	DTID 3708 "ECG Waveform Information"	1	M		
12	>	CONTAINS	CONTAINER	EV (122144, DCM, "Quantitative Analysis")	1	M		
13	>>	CONTAINS	INCLUDE	DTID 3713 "ECG Global Measurements"	1	U		
14	>>	CONTAINS	INCLUDE	DTID 3714 "ECG Lead Measurements"	1-n	U		One instantiation per reported lead
15	>	CONTAINS	INCLUDE	DTID 3717 "ECG Qualitative Analysis"	1	U		
16	>	CONTAINS	INCLUDE	DTID 3719 "Summary, ECG"	1	U		

TID 3701 Clinical Context, ECG (Retired)

This Template has been retired (see PS3.16-2009).

TID 3702 Prior ECG Exam

Type: Extensible
Order: Significant
Root: No

Table TID 3702. Prior ECG Exam

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (55114-3, LN, "Prior Procedure Descriptions")	1	M		
2	>	CONTAINS	CODE	EV (122140, DCM, "Comparison with Prior Exam Done")	1	M		DCID 230 "Yes-No"
3	>	CONTAINS	DATETIME	EV (122146, DCM, "Procedure DateTime")	1	U		
4	>	CONTAINS	UIDREF	EV (121018, DCM, "Procedure Study Instance UID")	1	U		
5	>	CONTAINS	COMPOSITE	EV (122075, DCM, "Prior report for current patient")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	CONTAINS	WAVEFORM	EV (121112, DCM, "Source of Measurement")	1	U		

TID 3704 Patient Characteristics for ECG

Type: Extensible
Order: Significant
Root: No

Table TID 3704. Patient Characteristics for ECG

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121118, DCM, "Patient Characteristics")	1	M		
2	>	CONTAINS	NUM	EV (121033, DCM, "Subject Age")	1	M		UNITS = DCID 7456 "Units of Measure for Age"
3	>	CONTAINS	CODE	EV (121032, DCM, "Subject Sex")	1	M		DCID 7455 "Sex"
4	>	CONTAINS	NUM	EV (8302-2, LN, "Patient Height")	1	U		UNITS = EV (cm, UCUM, "cm")
5	>	CONTAINS	NUM	EV (29463-7, LN, "Patient Weight")	1	U		UNITS = EV (kg, UCUM, "kg")
6	>	CONTAINS	NUM	EV (F-008EC, SRT271649006, SCT, "Systolic Blood Pressure")	1	U		UNITS = DCID 3500 "Pressure Units"
7	>	CONTAINS	NUM	EV (F-008ED, SRT271650006, SCT, "Diastolic Blood Pressure")	1	U		UNITS = DCID 3500 "Pressure Units"
8	>	CONTAINS	CODE	EV (109054, DCM, "Patient State")	1	U		DCID 3262 "ECG Patient State Values"
9	>	CONTAINS	CODE	EV (R-00728, SRT441509002, SCT, "Pacemaker in situ")	1	U		DCID 3672 "Pacemakers"
10	>	CONTAINS	CODE	EV (R-0077C, SRT443325000, SCT, "ICD in situ")	1	U		DCID 3692 "ICDs"

TID 3708 ECG Waveform Information

The ECG Waveform Information Template provides reference to, and important parameters of, the analyzed waveform.

Type: Extensible
Order: Significant
Root: No

Table TID 3708. ECG Waveform Information

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (55111-9, LN, "Current Procedure Descriptions")	1	M		
2	>	CONTAINS	WAVEFORM	EV (121112, DCM, "Source of Measurement")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	CODE	EV (10:11345, MDC, "Lead System")	1	U		DCID 3263 "Electrode Placement Values"
4	>	CONTAINS	TEXT	EV (122142, DCM, "Acquisition Device Type")	1	U		
5	>	CONTAINS	TEXT	EV (121122, DCM, "Equipment Identification")	1	U		
6	>	CONTAINS	INCLUDE	DTID 1003 "Person Observer Identifying Attributes"	1	U		Person performing the ECG acquisition
7	>	CONTAINS	TEXT	EV (121121, DCM, "Room Identification")	1	U		
8	>	CONTAINS	DATETIME	EV (122146, DCM, "Procedure DateTime")	1	M		
9	>	CONTAINS	NUM	DCID 3690 "ECG Control Variables Numeric"	1-n	U		
10	>	CONTAINS	TEXT	DCID 3691 "ECG Control Variables Text"	1-n	U		
11	>	CONTAINS	INCLUDE	DTID 4019 "Algorithm Identification"	1	U		

TID 3713 ECG Global Measurements

The ECG Global Measurements Template provides a structure for measurements calculated across the ECG waveform as a whole (multiple leads).

As an Extensible Template, applications may include any ECG global measurements, such as angles of the electrical vector of various ECG waves. The recommended vocabulary for such concepts is ISO/IEEE 11073-10102.

Type: Extensible
Order: Significant
Root: No

Table TID 3713. ECG Global Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122158, DCM, "ECG Global Measurements")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 3715 "ECG Measurement Source"	1	U		
3	>	CONTAINS	NUM	DT (2:16020, MDC, "Atrial Heart Rate")	1	U		UNITS = EV ({H.B.}/min, UCUM, "BPM")
4	>	CONTAINS	NUM	DT (2:16016, MDC, "Ventricular Heart Rate")	1	M		UNITS = EV ({H.B.}/min, UCUM, "BPM")
5	>	CONTAINS	NUM	DT (2:16160, MDC, "QT interval global")	1	M		UNITS = EV (ms, UCUM, "ms")
6	>	CONTAINS	NUM	DT (2:15876, MDC, "QTc interval global")	1	U		UNITS = EV (ms, UCUM, "ms")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>>	HAS PROPERTIES	CODE	DT (111001, DCM, "Algorithm Name")	1	U		DCID 3678 "QT Correction Algorithms"
8	>	CONTAINS	NUM	DT (2:15872, MDC, "PR interval global")	1	M		UNITS = EV (ms, UCUM, "ms")
9	>	CONTAINS	NUM	DT (2:16156, MDC, "QRS duration global")	1	M		UNITS = EV (ms, UCUM, "ms")
10	>	CONTAINS	NUM	DT (2:16168, MDC, "RR interval global")	1	M		UNITS = EV (ms, UCUM, "ms")
11	>	CONTAINS	NUM	DCID 3689 "ECG Global Waveform Durations"	1-n	U		UNITS = EV (ms, UCUM, "ms")
12	>	CONTAINS	NUM	DCID 3229 "ECG Axis Measurements"	1-n	U		UNITS = EV (deg, UCUM, "deg")
13	>	CONTAINS	NUM	DT (2:16032, MDC, "Count of all beats")	1	U		UNITS = EV ({beats}, UCUM, "beats")
14	>	CONTAINS	NUM	DT (122707, DCM, "Number of Ectopic Beats")	1	U		UNITS = EV ({beats}, UCUM, "beats")
15	>>	HAS PROPERTIES	CODE	EV (G-C504, SRT116676008, SCT, "Associated Morphology")	1-n	U		BCID 3234 "Ectopic Beat Morphology"

TID 3714 ECG Lead Measurements

The ECG Lead Measurements Template provides a structure for measurements calculated on individual ECG leads.

As an Extensible Template, applications may include any ECG per lead measurements, such as integrals over time of various ECG wave voltages. The recommended vocabulary for such concepts is ISO/IEEE 11073-10102.

Type: Extensible
Order: Significant
Root: No

Table TID 3714. ECG Lead Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122159, DCM, "ECG Lead Measurements")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (122148, DCM, "Lead ID")	1	M		BCID 3001 "ECG Leads"
3	>	HAS OBS CONTEXT	INCLUDE	DTID 3715 "ECG Measurement Source"	1	U		
4	>	CONTAINS	NUM	DCID 3687 "Electrophysiology Waveform Durations"	1-n	U		UNITS = EV (ms, UCUM, "ms")
5	>	CONTAINS	NUM	DCID 3688 "Electrophysiology Waveform Voltages"	1-n	U		UNITS = EV (mV, UCUM, "mV")
6	>	CONTAINS	CODE	EV (F-38035, SRT365416000, SCT, "ST Segment Finding")	1	U		DCID 3233 "ST Segment Morphology"
7	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3680 "ECG Lead Noise Descriptions"

TID 3715 ECG Measurement Source

The ECG Measurement Source Template provides a structure for identifying the particular cardiac cycle, or beat, in an analyzed ECG waveform used for the measurement group for which this Template provides Observation Context. The cardiac cycle is identified by beat number, and optionally by specific temporal coordinates within a DICOM ECG Waveform SOP Instance.

Type: Extensible
Order: Significant
Root: No

Table TID 3715. ECG Measurement Source

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (122149, DCM, "Beat Number")	1	U		Up to three numeric characters
2			CODE	EV (G-C036 , SRT 370129005, SCT , "Measurement Method")	1	U		DCID 3676 "Lead Measurement Technique"
3			TCOORD	EV (121112, DCM, "Source of Measurement")	1	U		
4	>	SELECTED FROM	WAVEFORM		1	U		

Content Item Descriptions

Row 1	Beat Number is specified as a numeric text string, and shall be treated as the ordinal of the beat (cardiac cycle) within the waveform acquisition for this lead that was analyzed for the measurements in this container (i.e., "1" for the first beat, "2" for the second, etc.). If absent, the measurements may have been made by a technique across multiple cycles as specified in Row 2 Measurement Method.
Rows 3 and 4	Source of measurement identify the specific channel and time period within a DICOM ECG Waveform SOP Instance that was analyzed for the measurements in this container.

TID 3717 ECG Qualitative Analysis

The ECG Qualitative Analysis Template allows a free text qualitative interpretation of the analyzed ECG, as well as a structure for a coded analysis.

Type: Extensible
Order: Significant
Root: No

Table TID 3717. Qualitative Analysis, ECG

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (122145, DCM, "Qualitative Analysis")	1	M		
2	>	CONTAINS	TEXT	EV (F-00033 , SRT 271921002, SCT , "ECG Finding")	1	MC	At least one of rows 2 and 3 shall be present	
3	>	CONTAINS	CODE	EV (F-00033 , SRT 271921002, SCT , "ECG Finding")	1-n	MC	At least one of rows 2 and 3 shall be present	BCID 3230 "ECG Findings"
4	>>	HAS CONCEPT MOD	TEXT	EV (121051, DCM, "Equivalent Meaning of Value")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>>	INFERRED FROM	CODE	EV (F-00033, SRT271921002, SCT, "ECG Finding")	1-n	U		
6	>>>	HAS CONCEPT MOD	TEXT	EV (121051, DCM, "Equivalent Meaning of Value")	1	U		

Content Item Descriptions

Row 3-4	ECG Finding provides one or more coded interpretive statements using standard or implementation-specific codes. Each coded finding will include a Code Meaning (0008,0104) using the LO Value Representation (64 characters); longer human-readable text strings for interpretive statements may be conveyed in the Row 4 Equivalent Meaning of Value Content Item..
Row 5-6	Each primary ECG Finding of Row 3 may have multiple supporting coded findings in Row 5, with longer human-readable text strings for interpretive statements if necessary in Row 6.

TID 3718 ECG Interpretive Statement (Retired)

This Template is retired. See PS3.16-2009.

TID 3719 Summary, ECG

Type: Extensible
Order: Significant
Root: No

Table TID 3719. Summary, ECG

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121111, DCM, "Summary")	1	M		
2	>	CONTAINS	TEXT	EV (121111, DCM, "Summary")	1	U		
3	>	CONTAINS	CODE	DT (18810-2, LN, "ECG overall finding")	1	U		DCID 3677 "Summary Codes ECG"

Cath Lab Clinical Report Templates

The Templates that comprise the Cardiac Catheterization Report are interconnected as shown in Figure A-7.




Figure A-7. Cardiac Catheterization Report Template Hierarchy

Note

Figure A-7 shows the relationship of Templates; it does not show the structural hierarchy of Content Items in the IOD.

TID 3800 Cardiac Catheterization Report Root

The Cardiac Cath Report provides the overall clinical results of the catheterization procedure and interventions. In many cases, more detailed information is optionally available in other reports (Hemodynamic Measurements, Procedure Log, etc.). That information is collected and summarized here (and referenced when available).

When a Discharge Summary section (row 12) is included, this report Template covers the full set of information required for submission to the ACC NCDR™ (version 2.0) registry.

Note

- 1. The information required for such a submission must sometimes be reformatted from a single concept in these Templates to two data elements for the registry, or vice versa.
- 2. This Template is expected to be used with the Basic Text SR or Enhanced SR IOD.3. This Cardiac Cath Report Template is a baseline Template within these SOP Classes that may be replaced; it is therefore in no sense binding for exchange of this type of report. It is solely an example of a possible encoding of the Cardiac Cath Report.

Type: Extensible
Order: Significant
Root: Yes

Table TID 3800. Cardiac Catheterization Report Root

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (18745-0, LN, "Cardiac Catheterization Report")	1	M		Root node

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DCID 3739 "Cath Procedure Type"
3	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
4	>		INCLUDE	DTID 3601 "Procedure Context"	1	M		
5	>	CONTAINS	INCLUDE	DTID 3802 "Cardiovascular Patient History"	1	U		
6	>	CONTAINS	INCLUDE	DTID 3803 "Patient Presentation, Cath"	1	M		
7	>	CONTAINS	INCLUDE	DTID 3806 "Cath Procedure"	1	M		
8	>	CONTAINS	INCLUDE	DTID 3810 "Cardiac Catheterization Findings"	1	M		
9	>	CONTAINS	INCLUDE	DTID 3807 "Percutaneous Coronary Intervention Procedure"	1	U		
10	>	CONTAINS	INCLUDE	DTID 3809 "Other Interventional Procedures"	1-n	U		
11	>	CONTAINS	INCLUDE	DTID 3820 "Adverse Outcomes, Cath"	1	M		
12	>	CONTAINS	INCLUDE	DTID 3824 "Summary, Cath"	1	M		
13	>	CONTAINS	INCLUDE	DTID 3828 "Discharge Summary, Cath"	1	U		

TID 3802 Cardiovascular Patient History

This Template contains information about a cardiovascular patient's past medical history that is relevant for the interpretation of the SR document of which it is part. This information is considered to have some degree of "persistence" across different episodes of care.

Type: Extensible
Order: Significant
Root: No

Table TID 3802. Cardiovascular Patient History

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (11329-0, LN, "History")	1	M		
2	>	CONTAINS	TEXT	EV (11329-0, LN, "History")	1	U		
3	>	CONTAINS	CONTAINER	DT (11450-4, LN, "Problem List")	1	U		
4	>>	CONTAINS	TEXT	DCID 3769 "Concern Types"	1-n	U		
5	>>	CONTAINS	INCLUDE	DTID 3829 "Problem Properties"	1-n	U		\$Problem = DCID 3756 "Cardiac Patient Risk Factors"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>>	CONTAINS	INCLUDE	DTID 3829 "Problem Properties"	1	U		\$Problem = EV (G-023F , SRT161445009 , SCT, "History of Diabetes mellitus") \$Therapy = DCID 3722 "Diabetic Therapy"
7	>>	CONTAINS	INCLUDE	DTID 3829 "Problem Properties"	1	U		\$Problem = EV (G-0269 , SRT161501007 , SCT, "History of Hypertension") \$Therapy = DCID 3760 "Hypertension Therapy"
8	>>	CONTAINS	INCLUDE	DTID 3829 "Problem Properties"	1	U		\$Problem = EV (R-102B8 , SRT414416008 , SCT, "History of Hypercholesterolemia") \$Therapy = DCID 3761 "Antilipemic Agents"
9	>>	CONTAINS	INCLUDE	DTID 3829 "Problem Properties"	1	U		\$Problem = EV (D3-30000 , SRT44808001 , SCT, "Arrhythmia") \$Therapy = DCID 3762 "Antiarrhythmic Agents"
10	>>	CONTAINS	INCLUDE	DTID 3829 "Problem Properties"	1	U		\$Problem = EV (G-03AA , SRT399211009 , SCT, "History of Myocardial infarction") \$ModType = DT (122170, DCM, "Type of Myocardial Infarction") \$ModValue = DCID 3723 "MI Types" \$Therapy = DCID 3764 "Myocardial Infarction Therapies"
11	>>	CONTAINS	INCLUDE	DTID 3829 "Problem Properties"	1	U		\$Problem = EV (G-0069 , SRT275552000 , SCT, "History of Kidney disease") \$Stage = DCID 3778 "Stages"
12	>	CONTAINS	CONTAINER	DT (29762-2, LN, "Social History")	1	U		
13	>>	CONTAINS	TEXT	EV (F-02455 , SRT160476009 , SCT, "Social History")	1	U		
14	>>	CONTAINS	TEXT	DCID 3774 "Social History"	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
15	>>	CONTAINS	CODE	EV (F-93109; SRT365981007, SCT, "Tobacco Smoking Behavior")	1	U		DCID 3724 "Smoking History"
16	>>	CONTAINS	CODE	DT (F-931D4; SRT228366006, SCT, "Drug misuse behavior")	1	U		DT (D9-30400; SRT78267003, SCT, "Cocaine Abuse")
17	>	CONTAINS	CONTAINER	DT (10167-5, LN, "Past Surgical History")	1	U		
18	>>	CONTAINS	TEXT	EV (11329-0, LN, "History")	1-n	U		
19	>>	CONTAINS	INCLUDE	DTID 3830 "Procedure Properties"	1-n	U		\$ProcType = DT (P0-009C3; SRT387713003, SCT, "Surgical Procedure") \$Procedure = DCID 3721 "Cardiovascular Surgeries"
20	>	CONTAINS	CONTAINER	DT (30954-2, LN, "Relevant Diagnostic Tests and/or Laboratory Data")	1	U		
21	>>	CONTAINS	TEXT	EV (11329-0, LN, "History")	1-n	U		
22	>>	CONTAINS	INCLUDE	DTID 3830 "Procedure Properties"	1-n	U		\$ProcType = DT (P0-00002; SRT103693007, SCT, "Diagnostic procedure") \$Procedure = DCID 3757 "Cardiac Diagnostic Procedures"
23	>>	CONTAINS	NUM	DT (2086-7, LN, "Cholesterol.in HDL")	1	U		UNITS = EV (mg/dl, UCUM, "mg/dl")
24	>>	CONTAINS	NUM	DT (2089-1, LN, "Cholesterol.in LDL")	1	U		UNITS = EV (mg/dl, UCUM, "mg/dl")
25	>	CONTAINS	CONTAINER	DT (10160-0, LN, "History of Medication Use")	1	U		
26	>>	CONTAINS	TEXT	DT (111516, DCM, "Medication Type")	1-n	U		
27	>>>	HAS PROPERTIES	CODE	DT (33999-4, LN, "Status")	1	U		DCID 3773 "Use Status"
28	>>	CONTAINS	CODE	DT (111516, DCM, "Medication Type")	1-n	U		
29	>>>	HAS PROPERTIES	NUM	DT (G-C0B7; SRT260911001, SCT, "Dosage")	1	U		
30	>>>	HAS PROPERTIES	CODE	DT (33999-4, LN, "Status")	1	U		DCID 3773 "Use Status"
31	>	CONTAINS	CONTAINER	DT (10157-6, LN, "History of Family Member Diseases")	1	U		
32	>>	CONTAINS	TEXT	EV (11329-0, LN, "History")	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
33	>>	CONTAINS	CODE	EV (G-03E5; SRT416471007, SCT, "Family history of clinical finding")	1-n	U		DCID 3758 "Cardiovascular Family History"
34	>>>	HAS PROPERTIES	CODE	EV (G-C32E; SRT408732007, SCT, "Subject relationship")	1	M		DCID 7451 "Family Member"
35	>	CONTAINS	CONTAINER	DT (46264-8, LN, "History of medical device use")	1	U		
36	>>	CONTAINS	TEXT	EV (11329-0, LN, "History")	1	U		
37	>>	CONTAINS	INCLUDE	DTID 3831 "Medical Device Use"	1-n	U		\$Device = DCID 3777 "Implanted Devices"

TID 3803 Patient Presentation, Cath

This Template describes the aspects of the patient that are specific to this clinical presentation (admission).

Type: Extensible
Order: Significant
Root: No

Table TID 3803. Patient Presentation, Cath

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121110, DCM, "Patient Presentation")	1	M		
2	>	CONTAINS	TEXT	EV (122128, DCM, "Patient Transferred From")	1	U		
3	>	CONTAINS	DATETIME	EV (15, NCDR [2.0b], "Admission DateTime")	1	U		
4	>	CONTAINS	CODE	EV (17, NCDR [2.0b], "Admission Status")	1	U		DCID 3729 "Admission Status"
5	>	CONTAINS	CODE	EV (18, NCDR [2.0b], "Insurance Payor Type")	1	U		DCID 3730 "Insurance Payor"
6	>	CONTAINS	CODE	EV (46, NCDR [2.0b], "Congestive Heart Failure Prior to Procedure")	1	U		DCID 230 "Yes-No"
7	>	CONTAINS	CODE	EV (47, NCDR [2.0b], "NYHA Classification")	1	UC	IFF Row 6 Value code meaning is <yes>	DCID 3736 "NYHA Classification"
8	>	CONTAINS	CODE	EV (48, NCDR [2.0b], "Noninvasive Testing - Ischemia")	1	U		DCID 3737 "Non-invasive Test - Ischemia"
9	>	CONTAINS	CODE	EV (49, NCDR [2.0b], "Pre-Cath Angina Type")	1	U		DCID 3738 "Pre-Cath Angina Type"
10	>	CONTAINS	CODE	EV (50, NCDR [2.0b], "Pre-Cath Canadian Classification")	1	U		DCID 3719 "Canadian Clinical Classification"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
11	>	CONTAINS	CODE	EV (51, NCDR [2.0b], "Acute Coronary Syndrome Time Period")	1	UC	IFF Row 9 Value code meaning is <ACS>	DCID 3735 "Acute Coronary Syndrome Time Period"
12	>	CONTAINS	CONTAINER	EV (18785-6, LN, "Indications for Procedure")	1	U		
13	>>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3727 "Indications for Catheterization"
14	>	CONTAINS	NUM	EV (10230-1, LN, "LV Ejection Fraction")	1-n	U		UNITS = EV (% , UCUM, "%")
15	>>	HAS CONCEPT MOD	CODE	EV (G-C036, SRT370129005, SCT, "Measurement method")	1	U		DCID 3744 "EF Testing Method"
16	>>		INCLUDE	DTID 1000 "Quotation"	1	U		
17	>	CONTAINS	CODE	EV (121069, DCM, "Previous Finding")	1-n	U		DCID 3700 "Cath Diagnosis"
18	>	CONTAINS	TEXT	EV (121110, DCM, "Patient Presentation")	1	U		

TID 3806 Cath Procedure

This Template describes the patient-related information about this specific clinical encounter (catheterization).

Type: Extensible
Order: Significant
Root: No

Table TID 3806. Cath Procedure

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (55111-9, LN, "Current Procedure Descriptions")	1	M		
2	>	CONTAINS	DATETIME	EV (52, NCDR [2.0b], "Procedure DateTime")	1	M		
3	>	CONTAINS	TEXT	EV (53, NCDR [2.0b], "Procedure Number in this admission")	1	U		Up to three numeric characters
4	>	CONTAINS	TEXT	EV (121065, DCM, "Procedure Description")	1	U		
5	>	CONTAINS	COMPOSITE	EV (121120, DCM, "Cath Lab Procedure Log")	1-n	U		
6	>	CONTAINS	NUM	EV (55, NCDR [2.0b], "Fluoroscopy Time")	1	U		UNITS = DT (min, UCUM, "min")
7	>	CONTAINS	NUM	EV (122130, DCM, "Dose Area Product")	1	U		UNITS = DT (mGy.cm2, UCUM, "mGy.cm2")
8	>	CONTAINS	PNAME	EV (76, NCDR [2.0b], "Catheterization Operator")	1	M		
9	>	CONTAINS	PNAME	EV (121088, DCM, "Fellow")	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10	>	CONTAINS	PNAME	BCID 7453 "Performing Roles"	1-n	U		
11	>	CONTAINS	CODE	EV (122129, DCM, "PCI during this procedure")	1	U		DCID 230 "Yes-No"
12	>	CONTAINS	CONTAINER	EV (F-04460, SRT182833002, SCT, "Medication Given")	1	M		
13	>>	CONTAINS	CODE	EV (57, NCDR [2.0b], "Thrombolytics")	1	U		DCID 3740 "Thrombolytic Administration"
14	>>	CONTAINS	CODE	EV (58, NCDR [2.0b], "IIb/IIIa Blockade")	1	U		DCID 3741 "Medication Administration, Lab Visit"
15	>>	CONTAINS	CODE	EV (59, NCDR [2.0b], "Heparin")	1-n	U		DCID 3742 "Medication Administration, PCI"
16	>>	CONTAINS	CODE	EV (60, NCDR [2.0b], "Aspirin")	1	U		DCID 3741 "Medication Administration, Lab Visit"
17	>>	CONTAINS	CODE	EV (61, NCDR [2.0b], "Clopidogrel/Ticlopidine")	1	U		DCID 3743 "Clopidogrel/Ticlopidine Administration"
18	>>	CONTAINS	TEXT	EV (122083, DCM, "Drug administered")	1-n	U		
19	>	CONTAINS	CODE	EV (122138, DCM, "Circulatory Support")	1-n	U		DCID 3553 "Circulatory Support"
20	>	CONTAINS	CODE	EV (74, NCDR [2.0b], "Percutaneous Entry Site")	1	M		DCID 3746 "Percutaneous Entry Site"
21	>	CONTAINS	CODE	EV (75, NCDR [2.0b], "Closure Device")	1	U		DCID 3747 "Percutaneous Closure"

Content Item Descriptions

Row 3	Procedure Number (this admission) is specified as a numeric text string, and shall be treated as the ordinal of this catheterization procedure within the admission (i.e., "1" for the first catheterization, "2" for the second, etc.).
-------	--

TID 3807 Percutaneous Coronary Intervention Procedure

This Template describes the various aspects of a coronary intervention.

Type: Extensible
Order: Significant
Root: No

Table TID 3807. Percutaneous Coronary Intervention Procedure

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (55111-9, LN, "Current Procedure Descriptions")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DT (122061, DCM, "Percutaneous Coronary Intervention")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	PNAME	EV (121114, DCM, "Performing Physician")	1	M		
4	>	CONTAINS	PNAME	EV (121088, DCM, "Fellow")	1-n	U		
5	>	CONTAINS	PNAME	DCID 7452 "Organizational Roles"	1-n	U		
6	>	CONTAINS	CODE	EV (G-C09C, SRT260870009, SCT, "Procedure Priority")	1	M		DCID 3414 "Procedure Urgency"
7	>	CONTAINS	CONTAINER	EV (18785-6, LN, "Indications for Procedure")	1	U		
8	>>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3726 "Indications for Coronary Intervention"
9	>>	CONTAINS	CODE	EV (122172, DCM, "Acute MI Present")	1	U		DCID 230 "Yes-No"
10	>>>	HAS PROPERTIES	CODE	DT (122170, DCM, "Type of Myocardial Infarction")	1	U		DCID 3723 "MI Types"
11	>>>	HAS PROPERTIES	DATETIME	EV (122173, DCM, "ST Elevation Onset DateTime")	1	U		
12	>>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1-n	U		
13	>	CONTAINS	NUM	EV (122175, DCM, "Number of lesion interventions attempted")	1	M		UNITS = EV (1, UCUM, "units")
14	>	CONTAINS	NUM	EV (122176, DCM, "Number of lesion interventions successful")	1	M		UNITS = EV (1, UCUM, "units")
15	>	CONTAINS	CODE	EV (122177, DCM, "Procedure Result")	1	M		DCID 3749 "PCI Procedure Result"
16	>	CONTAINS	TEXT	EV (122177, DCM, "Procedure Result")	1	U		
17	>	CONTAINS	INCLUDE	DTID 3808 "Lesion Intervention Information"	1-n	M		

Content Item Descriptions

Rows 8 and 12	Allow the recording of findings as either codes or as text; the same finding shall not be recorded as both.
Rows 15 and 16	Allow the recording of procedure results as either codes or as text, but not as both.

TID 3808 Lesion Intervention Information

Type: Extensible
Order: Significant
Root: No

Table TID 3808. Lesion Intervention Information

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122178, DCM, "Lesion Intervention Information")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	INCLUDE	DTID 3105 "Lesion Identification and Properties"	1	M		
3	>	CONTAINS	CODE	EV (108, NDR [2.0b], "Previous Dilation")	1	U		DCID 3750 "Previously Dilated Lesion"
4	>	CONTAINS	CODE	EV (103, NDR [2.0b], "Guidewire crossing lesion")	1	U		DCID 3752 "Guidewire Crossing"
5	>	CONTAINS	CODE	EV (G-C50A , SRT116682006 , SCT , "Uses Equipment")	1-n	M		DCID 3411 "Intracoronary Devices"
6	>>	HAS CONCEPT MOD	CODE	EV (122111, DCM, "Primary Intervention Device")	1	MC	IF Device is Primary for this Lesion	DCID 230 "Yes-No"
7	>>	HAS PROPERTIES	TEXT	EV (121145, DCM, "Description of Material")	1	U		
8	>>	HAS PROPERTIES	NUM	DCID 3423 "Numeric Device Characteristics"	1-n	U		
9	>>	HAS PROPERTIES	NUM	DCID 3425 "Intervention Parameters"	1-n	U		
10	>>	HAS PROPERTIES	DATETIME	EV (122105, DCM, "DateTime of Intervention")	1	U		
11	>>	HAS PROPERTIES	NUM	EV (122106, DCM, "Duration of Intervention")	1	U		UNITS = EV (s, UCUM, "s")
12	>	CONTAINS	NUM	EV (R-101BB , SRT408715008 , SCT , "Lumen Diameter Stenosis")	1	M		UNITS = EV (% , UCUM, "%")
13	>>	HAS CONCEPT MOD	CODE	EV (G-72BB , SRT129085009 , SCT , "Catheterization Procedure Phase")	1	M		EV (G-7298 , SRT128960007 , SCT , "Post-intervention Phase")
14	>>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	U		DCID 3745 "Calculation Method"
15	>>		INCLUDE	DTID 1000 "Quotation"	1	U		
16	>	CONTAINS	CODE	EV (122110, DCM, "Post-Intervention TIMI Flow")	1	U		DCID 3713 "TIMI Flow Characteristics"
17	>	CONTAINS	CODE	EV (115, NCDR [2.0b], "Dissection in segment observed")	1	U		DCID 230 "Yes-No"
18	>	CONTAINS	CODE	EV (116, NCDR [2.0b], "Acute closure observed")	1	U		DCID 230 "Yes-No"
19	>	CONTAINS	CODE	EV (117, NCDR [2.0b], "Acute closure re-opened")	1	UC	IFF Row 18 value is <yes>	DCID 230 "Yes-No"
20	>	CONTAINS	CODE	EV (118, NCDR [2.0b], "Perforation occurred")	1	U		DCID 230 "Yes-No"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
21	>	CONTAINS	IMAGE	DT (121080, DCM, "Best illustration of finding")	1	U		
22	>	CONTAINS	TEXT	DT (122177, DCM, "Procedure Result")	1	U		

TID 3809 Other Interventional Procedures

Type: Extensible
Order: Significant
Root: No

Table TID 3809. Other Interventional Procedures

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (55111-9, LN, "Current Procedure Descriptions")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		BCID 3406 "Non-coronary Transcatheter Interventions"
3	>	CONTAINS	TEXT	EV (121065, DCM, "Procedure Description")	1	U		
4	>	CONTAINS	CODE	DT (121065, DCM, "Procedure Description")	1	U		
5	>	CONTAINS	TEXT	DT (122177, DCM, "Procedure Result")	1	U		

Content Item Descriptions

Rows 3 and 4	Allow the recording of procedure description as either code or as text; the same description shall not be recorded as both.
--------------	---

TID 3810 Cardiac Catheterization Findings

The Cardiac Catheterization Findings Template provides the structure for the diagnostic findings of the cath procedure, organized into sub-sections based on type of sub-procedure. It also provides for top-level summary findings and diagnoses.

Type: Extensible
Order: Significant
Root: No

Table TID 3810. Cardiac Catheterization Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	CONTAINS	INCLUDE	DTID 3812 "Hemodynamic Findings"	1	U		
3	>	CONTAINS	INCLUDE	DTID 3817 "Coronary Arteriography Findings"	1	U		
4	>	CONTAINS	INCLUDE	DTID 3814 "Left Ventriculography Findings"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	INCLUDE	DTID 3815 "Right Ventriculography Findings"	1	U		
6	>	CONTAINS	INCLUDE	DTID 3818 "Other Cardiographic Findings"	1-n	U		
7	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3700 "Cath Diagnosis"
8	>>	HAS PROPERTIES	CODE	EV (G-C497 , SRT246112005 , SCT , "Severity")	1	U		DCID 3716 "Severity"
9	>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1-n	U		

Content Item Descriptions

Rows 7 and 9	Allow the recording of findings as either codes or as text; the same finding shall not be recorded as both.
--------------	---

TID 3812 Hemodynamic Findings

Type: Extensible
 Order: Significant
 Root: No

Table TID 3812. Hemodynamic Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DT (PA-50030 , SRT44324008 , SCT , "Hemodynamic measurements")
3	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3640 "Hypertension"
4	>>		INCLUDE	DTID 1350 "Negation Modifier, Presence of Finding"	1	U		
5	>>	HAS PROPERTIES	CODE	EV (G-C497 , SRT246112005 , SCT , "Severity")	1	U		DCID 3716 "Severity"
6	>	CONTAINS	CODE	DCID 3641 "Hemodynamic Assessments"	1-n	U		DCID 3642 "Degree Findings"
7	>>	HAS PROPERTIES	CODE	EV (G-G0B2 , SRT260905004 , SCT , "Condition")	1	U		EV (R-102B9 , SRT414576002 , SCT , "Large v-wave")
8	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1	U		EV (R-102BA , SRT413985002 , SCT , "Diastolic pressure equalization")
9	>	CONTAINS	INCLUDE	DTID 3819 "Common Findings"	1-n	U		\$Report = DT (122120, DCM, "Hemodynamics Report")

Content Item Descriptions

Row 4	(Through TID 3819 "Common Findings") may be used to encode any significant hemodynamic numeric measurements. For reference, see TID 3550 "Pressure Waveform Measurements" and TID 3560 "Derived Hemodynamic Measurements".
-------	--

TID 3814 Left Ventriculography Findings

The information contained here about the left ventricle is relatively qualitative in nature. It is a high-level summary of the more detailed information that may be contained in an optional Quantitative Ventricular Analysis report. This Template addresses findings about any ventricular septal defect (Row 7), the myocardial wall (Row 11), and about the aortic root (Row 16).

Type: Extensible
Order: Significant
Root: No

Table TID 3814. Left Ventriculography Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DT (P5-30041, SRT265484009, SCT, "Left Ventriculography")
3	>	CONTAINS	CODE	EV (F-30117, SRT366188009, SCT, "Left Ventricular Function - Finding")	1	M		DCID 242 "Normal-Abnormal"
4	>		INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (10230-1, LN, "LV Ejection Fraction") \$Units = EV (% , UCUM, "%") \$Method = DCID 3748 "Angiographic EF Testing Method" \$Derivation = DCID 3745 "Calculation Method"
5	>	CONTAINS	CODE	EV (F-0224E, SRT250929008, SCT, "Left Ventricular Cavity Size")	1	U		DCID 3705 "Chamber Size"
6	>	CONTAINS	CODE	EV (F-02225, SRT250909007, SCT, "Left Ventricular Contractility")	1	U		DCID 3706 "Overall Contractility"
7	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1	U		EV (D4-31150, SRT30288003, SCT, "Ventricular Septal Defect")
8	>>	HAS PROPERTIES	CODE	EV (G-C504, SRT116676008, SCT, "Associated Morphology")	1	U		DCID 3707 "VSD Description"
9	>	CONTAINS	INCLUDE	DTID 3816 "Ventricular Assessment"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	U		
11	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	M		DT (T-D075D , SRT272657006 , SCT, "Myocardial Wall")
12	>>	CONTAINS	CODE	EV (18179-2, LN, "Wall Segment")	1-n	M		BCID 3717 "Myocardial Wall Segments"
13	>>>	HAS PROPERTIES	CODE	EV (F-32050 , SRT60797005 , SCT, "Cardiac Wall Motion")	1	M		DCID 3703 "Wall Motion"
14	>>>	HAS PROPERTIES	CODE	EV (G-C504 , SRT116676008 , SCT, "Associated Morphology")	1	U		DCID 3704 "Myocardium Wall Morphology Findings"
15	>>>	HAS PROPERTIES	NUM	DT (G-C1E3 , SRT246262008 , SCT, "Score")	1	U		
16	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	U		
17	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	M		DT (F-04403 , SRT364091008 , SCT, "Aortic Root")
18	>>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	M		DCID 3709 "Aortic Root Description"

TID 3815 Right Ventriculography Findings

The information contained here about right ventricle is relatively qualitative in nature. It is a high-level summary of the more detailed information that may be contained in an optional Quantitative Ventricular Analysis report.

Type: Extensible
Order: Significant
Root: No

Table TID 3815. Right Ventriculography Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DT (P5-3003F , SRT265483003 , SCT, "Right Ventriculography")
3	>		INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (10231-9, LN, "RV Ejection Fraction") \$Units = EV (% , UCUM, "%") \$Method = DCID 3748 "Angiographic EF Testing Method" \$Derivation = DCID 3745 "Calculation Method"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	CODE	EV (F-022A1; SRT250964004, SCT, "Right Ventricular Cavity Size")	1	U		DCID 3705 "Chamber Size"
5	>	CONTAINS	CODE	EV (F-0227A; SRT250949004, SCT, "Right Ventricular Contractility")	1	U		DCID 3706 "Overall Contractility"
6	>	CONTAINS	INCLUDE	DTID 3816 "Ventricular Assessment"	1	U		

TID 3816 Ventricular Assessment

Type: Extensible
Order: Significant
Root: No

Table TID 3816. Ventricular Assessment

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	U		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3; SRT363698007, SCT, "Finding Site")	1	M		DCID 3701 "Cardiac Valves and Tracts"
3	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	M		DCID 3711 "Valvular Abnormalities"
4	>>	HAS PROPERTIES	CODE	EV (G-C197; SRT246112005, SCT, "Severity")	1	U		DCID 3716 "Severity"
5	>>	HAS PROPERTIES	NUM	DT (G-C1E3; SRT246262008, SCT, "Score")	1	U		
6		CONTAINS	INCLUDE	DTID 3819 "Common Findings"	1-n	U		\$Report = DT (122292, DCM, "Quantitative Ventriculography Report")

TID 3817 Coronary Arteriography Findings

The information contained here about with regards to coronary artery lesions is relatively qualitative in nature. It is a high-level summary of the more detailed information that may be contained in an optional Quantitative Coronary Arteriography report. This Template addresses findings about the individual arteries (Row 4), and about individual lesions (Row 9).

Type: Extensible
Order: Significant
Root: No

Table TID 3817. Coronary Arteriography Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DT (P5-30100 ; SRT33367005 , SCT, "Coronary Arteriography")
3	>	CONTAINS	CODE	EV (F-04404 ; SRT364092001 , SCT, "Coronary artery feature")	1	U		DCID 3710 "Coronary Dominance"
4	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	U		
5	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3 ; SRT363698007 , SCT, "Finding Site")	1	M		BCID 3015 "Coronary Arteries"
6	>>>	HAS CONCEPT MOD	CODE	EV (G-A1F8 ; SRT106233006 , SCT, "Topographical modifier")	1	U		BCID 3019 "Cardiovascular Anatomic Location Modifiers"
7	>>	CONTAINS	CODE	EV (122134, DCM, "Vessel Morphology")	1-n	U		DCID 3712 "Vessel Descriptors"
8	>>	CONTAINS	INCLUDE	DTID 3819 "Common Findings"	1-n	U		
9	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	U		
10	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3 ; SRT363698007 , SCT, "Finding Site")	1	M		DT (R-002EF ; SRT371895000 , SCT, "Coronary artery lesion (culprit)")
11	>>	CONTAINS	INCLUDE	DTID 3105 "Lesion Identification and Properties"	1	M		
12	>>	CONTAINS	INCLUDE	DTID 3819 "Common Findings"	1-n	U		\$Report = DT (122291, DCM, "Quantitative Arteriography Report")

TID 3818 Other Cardiographic Findings

Type: Extensible
Order: Significant
Root: No

Table TID 3818. Other Cardiographic Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		BCID 3428 "Imaging Procedures"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	HAS CONCEPT MOD	CODE	EV (G-C0E3; SRT363698007, SCT, "Finding Site")	1	U		BCID 3630 "Cardiovascular Anatomic Locations"
4	>	CONTAINS	INCLUDE	DTID 3819 "Common Findings"	1-n	M		

TID 3819 Common Findings

Table TID 3819. Parameters

Parameter Name	Parameter Usage
\$Report	Title of composite object (evidence document) referenced

Type: Extensible
Order: Significant
Root: No

Table TID 3819. Common Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (121071, DCM, "Finding")	1	U		
2			IMAGE	DT (121080, DCM, "Best illustration of finding")	1	U		
3			NUM		1	U		
4	>		INCLUDE	DTID 1000 "Quotation"	1	U		
5			COMPOSITE	DT (122073, DCM, "Current procedure evidence")	1	U		
6	>	HAS PROPERTIES	CODE	EV (121144, DCM, "Document Title")	1	U		\$Report

Content Item Descriptions

Row 3	May be used to encode any significant image- or waveform-based numeric measurements, with post-coordination of the Concept Name using child Content Items (with relationship HAS CONCEPT MOD), as permitted by Section 6.2.4. The source of the measurement may be noted using the Quotation Template in Row 4.
-------	---

TID 3820 Adverse Outcomes, Cath

Type: Extensible
Order: Significant
Root: No

Table TID 3820. Adverse Outcomes, Cath

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121113, DCM, "Complications")	1	M		
2	>	CONTAINS	CODE	EV (DB-60002; SRT116224001, SCT, "Complication of Procedure")	1-n	U		DCID 3755 "Cath Complications"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>>	HAS CONCEPT MOD	CODE	EV (G-D709 , SRT118578006 , SCT , "Relative Time")	1	U		DCID 12102 "Temporal Periods Relating to Procedure or Therapy"
4	>	CONTAINS	CODE	EV (DD-60002 , SRT116224001 , SCT , "Complication of Procedure")	1-n	U		DCID 3754 "Vascular Complications"
5	>>	HAS CONCEPT MOD	CODE	EV (G-D709 , SRT118578006 , SCT , "Relative Time")	1	U		DCID 12102 "Temporal Periods Relating to Procedure or Therapy"
6	>	CONTAINS	TEXT	EV (DD-60002 , SRT116224001 , SCT , "Complication of Procedure")	1-n	U		
7	>	CONTAINS	CODE	EV (122179, DCM, "Peri-procedural MI occurred")	1	U		DCID 230 "Yes-No"
8	>>	INFERRED FROM	NUM	EV (122181, DCM, "CK-MB peak")	1	U		UNITS = EV ([iU], UCUM, "International unit")
9	>>>	HAS PROPERTIES	NUM	EV (R-0038B , SRT371933006 , SCT , "Normal Range Upper Limit")	1	M		UNITS = EV ([iU], UCUM, "International unit")
10	>>	INFERRED FROM	NUM	EV (122180, DCM, "CK-MB baseline")	1	M		UNITS = EV ([iU], UCUM, "International unit")
11	>	CONTAINS	IMAGE	DT (121080, DCM, "Best illustration of finding")	1-n	U		

Content Item Descriptions

Rows 2, 3 and 4	Allow the recording of outcomes as either codes or as text; the same outcome shall not be recorded as both.
-----------------	---

TID 3824 Summary, Cath

Type: Extensible
 Order: Non-Significant
 Root: No

Table TID 3824. Summary, Cath

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121111, DCM, "Summary")	1	M		
2	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3728 "Cath Findings"
3	>>	HAS PROPERTIES	CODE	EV (G-G197 , SRT246112005 , SCT , "Severity")	1	U		DCID 3716 "Severity"
4	>	CONTAINS	TEXT	EV (121111, DCM, "Summary")	1	U		
5	>	CONTAINS	TEXT	EV (121075, DCM, "Recommendation")	1-n	U		

TID 3828 Discharge Summary, Cath

Type: Extensible
Order: Significant
Root: No

Table TID 3828. Discharge Summary, Cath

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121115, DCM, "Discharge Summary")	1	M		
2	>	CONTAINS	DATETIME	EV (122163, DCM, "Discharge DateTime")	1	U		
3	>	CONTAINS	CODE	EV (122164, DCM, "Coronary Artery Bypass During This Admission")	1	U		DCID 230 "Yes-No"
4	>>	HAS PROPERTIES	CODE	EV (G-C09C , SRT 260870009, SCT , "Procedure Priority")	1	U		BCID 3414 "Procedure Urgency"
5	>>	HAS PROPERTIES	DATETIME	EV (122146, DCM, "Procedure DateTime")	1	U		
6	>	CONTAINS	CODE	EV (122166, DCM, "Death During This Admission")	1	U		DCID 230 "Yes-No"
7	>>	HAS PROPERTIES	DATETIME	EV (122165, DCM, "DateTime of Death")	1	U		
8	>>	HAS PROPERTIES	CODE	EV (25, NCDR [2.0b], "Primary Cause of Death")	1	U		DCID 3733 "Primary Cause of Death"
9	>>	HAS PROPERTIES	CODE	EV (122167, DCM, "Death During Catheterization")	1	U		DCID 230 "Yes-No"
10	>	CONTAINS	TEXT	EV (121111, DCM, "Summary")	1	U		

TID 3829 Problem Properties**Table TID 3829. Parameters**

Parameter Name	Parameter Usage
\$Problem	Coded Value or Context Group for problem
\$ModType	Modifier Name for Concept Name of problem
\$ModValue	Modifier Value for Concept Name of problem
\$Therapy	Coded Value or Context Group for therapy received for problem
\$Stage	Coded Value or Context Group for problem or disease stage

Type: Extensible
Order: Significant
Root: No

Table TID 3829. Problem Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121430, DCM, "Concern")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	DATETIME	DT (121431, DCM, "DateTime Concern Noted")	1	U		
3	>	CONTAINS	DATETIME	DT (121432, DCM, "DateTime Concern Resolved")	1	U		
4	>	CONTAINS	CODE	DCID 3769 "Concern Types"	1	M		\$Problem
5	>>	HAS CONCEPT MOD	CODE	\$ModType	1-n	U		\$ModValue
6	>>	HAS PROPERTIES	DATETIME	DT (111526, DCM, "DateTime Started")	1	U		
7	>>	HAS PROPERTIES	DATETIME	DT (121433, DCM, "DateTime Problem Resolved")	1	U		
8	>>	HAS PROPERTIES	CODE	DT (33999-4, LN, "Status")	1	U		DCID 3770 "Problem Status"
9	>>	HAS PROPERTIES	CODE	DT (G-C197, SRT246112005, SCT, "Severity")	1	U		DCID 3716 "Severity"
10	>>	HAS PROPERTIES	CODE	DT (G-C16B, SRT258214002, SCT, "Stage")	1	U		\$Stage
11	>	CONTAINS	CODE	DT (11323-3, LN, "Health status")	1	U		DCID 3772 "Health Status"
12	>	CONTAINS	CODE	EV (P0-0000E, SRT277132007, SCT, "Therapy")	1-n	U		\$Therapy
13	>>	HAS PROPERTIES	CODE	DT (33999-4, LN, "Status")	1	U		DCID 3773 "Use Status"
14	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

TID 3830 Procedure Properties

Table TID 3830. Parameters

Parameter Name	Parameter Usage
\$ProcType	Coded Value for class of procedure
\$Procedure	Coded Value or Context Group for procedure
\$ModType	Modifier Name for Concept Name of procedure
\$ModValue	Modifier Value for Concept Name of procedure

Type: Extensible
Order: Significant
Root: No

Table TID 3830. Procedure Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	\$ProcType	1	M		\$Procedure
2	>	HAS CONCEPT MOD	CODE	\$ModType	1-n	U		\$ModValue

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	HAS PROPERTIES	DATETIME	DT (111526, DCM, "DateTime Started")	1	U		
4	>	HAS PROPERTIES	COMPOSITE	EV (R-42B89, SRT371524004, SCT, "Clinical Report")	1-n	U		
5	>>	HAS PROPERTIES	CODE	EV (121144, DCM, "Document Title")	1	U		
6	>	HAS PROPERTIES	TEXT	EV (R-42B89, SRT371524004, SCT, "Clinical Report")	1-n	U		Description of report with URL or other reference for report
7	>	HAS PROPERTIES	TEXT	DT (121434, DCM, "Service Delivery Location")	1	U		
8	>	HAS PROPERTIES	PNAME	DT (121435, DCM, "Service Performer")	1	UC	IF Service Performer is a person	
9	>	HAS PROPERTIES	TEXT	DT (121435, DCM, "Service Performer")	1	UC	IF Service Performer is an organization	
10	>	HAS PROPERTIES	TEXT	EV (121106, DCM, "Comment")	1	U		

TID 3831 Medical Device Use

Table TID 3831. Parameters

Parameter Name	Parameter Usage
\$Device	Coded Value for type of device

Type: Extensible
Order: Significant
Root: No

Table TID 3831. Medical Device Use

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121436, DCM, "Medical Device Used")	1	M		\$Device
2	>	HAS PROPERTIES	DATETIME	DT (111526, DCM, "DateTime Started")	1	U		
3	>	HAS PROPERTIES	DATETIME	DT (111527, DCM, "DateTime Ended")	1	U		
4	>	HAS PROPERTIES	CODE	DT (33999-4, LN, "Status")	1	U		DCID 3773 "Use Status"
5	>	HAS PROPERTIES	TEXT	EV (121106, DCM, "Comment")	1	U		

CT/MR Cardiovascular Analysis Report Templates

TID 3900 CT/MR Cardiovascular Analysis Report

Root Template of the Non-invasive Computed Tomography and Magnetic Resonance Cardiovascular Analysis Report.

This Template contains the top level structure and includes subordinate Templates for the various analyses.

Type: Extensible
Order: Significant
Root: Yes

Table TID 3900. CT/MR Cardiovascular Analysis Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (122600, DCM, "Cardiovascular Analysis Report")	1	M		Root node
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure Reported")	1-n	M		DCID 3820 "Non-invasive Vascular Procedures"
3	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
4	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
5	>	CONTAINS	INCLUDE	DTID 3602 "Cardiovascular Patient Characteristics"	1	U		
6	>	CONTAINS	INCLUDE	DTID 3802 "Cardiovascular Patient History"	1	U		
7	>	CONTAINS	INCLUDE	DTID 3901 "Procedure Summary"	1	U		
8	>	CONTAINS	INCLUDE	DTID 3902 "Vascular Analysis"	1	U		\$AnalysisPerformed = EV (122605, DCM, "Vascular Morphological Analysis")
9	>	CONTAINS	INCLUDE	DTID 3902 "Vascular Analysis"	1	U		\$AnalysisPerformed = EV (122606, DCM, "Vascular Functional Analysis")
10	>	CONTAINS	INCLUDE	DTID 3920 "Ventricular Analysis"	1	U		
11	>	CONTAINS	INCLUDE	DTID 3927 "Report Summary"	1-n	U		

TID 3901 Procedure Summary

Contains summaries related to the performed procedures.

Type: Extensible
Order: Significant
Root: No

Table TID 3901. Procedure Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (55111-9, LN, "Current Procedure Descriptions")	1	M		
2	>	CONTAINS	TEXT	EV (121065, DCM, "Procedure Description")	1-n	M		
3	>	CONTAINS	CODE	DT (RID11248, RADLEX, "Cardiac Gating")	1	U		DCID 3104 "Cardiac Synchronization Technique"

TID 3902 Vascular Analysis

Contains either morphological or functional vascular measurement results of an analysis

Table TID 3902. Parameters

Parameter Name	Parameter Usage
\$AnalysisPerformed	Analysis Performed

Type: Extensible

Order: Significant

Root: No

Table TID 3902. Vascular Analysis

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		\$AnalysisPerformed
3	>	CONTAINS	INCLUDE	DTID 3905 "Calcium Scoring Results"	1	UC	IFF the value of row 2 equals EV (122605, DCM, "Vascular Morphological Analysis")	
4	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		\$VascularSection = DT (T-D0767 , SRT 281231009, SCT, "Blood Vessel of Head") \$SectionLaterality = EV (G-A101 , SRT 7771000, SCT, "Left") \$Anatomy = DCID 12105 "Intracranial Cerebral Vessels" \$AnalysisPerformed = \$AnalysisPerformed

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-D0767; SRT281231009, SCT, "Blood Vessel of Head")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12105 "Intracranial Cerebral Vessels"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
6	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-D0767; SRT281231009, SCT, "Blood Vessel of Head")</p> <p>\$SectionLaterality = EV (G-A103; SRT66459002, SCT, "Unilateral")</p> <p>\$Anatomy = DCID 12106 "Intracranial Cerebral Vessels (Unilateral)"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
7	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-45005; SRT119568004, SCT, "Artery of Neck")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12104 "Extracranial Arteries"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
8	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-45005; SRT119568004, SCT, "Artery of Neck")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12104 "Extracranial Arteries"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
9	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-47040; SRT70791007, SCT, "Artery of Lower Extremity ")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12109 "Lower Extremity Arteries"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-47040; SRT70791007, SCT, "Artery of Lower Extremity")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12109 "Lower Extremity Arteries"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
11	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-49403; SRT122774002, SCT, "Vein of Lower Extremity")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12110 "Lower Extremity Veins"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
12	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-49403; SRT122774002, SCT, "Vein of Lower Extremity")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12110 "Lower Extremity Veins"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
13	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-47020; SRT75531005, SCT, "Artery of Upper Extremity")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12107 "Upper Extremity Arteries"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
14	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-47020; SRT75531005, SCT, "Artery of Upper Extremity")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12107 "Upper Extremity Arteries"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
15	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-49103; SRT122775001, SCT, "Vein of Upper Extremity")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12108 "Upper Extremity Veins"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
16	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-49103; SRT122775001, SCT, "Vein of Upper Extremity")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12108 "Upper Extremity Veins"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
17	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-71019; SRT303402001, SCT, "Vascular Structure of Kidney")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12115 "Renal Vessels"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
18	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-71019; SRT303402001, SCT, "Vascular Structure of Kidney")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12115 "Renal Vessels"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
19	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-46002; SRT118634008, SCT, "Artery of Abdomen")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12111 "Abdominal Arteries (Lateral)"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
20	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-46002; SRT118634008, SCT, "Artery of Abdomen")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12111 "Abdominal Arteries (Lateral)"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
21	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-46002; SRT118634008, SCT, "Artery of Abdomen")</p> <p>\$SectionLaterality = EV (G-A103; SRT66459002, SCT, "Unilateral")</p> <p>\$Anatomy = DCID 12112 "Abdominal Arteries (Unilateral)"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
22	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-487A0; SRT84421000, SCT, "Vein of Abdomen")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12113 "Abdominal Veins (Lateral)"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
23	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-487A0; SRT84421000, SCT, "Vein of Abdomen")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12113 "Abdominal Veins (Lateral)"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>
24	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		<p>\$VascularSection = DT (T-487A0; SRT84421000, SCT, "Vein of Abdomen")</p> <p>\$SectionLaterality = EV (G-A103; SRT66459002, SCT, "Unilateral")</p> <p>\$Anatomy = DCID 12114 "Abdominal Veins (Unilateral)"</p> <p>\$AnalysisPerformed = \$AnalysisPerformed</p>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
25	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		\$VascularSection = DT (T-44000 , SRT81040000 , SCT, "Pulmonary Artery Structure") \$SectionLaterality = EV (G-A103 , SRT66459002 , SCT, "Unilateral") \$Anatomy = DCID 3829 "Pulmonary Arteries" \$AnalysisPerformed = \$AnalysisPerformed
26	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		\$VascularSection = DT (T-43000 , SRT41801008 , SCT, "Coronary Artery Structure") \$Anatomy = DCID 3015 "Coronary Arteries" \$AnalysisPerformed = \$AnalysisPerformed
27	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		\$VascularSection = DT (T-48400 , SRT85439003 , SCT, "Cardiac Vein Structure") \$Anatomy = DCID 3839 "Coronary Veins" \$AnalysisPerformed = \$AnalysisPerformed
28	>	CONTAINS	INCLUDE	DTID 3906 "Vascular Section Measurements"	1-n	U		\$VascularSection = DT (T-48581 , SRT122972007 , SCT, "Pulmonary Venous Structure") \$Anatomy = DCID 3840 "Pulmonary Veins" \$AnalysisPerformed = \$AnalysisPerformed

TID 3905 Calcium Scoring Results

Contains the calcium scoring results related to plaque findings, vessels or the whole body.

Type: Extensible
Order: Significant
Root: No

Table TID 3905. Calcium Scoring Results

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	CONTAINS	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122603, DCM, "Calcium Scoring Analysis")
3	>	CONTAINS	NUM	EV (122657, DCM, "Agatston Score Threshold")	1	U		UNITS = DT ([hnsfU], UCUM, "Hounsfield unit")
4	>	CONTAINS	NUM	EV (122658, DCM, "Calcium Mass Threshold")	1	U		UNITS = DT (mg/cm3, UCUM, "mg/cm3")
5	>	CONTAINS	NUM	EV (122659, DCM, "Calcium Scoring Calibration")	1	U		UNITS = DT (mg/[hnsfU].cm3, UCUM, "mg/[hnsfU].cm3")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (112058, DCM, "Calcium Score") \$Method = EV (112055, DCM, "Agatston Scoring Method") \$Units = DT (1, UCUM, "no units")
7	>	CONTAINS	NUM	EV (122660, DCM, "Calcium Volume")	1	U		UNITS = EV (mm3, UCUM, "mm3")
8	>	CONTAINS	NUM	EV (122661, DCM, "Calcium Mass")	1	U		UNITS = EV (mg, UCUM, "mg")
9	>	CONTAINS	NUM	EV (F-02A3B , SRT246206008 , SCT, "Number of Lesions")	1	U		UNITS = DT ({lesions}, UCUM, "lesions")
10	>	CONTAINS	INCLUDE	DTID 3909 "Best Illustration of Findings"	1-n	U		

TID 3906 Vascular Section Measurements

Sections of vascular measurements are section containers of an anatomical region consisting of measurement group containers containing the measurements.

Table TID 3906. Parameters

Parameter Name	Parameter Usage
\$VascularSection	The concept name of the region or structure of which the anatomy is part
\$SectionLaterality	The laterality (if any) of the anatomy in this section heading
\$Anatomy	The concept name of the vascular anatomy
\$AnalysisPerformed	The context of the measurements performed during the analysis

Type: Extensible
Order: Significant
Root: No

Table TID 3906. Vascular Section Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	\$VascularSection	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT, "Laterality")	1	MC	IFF \$SectionLaterality has a value	\$SectionLaterality
3	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	M		
4	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	M		\$Anatomy
5	>>	CONTAINS	CODE	EV (122686, DCM, "Parent Vessel Finding")	1-n	U		DCID 3810 "Vascular Morphology"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>>>		INCLUDE	DTID 1350 "Negation Modifier, Presence of Finding"	1	U		
7	>>	CONTAINS	INCLUDE	DTID 3905 "Calcium Scoring Results"	1	UC	IF the value of \$AnalysisPerformed equals (122605, DCM, "Vascular Morphological Analysis")	
8	>>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	U		
9	>>>	HAS CONCEPT MOD	CODE	EV (125101, DCM, "Vessel Branch")	1-n	UC	IF concept value of row 4 is not equal to (T-43000 , SRT41801008 , SCT, "Coronary Artery Structure")	DCID 12117 "Vessel Branch Modifiers"
10	>>>	HAS CONCEPT MOD	CODE	EV (G-A1F8 , SRT106233006 , SCT, "Topographical Modifier")	1	UC	IF concept value of row 4 is not equal to (T-43000 , SRT41801008 , SCT, "Coronary Artery Structure")	DCID 12116 "Vessel Segment Modifiers"
11	>>>	HAS CONCEPT MOD	CODE	EV (G-A1F8 , SRT106233006 , SCT, "Topographical Modifier")	1	UC	IF concept value of row 4 equals (T-43000 , SRT41801008 , SCT, "Coronary Artery Structure")	DCID 3019 "Cardiovascular Anatomic Location Modifiers"
12	>>>	CONTAINS	INCLUDE	DTID 3907 "Vessel Measurements"	1	U		
13	>>>	CONTAINS	INCLUDE	DTID 3908 "Vascular Lesion"	1-n	UC	IF the value of \$AnalysisPerformed equals (122605, DCM, "Vascular Morphological Analysis")	
14	>>>	CONTAINS	INCLUDE	DTID 3910 "Flow Quantification"	1	UC	IF the value of \$AnalysisPerformed equals (122606, DCM, "Vascular Functional Analysis")	

Content Item Descriptions

Row 3	This Findings container allows an application to group related vessels or branches
Row 5	The characteristics associated with the parent vessel shall also be reported in the findings Container for the parent vessel. Negative findings (characteristics not present) need not be reported in the parent vessel Container.

TID 3907 Vessel Measurements

Contains measurements made on vessel level.

Type: Extensible
Order: Significant
Root: No

Table TID 3907. Vessel Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	NUM	EV (R-101BB , SRT408715008 , SCT , "Lumen Diameter Stenosis")	1	U		UNITS = DT (% , UCUM, "%")
2		CONTAINS	NUM	EV (R-101BA , SRT408714007 , SCT , "Lumen Area Stenosis")	1	U		UNITS = DT (% , UCUM, "%")
3		CONTAINS	NUM	EV (121206, DCM, "Distance")	1-n	U		UNITS = DT (mm, UCUM, "mm")
4	>	HAS CONCEPT MOD	CODE	EV (122340, DCM, "Fiducial Feature")	2	M		
5	>>	HAS CONCEPT MOD	CODE	EV (G-G171 , SRT272741003 , SCT , "Laterality")	1	U		DCID 244 "Laterality"
6	>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1	U		
7		CONTAINS	NUM	EV (G-0364 , SRT397413000 , SCT , "Vessel Lumen Diameter")	1-n	U		UNITS = DT (mm, UCUM, "mm")
8	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	U		DCID 3488 "Min/Max/Mean"
9	>	HAS PROPERTIES	NUM	EV (122337, DCM, "Relative Position")	1	U		UNITS = EV (mm, UCUM, "mm")
10	>>	HAS CONCEPT MOD	CODE	EV (122340, DCM, "Fiducial Feature")	1	M		DCID 3837 "Fiducial Feature"

Content Item Descriptions

Rows 3-5	The distance between two identified fiducial features
Rows 7-10	Measurement of vessel diameter made at a position relative to a fiducial feature
Row 9	A positive value indicates a distance in the direction of flow within the vessel

TID 3908 Vascular Lesion

Specifies properties and the features of a vascular lesion detected during the analysis. In addition it is possible to reference or include growing of lesions over time by adding references to previous reports or by adding previous examination results.

Type: Extensible
Order: Significant
Root: No

Table TID 3908. Vascular Lesion

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (F-03FCD , SRT300577008 , SCT , "Lesion Finding")	1	M		
2	>	CONTAINS	TEXT	EV (121151, DCM, "Lesion Identifier")	1	M		
3	>	CONTAINS	INCLUDE	DTID 3909 "Best Illustration of Findings"	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1-n	U		
5	>	CONTAINS	NUM	EV (122337, DCM, "Relative Position")	1	U		UNITS = EV (mm, UCUM, "mm")
6	>>	HAS CONCEPT MOD	CODE	EV (122340, DCM, "Fiducial Feature")	1	M		DCID 3837 "Fiducial Feature"
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		<p>\$Measurement = EV (G-0364, SRT397413000, SCT, "Vessel Lumen Diameter")</p> <p>\$Derivation = DCID 3838 "Diameter Derivation"</p> <p>\$FindingSite = DCID 3486 "Vascular Measurement Sites"</p> <p>\$Units = DT (mm, UCUM, "mm")</p>
8	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		<p>\$Measurement = EV (G-0366, SRT397415007, SCT, "Vessel Lumen Cross-Sectional Area")</p> <p>\$Derivation = DCID 3838 "Diameter Derivation"</p> <p>\$FindingSite = DCID 3486 "Vascular Measurement Sites"</p> <p>\$Units = DT (mm2, UCUM, "mm2")</p>
9	>	CONTAINS	CODE	EV (G-C504 , SRT116676008 , SCT, "Associated Morphology")	1-n	M		DCID 3810 "Vascular Morphology"
10	>>		INCLUDE	DTID 3909 "Best Illustration of Findings"	1-n	U		
11	>>	HAS PROPERTIES	TEXT	EV (121106, DCM, "Comment")	1-n	U		
12	>>		INCLUDE	DTID 3911 "Plaque Properties"	1	MC	IFF value of row 9 equals (M-01470 , SRT1522000 , SCT, "Plaque")	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
13	>>		INCLUDE	DTID 3912 "Stenosis Properties"	1	MC	IFF value of row 9 equals (M-3400A , SRT415582006 , SCT , "Stenosis")	
14	>>		INCLUDE	DTID 3913 "Aneurysm Properties"	1	MC	IFF value of row 9 equals (M-32200 , SRT85659009 , SCT , "Aneurysm")	
15	>>		INCLUDE	DTID 3914 "Arterial Dissection Properties"	1	MC	IFF value of row 9 equals (D3-80086 , SRT710864009 , SCT , "Arterial Dissection")	
16	>>	HAS PROPERTIES	CODE	EV (G-C504 , SRT116676008 , SCT , "Associated Morphology")	1	MC	IFF value of row 9 equals (M-520F8 , SRT107671003 , SCT , "Vascular Sclerosis")	DCID 3817 "Vascular Sclerosis Types"
17	>>		INCLUDE	DTID 3915 "Vascular Occlusion Properties"	1	MC	IFF value of row 9 equals EV (M-34000 , SRT26036001 , SCT , "Occlusion")	
18	>>		INCLUDE	DTID 3916 "Stent Properties"	1	MC	IFF value of row 9 equals (A-25500 , SRT65818007 , SCT , "Stent")	

Content Item Descriptions

Row 5	A positive value indicates a distance in the direction of flow within the vessel For example: An aneurysm with relative position -4 mm from the renal arteries would begin superior to the renal arteries.
Row 7, 8	These rows are associated with the position of the most significant effect of the lesion, i.e., maximum diameter of aneurysm or the minimum diameter of stenosis

TID 3909 Best Illustration of Findings

Specification of images, waveforms, spatial and temporal coordinates used to illustrate findings.

Type: Extensible
Order: Significant
Root: No

Table TID 3909. Best Illustration of Findings

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	IMAGE	EV (121080, DCM, "Best illustration of finding")	1	U		
2		CONTAINS	WAVEFORM	EV (121080, DCM, "Best illustration of finding")	1	U		
3		CONTAINS	SCCOORD	EV (121080, DCM, "Best illustration of finding")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	SELECTED FROM	IMAGE	no purpose of reference	1	M		
5		CONTAINS	TCOORD	EV (121080, DCM, "Best illustration of finding")	1	U		
6	>	SELECTED FROM	SCCOORD	no purpose of reference	1	MC	XOR row 8, 9	
7	>>	SELECTED FROM	IMAGE	no purpose of reference	1	M		must be a multi-frame image
8	>	SELECTED FROM	WAVEFORM	no purpose of reference	1	MC	XOR row 6, 9	
9	>	SELECTED FROM	IMAGE	no purpose of reference	1	MC	XOR row 6, 8	must be a multi-frame image

Content Item Descriptions

Rows 4, 7, 8, 9	No purpose of reference is specified.
-----------------	---------------------------------------

TID 3910 Flow Quantification

Contains the flow quantification measurement results

Type: Extensible
Order: Significant
Root: No

Table TID 3910. Flow Quantification

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122604, DCM, "Flow Quantification")
3	>	HAS OBS CONTEXT	INCLUDE	DTID 3929 "Cardiovascular Analysis Observation Context"	1	U		
4	>	HAS OBS CONTEXT	DATETIME	EV (G-D321 , SRT398201009 , SCT, "Start DateTime")	1	M		
5	>	HAS OBS CONTEXT	DATETIME	EV (G-D320 , SRT397898000 , SCT, "Stop DateTime")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	CONTAINS	INCLUDE	DTID 3990 "Two Dimensional Measurement Graph"	1	U		\$MeasurementGraph = EV (122667, DCM, "Blood velocity vs. time of cardiac cycle") \$X-Concept = EV (122666, DCM, "Time relative to R-wave peak") \$Y-Concept = EV (F-0349E , SRT252064005 , SCT, "Arterial Velocity") \$X-AxisUnits = DT (ms, UCUM, "ms") \$Y-AxisUnits = DT (cm/s, UCUM, "cm/s")
7	>	CONTAINS	NUM	EV (122642, DCM, "Velocity Encoding Minimum Value")	1	U		UNITS = DT (cm/s, UCUM, "cm/s")
8	>	CONTAINS	NUM	EV (122643, DCM, "Velocity Encoding Maximum Value")	1	U		UNITS = DT (cm/s, UCUM, "cm/s")
9	>	CONTAINS	CONTAINER	EV (125007, DCM, "Measurement Group")	1-n	M		
10	>>	HAS CONCEPT MOD	TEXT	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	MC	XOR row 11	
11	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	MC	XOR row 10	
12	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122207, DCM, "Blood velocity, peak") \$Units = DT (cm/s, UCUM, "cm/s")
13	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122205, DCM, "Blood velocity, mean") \$Units = DT (cm/s, UCUM, "cm/s")
14	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-39200 , SRT58190003 , SCT, "Blood Flow") \$Derivation = EV (R-00347 , SRT373098007 , SCT, "Mean") \$Units = DT (ml/s, UCUM, "ml/s")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
15	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-2	U		\$Measurement = EV (F-39200 , SRT58190003 , SCT, "Blood Flow") \$ModType = EV (G-C048 , SRT260674002 , SCT, "Direction of flow") \$ModValue = DCID 12221 "Flow Direction" \$Units = DT (ml/s, UCUM, "ml/s")
16	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122645, DCM, "Net Forward Volume") \$Units = DT (ml, UCUM, "ml")
17	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122645, DCM, "Net Forward Volume") \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8277-6, LN, "BSA") \$Units = DT (ml/m2, UCUM, "ml/m2")
18	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (G-0366 , SRT397415007 , SCT, "Vessel Lumen Cross-Sectional Area") \$Derivation = DCID 3488 "Min/Max/Mean" \$Units = DT (mm2, UCUM, "mm2")

TID 3911 Plaque Properties

Properties of a plaque finding

Type: Extensible
Order: Significant
Root: No

Table TID 3911. Plaque Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS PROPERTIES	NUM	EV (122376, DCM, "Total Plaque Volume")	1	U		UNITS = DT (mm3, UCUM, "mm3")
2		HAS PROPERTIES	CODE	EV (G-A428 , SRT112233002 , SCT, "Margin")	1	U		DCID 3715 "Lesion Margin"
3		HAS PROPERTIES	CODE	EV (M-01000 , SRT49755003 , SCT, "Morphologically Abnormal Structure")	1-n	M		DCID 3802 "Plaque Structures"
4		HAS PROPERTIES	INCLUDE	DTID 3905 "Calcium Scoring Results"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5		HAS PROPERTIES	CODE	EV (121071, DCM, "Finding")	1	U		DT (R-102DA , SRT413912008 , SCT, "Contrast Media Seen in Plaque")

TID 3912 Stenosis Properties

Properties of a stenosis finding

Type: Extensible
Order: Significant
Root: No

Table TID 3912. Stenosis Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS PROPERTIES	CODE	EV (G-C036 , SRT370129005 , SCT, "Measurement method")	1	M		DCID 3804 "Stenosis Measurement Methods"
2		HAS PROPERTIES	CODE	EV (G-D775 , SRT246244004 , SCT, "Type of Stenosis")	1	U		DCID 3805 "Stenosis Types"
3		HAS PROPERTIES	CODE	EV (G-C002 , SRT47429007 , SCT, "Associated with")	1	U		DCID 3815 "Source of Vascular Finding"
4		HAS PROPERTIES	CODE	EV (G-C2FE , SRT300842002 , SCT, "Shape")	1	U		DCID 3806 "Stenosis Shape"
5		HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (G-0364 , SRT397413000 , SCT, "Vessel Lumen Diameter") \$Derivation = DCID 3488 "Min/Max/Mean" \$Units = DT (mm, UCUM, "mm")
6		HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (G-0366 , SRT397415007 , SCT, "Vessel Lumen Cross-Sectional Area") \$Derivation = DCID 3488 "Min/Max/Mean" \$Units = DT (mm2, UCUM, "mm2")
7		HAS PROPERTIES	NUM	EV (R-101BC , SRT408716009 , SCT, "Stenotic Lesion Length")	1	U		UNITS = DT (mm, UCUM, "mm")
8		HAS PROPERTIES	CODE	EV (R-101BC , SRT408716009 , SCT, "Stenotic Lesion Length")	1	U		DCID 3831 "Stenosis Length"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9		HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (R-101BA ; SRT408714007 , SCT, "Lumen Area Stenosis") \$Derivation = DCID 3488 "Min/Max/Mean" \$Units = DT (% , UCUM, "%")
10		HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (R-101BB ; SRT408715008 , SCT, "Lumen Diameter stenosis") \$Derivation = DCID 3488 "Min/Max/Mean" \$Units = DT (% , UCUM, "%")
11		HAS PROPERTIES	CODE	EV (R-101BA ; SRT408714007 , SCT, "Lumen Area Stenosis")	1-n	U		DCID 3832 "Stenosis Grade"
12	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	M		DCID 3488 "Min/Max/Mean"
13		HAS PROPERTIES	CODE	EV (R-101BB ; SRT408715008 , SCT, "Lumen Diameter Stenosis")	1-n	U		DCID 3832 "Stenosis Grade"
14	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	M		DCID 3488 "Min/Max/Mean"

TID 3913 Aneurysm Properties

Properties of an aneurysm finding

Type: Extensible
Order: Significant
Root: No

Table TID 3913. Aneurysm Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS PROPERTIES	CODE	EV (G-C504 ; SRT116676008 , SCT, "Associated Morphology")	1-n	M		DCID 3808 "Aneurysm Types"
2		HAS PROPERTIES	CODE	EV (G-C002 ; SRT47429007 , SCT, "Associated with")	1	U		DCID 3815 "Source of Vascular Finding"
3		HAS PROPERTIES	INCLUDE	DTID 3917 "Aneurysm Measurements"	1	U		
4		HAS PROPERTIES	CODE	EV (G-C504 ; SRT116676008 , SCT, "Associated Morphology")	1-n	UC	IFF value of row 1 equals (M-32240 ; SRT85726003 , SCT, "Mixed Aneurysm")	DCID 3808 "Aneurysm Types"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	HAS PROPERTIES	INCLUDE	DTID 3917 "Aneurysm Measurements"	1	U		

TID 3914 Arterial Dissection Properties

Properties of a arterial dissection finding

Type: Extensible
Order: Significant
Root: No

Table TID 3914. Arterial Dissection Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS PROPERTIES	CODE	EV (122387, DCM, "Dissection Classification")	1	M		DCID 3492 "Vascular Dissection Classifications"
2		HAS PROPERTIES	CODE	EV (G-C150 , SRT134198009 , SCT , "Etiology")	1	U		DCID 3809 "Associated Conditions"
3		HAS PROPERTIES	NUM	EV (G-D7FE , SRT410668003 , SCT , "Length")	1	U		UNITS = DT (mm, UCUM, "mm")
4		HAS PROPERTIES	CODE	EV (R-102DD , SRT413530006 , SCT , "Anatomic structure potentially involved in evolution of disease")	1-n	U		DCID 3827 "Vessel Segments"

TID 3915 Vascular Occlusion Properties

Properties of vascular occlusion finding

Type: Extensible
Order: Significant
Root: No

Table TID 3915. Vascular Occlusion Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS PROPERTIES	CODE	EV (G-D775 , SRT246244004 , SCT , "Type of Stenosis")	1	M		DCID 3805 "Stenosis Types"
2		HAS PROPERTIES	CODE	EV (G-C002 , SRT47429007 , SCT , "Associated with")	1	U		DCID 3815 "Source of Vascular Finding"
3		HAS PROPERTIES	CODE	EV (G-C2FE , SRT300842002 , SCT , "Shape")	1	U		DCID 3806 "Stenosis Shape"
4		HAS PROPERTIES	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (R-101BC , SRT408716009 , SCT , "Stenotic Lesion Length") \$Method = DCID 3804 "Stenosis Measurement Methods" \$Units = DT (mm, UCUM, "mm")

TID 3916 Stent Properties

Properties of a stent finding

Type: Extensible
Order: Significant
Root: No

Table TID 3916. Stent Properties

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS PROPERTIES	CODE	EV (122685, DCM, "Stent Composition")	1-n	M		DCID 3814 "Stent Composition"
2		HAS PROPERTIES	NUM	EV (R-101AD , SRT408706001 , SCT, "Vascular Stent Diameter")	1	U		UNITS = DT (mm, UCUM, "mm")
3		HAS PROPERTIES	NUM	EV (R-101B0 , SRT408703009 , SCT, "Vascular Stent Length")	1	U		UNITS = DT (mm, UCUM, "mm")
4		HAS PROPERTIES	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 3813 "Stent Findings"
5	>		INCLUDE	DTID 3912 "Stenosis Properties"	1	MC	IFF value of row 4 equals (M-3400A , SRT415582006 , SCT, "Stenosis")	

TID 3917 Aneurysm Measurements

Measurements of aneurysms. TID 300 "Measurement" invoked from this Template allows the measurement to reference an image used as the source of the measurement.

Type: Extensible
Order: Significant
Root: No

Table TID 3917. Aneurysm Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (G-D7FE , SRT410668003 , SCT, "Length") \$ModType = EV (G-C093 , SRT260858005 , SCT, "Extent") \$ModValue = DT (G-A143 , SRT38717003 , SCT, "Longitudinal") \$Units = DT (mm, UCUM, "mm")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (G-D705 , SRT118565006 , SCT , "Volume") \$Method = DCID 3807 "Volume Measurement Methods" \$Units = DT (mm3, UCUM, "mm3")
3			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (R-102DB , SRT415816005 , SCT , "Vessel Lumen Cross-Sectional Area Increase") \$Units = DT (% , UCUM, "%")
4			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (R-102DB , SRT415816005 , SCT , "Vessel Lumen Cross-Sectional Area Increase") \$Units = DT (mm2, UCUM, "mm2")
5			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (R-102DC , SRT415817001 , SCT , "Vessel Lumen Cross-Sectional Diameter Increase") \$Units = DT (% , UCUM, "%")
6			INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (R-102DC , SRT415817001 , SCT , "Vessel Lumen Cross-Sectional Diameter Increase") \$Units = DT (mm, UCUM, "mm")

TID 3920 Ventricular Analysis

Contains the ventricular functional measurement results.

Type: Extensible
Order: Significant
Root: No

Table TID 3920. Ventricular Analysis

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122601, DCM, "Ventricular Analysis")
3	>	HAS OBS CONTEXT	INCLUDE	DTID 3929 "Cardiovascular Analysis Observation Context"	1	U		
4	>	CONTAINS	INCLUDE	DTID 3921 "Ventricular Measurements"	1-n	U		\$Ventricle = EV (T-32600 , SRT87878005 , SCT , "Left Ventricle")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	INCLUDE	DTID 3921 "Ventricular Measurements"	1-n	U		\$Ventricle = EV (T-32500, SRT53085002, SCT, "Right Ventricle")
6	>	CONTAINS	INCLUDE	DTID 3925 "Ventricular Thickening Analysis"	1-n	U		
7	>	CONTAINS	INCLUDE	DTID 3926 "Myocardial Perfusion Analysis"	1-n	U		

TID 3921 Ventricular Measurements

Ventricular measurement results related to the volume of a ventricle.

Table TID 3921. Parameters

Parameter Name	Parameter Usage
\$Ventricle	Describes if either the left or the right ventricle was examined

Type: Extensible
Order: Significant
Root: No

Table TID 3921. Ventricular Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	M		\$Ventricle
3	>	CONTAINS	INCLUDE	DTID 3922 "Absolute Values of Ventricular Measurements"	1	M		
4	>	CONTAINS	INCLUDE	DTID 3923 "BSA-Normalized Ventricular Measurements"	1	U		
5	>	CONTAINS	INCLUDE	DTID 3924 "Heart Rate-Normalized Ventricular Measurements"	1	U		

TID 3922 Absolute Values of Ventricular Measurements

Ventricular measurement results related to the absolute volume of a ventricle.

Type: Extensible
Order: Significant
Root: No

Table TID 3922. Absolute Values of Ventricular Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (122608, DCM, "Absolute Values Of Ventricular Measurements")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3833 "Cardiac Ejection Fraction" \$ModType = DT (122670, DCM, "Papillary Muscle Included/Excluded") \$ModValue = DCID 3821 "Papillary Muscle Included/Excluded" \$Method = DCID 3807 "Volume Measurement Methods" \$Units = DT (% , UCUM, "%")
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3835 "Cardiac Volume Measurements" \$ModType = DT (122670, DCM, "Papillary Muscle Included/Excluded") \$ModValue = DCID 3821 "Papillary Muscle Included/Excluded" \$Units = DT (ml, UCUM, "ml")
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32100, SRT82799009, SCT, "Cardiac Output") \$ModType = DT (122670, DCM, "Papillary Muscle Included/Excluded") \$ModValue = DCID 3821 "Papillary Muscle Included/Excluded" \$Units = DT (l/min, UCUM, "l/min")
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (122447, DCM, "Wall Mass") \$ModType = DT (122670, DCM, "Papillary Muscle Included/Excluded") \$ModValue = DCID 3821 "Papillary Muscle Included/Excluded" \$Units = DT (g, UCUM, "g")
6	>>	HAS CONCEPT MOD	CODE	EV (R-4089A, SRT272518008, SCT, "Cardiac Cycle Point")	1	U		DCID 12233 "Cardiac Phase"
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122616, DCM, "Peak Ejection Rate") \$Units = DT (ml/s, UCUM, "ml/s")
8	>	CONTAINS	NUM	EV (122617, DCM, "Peak Ejection Time")	1	U		UNITS = EV (s, UCUM, "s")
9	>>	HAS CONCEPT MOD	CODE	EV (122611, DCM, "Reference Point")	1	M		EV (R-FAB5C, SRT416190007, SCT, "End-Diastolic")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122618, DCM, "Peak Filling Rate") \$Units = DT (ml/s, UCUM, "ml/s")
11	>	CONTAINS	NUM	EV (122619, DCM, "Peak Filling Time")	1	U		UNITS = DT (s, UCUM, "s")
12	>>	HAS CONCEPT MOD	CODE	EV (122611, DCM, "Reference Point")	1	M		DT (109070, DCM, "End-Systolic")

TID 3923 BSA-Normalized Ventricular Measurements

Ventricular measurement results normalized based on the Body Surface Area

Type: Extensible
Order: Significant
Root: No

Table TID 3923. BSA-Normalized Ventricular Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (122609, DCM, "Normalized values of ventricular measurements")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121425, DCM, "Index")	1	M		DT (8277-6, LN, "Body Surface Area")
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (8277-6, LN, "Body Surface Area") \$Unit = DT (m2, UCUM, "m2")
4	>>	INFERRED FROM	CODE	EV (8278-4, LN, "Body Surface Area Formula")	1	U		BCID 3663 "Body Surface Area Equations"
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3835 "Cardiac Volume Measurements" \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8277-6, LN, "Body Surface Area") \$Units = DT (ml/m2, UCUM, "ml/m2")
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32110; SRT54993008, SCT, "Cardiac Index") \$Units = DT (ml/min/m2, UCUM, "(ml/min) /m2")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-2	U		\$Measurement = EV (122447, DCM, "Wall Mass") \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8277-6, LN, "Body Surface Area") \$Units = DT (g/m2, UCUM, "g/m2")
8	>>	HAS CONCEPT MOD	CODE	DT (122670, DCM, "Papillary Muscle Included/Excluded")	1	U		DCID 3821 "Papillary Muscle Included/Excluded"
9	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122618, DCM, "Peak Filling Rate") \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8277-6, LN, "Body Surface Area") \$Units = DT (ml/s/m2, UCUM, "(ml/s) /m2")
10	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32070; SRT70822001, SCT, "Peak Cardiac Ejection Fraction") \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8277-6, LN, "Body Surface Area") \$Units = DT (%/m2, UCUM, "%/m2")

TID 3924 Heart Rate-Normalized Ventricular Measurements

Ventricular measurement results normalized based on the Heart Rate

Type: Extensible
Order: Significant
Root: No

Table TID 3924. Heart Rate-Normalized Ventricular Measurements

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (122609, DCM, "Normalized values of ventricular measurements")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121425, DCM, "Index")	1	M		DT (8867-4, LN, "Heart Rate")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3835 "Cardiac Volume Measurements" \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8867-4, LN, "Heart Rate") \$Units = DT (ml/{H.B.}/min, UCUM, "ml/BPM")
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32100 , SRT82799009 , SCT, "Cardiac Output") \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8867-4, LN, "Heart Rate") \$Units = DT (ml/min/{H.B.}/min, UCUM, "(ml/min) /BPM")
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122618, DCM, "Peak Filling Rate") \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8867-4, LN, "Heart Rate") \$Units = DT (ml/s/{H.B.}/min, UCUM, "(ml/s) /BPM")
6	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (F-32070 , SRT70822001 , SCT, "Peak Cardiac Ejection Fraction") \$ModType = EV (121425, DCM, "Index") \$ModValue = DT (8867-4, LN, "Heart Rate") \$Units = DT (%/{H.B.}/min, UCUM, "%/BPM")

TID 3925 Ventricular Thickening Analysis

Data of a ventricular wall thickening analysis

Type: Extensible
Order: Significant
Root: No

Table TID 3925. Thickening Analysis

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122607, DCM, "Thickening Analysis")
3	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	M		
4	>>	CONTAINS	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1-n	MC	XOR row 5	DCID 3717 "Myocardial Wall Segments"
5	>>	CONTAINS	TEXT	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	MC	XOR row 4	
6	>>	CONTAINS	INCLUDE	DTID 3909 "Best Illustration of Findings"	1-n	U		
7	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122445, DCM, "Wall Thickness") \$ModType = EV (R-4089A , SRT272518008 , SCT, "Cardiac Cycle Point") \$ModValue = DT (R-FAB5C , SRT416190007 , SCT, "End-Diastolic") \$Units = DT (mm, UCUM, "mm")
8	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = EV (122445, DCM, "Wall Thickness") \$ModType = EV (R-4089A , SRT272518008 , SCT, "Cardiac Cycle Point") \$ModValue = DT (109070, DCM, "End-Systolic") \$Units = DT (mm, UCUM, "mm")
9	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (122624, DCM, "Wall Thickness Ratio end-systolic to end-diastolic") \$Units = DT (% , UCUM, "%")
10	>>	CONTAINS	CODE	EV (F-32050 , SRT60797005 , SCT, "Cardiac Wall Motion")	1	U		DCID 3703 "Wall Motion"
11	>>	CONTAINS	CODE	EV (G-C504 , SRT116676008 , SCT, "Associated Morphology")	1	U		DCID 3704 "Myocardium Wall Morphology Findings"

TID 3926 Myocardial Perfusion Analysis

Myocardial perfusion analysis results.

Perfusion measurements may be performed either for one or more ventricular segments (row 4) or for substructures inside ventricular segments (row 14)

Type: Extensible
Order: Significant
Root: No

Table TID 3926. Myocardial Perfusion Analysis

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111004, DCM, "Analysis Performed")	1	M		EV (122602, DCM, "Myocardial Perfusion Analysis")
3	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	M		
4	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1-n	MC	XOR row 6	DCID 3717 "Myocardial Wall Segments"
5	>>>	HAS CONCEPT MOD	CODE	EV (G-A1F8, SRT106233006, SCT, "Topographical Modifier")	1	U		DCID 3843 "Myocardial Subsegment"
6	>>	HAS CONCEPT MOD	TEXT	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	MC	XOR row 4	
7	>>	HAS ACQ CONTEXT	CODE	EV (109054, DCM, "Patient State")	1	U		DCID 3101 "Cardiac Procedural State Values"
8	>>	HAS ACQ CONTEXT	INCLUDE	DTID 3106 "Drugs/Contrast Administered"	1-n	U		
9	>>	CONTAINS	TEXT	EV (122627, DCM, "Curve Fit Method")	1	U		
10	>>	CONTAINS	INCLUDE	DTID 3909 "Best Illustration of Findings"	1-n	U		
11	>>	CONTAINS	TEXT	EV (122628, DCM, "Baseline Result Correction")	1	U		
12	>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3836 "Time-based Perfusion Measurements" \$Units = EV (s, UCUM, "s")
13	>>	CONTAINS	NUM	EV (122640, DCM, "Image Interval")	1	U		UNITS = EV (ms, UCUM, "ms")
14	>>	CONTAINS	NUM	EV (122635, DCM, "MR Perfusion Peak")	1	U		UNITS = DT (1, UCUM, "No units")
15	>>	CONTAINS	NUM	EV (122636, DCM, "MR Perfusion Slope")	1	U		UNITS = DT (1, UCUM, "No units")
16	>>	CONTAINS	NUM	EV (122637, DCM, "MR Perfusion Time Integral")	1	U		UNITS = DT (1, UCUM, "No units")
17	>>	CONTAINS	CONTAINER	EV (125007, DCM, "Measurement Group")	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
18	>>>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 3836 "Time-based Perfusion Measurements" \$Units = EV (s, UCUM, "s")
19	>>>	CONTAINS	NUM	EV (122635, DCM, "MR Perfusion Peak")	1	U		UNITS = DT (1, UCUM, "No units")
20	>>>	CONTAINS	NUM	EV (122636, DCM, "MR Perfusion Slope")	1	U		UNITS = DT (1, UCUM, "No units")
21	>>>	CONTAINS	NUM	EV (122637, DCM, "MR Perfusion Time Integral")	1	U		UNITS = DT (1, UCUM, "No units")
22	>>	CONTAINS	CODE	EV (122664, DCM, "Late Contrast Enhancement")	1	U		DCID 230 "Yes-No"
23	>>>	HAS ACQ CONTEXT	NUM	EV (122665, DCM, "Time after start of injection of contrast bolus")	1	M		UNITS = DT (s, UCUM, "s")
24	>>>	HAS ACQ CONTEXT	NUM	EV (122668, DCM, "Time interval since detection of contrast bolus")	1	U		UNITS = DT (s, UCUM, "s")

Content Item Descriptions

Row 12	Image Interval is appropriate only for equally time-spaced images
--------	---

TID 3927 Report Summary

Contains summary elements based on the findings of the report

Type: Extensible
Order: Non-Significant
Root: No

Table TID 3927. Report Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	BCID 7001 "Diagnostic Imaging Report Headings"	1	M		
2	>	CONTAINS	CODE	BCID 7002 "Diagnostic Imaging Report Elements"	1-n	U		
3	>>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1-n	U		
4	>>		INCLUDE	DTID 321 "Waveform or Temporal Coordinates"	1-n	U		
5	>	CONTAINS	TEXT	BCID 7002 "Diagnostic Imaging Report Elements"	1-n	U		
6	>>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1-n	U		
7	>>		INCLUDE	DTID 321 "Waveform or Temporal Coordinates"	1-n	U		

TID 3929 Cardiovascular Analysis Observation Context

Defines the observation context for cardiovascular Functional Analysis

Type: Extensible
Order: Significant
Root: No

Table TID 3929. Cardiovascular Analysis Observation Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS OBS CONTEXT	NUM	EV (8867-4, LN, "Heart Rate")	1	U		UNITS = DT ({H.B.}/min, UCUM, "BPM")
2		HAS OBS CONTEXT	CODE	EV (8884-9, LN, "Cardiac Rhythm")	1	U		DCID 3826 "Heart Rhythm"
3		HAS OBS CONTEXT	NUM	EV (F-008EC, SRT271649006, SCT, "Systolic Blood Pressure")	1	U		UNITS = DT (mm[Hg], UCUM, "mmHg")
4		HAS OBS CONTEXT	NUM	EV (F-008ED, SRT271650006, SCT, "Diastolic Blood Pressure")	1	U		UNITS = DT (mm[Hg], UCUM, "mmHg")
5		HAS OBS CONTEXT	CODE	EV (F-043E6, SRT364062005, SCT, "Respiration Observable")	1	U		DCID 3823 "Respiratory Status"
6		HAS ACQ CONTEXT	INCLUDE	DTID 3106 "Drugs/Contrast Administered"	1-n	U		

TID 3990 Two Dimensional Measurement Graph

Generic Template representing arbitrary two-dimensional graphs.

Table TID 3990. Parameters

Parameter Name	Parameter Usage
\$MeasurementGraph	Describes what the graph is about
\$X-Concept	Concept of the X-Axis of the graph
\$Y-Concept	Concept of the Y-Axis of the graph
\$X-AxisUnit	Unit of the x-axis data elements
\$Y-AxisUnit	Unit of the y-axis data elements

Type: Extensible
Order: Significant
Root: No

Table TID 3990. Two Dimensional Measurement Graph

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	\$MeasurementGraph	1	M		
2	>	CONTAINS	CODE	EV (122698, DCM, "X-Concept")	1	M		\$X-Concept
3	>	CONTAINS	CODE	EV (122699, DCM, "Y-Concept")	1	M		\$Y-Concept

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	CONTAINER	no concept name	1-n	MC	IF Row 7, 8, or 9 not present	
5	>>	CONTAINS	NUM	\$X-Concept	1	M		UNITS = \$X-AxisUnit
6	>>	CONTAINS	NUM	\$Y-Concept	1	M		UNITS = \$Y-AxisUnit
7	>	CONTAINS	IMAGE	\$MeasurementGraph	1	U		
8	>	CONTAINS	WAVEFORM	\$MeasurementGraph	1	U		
9	>	CONTAINS	COMPOSITE	\$MeasurementGraph	1	U		

Content Item Descriptions

Rows 5-6	The X-Concept values shall be monotonically increasing.
Row 7	Secondary Capture Image containing a bitmap representation of the graph
Row 8	Waveform containing a representation of the graph
Row 9	Composite Object containing a rendered representation of the graph

Mammography CAD SR IOD Templates

The Templates that comprise the Mammography CAD SR IOD are interconnected as in Figure A-8:




Figure A-8. Mammography CAD SR IOD Template Structure

In Figure A-8, '...' indicates possible recursive application of subordinate Templates.

TID 4000 Mammography CAD Document Root

This Template forms the top of a content tree that allows a mammography CAD device to describe the results of detection and analysis of Mammographic evidence. This Template, together with its subordinate Templates, describes both the results for presentation to radiologists and partial product results for consumption by mammography CAD devices in subsequent mammography CAD reports.

This Template defines a Container that contains an Image Library, the mammography CAD results, and summaries of the detection and analysis algorithms performed. The Image Library contains the Image SOP Class and Instance UIDs, and selected attributes for each image referenced in either the algorithm summaries or mammography CAD results.

The Summary of Detections and Summary of Analyses sub-trees gather lists of algorithms attempted, grouped by success/failure status. Algorithms not attempted are not mentioned in these sub-trees. This information forms the basis for understanding why a mammography CAD report may produce no (or fewer than anticipated) results. Mammography CAD results are constructed bottom-up, starting from Single Image Findings (see TID 4006 "Mammography CAD Single Image Finding"), associated as Composite Features (see TID 4004 "Mammography CAD Composite Feature"), and from which Individual and Overall Impressions are formed.

See Figure E.1-1 "Top Levels of Mammography CAD SR Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: Yes

Table TID 4000. Mammography CAD Document Root

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111036, DCM, "Mammography CAD Report")	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	CONTAINS	CONTAINER	EV (111028, DCM, "Image Library")	1	M		
4	>>	CONTAINS	INCLUDE	DTID 4020 "CAD Image Library Entry"	1-n	M		\$ImageLaterality = DCID 6022 "Side" \$ImageView = DCID 4014 "View for Mammography" \$ImageViewMod = DCID 4015 "View Modifier for Mammography"
5	>	CONTAINS	INCLUDE	DTID 4001 "Mammography CAD Overall Impression/Recommendation"	1	M		
6	>	CONTAINS	CODE	EV (111064, DCM, "Summary of Detections")	1	M		DCID 6042 "Status of Results"
7	>>	INFERRED FROM	INCLUDE	DTID 4015 "CAD Detections Performed"	1	MC	Shall be present unless the value of (111064, DCM, "Summary of Detections") is (111225, DCM, "Not Attempted")	\$DetectionCode = DCID 6014 "Mammography Single Image Finding"
8	>	CONTAINS	CODE	EV (111065, DCM, "Summary of Analyses")	1	M		DCID 6042 "Status of Results"
9	>>	INFERRED FROM	INCLUDE	DTID 4016 "CAD Analyses Performed"	1	MC	Shall be present unless the value of (111065, DCM, "Summary of Analyses") is (111225, DCM, "Not Attempted")	\$AnalysisCode = DCID 6043 "Types of Mammography CAD Analysis"

Content Item Descriptions

Image Library	The "Image Library" section of the Content Tree (TID 4000 "Mammography CAD Document Root", row 3) shall include all Image SOP Instances from the Current Requested Procedure Evidence Sequence (0040,A375) attribute of the SR Document General module. If a portion of another instance of a Mammography CAD SR IOD is duplicated in the "Overall Impression/ Recommendation" section of the Content Tree, the "Image Library" shall also include all Image Library Entries referenced from the duplicated portions of the Mammography CAD SR.
Detections Performed	The "Detections Performed" and "Analyses Performed" sections of the Content Tree (TID 4000 "Mammography CAD Document Root", rows 6 and 8) together shall reference all Image SOP Instances included in the Current Requested Procedure Evidence Sequence (0040,A375) attribute of the SR Document General module.
Analyses Performed	

TID 4001 Mammography CAD Overall Impression/Recommendation

This Template forms the top of the mammography CAD results sub-tree. The contents of this Template describe the overall impression the mammography CAD device had for the mammographic evidence presented and any recommendations that the mammography CAD device made. The details of the overall impression and recommendation are expressed in this instance of the Mammography CAD Impression/Recommendation Body (see TID 4002 "Mammography CAD Impression/Recommendation Body"). The data from which the details are inferred, are expressed in the Mammography CAD Individual Impression/Recommendations (see TID 4003 "Mammography CAD Individual Impression/Recommendation"), of which there may be several.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4001. Mammography CAD Overall Impression/Recommendation

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111017, DCM, "CAD Processing and Findings Summary")	1	M		DCID 6047 "CAD Processing and Findings Summary"
2	>	HAS PROPERTIES	INCLUDE	DTID 4002 "Mammography CAD Impression/Recommendation Body"	1	U		
3	>	INFERRED FROM	INCLUDE	DTID 4003 "Mammography CAD Individual Impression/Recommendation"	1-n	MC	Shall be present if 1 or more (111059, DCM, "Single Image Finding") or (111015, DCM, "Composite Feature") Content Items are reported.	

Content Item Descriptions

CAD Processing and Findings Summary	<p>This code value is used to express if and why the Overall Impression/Recommendation sub-tree is empty. The Summary of Detections and Summary of Analyses sub-trees of the Document Root node contain detail about which (if any) algorithms succeeded or failed.</p> <p>If the code value indicates that there were no findings, then the code value can be used to determine whether mammography CAD processing occurred successfully, without parsing the Summary of Detections and Summary of Analyses sub-trees.</p>
Row 3	There are no constraints regarding the 1-n multiplicity of the inclusion of TID 4003 "Mammography CAD Individual Impression/Recommendation" or its underlying structure, other than the TID 4001 "Mammography CAD Overall Impression/Recommendation" and TID 4003 "Mammography CAD Individual Impression/Recommendation" requirements. Individual Impression/Recommendation containers may be organized, for example per image, per finding or composite feature, or some combination thereof.

TID 4002 Mammography CAD Impression/Recommendation Body

The details of an impression and recommendation are expressed in this Template. It is applied to both Mammography CAD Overall Impression/Recommendation (TID 4001 "Mammography CAD Overall Impression/Recommendation") and Mammography CAD Individual Impression/Recommendation (TID 4003 "Mammography CAD Individual Impression/Recommendation").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4002. Mammography CAD Impression/Recommendation Body

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111005, DCM, "Assessment Category")	1-n	MC	At least one of rows 1, 3, 5, 6, 8, 9 shall be present.	DCID 6026 "Mammography Assessment"
2	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT, "Laterality")	1	U		DCID 6022 "Side"
3			CODE	EV (111023, DCM, "Differential Diagnosis/ Impression")	1-n	MC	At least one of rows 1, 3, 5, 6, 8, 9 shall be present.	DCID 6002 "Change Since Last Mammogram or Prior Surgery"
4	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT, "Laterality")	1	U		DCID 6022 "Side"
5			TEXT	EV (111033, DCM, "Impression Description")	1	MC	At least one of rows 1, 3, 5, 6, 8, 9 shall be present.	
6			CODE	EV (111053, DCM, "Recommended Follow-up")	1-n	MC	At least one of rows 1, 3, 5, 6, 8, 9 shall be present.	DCID 6028 "Mammography Recommended Follow-up"
7	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT, "Laterality")	1	U		DCID 6022 "Side"
8			NUM	EV (111055, DCM, "Recommended Follow-up Interval")	1	MC	At least one of rows 1, 3, 5, 6, 8, 9 shall be present. May be present only if (111054, DCM, "Recommended Follow-up Date") is not present.	UNITS = DCID 6046 "Units of Follow-up Interval" Values = Integer ≥ 0, where 0 = immediate follow-up
9			DATE	EV (111054, DCM, "Recommended Follow-up Date")	1	MC	At least one of rows 1, 3, 5, 6, 8, 9 shall be present. May be present only if (111055, DCM, "Recommended Follow-up Interval") is not present.	Shall be later than date of exam

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10			NUM	EV (111013, DCM, "Certainty of impression")	1	UC	May be present only if (111005, DCM, "Assessment Category"), (111023, DCM, "Differential Diagnosis/Impression") or (111033, DCM, "Impression Description") is present.	UNITS = EV (% UCUM, "Percent") Values = 0 - 100
11			INCLUDE	DTID 4019 "Algorithm Identification"	1-n	M		
12			NUM	DCID 6142 "Calculated Value"	1-n	U		
13	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT 272741003, SCT, "Laterality")	1	U		DCID 6022 "Side"
14	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	M		DCID 6140 "Calculation Methods"
15	>	INFERRED FROM	TEXT	EV (112034, DCM, "Calculation Description")	1	U		

Content Item Descriptions

Certainty of Impression	The certainty that the device populating the Mammography CAD SR report places on this impression, where 0 equals no certainty and 100 equals certainty.
Impression Description	Free-form text describing the overall or an individual impression

TID 4003 Mammography CAD Individual Impression/Recommendation

This Template collects an individual impression the mammography CAD device had for a lesion, non-lesion object, or correlation of related objects. The details of the impression and recommendation are expressed in the Mammography CAD Impression/Recommendation Body (see TID 4002 "Mammography CAD Impression/Recommendation Body"). The data from which the details are inferred are expressed in the Composite Features (see TID 4004 "Mammography CAD Composite Feature") and/or Single Image Findings (see TID 4006 "Mammography CAD Single Image Finding") of which there may be several.

The sub-tree headed by this Template is illustrated in Figure E.1-3 "Example of Individual Impression/Recommendation Levels of Mammography CAD SR Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4003. Mammography CAD Individual Impression/Recommendation

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111034, DCM, "Individual Impression/ Recommendation")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (111056, DCM, "Rendering Intent")	1	M		DCID 6034 "Intended Use of CAD Output"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	INCLUDE	DTID 4002 "Mammography CAD Impression/Recommendation Body"	1	U		
4	>	CONTAINS	INCLUDE	DTID 4004 "Mammography CAD Composite Feature"	1-n	MC	At least one of rows 4, 5 shall be present.	
5	>	CONTAINS	INCLUDE	DTID 4006 "Mammography CAD Single Image Finding"	1-n	MC	At least one of rows 4, 5 shall be present.	

Content Item Descriptions

Rendering Intent	This Content Item constrains the SCP receiving the Mammography CAD SR IOD in its use of the contents of this Template and its Target Content Items. Mammography CAD devices may opt to use data marked "Not for Presentation" or "Presentation Optional" as input to subsequent mammography CAD processing steps. Refer to Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4.
------------------	--

TID 4004 Mammography CAD Composite Feature

This Template collects a composite feature for a lesion, non-lesion object, or correlation of related objects. The details of the composition are expressed in the Mammography CAD Composite Feature Body (see TID 4005 "Mammography CAD Composite Feature Body"). The data from which the details are inferred, are expressed in the Composite Features (see TID 4004 "Mammography CAD Composite Feature") and/or Single Image Findings (see TID 4006 "Mammography CAD Single Image Finding"), of which there may be several.

A Composite Feature shall be INFERRED FROM any combination of two or more Composite Features or Single Image Findings or mixture thereof.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4004. Mammography CAD Composite Feature

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111015, DCM, "Composite Feature")	1	M		DCID 6016 "Mammography Composite Feature"
2	>	HAS CONCEPT MOD	CODE	EV (111056, DCM, "Rendering Intent")	1	M		DCID 6034 "Intended Use of CAD Output"
3	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		
4	>	HAS PROPERTIES	INCLUDE	DTID 4005 "Mammography CAD Composite Feature Body"	1	M		
5	>	INFERRED FROM	INCLUDE	DTID 4004 "Mammography CAD Composite Feature"	1-n	MC	At least two items shall be present: two of row 5, two of row 6, or one of each.	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	INFERRED FROM	INCLUDE	DTID 4006 "Mammography CAD Single Image Finding"	1-n	MC	At least two items shall be present: two of row 5, two of row 6, or one of each.	
7	>	HAS OBS CONTEXT	INCLUDE	DTID 4022 "CAD Observation Context"	1	MC	Shall be present only if this feature is incorporated from a different report than its parent.	

Content Item Descriptions

Rendering Intent	This Content Item constrains the SCP receiving the Mammography CAD SR IOD in its use of the contents of this Template and its Target Content Items. Mammography CAD devices may opt to use data marked "Not for Presentation" or "Presentation Optional" as input to subsequent mammography CAD processing steps. Refer to Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4.
------------------	--

TID 4005 Mammography CAD Composite Feature Body

The details of a composite feature are expressed in this Template. It is applied to Mammography CAD Composite Feature (TID 4004 "Mammography CAD Composite Feature").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4005. Mammography CAD Composite Feature Body

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111016, DCM, "Composite type")	1	M		DCID 6035 "Composite Feature Relations" The value shall be (111155, DCM, "Target content items are related contra-laterally") if the parent Content Item has code value (F-01792 , SRT129789007 , SCT , "Focal asymmetric breast tissue") or (F-01793 , SRT129790003 , SCT , "Asymmetric breast tissue").
2			CODE	EV (111057, DCM, "Scope of Feature")	1	M		DCID 6036 "Scope of Feature"
3			INCLUDE	DTID 4019 "Algorithm Identification"	1	M		
4			NUM	EV (111011, DCM, "Certainty of Feature")	1	U		UNITS = EV (% , UCUM, "Percent") Value = 0 - 100
5			NUM	EV (111047, DCM, "Probability of cancer")	1	UC	May be present only if value of parent is not (111102, DCM, "Non-lesion")	UNITS = EV (% , UCUM, "Percent") Value = 0 - 100

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6			CODE	EV (111042, DCM, "Pathology")	1-n	U		BCID 6030 "Mammography Pathology Codes"
7			INCLUDE	DTID 1400 "Linear Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1400 "Linear Measurement" shall be used.
8			INCLUDE	DTID 1401 "Area Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1401 "Area Measurement" shall be used.
9			INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1402 "Volume Measurement" shall be used.
10			INCLUDE	DTID 4021 "Mammography CAD Geometry"	1-n	U		
11			NUM	DCID 6037 "Mammography Quantitative Temporal Difference Type"	1-n	UC	May be present only if the value of (111016, DCM, "Composite type") is (111153, DCM, "Target content items are related temporally")	UNITS = DCID 7460 "Units of Linear Measurement" UNITS = DCID 7461 "Units of Area Measurement" UNITS = DCID 7462 "Units of Volume Measurement" UNITS = DT (1, UCUM, "no units")
12	>	R-INFERRED FROM	NUM		2	U		The referenced numeric values shall have the same Concept Name. Their UNITS shall be the same as row 11
13			CODE	EV (111049, DCM, "Qualitative Difference")	1-n	UC	May be present only if the value of (111016, DCM, "Composite type") is (111153, DCM, "Target content items are related temporally")	DCID 6038 "Mammography Qualitative Temporal Difference Type"
14	>	HAS PROPERTIES	TEXT	EV (111021, DCM, "Description of Change")	1	U		
15	>	R-INFERRED FROM	CODE		2	M		The referenced code values shall have the same Concept Name and be from the same context group.
16			CODE	EV (111048, DCM, "Quadrant location")	1	U		DCID 6020 "Quadrant Location"
17			CODE	EV (111014, DCM, "Clockface or region")	1	U		DCID 6018 "Clockface Location or Region"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
18			CODE	EV (111020, DCM, "Depth")	1	U		DCID 6024 "Depth"
19			CODE	EV (111035, DCM, "Lesion Density")	1	UC	May be present only if value of parent is (F-01791 , SRT129788004 , SCT, "Mammographic breast mass") or (F-01796 , SRT129793001 , SCT, "Mammography breast density")	DCID 6008 "Density Modifier"
20			CODE	EV (M-020F9 , SRT107644003 , SCT, "Shape")	1	UC	May be present only if value of parent is (F-01791 , SRT129788004 , SCT, "Mammographic breast mass") or (F-01796 , SRT129793001 , SCT, "Mammography breast density")	DCID 6004 "Mammography Characteristics of Shape"
21			CODE	EV (111037, DCM, "Margins")	1-n	UC	May be present only if value of parent is (F-01791 , SRT129788004 , SCT, "Mammographic breast mass") or (F-01796 , SRT129793001 , SCT, "Mammography breast density")	DCID 6006 "Mammography Characteristics of Margin"
22			CODE	EV (111009, DCM, "Calcification Type")	1-n	UC	May be present only if value of parent is (F-01775 , SRT129769006 , SCT, "Calcification Cluster") or (F-01776 , SRT129770007 , SCT, "Individual Calcification")	DCID 6010 "Mammography Calcification Types"
23			CODE	EV (111008, DCM, "Calcification Distribution")	1	UC	May be present only if value of parent is (F-01775 , SRT129769006 , SCT, "Calcification Cluster")	DCID 6012 "Calcification Distribution Modifier"
24			NUM	EV (111038, DCM, "Number of calcifications")	1	UC	May be present only if value of parent is (F-01775 , SRT129769006 , SCT, "Calcification Cluster")	UNITS = EV (1, UCUM, "no units") Value = Integer 1 - n
25			NUM	DCID 6142 "Calculated Value"	1-n	U		
26	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	M		DCID 6140 "Calculation Methods"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
27	>	INFERRED FROM	TEXT	EV (112034, DCM, "Calculation Description")	1	U		

Content Item Descriptions

Certainty of Feature	The likelihood that the feature analyzed, and classified by the CODE specified in the Composite Feature parent Template, is in fact that type of feature.
Volume Measurement	If dimensions for a volume are to be stated in terms of length, width, and depth, then one shall use 3 instances of TID 1400 "Linear Measurement".
Row 11	Values ≤ 0 are allowed. The two referenced numeric values are Target Content Items of the first generation Composite Feature or Single Image Finding children of this composite feature. Given the equation, A - B, the value representing A shall be referenced first.
Qualitative Difference	The two referenced code values are Target Content Items of the first generation Composite Feature or Single Image Finding children of this composite feature.

TID 4006 Mammography CAD Single Image Finding

This Template describes a single image finding for a lesion or other object. The details of the finding are expressed in this Template and/or more specific Templates. The details from which a single image Calcification Cluster is inferred may be expressed in a number of Single Image Findings (see TID 4006 "Mammography CAD Single Image Finding") of type Individual Calcification.

A Single Image Finding of type Breast Composition may be INFERRED FROM by-reference to a Single Image Finding of type Breast Geometry.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4006. Mammography CAD Single Image Finding

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111059, DCM, "Single Image Finding")	1	M		DCID 6014 "Mammography Single Image Finding"
2	>	HAS CONCEPT MOD	CODE	EV (111056, DCM, "Rendering Intent")	1	M		DCID 6034 "Intended Use of CAD Output"
3	>>	HAS PROPERTIES	NUM	EV (111071, DCM, "CAD Operating Point")	1	UC	IFF value of row 2 is (111151, DCM, "Presentation Optional") and row 9 of TID 4017 "CAD Detection Performed" is present	UNITS = DT ({1:n}, UCUM, "range: 1:n"), where n is the maximum specified in Row 9 of TID 4017 "CAD Detection Performed". Value is restricted to being an integer
4	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		
5	>	HAS PROPERTIES	INCLUDE	DTID 4019 "Algorithm Identification"	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	HAS PROPERTIES	NUM	EV (111012, DCM, "Certainty of Finding")	1	U		UNITS = EV (% UCUM, "Percent") Value = 0 - 100
7	>	HAS PROPERTIES	NUM	EV (111047, DCM, "Probability of cancer")	1	UC	May be present unless value of parent is (F-01710 ; SRT129715009 , SCT, "Breast composition"), (111100, DCM, "Breast geometry"), (T-04100 ; SRT24142002 , SCT, "Nipple"), (111099, DCM, "Selected region"), (111101, DCM, "Image quality") or (111102, DCM, "Non-lesion")	UNITS = EV (% UCUM, "Percent") Value = 0 - 100
8	>	HAS PROPERTIES	INCLUDE	DTID 4021 "Mammography CAD Geometry"	1	MC	Shall be present unless value of parent is (F-01710 ; SRT129715009 , SCT, "Breast composition"), (111100, DCM, "Breast geometry") or (111101, DCM, "Image quality")	
9	>	HAS PROPERTIES	INCLUDE	DTID 4007 "Mammography CAD Breast Composition"	1	MC	Shall be present only if value of parent is (F-01710 ; SRT129715009 , SCT, "Breast composition")	
10	>	R-INFERRED FROM	CODE		1-n	UC	May be present only if value of parent is (F-01710 ; SRT129715009 , SCT, "Breast composition")	Shall reference a (111059, DCM, "Single Image Finding") of value: EV (111100, DCM, "Breast geometry")
11	>	HAS PROPERTIES	INCLUDE	DTID 4008 "Mammography CAD Breast Geometry"	1	MC	Shall be present only if value of parent is (111100, DCM, "Breast geometry")	
12	>	HAS PROPERTIES	INCLUDE	DTID 4009 "Mammography CAD Individual Calcification"	1	UC	May be present only if value of parent is (F-01776 ; SRT129770007 , SCT, "Individual Calcification")	
13	>	HAS PROPERTIES	INCLUDE	DTID 4010 "Mammography CAD Calcification Cluster"	1	UC	May be present only if value of parent is (F-01775 ; SRT129769006 , SCT, "Calcification Cluster")	
14	>	HAS PROPERTIES	INCLUDE	DTID 4011 "Mammography CAD Density"	1	UC	May be present only if value of parent is (F-01796 ; SRT129793001 , SCT, "Mammography breast density")	
15	>	HAS PROPERTIES	CODE	EV (111297, DCM, "Nipple Characteristic")	1	UC	May be present only if value of parent is (T-04100 ; SRT24142002 , SCT, "Nipple")	DCID 6039 "Nipple Characteristic"
16	>	HAS PROPERTIES	INCLUDE	DTID 4012 "Mammography CAD Non-lesion"	1	MC	Shall be present only if value of parent is (111102, DCM, "Non-lesion")	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
17	>	HAS PROPERTIES	INCLUDE	DTID 4013 "Mammography CAD Selected Region"	1	MC	Shall be present only if value of parent is (111099, DCM, "Selected Region")	
18	>	R-INFERRED FROM	IMAGE		1	MC	IF value of parent is (11101, DCM, "Image quality") and IFF row 19 is not present	Shall reference an IMAGE Content Item in the (111028, DCM, "Image Library")
19	>	HAS PROPERTIES	SCOORD	EV (111030, DCM, "Image Region")	1-n	MC	IF value of parent is (11101, DCM, "Image quality") and IFF row 18 is not present	
20	>>	R-SELECTED FROM	IMAGE		1	M		All the (111030, DCM, "Image Region") Content Items in a single invocation of this Template shall reference the same IMAGE Content Item in the (111028, DCM, "Image Library")
21	>	HAS PROPERTIES	INCLUDE	DTID 4014 "CAD Image Quality"	1-n	MC	Shall be present only if value of parent is (111101, DCM, "Image quality")	\$QualityFinding = DCID 6041 "Mammography Image Quality Finding" \$QualityStandard = DCID 6045 "Mammography Types of Quality Control Standard"
22	>	HAS PROPERTIES	NUM	DCID 6142 "Calculated Value"	1-n	U		
23	>>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	M		DCID 6140 "Calculation Methods"
24	>>	INFERRED FROM	TEXT	EV (112034, DCM, "Calculation Description")	1	U		
25	>	INFERRED FROM	INCLUDE	DTID 4006 "Mammography CAD Single Image Finding"	1-n	UC	May be present only if value of parent is (F-01775, SRT129769006, SCT, "Calcification Cluster")	EV (F-01776, SRT129770007, SCT, "Individual Calcification")
26	>	HAS OBS CONTEXT	INCLUDE	DTID 4022 "CAD Observation Context"	1	MC	Shall be present only if this finding is incorporated from a different report than its parent.	

Content Item Descriptions

Rendering Intent	This Content Item constrains the SCP receiving the Mammography CAD SR IOD in its use of the contents of this Template and its Target Content Items. Mammography CAD devices may opt to use data marked "Not for Presentation" or "Presentation Optional" as input to subsequent mammography CAD processing steps. Refer to Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4.
------------------	--

CAD Operating Point	Additional information to use when Rendering Intent is "Presentation Optional". A CAD Operating Point of zero is not sent, and is encoded as a Rendering Intent of "Presentation Required". See Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4 and Section E.4 "CAD Operating Point" in PS3.17.
Single Image Finding	A Single Image Finding (whose parent is a Single Image Finding of type Calcification Cluster) allows one level of nesting for the definition of individual calcifications within the cluster. To use this Template recursively, this Single Image Finding code value shall be "Individual Calcification".
Certainty of Finding	The likelihood that the finding detected, and classified by the CODE specified in the Single Image Finding parent Template, is in fact that type of finding.

TID 4007 Mammography CAD Breast Composition

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4007. Mammography CAD Breast Composition

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (F-01710; SRT129715009, SCT, "Breast composition")	1	MC	At least one of row 1 or 2 shall be present	DCID 6000 "Overall Breast Composition"
2			NUM	EV (111046, DCM, "Percent Fibroglandular Tissue")	1	MC	At least one of row 1 or 2 shall be present	UNITS = EV (% , UCUM, "Percent") Value = 0 - 100

Content Item Descriptions

Percent Fibroglandular Tissue	Percent of breast area that is mammographically dense, excluding pectoralis muscle.
-------------------------------	---

TID 4008 Mammography CAD Breast Geometry

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4008. Mammography CAD Breast Geometry

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			SCOORD	EV (111007, DCM, "Breast Outline Including Pectoral Muscle Tissue")	1	M		GRAPHIC TYPE = {POLYLINE}
2	>	R-SELECTED FROM	IMAGE		1	M		Shall reference an IMAGE Content Item in the (111028, DCM, "Image Library")
3			SCOORD	EV (111045, DCM, "Pectoral Muscle Outline")	1	U		GRAPHIC TYPE = {POLYLINE}
4	>	R-SELECTED FROM	IMAGE		1	M		Shall reference the same node as row 2

Content Item Descriptions




Figure A-8a. Example of Breast Outline Including Pectoral Muscle Tissue




Figure A-8b. Example of Pectoral Muscle Outline

TID 4009 Mammography CAD Individual Calcification

This Template provides the detail specific to an individual calcification.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4009. Mammography CAD Individual Calcification

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111009, DCM, "Calcification Type")	1-n	MC	At least one of rows 1, 2, 3 shall be present	DCID 6010 "Mammography Calcification Types"
2			INCLUDE	DTID 1400 "Linear Measurement"	1-n	MC	At least one of rows 1, 2, 3 shall be present	If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1400 "Linear Measurement" shall be used.
3			INCLUDE	DTID 1401 "Area Measurement"	1-n	MC	At least one of rows 1, 2, 3 shall be present	If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1401 "Area Measurement" shall be used.
4			INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1402 "Volume Measurement" shall be used.

TID 4010 Mammography CAD Calcification Cluster

This Template provides the detail specific to a calcification cluster.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4010. Mammography CAD Calcification Cluster

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111009, DCM, "Calcification Type")	1-n	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	DCID 6010 "Mammography Calcification Types"
2			CODE	EV (111008, DCM, "Calcification Distribution")	1	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	DCID 6012 "Calcification Distribution Modifier"
3			NUM	EV (111038, DCM, "Number of calcifications")	1	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	UNITS = EV (1, UCUM, "no units") Value = Integer > = 1
4			INCLUDE	DTID 1400 "Linear Measurement"	1-n	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1400 "Linear Measurement" shall be used.
5			INCLUDE	DTID 1401 "Area Measurement"	1-n	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1401 "Area Measurement" shall be used.
6			INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1402 "Volume Measurement" shall be used.

TID 4011 Mammography CAD Density

This Template provides the detail specific to a density.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4011. Mammography CAD Density

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111035, DCM, "Lesion Density")	1	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	DCID 6008 "Density Modifier"
2			CODE	EV (M-020F9 , SRT107644003, SCT, "Shape")	1	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	DCID 6004 "Mammography Characteristics of Shape"
3			CODE	EV (111037, DCM, "Margins")	1-n	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	DCID 6006 "Mammography Characteristics of Margin"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4			INCLUDE	DTID 1400 "Linear Measurement"	1-n	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1400 "Linear Measurement" shall be used.
5			INCLUDE	DTID 1401 "Area Measurement"	1-n	MC	At least one of rows 1, 2, 3, 4, 5 shall be present	If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1401 "Area Measurement" shall be used.
6			INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1402 "Volume Measurement" shall be used.

TID 4012 Mammography CAD Non-lesion

This Template provides the detail specific to a finding other than a lesion (see CID 6040 "Non-lesion Object Type").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4012. Mammography CAD Non-lesion

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111039, DCM, "Object type")	1	M		DCID 6040 "Non-lesion Object Type"
2			INCLUDE	DTID 1400 "Linear Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1400 "Linear Measurement" shall be used.
3			INCLUDE	DTID 1401 "Area Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1401 "Area Measurement" shall be used.
4			INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1402 "Volume Measurement" shall be used.

TID 4013 Mammography CAD Selected Region

This Template provides the detail specific to a selected region. A selected region is any mammography CAD derived arbitrary region of the image, whether within the breast outline or not. This can be use to delineate regions such as the intramammary fold.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4013. Mammography CAD Selected Region

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (111058, DCM, "Selected Region Description")	1	M		
2			INCLUDE	DTID 1400 "Linear Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1400 "Linear Measurement" shall be used.
3			INCLUDE	DTID 1401 "Area Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1401 "Area Measurement" shall be used.
4			INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		If the measured path is encoded, the SCOORD and its by-reference relationship to the IMAGE in TID 1402 "Volume Measurement" shall be used.

TID 4014 CAD Image Quality

This Template provides the detail specific to image quality. It allows the encoding of descriptors of image quality (e.g., CID 6041 "Mammography Image Quality Finding") for a given image or region of an image. For instance, images with partial motion blur can be identified with the region noted.

Table TID 4014. Parameters

Parameter Name	Parameter Usage
\$QualityFinding	Coded term or Context Group for Quality Finding
\$QualityStandard	Coded term or Context Group for Quality Control Standard

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4014. CAD Image Quality

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111052, DCM, "Quality Finding")	1	M		\$QualityFinding
2	>	HAS PROPERTIES	CODE	EV (111050, DCM, "Quality Assessment")	1	U		DCID 6044 "Types of Image Quality Assessment"
3	>	HAS PROPERTIES	CODE	EV (111051, DCM, "Quality Control Standard")	1	UC	Shall be present if row 2 is present.	\$QualityStandard
4	>	HAS PROPERTIES	NUM	EV (111029, DCM, "Image Quality Rating")	1	U		UNITS = EV (% , UCUM, "Percent") Value = 0 - 100

Content Item Descriptions

Image Quality Rating	A numeric value in the range 0 to 100, inclusive, where 0 is worst quality and 100 is best quality.
----------------------	---

TID 4015 CAD Detections Performed

This Template gathers two lists of detection algorithms attempted, grouped by success/failure status. Algorithms not attempted are not mentioned in this sub-tree of the Document Root (e.g., TID 4000 “Mammography CAD Document Root”). This information forms the basis for understanding why a CAD report may produce no (or fewer than anticipated) detection results.

The sub-tree formed by this Template is illustrated in Figure E.1-2 “Summary of Detections and Analyses Levels of Mammography CAD SR Content Tree” in PS3.17.

Table TID 4015. Parameters

Parameter Name	Parameter Usage
\$DetectionCode	Coded term or Context Group for Detection Performed

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4015. CAD Detections Performed

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111063, DCM, "Successful Detections")	1	MC	Shall be present only if value of parent is (111222, DCM, "Succeeded") or (111223, DCM, "Partially Succeeded")	
2	>	CONTAINS	INCLUDE	DTID 4017 “CAD Detection Performed”	1-n	M		\$DetectionCode = \$DetectionCode
3			CONTAINER	EV (111025, DCM, "Failed Detections")	1	MC	Shall be present only if value of parent is (111224, DCM, "Failed") or (111223, DCM, "Partially Succeeded")	
4	>	CONTAINS	INCLUDE	DTID 4017 “CAD Detection Performed”	1-n	M		\$DetectionCode = \$DetectionCode

TID 4016 CAD Analyses Performed

This Template gathers two lists of analysis algorithms attempted, grouped by success/failure status. Algorithms not attempted are not mentioned in this sub-tree of the Document Root (e.g., TID 4000 “Mammography CAD Document Root”). This information forms the basis for understanding why a CAD report may produce no (or fewer than anticipated) analysis results.

The sub-tree formed by this Template is illustrated in Figure E.1-2 “Summary of Detections and Analyses Levels of Mammography CAD SR Content Tree” in PS3.17.

Table TID 4016. Parameters

Parameter Name	Parameter Usage
\$AnalysisCode	Coded term or Context Group for Analysis Performed

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4016. CAD Analyses Performed

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111062, DCM, "Successful Analyses")	1	MC	Shall be present only if value of parent is (111222, DCM, "Succeeded") or (111223, DCM, "Partially Succeeded")	
2	>	CONTAINS	INCLUDE	DTID 4018 "CAD Analysis Performed"	1-n	M		\$AnalysisCode = \$AnalysisCode
3			CONTAINER	EV (111024, DCM, "Failed Analyses")	1	MC	Shall be present only if value of parent is (111224, DCM, "Failed") or (111223, DCM, "Partially Succeeded")	
4	>	CONTAINS	INCLUDE	DTID 4018 "CAD Analysis Performed"	1-n	M		\$AnalysisCode = \$AnalysisCode

TID 4017 CAD Detection Performed

This Template fully identifies a detection algorithm and the images and/or image regions on which it operated (see TID 4015 "CAD Detections Performed").

Table TID 4017. Parameters

Parameter Name	Parameter Usage
\$DetectionCode	Coded term or Context Group for Detection Performed

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4017. CAD Detection Performed

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111022, DCM, "Detection Performed")	1	M		\$DetectionCode
2	>	HAS PROPERTIES	INCLUDE	DTID 4019 "Algorithm Identification"	1	M		
3	>	HAS PROPERTIES	IMAGE		1-n	MC	At least one of row 3, 4, 5 or 6 shall be present	
4	>	R-HAS PROPERTIES	IMAGE		1-n	MC	At least one of row 3, 4, 5 or 6 shall be present	Shall reference IMAGE Content Item(s) in the (111028, DCM, "Image Library")
5	>	HAS PROPERTIES	UIDREF	EV (112002, DCM, "Series Instance UID")	1-n	MC	At least one of row 3, 4, 5 or 6 shall be present	
6	>	HAS PROPERTIES	SCOORD	EV (111030, DCM, "Image Region")	1-n	MC	At least one of row 3, 4, 5 or 6 shall be present	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>>	SELECTED FROM	IMAGE		1	MC	XOR row 8	
8	>>	R-SELECTED FROM	IMAGE		1	MC	XOR row 7	Shall reference an IMAGE Content Item in the (111028, DCM, "Image Library")
9	>		INCLUDE	DTID 4023 "CAD Operating Points"	1	U		

Content Item Descriptions

Algorithm Identification	If more than one detection algorithm has the same "Detection Performed" code value (e.g., CID 6014 "Mammography Single Image Finding") then the "CAD Algorithm Identification" shall unambiguously distinguish between algorithms.
Rows 5, 6	<p>Mammography CAD SR: When this Template is invoked for the Mammography CAD SR, the Image Library is mandatory, thus only row 4 and/or row 6 shall be present.</p> <p>Chest CAD SR: When this Template is invoked for the Chest CAD SR, the Image Library is optional, thus any combination of rows 3, 4, 5 and 6 may be present.</p> <p>Colon CAD SR: When this Template is invoked for the Colon CAD SR, the Image Library does not exist, thus rows 3, 5, and/or 6 may be present and row 4 shall not be present.</p>
Rows 5, 6	<p>Mammography CAD SR: When this Template is invoked for the Mammography CAD SR, the Image Library is mandatory, thus only row 8 shall be present.</p> <p>Chest CAD SR: When this Template is invoked for the Chest CAD SR, the Image Library is optional, thus row 7 or 8 may be present.</p> <p>Colon CAD SR: When this Template is invoked for the Colon CAD SR, the Image Library does not exist, thus only row 7 may be present.</p>

TID 4018 CAD Analysis Performed

This Template fully identifies an analysis algorithm and the images and/or image regions on which it operated (see TID 4016 "CAD Analyses Performed").

Table TID 4018. Parameters

Parameter Name	Parameter Usage
\$AnalysisCode	Coded term or Context Group for Analysis Performed

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4018. CAD Analysis Performed

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111004, DCM, "Analysis Performed")	1	M		\$AnalysisCode

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS PROPERTIES	INCLUDE	DTID 4019 "Algorithm Identification"	1	M		
3	>	HAS PROPERTIES	IMAGE		1-n	MC	At least one of row 3, 4, 5 or 6 shall be present	
4	>	R-HAS PROPERTIES	IMAGE		1-n	MC	At least one of row 3, 4, 5 or 6 shall be present	Shall reference IMAGE Content Item(s) in the (111028, DCM, "Image Library")
5	>	HAS PROPERTIES	UIDREF	EV (112002, DCM, "Series Instance UID")	1-n	MC	At least one of row 3, 4, 5 or 6 shall be present	
6	>	HAS PROPERTIES	SCoord	EV (111030, DCM, "Image Region")	1-n	MC	At least one of row 3, 4, 5 or 6 shall be present	
7	>>	SELECTED FROM	IMAGE		1	MC	XOR Row 8	
8	>>	R-SELECTED FROM	IMAGE		1	MC	XOR Row 7	Shall reference an IMAGE Content Item in the (111028, DCM, "Image Library")
9	>		INCLUDE	DTID 4023 "CAD Operating Points"	1	U		

Content Item Descriptions

Algorithm Identification	If more than one analysis algorithm has the same "Analysis Performed" code value (e.g., CID 6043 "Types of Mammography CAD Analysis") then the "CAD Algorithm Identification" shall unambiguously distinguish between algorithms.
Rows 5, 6	<p>Mammography CAD SR: When this Template is invoked for the Mammography CAD SR, the Image Library is mandatory, and a total of at least two instances of row 4 or row 6 shall be present.</p> <p>Chest CAD SR: When this Template is invoked for the Chest CAD SR, the Image Library is optional, thus any combination of rows 3, 4, 5 and 6 may be present.</p> <p>Colon CAD SR: When this Template is invoked for the Colon CAD SR, the Image Library does not exist, thus rows 3, 5 and/or 6 may be present and row 4 shall not be present.</p>
Rows 5, 6	<p>Mammography CAD SR: When this Template is invoked for the Mammography CAD SR, the Image Library is mandatory, thus only row 8 shall be present.</p> <p>Chest CAD SR: When this Template is invoked for the Chest CAD SR, the Image Library is optional, thus row 7 or 8 may be present.</p> <p>Colon CAD SR: When this Template is invoked for the Colon CAD SR, the Image Library does not exist, thus only row 7 may be present.</p>

TID 4019 Algorithm Identification

This Template details the algorithm unambiguously. Re-state the software identification from the General Equipment Module of the SR IOD if all algorithms are unambiguously defined by that module.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4019. Algorithm Identification

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (111001, DCM, "Algorithm Name")	1	M		
2			TEXT	EV (111003, DCM, "Algorithm Version")	1	M		
3			TEXT	EV (111002, DCM, "Algorithm Parameters")	1-n	U		

TID 4020 CAD Image Library Entry

Each instance of the Image Library Entry Template contains the Image SOP Class and Instance UIDs, and selected attributes for an image that facilitate spatial analysis without having to retrieve the entire set of referenced images. If values for the attributes are not present in the Image SOP Instance, then as many of the attributes as possible should be derived.

Table TID 4020. Parameters

Parameter Name	Parameter Usage
\$ImageLaterality	Coded term or Context Group for Image Laterality
\$ImageView	Coded term or Context Group for Image View
\$ImageViewMod	Coded term or Context Group for Image View Modifier

Type: Extensible
Order: Significant
Root: No

Table TID 4020. CAD Image Library Entry

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			IMAGE		1	M		
2	>	HAS ACQ CONTEXT	CODE	EV (111027, DCM, "Image Laterality")	1	MC	Shall be present if (0020,0062) is in the Image Instance	\$ImageLaterality
3	>	HAS ACQ CONTEXT	CODE	EV (111031, DCM, "Image View")	1	MC	Shall be present if (0054,0220) is in the Image Instance	\$ImageView
4	>>	HAS CONCEPT MOD	CODE	EV (111032, DCM, "Image View Modifier")	1-n	MC	Shall be present if (0054,0222) is in the Image Instance	\$ImageViewMod
5	>	HAS ACQ CONTEXT	TEXT	EV (111044, DCM, "Patient Orientation Row")	1	MC	Shall be present if (0020,0020) is in the Image Instance	
6	>	HAS ACQ CONTEXT	TEXT	EV (111043, DCM, "Patient Orientation Column")	1	MC	Shall be present if (0020,0020) is in the Image Instance	
7	>	HAS ACQ CONTEXT	DATE	EV (111060, DCM, "Study Date")	1	MC	Shall be present if (0008,0020) is in the Image Instance	
8	>	HAS ACQ CONTEXT	TIME	EV (111061, DCM, "Study Time")	1	MC	Shall be present if (0008,0030) is in the Image Instance	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9	>	HAS ACQ CONTEXT	DATE	EV (111018, DCM, "Content Date")	1	MC	Shall be present if (0008,0023) is in the Image Instance	
10	>	HAS ACQ CONTEXT	TIME	EV (111019, DCM, "Content Time")	1	MC	Shall be present if (0008,0033) is in the Image Instance	
11	>	HAS ACQ CONTEXT	NUM	EV (111026, DCM, "Horizontal Pixel Spacing")	1	MC	Shall be present if (0018,1164) or (0028,0030) is in the Image Instance	UNITS = EV (um, UCUM, "micrometer") UNITS = EV (mm, UCUM, "millimeter")
12	>	HAS ACQ CONTEXT	NUM	EV (111066, DCM, "Vertical Pixel Spacing")	1	MC	Shall be present if (0018,1164) or (0028,0030) is in the Image Instance	UNITS = EV (um, UCUM, "micrometer") UNITS = EV (mm, UCUM, "millimeter")
13	>	HAS ACQ CONTEXT	NUM	EV (112011, DCM, "Positioner Primary Angle")	1	UC	May be present if (0018,1510) is in the Image Instance	UNITS = EV (deg, UCUM, "deg")
14	>	HAS ACQ CONTEXT	NUM	EV (112012, DCM, "Positioner Secondary Angle")	1	UC	May be present if (0018,1511) is in the Image Instance	UNITS = EV (deg, UCUM, "deg")
15	>	HAS ACQ CONTEXT	NUM	EV (112226, DCM, "Spacing between slices")	1	UC	May be computed from the Image Position (Patient) (0020,0032) projected onto the normal to the Image Orientation (Patient) (0020,0037) if present; may or may not be the same as the Spacing Between Slices (0018,0088) if present.	UNITS = EV (mm, UCUM, "millimeter")
16	>	HAS ACQ CONTEXT	NUM	EV (112225, DCM, "Slice Thickness")	1	UC	May be present if Slice Thickness (0018,0050) is in the Image Instance.	UNITS = EV (mm, UCUM, "millimeter")
17	>	HAS ACQ CONTEXT	UIDREF	EV (112227, DCM, "Frame of Reference UID")	1	UC	May be present if Frame of Reference UID (0020,0052) is in the Image Instance.	
18	>	HAS ACQ CONTEXT	NUM	EV (110901, DCM, "Image Position (Patient) X")	1	UC	May be present if Image Position (Patient) (0020,0032) is in the Image Instance, and is the first value of Image Position (Patient) (0020,0032) for the referenced image or frame.	UNITS = EV (mm, UCUM, "millimeter")
19	>	HAS ACQ CONTEXT	NUM	EV (110902, DCM, "Image Position (Patient) Y")	1	MC	Shall be present if Row 18 is present, and is the second value of Image Position (Patient) (0020,0032) in the Image Instance for the referenced image or frame.	UNITS = EV (mm, UCUM, "millimeter")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
20	>	HAS ACQ CONTEXT	NUM	EV (110903, DCM, "Image Position (Patient) Z")	1	MC	Shall be present if Row 18 is present, and is the second value of Image Position (Patient) (0020,0032) in the Image Instance for the referenced image or frame.	UNITS = EV (mm, UCUM, "millimeter")
21	>	HAS ACQ CONTEXT	NUM	EV (110904, DCM, "Image Orientation (Patient) Row X")	1	UC	May be present if Image Position (Patient) (0020,0037) is in the Image Instance, and is the first value of Image Orientation (Patient) (0020,0037) for the referenced image or frame.	UNITS = EV ({-1:1}, UCUM, "{-1:1}")
22	>	HAS ACQ CONTEXT	NUM	EV (110905, DCM, "Image Orientation (Patient) Row Y")	1	MC	Shall be present if Row 21 is present, and is the second value of Image Orientation (Patient) (0020,0037) in the Image Instance for the referenced image or frame.	UNITS = EV ({-1:1}, UCUM, "{-1:1}")
23	>	HAS ACQ CONTEXT	NUM	EV (110906, DCM, "Image Orientation (Patient) Row Z")	1	MC	Shall be present if Row 21 is present, and is the third value of Image Orientation (Patient) (0020,0037) in the Image Instance for the referenced image or frame.	UNITS = EV ({-1:1}, UCUM, "{-1:1}")
24	>	HAS ACQ CONTEXT	NUM	EV (110907, DCM, "Image Orientation (Patient) Column X")	1	MC	Shall be present if Row 21 is present, and is the fourth value of Image Orientation (Patient) (0020,0037) in the Image Instance for the referenced image or frame.	UNITS = EV ({-1:1}, UCUM, "{-1:1}")
25	>	HAS ACQ CONTEXT	NUM	EV (110908, DCM, "Image Orientation (Patient) Column Y")	1	MC	Shall be present if Row 21 is present, and is the fifth value of Image Orientation (Patient) (0020,0037) in the Image Instance for the referenced image or frame.	UNITS = EV ({-1:1}, UCUM, "{-1:1}")
26	>	HAS ACQ CONTEXT	NUM	EV (110909, DCM, "Image Orientation (Patient) Column Z")	1	MC	Shall be present if Row 21 is present, and is the sixth value of Image Orientation (Patient) (0020,0037) in the Image Instance for the referenced image or frame.	UNITS = EV ({-1:1}, UCUM, "{-1:1}")
27	>	HAS ACQ CONTEXT	NUM	EV (110910, DCM, "Pixel Data Rows")	1	UC	May be present if Rows (0028,0010) is in the Image Instance.	UNITS = EV ({pixels}, UCUM, "pixels")
28	>	HAS ACQ CONTEXT	NUM	EV (110911, DCM, "Pixel Data Columns")	1	MC	Shall be present if Row 27 is present, and is the value of Columns (0028,0011) in the Image Instance.	UNITS = EV ({pixels}, UCUM, "pixels")

Content Item Descriptions

Patient Orientation Row	First (row) and second (column) components of Patient Orientation (0020,0020) in the Image IOD. See Section C.7.6.1.1.1 in PS3.3.
Patient Orientation Column	
Horizontal Imager Pixel Spacing	The second component of Imager Pixel Spacing (0018,1164) in the Image IOD. See Section C.8.11.4 in PS3.3.
Vertical Imager Pixel Spacing	The first component of Imager Pixel Spacing (0018,1164) in the Image IOD. See Section C.8.11.4 in PS3.3.

TID 4021 Mammography CAD Geometry

All geometry Template invocations require specification of the location of the center of the object. Outline is optional.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4021. Mammography CAD Geometry

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			SCCOORD	EV (111010, DCM, "Center")	1	M		GRAPHIC TYPE = {POINT}
2	>	R-SELECTED FROM	IMAGE		1	M		Shall reference an IMAGE Content Item in the (111028, DCM, "Image Library")
3			SCCOORD	EV (111041, DCM, "Outline")	1	U		
4	>	R-SELECTED FROM	IMAGE		1	M		Shall reference the same Content Item as row 2
5			SCCOORD	DCID 6166 "CAD Geometry Secondary Graphical Representation"	1-n	U		
6	>	R-SELECTED FROM	IMAGE		1	M		Shall reference the same Content Item as row 2

TID 4022 CAD Observation Context

This Template is invoked when a Content Item, which may be the "root" of a sub-tree, is paraphrased from a prior SR document.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4022. CAD Observation Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			COMPOSITE	EV (111040, DCM, "Original Source")	1	MC	Shall be present if the original source is a DICOM object.	
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3			INCLUDE	DTID 1001 "Observation Context"	1	M		

TID 4023 CAD Operating Points

This Template describes CAD operating points. The description is deliberately left flexible and optional to allow implementation at differing levels of complexity.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4023. CAD Operating Points

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		HAS PROPERTIES	NUM	EV (111072, DCM, "Maximum CAD Operating Point")	1	M		UNITS = DT ([arb'U], UCUM, "arbitrary unit") Value is restricted to being an integer
2		HAS PROPERTIES	NUM	EV (111092, DCM, "Recommended CAD Operating Point")	1	U		UNITS = DT ({0:n}, UCUM, "range: 0:n"), where n is the value specified in row 1 Value is restricted to being an integer
3		HAS PROPERTIES	CONTAINER	EV (111093, DCM, "CAD Operating Point Table")	1	U		
4	>	CONTAINS	CODE	EV (122698, DCM, "X-Concept")	1	M		DCID 6048 "CAD Operating Point Axis Label"
5	>	CONTAINS	CODE	EV (122699, DCM, "Y-Concept")	1	M		DCID 6048 "CAD Operating Point Axis Label"
6	>	CONTAINS	NUM	EV (111071, DCM, "CAD Operating Point")	1-n	M	Number of instances of this row shall equal value of row 1, plus 1.	UNITS = DT ({0:n}, UCUM, "range: 0:n"), where n is the value of Row 1. Value is restricted to being an integer that is unique within the invocation of this Template.
7	>>	HAS PROPERTIES	TEXT	EV (111081, DCM, "CAD Operating Point Description")	1	U		
8	>>	HAS PROPERTIES	NUM	The value of Row 4	1	U		
9	>>	HAS PROPERTIES	NUM	The value of Row 5	1	U		

Content Item Descriptions

Maximum CAD Operating Point	The maximum possible value of CAD Operating Point for this type of Detection Performed. No CAD Operating Point value recorded in the CAD Processing and Findings Summary sub-tree of the report for this type of Detection Performed shall exceed this value. The report may or may not contain Rendering Intent = "Presentation Optional" detections that are assigned the maximum value.
Recommended CAD Operating Point	A number indicating which of the CAD operating points is recommended by the creator of a CAD SR instance as the first operating point to be used when rendering the CAD SR instance contents. Subsequent changes to the displayed operating point are implementation dependent.

Chest CAD SR IOD Templates

The Templates that comprise the Chest CAD SR IOD are interconnected as in Figure A-9.




Figure A-9. Chest CAD SR IOD Template Structure

In Figure A-9, '...' indicates possible recursive application of subordinate Templates.

TID 4100 Chest CAD Document Root

This Template forms the top of a content tree that allows a chest CAD device to describe the results of detection and analysis of chest evidence. This Template, together with its subordinate Templates, describes both the results for presentation to radiologists and partial product results for consumption by chest CAD devices in subsequent chest CAD reports.

This Template defines a Container that contains an Image Library, the CAD results, and summaries of the detection and analysis algorithms performed. The Image Library contains the Image SOP Class and Instance UIDs, and selected attributes for each image referenced in either the algorithm summaries or chest CAD results.

The atomic CAD results of Single Image Findings and Composite Features are described in the Chest CAD Findings Summary sub-tree.

The Summary of Detections and Summary of Analyses sub-trees gather lists of algorithms attempted, grouped by success/failure status. Algorithms not attempted are not mentioned in these sub-trees. This information forms the basis for understanding why a chest CAD report may produce no (or fewer than anticipated) results. Chest CAD results are constructed bottom-up, starting from Single Image Findings (see TID 4104 "Chest CAD Single Image Finding"), associated as Composite Features (see TID 4102 "Chest CAD Composite Feature").

See Figure F.1-1 "Top Levels of Chest CAD SR Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: Yes

Table TID 4100. Chest CAD Document Root

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (112000, DCM, "Chest CAD Report")	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	CONTAINS	CONTAINER	EV (111028, DCM, "Image Library")	1	U		
4	>>	CONTAINS	INCLUDE	DTID 4020 "CAD Image Library Entry"	1-n	M		\$ImageLaterality = DCID 244 "Laterality" \$ImageView = DCID 4010 "DX View" \$ImageViewMod = DCID 4011 "DX View Modifier"
5	>	CONTAINS	INCLUDE	DTID 4101 "Chest CAD Findings Summary"	1	M		
6	>	CONTAINS	CODE	EV (111064, DCM, "Summary of Detections")	1	M		DCID 6042 "Status of Results"
7	>>	INFERRED FROM	INCLUDE	DTID 4015 "CAD Detections Performed"	1	MC	Shall be present unless the value of row 6 is (111225, DCM, "Not Attempted")	\$DetectionCode = DCID 6101 "Chest Finding or Feature", DCID 6102 "Chest Finding or Feature Modifier"
8	>	CONTAINS	CODE	EV (111065, DCM, "Summary of Analyses")	1	M		DCID 6042 "Status of Results"
9	>>	INFERRED FROM	INCLUDE	DTID 4016 "CAD Analyses Performed"	1	MC	Shall be present unless the value of row 8 is (111225, DCM, "Not Attempted")	\$AnalysisCode = DCID 6137 "Types of CAD Analysis"

Content Item Descriptions

Image Library	<p>The "Image Library" section of the Content Tree (TID 4100 "Chest CAD Document Root", row 3) may include all Image SOP Instances from the Current Requested Procedure Evidence Sequence (0040,A375) attribute of the SR Document General module. If a portion of another instance of a Chest CAD SR IOD is duplicated in the "Chest CAD Findings Summary" section of the Content Tree, the "Image Library" may also include all Image Library Entries referenced from the duplicated portions of the Chest CAD SR.</p> <p>The Image Library is intended to be used in cases where the acquisition context Content Items differ from image to image, such as different views and/or laterality in projection X-Ray.</p>
Detections Performed	<p>The "Detections Performed" and "Analyses Performed" sections of the Content Tree (TID 4100 "Chest CAD Document Root", rows 7 and 9) together shall reference all Image SOP Instances included in the Current Requested Procedure Evidence Sequence (0040,A375) attribute of the SR Document General module.</p>
Analyses Performed	

TID 4101 Chest CAD Findings Summary

The contents of this Template describe the findings and aggregate features that the chest CAD device detected for the chest evidence presented. This Template forms the chest CAD results sub-tree of the Chest CAD Document Root (TID 4100 "Chest CAD Document

Root"). The data from which the details are inferred are expressed in the Composite Features (see TID 4102 "Chest CAD Composite Feature") and/or Single Image Findings (see TID 4104 "Chest CAD Single Image Finding"), of which there may be several.

The sub-tree headed by this Template is illustrated in Figure F.1-2 "Example of CAD Processing and Findings Summary Sub-Tree of Chest CAD SR Content Tree" in PS3.17.

Type: Non-Extensible

Order: Significant

Root: No

Table TID 4101. Chest CAD Findings Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111017, DCM, "CAD Processing and Findings Summary")	1	M		DCID 6047 "CAD Processing and Findings Summary"
2	>	INFERRED FROM	INCLUDE	DTID 4102 "Chest CAD Composite Feature"	1-n	U		
3	>	INFERRED FROM	INCLUDE	DTID 4104 "Chest CAD Single Image Finding"	1-n	U		
4	>	HAS PROPERTIES	INCLUDE	DTID 4106 "Response Evaluation"	1-n	U		

Content Item Descriptions

CAD Processing and Findings Summary	<p>This code value is used to express if and why the Chest CAD Findings Summary sub-tree is empty. The Summary of Detections and Summary of Analyses sub-trees of the Document Root node contain detail about which (if any) algorithms succeeded or failed.</p> <p>If the code value indicates that there were no findings, then the code value can be used to determine whether chest CAD processing occurred successfully, without parsing the Summary of Detections and Summary of Analyses sub-trees.</p>
-------------------------------------	--

TID 4102 Chest CAD Composite Feature

This Template collects a composite feature for a lesion, anatomy, non-lesion object, or correlation of related objects (see TID 4101 "Chest CAD Findings Summary"). The details of the composition are expressed in the Chest CAD Composite Feature Body (see TID 4103 "Chest CAD Composite Feature Body"). The data from which the details are inferred, are expressed in the Composite Features (see TID 4102 "Chest CAD Composite Feature") and/or Single Image Findings (see TID 4104 "Chest CAD Single Image Finding"), of which there may be several.

A Composite Feature shall be INFERRED FROM any combination of two or more Composite Features or Single Image Findings or mixture thereof.

Type: Non-Extensible

Order: Significant

Root: No

Table TID 4102. Chest CAD Composite Feature

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111015, DCM, "Composite Feature")	1	M		DCID 6101 "Chest Finding or Feature"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	CODE	EV (112023, DCM, "Composite Feature Modifier")	1	U		DCID 6102 "Chest Finding or Feature Modifier"
3	>	HAS CONCEPT MOD	TEXT	EV (112050, DCM, "Anatomic Identifier")	1	U		
4	>	HAS CONCEPT MOD	CODE	EV (112003, DCM, "Associated Chest Component")	1	MC	Shall be present IFF value of row 1 is (112005, DCM, "Radiographic anatomy")	DCID 6100 "Chest Component Categories"
5	>	HAS CONCEPT MOD	CODE	EV (112037, DCM, "Non-lesion Modifier")	1	UC	May be present IFF value of row 1 is (111102, DCM, "Non-lesion")	DCID 6139 "Non-lesion Modifiers"
6	>	HAS CONCEPT MOD	CODE	EV (112038, DCM, "Osseous Modifier")	1	UC	May be present IFF value of row 2 is from DCID 6114 "Osseous Anatomy Finding or Feature"	DCID 6115 "Osseous Anatomy Modifiers"
7	>	HAS CONCEPT MOD	CODE	EV (111056, DCM, "Rendering Intent")	1	M		DCID 6034 "Intended Use of CAD Output"
8	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		
9	>	HAS OBS CONTEXT	CODE	EV (112016, DCM, "Baseline Category")	1	U		DCID 6145 "Baseline Category"
10	>	HAS OBS CONTEXT	INCLUDE	DTID 4022 "CAD Observation Context"	1	MC	Shall be present IFF this feature is duplicated from a different report than its parent.	
11	>	HAS OBS CONTEXT	INCLUDE	DTID 4019 "Algorithm Identification"	1	M		
12	>	HAS PROPERTIES	INCLUDE	DTID 4103 "Chest CAD Composite Feature Body"	1	M		
13	>	INFERRED FROM	INCLUDE	DTID 4102 "Chest CAD Composite Feature"	1-n	MC	At least two items shall be present: two of row 13, two of row 14, or one of each.	
14	>	INFERRED FROM	INCLUDE	DTID 4104 "Chest CAD Single Image Finding"	1-n	MC	At least two items shall be present: two of row 13, two of row 14, or one of each.	

Content Item Descriptions

Anatomic Identifier	An identifier of an anatomic feature when a multiplicity of features of that type may be present, such as "Rib 1", "Rib 2" or thoracic vertebrae "T1" or "T2".
---------------------	--

Rendering Intent	This Content Item constrains the SCP receiving the Chest CAD SR IOD in its use of the contents of this Template and its Target Content Items. Chest CAD devices may opt to use data marked "Not for Presentation" or "Presentation Optional" as input to subsequent chest CAD processing steps. Refer to Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4.
------------------	--

TID 4103 Chest CAD Composite Feature Body

The details of a composite feature are expressed in this Template. It is applied to Chest CAD Composite Feature (TID 4102 "Chest CAD Composite Feature").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4103. Chest CAD Composite Feature Body

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111016, DCM, "Composite type")	1	M		DCID 6035 "Composite Feature Relations"
2			CODE	EV (111057, DCM, "Scope of Feature")	1	M		DCID 6036 "Scope of Feature"
3			NUM	EV (111011, DCM, "Certainty of feature")	1	U		UNITS = EV (% , UCUM, "Percent") Value = 0 - 100
4			INCLUDE	DTID 4107 "Chest CAD Geometry"	1	U		
5			INCLUDE	DTID 1400 "Linear Measurement"	1-n	U		
6			INCLUDE	DTID 1401 "Area Measurement"	1-n	U		
7			INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		
8			INCLUDE	DTID 4105 "Chest CAD Descriptors"	1	U		
9			NUM	DCID 6133 "Chest Quantitative Temporal Difference Type"	1-n	UC	May be present IFF the value of row 1 is (111153, DCM, "Target content items are related temporally")	
10	>	R-INFERRED FROM	NUM		2	U		The referenced numeric values shall have the same Concept Name. Their UNITS shall be the same as row 9
11			CODE	EV (111049, DCM, "Qualitative Difference")	1-n	UC	May be present only if the value of row 1 is (111153, DCM, "Target content items are related temporally")	DCID 6134 "Chest Qualitative Temporal Difference Type"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12	>	HAS PROPERTIES	TEXT	EV (111021, DCM, "Description of Change")	1	U		
13	>	R-INFERRED FROM	CODE		2	M		The referenced Content Items shall have the same Concept Name and their code values shall be from the same context group.

Content Item Descriptions

Certainty of Feature	The certainty of the CAD device that the feature analyzed and classified by the CODE, as specified in the Composite Feature parent Template, is in fact that type of feature.
Volume Measurement	If dimensions for a volume are to be stated in terms of length, width, and depth, then one shall use 3 instances of TID 1400 "Linear Measurement".
Row 9	Values ≤ 0 are allowed. The two referenced numeric values are Target Content Items of the first generation Composite Feature or Single Image Finding children of this composite feature. Given the equation, A - B, the value representing A shall be referenced first.
Qualitative Difference	The two referenced code values are Target Content Items of the first generation Composite Feature or Single Image Finding children of this composite feature.

TID 4104 Chest CAD Single Image Finding

This Template describes a single image finding for a lesion or other object. The details of the finding are expressed in this Template and/or more specific Templates.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4104. Chest CAD Single Image Finding

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111059, DCM, "Single Image Finding")	1	M		DCID 6101 "Chest Finding or Feature"
2	>	HAS CONCEPT MOD	CODE	EV (112024, DCM, "Single Image Finding Modifier")	1	U		DCID 6102 "Chest Finding or Feature Modifier"
3	>	HAS CONCEPT MOD	TEXT	EV (112050, DCM, "Anatomic Identifier")	1	U		
4	>	HAS CONCEPT MOD	CODE	EV (112003, DCM, "Associated Chest Component")	1	MC	Shall be present IFF value of row 1 is (112005, DCM, "Radiographic anatomy")	DCID 6100 "Chest Component Categories"
5	>	HAS CONCEPT MOD	CODE	EV (112037, DCM, "Non-lesion Modifier")	1	UC	May be present IFF value of row 1 is (111102, DCM, "Non-lesion")	DCID 6139 "Non-lesion Modifiers"
6	>	HAS CONCEPT MOD	CODE	EV (111056, DCM, "Rendering Intent")	1	M		DCID 6034 "Intended Use of CAD Output"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>>	HAS PROPERTIES	NUM	EV (111071, DCM, "CAD Operating Point")	1	UC	IFF value of row 6 is (111151, DCM, "Presentation Optional") and row 1 of TID 4023 "CAD Operating Points" is present for the finding identified in row 1	UNITS = DT ({1:n}, UCUM, "range: 1:n"), where n is the maximum specified in Row 1 of TID 4023 "CAD Operating Points" for the finding identified in row 1. Value is restricted to being an integer
8	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		
9	>	HAS OBS CONTEXT	CODE	EV (112016, DCM, "Baseline Category")	1	U		DCID 6145 "Baseline Category"
10	>	HAS OBS CONTEXT	INCLUDE	DTID 4022 "CAD Observation Context"	1	MC	Shall be present IFF this finding is duplicated from a different report than its parent.	
11	>	HAS OBS CONTEXT	INCLUDE	DTID 4019 "Algorithm Identification"	1	M		
12	>	HAS PROPERTIES	NUM	EV (111012, DCM, "Certainty of Finding")	1	U		UNITS = EV (% , UCUM, "Percent") Value = 0 - 100
13	>	HAS PROPERTIES	TEXT	EV (111058, DCM, "Selected Region Description")	1	MC	Shall be present IFF value of row 1 is (111099, DCM, "Selected region")	
14	>	HAS PROPERTIES	INCLUDE	DTID 4107 "Chest CAD Geometry"	1	MC	Shall be present unless value of row 1 is (111101, DCM, "Image quality")	
15	>	HAS PROPERTIES	INCLUDE	DTID 1400 "Linear Measurement"	1-n	U		
16	>	HAS PROPERTIES	INCLUDE	DTID 1401 "Area Measurement"	1-n	U		
17	>	HAS PROPERTIES	INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		
18	>	HAS PROPERTIES	INCLUDE	DTID 4105 "Chest CAD Descriptors"	1	U		
19	>	INFERRED FROM	IMAGE		1	MC	Shall be present IFF value of row 1 is (111101, DCM, "Image quality") and rows 20 and 21 are not present	
20	>	R-INFERRED FROM	IMAGE		1	MC	Shall be present IFF value of row 1 is (111101, DCM, "Image quality") and rows 19 and 21 are not present	Shall reference an IMAGE Content Item in the (111028, DCM, "Image Library")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
21	>	INFERRED FROM	SCCOORD	EV (111030, DCM, "Image Region")	1-n	MC	Shall be present IFF value of row 1 is (111101, DCM, "Image quality") and rows 19 and 20 are not present	
22	>>	SELECTED FROM	IMAGE		1	MC	XOR row 23	All the row 21 Content Items in a single invocation of this Template shall reference the same IMAGE
23	>>	R-SELECTED FROM	IMAGE		1	MC	XOR row 22	All the row 21 Content Items in a single invocation of this Template shall reference the same IMAGE Content Item in the (111028, DCM, "Image Library")
24	>	HAS PROPERTIES	INCLUDE	DTID 4014 "CAD Image Quality"	1	MC	Shall be present IFF value of row 1 is (111101, DCM, "Image quality")	\$QualityFinding = DCID 6135 "Image Quality Finding" \$QualityStandard = DCID 6136 "Chest Types of Quality Control Standard"

Content Item Descriptions

Anatomic Identifier	An identifier of an anatomic feature when a multiplicity of features of that type may be present, such as "Rib 1", "Rib 2" or thoracic vertebrae "T1" or "T2".
Rendering Intent	This Content Item constrains the SCP receiving the Chest CAD SR IOD in its use of the contents of this Template and its Target Content Items. Chest CAD devices may opt to use data marked "Not for Presentation" or "Presentation Optional" as input to subsequent chest CAD processing steps. Refer to Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4.
CAD Operating Point	Additional information to use when Rendering Intent is "Presentation Optional". A CAD Operating Point of zero is not sent, and is encoded as a Rendering Intent of "Presentation Required". See Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4 and Section E.4 "CAD Operating Point" in PS3.17.
Certainty of Finding	The certainty of the CAD device that the finding detected and classified by the Single Image Finding CODE specified is in fact that type of finding.

TID 4105 Chest CAD Descriptors

This Template provides qualitative detail for a Single Image Finding or Composite Feature. It is applied to Chest CAD Composite Feature (TID 4102 "Chest CAD Composite Feature") and Chest CAD Single Image Finding (TID 4104 "Chest CAD Single Image Finding").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4105. Chest CAD Descriptors

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (112025, DCM, "Size Descriptor")	1	U		DCID 6118 "Size Descriptor"
2			CODE	EV (112026, DCM, "Width Descriptor")	1	U		DCID 6107 "Width Descriptor"
3			CODE	EV (112015, DCM, "Border shape")	1	U		DCID 6119 "Chest Border Shape"
4			CODE	EV (112007, DCM, "Border definition")	1	U		DCID 6120 "Chest Border Definition"
5			CODE	EV (112014, DCM, "Orientation Descriptor")	1	U		DCID 6121 "Chest Orientation Descriptor"
6			CODE	EV (112009, DCM, "Type of Content")	1-n	U		DCID 6122 "Chest Content Descriptor"
7			CODE	EV (112027, DCM, "Opacity Descriptor")	1	U		DCID 6123 "Chest Opacity Descriptor"
8			CODE	EV (112013, DCM, "Location in Chest")	1	U		DCID 6124 "Location in Chest"
9			CODE	EV (G-C171 , SRT272741003 , SCT , "Laterality")	1	U		DCID 244 "Laterality"
10			CODE	EV (112006, DCM, "Distribution Descriptor")	1-n	U		DCID 6128 "Chest Distribution Descriptor"
11			CODE	EV (112028, DCM, "Abnormal Distribution of Anatomic Structure")	1	U		DCID 6108 "Chest Anatomic Structure Abnormal Distribution"
12			CODE	EV (112008, DCM, "Site involvement")	1-n	U		DCID 6129 "Chest Site Involvement"
13			CODE	EV (G-C197 , SRT246112005 , SCT , "Severity")	1	U		DCID 6130 "Severity Descriptor"
14			CODE	EV (112010, DCM, "Texture Descriptor")	1	U		DCID 6131 "Chest Texture Descriptor"
15			CODE	EV (112030, DCM, "Calcification Descriptor")	1	U		DCID 6132 "Chest Calcification Descriptor"
16			NUM	DCID 6142 "Calculated Value"	1-n	U		
17	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	M		DCID 6140 "Calculation Methods"
18	>	INFERRED FROM	NUM	EV (112032, DCM, "Threshold Attenuation Coefficient")	1	U		UNITS = EV ([hnsfU], UCUM, "Hounsfield unit")
19	>	INFERRED FROM	TEXT	EV (112034, DCM, "Calculation Description")	1	U		
20			NUM	DCID 6141 "Attenuation Coefficient Measurements"	1-n	U		UNITS = EV ([hnsfU], UCUM, "Hounsfield unit")

TID 4106 Response Evaluation

This Template provides a means to report response evaluation to cancer treatment, based on a method such as RECIST or WHO.

Type: Non-Extensible

Order: Significant

Root: No

Table TID 4106. Response Evaluation

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (112020, DCM, "Response Evaluation")	1	M		
2	>	HAS OBS CONTEXT	CODE	EV (112021, DCM, "Response Evaluation Method")	1	M		DT (112022, DCM, "RECIST") or DT (112029, DCM, "WHO")
3	>	CONTAINS	CODE	EV (112048, DCM, "Current Response")	1	U		DCID 6143 "Lesion Response"
4	>	CONTAINS	CODE	EV (112049, DCM, "Best Overall Response")	1	U		DCID 6143 "Lesion Response"
5	>	CONTAINS	NUM	EV (112051, DCM, "Measurement of Response")	1	U		UNITS not specified

TID 4107 Chest CAD Geometry

All geometry Template invocations require specification of either the location of the center of the object, the outline, or both. Geometry is a property of single image findings (see TID 4104 "Chest CAD Single Image Finding") and composite features (see TID 4103 "Chest CAD Composite Feature Body").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4107. Chest CAD Geometry

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			SCOORD	EV (111010, DCM, "Center")	1	MC	At least one of rows 1, 4 shall be present.	GRAPHIC TYPE = {POINT}
2	>	SELECTED FROM	IMAGE		1	MC	XOR row 3	
3	>	R-SELECTED FROM	IMAGE		1	MC	XOR row 2	Shall reference an IMAGE Content Item in the (111028, DCM, "Image Library")
4			SCOORD	EV (111041, DCM, "Outline")	1	MC	At least one of rows 1, 4 shall be present.	
5	>	SELECTED FROM	IMAGE		1	MC	XOR row 6	Shall reference the same Content Item as row 2
6	>	R-SELECTED FROM	IMAGE		1	MC	XOR row 5	Shall reference the same Content Item as row 3

TID 4108 Tracking Identifier

This Template provides a means to identify an object for longitudinal tracking, potentially across multiple Structured Reports, over time.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4108. Tracking Identifier


	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			TEXT	EV (112039, DCM, "Tracking Identifier")	1	MC	At least one of row 1 or 2 shall be present.	A string of characters with case being non-significant. Leading and trailing spaces and control characters are forbidden.
2			UIDREF	EV (112040, DCM, "Tracking Unique Identifier")	1	MC	At least one of row 1 or 2 shall be present.	

Content Item Descriptions

Tracking Identifier	A human readable identifier for longitudinal tracking, e.g., "Watchlist Nodule 1".
Tracking Unique Identifier	This is distinct from the Observation UID (0040,A171) that may be present in the Data Set for each Content Item, which identifies only a specific observation, not an object tracked over time, and each tracked object may have many observations.

Colon CAD SR IOD Templates

The Templates that comprise the Colon CAD SR IOD are interconnected as in Figure A-9b. In Figure A-9b, '...' indicates possible recursive application of subordinate Templates.

**Figure A-9b. Colon CAD SR IOD Template Structure**

TID 4120 Colon CAD Document Root

This Template forms the top of a content tree that allows a colon CAD device to describe the results of detection and analysis of colon evidence. This Template, together with its subordinate Templates, describes both the results for presentation to radiologists and partial product results for consumption by colon CAD devices in subsequent colon CAD reports.

This Template defines a Container that contains the CAD results and summaries of the detection and analysis algorithms performed.

The atomic CAD results of Single Image Findings and Composite Features are described in the Colon CAD Findings Summary sub-tree.

The Summary of Detections and Summary of Analyses sub-trees gather lists of algorithms attempted, grouped by success/failure status. Algorithms not attempted are not mentioned in these sub-trees. This information forms the basis for understanding why a colon CAD report may produce no (or fewer than anticipated) results. Colon CAD results are constructed bottom-up, starting from Single Image Findings (see TID 4127 "Colon CAD Single Image Finding"), associated as Composite Features (see TID 4125 "Colon CAD Composite Feature").

See Figure SS.1-1 "Top Levels of Colon CAD SR Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: Yes

Table TID 4120. Colon CAD Document Root

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (112220, DCM, "Colon CAD Report")	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	CONTAINS	INCLUDE	DTID 4122 "CAD Common Image Properties Entry"	1-n	M		
4	>	CONTAINS	INCLUDE	DTID 4121 "Colon CAD Findings Summary"	1	M		
5	>	CONTAINS	CODE	EV (111064, DCM, "Summary of Detections")	1	M		DCID 6042 "Status of Results"
6	>>	INFERRED FROM	INCLUDE	DTID 4015 "CAD Detections Performed"	1	MC	Shall be present unless the value of row 5 is (111225, DCM, "Not Attempted")	\$DetectionCode = DCID 6201 "Colon Finding or Feature"
7	>	CONTAINS	CODE	EV (111065, DCM, "Summary of Analyses")	1	M		DCID 6042 "Status of Results"
8	>>	INFERRED FROM	INCLUDE	DTID 4016 "CAD Analyses Performed"	1	MC	Shall be present unless the value of row 7 is (111225, DCM, "Not Attempted")	\$AnalysisCode = DCID 6137 "Types of CAD Analysis"

Content Item Descriptions

Detections Performed	The "Detections Performed" and "Analyses Performed" sections of the Content Tree (TID 4120 "Colon CAD Document Root", rows 6 and 8) together shall reference all Image SOP Instances included in the Current Requested Procedure Evidence Sequence (0040,A375) attribute of the SR Document General module.
Analyses Performed	

TID 4121 Colon CAD Findings Summary

The contents of this Template describe the findings and aggregate features that the colon CAD device detected for the colon evidence presented. This Template forms the colon CAD results sub-tree of the Colon CAD Document Root (TID 4120 "Colon CAD Document Root"). The data from which the details are inferred are expressed in the Composite Features (see TID 4125 "Colon CAD Composite Feature") and/or Single Image Findings (see TID 4127 "Colon CAD Single Image Finding"), of which there may be several.

The sub-tree headed by this Template is illustrated in Figure F.1-2 "Example of CAD Processing and Findings Summary Sub-Tree of Chest CAD SR Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4121. Colon CAD Findings Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111017, DCM, "CAD Processing and Findings Summary")	1	M		DCID 6047 "CAD Processing and Findings Summary"
2	>	HAS PROPERTIES	CODE	EV (112222, DCM, "Colon Overall Assessment")	1	U		DCID 6200 "Colon Overall Assessment"
3	>	INFERRED FROM	INCLUDE	DTID 4125 "Colon CAD Composite Feature"	1-n	U		
4	>	INFERRED FROM	INCLUDE	DTID 4127 "Colon CAD Single Image Finding"	1-n	U		

Content Item Descriptions

CAD Processing and Findings Summary	<p>This code value is used to express if and why the Colon CAD Findings Summary sub-tree is empty. The Summary of Detections and Summary of Analyses sub-trees of the Document Root node contain detail about which (if any) algorithms succeeded or failed.</p> <p>If the code value indicates that there were no findings, then the code value can be used to determine whether colon CAD processing occurred successfully, without parsing the Summary of Detections and Summary of Analyses sub-trees.</p>
-------------------------------------	--

TID 4122 CAD Common Image Properties Entry

Each instance of the CAD Common Image Properties Entry Template contains selected attributes for a set of parallel contiguous equally spaced slices (with identical properties) from which CAD findings are derived.

Type: Extensible
Order: Significant
Root: No

Table TID 4122. CAD Common Image Properties Entry

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (112224, DCM, "Image Set Properties")	1	M		
2	>	CONTAINS	UIDREF	EV (112227, DCM, "Frame of Reference UID")	1	M		
3	>	CONTAINS	UIDREF	EV (110180, DCM, "Study Instance UID")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	DATE	EV (111060, DCM, "Study Date")	1	M		Shall be taken from Study Date (0008,0020) in the Image Instances.
5	>	CONTAINS	TIME	EV (111061, DCM, "Study Time")	1	M		Shall be taken from Study Time (0008,0030) in the Image Instances.
6	>	CONTAINS	CODE	EV (121139, DCM, "Modality")	1	M		Shall be taken from Modality (0008,0060) in the Image Instances.
7	>	CONTAINS	NUM	EV (111026, DCM, "Horizontal Pixel Spacing")	1	M		Shall be taken from value 2 of Pixel Spacing (0028,0030) in the Image Instances. UNITS = EV (mm/{pixel}, UCUM, "millimeters per pixel")
8	>	CONTAINS	NUM	EV (111066, DCM, "Vertical Pixel Spacing")	1	M		Shall be taken from value 1 of Pixel Spacing (0028,0030) in the Image Instances. UNITS = EV (mm/{pixel}, UCUM, "millimeters per pixel")
9	>	CONTAINS	NUM	EV (112225, DCM, "Slice Thickness")	1	M		Shall be taken from Slice Thickness (0018,0050) in the Image Instances. UNITS = EV (mm, UCUM, "millimeter")
10	>	CONTAINS	NUM	EV (112226, DCM, "Spacing between slices")	1	M		Shall be computed from the Image Position (Patient) (0020,0032) projected onto the normal to the Image Orientation (Patient) (0020,0037); may or may not be the same as the Spacing Between Slices (0018,0088) if present. UNITS = EV (mm, UCUM, "millimeter")
11	>	CONTAINS	CODE	EV (112228, DCM, "Recumbent Patient Position with respect to gravity")	1	MC	Required if Patient Position (0018,5100) is present in the image instances and has a value.	Shall be derived from Patient Position (0018,5100) in the Image Instances. DCID 6206 "Recumbent Patient Orientation for Colon"

TID 4125 Colon CAD Composite Feature

This Template collects a composite feature for a lesion, non-lesion object, or correlation of related objects (see TID 4121 "Colon CAD Findings Summary"). The details of the composition are expressed in the Colon CAD Composite Feature Body (see TID 4126 "Colon CAD Composite Feature Body"). The data from which the details are inferred, are expressed in the Composite Features (see TID 4125 "Colon CAD Composite Feature") and/or Single Image Findings (see TID 4127 "Colon CAD Single Image Finding"), of which there may be several.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4125. Colon CAD Composite Feature

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111015, DCM, "Composite Feature")	1	M		DCID 6201 "Colon Finding or Feature"
2	>	HAS CONCEPT MOD	CODE	EV (112023, DCM, "Composite Feature Modifier")	1	U		DCID 6202 "Colon Finding or Feature Modifier"
3	>	HAS CONCEPT MOD	CODE	EV (111056, DCM, "Rendering Intent")	1	M		DCID 6034 "Intended Use of CAD Output"
4	>>	HAS PROPERTIES	NUM	EV (111071, DCM, "CAD Operating Point")	1	UC	IFF value of row 3 is (111151, DCM, "Presentation Optional") and row 1 of TID 4023 "CAD Operating Points" is present for the feature identified in row 1.	UNITS = DT {{1:n}, UCUM, "range: 1:n"}, where n is the maximum specified in Row 1 of TID 4023 "CAD Operating Points" for the feature identified in row 1. Value is restricted to being an integer.
5	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		
6	>	HAS OBS CONTEXT	INCLUDE	DTID 4022 "CAD Observation Context"	1	MC	Shall be present IFF this feature is duplicated from a different report than its parent.	
7	>	HAS OBS CONTEXT	INCLUDE	DTID 4019 "Algorithm Identification"	1	M		
8	>	HAS PROPERTIES	INCLUDE	DTID 4126 "Colon CAD Composite Feature Body"	1	M		
9	>	INFERRED FROM	INCLUDE	DTID 4125 "Colon CAD Composite Feature"	1-n	U		
10	>	INFERRED FROM	INCLUDE	DTID 4127 "Colon CAD Single Image Finding"	1-n	U		

Content Item Descriptions

Rendering Intent	This Content Item constrains the SCP receiving the Colon CAD SR IOD in its use of the contents of this Template and its Target Content Items. Colon CAD devices may opt to use data marked "Not for Presentation" or "Presentation Optional" as input to subsequent colon CAD processing steps. Refer to Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4.
------------------	--

TID 4126 Colon CAD Composite Feature Body

The details of a composite feature are expressed in this Template. It is applied to Colon CAD Composite Feature (TID 4125 "Colon CAD Composite Feature").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4126. Colon CAD Composite Feature Body

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111016, DCM, "Composite type")	1	M		DCID 6035 "Composite Feature Relations"
2			CODE	EV (111057, DCM, "Scope of Feature")	1	M		DCID 6036 "Scope of Feature"
3			NUM	EV (111011, DCM, "Certainty of feature")	1	U		UNITS = EV (% , UCUM, "Percent") Value = 0 - 100
4			INCLUDE	DTID 4129 "Colon CAD Geometry"	1	U		
5			INCLUDE	DTID 4128 "Colon CAD Descriptors"	1	U		
6			NUM	DCID 6207 "Colon Quantitative Temporal Difference Type"	1-n	UC	May be present IFF the value of row 1 is (111153, DCM, "Target content items are related temporally")	
7	>	R-INFERRED FROM	NUM		2	U		The referenced numeric values shall have the same Concept Name. Their UNITS shall be the same as row 6
8			CODE	EV (111049, DCM, "Qualitative Difference")	1-n	UC	May be present only if the value of row 1 is (111153, DCM, "Target content items are related temporally")	DCID 6134 "Chest Qualitative Temporal Difference Type"
9	>	HAS PROPERTIES	TEXT	EV (111021, DCM, "Description of Change")	1	U		
10	>	R-INFERRED FROM	CODE		2	M		The referenced Content Items shall have the same Concept Name and their code values shall be from the same context group.

Content Item Descriptions

Certainty of Feature	The CAD device's certainty that the feature analyzed and classified by the CODE, as specified in the Composite Feature parent Template is, in fact, that type of feature.
Row 6	Values ≤ 0 are allowed. The two referenced numeric values are Target Content Items of the first generation Composite Feature or Single Image Finding children of this composite feature. Given the equation, A - B, the value representing A shall be referenced first.
Qualitative Difference	The two referenced code values are Target Content Items of the first generation Composite Feature or Single Image Finding children of this composite feature.

TID 4127 Colon CAD Single Image Finding

This Template describes a single image finding for a lesion or other object. The details of the finding are expressed in this Template and/or more specific Templates.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4127. Colon CAD Single Image Finding

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111059, DCM, "Single Image Finding")	1	M		DCID 6201 "Colon Finding or Feature"
2	>	HAS CONCEPT MOD	CODE	EV (112024, DCM, "Single Image Finding Modifier")	1	U		DCID 6202 "Colon Finding or Feature Modifier"
3	>	HAS CONCEPT MOD	CODE	EV (111056, DCM, "Rendering Intent")	1	M		DCID 6034 "Intended Use of CAD Output"
4	>>	HAS PROPERTIES	NUM	EV (111071, DCM, "CAD Operating Point")	1	UC	IFF value of row 3 is (111151, DCM, "Presentation Optional") and row 1 of TID 4023 "CAD Operating Points" is present for the finding identified in row 1	UNITS = DT ({1:n}, UCUM, "range: 1:n"), where n is the maximum specified in Row 1 of TID 4023 "CAD Operating Points" for the finding identified in row 1. Value is restricted to being an integer.
5	>	HAS OBS CONTEXT	INCLUDE	DTID 4108 "Tracking Identifier"	1	U		
6	>	HAS OBS CONTEXT	INCLUDE	DTID 4022 "CAD Observation Context"	1	MC	Shall be present IFF this finding is duplicated from a different report than its parent.	
7	>	HAS OBS CONTEXT	INCLUDE	DTID 4019 "Algorithm Identification"	1	M		
8	>	HAS PROPERTIES	NUM	EV (111012, DCM, "Certainty of Finding")	1	U		UNITS = EV (% , UCUM, "Percent") Value = 0 - 100
9	>	HAS PROPERTIES	TEXT	EV (111058, DCM, "Selected Region Description")	1	MC	Shall be present IFF value of row 1 is (111099, DCM, "Selected region")	
10	>	HAS PROPERTIES	INCLUDE	DTID 4129 "Colon CAD Geometry"	1	MC	Shall be present unless value of row 1 is (111101, DCM, "Image quality")	
11	>	HAS PROPERTIES	INCLUDE	DTID 4128 "Colon CAD Descriptors"	1	U		
12	>	INFERRED FROM	IMAGE		1	MC	Shall be present IFF value of row 1 is (111101, DCM, "Image quality") and row 13 is not present	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
13	>	INFERRED FROM	SCCOORD	EV (111030, DCM, "Image Region")	1-n	MC	Shall be present IFF value of row 1 is (111101, DCM, "Image quality") and row 12 is not present	
14	>>	SELECTED FROM	IMAGE		1	M		All the row 13 Content Items in a single invocation of this Template shall reference the same IMAGE
15	>	HAS PROPERTIES	INCLUDE	DTID 4014 "CAD Image Quality"	1	MC	Shall be present IFF value of row 1 is (111101, DCM, "Image quality")	\$QualityFinding = DCID 6135 "Image Quality Finding" \$QualityStandard = DCID 6208 "Colon Types of Quality Control Standard"

Content Item Descriptions

Rendering Intent	This Content Item constrains the SCP receiving the Colon CAD SR IOD in its use of the contents of this Template and its Target Content Items. Colon CAD devices may opt to use data marked "Not for Presentation" or "Presentation Optional" as input to subsequent colon CAD processing steps. Refer to Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4.
CAD Operating Point	Additional information to use when Rendering Intent is "Presentational Optional". A CAD Operating Point of zero is not sent, and is encoded as a Rendering Intent of "Presentation Required". See Section O.2 "Structured Reporting Storage SOP Class SCU and SCP Behavior" in PS3.4 and Section E.4 "CAD Operating Point" in PS3.17.
Certainty of Finding	The certainty of the CAD device that the finding detected and classified by the Single Image Finding CODE specified is in fact that type of finding.

TID 4128 Colon CAD Descriptors

This Template provides qualitative detail for a Single Image Finding or Composite Feature. It is applied to Colon CAD Composite Feature (TID 4125 "Colon CAD Composite Feature") and Colon CAD Single Image Finding (TID 4127 "Colon CAD Single Image Finding").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4128. Colon CAD Descriptors

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (G-C504, SRT116676008, SCT, "Associated Morphology")	1-n	U		DCID 6209 "Colon Morphology Descriptor"
2			CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	U		DCID 6210 "Location in Intestinal Tract"
3			CODE	EV (111014, DCM, "Clockface or region")	1	U		DCID 6205 "Clockface Location for Colon"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4		CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 6212 "Calculated Value for Colon Findings" \$Derivation = DCID 6140 "Calculation Methods" \$DerivationParameter = EV (112032, DCM, "Threshold Attenuation Coefficient") \$DerivationParameterUnits = EV ([hnsfU], UCUM, "Hounsfield unit")
5			INCLUDE	DTID 1400 "Linear Measurement"	1-n	U		
6			INCLUDE	DTID 1401 "Area Measurement"	1-n	U		
7			INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		
8			INCLUDE	DTID 1406 "Three Dimensional Linear Measurement"	1-n	U		
9			NUM	DCID 6141 "Attenuation Coefficient Measurements"	1-n	U		UNITS = EV ([hnsfU], UCUM, "Hounsfield unit")
10	>	HAS PROPERTIES	CODE	EV (112009, DCM, "Type of Content")	1	U		DCID 6211 "Colon CAD Material Description"

Content Item Descriptions

Row 3	12 o'clock position is the anterior direction of the patient regardless of the positioning with respect to gravity; clockwise is from the point of view of an observer located closer to the anus than the finding being observed.
-------	--

TID 4129 Colon CAD Geometry

All geometry Template invocations require specification of either the location of the center of the object, the outline, or both. Geometry is a property of single image findings (see TID 4127 "Colon CAD Single Image Finding") and composite features (see TID 4125 "Colon CAD Composite Feature").

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4129. Colon CAD Geometry

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			SCoord	EV (111010, DCM, "Center")	1	MC	At least one of rows 1, 3, 4, 6 or 10 shall be present.	GRAPHIC TYPE = {POINT}
2	>	SELECTED FROM	IMAGE		1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3			SCOORD3D	EV (111010, DCM, "Center")	1	MC	At least one of rows 1, 3, 4, 6 or 10 shall be present.	GRAPHIC TYPE = {POINT}
4			SCOORD	EV (111041, DCM, "Outline")	1	MC	At least one of rows 1, 3, 4, 6 or 10 shall be present.	
5	>	SELECTED FROM	IMAGE		1	M		
6			SCOORD3D	EV (111041, DCM, "Outline")	1	MC	At least one of rows 1, 3, 4, 6 or 10 shall be present.	
7			SCOORD	DCID 6166 "CAD Geometry Secondary Graphical Representation"	1-n	U		
8	>	SELECTED FROM	IMAGE		1	M		
9			SCOORD3D	DCID 6166 "CAD Geometry Secondary Graphical Representation"	1-n	U		
10			IMAGE	EV (112229, DCM, "Identifying Segment")	1	MC	At least one of rows 1, 3, 4, 6 or 10 shall be present.	Referenced image shall be a Segmentation and the Content Item shall include Referenced Segment Number (0062,000B)

Breast Imaging Report Templates

The Templates that comprise the Breast Imaging Report are interconnected as in Figure A-10.




Figure A-10. Breast Imaging Report Template Structure

TID 4200 Breast Imaging Report

This Template forms the content tree that allows a Breast Imaging Report device to describe the results of a radiologist’s diagnostic interpretation of Breast Imaging (e.g., X-Ray mammography or breast ultrasound) evidence. This Template, together with its subordinate Templates, describes the results for presentation to clinicians, or for consumption by Breast Imaging Report devices for subsequent Breast Imaging Reports.

This Template shall be instantiated at the Root node only.

See Figure Q.1-1 “Top Level of Breast Imaging Report Content Tree” in PS3.17.

Type: Non-Extensible
Order: Significant
Root: Yes

Table TID 4200. Breast Imaging Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111400, DCM, "Breast Imaging Report")	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2a	>	HAS OBS CONTEXT	INCLUDE	TID 1001 "Observation Context"	1	U		
2b	>	CONTAINS	INCLUDE	DTID 4209 "Breast Patient Characteristics"	1	U		
3	>	CONTAINS	INCLUDE	DTID 4202 "Breast Imaging Report Narrative"	1	M		
4	>	CONTAINS	INCLUDE	DTID 4208 "Breast Imaging Report Supplementary Data"	1	U		

TID 4201 Breast Imaging Procedure Reported

A procedure that is reported in a Breast Imaging Report is expressed in this Template. The results of more than one procedure may be included in a single report instance (see TID 4208 "Breast Imaging Report Supplementary Data").

See Figure Q.1-2 "Breast Imaging Procedure Reported Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4201. Breast Imaging Procedure Reported

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (121058, DCM, "Procedure reported")	1	M		DCID 6050 "Breast Procedure Reported"
2	>	HAS CONCEPT MOD	CODE	EV (111464, DCM, "Procedure Modifier")	1-n	U		DCID 6058 "Procedure Modifiers for Breast"
3	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003, SCT, "Laterality")	1	M		DCID 6022 "Side"
4	>	HAS PROPERTIES	CODE	EV (111401, DCM, "Reason for procedure")	1	U		DCID 6051 "Breast Procedure Reason"
5	>>	HAS CONCEPT MOD	CODE	EV (G-D709 , SRT118578006, SCT, "Relative time")	1	U		DCID 12102 "Temporal Periods Relating to Procedure or Therapy"
6	>>	HAS CONCEPT MOD	CODE	EV (111402, DCM, "Clinical Finding")	1-n	UC	IFF row 4 value is "Clinical Finding"	DCID 6055 "Breast Clinical Finding or Indicated Problem" Breast Clinical Finding or Indicated Problem
7	>>>	HAS PROPERTIES	CODE	EV (G-C171 , SRT272741003, SCT, "Laterality")	1	U		DCID 6022 "Side"
8	>	HAS PROPERTIES	DATE	EV (111060, DCM, "Study Date")	1	U		

Content Item Descriptions

Row 5 "Relative time"	This Content Item indicates whether the value of "Reason for procedure" (row 4) is modified with "pre-" or "follow-up".
-----------------------	---

TID 4202 Breast Imaging Report Narrative

This Template contains the narrative text sub-tree of the content tree of a Breast Imaging Report. The narrative summary may be subdivided into sections with section headings.

See Figure Q.1-3 "Breast Imaging Report Narrative Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4202. Breast Imaging Report Narrative

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111412, DCM, "Narrative Summary")	1	M		
2	>	CONTAINS	CONTAINER	BCID 6052 "Breast Imaging Report Section Title"	1-n	M		
3	>>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	U		
4	>>	CONTAINS	TEXT	BCID 6053 "Breast Imaging Report Elements"	1	M		
5	>>>	INFERRED FROM	INCLUDE	DTID 350 "References to Supporting Evidence"	1	U		

TID 4203 Breast Imaging Assessment

This Template provides the content of a Breast Imaging Assessment, for an overall assessment section for the entire report (see TID 4208 "Breast Imaging Report Supplementary Data") or an assessment of a particular finding (see TID 4206 "Breast Imaging Report Finding Section"). This Template defines a code-based assessment of the interpretation results.

See Figure Q.1-5 "Breast Imaging Assessment Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4203. Breast Imaging Assessment

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (111005, DCM, "Assessment Category")	1	M		DCID 6026 "Mammography Assessment"
2			CODE	EV (111053, DCM, "Recommended Follow-up")	1-n	U		BCID 6028 "Mammography Recommended Follow-up"
3	>	HAS CONCEPT MOD	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	U		DCID 6022 "Side"
4	>	HAS PROPERTIES	NUM	EV (111055, DCM, "Recommended Follow-up Interval")	1	U		UNITS = DCID 6046 "Units of Follow-up Interval" Values = Integer ≥ 0, where 0 = immediate follow-up

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	HAS PROPERTIES	DATE	EV (111054, DCM, "Recommended Follow-up Date")	1	U		
6	>	HAS PROPERTIES	INCLUDE	DTID 4207 "Breast Imaging Pathology Results"	1-n	U		

TID 4204 Breast Imaging Report Intervention Section

This Template defines a supplementary data section for an Intervention of the breast, for the Breast Imaging Report. It is included from TID 4208 "Breast Imaging Report Supplementary Data".

Type: Extensible
Order: Significant
Root: No

Table TID 4204. Breast Imaging Report Intervention Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111463, DCM, "Supplementary Data for Intervention")	1	M		
2	>	CONTAINS	INCLUDE	DTID 4201 "Breast Imaging Procedure Reported"	1	M		
3	>	CONTAINS	CODE	EV (A-00110, SRT57134006, SCT, "Instrument")	1	U		
4	>>	HAS PROPERTIES	TEXT	EV (111465, DCM, "Needle Gauge")	1	UC	XOR row 5	
5	>>	HAS PROPERTIES	CODE	EV (111465, DCM, "Needle Gauge")	1	UC	XOR row 4	
6	>>	HAS PROPERTIES	NUM	EV (111467, DCM, "Needle Length")	1	U		UNITS = EV (cm, UCUM, "centimeter")
7	>	CONTAINS	NUM	EV (111436, DCM, "Number of passes")	1	U		UNITS = EV ({passes}, UCUM, "passes")
8	>	CONTAINS	NUM	EV (111437, DCM, "Number of specimens")	1	U		UNITS = EV ({specimens}, UCUM, "specimens")
9	>	CONTAINS	CODE	EV (111431, DCM, "Instrument Approach")	1-n	U		DCID 6065 "Instrument Approach"
10	>	CONTAINS	CODE	EV (111438, DCM, "Needle in target")	1	U		DCID 230 "Yes-No"
11	>	CONTAINS	NUM	EV (111439, DCM, "Number of needles around target")	1	U		UNITS = EV ({needles}, UCUM, "needles")
12	>	CONTAINS	CODE	EV (F-04460, SRT182833002, SCT, "Medication given")	1-n	U		
13	>	CONTAINS	CODE	EV (111440, DCM, "Incision made")	1	U		DCID 230 "Yes-No"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
14	>	CONTAINS	CODE	EV (111123, DCM, "Marker placement")	1	U		DCID 230 "Yes-No"
15	>	CONTAINS	CODE	EV (111442, DCM, "Confirmation of target")	1	U		DCID 6066 "Target Confirmation"
16	>	CONTAINS	CODE	EV (DD-60002 , SRT116224001, SCT, "Complication of procedure")	1-n	U		DCID 6062 "Interventional Procedure Complications"
17	>>	HAS PROPERTIES	CODE	EV (111466, DCM, "Severity of Complication")	1	U		DCID 251 "Severity of Complication"
18	>	CONTAINS	CONTAINER	EV (121027, DCM, "Specimen")	1-n	U		
19	>>	HAS OBS CONTEXT	INCLUDE	DTID 1009 "Subject Context, Specimen"	1	U		
20	>>	CONTAINS	CODE	EV (F-00E6D , SRT250431005, SCT, "Color of fluid")	1	U		DCID 6067 "Fluid Color"
21	>>	CONTAINS	CODE	EV (111456, DCM, "Action on fluid")	1	U		DT (111457, DCM, "Sent for analysis") DT (111458, DCM, "Discarded")
22	>>	CONTAINS	CODE	EV (111455, DCM, "Occult blood test result")	1	U		DCID 250 "Positive-Negative"
23	>>	CONTAINS	INCLUDE	DTID 4207 "Breast Imaging Pathology Results"	1-n	U		
24	>	CONTAINS	INCLUDE	DTID 350 "References to Supporting Evidence"	1	U		

TID 4205 Breast Composition Section

This Template defines a Breast Composition section for the supplementary data sub-tree of the Breast Imaging Report. It is included from TID 4208 "Breast Imaging Report Supplementary Data".

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4205. Breast Composition Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (F-01710 , SRT129715009, SCT, "Breast composition")	1	M		
2	>	CONTAINS	INCLUDE	DTID 4201 "Breast Imaging Procedure Reported"	1-n	U		
3	>	CONTAINS	CODE	EV (F-01710 , SRT129715009, SCT, "Breast composition")	1-n	MC	At least one of row 3, 5 shall be present	DCID 6000 "Overall Breast Composition"
4	>>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003, SCT, "Laterality")	1	M		DCID 6022 "Side"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	NUM	EV (111046, DCM, "Percent Fibroglandular Tissue")	1-n	MC	At least one of row 3, 5 shall be present	UNITS = EV (% , UCUM, "Percent")
6	>>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT 272741003, SCT , "Laterality")	1	M		DCID 6022 "Side"
7	>	CONTAINS	CODE	EV (111350, DCM, "Breast background echo texture")	1-2	U		DCID 6151 "Background Echotexture"
8	>>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT 272741003, SCT , "Laterality")	1	M		DCID 6022 "Side"

TID 4206 Breast Imaging Report Finding Section

This Template defines a supplementary data section for the Findings of the Breast Imaging Report. It is included from TID 4208 "Breast Imaging Report Supplementary Data".

Type: Extensible
Order: Significant
Root: No

Table TID 4206. Breast Imaging Report Finding Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	U		
3	>	CONTAINS	INCLUDE	DTID 4201 "Breast Imaging Procedure Reported"	1	M		
4	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	M		DCID 6054 "Breast Imaging Findings"
5	>>	HAS CONCEPT MOD	CODE	EV (111405, DCM, "Implant type")	1-n	UC	May be present if value of row 4 is (A-04010 , SRT 40388003, SCT , "Implant")	DCID 6059 "Breast Implant Types"
5b	>>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT 272741003, SCT , "Laterality")	1	U		DCID 6022 "Side"
6	>>	HAS PROPERTIES	INCLUDE	DTID 4203 "Breast Imaging Assessment"	1	U		
7	>>	HAS PROPERTIES	CODE	EV (111014, DCM, "Clockface or region")	1	U		DCID 6018 "Clockface Location or Region"
8	>>	HAS PROPERTIES	CODE	EV (111048, DCM, "Quadrant location")	1	U		DCID 6020 "Quadrant Location"
9	>>	HAS PROPERTIES	INCLUDE	DTID 1400 "Linear Measurement"	1-n	U		
10	>>	HAS PROPERTIES	INCLUDE	DTID 1401 "Area Measurement"	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
11	>>	HAS PROPERTIES	INCLUDE	DTID 1402 "Volume Measurement"	1-n	U		
12	>>	HAS PROPERTIES	CODE	EV (111020, DCM, "Depth")	1	U		DCID 6024 "Depth"
13	>>	HAS PROPERTIES	CODE	EV (111035, DCM, "Lesion Density")	1	U		DCID 6008 "Density Modifier"
14	>>	HAS PROPERTIES	CODE	EV (M-020F9; SRT107644003, SCT, "Shape")	1-n	U		DCID 6004 "Mammography Characteristics of Shape"
15	>>	HAS PROPERTIES	CODE	EV (111037, DCM, "Margins")	1-n	U		DCID 6006 "Mammography Characteristics of Margin"
16	>>	HAS PROPERTIES	CODE	EV (111009, DCM, "Calcification Type")	1-n	U		DCID 6010 "Mammography Calcification Types"
17	>>	HAS PROPERTIES	CODE	EV (111008, DCM, "Calcification Distribution")	1	U		DCID 6012 "Calcification Distribution Modifier"
18	>>	HAS PROPERTIES	NUM	EV (111038, DCM, "Number of calcifications")	1	U		UNITS = EV ({calcifications}, UCUM, "calcifications") Value = Integer 1 - n
19	>>	HAS PROPERTIES	CODE	EV (111407, DCM, "Implant finding")	1-n	U		DCID 6072 "Breast Implant Findings"
20	>>	HAS PROPERTIES	CODE	EV (G-G189; SRT246090004, SCT, "Associated Finding")	1-n	U		DCID 6056 "Associated Findings for Breast"
21	>>	HAS PROPERTIES	NUM	EV (111406, DCM, "Number of similar findings")	1	U		UNITS = EV ({findings}, UCUM, "findings") Value = Integer 2 - n
22	>>	HAS PROPERTIES	CODE	EV (F-01720; SRT129720009, SCT, "Change since last mammogram")	1-n	U		DCID 6002 "Change Since Last Mammogram or Prior Surgery"
23	>>	HAS PROPERTIES	CODE	EV (111354, DCM, "Orientation")	1	U		DCID 6152 "Orientation"
24	>>	HAS PROPERTIES	CODE	EV (111357, DCM, "Lesion boundary")	1	U		DCID 6153 "Lesion Boundary"
25	>>	HAS PROPERTIES	CODE	EV (111360, DCM, "Echo pattern")	1	U		DCID 6154 "Echo Pattern"
26	>>	HAS PROPERTIES	CODE	EV (111366, DCM, "Posterior acoustic features")	1	U		DCID 6155 "Posterior Acoustic Features"
27	>>	HAS PROPERTIES	CODE	EV (111371, DCM, "Identifiable effect on surrounding tissues")	1	U		DCID 6015 "Single Image Finding from BI-RADS®"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
28	>>	HAS PROPERTIES	CODE	EV (111372, DCM, "Vascularity")	1	U		DCID 6157 "Vascularity"
29	>>	HAS PROPERTIES	CODE	EV (111380, DCM, "Correlation to Other Findings")	1-n	U		DCID 6158 "Correlation to Other Findings"
30	>>	INFERRED FROM	INCLUDE	DTID 350 "References to Supporting Evidence"	1	U		

Content Item Descriptions

Row 5b	The laterality of the finding may be different from the laterality of the procedure specified in Row 3, if the latter is undefined or bilateral. If this content item is absent, the laterality of the procedure is assumed to apply. The laterality of the finding may be bilateral.
--------	---

TID 4207 Breast Imaging Pathology Results

This Template defines the pathology results for a procedure. It may be applied to a Breast Imaging Assessment (see TID 4203 "Breast Imaging Assessment"), or a Breast Imaging Intervention (see TID 4204 "Breast Imaging Report Intervention Section").

Type: Extensible
Order: Significant
Root: No

Table TID 4207. Breast Imaging Pathology Results

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111468, DCM, "Pathology Results")	1	M		
2	>	CONTAINS	INCLUDE	DTID 4201 "Breast Imaging Procedure Reported"	1	U		
3	>	CONTAINS	DATETIME	EV (111469, DCM, "Sampling DateTime")	1	M		
4	>	CONTAINS	CODE	EV (122177, DCM, "Procedure Result")	1	M		DCID 6063 "Interventional Procedure Results"
5	>	CONTAINS	CODE	EV (111042, DCM, "Pathology")	1-n	U		BCID 6030 "Mammography Pathology Codes"
6	>>	HAS PROPERTIES	CODE	EV (111388, DCM, "Malignancy Type")	1	U		DCID 6159 "Malignancy Type"
7	>>	HAS PROPERTIES	NUM	DCID 6165 "Breast Linear Measurements"	1-n	U		UNITS = EV (mm, UCUM, "millimeter")
8	>>	HAS PROPERTIES	CODE	EV (F-02900, SRT373372005, SCT, "Histological grade finding")	1	U		BCID 6069 "Nottingham Combined Histologic Grade" BCID 6070 "Bloom-Richardson Histologic Grade"
9	>>>	HAS CONCEPT MOD	CODE	EV (R-00258, SRT371469007, SCT, "Histologic grade")	1	U		BCID 6071 "Histologic Grading Method"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10	>>	HAS PROPERTIES	CODE	EV (R-00274; SRT372249001, SCT, "Tumor margin status")	1	U		DT (111470, DCM, "Uninvolved"), DT (111471, DCM, "Involved")
11	>>	HAS PROPERTIES	CODE	EV (111472, DCM, "Nipple involved")	1	U		DCID 230 "Yes-No"
12	>>	HAS PROPERTIES	NUM	EV (111473, DCM, "Number of nodes removed")	1	U		UNITS = EV ({nodes}, UCUM, "nodes")
13	>>	HAS PROPERTIES	NUM	EV (111474, DCM, "Number of nodes positive")	1	MC	Shall be present IFF value of row 12 is > 0	UNITS = EV ({nodes}, UCUM, "nodes")
14	>>	HAS PROPERTIES	CODE	EV (R-00465; SRT385385001, SCT, "pT category finding")	1	U		DCID 6160 "Breast Primary Tumor Assessment From AJCC"
15	>>	HAS PROPERTIES	CODE	EV (R-00463; SRT385382003, SCT, "Node stage finding")	1	U		DCID 6161 "Clinical Regional Lymph Node Assessment for Breast"
16	>>	HAS PROPERTIES	CODE	EV (R-00461; SRT385380006, SCT, "Metastasis stage finding")	1	U		DCID 6162 "Assessment of Metastasis for Breast"
17	>>	HAS PROPERTIES	CODE	EV (R-00443; SRT385356007, SCT, "Tumor stage finding")	1	U		BCID 6068 "Tumor Stages From AJCC"
18	>>	HAS PROPERTIES	CODE	EV (111475, DCM, "Estrogen receptor")	1	U		DCID 250 "Positive-Negative"
19	>>	HAS PROPERTIES	CODE	EV (111476, DCM, "Progesterone receptor")	1	U		DCID 250 "Positive-Negative"
20	>>	HAS PROPERTIES	NUM	EV (111477, DCM, "S Phase")	1	U		UNITS = EV (% , UCUM, "percent")
21	>>	HAS PROPERTIES	CODE	EV (48676-1, LN, "HER2")	1	U		DCID 250 "Positive-Negative"

TID 4208 Breast Imaging Report Supplementary Data

This Template forms a supplementary data sub-tree of the content tree of a Breast Imaging Report. Each subsection provides a specific type of supporting evidence to the narrative text sub-tree, for example, as coded and numeric data.

See Figure Q.1-4 "Breast Imaging Report Supplementary Data Content Tree" in PS3.17.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 4208. Breast Imaging Report Supplementary Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111414, DCM, "Supplementary Data")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	INCLUDE	DTID 4201 "Breast Imaging Procedure Reported"	1-n	M		
3	>	CONTAINS	CODE	EV (111403, DCM, "Baseline screening mammogram")	1	U		DCID 230 "Yes-No"
4	>	CONTAINS	CODE	EV (111404, DCM, "First mammogram ever")	1	U		DCID 230 "Yes-No"
5	>	CONTAINS	INCLUDE	DTID 4205 "Breast Composition Section"	1	U		
6	>	CONTAINS	INCLUDE	DTID 4206 "Breast Imaging Report Finding Section"	1-n	U		
7	>	CONTAINS	INCLUDE	DTID 4204 "Breast Imaging Report Intervention Section"	1-n	U		
8	>	CONTAINS	CONTAINER	EV (111413, DCM, "Overall Assessment")	1	U		
9	>>	CONTAINS	INCLUDE	DTID 4203 "Breast Imaging Assessment"	1	M		

TID 4209 Breast Patient Characteristics

Type: Extensible
Order: Non-Significant
Root: No

Table TID 4209. Breast Patient Characteristics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121118, DCM, "Patient Characteristics")	1	M		
5	>	CONTAINS	CODE	EV (11323-3, LN, "Health status")	1	U		BCID 3772 "Health Status"
5	>	CONTAINS	CODE	EV (C35461 , NCI, "Clinical course of disease")	1	U		BCID 6098 "Clinical Course of Disease"

OB-GYN Report Templates

TID 5000 OB-GYN Ultrasound Procedure Report

This is the Template for the root of the content tree for the OB-GYN ultrasound procedure report.

Type: Extensible
Order: Significant
Root: Yes

Table TID 5000. OB-GYN Ultrasound Procedure Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125000, DCM, "OB-GYN Ultrasound Procedure Report")	1	M		Root node

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
4	>	CONTAINS	INCLUDE	DTID 5001 "OB-GYN Patient Characteristics"	1	U		
5	>	CONTAINS	CONTAINER	DT (111028, DCM, "Image Library")	1	U		
6	>>	CONTAINS	IMAGE	No purpose of reference	1-n	M		
7	>	CONTAINS	INCLUDE	DTID 5002 "OB-GYN Procedure Summary Section"	1	U		
8	>	CONTAINS	INCLUDE	DTID 5004 "Fetal Biometry Ratio Section"	1-n	U		
9	>	CONTAINS	INCLUDE	DTID 5005 "Fetal Biometry Section"	1-n	U		
10	>	CONTAINS	INCLUDE	DTID 5006 "Fetal Long Bones Section"	1-n	U		
11	>	CONTAINS	INCLUDE	DTID 5007 "Fetal Cranium Section"	1-n	U		
12	>	CONTAINS	INCLUDE	DTID 5009 "Fetal Biophysical Profile Section"	1-n	U		
13	>	CONTAINS	INCLUDE	DTID 5011 "Early Gestation Section"	1-n	U		
14	>	CONTAINS	INCLUDE	DTID 5010 "Amniotic Sac Section"	1	U		
15	>	CONTAINS	INCLUDE	DTID 5015 "Pelvis and Uterus Section"	1	U		
16	>	CONTAINS	INCLUDE	DTID 5012 "Ovaries Section"	1	U		
17	>	CONTAINS	INCLUDE	DTID 5013 "Follicles Section"	1	U		\$Laterality = EV (G-A101; SRT7771000, SCT, "Left") \$Number = EV (11879-4, LN, "Number of follicles in left ovary")
18	>	CONTAINS	INCLUDE	DTID 5013 "Follicles Section"	1	U		\$Laterality = EV (G-A100; SRT24028007, SCT, "Right") \$Number = EV (11880-2, LN, "Number of follicles in right ovary")
19	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
20	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT , "Finding Site")	1	M		EV (T-F6800 , SRT51852003 , SCT , "Embryonic Vascular Structure")
21	>>	CONTAINS	INCLUDE	DTID 5025 "OB-GYN Fetal Vascular Ultrasound Measurement Group"	1	M		\$AnatomyGroup = DCID 12141 "Fetal Vasculature Anatomical Location"
22	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1-n	U		
23	>>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT , "Finding Site")	1	M		EV (T-D6007 , SRT281496003 , SCT , "Pelvic Vascular Structure")
24	>>	CONTAINS	INCLUDE	DTID 5026 "OB-GYN Pelvic Vascular Ultrasound Measurement Group"	1	M		\$AnatomyGroup = DCID 12140 "Pelvic Vasculature Anatomical Location"

Content Item Descriptions

Row 6	No purpose of reference is specified.
-------	---------------------------------------

TID 5001 OB-GYN Patient Characteristics

Patient Characteristic concepts in this Template, which may replicate attributes in the Patient Study Module, are included here as possible targets of by-reference relationships from other Content Items in the SR tree.

Note

Several of the concepts in this Template duplicate concepts in TID 1007 "Subject Context, Patient". The difference in use is that this Template has those concepts as primary observations of the patient, while in TID 1007 "Subject Context, Patient" the concepts are used to set (or reset) the context for other observations.

Type: Extensible
Order: Significant
Root: No

Table TID 5001. OB-GYN Patient Characteristics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121118, DCM, "Patient Characteristics")	1	M		
2	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
3	>	CONTAINS	NUM	EV (8302-2, LN, "Patient Height")	1	U		
4	>	CONTAINS	NUM	EV (29463-7, LN, "Patient Weight")	1	U		
5	>	CONTAINS	NUM	EV (11996-6, LN, "Gravida")	1	U		
6	>	CONTAINS	NUM	EV (11977-6, LN, "Para")	1	U		
7	>	CONTAINS	NUM	EV (11612-9, LN, "Aborta")	1	U		
8	>	CONTAINS	NUM	EV (33065-4, LN, "Ectopic Pregnancies")	1	U		

TID 5002 OB-GYN Procedure Summary Section

Observations of the procedure of immediate clinical interest.

Type: Extensible
Order: Significant
Root: No

Table TID 5002. OB-GYN Procedure Summary Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121111, DCM, "Summary")	1	M		
2	>	CONTAINS	DATE	DCID 12003 "OB-GYN Dates"	1-n	U		
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = BCID 12018 "OB-GYN Summary"
4	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1-n	U		
5	>>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1-n	U		
6	>	CONTAINS	INCLUDE	BTID 5003 "OB-GYN Fetus Summary"	1-n	UC	No more than 1 inclusion per fetus	

TID 5003 OB-GYN Fetus Summary

The Fetus Summary Template is a container for summary data of a fetus.

Type: Extensible
Order: Significant
Root: No

Table TID 5003. OB-GYN Procedure Fetus Summary

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125008, DCM, "Fetus Summary")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	
3	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1-n	U		
4	>>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 12019 "OB-GYN Fetus Summary" \$Equation = DCID 12012 "OB Equations and Tables"

TID 5004 Fetal Biometry Ratio Section

The Fetal Biometry Section Ratio Template is a container for common biometric ratios.

Type: Extensible
Order: Significant
Root: No

Table TID 5004. Fetal Biometry Ratio Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125001, DCM, "Fetal Biometry Ratios")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	
3	>	CONTAINS	NUM	DCID 12004 "Fetal Biometry Ratios"	1-n	M		
4	>>	R-INFERRED FROM	NUM		2	U		
5	>>	HAS PROPERTIES	INCLUDE	DTID 312 "Normal Range Properties"	1	U		

Content Item Descriptions

Row 3	Numeric ratio related to fetal growth
Row 4	Reference to the numerator and denominator of the ratio.

TID 5005 Fetal Biometry Section

The Fetal Biometry Section Template is a container for common biometric groups.

Type: Extensible
Order: Significant
Root: No

Table TID 5005. Fetal Biometry Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125002, DCM, "Fetal Biometry")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	
3	>	CONTAINS	INCLUDE	DTID 5008 "Fetal Biometry Group"	1-n	M		\$BiometryType = MemberOf {DCID 12005 "Fetal Biometry Measurements" \$TargetSite = DCID 12020 "Fetal Biometry Anatomic Sites"

Content Item Descriptions

Row 3	The group of measurements. Only one group per biometry type.
-------	--

TID 5006 Fetal Long Bones Section

The Long Bones Template is a container for biometric data of long bones.

Type: Extensible
Order: Significant
Root: No

Table TID 5006. Fetal Long Bones Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125003, DCM, "Fetal Long Bones")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	
3	>	CONTAINS	INCLUDE	DTID 5008 "Fetal Biometry Group"	1-n	M		\$BiometryType = MemberOf {DCID 12006 "Fetal Long Bones Biometry Measurements" \$TargetSite = DCID 12021 "Fetal Long Bone Anatomic Sites"

Content Item Descriptions

Row 3	The group of measurements. Only one group per biometry type.
-------	--

TID 5007 Fetal Cranium Section

The Fetal Cranium Template is a container for groups of biometric data of the fetal cranium.

Type: Extensible
Order: Significant

Root: No

Table TID 5007. Fetal Cranium Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125004, DCM, "Fetal Cranium")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	
3	>	CONTAINS	INCLUDE	DTID 5008 "Fetal Biometry Group"	1-n	M		\$BiometryType = MemberOf {DCID 12007 "Fetal Cranium" \$TargetSite = DCID 12022 "Fetal Cranium Anatomic Sites"

Content Item Descriptions

Row 3	The group of measurements. Only one group per biometry type.
-------	--

TID 5008 Fetal Biometry Group

The Biometry Group Template is container for a biometric value and its associated growth metrics.

Table TID 5008. Parameters

Parameter Name	Parameter Usage
\$BiometryType	The concept name of the biometry measurement
\$TargetSite	Value for Anatomic Location of the biometry measurement

Type: Extensible
Order: Significant
Root: No

Table TID 5008. Fetal Biometry Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125005, DCM, "Biometry Group")	1	M		
2	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	MC	At least one of row 2 and 3 shall be present	\$Measurement = \$BiometryType \$TargetSite = \$TargetSite \$Derivation = DCID 3627 "Measurement Type"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	NUM	EV (18185-9, LN, "Gestational Age")	1	MC	At least one of row 2 and 3 shall be present	UNITS = EV (d, UCUM, "days")
4	>>	INFERRED FROM	CODE	DCID 228 "Equation or Table"	1	U		DCID 12013 "Gestational Age Equations and Tables"
5	>>	R-INFERRED FROM	NUM		1-n	U		
6	>>	HAS PROPERTIES	NUM	DCID 226 "Population Statistical Descriptors"	1-n	U		
7	>	CONTAINS	NUM	DCID 12017 "Growth Distribution Rank"	1	U		
8	>>	INFERRED FROM	CODE	DCID 228 "Equation or Table"	1	U		DCID 12015 "Fetal Growth Equations and Tables"

Content Item Descriptions

Row 1	Container to segregate biometry data by measurement type
Row 2	The discrete measurements of the biometry type including derived measurements such as mean. One of the measurements may be flagged as selected for derived measurements. The anatomic location may be precoordinated in the measurement type, but may also be explicitly conveyed in the \$TargetSite parameter, which then also allows laterality to be encoded within TID 300 "Measurement".
Row 3	The estimated gestational age derived from an equation or table based on the explicitly referenced R-INFERRED FROM Content Item, selected measurement or mean, in that order of preference.
Row 4	The reference that defines the equation or table of GA derivation
Row 6	The uncertainty/confidence limits of the gestational age
Row 7	Expresses the rank of the selected or mean measurement of row 2 relative to the distribution specified in row 8.
Row 8	This row specifies the CODE reference used to compute the percentile or Z-score.

TID 5009 Fetal Biophysical Profile Section

This Template encodes scoring observations for fetal well-being evaluation as described by Manning, Antepartum Fetal Evaluation: Development of a Fetal Biophysical Profile Score, Am. J Obstet Gynecol, 1980;136:787.

Type: Extensible
Order: Significant
Root: No

Table TID 5009. Fetal Biophysical Profile Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125006, DCM, "Biophysical Profile")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	NUM	EV (11631-9, LN, "Gross Body Movement")	1	MC	At least one of row 3-7 shall be present	UNITS = DT ({0:2}, UCUM, "range 0:2")
4	>	CONTAINS	NUM	EV (11632-7, LN, "Fetal Breathing")	1	MC	At least one of row 3-7 shall be present	UNITS = DT ({0:2}, UCUM, "range 0:2")
5	>	CONTAINS	NUM	EV (11635-0, LN, "Fetal Tone")	1	MC	At least one of row 3-7 shall be present	UNITS = DT ({0:2}, UCUM, "range 0:2")
6	>	CONTAINS	NUM	EV (11635-5, LN, "Fetal Heart Reactivity")	1	MC	At least one of row 3-7 shall be present	UNITS = DT ({0:2}, UCUM, "range 0:2")
7	>	CONTAINS	NUM	EV (11630-1, LN, "Amniotic Fluid Volume")	1	MC	At least one of row 3-7 shall be present	UNITS = DT ({0:2}, UCUM, "range 0:2")
8	>	CONTAINS	NUM	DT (11634-3, LN, "Biophysical Profile Sum Score")	1	U		

Content Item Descriptions

Row 3-7	The numeric profile score of range 0-2
Row 8	The sum of rows 3-7. The range is from 0 to the maximum possible score according the items scored in rows 3-7.

TID 5010 Amniotic Sac Section

This Template specifies a container for amniotic sac quadrant diameters and a derived index.

Type: Extensible
Order: Significant
Root: No

Table TID 5010. Amniotic Sac Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-G0E3 , SRT363698007 , SCT, "Finding Site")	1	M		DT (T-F1300 , SRT70847004 , SCT, "Amniotic Sac")
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = DT (11627-7, LN, "Amniotic Fluid Index")
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	4	U		\$Measurement = DCID 12008 "OB-GYN Amniotic Sac"

Content Item Descriptions

Row 3	The sum of the 4 quadrant diameters
Row 4	The four amniotic sac quadrant diameters

TID 5011 Early Gestation Section

The Early Gestation Section Template is a container for common, first trimester biometric groups.

Type: Extensible
Order: Significant
Root: No

Table TID 5011. Early Gestation Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125009, DCM, "Early Gestation")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	
3	>	CONTAINS	INCLUDE	DTID 5008 "Fetal Biometry Group"	1-n	M		\$BiometryType = Member of {DCID 12009 "Early Gestation Biometry Measurements"}

TID 5012 Ovaries Section

This Template contains metrics of ovary size.

Type: Extensible
Order: Significant
Root: No

Table TID 5012. Ovaries Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	M		DT (T-87000 , SRT15497006 , SCT, "Ovary")
3	>	CONTAINS	INCLUDE	DTID 5016 "LWH Volume Group"	1	U		\$GroupName = EV (T-87000 , SRT15497006 , SCT, "Ovary") \$Width = EV (11829-9, LN, "Left Ovary Width") \$Length = EV (11840-6, LN, "Left Ovary Length") \$Height = EV (11857-0, LN, "Left Ovary Height") \$Volume = EV (12164-0, LN, "Left Ovary Volume")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	INCLUDE	DTID 5016 "LWH Volume Group"	1	U		\$GroupName = EV (T-87000 ; SRT15497006 , SCT, "Ovary") \$Width = EV (11830-7, LN, "Right Ovary Width") \$Length = EV (11841-4, LN, "Right Ovary Length") \$Height = EV (11858-8, LN, "Right Ovary Height") \$Volume = EV (12165-7, LN, "Right Ovary Volume")

TID 5013 Follicles Section

This Template contains follicle metrics for left or right ovarian follicles.

Table TID 5013. Parameters

Parameter Name	Parameter Usage
\$Laterality	Ovary laterality
\$Number	The number of follicles

Type: Extensible
 Order: Significant
 Root: No

Table TID 5013. Follicles Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 ; SRT363698007 , SCT, "Finding Site")	1	M		DT (T-87600 ; SRT24162005 , SCT, "Ovarian Follicle")
3	>	HAS CONCEPT MOD	CODE	EV (G-C171 ; SRT272741003 , SCT, "Laterality")	1	M		\$Laterality
4	>	CONTAINS	NUM	\$Number	1	U		
5	>	CONTAINS	INCLUDE	DTID 5014 "Follicle Measurement Group"	1-n	U		

TID 5014 Follicle Measurement Group

This Template contains metrics for one ovarian follicle.

Type: Extensible
 Order: Significant
 Root: No

Table TID 5014. Follicle Measurement Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125007, DCM, "Measurement Group")	1	M		
2	>	HAS OBS CONTEXT	TEXT	EV (125010, DCM, "Identifier")	1	U		Unique among all groups of same laterality
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	U		\$Measurement = EV (G-D705 , SRT 118565006, SCT , "Volume")
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = EV (11793-7, LN, "Follicle Diameter") \$Derivation = DCID 3627 "Measurement Type"

TID 5015 Pelvis and Uterus Section

This Template contains general measurements in the pelvis and uterus.

Type: Extensible
Order: Significant
Root: No

Table TID 5015. Pelvis and Uterus Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125011, DCM, "Pelvis and Uterus")	1	M		
2	>	CONTAINS	INCLUDE	DTID 5016 "LWH Volume Group"	1	U		\$GroupName = EV (T-83000 , SRT 35039007, SCT , "Uterus") \$Width = EV (11865-3, LN, "Uterus Width") \$Length = EV (11842-2, LN, "Uterus Length") \$Height = EV (11859-6, LN, "Uterus Height") \$Volume = EV (33192-6, LN, "Uterus Volume")
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 12011 "Ultrasound Pelvis and Uterus" \$TargetSite = DCID 12023 "Pelvis and Uterus Anatomic Sites" \$Derivation = DCID 3627 "Measurement Type"

TID 5016 LWH Volume Group

This Template is a container for a group of measurements that assess the size of an anatomical structure using a volume derived from perpendicular diameters.

Table TID 5016. Parameters

Parameter Name	Parameter Usage
\$GroupName	The name of the volume group that is an anatomical structure
\$Volume	Concept name of volume measurement
\$Length	Concept name of length measurement
\$Width	Concept name of width measurement
\$Height	Concept name of height measurement

Type: Extensible
Order: Significant
Root: No

Table TID 5016. LWH Volume Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	\$GroupName	1	M		
2	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1	MC	At least one of row 2, 3, 4, 5 shall be present	\$Measurement = \$Volume \$TargetSite = \$GroupName
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	MC	At least one of row 2, 3, 4, 5 shall be present	\$Measurement = \$Length \$TargetSite = \$GroupName \$Derivation = DCID 3627 "Measurement Type"
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	MC	At least one of row 2, 3, 4, 5 shall be present	\$Measurement = \$Width \$TargetSite = \$GroupName \$Derivation = DCID 3627 "Measurement Type"
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	MC	At least one of row 2, 3, 4, 5 shall be present	\$Measurement = \$Height \$TargetSite = \$GroupName \$Derivation = DCID 3627 "Measurement Type"

TID 5025 OB-GYN Fetal Vascular Ultrasound Measurement Group

This Template is an anatomy specific container of OB-GYN fetal vascular measurements.

Table TID 5025. Parameters

Parameter Name	Parameter Usage
\$AnatomyGroup	The concept name of the vascular anatomy

Type: Extensible
Order: Significant
Root: No

Table TID 5025. OB-GYN Fetal Vascular Ultrasound Measurement Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	\$AnatomyGroup	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	
3	>	HAS CONCEPT MOD	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	MC	IFF anatomy has laterality	DCID 244 "Laterality"
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$MeasType = DCID 12119 "Vascular Ultrasound Property" \$Derivation = DCID 3627 "Measurement Type"

Content Item Descriptions

Anatomy Group	Specifies the anatomical context of the observations in the group.
---------------	--

TID 5026 OB-GYN Pelvic Vascular Ultrasound Measurement Group

This Template is an anatomy specific container of OB-GYN pelvic vascular measurements.

Table TID 5026. Parameters

Parameter Name	Parameter Usage
\$AnatomyGroup	The concept name of the vascular anatomy

Type: Extensible
Order: Significant
Root: No

Table TID 5026. OB-GYN Pelvic Vascular Ultrasound Measurement Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	\$AnatomyGroup	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	MC	IFF anatomy has laterality	DCID 244 "Laterality"
3	>	HAS CONCEPT MOD	TEXT	EV (112050, DCM, "Anatomic Identifier")	1	U		
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$MeasType = DCID 12119 "Vascular Ultrasound Property" \$Derivation = DCID 3627 "Measurement Type"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>>	HAS CONCEPT MOD	CODE	EV (125105, DCM, "Measurement Orientation")	1	U		DCID 12118 "Measurement Orientation"
6	>>	HAS PROPERTIES	NUM	EV (125106, DCM, "Doppler Angle")	1	U		UNIT = EV (deg, UCUM, "deg")
7	>>	HAS PROPERTIES	NUM	EV (125107, DCM, "Sample Volume Depth")	1	U		UNIT = EV (cm, UCUM, "cm")

Content Item Descriptions

Row 1	Specifies the anatomical context of the observations in the group.
Row 3	Differentiates between multiple structures such as the two umbilical arteries.

Vascular Ultrasound Report Templates

TID 5100 Vascular Ultrasound Report

This is the Template for the root the content tree for the vascular ultrasound procedure report.

Type: Extensible

Order: Significant

Root: No

Table TID 5100. Vascular Ultrasound Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125100, DCM, "Vascular Ultrasound Procedure Report")	1	M		
2	>	HAS OBS CONTEXT	CODE	EV (R-40FB8 , SRT307152002 , SCT, "Temporal periods Relating to Procedure")	1	U		DCID 12102 "Temporal Periods Relating to Procedure or Therapy"
3	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
4	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
5	>	CONTAINS	INCLUDE	DTID 5101 "Vascular Patient Characteristics"	1	U		
6	>	CONTAINS	CONTAINER	EV (111028, DCM, "Image Library")	1	U		
7	>>	CONTAINS	IMAGE	No purpose of reference	1-n	M		
8	>	CONTAINS	INCLUDE	DTID 5102 "Vascular Procedure Summary Section"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-D0767, SRT281231009, SCT, "Blood Vessel of Head")</p> <p>\$SectionLaterality = EV (G-A101, SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12105 "Intracranial Cerebral Vessels"</p>
10	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-D0767, SRT281231009, SCT, "Blood Vessel of Head")</p> <p>\$SectionLaterality = EV (G-A100, SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12105 "Intracranial Cerebral Vessels"</p>
11	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-D0767, SRT281231009, SCT, "Blood Vessel of Head")</p> <p>\$SectionLaterality = EV (G-A103, SRT66459002, SCT, "Unilateral")</p> <p>\$Anatomy = DCID 12106 "Intracranial Cerebral Vessels (Unilateral)"</p>
12	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-45005, SRT119568004, SCT, "Artery of neck")</p> <p>\$SectionLaterality = EV (G-A101, SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12104 "Extracranial Arteries"</p> <p>\$AnatomyRatio = DCID 12123 "Carotid Ratios"</p>
13	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-45005, SRT119568004, SCT, "Artery of neck")</p> <p>\$SectionLaterality = EV (G-A100, SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12104 "Extracranial Arteries"</p> <p>\$AnatomyRatio = DCID 12123 "Carotid Ratios"</p>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
14	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-47040; SRT70791007, SCT, "Artery of Lower Extremity")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12109 "Lower Extremity Arteries"</p>
15	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-47040; SRT70791007, SCT, "Artery of Lower Extremity")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12109 "Lower Extremity Arteries"</p>
16	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-49403; SRT122774002, SCT, "Vein of Lower Extremity")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12110 "Lower Extremity Veins"</p>
17	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-49403; SRT122774002, SCT, "Vein of Lower Extremity")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12110 "Lower Extremity Veins"</p>
18	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-47020; SRT75531005, SCT, "Artery Of Upper Extremity")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12107 "Upper Extremity Arteries"</p>
19	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-47020; SRT75531005, SCT, "Artery Of Upper Extremity")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12107 "Upper Extremity Arteries"</p>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
20	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-49103; SRT122775001, SCT, "Vein Of Upper Extremity")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12108 "Upper Extremity Veins"</p>
21	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-49103; SRT122775001, SCT, "Vein Of Upper Extremity")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12108 "Upper Extremity Veins"</p>
22	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-74019; SRT303402001, SCT, "Vascular Structure Of Kidney")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12115 "Renal Vessels"</p> <p>\$AnatomyRatio = DCID 12124 "Renal Ratios"</p>
23	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-74019; SRT303402001, SCT, "Vascular Structure Of Kidney")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12115 "Renal Vessels"</p> <p>\$AnatomyRatio = DCID 12124 "Renal Ratios"</p>
24	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-46002; SRT118634008, SCT, "Artery of Abdomen")</p> <p>\$SectionLaterality = EV (G-A101; SRT7771000, SCT, "Left")</p> <p>\$Anatomy = DCID 12111 "Abdominal Arteries (Lateral)"</p>
25	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		<p>\$SectionScope = DT (F-46002; SRT118634008, SCT, "Artery of Abdomen")</p> <p>\$SectionLaterality = EV (G-A100; SRT24028007, SCT, "Right")</p> <p>\$Anatomy = DCID 12111 "Abdominal Arteries (Lateral)"</p>

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
26	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		\$SectionScope = DT (F-46002 ; SRT118634008 , SCT, "Artery of Abdomen") \$SectionLaterality = EV (G-A103 ; SRT66459002 , SCT, "Unilateral") \$Anatomy = DCID 12112 "Abdominal Arteries (Unilateral)"
27	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		\$SectionScope = DT (F-487A0 ; SRT84421000 , SCT, "Vein of Abdomen") \$SectionLaterality = EV (G-A101 ; SRT7771000 , SCT, "Left") \$Anatomy = DCID 12113 "Abdominal Veins (Lateral)"
28	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		\$SectionScope = DT (F-487A0 ; SRT84421000 , SCT, "Vein of Abdomen") \$SectionLaterality = EV (G-A100 ; SRT24028007 , SCT, "Right") \$Anatomy = DCID 12113 "Abdominal Veins (Lateral)"
29	>	CONTAINS	INCLUDE	DTID 5103 "Vascular Ultrasound Section"	1	U		\$SectionScope = DT (F-487A0 ; SRT84421000 , SCT, "Vein of Abdomen") \$SectionLaterality = EV (G-A103 ; SRT66459002 , SCT, "Unilateral") \$Anatomy = DCID 12114 "Abdominal Veins (Unilateral)"
30	>	CONTAINS	INCLUDE	DTID 5105 "Ultrasound Graft Section"	1	U		

Content Item Descriptions

Row 7	No purpose of reference is specified.
-------	---------------------------------------

TID 5101 Vascular Patient Characteristics

Patient Characteristic concepts in this Template, which may replicate attributes in the Patient Study Module, are included here as possible targets of by-reference relationships from other Content Items in the SR tree.

Note

Several of the concepts in this Template duplicate concepts in TID 1007 "Subject Context, Patient". The difference in use is that this Template has those concepts as primary observations of the patient, while in TID 1007 "Subject Context, Patient" the concepts are used to set (or reset) the context for other observations.

Type: Extensible
Order: Significant
Root: No

Table TID 5101. Vascular Patient Characteristics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121118, DCM, "Patient Characteristics")	1	M		
2	>	CONTAINS	NUM	EV (121033, DCM, "Subject Age")	1	U		UNITS = DCID 7456 "Units of Measure for Age"
3	>	CONTAINS	CODE	EV (121032, DCM, "Subject Sex")	1	U		DCID 7455 "Sex"
4	>	CONTAINS	NUM	EV (8867-4, LN, "Heart Rate")	1	U		
5	>	CONTAINS	NUM	EV (F-008EC, SRT271649006, SCT, "Systolic Blood Pressure")	1	U		
6	>	CONTAINS	NUM	EV (F-008ED, SRT271650006, SCT, "Diastolic Blood Pressure")	1	U		

TID 5102 Vascular Procedure Summary Section

Comments and observations of the procedure of immediate clinical interest.

Type: Extensible
Order: Significant
Root: No

Table TID 5102. Vascular Procedure Summary Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121111, DCM, "Summary")	1	M		
2	>	CONTAINS	TEXT	DCID 12101 "Vascular Summary"	1-n	M		

TID 5103 Vascular Ultrasound Section

Sections of a vascular ultrasound report are section containers of an anatomic region consisting of measurement group containers that contain the measurements.

Table TID 5103. Parameters

Parameter Name	Parameter Usage
\$SectionScope	The concept name of the section heading modifier
\$SectionLaterality	The laterality (if any) of the anatomy in this section heading
\$Anatomy	The concept name of the vascular anatomy
\$AnatomyRatio	The concept name of anatomy-coordinated ratio concepts

Type: Extensible
Order: Significant
Root: No

Table TID 5103. Vascular Ultrasound Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	M		\$SectionScope
3	>	HAS CONCEPT MOD	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	M		\$SectionLaterality
4	>	CONTAINS	INCLUDE	DTID 5104 "Vascular Ultrasound Measurement Group"	1-n	M		\$AnatomyGroup = \$Anatomy
5	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = \$AnatomyRatio

TID 5104 Vascular Ultrasound Measurement Group

This Template is an anatomy specific container of measurements.

Table TID 5104. Parameters

Parameter Name	Parameter Usage
\$AnatomyGroup	The concept name of the vascular anatomy

Type: Extensible
Order: Significant
Root: No

Table TID 5104. Vascular Ultrasound Measurement Group

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	\$AnatomyGroup	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-A1F8, SRT106233006, SCT, "Topographical Modifier")	1	U		DCID 12116 "Vessel Segment Modifiers"
3	>	HAS CONCEPT MOD	CODE	EV (125101, DCM, "Vessel Branch")	1-n	U		DCID 12117 "Vessel Branch Modifiers"
4	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$Measurement = DCID 12119 "Vascular Ultrasound Property" \$Derivation = DCID 3627 "Measurement Type"
5	>>	HAS CONCEPT MOD	CODE	EV (R-4089A, SRT272518008, SCT, "Cardiac Cycle Point")	1	U		DCID 12233 "Cardiac Phase"
6	>>	HAS CONCEPT MOD	CODE	EV (R-41FFC, SRT309602000, SCT, "Temporal period related to eating")	1	U		DT (G-A491, SRT24863003, SCT, "Post-prandial")
7	>>	HAS CONCEPT MOD	CODE	EV (125105, DCM, "Measurement Orientation")	1	U		DCID 12118 "Measurement Orientation"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
8	>>	HAS PROPERTIES	NUM	EV (125106, DCM, "Doppler Angle")	1	U		UNIT = EV (deg, UCUM, "degrees")
9	>>	HAS PROPERTIES	NUM	EV (125107, DCM, "Sample Volume Depth")	1	U		UNIT = EV (cm, UCUM, "cm")

Content Item Descriptions

Row 1	Specifies the anatomic context of the observations in the group.
Row 2	Details the anatomical location, e.g., proximal, middle, or distal
Row 3	The particular vessel branch, such as the inferior, medial or lateral
Row 5	Cardiac phase (systolic, diastolic), especially for aorta measurements
Row 6	Eating phase, especially for mesenteric and celiac measurements

TID 5105 Ultrasound Graft Section

This Template is a container of measurements on a vascular graft.

Type: Extensible
Order: Significant
Root: No

Table TID 5105. Ultrasound Graft Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	M		DT (T-D000F , SRT312288001 , SCT, "Vascular Graft")
3	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT, "Laterality")	1	U		DCID 244 "Laterality"
4	>	HAS CONCEPT MOD	CODE	DT (G-D871 , SRT128949003 , SCT, "Proximal anastomosis")	1	M		BCID 12103 "Vascular Ultrasound Anatomic Location"
5	>	HAS CONCEPT MOD	CODE	DT (G-D872 , SRT128948006 , SCT, "Distal Anastomosis")	1	M		BCID 12103 "Vascular Ultrasound Anatomic Location"
6	>	HAS CONCEPT MOD	CODE	DT (125102, DCM, "Graft Type")	1	U		
7	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	M		\$Measurement = DCID 12119 "Vascular Ultrasound Property"

Content Item Descriptions

Proximal anastomosis	The proximal location of the graft
Distal anastomosis	The distal location of the graft
Graft type	The type of graft, e.g., "in situ", "prosthetic", "autogenous"

Echocardiography Procedure Report Templates

TID 5200 Echocardiography Procedure Report

This Template forms the top of a content tree that allows an ultrasound device to describe the results of an adult echocardiography imaging procedure. It is instantiated at the root node. It can also be included in other Templates that need to incorporate echocardiography findings into another report as quoted evidence.

Type: Extensible
Order: Significant
Root: Yes

Table TID 5200. Echocardiography Procedure Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125200, DCM, "Adult Echocardiography Procedure Report")	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
4	>	CONTAINS	CONTAINER	DT (55111-9, LN, "Current Procedure Descriptions")	1	U		
5	>>	CONTAINS	CODE	DT (125203, DCM, "Acquisition Protocol")	1-n	M		BCID 12001 "Ultrasound Protocol Types"
6	>	CONTAINS	INCLUDE	DTID 5201 "Echocardiography Patient Characteristics"	1	U		
7	>	CONTAINS	CONTAINER	EV (111028, DCM, "Image Library")	1	U		
8	>>	CONTAINS	IMAGE	No purpose of reference	1-n	M		
9	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-32600, SRT87878005, SCT, "Left Ventricle") \$MeasType = DCID 12200 "Echocardiography Left Ventricle"
10	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-32500, SRT53085002, SCT, "Right Ventricle") \$MeasType = DCID 12204 "Echocardiography Right Ventricle"
11	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-32300, SRT82471001, SCT, "Left Atrium") \$MeasType = DCID 12205 "Echocardiography Left Atrium"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-32200; SRT73829009, SCT, "Right Atrium") \$MeasType = DCID 12206 "Echocardiography Right Atrium"
13	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-35400; SRT34202007, SCT, "Aortic Valve") \$MeasType = DCID 12211 "Echocardiography Aortic Valve"
14	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-35300; SRT91134007, SCT, "Mitral Valve") \$MeasType = DCID 12207 "Echocardiography Mitral Valve"
15	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-35200; SRT39057004, SCT, "Pulmonic Valve") \$MeasType = DCID 12209 "Echocardiography Pulmonic Valve"
16	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-35100; SRT46030003, SCT, "Tricuspid Valve") \$MeasType = DCID 12208 "Echocardiography Tricuspid Valve"
17	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-42000; SRT15825003, SCT, "Aorta") \$MeasType = DCID 12212 "Echocardiography Aorta"
18	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-44000; SRT81040000, SCT, "Pulmonary artery") \$MeasType = DCID 12210 "Echocardiography Pulmonary Artery"
19	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-48600; SRT35532006, SCT, "Vena Cava") \$MeasType = DCID 12215 "Echocardiography Vena Cavae"
20	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-48581; SRT122972007, SCT, "Pulmonary Venous Structure") \$MeasType = DCID 12214 "Echocardiography Pulmonary Veins"
21	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (T-39050; SRT25489000, SCT, "Pericardial cavity") \$MeasType = DCID 12250 "Cardiac Ultrasound Common Linear Measurements"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
22	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (P5-30031 , SRT241213007 , SCT, "Cardiac Shunt Study") \$MeasType = DCID 12217 "Echocardiography Cardiac Shunt"
23	>	CONTAINS	INCLUDE	DTID 5202 "Echo Section"	1	U		\$SectionSubject = EV (D4-30000 , SRT9904008 , SCT, "Congenital Anomaly of Cardiovascular System") \$MeasType = DCID 12218 "Echocardiography Congenital"
24	>	CONTAINS	INCLUDE	DTID 5204 "Wall Motion Analysis"	1-n	U		\$Procedure = DT (P5-B3121 , SRT35757004 , SCT, "Echocardiography for Determining Ventricular Contraction")

Content Item Descriptions

Row 8	No purpose of reference is specified.
Row 24	The wall motion findings of stress stage. There may be multiple Template instances to report wall motion findings of multiple stages.

TID 5201 Echocardiography Patient Characteristics

Patient Characteristic concepts in this Template, which may replicate attributes in the Patient Study Module, are included here as possible targets of by-reference relationships from other Content Items in the SR tree.

Note

Several of the concepts in this Template duplicate concepts in TID 1007 "Subject Context, Patient". The difference in use is that this Template has those concepts as primary observations of the patient, while in TID 1007 "Subject Context, Patient" the concepts are used to set (or reset) the context for other observations.

Type: Extensible
Order: Significant
Root: No

Table TID 5201. Echocardiography Patient Characteristics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121118, DCM, "Patient Characteristics")	1	M		
2	>	CONTAINS	NUM	EV (121033, DCM, "Subject Age")	1	U		UNITS = DCID 7456 "Units of Measure for Age"
3	>	CONTAINS	CODE	EV (121032, DCM, "Subject Sex")	1	U		DCID 7455 "Sex"
4	>	CONTAINS	NUM	EV (8867-4, LN, "Heart Rate")	1	U		
5	>	CONTAINS	NUM	EV (F-008EC , SRT271649006 , SCT , "Systolic Blood Pressure")	1	U		
6	>	CONTAINS	NUM	EV (F-008ED , SRT271650006 , SCT , "Diastolic Blood Pressure")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>	CONTAINS	NUM	EV (8277-6, LN, "Body Surface Area")	1	M		
8	>>	INFERRED FROM	CODE	EV (8278-4, LN, "Body Surface Area Formula")	1	U		BCID 3663 "Body Surface Area Equations"

TID 5202 Echo Section

This is a generic section heading Template for any of the anatomical headings. Measurements within a section heading appear as groups (by image mode, acquisition protocol, and/or protocol stage).

Table TID 5202. Parameters

Parameter Name	Parameter Usage
\$SectionSubject	The subject modifier of the section heading container
\$MeasType	The concept name of the measurement

Type: Extensible
Order: Significant
Root: No

Table TID 5202. Echo Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT, "Finding Site")	1	M		\$SectionSubject
3	>	CONTAINS	CONTAINER	DT (125007, DCM, "Measurement Group")	1-n	M		
4	>>	HAS CONCEPT MOD	CODE	EV (G-0373 , SRT399264008 , SCT, "Image Mode")	1	U		BCID 12224 "Ultrasound Image Modes"
5	>>	HAS CONCEPT MOD	CODE	DT (125203, DCM, "Acquisition Protocol")	1	U		
6	>>	HAS CONCEPT MOD	TEXT	DT (125203, DCM, "Acquisition Protocol")	1	U		
7	>>	HAS ACQ CONTEXT	CODE	EV (18139-6, LN, "Stage")	1	U		BCID 12002 "Ultrasound Protocol Stage Types"
8	>>	CONTAINS	INCLUDE	DTID 5203 "Echo Measurement"	1-n	M		\$Measurement = \$MeasType \$Method = CID 12227 "Echocardiography Measurement Method"

Content Item Descriptions

Rows 4, 5	Type of measurement group. May be grouped by image mode, or acquisition protocol, or some other user or manufacturer designated classification
Row 7	For measurements acquired in a staged protocol, all measurements in a measurement group are acquired at the identified stage.

TID 5203 Echo Measurement

Table TID 5203. Parameters

Parameter Name	Parameter Usage
\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Method	Value for Measurement Method

Type: Extensible
Order: Significant
Root: No

Table TID 5203. Echo Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = \$Measurement \$Method = \$Method \$TargetSite = BCID 12236 "Echo Anatomic Sites" \$TargetSiteMod = BCID 12237 "Echocardiography Anatomic Site Modifiers"
2	>	HAS CONCEPT MOD	CODE	EV (G-0048 , SRT260674002 , SCT, "Flow Direction")	1	U		BCID 12221 "Flow Direction"
3	>	HAS CONCEPT MOD	CODE	EV (R-40899 , SRT272517003 , SCT, "Respiratory Cycle Point")	1	U		DCID 12234 "Respiration State"
4	>	HAS CONCEPT MOD	CODE	EV (R-4089A , SRT272518008 , SCT, "Cardiac Cycle Point")	1	U		DCID 12233 "Cardiac Phase"
5	>	HAS ACQ CONTEXT	CODE	EV (G-0373 , SRT399264008 , SCT, "Image Mode")	1	U		DCID 12224 "Ultrasound Image Modes"
6	>	HAS ACQ CONTEXT	CODE	EV (111031, DCM, "Image View")	1	U		BCID 12226 "Echocardiography Image View"
7	>	HAS ACQ CONTEXT	CODE	EV (18139-6, LN, "Stage")	1	U		BCID 12002 "Ultrasound Protocol Stage Types"

Content Item Descriptions

Row 1	TID 300 specifies an "Equivalent Meaning of Concept Name" that allows the creating application to specify the preferred composed concept name representing the measurement and the associated post-coordination Concept Modifiers (e.g., the ASE terminology described in Section N.3 "Illustrative Mapping to ASE Concepts" in PS3.17).
-------	--

TID 5204 Wall Motion Analysis

The Wall Motion Analysis Template is used to document wall motion scoring for any imaging modality.

Table TID 5204. Parameters

Parameter Name	Parameter Usage
\$Procedure	The imaging procedure used for wall motion analysis.

Type: Extensible
Order: Significant
Root: No

Table TID 5204. Wall Motion Analysis

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		\$Procedure
3	>	HAS ACQ CONTEXT	CODE	EV (18139-6, LN, "Stage")	1	U		BCID 3207 "Stress Test Procedure Phases"
4	>	CONTAINS	IMAGE	EV (125201, DCM, "Illustration of Finding")	1	U		
5	>	CONTAINS	TEXT	EV (18118-0, LN, "LV Wall Motion Segmental Findings")	1	U		
6	>	CONTAINS	NUM	DT (125202, DCM, "LV Wall Motion Score Index")	1	U		
7	>>	HAS CONCEPT MOD	CODE	EV (G-E048 , SRT273249006 , SCT , "Assessment Scale")	1	M		BCID 12238 "Wall Motion Scoring Schemes"
8	>	CONTAINS	CONTAINER	EV (121070, DCM, "Findings")	1	U		
9	>>	HAS CONCEPT MOD	CODE	EV (G-G0E3 , SRT363698007 , SCT , "Finding Site")	1	M		DT (T-D075D , SRT272657006 , SCT , "Myocardial Wall")
10	>>	CONTAINS	CODE	EV (18179-2, LN, "Wall Segment")	1-n	M		BCID 3717 "Myocardial Wall Segments"
11	>>>	HAS PROPERTIES	CODE	EV (F-32050 , SRT60797005 , SCT , "Cardiac Wall Motion")	1	MC	IF row 12 is absent	DCID 3703 "Wall Motion"
12	>>>	HAS PROPERTIES	CODE	EV (G-C504 , SRT116676008 , SCT , "Associated Morphology")	1	MC	IF row 11 is absent	DCID 3704 "Myocardium Wall Morphology Findings"
13	>>>	HAS PROPERTIES	NUM	DT (G-G1E3 , SRT246262008 , SCT , "Score")	1	U		
14	>>>	HAS PROPERTIES	NUM	EV (122624, DCM, "Wall Thickness Ratio end-systolic to end-diastolic")	1	U		UNITS = DT (% , UCUM, "%")

Content Item Descriptions

Row 3	The stage of the protocol at which these findings were scored. This row may be absent if this is a generic, non-staged scoring.
Row 4	Image that graphically depicts the segments and their scores.
Row 5	Text narration accompanying this stage.
Row 6	The composite score computed from the average of the scored segments
Row 7	The type of scoring scheme used to score this exam.
Row 8	A container of all of the individual segment findings for this stage. The container shall be present if the observer makes an assessment, including the assessment of Not Visualized. It shall not be present if no evaluation was made.
Rows 11, 12	Scar/thinning (in Row 12) may accompany akinesis and dyskinesis (in Row 11).
Row 13	A numeric designation for the score. Score ranges vary, typically 0-4 or 0-5. Numeric scores may depend on wall motion findings as well as morphology findings. See Table 5204-1 for conventional numeric assignment schemes. The UCUM annotation code enables specifying the numeric range, ({L:N}, UCUM, "scale L:N"), where L and N are the lower and upper ends of the range.

A description of the scoring schemes described in Table 5204-1 is available in *Recommendations for Quantitation of the Left Ventricle by Two-Dimensional Echocardiography*, Journal of the American Society of Echocardiography, Vol 2, No 5 358-367, Oct 1989.

Table 5204-1. Numeric Score Assignment for Segmental Findings

Conventional Numeric Assignment	Wall Motion Finding or Morphology Finding		
	4 Point	5 Point	5 Point with Graded Hypokinesis
-1	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-0030D, SRT373123005, SCT, "Hyperkinesis")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-0030D, SRT373123005, SCT, "Hyperkinesis")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-0030D, SRT373123005, SCT, "Hyperkinesis")
0	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (122288, DCM, "Not Visualized")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (122288, DCM, "Not Visualized")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (122288, DCM, "Not Visualized")
1	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-00344, SRT373122000, SCT, "Normal Wall Motion")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-00344, SRT373122000, SCT, "Normal Wall Motion")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-00344, SRT373122000, SCT, "Normal Wall Motion")
1.5			(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-00327, SRT371868005, SCT, "Mild Hypokinesis")
2	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (F-32056, SRT37706002, SCT, "Hypokinesis")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (F-32056, SRT37706002, SCT, "Hypokinesis")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-0032F, SRT371869002, SCT, "Moderate Hypokinesis")
2.5			(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (R-00370, SRT371870001, SCT, "Severe Hypokinesis")
3	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (F-30004, SRT195675009, SCT, "Akinesis")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (F-30004, SRT195675009, SCT, "Akinesis")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (F-30004, SRT195675009, SCT, "Akinesis")
4	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (F-32052, SRT25437005, SCT, "Dyskinesis")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (F-32052, SRT25437005, SCT, "Dyskinesis")	(F-32050, SRT60797005, SCT, "Cardiac Wall Motion") = (F-32052, SRT25437005, SCT, "Dyskinesis")

Conventional Numeric Assignment	Wall Motion Finding or Morphology Finding		
	4 Point	5 Point	5 Point with Graded Hypokinesis
5		(G-G504 , SRT116676008 , SCT, "Associated Morphology") = (D3-10510 , SRT90539001 , SCT, "Ventricular Aneurysm")	(G-G504 , SRT116676008 , SCT, "Associated Morphology") = (D3-10510 , SRT90539001 , SCT, "Ventricular Aneurysm")

TID 5220 Pediatric, Fetal and Congenital Cardiac Ultrasound Reports

This Template forms the top of a content tree that allows an ultrasound application to describe the results of a Cardiac Ultrasound imaging procedure. It is instantiated at the root node.

Type: Extensible
Order: Significant
Root: Yes

Table TID 5220. Pediatric, Fetal and Congenital Cardiac Ultrasound Reports

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DCID 12245 "Cardiac Ultrasound Report Titles"	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
4	>	CONTAINS	CONTAINER	EV (18785-6, LN, "Indications for Procedure")	1	U		
5	>>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 12246 "Cardiac Ultrasound Indication for Study"
6	>>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1	U		
7	>	CONTAINS	INCLUDE	DTID 3802 "Cardiovascular Patient History"	1	U		
8	>	CONTAINS	INCLUDE	DTID 3602 "Cardiovascular Patient Characteristics"	1	U		
9	>	CONTAINS	INCLUDE	DTID 5225 "Cardiac Ultrasound Fetal Characteristics"	1-n	U		No more than one inclusion per fetus
10	>	CONTAINS	INCLUDE	DTID 5226 "Cardiac Ultrasound Summary Section"	1	U		
11	>	CONTAINS	INCLUDE	DTID 5227 "Cardiac Ultrasound Fetal Summary Section"	1-n	U		No more than one inclusion per fetus
12	>	CONTAINS	CONTAINER	EV (111028, DCM, "Image Library")	1	U		
13	>>	CONTAINS	IMAGE	No purpose of reference	1-n	M		
14	>	CONTAINS	INCLUDE	DTID 5221 "Cardiac Ultrasound Pediatric Echo Measurement Section"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
15	>	CONTAINS	INCLUDE	DTID 5228 "Cardiac Ultrasound Fetal Measurement Section"	1-n	UC	For Fetal Report only.	No more than one inclusion per fetus

Content Item Descriptions

Row 3	For Fetal Report, this row establishes the subject context of the mother.
Row 7	For Fetal Report, this row will be the patient history of the mother.
Row 8	For Fetal Report, this row will be the Patient Characteristics for the mother.
Row 10	For Fetal Report, this row will be the Summary Section for the mother.
Row 13	No purpose of reference is specified.

TID 5221 Cardiac Ultrasound Pediatric Echo Measurement Section

Type: Extensible
Order: Significant
Root: No

Table TID 5221. Cardiac Ultrasound Pediatric Echo Measurement Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12282 "Cardiac Ultrasound Venous Return Systemic Finding Sites" \$MeasType = DCID 12264 "Cardiac Ultrasound Venous Return Systemic Measurements"
2			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12283 "Cardiac Ultrasound Venous Return Pulmonary Finding Sites" \$MeasType = DCID 12263 "Cardiac Ultrasound Venous Return Pulmonary Measurements"
3			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12284 "Cardiac Ultrasound Atria and Atrial Septum Finding Sites" \$MeasType = DCID 12265 "Cardiac Ultrasound Atria and Atrial Septum Measurements"
4			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12285 "Cardiac Ultrasound Atrioventricular Valves Finding Sites" \$MeasType = DCID 12268 "Cardiac Ultrasound Atrioventricular Valves Measurements"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12286 "Cardiac Ultrasound Interventricular Septum Finding Sites" \$MeasType = DCID 12269 "Cardiac Ultrasound Interventricular Septum Measurements"
6			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12287 "Cardiac Ultrasound Ventricles Finding Sites" \$MeasType = DCID 12259 "Cardiac Ultrasound Ventricles Measurements"
8			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12288 "Cardiac Ultrasound Outflow Tracts Finding Sites" \$MeasType = DCID 12271 "Cardiac Ultrasound Outflow Tracts Measurements"
9			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12289 "Cardiac Ultrasound Semilunar Valves, Annulus and Sinuses Finding Sites" \$MeasType = DCID 12272 "Cardiac Ultrasound Semilunar Valves, Annulate and Sinuses Measurements"
10			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12290 "Cardiac Ultrasound Pulmonary Arteries Finding Sites" \$MeasType = DCID 12260 "Cardiac Ultrasound Pulmonary Artery"
11			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12291 "Cardiac Ultrasound Aorta Finding Sites" \$MeasType = DCID 12274 "Cardiac Ultrasound Aorta Measurements"
12			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12292 "Cardiac Ultrasound Coronary Arteries Finding Sites" \$MeasType = DCID 12275 "Cardiac Ultrasound Coronary Arteries Measurements"
13			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12293 "Cardiac Ultrasound Aortopulmonary Connections Finding Sites" \$MeasType = DCID 12276 "Cardiac Ultrasound Aorto Pulmonary Connections Measurements"
14			INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = DCID 12294 "Cardiac Ultrasound Pericardium and Pleura Finding Sites" \$MeasType = DCID 12277 "Cardiac Ultrasound Pericardium and Pleura Measurements"

TID 5222 Pediatric, Fetal and Congenital Cardiac Ultrasound Section

This is a generic section heading Template for any of the anatomical headings. Measurements within a section heading appear as groups (by image mode or acquisition protocol).

Table TID 5222. Parameters

Parameter Name	Parameter Usage
\$SectionSubject	The subject modifier of the section heading container
\$MeasType	The concept name of the measurement

Type: Extensible
Order: Significant
Root: No

Table TID 5222. Pediatric, Fetal and Congenital Cardiac Ultrasound Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121070, DCM, "Findings")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT , "Finding Site")	1	M		\$SectionSubject
3	>>	HAS CONCEPT MOD	CODE	EV (P1-32006 , SRT275035006 , SCT , "Heart valve replacement - prosthesis")	1	U		DCID 230 "Yes-No"
4	>	CONTAINS	CONTAINER	DT (125007, DCM, "Measurement Group")	1-n	M		
5	>>	HAS CONCEPT MOD	CODE	EV (G-0373 , SRT399264008 , SCT , "Image Mode")	1	U		BCID 12224 "Ultrasound Image Modes"
6	>>	HAS CONCEPT MOD	TEXT	DT (125203, DCM, "Acquisition Protocol")	1	U		
7	>>	CONTAINS	INCLUDE	DTID 5223 "Pediatric, Fetal and Congenital Cardiac Ultrasound Measurement"	1-n	M		\$Measurement = \$MeasType \$Method = CID 12227 "Echocardiography Measurement Method"

TID 5223 Pediatric, Fetal and Congenital Cardiac Ultrasound Measurement

This Template provides for the post-coordination of a measurement with a variety of concept modifiers and acquisition context observations. When invoked from TID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section", the measurement concept is implicitly post-coordinated with the concept modifiers of the Measurement Group (TID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section" Rows 5 and 6), and with the Finding Site of the report section (TID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section" Row 2). The finding site may be further specified within this Template by the Target Site and Target Site Modifiers (CID 12280 "Cardiac Ultrasound Target Sites" and CID 12281 "Cardiac Ultrasound Target Site Modifiers").

The implicit finding site inherited from TID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section" can be made explicit by using the same finding site concept in the Target Site (the measurement concept modifier), rather than a term from CID 12280 "Cardiac Ultrasound Target Sites". This explicit post-coordination allows the use of one of the modifiers of CID 12281 "Cardiac Ultrasound Target Site Modifiers" to that finding site, as the Target Site Modifier requires an explicit Target Site in the measurement structure (TID 300 "Measurement" Rows 5 and 7). In fact, any child concept of the finding site in the SNOMED hierarchy may be used as the measurement Target Site.

The finding or target site may be identified by a concept from the SNOMED "clinical finding" or "morphological anomaly" hierarchies (e.g., D4-31220 "Atrial Septal Defect", or M-36700 "Effusion"), rather than the "anatomical structure" hierarchy. In this case, the meaning is inferred as "the anatomic location of the clinical finding or morphological anomaly, within the constraints of other implicit or explicit post-coordinated finding site concepts."

Note

Thus when TID 5221 "Cardiac Ultrasound Pediatric Echo Measurement Section" Row 14 invokes TID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section" with the section finding site concept (~~F-39000~~, ~~SRT76848001~~, SCT, "Pericardium"), and TID 5223 "Pediatric, Fetal and Congenital Cardiac Ultrasound Measurement" Row 1 applies the target site (~~M-36700~~, ~~SRT41699000~~, SCT, "Effusion"), the effective finding site is "pericardial effusion".

Table TID 5223. Parameters

Parameter Name	Parameter Usage
\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Method	Value for Measurement Method

Type: Extensible
Order: Significant
Root: No

Table TID 5223. Pediatric, Fetal and Congenital Cardiac Ultrasound Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			INCLUDE	DTID 300 "Measurement"	1	M		\$Measurement = \$Measurement \$Method = \$Method \$TargetSite = BCID 12280 "Cardiac Ultrasound Target Sites" \$TargetSiteMod = BCID 12281 "Cardiac Ultrasound Target Site Modifiers" \$Derivation = DCID 3838 "Diameter Derivation"
2	>	HAS CONCEPT MOD	CODE	EV (121425, DCM, "Index")	1	U		DCID 3455 "Index Methods"
3	>	HAS CONCEPT MOD	CODE	EV (G-0048 , SRT260674002 , SCT, "Flow Direction")	1	U		BCID 12221 "Flow Direction"
4	>	HAS CONCEPT MOD	CODE	EV (R-40899 , SRT272517003 , SCT, "Respiratory Cycle Point")	1	U		DCID 12234 "Respiration State"
5	>	HAS CONCEPT MOD	CODE	EV (R-4089A , SRT272518008 , SCT, "Cardiac Cycle Point")	1	U		DCID 12233 "Cardiac Phase"
6	>	HAS ACQ CONTEXT	CODE	EV (G-0373 , SRT399264008 , SCT, "Image Mode")	1	U		DCID 12224 "Ultrasound Image Modes"
7	>	HAS ACQ CONTEXT	CODE	EV (111031, DCM, "Image View")	1	U		BCID 12226 "Echocardiography Image View"

Content Item Descriptions

Row 1	<p>For an index type of measurement, the concept name of this row 1 will still be the original measurement concept name; it is row 2 that gives the indication that row 1 is actually an index type of measurement. When this happens, the measurement value of row 1 should be a value after being indexed and the measurement unit of row 1 should be an index type of unit.</p> <p>For example, to insert a "Stroke Volume Index" measurement to this SR object, the concept name of row 1 will be "Stroke Volume", its numerical value will be the calculation result of "Stroke Volume /BSA" and its units are "ml/cm2".</p>
Row 2	When this row is available, the row 1 is an index calculation of the object.

TID 5225 Cardiac Ultrasound Fetal Characteristics

Contains a list of Fetus Specific characteristics.

Type: Extensible
Order: Significant
Root: No

Table TID 5225. Cardiac Ultrasound Fetal Characteristics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125015, DCM, "Fetus Characteristics")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus.	
3	>	CONTAINS	NUM	EV (18185-9, LN, "Gestational Age")	1	U		UNITS = DCID 7456 "Units of Measure for Age"
4	>	CONTAINS	DATE	EV (11778-8, LN, "EDD")	1	U		
5	>	CONTAINS	NUM	EV (8867-4, LN, "Heart Rate")	1	U		

TID 5226 Cardiac Ultrasound Summary Section

Comments and observations of the procedure of immediate clinical interest.

Type: Extensible
Order: Significant
Root: No

Table TID 5226. Cardiac Ultrasound Summary Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121111, DCM, "Summary")	1	M		
2	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	MC	IF row 3 does not exist	BCID 12248 "Cardiac Ultrasound Summary Codes"
3	>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1-n	MC	IF row 2 does not exist	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	CODE	EV (P0-009C3, SRT387713003, SCT, "Surgical Procedure")	1-n	U		BCID 12247 "Pediatric, Fetal and Congenital Cardiac Surgical Interventions"

TID 5227 Cardiac Ultrasound Fetal Summary Section

Comments and observations of the procedure of immediate clinical interest.

Type: Extensible
Order: Significant
Root: No

Table TID 5227. Cardiac Ultrasound Fetal Summary Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	DT (125008, DCM, "Fetus Summary")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus	
3	>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	MC	IF row 4 does not exist	BCID 12249 "Cardiac Ultrasound Fetal Summary Codes"
4	>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1-n	MC	IF row 3 does not exist	
5	>	CONTAINS	CODE	EV (P0-009C3, SRT387713003, SCT, "Surgical Procedure")	1-n	U		BCID 12247 "Pediatric, Fetal and Congenital Cardiac Surgical Interventions"

TID 5228 Cardiac Ultrasound Fetal Measurement Section

Type: Extensible
Order: Significant
Root: No

Table TID 5228. Cardiac Ultrasound Fetal Measurement Section

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125016, DCM, "Fetal Measurements")	1	M		
2	>	HAS OBS CONTEXT	INCLUDE	DTID 1008 "Subject Context, Fetus"	1	MC	IF this Template is invoked more than once to describe more than one fetus.	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	INCLUDE	DTID 300 "Measurement"	1-n	U		\$Measurement = DCID 12279 "Cardiac Ultrasound Fetal General Measurements"
4	>	CONTAINS	INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = EV (F-F6845 ; SRT4432005 , SCT, "Ductus arteriosus") \$MeasType = DCID 12218 "Echocardiography Congenital"
5	>	CONTAINS	INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = EV (F-F680F ; SRT367624001 , SCT, "Ductus venosus") \$MeasType = DCID 12218 "Echocardiography Congenital"
6	>	CONTAINS	INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = EV (F-F1810 ; SRT50536004 , SCT, "Umbilical artery") \$MeasType = DCID 12218 "Echocardiography Congenital"
7	>	CONTAINS	INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = EV (F-D03B4 ; SRT367567000 , SCT, "Umbilical vein") \$MeasType = DCID 12218 "Echocardiography Congenital"
8	>	CONTAINS	INCLUDE	DTID 5222 "Pediatric, Fetal and Congenital Cardiac Ultrasound Section"	1-n	U		\$SectionSubject = EV (F-45600 ; SRT17232002 , SCT, "Middle cerebral artery") \$MeasType = DCID 12218 "Echocardiography Congenital"

Simplified Adult Echocardiography Templates

The templates that comprise the Simplified Adult Echocardiography Report are interconnected as in Figure A-10b.




Figure A-10b. Simplified Adult Echocardiography Template Structure

TID 5300 Simplified Echo Procedure Report

This template forms the top of a content tree that allows an ultrasound device to describe the results of an adult echocardiography imaging procedure.

The template is instantiated at the root node. It can also be included in other templates that need to incorporate echocardiography findings into another report as quoted evidence.

This template does not include an Image Library. Image Content Items in the Echo Measurement templates (for example to indicate Source of Measurement) shall be included with by-value relationships, not with by-reference relationships.

Measurements in this template (except for the Wall Motion Analysis) are collected into one of three containers, each with a specific sub-template and constraints appropriate to the purpose of the container.

- Pre-coordinated Measurements
 - Are fully standardized measurements (many taken from the ASE practice guidelines).
 - Each has a single pre-coordinated standard code that fully captures the semantics of the measurement.
 - The only modifiers permitted are to indicate coordinates where the measurement was taken, provide a brief display label, and indicate which of a set of repeated measurements is the preferred value. Other modifiers are not permitted.
- Post-coordinated Measurements
 - Are non-standardized measurements that are performed with enough regularity to merit the control and configuration to capture the full semantics of the measurement. For example these measurements may include those configured on the cart by the vendor or user site. Some of these may be variants of the Pre-coordinated Measurements.
 - A set of mandatory and conditional modifiers with controlled vocabularies capture the essential semantics in a uniform way.
 - A single pre-coordinated code is also provided so that when the same type of measurement is encountered in the future, it is not necessary to parse and evaluate the full constellation of modifier values. Since this measurement has not been fully standardized, the pre-coordinated code may use a private coding scheme (e.g., from the vendor or user site).
- Adhoc Measurements
 - Are non-standardized measurements that do not merit the effort to track or configure all the details necessary to populate the set of modifiers required for a post-coordinated measurement.
 - The measurement code describes the elementary property measured.

- Modifiers provide a brief display label and indicate coordinates where the measurement was taken. Other modifiers are not permitted.

For an example of this encoding and a discussion of the benefits and use cases, see Annex CCCC Populating The Simplified Echo Procedure Report Template (Informative) in PS3.17.

Type: Non-Extensible

Order: Significant

Root: Yes

Table TID 5300. Simplified Echo Procedure Report

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (125200, DCM, "Adult Echocardiography Procedure Report")	1	M		
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
4	>	CONTAINS	CONTAINER	DT (55111-9, LN, "Current Procedure Descriptions")	1	U		
5	>>	CONTAINS	CODE	DT (125203, DCM, "Acquisition Protocol")	1-n	M		BCID 12001 "Ultrasound Protocol Types"
6	>	CONTAINS	CONTAINER	EV (18785-6, LN, "Indications for Procedure")	1	U		
7	>>	CONTAINS	CODE	EV (121071, DCM, "Finding")	1-n	U		DCID 12246 "Cardiac Ultrasound Indication for Study"
8	>>	CONTAINS	TEXT	EV (121071, DCM, "Finding")	1	U		
9	>	CONTAINS	INCLUDE	DTID 3602 "Cardiovascular Patient Characteristics"	1	U		
10	>	CONTAINS	CONTAINER	EV (125301, DCM, "Pre-coordinated Measurements")	1	M		
11	>>	CONTAINS	INCLUDE	DTID 5301 "Pre-coordinated Echo Measurement"	1-n	M		\$Measurement = DCID 12300 "Core Echo Measurements" \$Preferred = DCID 12301 "Measurement Selection Reasons"
12	>	CONTAINS	CONTAINER	EV (125302, DCM, "Post-coordinated Measurements")	1	M		
13	>>	CONTAINS	INCLUDE	DTID 5302 "Post-coordinated Echo Measurement"	1-n	U		\$Preferred = DCID 12301 "Measurement Selection Reasons"
14	>	CONTAINS	CONTAINER	EV (125303, DCM, "Adhoc Measurements")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
15	>>	CONTAINS	INCLUDE	DTID 5303 "Adhoc Measurement"	1-n	U		\$Property = DCID 12304 "Echo Measured Properties"
16	>	CONTAINS	INCLUDE	DTID 5204 "Wall Motion Analysis"	1-n	U		\$Procedure = DT (P5-B3121, SRT35757004, SCT, "Echocardiography for Determining Ventricular Contraction")
17	>	CONTAINS	CONTAINER	EV (125310, DCM, "Staged Measurements")	1	U		
18	>>	HAS ACQ CONTEXT	CODE	EV (18139-6, LN, "Stage")	1	M		BCID 3207 "Stress Test Procedure Phases"
19	>>	CONTAINS	CONTAINER	EV (125301, DCM, "Pre-coordinated Measurements")	1	M		
20	>>>	CONTAINS	INCLUDE	DTID 5301 "Pre-coordinated Echo Measurement"	1-n	U		\$Measurement = DCID 12300 "Core Echo Measurements" \$Preferred = DCID 12301 "Measurement Selection Reasons"
21	>>	CONTAINS	CONTAINER	EV (125302, DCM, "Post-coordinated Measurements")	1	M		
22	>>>	CONTAINS	INCLUDE	DTID 5302 "Post-coordinated Echo Measurement"	1-n	U		\$Preferred = DCID 12301 "Measurement Selection Reasons"
23	>>	CONTAINS	CONTAINER	EV (125303, DCM, "Adhoc Measurements")	1	M		
24	>>>	CONTAINS	INCLUDE	DTID 5303 "Adhoc Measurement"	1-n	U		\$Property = DCID 12304 "Echo Measured Properties"

Content Item Descriptions

Row 8	A text string containing one or more sentences describing one or more indications, possibly with additional comments from the physician or tech.
Row 11	<p>These are measurements from a standardized list of pre-coordinated codes. See CID 12300 "Core Echo Measurements". Measurements which do not correspond to the full semantics of one of the pre-coordinated codes in CID 12300 can likely be encoded in Row 13 instead.</p> <p>Multiple instances of the same measurement code may be present in the container. Each instance represents a different sample or derivation.</p> <p>This template makes no requirement that any or all samples be sent. For example, a mean value of all the samples of a given measurement could be sent without sending all or any of the samples from which the mean was calculated. Device configuration and/or operator interactions determine what measurements are sent.</p>

Row 13	<p>These are measurements that can be encoded using a standardized structure of post-coordinated codes. Measurements which correspond to the full semantics of one of the pre-coordinated codes in CID 12300 "Core Echo Measurements" should be encoded in Row 11 instead.</p> <p>\$Measurement shall be provided, but is not constrained to a CID.</p> <p>Multiple instances of the same measurement code may be present in the container. Each instance represents a different sample or derivation.</p> <p>This template makes no requirement that any or all samples be sent. For example, a mean value of all the samples of a given measurement could be sent without sending all or any of the samples from which the mean was calculated. Device configuration and/or operator interactions determine what measurements are sent.</p>
Row 15	<p>These are adhoc measurements encoded with minimal semantics.</p> <p>Row 13 can be used to encode measurements with more complete semantics.</p> <p>\$Units shall be provided, but is not constrained to a CID.</p> <p>Device configuration and/or operator interactions determine what measurements are sent.</p>
Rows 17-24	When present, these rows contain measurements and associate them with a specific stage of a staged procedure.

TID 5301 Pre-coordinated Echo Measurement

This template codes numeric echo measurements where most of the details about the nature of the measurement have been pre-coordinated in the measurement code. In contrast, see TID 5302 "Post-coordinated Echo Measurement".

The pre-coordinated measurement code is provided when this Template is included from a parent Template.

Table TID 5301. Parameters

Parameter Name	Parameter Usage
\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Preferred	Flag the preferred value by indicating the reason it was selected as preferred.

Type: Non-Extensible
Order: Significant
Root: No

Table TID 5301. Pre-coordinated Echo Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	\$Measurement	1	M		
2	>	HAS PROPERTIES	CODE	EV (121404, DCM, "Selection Status")	1	MC	IFF this measurement has been selected as the single preferred value for the measured concept.	\$Preferred = MemberOf {DCID 12301 "Measurement Selection Reasons"}
3	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	MC	IFF this measurement is not a sample.	EV (R-00317, SRTF373098007, SCT, "Mean")
4	>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1-n	U		\$Purpose = EV (121112, DCM, "Source of measurement")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>		INCLUDE	DTID 321 "Waveform or Temporal Coordinates"	1-n	U		\$Purpose = EV (121112, DCM, "Source of measurement")
6	>	HAS PROPERTIES	TEXT	EV (125309, DCM, "Short Label")	1	U		

Content Item Descriptions

Row 2	<p>The reason that this value was selected as the preferred value for the measured concept.</p> <p>The parent template may allow TID 5301 "Pre-coordinated Echo Measurement" to be included multiple times with the same Measurement Concept Name, for example to allow multiple samples of the measurement.</p> <p>A given Measurement Concept Name might appear only once in the instance, in which case this this row may or may not be present. A given Measurement Concept Name may appear multiple times, however this row shall not be present for more than one value of the given Measurement Concept Name. E.g. multiple measurements of (11706-9, LN, "Aortic Valve Peak Systolic Flow") may be present, but only one may be selected as preferred.</p>
Row 3	<p>The method used to derive this measurement value from multiple samples of the Measurement Concept Name.</p> <p>If Row 3 is not present, then this measurement value is simply a single sample of the Measurement Concept Name.</p> <p>Note</p> <p>A measurement value that is a mean value of other measurements and was also selected as the preferred value because it is the mean will have both Row 2 and Row 3 present.</p>
Row 6	<p>This may be used to label the measurement value when space is limited on the screen or report page. E.g. a Short Label of "LVIDD" might be provided for a measurement of the left ventricle internal diameter at end diastole.</p> <p>Note</p> <p>Short Labels are not standardized and may omit details of the measurement, thus it is not recommended to use them for purposes such as matching.</p>

TID 5302 Post-coordinated Echo Measurement

This template codes numeric echo measurements where most of the details about the nature of the measurement have been post-coordinated in modifiers and acquisition context. In contrast, see TID 5301 "Pre-coordinated Echo Measurement".

This template is intended to be used for User-defined and Vendor-defined Echo Measurements.

Several modifier rows are conditional and are omitted when the modifier concept is not significant for the measurement encoded in the item. When these modifiers are included by the sender, it indicates that the modifier concept is significant and receivers will generally treat the measurements differently than similar measurements sent that omit that modifier.

Note

The codes in the CIDs referenced below were sufficient to accurately encode all the best practice echo measurements recommended by the ASE. If, however, a new code is needed to record a specific User-defined or Vendor-defined measurement, most of the CIDs are extensible. It is not unreasonable to expect that measurements might be made at other Finding Sites than those listed in CID 12305 "Basic Echo Anatomic Sites", or using Measurement Methods beyond those listed in CID 12227 "Echocardiography Measurement Method".

The concept modifiers in the template below were sufficient to accurately encode all the best practice echo measurements recommended by the ASE. Although TID 5302 "Post-coordinated Echo Measurement" is extensible and adding new modifiers is not prohibited, the meaning and significance of such new modifiers will generally not be understood by receiving systems, delaying or preventing import of such measurements. Further, adding modifiers that replicate the meaning of an existing modifier is prohibited.

If such measurements cannot be encoded with the following structure, an implementation may choose to code the measurement in TID 5303 "Adhoc Measurement", or to use TID 5200 "Echocardiography Procedure Report" instead of TID 5300 "Simplified Echo Procedure Report".

Table TID 5302. Parameters

Parameter Name	Parameter Usage
\$Measurement	Coded term or Context Group for Concept Name of measurement
\$Preferred	Flag the preferred value by indicating the reason it was selected as preferred.

Type: Extensible
Order: Significant
Root: No

Table TID 5302. Post-coordinated Echo Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	\$Measurement	1	M		
2	>	HAS PROPERTIES	CODE	EV (121050, DCM, "Equivalent Meaning of Concept Name")	1-n	U		
3	>	HAS PROPERTIES	CODE	EV (121404, DCM, "Selection Status")	1	MC	IFF this measurement has been selected as the single preferred value for the measured concept.	\$Preferred =MemberOf {DCID 12301 "Measurement Selection Reasons"}
4	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	MC	IFF this measurement is not a sample.	EV (R-00317, SRT373098007, SCT, "Mean"))
5	>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1-n	U		\$Purpose =EV (121112, DCM, "Source of measurement")
6	>		INCLUDE	DTID 321 "Waveform or Temporal Coordinates"	1-n	U		\$Purpose = EV (121112, DCM, "Source of measurement")
7	>	HAS CONCEPT MOD	CODE	EV (125306, DCM, "Measurement Type")	1	M		DCID 12303 "Echo Measurement Types"
8	>	HAS CONCEPT MOD	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding Site")	1	M		DCID 12305 "Basic Echo Anatomic Sites"
9	>	HAS CONCEPT MOD	CODE	EV (125305, DCM, "Finding Observation Type")	1	M		DCID 12302 "Echo Finding Observation Types"
10	>	HAS CONCEPT MOD	CODE	EV (125307, DCM, "Measured Property")	1	M		DCID 12304 "Echo Measured Properties"
11	>	HAS CONCEPT MOD	CODE	EV (G-C048, SRT260674002, SCT, "Flow Direction")	1	MC	IFF Row 9 is (PA-50030, SRT44324008, SCT, "Hemodynamic Measurements") and the Flow Direction is significant for this measurement.	DCID 12306 "Echo Flow Directions"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12	>	HAS CONCEPT MOD	CODE	EV (G-0036 ; SRT370129005 , SCT, "Measurement Method")	1	MC	IFF the Measurement Method is significant for this measurement.	DCID 12227 "Echocardiography Measurement Method"
13	>	HAS ACQ CONTEXT	CODE	EV (G-0373 ; SRT399264008 , SCT, "Image Mode")	1	MC	IFF the Image Mode is significant for this measurement.	DCID 12224 "Ultrasound Image Modes"
14	>	HAS ACQ CONTEXT	CODE	EV (111031, DCM, "Image View")	1	MC	IFF the Image View is significant for this measurement.	DCID 12226 "Echocardiography Image View"
15	>	HAS CONCEPT MOD	CODE	EV (R-4089A ; SRT272518008 , SCT, "Cardiac Cycle Point")	1	MC	IFF the Cardiac Cycle Point is significant for this measurement.	DCID 12307 "Cardiac Phases and Time Points"
16	>	HAS CONCEPT MOD	CODE	EV (R-40899 ; SRT272517003 , SCT, "Respiratory Cycle Point")	1	MC	IFF the Respiratory Cycle Point is significant for this measurement.	DCID 12234 "Respiration State"
17	>	HAS CONCEPT MOD	CODE	EV (125308, DCM, "Measurement Divisor")	1	MC	IFF the value of Row 7 is (125313, DCM, "Indexed") or (G-D750 ; SRT118586006 , SCT, "Ratio") or (125314, DCM, "Fractional Change")	
18	>	HAS PROPERTIES	TEXT	EV (125309, DCM, "Short Label")	1	U		

Content Item Descriptions

Row 1	<p>A fully pre-coordinated code that incorporates all the semantics of Rows 7-17 for this measurement.</p> <p>The code is intended to allow parsers to recognize post-coordinated measurements that have been previously encountered, thus facilitating incorporation of the measurement into databases, report templates, registries, etc. Typically these codes will be from a vendor or site specific coding scheme, e.g., 99ACME. Sending the same code consistently in different reports will depend on the recording system maintaining a stable list of these pre-coordinated codes. Such a list might be configured or internally generated and managed.</p> <p>This shall be populated by the recording system. If the recording system does not have a method to ensure that all occurrences of the same post-coordinated measurement use the same code, it shall use the code (125304, DCM, "Untrackable Measurement").</p> <p>Note</p> <ol style="list-style-type: none"> Two measurements with the same pre-coordinated code have, by definition, the same semantics (except for "Untrackable Measurements") Two measurements with the same constellation of modifier values have the same semantics but may have different pre-coordinated codes because they <ul style="list-style-type: none"> come from carts of different vendors who don't share the same code table come from carts of the same vendor, but the carts don't share the same code table come from the same cart, but it's code table has been modified come from the same cart, but it does not maintain a code table Two measurements with the same constellation of modifier values and different pre-coordinated codes have the same semantics and the receiver is entitled to treat them as the same (with respect to the scope of those modifiers) Recommended units for various Measured Properties (Row 10) can be found in the Units column of CID 12304 "Echo Measured Properties" . When the Measurement Type (Row 7) is (125313, DCM, "Indexed") , (G-D750, SRT118586006, SCT, "Ratio") or (125314, DCM, "Fractional Change") , the Units for Row 1 corresponds to the fully calculated \$Measurement, incorporating both the numerator (Row 10) and the denominator (Row 17). E.g. a measure of Left Ventricular Outflow Tract Diameter / BSA would have units of (cm/m2, UCUM, "cm/m2") in Row 1, (125313, DCM, "Indexed") in Row 7, (M-02550, SRT81827009, SCT, "Diameter") in Row 10, and (8277-6, LN, "Body Surface Area") in Row 17.
Row 2	<p>One or more additional fully pre-coordinated codes which are semantically equivalent to the code in Row 1.</p> <p>This may be used to communicate known mappings, such as to national registry codes or other vendors' codes.</p>
Row 3	<p>The reason that this value was selected as the preferred value for the measured concept.</p> <p>The parent template may allow TID 5301 "Pre-coordinated Echo Measurement" to be included multiple times with the same Measurement Concept Name, for example to allow multiple samples of the measurement.</p> <p>A given Measurement Concept Name might appear only once in the instance, in which case this this row may or may not be present. A given Measurement Concept Name may appear multiple times, however this row shall not be present for more than one value of a given measured concept. E.g. multiple measurements of (11706-9, LN, "Aortic Valve Peak Systolic Flow") may be present, but only one may be selected as preferred.</p>

Row 4	<p>The method used to derive this measurement value from multiple samples of the Measurement Concept Name.</p> <p>If Row 3 is not present, then this measurement value is simply a single sample of the Measurement Concept Name.</p> <p>Note</p> <ol style="list-style-type: none"> 1. A measurement value that is a mean value of other samples and was also selected as the preferred value because it is the mean will have both Row 2 and Row 3 present. 2. This row is not used to record whether the measurement value is a direct measurement vs a measurement calculated from an equation. Such information is recorded in Row 7.
Row 8	<p>The finding site reflects the anatomical location where the measurement is taken.</p> <p>CID 12305 "Basic Echo Anatomic Sites" contains the codes which proved to be sufficient for mapping the full set of ASE standard measurements. It is recommended to use these locations unless a more detailed location is truly necessary.</p>
Row 9	<p>The finding observation type indicates the type of observation made at the finding site to produce the measurement.</p> <p>In many cases, for example Aortic Root Diameter, the structure of the finding site is being observed.</p> <p>In other cases, for example Mitral Valve Regurgitant Flow Peak Velocity, the finding site is the mitral valve, the hemodynamic flow (not the valve structure) is being observed, the measured property is the peak velocity, and the flow direction is retrograde.</p>
Row 17	<p>The pre-coordinated code for the measurement that has been used as the denominator of this measurement. Only applies to measurements of type Indexed, Ratio or Fractional Change.</p> <p>The measurement referenced as the Measurement Divisor shall be present in the instance in which it is used.</p> <p>When Row 17 is present, any values in Rows 5-6, 8-16 shall reflect the numerator of the measurement rather than the Index, Ratio or Fractional Change as a whole. The rest of the rows, including the pre-coordinated measurement value, the pre-coordinated measurement code, the units and the short label, reflect the Index, Ratio or Fractional Change as a whole. E.g. in the case of an Indexed measurement, the value recorded in Row 1 has already been divided by the Index referenced in Row 17, and the Units in Row 1 match the indexed value, not the numerator Property described in Row 10.</p> <p>For a measurement of type Indexed, the numerator is divided by the Measurement Divisor.</p> <p>For a measurement of type Ratio, the numerator is divided by the Measurement Divisor and is unitless.</p> <p>For a measurement of type Fractional Change, the numerator is first subtracted from the Measurement Divisor and the result divided by the Measurement Divisor (i.e., (Divisor - Numerator) / Divisor).</p>
Row 18	<p>This may be used to label the measurement value when space is limited on the screen or report page. E.g. a Short Label of "LVIDD" might be provided for a measurement of the left ventricle internal diameter at end diastole.</p> <p>Note</p> <p>Short Labels are not standardized and may omit details of the measurement, thus it is not recommended to use them for purposes such as matching.</p>

TID 5303 Adhoc Measurement

This Template codes numeric echo measurements where most of the details about the nature of the measurement are not communicated. The measurement is identified in terms of the property measured, such as Length, Diameter, Area, Velocity etc. and some measurement context may be established by reference to spatial coordinates on an image or a waveform. A displayable label is included but there is no managed code identifying the measurement.

The template is intended to be used to include adhoc, one-time measurements whose need is determined during imaging exam or reviewing session.

Measurements that are taken in an adhoc fashion but are selected from the set of pre-coordinated or post-coordinated measurements that are configured on the Ultrasound System should be coded using TID 5301 "Pre-coordinated Echo Measurement" or TID 5302 "Post-coordinated Echo Measurement".

Table TID 5303. Parameters

Parameter Name	Parameter Usage
\$Property	Property being measured

Type: Non-Extensible
Order: Significant
Root: No

Table TID 5303. Adhoc Measurement

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	\$Property	1	M		
2	>		INCLUDE	DTID 320 "Image or Spatial Coordinates"	1-n	U		\$Purpose = EV (121112, DCM, "Source of measurement")
3	>		INCLUDE	DTID 321 "Waveform or Temporal Coordinates"	1-n	U		\$Purpose = EV (121112, DCM, "Source of measurement")
4	>	HAS PROPERTIES	TEXT	EV (125309, DCM, "Short Label")	1	M		

Content Item Descriptions

Row 4	<p>This may be used to label the measurement value when space is limited on the screen or report page. E.g. a Short Label of "LVIDD" might be provided for a measurement of the left ventricle internal diameter at end diastole.</p> <p>Note</p> <p>Short Labels are not standardized and may omit details of the measurement, thus it is not recommended to use them for purposes such as matching.</p>
-------	---

Implantation Plan SR Document Templates

The Templates that comprise the Implantation Plan SR Document IOD are interconnected as in Figure A-11.




Figure A-11. Implantation Plan SR Document IOD Template Structure

TID 7000 Implantation Plan

This Template contains all the necessary information to position an Implant Assembly and its Components in a patient. Therefore, all the Components that comprise an Implant Assembly are listed. If the Implant Assembly consists of more than one Component, the relation between the Components will be described as well. It is also possible to describe the registration between the Components and the patient and between the Components themselves.

To reference the Components within this document the Implantation Plan Component ID is used.

The Component Connection links two Implantation Plan Components in a commutative way. This means that for each link between A and B only one Component Connection has to be defined and not two for A-B and B-A.

The terminology used is defined by illustration using the example in Figure A-12.




Figure A-12. Implant Assembly and Components Terminology

Type: Extensible
Order: Significant
Root: Yes

Table TID 7000. Implantation Plan

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (112345, DCM, "Implantation Plan")	1	M		Root node

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
4	>	CONTAINS	INCLUDE	DTID 351 "Previous Reports"	1	MC	IFF previous Implantation Plan Documents exist	Shall only reference other Implantation Plan Documents
5	>	CONTAINS	INCLUDE	DTID 7001 "Related Implantation Reports"	1	MC	IFF related Implantation Plan Documents exist that are not referenced by row 4	Shall only reference other Implantation Plan Documents
6	>	CONTAINS	CONTAINER	EV (112360, DCM, "Implant Component List")	1	M		
7	>>	CONTAINS	COMPOSITE	EV (112366, DCM, "Implant Assembly Template")	1	U		References an Implant Assembly Template SOP Instance
8	>>	CONTAINS	CONTAINER	EV (112346, DCM, "Selected Implant Component")	1-n	M		
9	>>>	CONTAINS	TEXT	EV (112347, DCM, "Component ID")	1	M		
10	>>>	CONTAINS	CODE	EV (112370, DCM, "Component Type")	1	MC	IFF Row 8 contains more than one item.	DCID 7306 "Human Hip Implant Planning Landmarks"
11	>>>	CONTAINS	COMPOSITE	No purpose of reference	1	M		References an Implant Template Storage SOP Instance
12	>>>	CONTAINS	UIDREF	EV (112227, DCM, "Frame Of Reference UID")	1	M		
13	>>>	CONTAINS	COMPOSITE	EV (112371, DCM, "Manufacturer Implant Template")	1	M		References an Implant Template Storage SOP Instance
14	>	CONTAINS	CONTAINER	EV (112355, DCM, "Assembly")	1-n	U		
15	>>	CONTAINS	CONTAINER	EV (112350, DCM, "Component Connection")	1-n	M		
16	>>>	CONTAINS	CONTAINER	EV (112374, DCM, "Connected Implantation Plan Component")	2	M		
17	>>>>	CONTAINS	TEXT	EV (112347, DCM, "Component ID")	1	M		Defined in the Implant Component List CONTAINER

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
18	>>>>	CONTAINS	TEXT	EV (112351, DCM, "Mating Feature Set ID")	1	M		Only one Component Connection per Mating Feature Set is allowed
19	>>>>	CONTAINS	TEXT	EV (112352, DCM, "Mating Feature ID")	1	M		
20	>>>>	CONTAINS	CONTAINER	EV (112362, DCM, "Degrees of Freedom Specification")	1-n	U		
21	>>>>>	CONTAINS	TEXT	EV (112363, DCM, "Degree of Freedom ID")	1	M		
22	>>>>>	CONTAINS	NUM	EV (112376, DCM, "Degree of Freedom Exact Translational Value")	1	MC	IFF Row 23, 24, 25, 26 and 27 are absent	UNITS = EV (mm, UCUM, "mm")
23	>>>>>	CONTAINS	NUM	EV (112377, DCM, "Degree of Freedom Minimum Translational Value")	1	MC	IFF row 22, 25, 26, and 27 are absent	UNITS = EV (mm, UCUM, "mm")
24	>>>>>	CONTAINS	NUM	EV (112378, DCM, "Degree of Freedom Maximum Translational Value")	1	MC	IFF row 22, 25, 26, and 27 are absent	UNITS = EV (mm, UCUM, "mm")
25	>>>>>	CONTAINS	NUM	EV (112379, DCM, "Degree of Freedom Exact Rotational Value")	1	MC	IFF row 22, 23, 24, 26 and 27 are absent	UNITS = EV (deg, UCUM, "degree")
26	>>>>>	CONTAINS	NUM	EV (112380, DCM, "Degree of Freedom Minimum Rotational Value")	1	MC	IFF row 22, 23, 24 and 25 are absent	UNITS = EV (deg, UCUM, "degree")
27	>>>>>	CONTAINS	NUM	EV (112381, DCM, "Degree of Freedom Maximum Rotational Value")	1	MC	IFF row 22, 23, 24 and 25 are absent	UNITS = EV (deg, UCUM, "degree")
28	>	CONTAINS	CONTAINER	EV (112358, DCM, "Information used for planning")	1	U		
29	>>	CONTAINS	CODE	EV (112375, DCM, "Planning Method")	1	U		BCID 7320 "Planning Methods"
30	>>	CONTAINS	IMAGE	EV (112354, DCM, "Patient Image")	1-n	U		
31	>>>	HAS PROPERTIES	NUM	EV (111026, DCM, "Horizontal Pixel Spacing")	1	M		UNITS = EV (mm/{pixel}, UCUM, "mm/pixel")
32	>>>	HAS PROPERTIES	NUM	EV (111066, DCM, "Vertical Pixel Spacing")	1	M		UNITS = EV (mm/{pixel}, UCUM, "mm/pixel")
33	>>	CONTAINS	COMPOSITE	EV (112361, DCM, "Patient Data Used During Planning")	1-n	U		References SOP Instances except Images
34	>>>	HAS PROPERTIES	UIDREF	EV (112356, DCM, "User Selected Fiducial")	1-n	MC	IFF row 33 references a Fiducial SOP Instance	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
35	>>>>	HAS CONCEPT MOD	TEXT	EV (112369, DCM, "Fiducial Intent")	1	U		
36	>	CONTAINS	CONTAINER	EV (112367, DCM, "Planning Information for Intraoperative Usage")	1	U		
37	>>	CONTAINS	TEXT	EV (121173, DCM, "Physician Note")	1-n	U		
38	>>	CONTAINS	COMPOSITE	EV (112359, DCM, "Supporting Information")	1	U		SOP Class UID shall be Encapsulated PDF Storage
39	>>	CONTAINS	COMPOSITE	EV (112372, DCM, "Derived Planning Images")	1-n	U		
40	>>	CONTAINS	COMPOSITE	EV (112353, DCM, "Spatial Registration")	1-n	U		References Spatial Registration SOP Instances and Deformable Spatial Registration SOP Instances
41	>>>	HAS PROPERTIES	UIDREF	EV (112227, DCM, "Frame of Reference UID")	1-n	U		
42	>>	CONTAINS	COMPOSITE	EV (112373, DCM, "Derived Planning Data")	1-n	U		References SOP Instances except Images and Spatial Registrations
43	>>>	HAS PROPERTIES	UIDREF	EV (112357, DCM, "Derived Fiducial")	1-n	MC	IFF row 42 references a Fiducial SOP Instance	
44	>>>>	HAS CONCEPT MOD	TEXT	EV (112369, DCM, "Fiducial Intent")	1	U		
45	>>	CONTAINS	COMPOSITE	EV (112364, DCM, "Related Patient Data Not Used During Planning")	1-n	U		

Content Item Descriptions

Row 7	If an Implant Assembly Template was used for the planning, it should be referenced here.
Row 9	ID given to this Implant Component. Used to reference this specific Component within the Implantation Plan.
Row 10	See description of Component Type Code Sequence (0076,0034) Attribute in Section C.29.2.1 "Implant Assembly Template Module" in PS3.3
Row 11	Reference to the Template that describes that component. May be the same Implant Template as referenced in row 13. The target of the reference may not be needed or available during implantation. e.g., if the plan is opened in another hospital where those implant templates are not used. No purpose of reference is specified.
Row 12	This Frame of Reference is the Frame of Reference of the Implant Component (Frame of Reference UID (0020,0052) Attribute in the "Generic Implant Template Description Module" in PS3.3). This may help to find the right registration information (row 43).

Row 13	References the Original Template that was the basis for the Derived Template. May be the same Implant Template as referenced in row 11. The target of the reference may not be needed or available during implantation, e.g., if the plan is opened in another hospital where those implant templates are not used.
Row 14	If there is no Component Connection between sets of Implant Components, one Assembly must be used for each set.
Row 17	The ID of a planned Component that is defined in this document and that is part of this Relation.
Row 18	See description of Mating Feature Set ID (0068,63C0) Attribute in the “Generic Implant Template Mating Features Module” in PS3.3
Row 19	See description of Mating Feature ID (0068,63F0) Attribute in the “Generic Implant Template Mating Features Module” in PS3.3
Row 21	See description of Degree of Freedom ID (0068,6410) Attribute in the “Generic Implant Template Mating Features Module” in PS3.3
Row 22 - 27	Defines the range or exact value that was selected or calculated by the planning application.
Row 31	Defines the calibrated Horizontal Pixel Spacing that was used by the planning application, which may be different from the spacing encoded in the referenced Image SOP Instance.
Row 32	Defines the calibrated Vertical Pixel Spacing that was used by the planning application, which may be different from the spacing encoded in the referenced Image SOP Instance.
Row 33	Any patient data other than Image IEs used for the planning, e.g., Surface Segmentations.
Row 34	Fiducials selected by the user for registration of implant components referenced in the parent Content Item.
Row 35	User comment about the Fiducial. This may be the reason it was selected, the intended use, the anatomical or non-anatomical structure that the Fiducial represents, or any other intent.
Row 38	All kinds of information in PDF form that are created by a planning application may be referenced here, e.g., drawings.
Row 39	All kinds of images that are created by a planning application should be referenced here, e.g., images that show patient images overlaid with contour information of the Implant Component, or images that show how several implant components may be composed, or merged patient images.
Row 40	References registration objects that contain registration data that is relevant for this Implantation Plan, e.g., registration of Implant Components.
Rows 5, 6	Identifies one or more items within the sequence of referenced Frames of Reference (Registration Sequence (0070,0308) in the Spatial Registration Module or Deformable Registration Sequence (0064,0002) in the “Deformable Spatial Registration Module” in PS3.3) that are relevant for this Implantation Plan. See Figure A-13.
Row 42	Any patient data created during the planning process that is not referenced in row 39 and 40, e.g., Surface Segmentation Instances created by the planning application.
Row 43	These Fiducials are derived from the Fiducials identified in Row 34.
Row 45	References to any relevant patient data containing IOD instances that were not used in planning or derived from it but belong to the patient model. Might be reports, images, surface segmentations, or other.




Figure A-13. References to Registration Objects

TID 7001 Related Implantation Reports

This general Template provides a means to reference related Implantation Plan SR Document instances that are not previous Reports. Other Implantations that are planned to be done during the same intervention should be referenced here.

Type: Extensible
Order: Significant
Root: No

Table TID 7001. Related Implantation Reports

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (112365, DCM, "Related Implantation Reports")	1	M		
2	>	CONTAINS	COMPOSITE		1-n	M		

Acquisition Context SR IOD Templates

The Templates that comprise the Acquisition Context SR are interconnected as follows:

- TID 8101 "Preclinical Small Animal Image Acquisition Context"
 - TID 1204 "Language of Content Item and Descendants"
 - TID 1001 "Observation Context"
 - TID 8110 "Biosafety Conditions"
 - TID 8121 "Animal Housing"
 - TID 8122 "Animal Feeding"
 - TID 8140 "Heating Conditions"
 - TID 8150 "Circadian Effects"
 - TID 8170 "Physiological Monitoring Performed During Procedure"
 - TID 8130 "Anesthesia"
 - TID 8131 "Medications and Mixture Medications"
 - TID 9002 "Medication, Substance, Environmental Exposure"
 - TID 8182 "Exogenous Substance Administration"

TID 8101 Preclinical Small Animal Image Acquisition Context

This root template encodes a description of the conditions present during and related to data acquisition for a single imaging procedure.

Note

1. It is not expected that a single instance be used to describe the entire life of an animal, unless it is sacrificed after a single procedure. Rather, separate instances will be used for separate procedures, though there may be some duplication of common information, such as about the home cage environment.
2. It is expected that an SR instance encoded using this template will be contained in the same Study as other instances created during the procedure, e.g., with a common Study Instance UID. If this is not practical, e.g., due to recording on

a separate device without use of a shared Modality Worklist, then commonality of other Study level attributes may be necessary to link procedures (and possibly coerce the Study Instance UID to a common value).

Type: Extensible

Order: Non-Significant

Root: Yes

Table TID 8101. Preclinical Small Animal Image Acquisition Context

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (127001, DCM, "Preclinical Small Animal Imaging Acquisition Context")	1	M		Root node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1001 "Observation Context"	1	M		
5	>	CONTAINS	INCLUDE	DTID 8110 "Biosafety Conditions"	1	U		
6	>	CONTAINS	CONTAINER	EV (127005, DCM, "Animal handling during specified phase")	1-n	U		
7	>>	HAS CONCEPT MOD	CODE	EV (127006, DCM, "Phase of animal handling")	1	M		DCID 634 "Phase of Animal Handling"
8	>>	CONTAINS	DATETIME	EV (111526, DCM, "DateTime Started")	1	U		
9	>>	CONTAINS	DATETIME	EV (111527, DCM, "DateTime Ended")	1	U		
10	>>	CONTAINS	INCLUDE	DTID 8121 "Animal Housing"	1	U		
11	>>	CONTAINS	INCLUDE	DTID 8122 "Animal Feeding"	1-n	U		
12	>>	CONTAINS	INCLUDE	DTID 8140 "Heating Conditions"	1	U		
13	>>	CONTAINS	INCLUDE	DTID 8150 "Circadian Effects"	1	U		
14	>>	CONTAINS	INCLUDE	DTID 8170 "Physiological Monitoring Performed During Procedure"	1	U		
15	>	CONTAINS	INCLUDE	DTID 8130 "Anesthesia"	1	U		
16	>	CONTAINS	INCLUDE	DTID 9002 "Medication, Substance, Environmental Exposure"	1	U		\$ContainerConcept = EV (10160-0, LN, "History Of Medication Use") \$CodeConcept = EV (111516, DCM, "Medication Type") \$Route = DCID 11 "Route of Administration"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
17	>	CONTAINS	INCLUDE	DTID 8182 "Exogenous Substance Administration"	1	U		\$ContainerConcept = EV (127400, DCM, "Exogenous substance") \$CodeConcept = DCID 637 "Exogenous Substance Types" \$CodeValue = DCID 638 "Exogenous Substance" \$Route = DCID 11 "Route of Administration" \$Site = DCID 644 \$TissueOfOrigin = DCID 645 \$TaxonomicRankOfOrigin = DCID 7454 "Animal Taxonomic Rank Values"

Content Item Descriptions

Row 3	<p>A single pre-coordinated code describing the general type of imaging procedure can be described using TID 1005 Row 9 Procedure Code (included in TID 1001). For small animal (as opposed to human) imaging, this will likely describe a whole body acquisition in a modality-specific manner and the use of contrast and/or radiopharmaceutical. E.g., whole body FDG PET, or whole body DCE-MRI.</p> <p>May be redundant with (or default to) the value present in the top level Data Set in Procedure Code Sequence (0008,1032) of the General Study Module.</p> <p>Species and strain identification is not described in TID 1001; rather it is encoded in DICOM Attributes in the top level Data Set.</p>
Row 5	The biosafety conditions are expected to be consistent across all phases of handling, so are not described separately per-phase.
Rows 8-9	The period of time during which the phase is defined, i.e., during which the animal was managed in the specified conditions. This may be more important for interpretation for some phases (e.g., transport) than others (e.g., at rest in the home cage), and hence is optional.
Rows 10-14	The outline of subordinate templates follows the pattern of categories of Animal Housing, Care, and Physiologic Monitoring information described in [Stout et al 2013].
Row 11	Animal feeding is 1-n to allow encoding of dietary supplements and treats in addition to the regular diet.
Row 15	A single anesthesia event is normally assumed for a single procedure, though the template included can include multiple pre-, intra- and post-procedure descriptions.
Row 16	<p>Used to describe pharmaceuticals administered that are not described elsewhere, in particular, those that are not described as anesthesia medications, and those that are not described in the images (e.g., contrast, radiopharmaceuticals). This includes therapy (such as chemotherapy, immunotherapy) and similar interventions that may be the subject of the research.</p> <p>The value set of \$CodeValue is not defined, given the vast range of possible codes and coding schemes for drugs or medicaments that might be used. Nor are value sets for \$Classification or \$Site defined.</p>

Row 17	Used to describe non-pharmaceutical exogenous substances administered, such as cells or other tumor graft, fibrils, viruses, cytokines and toxins that describe the "model" upon which the research is being performed, as distinct from the "therapeutic intervention" (Row 16) that may be the purpose of the research. The Classification parameter is not constrained by any value set.
--------	---

TID 8110 Biosafety Conditions

This template encodes a description of the biosafety conditions applicable to research small animals.

Type: Extensible

Order: Non-Significant

Table TID 8110. Biosafety Conditions

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (127010, DCM, "Biosafety conditions")	1	M		
2	>	CONTAINS	CODE	EV (F-0061F, SRT409599009, SCT, "Biosafety level")	1	U		DCID 601 "Biosafety Levels"
2	>	CONTAINS	CODE	EV (127011, DCM, "Reason for biosafety controls")	1	U		DCID 602 "Biosafety Control Reasons"
4	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 4	A brief description of any pertinent or unusual biosafety requirements.
-------	---

TID 8121 Animal Housing

This template encodes a description of housing of animals, e.g., in home cages, holders for imaging, etc., over an interval during which environmental and handling conditions are relatively homogenous.

Note

- Only "static" parameters of the design and setup are recorded, and "nominal" values for environmental conditions such as humidity and temperature, but not "dynamic" parameters that might vary during one housing interval, and potentially be monitored, such as oxygen or ammonia levels, temperature, humidity, urine or fecal corticosterone levels, etc.
- Values for product names and codes are expected to be accurate at the time the information is recorded, recognizing that products may evolve over time.

Type: Extensible

Order: Non-Significant

Table TID 8121. Animal Housing

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (127120, DCM, "Animal housing")	1	M		
2	>	CONTAINS	CODE	EV (127121, DCM, "Animal room type")	1	U		DCID 603 "Animal Room Types"
2b	>	CONTAINS	TEXT	EV (127122, DCM, "Animal room identifier")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	TEXT	EV (127125, DCM, "Housing manufacturer")	1	U		
4	>	CONTAINS	TEXT	EV (127126, DCM, "Housing rack product name")	1	U		
5	>	CONTAINS	TEXT	EV (127127, DCM, "Housing rack product code")	1	U		
6	>	CONTAINS	TEXT	EV (127128, DCM, "Housing unit product name")	1	U		
7	>	CONTAINS	TEXT	EV (127129, DCM, "Housing unit product code")	1	U		
8	>	CONTAINS	TEXT	EV (127130, DCM, "Housing unit lid product name")	1	U		
9	>	CONTAINS	TEXT	EV (127131, DCM, "Housing unit lid product code")	1	U		
10	>	CONTAINS	NUM	EV (127140, DCM, "Number of racks per room")	1	U		UNITS = EV ({racks}, UCUM, "racks")
11	>	CONTAINS	NUM	EV (127141, DCM, "Number of housing units per rack")	1	U		UNITS = EV ({housing units}, UCUM, "housing units") or EV ({cages}, UCUM, "cages")
12	>	CONTAINS	TEXT	EV (127142, DCM, "Housing unit location in rack")	1	U		
13	>	CONTAINS	NUM	EV (127143, DCM, "Number of animals within same housing unit")	1	U		UNITS = EV ({animals}, UCUM, "animals")
14	>	CONTAINS	CODE	EV (127144, DCM, "Sex of animals within same housing unit")	1	U		DCID 7457 "Sex - Male Female or Both"
15	>	CONTAINS	CODE	EV (127145, DCM, "Sex of handler")	1	U		DCID 7457 "Sex - Male Female or Both"
16	>	CONTAINS	NUM	EV (127150, DCM, "Total duration in housing")	1	U		UNITS = EV (d, UCUM, "days")
17	>	CONTAINS	NUM	EV (127151, DCM, "Housing change interval")	1	U		UNITS = EV (d, UCUM, "days")
18	>	CONTAINS	NUM	EV (127152, DCM, "Manual handling interval")	1	U		UNITS = EV (h, UCUM, "hours")
19	>	CONTAINS	TEXT	EV (127153, DCM, "Housing unit movement")	1	U		
20	>	CONTAINS	NUM	EV (127160, DCM, "Housing unit width")	1	U		UNITS = EV (cm, UCUM, "cm")
21	>	CONTAINS	NUM	EV (127161, DCM, "Housing unit height")	1	U		UNITS = EV (cm, UCUM, "cm")
22	>	CONTAINS	NUM	EV (127162, DCM, "Housing unit length")	1	U		UNITS = EV (cm, UCUM, "cm")
23	>	CONTAINS	CODE	EV (127170, DCM, "Housing individually ventilated")	1	U		DCID 231 "Yes-No Only"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
24	>	CONTAINS	NUM	EV (127172, DCM, "Air changes")	1	U		UNITS = EV (/h, UCUM, "/hour")
25	>	CONTAINS	NUM	EV (C90380, NCIt, "Environmental temperature")	1	U		UNITS = EV (Cel, UCUM, "C")
26	>	CONTAINS	NUM	EV (C90395, NCIt, "Housing humidity")	1	U		UNITS = EV (% , UCUM, "%")
27	>	CONTAINS	CODE	EV (127175, DCM, "Housing unit reuse")	1	U		DCID 604 "Device Reuse"
28	>	CONTAINS	CODE	EV (C90366, NCIt, "Bedding material")	1	U		DCID 605 "Animal Bedding Material"
29	>	CONTAINS	TEXT	EV (C90366, NCIt, "Bedding material")	1	U		
30	>	CONTAINS	TEXT	EV (127180, DCM, "Bedding manufacturer")	1	U		
31	>	CONTAINS	TEXT	EV (127181, DCM, "Bedding product name")	1	U		
32	>	CONTAINS	TEXT	EV (127182, DCM, "Bedding product code")	1	U		
33	>	CONTAINS	NUM	EV (127183, DCM, "Bedding volume")	1	U		UNITS = EV (ml, UCUM, "ml")
34	>	CONTAINS	NUM	EV (127184, DCM, "Bedding mass")	1	U		UNITS = EV (g, UCUM, "g")
34b	>	CONTAINS	NUM	EV (127185, DCM, "Bedding depth")	1	U		UNITS = EV (mm, UCUM, "mm")
35	>	CONTAINS	NUM	EV (C90365, NCIt, "Bedding change")	1	U		UNITS = EV (d, UCUM, "days")
36	>	CONTAINS	CODE	EV (127192, DCM, "Enrichment material present")	1	U		DCID 241 "Present-Absent Only"
36b	>	CONTAINS	TEXT	EV (127191, DCM, "Enrichment manufacturer")	1	U		
37	>	CONTAINS	TEXT	EV (127190, DCM, "Enrichment material")	1	U		
38	>	CONTAINS	CODE	EV (127193, DCM, "Exerciser device present")	1	U		DCID 241 "Present-Absent Only"
39	>	CONTAINS	TEXT	EV (A-17260 , SRT 111045004, SCT , "Exerciser device")	1	U		
40	>	CONTAINS	CODE	EV (127195, DCM, "Shelter type")	1	U		DCID 606 "Animal Shelter Types"
41	>	CONTAINS	TEXT	EV (127196, DCM, "Shelter manufacturer")	1	U		
42	>	CONTAINS	TEXT	EV (127197, DCM, "Shelter product name")	1	U		
43	>	CONTAINS	TEXT	EV (127198, DCM, "Shelter product code")	1	U		
44	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 2 and 2b	The type and identifier of the entire room in which, for example, one or more racks of housing units is located, not the housing unit itself.
Row 3	The manufacturer is expected to be the same for all housing unit components, rack, bottom and lid.
Row 12	The position in the rack is encoded as text since it may be an "identifier" or a description. It is not a set of numeric (e.g., row, column) or coded (e.g., top, bottom or middle) values, since there are too many possible arrangements.
Row 13	The number of animals usually applies to a single housing unit, but may also be used to describe the number of animals imaged simultaneously in a multi-animal imaging carrier or support device ("chamber", "holder", etc.).
Rows 20-22	These may be internal or external dimensions, and are intended to provide an approximation of the living space and shape available.
Rows 25-26	Description of measured or monitored or nominal values of temperature and humidity. The means of maintaining these conditions, if relevant, is described elsewhere (e.g., in the case of peri-procedural temperature control, in TID 8140 "Heating Conditions").
Rows 28-29	The bedding material may be described as a code or text, or both. The codes do not distinguish between methods of sterilization of the bedding material (e.g., irradiation, autoclaving or other heat treatment), since that is not a relevant factor for image interpretation. The definition of the NCIt concept is "that which comprises the place where a subject sleeps".
Row 35	The definition of the NCIt concept is "a replacement of the existing materials that make up the sleeping area of a subject", and is used here to specify the interval between bedding changes.
Row 36-37	The presence or absence of enrichment material is coded, but the type is not, and may be described as text, e.g., "facial tissue", "cotton (nesting material)".
Row 38-39	The presence or absence of an exercise device is coded, but the type is not, and may be described as text.

TID 8122 Animal Feeding

This template encodes a description of feeding and watering of animals, over an interval during which conditions are relatively homogeneous.

Note

1. No specific time interval during which the diet is applicable is described.
2. Values for product names and codes are expected to be accurate at the time the information is recorded, recognizing that products may evolve over time.

Type: Extensible

Order: Non-Significant

Table TID 8122. Animal Feeding

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (PA-00600, SRT75118006, SCT, "Feeding")	1	M		
2	>	CONTAINS	CODE	EV (G-F5000, SRT82566005, SCT, "Animal feed")	1	U		DCID 607 "Animal Feed Types"
3	>	CONTAINS	CODE	EV (127205, DCM, "Feed source")	1	U		DCID 608 "Animal Feed Sources"
4	>	CONTAINS	TEXT	EV (127200, DCM, "Feed manufacturer")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
5	>	CONTAINS	TEXT	EV (127201, DCM, "Feed product name")	1	U		
6	>	CONTAINS	TEXT	EV (127202, DCM, "Feed product code")	1	U		
7	>	CONTAINS	CODE	EV (C0015746, UMLS, "Feeding method")	1	U		DCID 609 "Animal Feeding Methods"
8	>	CONTAINS	CODE	EV (G-10120 , SRT 11713004, SCT , "Water")	1	U		DCID 610 "Water Types"
9	>	CONTAINS	CODE	EV (C90486, NCIt, "Water delivery")	1	U		DCID 609 "Animal Feeding Methods"
10	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

TID 8130 Anesthesia

This template encodes a description of the anesthesia applied during a procedure (e.g., imaging of research small animals).

Note

This template combines selected concepts from the [AQI Schema] elements, their complex types, and their children:

- AnesthesiaMethodSet (type AnesthesiaMethodSetType). See <http://www.aqihq.org/aqischdoc/AnesthesiaMethodSet.html> and <http://www.aqihq.org/aqischdoc/AnesthesiaMethodSetType.html>.
- AirwayManagementSet (type AirwayManagementSetType). See <http://www.aqihq.org/aqischdoc/AirwayManagementSet.html> and <http://www.aqihq.org/aqischdoc/AirwayManagementSetType.html>.
- MedicationsSet (type MedicationsSetType). See <http://www.aqihq.org/aqischdoc/MedicationsSet.html> and <http://www.aqihq.org/aqischdoc/MedicationsSetType.html>.

Type: Extensible

Order: Non-Significant

Table TID 8130. Anesthesia

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (P1-0512A , SRT 399097000, SCT , "Administration of anesthesia")	1	M		
2	>	CONTAINS	CONTAINER	EV (127300, DCM, "Anesthesia Method Set")	1	M		
3	>>	CONTAINS	CONTAINER	EV (127301, DCM, "Anesthesia Method")	1-n	M		
4	>>>	CONTAINS	CODE	EV (127302, DCM, "Anesthesia Category")	1	M		DCID 611 "Anesthesia Category Code Type for Small Animal Anesthesia"
5	>>>	CONTAINS	TEXT	EV (127303, DCM, "Anesthesia SubCategory")	1	U		
6	>>>	CONTAINS	DATETIME	EV (DF-0068E , SRT 398325003, SCT , "Anesthesia Start Time")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>>>	CONTAINS	DATETIME	EV (DF-0070B , SRT398164008 , SCT , "Anesthesia Finish Time")	1	U		
8	>>>	CONTAINS	CODE	EV (P1-G0012 , SRT241687005 , SCT , "Anesthesia Induction")	1	U		DCID 613 "Anesthesia Induction Code Type for Small Animal Anesthesia"
9	>>>	CONTAINS	CODE	EV (P1-G001A , SRT241695009 , SCT , "Anesthesia Maintenance")	1	U		DCID 615 "Anesthesia Maintenance Code Type for Small Animal Anesthesia"
10	>>>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
11	>	CONTAINS	CONTAINER	EV (127310, DCM, "Airway Management Set")	1	M		
12	>>	CONTAINS	CONTAINER	EV (P0-0409B , SRT386509000 , SCT , "Airway Management")	1-n	M		
13	>>>	CONTAINS	CODE	EV (127312, DCM, "Airway Management Method")	1	M		DCID 617 "Airway Management Method Code Type for Small Animal Anesthesia"
14	>>>	CONTAINS	CODE	EV (127313, DCM, "Airway Sub-Management Method")	1	M		DCID 619 "Airway Management Sub-Method Code Type for Small Animal Anesthesia"
15	>	CONTAINS	CONTAINER	EV (127320, DCM, "Medications Set")	1-n	M		
16	>>	CONTAINS	CODE	EV (G-7292 , SRT128954007 , SCT , "Procedure Phase")	1	M		DCID 631 "Phase of Procedure Requiring Anesthesia"
17	>>	CONTAINS	INCLUDE	DTID 8131 "Medications and Mixture Medications"	1-n	M		\$DrugAdministered = DCID 623 "Medication for Small Animal Anesthesia"

Content Item Descriptions

Rows 1-3	If this template is used, at least one description of anesthesia method is required. Note that the specific agents used are described separately, as intra-operative medications, per the [AQI Schema].
Rows 6-7	These correspond to AQI elements that are named "Time" rather than "DateTime", though their value is a DateTime; the DICOM naming convention is used here.
Row 9	Only inhalational methods of maintenance are included in this row. Absence of this row implies that the (non-inhalational) induction method is used for maintenance.
Row 10	The comment corresponds to AQI element "Anesthesia Notes".
Rows 11-13	At least one description of airway management is required. The airway management method also serves as the description of the method of inhalational anesthesia delivery, even if it does not involve "management" of the "airway" per se (e.g., delivery via nose cone).

Rows 15-17	<p>In the AQI model, a single AQI MedicationsSet is used in the AQI IntraOp element to describe intra-operative medications.</p> <p>This template allows a more general usage, with one or more Medications Set containers, each of which may be qualified by the phase of the procedure (pre-operative, intra-operative or post-operative). The purpose of the medication (e.g., general anesthetic) is described in the (111516, DCM, "Medication Type") of the included TID 8131 "Medications and Mixture Medications".</p>
------------	--

TID 8131 Medications and Mixture Medications

This template encodes a description of medications (including but not limited to anesthetic agents) used during a procedure (e.g., pre-medication drugs for an imaging procedure on humans, or anesthesia for imaging of research small animals).

Note

This template combines selected concepts from the [AQI Schema] elements, their complex types, and their children:

- Medication (type MedicationType). See <http://www.aqihq.org/aqischdoc/Medication.html> and <http://www.aqihq.org/aqischdoc/MedicationType.html>.
- MixtureMedications (type MixtureMedicationType). See <http://www.aqihq.org/aqischdoc/MixtureMedications.html> and <http://www.aqihq.org/aqischdoc/MixtureMedicationType.html>.

Table TID 8131. Parameters

Parameter Name	Parameter Usage
\$DrugAdministered	Type of drug administered

Type: Extensible

Order: Non-Significant

Table TID 8131. Medications and Mixture Medications

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (F-04460, SRT182833002, SCT, "Medication given")	1	M		
2	>	CONTAINS	DATETIME	EV (122081, DCM, "Drug start")	1	U		
3	>	CONTAINS	DATETIME	EV (122082, DCM, "Drug end")	1	U		
4	>	CONTAINS	CODE	EV (G-C340, SRT410675002, SCT, "Route of administration")	1	M		DCID 11 "Route of Administration"
5	>	CONTAINS	CONTAINER	EV (R-40826, SRT272163001, SCT, "Mixture")	1-n	M		
6	>>	CONTAINS	CODE	EV (122083, DCM, "Drug administered")	1	MC	XOR Row 7	\$DrugAdministered
7	>>	CONTAINS	TEXT	EV (122083, DCM, "Drug administered")	1	MC	XOR Row 6	
8	>>	CONTAINS	CODE	EV (111516, DCM, "Medication Type")	1	M		DCID 621 "Type of Medication for Small Animal Anesthesia" DCID 76 "Type of Pre-medication"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9	>>	CONTAINS	NUM	EV (G-C0B7, SRT260911001, SCT, "Dosage")	1	U		UNITS = DCID 82 "Units of Measurement"
10	>>	CONTAINS	NUM	EV (122093, DCM, "Concentration")	1	U		UNITS = DCID 82 "Units of Measurement"
11	>>	CONTAINS	CODE	EV (113510, DCM, "Drug Product Identifier")	1	U		
12	>>>	HAS PROPERTIES	TEXT	EV (111529, DCM, "Brand Name")	1	U		
13	>>	CONTAINS	NUM	DCID 3410 "Numeric Parameters of Drugs/Contrast"	1-n	U		

Content Item Descriptions

Row 1	AQI Medication type and element correspond to (F-04460, SRT182833002, SCT, "Medication given") (situation). (See TID 3806 Cath Procedure).
Rows 2-3	AQI DoseStart and DoseEnd elements correspond to (122081, DCM, "Drug start") and (122082, DCM, "Drug end") respectively. (See CID 3409 Administration of Drugs/Contrast). If the medication is delivered as a bolus, the end time is omitted.
Row 4	AQI MedicationRoute corresponds to (G-C340, SRT410675002, SCT, "Route of administration"). The existing CID 11 "Route of Administration" contains a relevant subset of concepts for the enumerated values of AQI MedicationRouteCodeType.
Row 5	The AQI schema allows the Medication type not only to describe medications with a single component, but also to add MixtureMedications children, each of which is encoded following a similar pattern to the contents of Medication, though the start and end time and route of administration are shared. This had been modeled by allowing every medication to have one or more mixture children. For medications that are not a mixture, a single instance of this row defines the medication (even though the mixture container is still used).
Rows 6, 7	AQI MedicationName and MixtureMedicationName elements correspond to (122083, DCM, "Drug administered"). (See TID 3806 Cath Procedure). The medication (e.g., anesthesia agent) can be described with a code or text, e.g., (F-61B0A, SRT387368002, SCT, "Isoflurane") or "isoflurane".
Row 9	Both AQI MedDose (or MixtureMedDose) and DoseUnits (or MixtureDoseUnits) elements are combined in one content item. Units are required to be encoded as UCUM but are not otherwise constrained.
Row 10	Both AQI MedConcentration (or MixtureMedConcentration) and MedConcentrationUnit (or MixtureMedConcentrationUnit) elements are combined in one content item. Units are required to be encoded as UCUM but are not otherwise constrained.
Row 11	Registered drug establishment code for the product. Equivalent codes can be encoded in this item using the Equivalent Code Sequence (0008,0121). See Section 8.9 "Equivalent Code Sequence" in PS3.3.

TID 8140 Heating Conditions

This template encodes a description of the heating conditions applied prior to, during or after data acquisition (e.g., during imaging of research small animals).

Type: Extensible

Order: Non-Significant

Table TID 8140. Heating Conditions

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (127040, DCM, "Heating conditions")	1	M		
2	>	CONTAINS	CODE	EV (G-7292 , SRT 128954007, SCT , "Procedure Phase")	1	U		DCID 631 "Phase of Procedure Requiring Anesthesia"
3	>	CONTAINS	CODE	EV (C0018851, UMLS, "Heating")	1	U		DCID 635 "Heating Method"
4	>	CONTAINS	CODE	EV (127210, DCM, "Feedback temperature regulation")	1	U		DCID 231 "Yes-No Only"
5	>	CONTAINS	CODE	EV (C50304, NCIt, "Temperature sensor device component")	1	U		DCID 636 "Temperature Sensor Device Component Type for Small Animal Procedures"
6	>	CONTAINS	NUM	EV (F-021FF , SRT 250881009, SCT , "Equipment Temperature")	1	U		UNITS = EV (Cel, UCUM, "C")

Content Item Descriptions

Row 2	Phase during which the conditions are applicable may be implicit in the context of invocation of this template (e.g., TID 8101 "Preclinical Small Animal Image Acquisition Context" Row 7), or explicitly specified.
Row 3	The definition (from MESH) is "The application of heat to raise the temperature of the environment, ambient or local, or systems for accomplishing this effect".
Row 6	This is the nominal temperature of the heating device (e.g., heating pad) and/or the set point of the feedback regulation device.

TID 8150 Circadian Effects

This template encodes a description of the Circadian effects relevant during data acquisition (e.g., during imaging of research small animals).

Type: Extensible

Order: Non-Significant

Table TID 8150. Circadian Effects

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (127050, DCM, "Circadian effects")	1	M		
2	>	CONTAINS	NUM	EV (127214, DCM, "Total duration of light-dark cycle")	1	U		UNITS = EV (h, UCUM, "hours")
3	>	CONTAINS	NUM	EV (C90419, NCIt, "Light cycle")	1	U		UNITS = EV (% , UCUM, "%")
4	>	CONTAINS	TIME	EV (127215, DCM, "Lights on time of day")	1-n	U		

Content Item Descriptions

Row 2	Usually 24 hours.
Row 3	The definition is "the amount of ambient light/darkness to which a subject is exposed in a period of time"; also mapped to CDISC "the period of light that a subject is exposed to in a period of time, usually expressed as the amount of time in a 24 hour cycle".
Row 4	Can only be encoded if the light-dark cycles are aligned to a 24 hour clock. May be multiple if either multiple cycles occur during a 24 hour period, or if the cycle is longer than a 24 hour period and a multiple of 24 hours in duration.

TID 8170 Physiological Monitoring Performed During Procedure

This template encodes a description of the physiological monitoring performed during a period of time during or related to a data acquisition procedure (e.g., imaging of research small animals).

Type: Extensible

Order: Non-Significant

Table TID 8170. Physiological Monitoring Performed During Procedure

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (P0-005ED, SRT281691001, SCT, "Physiological monitoring")	1	M		
2	>	CONTAINS	CODE	EV (P2-31209, SRT266706003, SCT, "Electrocardiographic monitoring")	1	U		DCID 231 "Yes-No Only"
3	>	CONTAINS	CODE	EV (P2-22010, SRT53617003, SCT, "Monitoring of respiration")	1	U		DCID 231 "Yes-No Only"

Content Item Descriptions

Row 2	There is no non-surgical procedure non-specific variant of (P2-34122, SRT91096005, SCT, "Monitoring of electrocardiogram at surgery"). (P2-31209, SRT266706003, SCT, "Continuous electrocardiogram monitoring") is intended for non-procedural (e.g., 24-hour) monitoring. So a more generic code for any kind of monitoring is used.
-------	---

TID 8182 Exogenous Substance Administration

This template provides detailed information on a research subject's exposure to exogenous substances. It is a specialization of the more general template TID 9002 "Medication, Substance, Environmental Exposure".

Table TID 8182. Parameters

Parameter Name	Parameter Usage
\$ContainerConcept	Coded term for the concept name of the CONTAINER, identifying it as an exogenous substance.
\$CodeConcept	Coded term for the concept name of the CODE, identifying the type of substance.
\$CodeValue	Coded term or Context Group for value of the substance.
\$Classification	Coded term or Context Group for classification of the substance.
\$Route	Coded term or Context Group for the route of administration of the substance.
\$Site	Coded term or Context Group for the anatomical site of administration of the substance
\$TissueOfOrigin	Coded term or Context Group for the tissue of origin of the substance
\$TaxonomicRankOfOrigin	Coded term or Context Group for the taxonomic rank (e.g., species) of origin of the substance

Type: Extensible
Order: Significant

Table TID 8182. Exogenous Substance Administration

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	\$ContainerConcept	1	M		
2	>	CONTAINS	CODE	\$CodeConcept	1-n	M		\$CodeValue
3	>>	HAS CONCEPT MOD	CODE	EV (G-C032, SRT278201002, SCT, "Classification")	1	U		\$Classification
4	>>	HAS OBS CONTEXT	CODE	EV (111534, DCM, "Role of person reporting")	1	U		DCID 7450 "Person Roles"
5	>>	HAS PROPERTIES	NUM	EV (111524, DCM, "Age Started")	1	U		UNITS = DCID 7456 "Units of Measure for Age"
6	>>	HAS PROPERTIES	NUM	EV (111525, DCM, "Age Ended")	1	U		UNITS = DCID 7456 "Units of Measure for Age"
7	>>	HAS PROPERTIES	DATETIME	EV (111526, DCM, "DateTime Started")	1	U		
8	>>	HAS PROPERTIES	DATETIME	EV (111527, DCM, "DateTime Ended")	1	U		
9	>>	HAS PROPERTIES	NUM	EV (G-7290, SRT103335007, SCT, "Duration")	1	U		UNITS = DCID 6046 "Units of Follow-up Interval"
10	>>	HAS PROPERTIES	CODE	EV (111528, DCM, "Ongoing")	1	U		DCID 230 "Yes-No"
11	>>	HAS PROPERTIES	TEXT	EV (111529, DCM, "Brand Name")	1	U		
12	>>	HAS PROPERTIES	NUM	DCID 6092 "Quantitative Concepts for Usage, Exposure"	1	U		The unit of measure shall be quantity per unit of time
13	>>	HAS PROPERTIES	CODE	DCID 6093 "Qualitative Concepts for Usage, Exposure Amount"	1	U		DCID 6090 "Relative Usage, Exposure Amount"
14	>>	HAS PROPERTIES	CODE	DCID 6094 "Qualitative Concepts for Usage, Exposure Frequency"	1	U		DCID 6091 "Relative Frequency of Event Values"
15	>>	HAS PROPERTIES	CODE	EV (G-C340, SRT410675002, SCT, "Route of administration")	1	U		\$Route
16	>>>	HAS PROPERTIES	CODE	EV (G-C581, SRT272737002, SCT, "Site of")	1	U		\$Site
17	>>>>	HAS CONCEPT MOD	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	MC	IF Row 16 has laterality	DCID 244 "Laterality"
18	>>>	HAS PROPERTIES	SCCOORD3D	EV (127450, DCM, "Stereotactic coordinates")	1	U		
19	>>>	HAS PROPERTIES	CODE	EV (127451, DCM, "Position reference indicator")	1	U		DCID 647 "Position Reference Indicator for Frame of Reference"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
20	>>	HAS PROPERTIES	CODE	EV (127401, DCM, "Tissue of origin")	1	U		\$TissueOfOrigin
21	>>	HAS PROPERTIES	CODE	EV (127402, DCM, "Taxonomic rank of origin")	1	U		\$TaxonomicRankOfOrigin
22	>>	HAS PROPERTIES	CODE	EV (127411, DCM, "Strain")	1	U		
23	>>	HAS PROPERTIES	TEXT	EV (127412, DCM, "Strain description")	1	U		
24	>>>	HAS CONCEPT MOD	TEXT	EV (127413, DCM, "Nomenclature")	1	U		
25	>>	HAS PROPERTIES	TEXT	EV (127415, DCM, "Genetic modifications description")	1-n	U		
26	>>>	HAS CONCEPT MOD	TEXT	EV (127413, DCM, "Nomenclature")	1	U		
27	>>>	HAS PROPERTIES	CODE	EV (127414, DCM, "Genetic modifications")	1	U		

Content Item Descriptions

Row 3	Classification is inherited from the more general template TID 9002 "Medication, Substance, Environmental Exposure", and may be supplied as a parameter, but is entirely generic and is not used as an alternative to the more specific information provided in other rows, for example, Rows 19 and 20, tissue and taxonomic rank of origin.
Row 11	Brand name may be used for any type of descriptor or identifier. E.g., a particular cell line might have a designated name, such as "MDA-MB-468", which designates a particular human breast cancer cell line.
Rows 22-27	These rows describe the strain and genetic modifications of the source of the graft using content items that correspond to the Attributes described in Section C.7.1.1.1.4 "Patient Strain and Genetic Modifications" in PS3.3. The strain and genetic characteristics of the animal into which the exogenous substance is grafted are described in the Patient Module; see Section C.7.1.1.1.4 "Patient Strain and Genetic Modifications" in PS3.3.

Relevant Patient Information Templates

TID 9000 Relevant Patient Information for Breast Imaging

This Template collects a patient's relevant information as it relates to breast imaging. This Template, together with its subordinate Templates, describes the history of a patient's reproductive system, hormone medications, past procedures, risk factors, and indicated problems as they relate to breast health.

Type: Extensible
Order: Significant
Root: No

Table TID 9000. Relevant Patient Information for Breast Imaging

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111511, DCM, "Relevant Patient Information for Breast Imaging")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	CONTAINS	INCLUDE	DTID 3114 "Patient Assessment"	1	U		
4	>	CONTAINS	INCLUDE	DTID 9001 "Gynecological History"	1	U		
5	>	CONTAINS	INCLUDE	DTID 9002 "Medication, Substance, Environmental Exposure"	1	U		\$ContainerConcept = EV (10160-0, LN, "History Of Medication Use") \$CodeConcept = EV (111516, DCM, "Medication Type") \$CodeValue = DCID 6080 "Gynecological Hormones"
6	>	CONTAINS	INCLUDE	DTID 9003 "Previous Procedure"	1	U		\$ProcedureList = DCID 6083 "Procedures for Breast" \$ProcedureModifier = DCID 6058 "Procedure Modifiers for Breast" \$NumConceptName = DCID 6095 "Numeric Properties of Procedures" \$LateralityValue = DCID 6022 "Side" \$ProcedureResult = DCID 6063 "Interventional Procedure Results" \$ComplicationValue = DCID 6062 "Interventional Procedure Complications"
7	>	CONTAINS	INCLUDE	DTID 9004 "Indicated Problem"	1	U		\$ProblemList = DCID 6055 "Breast Clinical Finding or Indicated Problem" \$LateralityValue = DCID 6022 "Side" \$LocationValue = DCID 6018 "Clockface Location or Region", DCID 6020 "Quadrant Location"
8	>	CONTAINS	INCLUDE	DTID 9005 "Risk Factor"	1	U		\$RiskList = DCID 6081 "Breast Cancer Risk Factors" \$FamilyList = DCID 7451 "Family Member"

TID 9001 Gynecological History

This general Template collects the details of a patient's reproductive system history, such as number of births, and gynecological surgery history.

Type: Extensible
Order: Significant
Root: No

Table TID 9001. Gynecological History

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (R-20767 , SRT267011001 , SCT, "Gynecological History")	1	M		
2	>	HAS OBS CONTEXT	CODE	EV (111534, DCM, "Role of person reporting")	1	U		DCID 7450 "Person Roles"
3	>	CONTAINS	DATE	EV (11955-2, LN, "Date of last menstrual period")	1	U		
4	>	CONTAINS	NUM	EV (111518, DCM, "Age when first menstrual period occurred")	1	U		UNITS = EV (a, UCUM, "Year")
5	>	CONTAINS	NUM	EV (111519, DCM, "Age at First Full Term Pregnancy")	1	U		UNITS = EV (a, UCUM, "Year")
6	>	CONTAINS	NUM	EV (11977-6, LN, "Para")	1	U		UNITS = EV (1, UCUM, "no units")
7	>	CONTAINS	NUM	EV (11639-2, LN, "Term")	1	U		UNITS = EV (1, UCUM, "no units")
8	>	CONTAINS	NUM	EV (11637-6, LN, "Preterm")	1	U		UNITS = EV (1, UCUM, "no units")
9	>	CONTAINS	NUM	EV (11636-8, LN, "Live Births")	1	U		UNITS = EV (1, UCUM, "no units")
10	>	CONTAINS	NUM	EV (111593, DCM, "LBW or IUGR")	1	U		UNITS = EV (1, UCUM, "no units")
11	>	CONTAINS	NUM	EV (11996-6, LN, "Gravida")	1	U		UNITS = EV (1, UCUM, "no units")
12	>	CONTAINS	NUM	EV (11612-9, LN, "Aborta")	1	U		UNITS = EV (1, UCUM, "no units")
13	>	CONTAINS	NUM	EV (33065-4, LN, "Ectopic Pregnancies")	1	U		UNITS = EV (1, UCUM, "no units")
14	>	CONTAINS	NUM	EV (111520, DCM, "Age at Menopause")	1	U		UNITS = EV (a, UCUM, "Year")
15	>	CONTAINS	NUM	EV (111521, DCM, "Age when hysterectomy performed")	1	U		UNITS = EV (a, UCUM, "Year")
16	>>	HAS CONCEPT MOD	CODE	EV (R-404ED , SRT255590007 , SCT, "Extent")	1	U		EV (R-404F1 , SRT255594003 , SCT, "Complete") EV (R-404FE , SRT255609007 , SCT, "Partial")
17	>	CONTAINS	NUM	EV (111522, DCM, "Age when left ovary removed")	1	U		UNITS = EV (a, UCUM, "Year")
18	>	CONTAINS	NUM	EV (111523, DCM, "Age when right ovary removed")	1	U		UNITS = EV (a, UCUM, "Year")
19	>	CONTAINS	CODE	EV (111543, DCM, "Breast feeding history")	1	U		DCID 230 "Yes-No"
20	>>	HAS PROPERTIES	NUM	EV (111544, DCM, "Average breast feeding period")	1	U		UNITS = EV (wk, UCUM, "Week")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
21	>	CONTAINS	CODE	EV (364320009, SCT, "Pregnancy observable")	1	U		DCID 6096 "Pregnancy Status"
22	>	CONTAINS	CODE	EV (111391, DCM, "Menstrual Cycle Phase")	1	U		DCID 6163 "Menstrual Cycle Phase"

TID 9002 Medication, Substance, Environmental Exposure

This general Template provides detailed information on a patient's medication or substance use, or exposure to environmental factors, including type and duration of use or exposure.

Table TID 9002. Parameters

Parameter Name	Parameter Usage
\$ContainerConcept	Coded term for the concept name of the CONTAINER, identifying it as medication, substance, or environmental exposure history.
\$CodeConcept	Coded term for the concept name of the CODE, identifying it as medication, substance, or environmental exposure.
\$CodeValue	Coded term or Context Group for value of the medication, substance, or environmental exposure.
\$Classification	Coded term or Context Group for classification of the medication, substance, or environmental exposure.
\$Route	Coded term or Context Group for the route of administration of the medication, substance, or route of environmental exposure.
\$Site	Coded term or Context Group for the anatomical site of administration of the medication, substance, or anatomical site of environmental exposure.

Type: Extensible
Order: Significant
Root: No

Table TID 9002. Medication, Substance, Environmental Exposure

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	\$ContainerConcept	1	M		
2	>	CONTAINS	CODE	\$CodeConcept	1-n	M		\$CodeValue
3	>>	HAS CONCEPT MOD	CODE	EV (G-C032, SRT278201002, SCT, "Classification")	1	U		\$Classification
4	>>	HAS OBS CONTEXT	CODE	EV (111534, DCM, "Role of person reporting")	1	U		DCID 7450 "Person Roles"
5	>>	HAS PROPERTIES	NUM	EV (111524, DCM, "Age Started")	1	U		DCID 7456 "Units of Measure for Age"
6	>>	HAS PROPERTIES	NUM	EV (111525, DCM, "Age Ended")	1	U		DCID 7456 "Units of Measure for Age"
7	>>	HAS PROPERTIES	DATETIME	EV (111526, DCM, "DateTime Started")	1	U		
8	>>	HAS PROPERTIES	DATETIME	EV (111527, DCM, "DateTime Ended")	1	U		
9	>>	HAS PROPERTIES	NUM	EV (G-7290, SRT103335007, SCT, "Duration")	1	U		UNITS = DCID 6046 "Units of Follow-up Interval"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10	>>	HAS PROPERTIES	CODE	EV (111528, DCM, "Ongoing")	1	U		DCID 230 "Yes-No"
11	>>	HAS PROPERTIES	TEXT	EV (111529, DCM, "Brand Name")	1	U		
12	>>	HAS PROPERTIES	NUM	DCID 6092 "Quantitative Concepts for Usage, Exposure"	1	U		The unit of measure shall be quantity per unit of time
13	>>	HAS PROPERTIES	CODE	DCID 6093 "Qualitative Concepts for Usage, Exposure Amount"	1	U		DCID 6090 "Relative Usage, Exposure Amount"
14	>>	HAS PROPERTIES	CODE	DCID 6094 "Qualitative Concepts for Usage, Exposure Frequency"	1	U		DCID 6091 "Relative Frequency of Event Values"
15	>>	HAS PROPERTIES	CODE	EV (G-C340, SRT410675002, SCT, "Route of administration")	1	U		\$Route
16	>>>	HAS PROPERTIES	CODE	EV (G-C581, SRT272737002, SCT, "Site of")	1	U		\$Site
17	>>>>	HAS CONCEPT MOD	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	MC	IF Row 16 has laterality	DCID 244 "Laterality"

Content Item Descriptions

Row 3	Classification is mapped in UMLS to (C0008902, UMLS, "Classification"). Its definition is completely generic; i.e., it does not refer to any particular type of classification.
Rows 13 & 14	If both of these Content Items are instantiated, the concept names selected for each should match. For example, use "Relative dose amount" as the concept name for row 13 with "Relative dose frequency" as the concept name for row 14.
Row 15	Even though the concept name is route of administration, it is also used for route of exposure in the case of environmental exposure.
Rows 16 and 17	This pattern of route with a site and laterality modifier follows that used in TID 10022 "Radiopharmaceutical Administration Event Data".

TID 9003 Previous Procedure

This general Template provides detailed information on a patient's previous procedure, surgery, or treatment.

Table TID 9003. Parameters

Parameter Name	Parameter Usage
\$ProcedureList	Coded term or Context Group for value of Previous Procedure
\$ProcedureModifier	Coded term or Context Group for value of Previous Procedure Modifier
\$NumConceptName	Coded term or Context Group for the concept name of a numeric property of the Previous Procedure
\$LateralityValue	Coded term or Context Group for value of Laterality
\$ProcedureResult	Coded term or Context Group for value of Result of Procedure
\$ComplicationValue	Coded term or Context Group for value of Complication

Type: Extensible

Order: Significant
Root: No

Table TID 9003. Previous Procedure

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111513, DCM, "Relevant Previous Procedures")	1	M		
2	>	CONTAINS	CODE	EV (111531, DCM, "Previous Procedure")	1-n	M		\$ProcedureList
3	>>	HAS CONCEPT MOD	CODE	EV (111464, DCM, "Procedure Modifier")	1-n	U		\$ProcedureModifier
4	>>	HAS OBS CONTEXT	CODE	EV (111534, DCM, "Role of person reporting")	1	U		DCID 7450 "Person Roles"
5	>>	HAS PROPERTIES	NUM	\$NumConceptName	1-n	U		
6	>>	HAS PROPERTIES	CODE	EV (G-6171 , SRT272741003 , SCT , "Laterality")	1	U		\$LateralityValue
7	>>	HAS PROPERTIES	DATETIME	EV (122146, DCM, "Procedure DateTime")	1	UC	XOR row 8	
8	>>	HAS PROPERTIES	CODE	EV (111395, DCM, "Estimated Timeframe")	1	UC	XOR row 7	BCID 6164 "Time Intervals"
9	>>	HAS PROPERTIES	NUM	EV (R-42009 , SRT246432004 , SCT , "Number of occurrences")	1	U		UNITS = EV (1, UCUM, "no units")
10	>>	HAS PROPERTIES	CODE	EV (DD-60002 , SRT116224001 , SCT , "Complication of procedure")	1-n	U		\$ComplicationValue
11	>>>	HAS PROPERTIES	CODE	EV (111466, DCM, "Severity of Complication")	1	U		DCID 251 "Severity of Complication"
12	>>	HAS PROPERTIES	CODE	EV (122177, DCM, "Procedure Result")	1	U		\$ProcedureResult
13	>>	HAS PROPERTIES	INCLUDE	DTID 4207 "Breast Imaging Pathology Results"	1-n	U		

TID 9004 Indicated Problem

This general Template provides information about indicated problems presented by a patient. For example, indicated breast problems relating to the purpose for a mammographic examination.

Table TID 9004. Parameters

Parameter Name	Parameter Usage
\$ProblemList	Coded term or Context Group for value of Indicated Problem
\$LateralityValue	Coded term or Context Group for value of Laterality
\$LocationValue	Coded term or Context Group for value of Location

Type: Extensible
Order: Significant
Root: No

Table TID 9004. Indicated Problem

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (11450-4, LN, "Problem List")	1	M		
2	>	CONTAINS	CODE	EV (111533, DCM, "Indicated Problem")	1-n	M		\$ProblemList
3	>>	HAS OBS CONTEXT	CODE	EV (111534, DCM, "Role of person reporting")	1	U		DCID 7450 "Person Roles"
4	>>	HAS OBS CONTEXT	DATETIME	EV (111535, DCM, "DateTime problem observed")	1	U		
5	>>	HAS PROPERTIES	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	U		\$LateralityValue
6	>>	HAS PROPERTIES	CODE	EV (G-C0E3, SRT363698007, SCT, "Finding site")	1	U		\$LocationValue
7	>>	HAS PROPERTIES	NUM	EV (G-7290, SRT103335007, SCT, "Duration")	1	U		
8	>>	HAS PROPERTIES	CODE	EV (R-407E7, SRT272123002, SCT, "Frequency")	1	U		DCID 6091 "Relative Frequency of Event Values"
9	>>	HAS PROPERTIES	DATETIME	EV (111536, DCM, "DateTime of last evaluation")	1	U		
10	>>	HAS PROPERTIES	TEXT	EV (121106, DCM, "Comment")	1	U		

TID 9005 Risk Factor

This general Template provides detailed information on the risk factors for a patient, related to medical history for themselves and family members.

Table TID 9005. Parameters

Parameter Name	Parameter Usage
\$RiskList	Coded term or Context Group for value of Risk Factor
\$FamilyList	Coded term or Context Group for value of Family Member with Risk Factor

Type: Extensible
Order: Significant
Root: No

Table TID 9005. Risk Factor

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111515, DCM, "Relevant Risk Factors")	1	M		
2	>	CONTAINS	CODE	EV (F-01500, SRT80943009, SCT, "Risk factor")	1-n	M		\$RiskList
3	>>	HAS CONCEPT MOD	CODE	EV (111530, DCM, "Risk Factor modifier")	1	U		EV (G-0002, SRT57177007, SCT, "Family history of")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>>	HAS PROPERTIES	NUM	EV (18185-9, LN, "Gestational Age")	1	UC	IFF value of row 2 is (G-0305, SRT161765003, SCT, "History of - premature delivery")	
5	>>	HAS OBS CONTEXT	CODE	EV (111534, DCM, "Role of person reporting")	1	U		DCID 7450 "Person Roles"
6	>>	HAS PROPERTIES	NUM	EV (111538, DCM, "Age at Occurrence")	1	U		UNITS = EV (a, UCUM, "Year")
7	>>	HAS PROPERTIES	NUM	EV (G-7290, SRT103335007, SCT, "Duration")	1	U		UNITS = DCID 6046 "Units of Follow-up Interval"
8	>>	HAS PROPERTIES	TEXT	EV (121106, DCM, "Comment")	1	U		
9	>>	INFERRED FROM	CODE	EV (111537, DCM, "Family Member with Risk Factor")	1-n	U		\$FamilyList
10	>>>	HAS PROPERTIES	NUM	EV (111538, DCM, "Age at Occurrence")	1	U		UNITS = EV (a, UCUM, "Year")
11	>>>	HAS CONCEPT MOD	CODE	EV (111539, DCM, "Menopausal phase")	1	U		DCID 6086 "Menopausal Phase"
12	>>>	HAS CONCEPT MOD	CODE	EV (111540, DCM, "Side of Family")	1	U		DCID 6097 "Side of Family"

TID 9006 Obstetric History

This general Template collects the details of a patient's obstetric history for a current pregnancy. Information regarding previous pregnancies is conveyed using the Gynecological History Template.

Type: Extensible
Order: Significant
Root: No

Table TID 9006. Obstetric History

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (R-20658, SRT248983002, SCT, "Obstetric History")	1	M		
2	>	CONTAINS	DATE	DCID 12003 "OB-GYN Dates"	1-n	U		
3	>	CONTAINS	NUM	EV (18185-9, LN, "Gestational Age")	1	U		UNITS = EV (d, UCUM, "day")
4	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1-n	U		

Content Item Descriptions

Row 3 "Gestational Age"	Observation DateTime (0040,A032) for Content Item shall be present, in order to convey the date and time at which this Gestational Age was established.
-------------------------	---

TID 9007 General Relevant Patient Information

This Template collects a patient's relevant information for general purpose use. This Template, together with its subordinate Templates, describes the history of a patient's reproductive system, medications, substance use, environmental exposure, past procedures, risk factors, and indicated problems.

Type: Extensible
Order: Significant
Root: No

Table TID 9007. General Relevant Patient Information

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (111517, DCM, "Relevant Patient Information")	1	M		
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	CONTAINS	INCLUDE	DTID 3114 "Patient Assessment"	1	U		
4	>	CONTAINS	INCLUDE	DTID 9002 "Medication, Substance, Environmental Exposure"	1	U		\$ContainerConcept = EV (10160-0, LN, "History Of Medication Use") \$CodeConcept = EV (111516, DCM, "Medication Type")
5	>	CONTAINS	INCLUDE	DTID 9002 "Medication, Substance, Environmental Exposure"	1	U		\$ContainerConcept = EV (111545, DCM, "Substance Use History") \$CodeConcept = EV (111546, DCM, "Used Substance Type") \$CodeValue = BCID 6089 "Substances"
6	>	CONTAINS	INCLUDE	DTID 9002 "Medication, Substance, Environmental Exposure"	1	U		\$ContainerConcept = EV (111547, DCM, "Environmental Exposure History") \$CodeConcept = EV (111548, DCM, "Environmental Factor")
7	>	CONTAINS	INCLUDE	DTID 9003 "Previous Procedure"	1	U		\$LateralityValue = BCID 244 "Laterality"
8	>	CONTAINS	INCLUDE	DTID 9004 "Indicated Problem"	1	U		\$LateralityValue = BCID 244 "Laterality"
9	>	CONTAINS	INCLUDE	DTID 9005 "Risk Factor"	1	U		\$RiskList = BCID 6087 "General Risk Factors" \$FamilyList = DCID 7451 "Family Member"
10	>	CONTAINS	INCLUDE	DTID 9001 "Gynecological History"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
11	>	CONTAINS	INCLUDE	DTID 9006 "Obstetric History"	1	U		
12	>	CONTAINS	INCLUDE	DTID 3802 "Cardiovascular Patient History"	1	U		
13	>	CONTAINS	INCLUDE	DTID 351 "Previous Reports"	1	U		

X-Ray Radiation Dose SR IOD Templates

The Templates that comprise the X-Ray Radiation Dose SR are interconnected as in Figure A-14.




Figure A-14. X-Ray Radiation Dose SR IOD Template Structure

TID 10001 Projection X-Ray Radiation Dose

This Template defines a container (the root) with subsidiary Content Items, each of which represents a single projection X-Ray irradiation event entry or plane-specific dose accumulations. There is a defined recording observer (the system or person responsible for recording the log, generally the system). A Biplane irradiation event will be recorded as two individual events, one for each plane. Accumulated values will be kept separate for each plane.

Type: Extensible
Order: Non-Significant
Root: Yes

Table TID 10001. Projection X-Ray Radiation Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113701, DCM, "X-Ray Radiation Dose Report")	1	M		Root node
1b	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		DT (113704, DCM, "Projection X-Ray") DT (P5-40010, SRT71651007, SCT, "Mammography")
3	>>	HAS CONCEPT MOD	CODE	EV (G-C0E8, SRT363703001, SCT, "Has Intent")	1	M		DCID 3629 "Procedure Intent"
4	>	CONTAINS	CODE	EV (122142, DCM, "Acquisition Device Type")	1	U		DCID 10032 "Projection X-Ray Acquisition Device Types"
5	>		INCLUDE	DTID 1002 "Observer Context"	1-n	M		
6	>	HAS OBS CONTEXT	CODE	EV (113705, DCM, "Scope of Accumulation")	1	M		DCID 10000 "Scope of Accumulation"
7	>>	HAS PROPERTIES	UIDREF	DCID 10001 "UID Types"	1	M		
8	>	CONTAINS	CODE	EV (113945, DCM, "X-Ray Detector Data Available")	1	U		DCID 230 "Yes-No"
9	>	CONTAINS	CODE	EV (113943, DCM, "X-Ray Source Data Available")	1	U		DCID 230 "Yes-No"
10	>	CONTAINS	CODE	EV (113944, DCM, "X-Ray Mechanical Data Available")	1	U		DCID 230 "Yes-No"
11	>	CONTAINS	INCLUDE	DTID 10002 "Accumulated X-Ray Dose"	1	MC	IFF Single Plane system	\$Plane = EV (113622, DCM, "Single Plane")
12	>	CONTAINS	INCLUDE	DTID 10002 "Accumulated X-Ray Dose"	1	MC	IFF Biplane system	\$Plane = EV (113620, DCM, "Plane A")
13	>	CONTAINS	INCLUDE	DTID 10002 "Accumulated X-Ray Dose"	1	MC	IFF Biplane system	\$Plane = EV (113621, DCM, "Plane B")
14	>	CONTAINS	INCLUDE	DTID 10003 "Irradiation Event X-Ray Data"	1-n	MC	IF any of the values of TID (10001) Row 18 are not (113858, DCM, "MPPS Content"), (113866, DCM, "Copied From Image Attributes") or (113867, DCM, "Computed From Image Attributes")	
15	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
16	>	CONTAINS	IMAGE	EV (121342, DCM, "Dose Image")	1-n	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
17	>	CONTAINS	INCLUDE	DTID 1020 "Person Participant"	1	U		\$PersonProcedureRole = EV (113850, DCM, "Irradiation Authorizing")
18	>	CONTAINS	CODE	EV (113854, DCM, "Source of Dose Information")	1-n	M		DCID 10020 "Source of Projection X-Ray Dose Information"

Content Item Descriptions

Row 2	<p>"Projection X-Ray" refers to procedures performed on either integrated equipment (where information is passed between the X-Ray source (generator and tube), detector, and mechanical systems), or non-integrated equipment (where data might not be available for one or more components such as cassette-based systems). The data availability can be described in Rows 8, 9 and 10. The specific type of equipment can be described in Row 4.</p> <p>The coded term for "Mammography" is intended to encompass all types of projection X-Ray imaging of the breast.</p> <p>Note</p> <p>Mammography exams are distinguished by a different value in this attribute, Angiography exams are distinguished by the Irradiation Event Type attribute = Fluoroscopy, CR/DR exams are distinguished by one or more of the Data Availability Flags = No, and CT exams are distinguished by the use of a different Template.</p>
Row 5	The observer context may include both a Person Observer identification, as well as the identity of the equipment providing the values for the irradiation event (Device Observer identification), if not inherited.
Row 8	<p>A value of "No" indicates that details associated with the X-Ray Detector are not available to the device generating this report. For example, an X-Ray Source system might lack any communication with the associated cassette-based X-Ray detector or any method of entering such information.</p> <p>A value of "Yes" or the absence of this row means that the details are available.</p>
Row 9	<p>A value of "No" indicates that details associated with the X-Ray Source are not available to the device generating this report. For example, a cassette-based X-Ray detector might lack any communication with the associated X-Ray Source or any method of entering such information.</p> <p>A value of "Yes" or the absence of this row means that the details are available.</p>
Row 10	<p>A value of "No" indicates that details associated with the Gantry and/or Table are not available to the device generating this report. For example, a cassette-based X-Ray detector might lack any communication with the associated gantry/table or any method of entering such information.</p> <p>A value of "Yes" or the absence of this row means that the details are available.</p>
Row 11	Cassette-based X-Ray systems should consider themselves to be Single Plane systems.
Row 14	Details of the underlying irradiation events. If Row 18 has a value of "MPPS Content" then a TID 10003 "Irradiation Event X-Ray Data" item may be generated for each item in the MPPS Exposure Dose Sequence (0040,030E), but since this is an optional element in MPPS, if it is absent, empty or incomplete, there may be no irradiation event level information available. Alternatively, the information may be copied or computed from the images.
Row 16	The Dose Image references a graphic representation of the radiation dose distribution. This may be a Secondary Capture scan of a dosimetry film.
Row 17	The physician responsible for determining that the irradiating procedure was appropriate for the indications. The value may come from Requesting Physician (0032,1032), Requesting Physician Identification Sequence (0032,1031) or somewhere else based on hospital policies.
Row 18	The primary source of information from which this dose object was constructed. The Source of Dose Information (Row 18) is independent of the Scope Of Accumulation (Row 6); e.g., it would be typical to have a scope of (113016, DCM, "Performed Procedure Step"), but a source of (113856, DCM, "Automated Data Collection") rather than (113858, DCM, "MPPS Content").

TID 10002 Accumulated X-Ray Dose

This general Template provides detailed information on projection X-Ray dose value accumulations over several irradiation events from the same equipment (typically a study or a performed procedure step).

Table TID 10002. Parameters

Parameter Name	Parameter Usage
\$Plane	Coded term identifying to which acquisition plane the encoded information belongs.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10002. Accumulated X-Ray Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113702, DCM, "Accumulated X-Ray Dose Data")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (113764, DCM, "Acquisition Plane")	1	M		\$Plane
3	>	CONTAINS	CONTAINER	EV (122505, DCM, "Calibration")	1-n	MC	IFF Calibration Data is available	
4	>>	HAS CONCEPT MOD	CODE	EV (113794, DCM, "Dose Measurement Device")	1	M		DCID 10010 "Dose Measurement Devices"
5	>>	CONTAINS	DATETIME	EV (113723, DCM, "Calibration DateTime")	1	M		
6	>>	CONTAINS	NUM	EV (122322, DCM, "Calibration Factor")	1	M		UNITS = EV (1, UCUM, "no units")
7	>>	CONTAINS	NUM	EV (113763, DCM, "Calibration Uncertainty")	1	M		UNITS = EV (% , UCUM, "Percent")
8	>>	CONTAINS	TEXT	EV (113724, DCM, "Calibration Responsible Party")	1	M		
9	>>	CONTAINS	TEXT	EV (113720, DCM, "Calibration Protocol")	1	U		
10	>	CONTAINS	INCLUDE	DTID 10004 "Accumulated Fluoroscopy and Acquisition Projection X-Ray Dose"	1	MC	IFF TID 10001 Row 4 = (113957, DCM, "Fluoroscopy-Guided Projection Radiography System") or TID 10001 Row 2 = (113704, DCM, "Projection X-Ray") and TID 10001 Row 4 is absent)	
11	>	CONTAINS	INCLUDE	DTID 10005 "Accumulated Mammography X-Ray Dose"	1	MC	IFF TID 10001 Row 2 = (P5-40010; SRT71651007, SCT, "Mammography")	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12	>	CONTAINS	INCLUDE	DTID 10007 "Accumulated Total Projection Radiography Dose"	1	MC	IFF TID 10001 Row 4 = (113958, DCM, "Integrated Projection Radiography System") or TID (10001) Row 4 = (113957, DCM, "Fluoroscopy-Guided Projection Radiography System") or TID (10001) Row 2 = (113704, DCM, "Projection X-Ray") and TID (10001) Row 4 is absent)	
13	>	CONTAINS	INCLUDE	DTID 10006 "Accumulated Cassette-based Projection Radiography Dose"	1	MC	IFF TID 10001 Row 4 = (113959, DCM, "Cassette-based Projection Radiography System")	
14	>	CONTAINS	INCLUDE	DTID 1021 "Device Participant"	1	MC	Required if the irradiating device is not the recording device and the dose was accumulated on a single device.	\$DeviceProcedureRole = EV (113859, DCM, "Irradiating Device")
15	>	CONTAINS	CODE	EV (128750, DCM, "Equipment Landmark")	1	U		EV (128751, DCM, "Center of Table Head")
16	>>	HAS PROPERTIES	NUM	EV (128752, DCM, "Equipment Landmark X Position")	1	M		UNITS = EV (mm, UCUM, "mm")
17	>>	HAS PROPERTIES	NUM	EV (128753, DCM, "Equipment Landmark Z Position")	1	M		UNITS = EV (mm, UCUM, "mm")
18	>	CONTAINS	CONTAINER	EV (128754, DCM, "Patient Location Fiducial")	1-n	U		
19	>>	CONTAINS	INCLUDE	DTID 400 "Reference Location"	1	M		
20	>>	HAS PROPERTIES	NUM	EV (128756, DCM, "Equipment Landmark to Patient Fiducial Z Distance")	1	M		UNITS = EV (mm, UCUM, "mm")

Content Item Descriptions

Row 5	Date that the calibration of the equipment's dose indicators was performed
Row 6	<p>Typically a value provided by the medical physicist. The recorded dose or dose area product values in this report can be multiplied by this factor to obtain estimated real-world values.</p> <p>Note</p> <p>It is important that this value must not be applied to the measured values before storing them in the report.</p>

Row 7	Value range from 0 to 100 percent. Uncertainty of the 'actual' value expressed as+/- of the mean.
Row 8	Identifies Individual or organization responsible for calibration
Row 9	Describes calibration protocol according to equipment standards or local guidelines.
Row 14	The device that produced the irradiation accumulated in this Template. I.e., the X-Ray source. This is not required to be present if the information is the same as that already recorded in TID 1004 "Device Observer Identifying Attributes" encoded via the inclusion of TID 1002 "Observer Context" in TID 10001 "Projection X-Ray Radiation Dose" Row 5, which in turn may be absent if identical to the content in the Enhanced General Equipment Module, or if more than one device produced the accumulated irradiation.
Rows 16 and 17	These coordinates relate a visible landmark on the X-Ray table to the Table Reference Point that is arbitrarily defined by the manufacturer and not necessarily visible to the operator. The Equipment Landmark Y Position is not recorded since it is, by definition, in the plane of the table as is the origin of the Table Coordinate System so the value would always be zero.
Row 19	In many instances, the values will be either: <ul style="list-style-type: none"> EV (128772, DCM, "Reference Basis") [1360] = (T-D1120, SRT88986008, SCT, "Vertex of Head") with EV (128773, DCM, "Reference Geometry") [1360] = (128120, DCM, "Plane through Superior Extent") [1345], or EV (128772, DCM, "Reference Basis") [1360] = (T-D9700, SRT56459004, SCT, "Foot") with EV (128773, DCM, "Reference Geometry") [1360] = (128121, DCM, "Plane through Inferior Extent") [1345]
Row 20	This distance (likely recorded by the operator) locates the patient with respect to an X-Ray table landmark. The patient is assumed to be centered in the left-right axis of the X-Ray table.

TID 10003 Irradiation Event X-Ray Data

This Template conveys the dose and equipment parameters of a single irradiation event.

The Template and requirements are structured to consider equipment with various levels of integration between the components (X-Ray Source, Plate or Detector, and Gantry/Table) of the equipment.

An irradiation event is the loading of X-Ray equipment caused by a single continuous actuation of the equipment's irradiation switch, from the start of the loading time of the first pulse until the loading time trailing edge of the final pulse. The irradiation event is the "smallest" information entity to be recorded in the realm of Radiation Dose reporting. Individual Irradiation Events are described by a set of accompanying physical parameters that are sufficient to understand the "quality" of irradiation that is being applied. This set of parameters may be different for the various types of equipment that are able to create irradiation events. Any automatic on-off switching of the irradiation source during the event shall not be treated as separate events, rather the event includes the time between start and stop of irradiation as triggered by the user. E.g., a pulsed fluoro X-Ray acquisition shall be treated as a single irradiation event.

As described in Section 6.2.4, measurement concepts may be post-coordinated, even though not explicitly specified in the Template. In particular, post-coordination using modifier concept (121401, DCM, "Derivation"), with modifier values drawn from CID 10009 "Measured/Calculated" would be appropriate to encode indications of measured or of calculated values.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10003. Irradiation Event X-Ray Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113706, DCM, "Irradiation Event X-Ray Data")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (113764, DCM, "Acquisition Plane")	1	M		DCID 10003 "Equipment Plane Identification"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
3	>	CONTAINS	UIDREF	EV (113769, DCM, "Irradiation Event UID")	1	M		
4	>	CONTAINS	TEXT	EV (113605, DCM, "Irradiation Event Label")	1	U		
5	>>	HAS CONCEPT MOD	CODE	EV (113606, DCM, "Label Type")	1	MC	IF the value of Row 4 is the value of an Attribute in the images.	DCID 10022 "Label Types"
6	>	CONTAINS	DATETIME	DT (111526, DCM, "DateTime Started")	1	M		
7	>	CONTAINS	CODE	EV (113721, DCM, "Irradiation Event Type")	1	M		DCID 10002 "Irradiation Event Types"
8	>	CONTAINS	TEXT	EV (125203, DCM, "Acquisition Protocol")	1	U		
11	>	CONTAINS	CODE	EV (111031, DCM, "Image View")	1	U		DCID 4010 "DX View" DCID 4014 "View for Mammography"
12	>>	HAS CONCEPT MOD	CODE	EV (111032, DCM, "Image View Modifier")	1-n	U		DCID 4011 "DX View Modifier" DCID 4015 "View Modifier for Mammography"
13	>>	CONTAINS	CODE	EV (113946, DCM, "Projection Eponymous Name")	1	U		DCID 4012 "Projection Eponymous Name"
14	>	CONTAINS	CODE	EV (113745, DCM, "Patient Table Relationship")	1	U		DCID 21 "Patient Equipment Relationship"
15	>	CONTAINS	CODE	EV (113743, DCM, "Patient Orientation")	1	U		DCID 19 "Patient Orientation"
16	>>	HAS CONCEPT MOD	CODE	EV (113744, DCM, "Patient Orientation Modifier")	1	M		DCID 20 "Patient Orientation Modifier"
17	>	CONTAINS	CODE	EV (123014, DCM, "Target Region")	1	M		DCID 4031 "Common Anatomic Regions"
17b	>>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT 272741003, SCT, "Laterality")	1	UC	If anatomy is bi-lateral	DCID 244 "Laterality"
18	>	CONTAINS	NUM	EV (122130, DCM, "Dose Area Product")	1	MC	IFF TID 10001 Row 2 = (113704, DCM, "Projection X-Ray")	UNITS = EV (Gy.m2, UCUM, "Gy.m2")
19	>	CONTAINS	NUM	EV (111634, DCM, "Half Value Layer")	1	U		UNITS = EV (mm, UCUM, "mm")
20	>	CONTAINS	NUM	EV (111638, DCM, "Patient Equivalent Thickness")	1	U		UNITS = EV (mm, UCUM, "mm")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
21	>	CONTAINS	NUM	EV (111636, DCM, "Entrance Exposure at RP")	1	MC	IF TID 10001 Row 2 = (P5-40040 , SRT71651007 , SCT, "Mammography") and (TID (10001) Row 9 is absent or value is (R-0038D , SRT373066001 , SCT, "Yes")) and (TID (10001) Row 10 is absent or value is (R-0038D , SRT373066001 , SCT, "Yes"))	UNITS = EV (mGy, UCUM, "mGy")
22	>	CONTAINS	TEXT	EV (113780, DCM, "Reference Point Definition")	1	MC	IF Row 21 is present and Row 23 is not present	
23	>	CONTAINS	CODE	EV (113780, DCM, "Reference Point Definition")	1	MC	IF Row 21 is present and Row 22 is not present	DCID 10025 "Radiation Dose Reference Points"
24	>	CONTAINS	INCLUDE	DTID 4007 "Mammography CAD Breast Composition"	1	U		
25	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
26	>	CONTAINS	INCLUDE	DTID 1020 "Person Participant"	1-n	U		\$PersonProcedureRole = EV (113851, DCM, "Irradiation Administering")
27	>	CONTAINS	INCLUDE	DTID 10003A "Irradiation Event X-Ray Detector Data"	1	MC	IFF TID 10001 Row 8 is absent or has a value of (R-0038D , SRT373066001 , SCT, "Yes")	
28	>	CONTAINS	INCLUDE	DTID 10003B "Irradiation Event X-Ray Source Data"	1	MC	IFF TID 10001 Row 9 is absent or has a value of (R-0038D , SRT373066001 , SCT, "Yes")	
29	>	CONTAINS	INCLUDE	DTID 10003C "Irradiation Event X-Ray Mechanical Data"	1	MC	IFF TID 10001 Row 10 is absent or has a value of (R-0038D , SRT373066001 , SCT, "Yes")	

Content Item Descriptions

Row 3	<p>If the image generating entity does not assign a DICOM UID to the irradiation event (e.g., for non-digital imaging equipment), the application generating this report shall assign a UID.</p> <p>In the case of non-integrated cassette-based equipment, a standalone Detector will generate UIDs for the Events it observes. If the X-Ray Source component of the equipment also reports information, it too will generate UIDs for the Events it creates. A downstream system (e.g., a workstation or the Dose Information Reporter itself) may combine the two reports into a composite report, and match up the events based on details such as the time information, and use the UIDs of the X-Ray Source.</p>
Row 6	The DateTime that the application of X-Rays started for this irradiation event. This shall correspond to the start of the first irradiation in the Irradiation Event, which defines the starting point for the calculation of Row 36 "Irradiation Duration".
Row 17	The target region is the anatomy exposed.
Row 17b	Previously, a CODE content item (T-D0005 , SRT91723000 , SCT , "Anatomical structure") along with CODE concept modifier (G-C171 , SRT272741003 , SCT , "Laterality") were used to identify bilateral anatomy. This duplicated the function of Row 17 and was retired. See PS3.16 2017c.
Row 21	A text definition of the Reference Point (RP) used for RP-related dose values.
Row 22	A coded definition of the Reference Point (RP) used for RP-related dose values
Row 26	People responsible for the administration of the radiation reported in the irradiation event. May include values that would appear in Performing Physicians' Name (0008,1050), Performing Physician Identification Sequence (0008,1052), Operators' Name (0008,1070) and/or Operator Identification Sequence (0008,1072).

TID 10003A Irradiation Event X-Ray Detector Data

This Template contains data that is expected to be available to the X-Ray detector or plate reader component of the equipment.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10003A. Irradiation Event X-Ray Detector Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	EV (113845, DCM, "Exposure Index")	1	MC	IF the value is displayable to the X-Ray system operator.	UNITS = EV (1, UCUM, "no units")
2			NUM	EV (113846, DCM, "Target Exposure Index")	1	MC	IF the value is displayable to the X-Ray system operator.	UNITS = EV (1, UCUM, "no units")
3			NUM	EV (113847, DCM, "Deviation Index")	1	MC	IF the value is displayable to the X-Ray system operator.	UNITS = EV (1, UCUM, "no units")
4			INCLUDE	DTID 1021 "Device Participant"	1	U		\$DeviceProcedureRole = EV (113942, DCM, "X-Ray Reading Device")
5			IMAGE	EV (113795, DCM, "Acquired Image")	1-n	MC	IFF Image Object is created for this irradiation event	

Content Item Descriptions

Row 4	The device that read the detector of this Irradiation Event. E.g., the CR Plate Reader.
-------	---

Row 5	Reference to Image instances created during this event, if any. The UID reference(s) provided here shall be the values at the time the images were initially created. (Note that image UIDs may be changed as the images are managed over a long term.)
-------	---

TID 10003B Irradiation Event X-Ray Source Data

This Template contains data that is expected to be available to the X-Ray source component of the equipment.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10003B. Irradiation Event X-Ray Source Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	EV (113738, DCM, "Dose (RP) ")	1	MC	IF TID 10001 Row 2 = (113704, DCM, "Projection X-Ray") AND any of the values of TID (10001) Row 18 are not (113858, DCM, "MPPS Content")	UNITS = EV (Gy, UCUM, "Gy")
2			TEXT	EV (113780, DCM, "Reference Point Definition")	1	MC	IF Row 1 is present and Row 3 is not present	
3			CODE	EV (113780, DCM, "Reference Point Definition")	1	MC	IF Row 1 is present and Row 2 is not present	DCID 10025 "Radiation Dose Reference Points"
4			NUM	EV (111631, DCM, "Average Glandular Dose")	1	MC	IFF TID 10001 Row 2 = (P5-40010; SRT71651007, SCT, "Mammography")	UNITS = EV (mGy, UCUM, "mGy")
5			CODE	EV (113732, DCM, "Fluoro Mode")	1	UC	IFF TID 10003 Row 7 value = (P5-06000; SRT44491008, SCT, "Fluoroscopy")	DCID 10004 "Fluoro Modes"
6			NUM	EV (113791, DCM, "Pulse Rate")	1	MC	IFF Row 5 value = (113631, DCM, "Pulsed")	UNITS = EV ({pulse}/s, UCUM, "pulse/s")
7			NUM	EV (113768, DCM, "Number of Pulses")	1	MC	IFF Row 5 is not present or Row 5 is present and equals (113631, DCM, "Pulsed")	UNITS = EV (1, UCUM, "no units")
8	>	HAS CONCEPT MOD	CODE	EV (121401, DCM, "Derivation")	1	MC	IFF count of pulses in Row 7 is estimated	EV (R-10260; SRT414135002, SCT, "Estimated")
9			NUM	EV (113793, DCM, "Pulse Width")	1-n	U		UNITS = EV (ms, UCUM, "ms")
10			NUM	EV (113742, DCM, "Irradiation Duration")	1	U		UNITS = EV (s, UCUM, "s")
11			NUM	EV (113733, DCM, "KVP")	1-n	M		UNITS = EV (kV, UCUM, "kV")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12			NUM	EV (113734, DCM, "X-Ray Tube Current")	1-n	MC	IF Row 15 is not present	UNITS = EV (mA, UCUM, "mA")
13			NUM	EV (113767, DCM, "Average X-Ray Tube Current")	1	U		UNITS = EV (mA, UCUM, "mA")
14			NUM	EV (113824, DCM, "Exposure Time")	1	MC	IF Row 15 is not present	UNITS = EV (ms, UCUM, "ms")
15			NUM	EV (113736, DCM, "Exposure")	1-n	MC	IF Row 12 or 14 is not present	UNITS = EV (uA.s, UCUM, "uA.s")
16			NUM	EV (113766, DCM, "Focal Spot Size")	1	U		UNITS = EV (mm, UCUM, "mm")
17			CODE	EV (111632, DCM, "Anode Target Material")	1	U		DCID 10016 "Anode Target Material"
18			CONTAINER	EV (113771, DCM, "X-Ray Filters")	1-n	U		
19	>	CONTAINS	CODE	EV (113772, DCM, "X-Ray Filter Type")	1	U		DCID 10007 "X-Ray Filter Types"
20	>	CONTAINS	CODE	EV (113757, DCM, "X-Ray Filter Material")	1	U		DCID 10006 "X-Ray Filter Materials"
21	>	CONTAINS	NUM	EV (113758, DCM, "X-Ray Filter Thickness Minimum")	1	U		UNITS = EV (mm, UCUM, "mm")
22	>	CONTAINS	NUM	EV (113773, DCM, "X-Ray Filter Thickness Maximum")	1	U		UNITS = EV (mm, UCUM, "mm")
23			NUM	EV (113790, DCM, "Collimated Field Area")	1	U		UNITS = EV (m2, UCUM, "m2")
24			NUM	EV (113788, DCM, "Collimated Field Height")	1	U		UNITS = EV (mm, UCUM, "mm")
25			NUM	EV (113789, DCM, "Collimated Field Width")	1	U		UNITS = EV (mm, UCUM, "mm")
26			CODE	EV (111635, DCM, "X-Ray Grid")	1-n	U		DCID 10017 "X-Ray Grid"
27			INCLUDE	DTID 1021 "Device Participant"	1	MC	Required if the irradiating device is not the recording device.	\$DeviceProcedureRole = EV (113859, DCM, "Irradiating Device")

Content Item Descriptions

Row 1	Dose applied by this irradiation event, relative to defined reference point.
Row 7	If a precise count of pulses is not available, an estimated number shall be provided, and the Row 8 Concept Modifier shall indicate "Estimated"
Row 9	Pulse width as measured/recorded by the system, either as a single total value, or as multiple values. If multiple values are provided, their number shall match the value in Row 7 "Number of Pulses".
Row 11	KVP value as measured/recorded by system, either as a single mean value, or as multiple values. If multiple values are provided, their number shall match the value in Row 7 "Number of Pulses".
Row 12	Tube current as measured/recorded by system, either as a single mean value, or as multiple values. If multiple values are provided, their number shall match the value in Row 7 "Number of Pulses".
Row 14	Exposure time as measured/recorded by the system.

Row 15	Exposure as measured/recorded by system, either as a single total value, or as multiple values. If multiple values are provided, their number shall match the value in Row 7 "Number of Pulses". The Exposure will be affected by the shape of the pulse and other factors, and may not be a simple multiplication of tube current and exposure time.
Row 18	If one or more Filter(s) were applied during this irradiation event
Row 23	Collimated area at the receptor plane.
Row 27	The device that produced the irradiation in this Irradiation Event. I.e., the X-Ray source. This is not required to be present if the information is the same as that already recorded in TID 1004 "Device Observer Identifying Attributes" encoded via the inclusion of TID 1002 "Observer Context" in TID 10001 "Projection X-Ray Radiation Dose" Row 5, which in turn may be absent if identical to the content in the Enhanced General Equipment Module.

TID 10003C Irradiation Event X-Ray Mechanical Data

This Template contains data that is expected to be available to the gantry or mechanical component of the equipment.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10003C. Irradiation Event X-Ray Mechanical Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (113956, DCM, "CR/DR Mechanical Configuration")	1	U		DCID 10031 "CR/DR Mechanical Configuration"
2			NUM	EV (112011, DCM, "Positioner Primary Angle")	1	UC	XOR Row 6	UNITS = EV (deg, UCUM, "deg")
3			NUM	EV (112012, DCM, "Positioner Secondary Angle")	1	UC	XOR Row 6	UNITS = EV (deg, UCUM, "deg")
4			NUM	EV (113739, DCM, "Positioner Primary End Angle")	1	UC	IFF TID 10003 Row 7 value = (113613, DCM, "Rotational Acquisition")	UNITS = EV (deg, UCUM, "deg")
5			NUM	EV (113740, DCM, "Positioner Secondary End Angle")	1	UC	IFF TID 10003 Row 7 value = (113613, DCM, "Rotational Acquisition")	UNITS = EV (deg, UCUM, "deg")
6			NUM	EV (113770, DCM, "Column Angulation")	1	UC	XOR Rows 2, 3	UNITS = EV (deg, UCUM, "deg")
7			NUM	EV (113754, DCM, "Table Head Tilt Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
8			NUM	EV (113755, DCM, "Table Horizontal Rotation Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
9			NUM	EV (113756, DCM, "Table Cradle Tilt Angle")	1	U		UNITS = EV (deg, UCUM, "deg")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
10			NUM	EV (111633, DCM, "Compression Thickness")	1	U		UNITS = EV (mm, UCUM, "mm")
10a			NUM	EV (111647, DCM, "Compression Force")	1	U		UNITS = EV (N, UCUM, "Newton")
10b			NUM	EV (111648, DCM, "Compression Pressure")	1	U		UNITS = EV (kPa, UCUM, "kilopascal")
10c			NUM	EV (111649, DCM, "Compression Contact Area")	1	U		UNITS = EV (mm2, UCUM, "mm2")
11			NUM	DCID 10008 "Dose Related Distance Measurements"	1-n	U		UNITS = EV (mm, UCUM, "mm")
12			NUM	EV (128757, DCM, "Positioner Isocenter Primary Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
13			NUM	EV (128758, DCM, "Positioner Isocenter Secondary Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
14			NUM	EV (128759, DCM, "Positioner Isocenter Detector Rotation Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
15			NUM	EV (128760, DCM, "Positioner Isocenter Primary End Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
16			NUM	EV (128761, DCM, "Positioner Isocenter Secondary End Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
17			NUM	EV (128762, DCM, "Positioner Isocenter Detector Rotation End Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
18			NUM	EV (128763, DCM, "Table Head Tilt End Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
19			NUM	EV (128764, DCM, "Table Horizontal Rotation End Angle")	1	U		UNITS = EV (deg, UCUM, "deg")
20			NUM	EV (128765, DCM, "Table Cradle Tilt End Angle")	1	U		UNITS = EV (deg, UCUM, "deg")

Content Item Descriptions

Row 2	Angle in patient's "equatorial" plane (LAO to RAO). For dynamically changing angle during the event, the start value shall be provided. Equivalent to (0018,1510) in an image instance.
Row 3	Angle in patient's "sagittal" plane (CRAN to CAUD). For dynamically changing angle during the event, the start value shall be provided. Equivalent to (0018,1511) in an image instance.
Row 4	In case of motion during irradiation event, Positioner Primary ending angle
Row 5	In case of motion during irradiation event., Positioner Secondary ending angle
Row 6	Column device Angle in equipment based coordinates
Rows 12 to 20	Refer to the definitions of the X-Ray Isocenter Reference System ("X-Ray Isocenter Reference System Macro" in PS3.3).

TID 10004 Accumulated Fluoroscopy and Acquisition Projection X-Ray Dose

This general Template provides detailed information on projection X-Ray dose value accumulations over several irradiation events from the same equipment (typically a study or a performed procedure step).

Type: Extensible
Order: Non-Significant

Root: No

Table TID 10004. Accumulated Fluoroscopy and Acquisition Projection X-Ray Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	EV (113726, DCM, "Fluoro Dose Area Product Total")	1	MC	IFF TID 10003 Row 7 value = (P5-06000 , SRT44491008 , SCT, "Fluoroscopy") for at least one irradiation event	UNITS = EV (Gy.m2, UCUM, "Gy.m2")
2			NUM	EV (113728, DCM, "Fluoro Dose (RP) Total")	1	MC	IFF TID 10003 Row 7 value = (P5-06000 , SRT44491008 , SCT, "Fluoroscopy") for at least one irradiation event AND any of the values of TID (10001) Row 18 are not (113858, DCM, "MPPS Content").	UNITS = EV (Gy, UCUM, "Gy")
3			NUM	EV (113730, DCM, "Total Fluoro Time")	1	MC	IFF TID 10003 Row 7 value = (P5-06000 , SRT44491008 , SCT, "Fluoroscopy") for at least one irradiation event.	UNITS = EV (s, UCUM, "s")
4			NUM	EV (113727, DCM, "Acquisition Dose Area Product Total")	1	MC	IF any of the values of TID (10001) Row 18 are not (113858, DCM, "MPPS Content").	UNITS = EV (Gy.m2, UCUM, "Gy.m2")
5			NUM	EV (113729, DCM, "Acquisition Dose (RP) Total")	1	MC	IF any of the values of TID (10001) Row 18 are not (113858, DCM, "MPPS Content").	UNITS = EV (Gy, UCUM, "Gy")
6			NUM	EV (113855, DCM, "Total Acquisition Time")	1	MC	IF any of the values of TID (10001) Row 18 are not (113858, DCM, "MPPS Content").	UNITS = EV (s, UCUM, "s")

Content Item Descriptions

Rows 1-3	Fluoroscopic component only
Row 3	Total clock time of Fluoroscopy accumulated over the defined scope of accumulation (i.e., the sum of the Irradiation Duration values for accumulated fluoroscopy irradiation events)
Rows 4-6	Acquisition component only
Row 6	Total clock time of acquisitions accumulated over the defined scope of accumulation (i.e., the sum of the Irradiation Duration values for accumulated acquisition irradiation events)

TID 10005 Accumulated Mammography X-Ray Dose

This modality specific Template provides detailed information on breast imaging projection X-Ray dose value accumulations over several irradiation events from the same equipment (typically a study or a performed procedure step).

Type: Extensible
Order: Significant
Root: No

Table TID 10005. Accumulated Mammography X-Ray Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	EV (111637, DCM, "Accumulated Average Glandular Dose")	1-2	M		UNITS = EV (mGy, UCUM, "mGy")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	HAS CONCEPT MOD	CODE	EV (G-C171, SRT272741003, SCT, "Laterality")	1	M		DCID 6022 "Side"

TID 10006 Accumulated Cassette-based Projection Radiography Dose

This Template provides information on Projection Radiography dose values accumulated on Cassette-based systems over one or more irradiation events (typically a study or a performed procedure step) from the same equipment.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10006. Accumulated Cassette-Based Projection Radiography Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CODE	EV (113947, DCM, "Detector Type")	1	MC	IF TID 10001 Row 8 is absent or value is (R-0038D; SRT373066001, SCT, "Yes")	DCID 10030 "Detector Types"
2			NUM	EV (113731, DCM, "Total Number of Radiographic Frames")	1	MC	IF TID 10001 Row 8 is absent or value is (R-0038D; SRT373066001, SCT, "Yes")	UNITS = EV (1, UCUM, "no units")

Content Item Descriptions

Row 2	The number of radiographic frames recorded by the X-Ray detector or the number of exposures recorded by the X-Ray source, whichever is known to be greater.
-------	---

TID 10007 Accumulated Total Projection Radiography Dose

This Template provides information on total Projection Radiography dose values accumulated on Integrated or combined fluoroscopy/acquisition systems over one or more irradiation events (typically a study or a performed procedure step) from the same equipment.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10007. Accumulated Total Projection Radiography Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	EV (113722, DCM, "Dose Area Product Total")	1	M		UNITS = EV (Gy.m2, UCUM, "Gy.m2")
2			NUM	EV (113725, DCM, "Dose (RP) Total")	1	MC	IF TID 10001 Row 4 = (113958, DCM, "Integrated Projection Radiography System") or any of the values of TID (10001) Row 18 are not (113858, DCM, "MPPS Content").	UNITS = EV (Gy, UCUM, "Gy")
3			NUM	EV (113737, DCM, "Distance Source to Reference Point")	1	U		UNITS = EV (mm, UCUM, "mm")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4			NUM	EV (113731, DCM, "Total Number of Radiographic Frames")	1	U		UNITS = EV (1, UCUM, "no units")
5			CODE	EV (113780, DCM, "Reference Point Definition")	1	MC	IF any of (113725, DCM, "Dose (RP) Total"), (113728, DCM, "Fluoro Dose (RP) Total") or (113729, DCM, "Acquisition Dose (RP) Total") are present, and Row 6 is not present.	DCID 10025 "Radiation Dose Reference Points"
6			TEXT	EV (113780, DCM, "Reference Point Definition")	1	MC	IF any of (113725, DCM, "Dose (RP) Total"), (113728, DCM, "Fluoro Dose (RP) Total") or (113729, DCM, "Acquisition Dose (RP) Total") are present, and Row 5 is not present.	

Content Item Descriptions

Row 1	Accumulated Dose Area Product
Row 2	Accumulated dose relative to reference point.
Row 3	A single value for Radiography systems calculating reference point dose based on fixed distance.
Row 5	A coded definition of the Reference Point (RP) used for RP-related dose values.
Row 6	A text definition of the Reference Point (RP) used for RP-related dose values.

CT Radiation Dose SR IOD Templates

The Templates that comprise the CT Radiation Dose SR are interconnected as in Figure A-15.




Figure A-15. CT Radiation Dose SR IOD Template Structure

TID 10011 CT Radiation Dose

This Template defines a container (the root) with subsidiary Content Items, each of which corresponds to a single CT X-Ray irradiation event entry. There is a defined recording observer (the system or person responsible for recording the log, generally the system). Accumulated values shall be kept for a whole Study or at least a part of a Study, if the Study is divided in the workflow of the examination, or a performed procedure step. Multiple CT Radiation Dose objects may be created for one Study.

Type: Extensible
Order: Significant
Root: Yes

Table TID 10011. CT Radiation Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113701, DCM, "X-Ray Radiation Dose Report")	1	M		Root node
1b	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
2	>	HAS CONCEPT MOD	CODE	EV (121058, DCM, "Procedure reported")	1	M		EV (P5-08000; SRT77477000, SCT, "Computed Tomography X-Ray")
3	>>	HAS CONCEPT MOD	CODE	EV (G-G0E8; SRT363703001, SCT, "Has Intent")	1	M		DCID 3629 "Procedure Intent"
4	>		INCLUDE	DTID 1002 "Observer Context"	1-n	M		
5	>	HAS OBS CONTEXT	DATETIME	EV (113809, DCM, "Start of X-Ray Irradiation")	1	M		
6	>	HAS OBS CONTEXT	DATETIME	EV (113810, DCM, "End of X-Ray Irradiation")	1	M		
7	>	HAS OBS CONTEXT	CODE	EV (113705, DCM, "Scope of Accumulation")	1	M		DCID 10000 "Scope of Accumulation"
8	>>	HAS PROPERTIES	UIDREF	DCID 10001 "UID Types"	1	M		
9	>	CONTAINS	INCLUDE	DTID 10012 "CT Accumulated Dose Data"	1	M		
10	>	CONTAINS	INCLUDE	DTID 10013 "CT Irradiation Event Data"	1-n	M		
11	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
12	>	CONTAINS	CODE	EV (113854, DCM, "Source of Dose Information")	1-n	M		DCID 10021 "Source of CT Dose Information"
13	>	CONTAINS	INCLUDE	DTID 1020 "Person Participant"	1	U		\$PersonProcedureRole = EV (113850, DCM, "Irradiation Authorizing")

Content Item Descriptions

Row 4	The observer context may include both a Person Observer identification, as well as the identity of the equipment providing the values for the irradiation event (Device Observer identification), if not inherited.
Row 5	Start, DateTime of the first CT Irradiation Event of the accumulation
Row 6	End, DateTime of the last CT Irradiation Event of the accumulation
Row 12	The primary source of information from which this dose object was constructed.
Row 13	The physician responsible for determining that the irradiating procedure was appropriate for the indications. The value may come from Requesting Physician (0032,1032), Requesting Physician Identification Sequence (0032,1031) or somewhere else based on hospital policies.

TID 10012 CT Accumulated Dose Data

This general Template provides detailed information on CT X-Ray dose value accumulations over several irradiation events from the same equipment and over the scope of accumulation specified for the report (typically a Study or a Performed Procedure Step).

Type: Extensible
Order: Significant
Root: No

Table TID 10012. CT Accumulated Dose Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113811, DCM, "CT Accumulated Dose Data")	1	M		
2	>	CONTAINS	NUM	EV (113812, DCM, "Total Number of Irradiation Events")	1	M		UNITS = EV ({events}, UCUM, "events")
3	>	CONTAINS	NUM	EV (113813, DCM, "CT Dose Length Product Total")	1	M		UNITS = EV (mGy.cm, UCUM, "mGy.cm")
4	>	CONTAINS	NUM	EV (113814, DCM, "CT Effective Dose Total")	1	U		UNITS = EV (mSv, UCUM, "mSv")
5	>>	HAS PROPERTIES	TEXT	EV (121406, DCM, "Reference Authority")	1	MC	XOR row 6	
6	>>	HAS PROPERTIES	CODE	EV (121406, DCM, "Reference Authority")	1	MC	XOR row 5	DCID 10015 "CT Dose Reference Authorities"
7	>>	HAS CONCEPT MOD	CODE	EV (G-C036 , SRT370129005, SCT, "Measurement Method")	1	M		DCID 10011 "Effective Dose Evaluation Method"
8	>>	HAS PROPERTIES	TEXT	EV (113815, DCM, "Patient Model")	1	MC	IF the value of row 7 equals (113800, DCM, "DLP to E conversion via MC computation") or equals (113801, DCM, "CTDIfreeair to E conversion via MC computation")	
9	>>	HAS PROPERTIES	CONTAINER	EV (113816, DCM, "Condition Effective Dose measured")	1	MC	IF the value of row 7 equals (113802, DCM, "DLP to E conversion via measurement") or equals (113803, DCM, "CTDIfreeair to E conversion via measurement")	
10	>>>	CONTAINS	TEXT	EV (113817, DCM, "Effective Dose Phantom Type")	1	M		
11	>>>	CONTAINS	TEXT	EV (113818, DCM, "Dosimeter Type")	1	M		
12	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
13	>	CONTAINS	INCLUDE	DTID 1021 "Device Participant"	1	MC	Required if the irradiating device is not the recording device and the dose was accumulated on a single device.	\$DeviceProcedureRole = EV (113859, DCM, "Irradiating Device")

Content Item Descriptions

Rows 5, 6	<p>Total Number of CT irradiation events.</p> <p>A CT irradiation event is one continuous irradiation procedure and is defined through consistent acquisition parameters.</p> <p>In the case of dose modulation the calculations are based on the effective parameters (e.g., the effective mA recorded in the Mean X-Ray Tube Current), and these acquisition parameters are consistent.</p>
Rows 5, 6	The Dose Length Product (DLP) is calculated for every irradiation event. The Dose Length Product Total is the sum of the DLP values. The calculation is based on the CTDI _{vol} result of each irradiation event.
Rows 5, 6	<p>Effective dose (E, in units of mSv) evaluated as a total over the scope is defined in Row 6 of Template TID 10011 "CT Radiation Dose".</p> <p>Effective dose is defined by the reference in Rows 5 or 6 of this Template.</p> <p>It may be calculated from a product of DLP and an 'Effective Dose Conversion Factor' (E/DLP). Or it may be calculated from a product of the Mean CTDI_{freeair} and the ratio E/CTDI_{freeair}. The ratios E/DLP or E/CTDI_{freeair} may be evaluated either from computer simulations applying Monte Carlo (MC) sampling techniques or from dosimetric measurements in an anthropomorphic phantom, e.g., the Alderson-Rando phantom.. The specific method used is identified in Rows 7 through 11.</p>
Row 5 - 6	Reference of the base publication defining the Effective Dose, either as a coded value, or a textual bibliographic reference. ICRP Publications shall be referenced using their assigned coded values.
Row 7	Description of the method used for Effective Dose evaluations.
Row 8	Description of the reference-patient mathematical or computational model used when Effective Dose is derived via Monte Carlo simulations of radiation transport in such models. Examples of publications that specify particular reference patient models are NUREG/CR-1159, ORNL/NUREG/TM-367 (1980); NRPB-R186 (1985); GSF-Bericht S-885 (1986); Fill et al., Health Physics Vol. 86 (3): 253-272 (2004).
Row 9	Description of the condition Effective Dose measured
Row 10	Type of Effective Dose phantom used, e.g., Alderson-Rando
Row 11	Type of dosimeter used, e.g., TLD (Thermo Luminescence Dosimeter)
Row 13	The device that produced the irradiation accumulated in this Template. I.e., the CT Scanner. This is not required to be present if the information is the same as that already recorded in TID 1004 "Device Observer Identifying Attributes" encoded via the inclusion of TID 1002 "Observer Context" in TID 10011 "CT Radiation Dose" Row 4, which in turn may be absent if identical to the content in the Enhanced General Equipment Module, or if more than one device produced the accumulated irradiation.

TID 10013 CT Irradiation Event Data

This Template conveys the dose and equipment parameters of a single irradiation event.

A CT irradiation event is the loading of X-Ray equipment caused by a single continuous actuation of the equipment's irradiation switch, from the start of the loading time of the first pulse until the loading time trailing edge of the final pulse. Any on-off switching of the radiation source during the event shall not be treated as separate events; rather the event includes the time between start and stop of radiation as triggered by the user, e.g., a single sequence of scanning comprised of multiple slices acquired with successive tube rotations and table increments shall be treated as a single irradiation event. Depending on the examination workflow and the anatomical target region the CT irradiation event data may split into multiple instances of this Template for better dose estimation. The irradiation

event is the "smallest" information entity to be recorded in the realm of Radiation Dose reporting. Individual Irradiation Events are described by a set of accompanying physical parameters that are sufficient to understand the "quality" of irradiation that is being applied. This set of parameters may be different for the various types of equipment that are able to create irradiation events.

Type: Extensible
Order: Significant
Root: No

Table TID 10013. CT Irradiation Event Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113819, DCM, "CT Acquisition")	1	M		
2	>	CONTAINS	TEXT	EV (125203, DCM, "Acquisition Protocol")	1	U		
3	>	CONTAINS	CODE	EV (123014, DCM, "Target Region")	1	M		DCID 4030 "CT, MR and PET Anatomy Imaged"
4	>	CONTAINS	CODE	EV (113820, DCM, "CT Acquisition Type")	1	M		DCID 10013 "CT Acquisition Type"
4b	>>	HAS PROPERTIES	CODE	EV (113961, DCM, "Reconstruction Algorithm")	1-n	U		DCID 10033 "CT Reconstruction Algorithm"
5	>	CONTAINS	CODE	EV (G-C32C, SRT408730004, SCT, "Procedure Context")	1	U		DCID 10014 "Contrast Imaging Technique"
6	>	CONTAINS	UIDREF	EV (113769, DCM, "Irradiation Event UID")	1	M		
6b	>	CONTAINS	TEXT	EV (113605, DCM, "Irradiation Event Label")	1	U		
6c	>>	HAS CONCEPT MOD	CODE	EV (113606, DCM, "Label Type")	1	MC	IF the value of Row 6b is the value of an Attribute in the images.	DCID 10022 "Label Types"
6d	>	CONTAINS	CODE	EV (128551, DCM, "Is Repeated Acquisition")	1	U		DCID 230 "Yes-No"
6e	>>	HAS CONCEPT MOD	CODE	EV (128552, DCM, "Reason for Repeating Acquisition")	1	M		DCID 10034 "Reason for Repeating Acquisition"
6f	>	CONTAINS	DATETIME	EV (111526, DCM, "DateTime Started")	1	U		
7	>	CONTAINS	CONTAINER	EV (113822, DCM, "CT Acquisition Parameters")	1	M		
8	>>	CONTAINS	NUM	EV (113824, DCM, "Exposure Time")	1	M		UNITS = EV (s, UCUM, "s")
9	>>	CONTAINS	INCLUDE	DTID 10014 "Scanning Length"	1	M		
10	>>	CONTAINS	NUM	EV (113826, DCM, "Nominal Single Collimation Width")	1	M		UNITS = EV (mm, UCUM, "mm")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
11	>>	CONTAINS	NUM	EV (113827, DCM, "Nominal Total Collimation Width")	1	M		UNITS = EV (mm, UCUM, "mm")
12	>>	CONTAINS	NUM	EV (113828, DCM, "Pitch Factor")	1	MC	IF row 4 equals (P5-08001 , SRT 116152004, SCT , "Spiral Acquisition") or equals (113804, DCM, "Sequenced Acquisition")	UNITS = EV ({ratio}, UCUM, "ratio")
13	>>	CONTAINS	NUM	EV (113823, DCM, "Number of X-Ray Sources")	1	M		UNITS = EV ({X-Ray sources}, UCUM, "X-Ray sources")
14	>>	CONTAINS	CONTAINER	EV (113831, DCM, "CT X-Ray Source Parameters")	1-n	M		
15	>>>	CONTAINS	TEXT	EV (113832, DCM, "Identification of the X-Ray Source")	1	M		
16	>>>	CONTAINS	NUM	EV (113733, DCM, "KVP")	1	M		UNITS = EV (kV, UCUM, "kV")
17	>>>	CONTAINS	NUM	EV (113833, DCM, "Maximum X-Ray Tube Current")	1	M		UNITS = EV (mA, UCUM, "mA")
18	>>>	CONTAINS	NUM	EV (113734, DCM, "X-Ray Tube Current")	1	M		UNITS = EV (mA, UCUM, "mA")
19	>>>	CONTAINS	NUM	EV (113834, DCM, "Exposure Time per Rotation")	1	MC	IF row 4 does not equal (113805, DCM, "Constant Angle Acquisition")	UNITS = EV (s, UCUM, "s")
20	>>>	CONTAINS	NUM	EV (113821, DCM, "X-Ray Filter Aluminum Equivalent")	1	U		UNITS = EV (mm, UCUM, "mm")
21	>	CONTAINS	CONTAINER	EV (113829, DCM, "CT Dose")	1	MC	IF row 4 does not equal (113805, DCM, "Constant Angle Acquisition")	
22	>>	CONTAINS	NUM	EV (113830, DCM, "Mean CTDIvol")	1	M		UNITS = EV (mGy, UCUM, "mGy")
23	>>	CONTAINS	CODE	EV (113835, DCM, "CTDIw Phantom Type")	1	M		DCID 4052 "Phantom Devices"
24	>>	CONTAINS	NUM	EV (113836, DCM, "CTDIfreeair Calculation Factor")	1	U		UNITS = EV (mGy/mA.s, UCUM, "mGy/mA.s")
25	>>	CONTAINS	NUM	EV (113837, DCM, "Mean CTDIfreeair")	1	U		UNITS = EV (mGy, UCUM, "mGy")
26	>>	CONTAINS	NUM	EV (113838, DCM, "DLP")	1	M		UNITS = EV (mGy.cm, UCUM, "mGy.cm")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
27	>>	CONTAINS	NUM	EV (113839, DCM, "Effective Dose")	1	U		UNITS = EV (mSv, UCUM, "mSv")
28	>>>	HAS CONCEPT MOD	CODE	EV (G-C036 , SRT370129005 , SCT, "Measurement Method")	1	MC	IF row 27 is present	DCID 10011 "Effective Dose Evaluation Method"
29	>>>>	HAS PROPERTIES	NUM	EV (113840, DCM, "Effective Dose Conversion Factor")	1	MC	IF row 28 is present and equals (113800, DCM, "DLP to E conversion via MC computation") or equals (113802, DCM, "DLP to E conversion via measurement")	UNITS = EV (mSv/mGy.cm, UCUM, "mSv/mGy.cm")
30	>>	CONTAINS	NUM	EV (113930, DCM, "Size Specific Dose Estimation")	1-n	U		UNITS = EV (mGy, UCUM, "mGy")
31	>>>	HAS CONCEPT MOD	CODE	EV (G-C036 , SRT370129005 , SCT, "Measurement Method")	1	M		DCID 10023 "Size Specific Dose Estimation Method for CT"
32	>>>>	INFERRED FROM	NUM	EV (113931, DCM, "Measured Lateral Dimension")	1	MC	IF row 31 equals (113934, DCM, "AAPM 204 Lateral Dimension") or (113936, DCM, "AAPM 204 Sum of Lateral and AP Dimension")	UNITS = EV (mm, UCUM, "mm")
33	>>>>	INFERRED FROM	NUM	EV (113932, DCM, "Measured AP Dimension")	1	MC	IF row 31 equals (113935, DCM, "AAPM 204 AP Dimension") or (113936, DCM, "AAPM 204 Sum of Lateral and AP Dimension")	UNITS = EV (mm, UCUM, "mm")
34	>>>>	INFERRED FROM	NUM	EV (113933, DCM, "Derived Effective Diameter")	1	MC	IF row 31 equals (113934, DCM, "AAPM 204 Lateral Dimension") or (113935, DCM, "AAPM 204 AP Dimension") or (113936, DCM, "AAPM 204 Sum of Lateral and AP Dimension") or (113937, DCM, "AAPM 204 Effective Diameter Estimated From Patient Age")	UNITS = EV (mm, UCUM, "mm")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
34b	>>>>	INFERRED FROM	NUM	EV (113980, DCM, "Water Equivalent Diameter")	1	MC	IF row 31 equals (113981, DCM, "Water Equivalent Diameter Representative Value")	UNITS = EV (mm, UCUM, "mm")
34c	>>>>>	HAS CONCEPT MOD	CODE	EV EV (G-C036; SRT370129005, SCT, "Measurement Method")	1	M		DCID 10024 "Water Equivalent Diameter Method"
34d	>>>>	INFERRED FROM	UIDREF	EV (113985, DCM, "Series or Instance used for Water Equivalent Diameter estimation")	1-n	MC	IF row 31 equals (113982, DCM, "Water Equivalent Diameter Integrated Across Scan Range") or (113984, DCM, "Water Equivalent Diameter From Localizer") or (row 31 equals (113983, DCM, "Water Equivalent Diameter From Raw Data") and the Raw Data is encoded in DICOM).	
34e	>>>>	INFERRED FROM	NUM	EV (113986, DCM, "Z value of location of Water Equivalent Diameter estimation")	1	MC	IF row 31 equals (113981, DCM, "Water Equivalent Diameter Representative Value")	UNITS = EV (mm, UCUM, "mm")
35	>>	CONTAINS	INCLUDE	DTID 10015 "CT Dose Check Details"	1	M		
36	>	CONTAINS	TEXT	EV (113842, DCM, "X-Ray Modulation Type")	1	U		
37	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
38	>	CONTAINS	INCLUDE	DTID 1020 "Person Participant"	1-n	U		\$PersonProcedureRole = EV (113851, DCM, "Irradiation Administering")
39	>	CONTAINS	INCLUDE	DTID 1021 "Device Participant"	1	MC	Required if the irradiating device is not the recording device.	\$DeviceProcedureRole = EV (113859, DCM, "Irradiating Device")

Content Item Descriptions

Row 2	User-defined type of clinical acquisition protocol for creating images or image-derived measurements. May be taken from Protocol Name (0018,1030) or from Performed Procedure Step Description (0040,0254).
Row 3	The target region is the anatomy exposed.
Row 4	Description of the method used during acquisition of this CT irradiation event, may be derived from Acquisition Type (0018,9302).

Row 4b	Though not a characteristic of the acquisition per se, the type of reconstruction intended has a bearing on the technique used. If multiple types of reconstruction are performed, multiple values can be listed. These values should correspond to the values of Reconstruction Algorithm (0018,9315) in the reconstructed images.
Row 5	The acquisition was performed with or without contrast medium application.
Row 6d, 6e	If an acquisition is a repeat because an earlier acquisition was unsatisfactory, this may be recorded along with a coded reason. This is intended to help with subsequent analysis by providing a priori information about why the study might be flagged as an outlier with higher dose exposure values than usual for the type of study.
Row 6f	The DateTime that the application of X-Rays started for this irradiation event. This shall correspond to the start of the first irradiation in the Irradiation Event, which defines the starting point for the calculation of the contents of the Row 21 "CT Dose" CONTAINER.
Row 8	Total time the patient has received X-Ray exposure during the irradiation event.
Row 10	The value of the nominal width (referenced to the location of the isocenter along the z axis) of a single collimated slice in mm.
Row 11	The value of the nominal width (referenced to the location of the isocenter along the z axis) of the nominal total collimation in mm over the area of active X-Ray detection (z-coverage).
Row 12	Pitch Factor: For Spiral Acquisition, the Pitch Factor is the ratio of the Table Feed per Rotation to the Nominal Total Collimation Width. For Sequenced Acquisition, the Pitch Factor is the ratio of the Table Feed per single sequenced scan to the Nominal Total Collimation Width.
Row 14	CT X-Ray source parameters related to the acquisition. For each X-Ray source an item must be present. For multi-energy acquisitions, multiple items may be present for each X-Ray source, each item describing one energy level.
Row 15	Identification of the X-Ray source. Identifies the particular X-Ray source (in a multi-source CT system) for which the set of X-Ray source parameter values is reported.
Row 16	KVP value as measured/recorded by system.
Row 18	Mean tube current as measured/recorded by system.
Row 19	Exposure time as measured/recorded by the system per rotation.
Row 20	Thickness of an equivalent filter constructed from aluminum, in case of multi-source CT systems AND if Row 4 is not present
Row 21	CT Dose for one acquisition
Row 22	<p>"Mean CTDI_{vol}" refers to the average value of the CTDI_{vol} applied within this acquisition.</p> <p>CTDI_{vol} is the volume CTDI_w, where CTDI_w is the weighted computed tomography dose index 100 as defined in IEC 60601-2-44.</p> <p>For Sequenced and Spiral scanning, CTDI_{vol} = CTDI_w / Pitch Factor.</p> <p>For Stationary and Free scanning, CTDI_{vol} = CTDI_w × Cumulative Exposure Time/ Exposure Time Per Rotation.</p> <p>According to IEC 60601-2-44 Ed 3 for Constant Angle Acquisition may be calculated as CTDI_{vol} = (CTDI_w / Current Time Product (mAs)) × X-Ray Tube Current (mA) × (Nominal Total Collimation Width (mm) / Table Speed (mm/s)).</p> <p>Note</p> <p>The ratio CTDI_w / Current Time Product is evaluated independently of the Constant Angle Acquisition but with the same settings of tube voltage and Total Collimation Width as those of the Constant Angle Acquisition.</p> <p>See also CTDI_{vol} (0018,9345) and Spiral Pitch Factor (0018,9311) in the "Enhanced Computed Tomography Image IOD" in PS3.3.</p>
Row 23	The type of phantom used for CTDI measurement according to IEC 60601-2-44(e.g., Head 16 cm diameter PMMA, Body 32 cm diameter PMMA).

Row 24	The $CTDI_{free\ air}$ Calculation Factor is the $CTDI_{free\ air}$ per mAs, expressed in units of mGy/mAs. The $CTDI_{free\ air}$ Calculation Factor may be used in one method calculating Dose. For example, for this acquisition, Effective Dose = Mean X-Ray Tube Current \times Cumulative Exposure Time \times $CTDI_{free\ air}$ Calculation Factor \times (Effective Dose / $CTDI_{free\ air}$).
Row 25	Mean $CTDI_{free\ air}$ is the mean CTDI for this acquisition, evaluated free-in-air according to IEC 60601-2-44. $MeanCTDI_{free\ air} = \text{Mean X-Ray Tube Current} \times \text{Cumulative Exposure Time} \times CTDI_{free\ air} \text{ Calculation Factor}$. The $CTDI_{free\ air}$ may be used in one method of calculating Effective Dose.
Row 26	For Spiral scanning, $DLP = CTDI_{vol} \times \text{Scanning Length}$. For Sequenced scanning, $DLP = CTDI_{vol} \times \text{Nominal Total Collimation Width} \times \text{Cumulative Exposure Time} / \text{Exposure Time per Rotation}$. For Stationary and Free scanning, $DLP = CTDI_{vol} \times \text{Nominal Total Collimation Width}$ (according to IEC 60601-2-44).
Row 27	Effective Dose in mSv of the single continuous time-frame of the irradiation computed as described in TID 10012 "CT Accumulated Dose Data".
Row 29	The Effective Dose Conversion Factor is the ratio of the Effective Dose to the DLP, expressed in units of mSv/mGy.cm, and it is used as a factor in one method of estimating Effective Dose. Monte Carlo Simulations (or dosimetric measurements in an anthropomorphic phantom, e.g., the Alderson-Rando phantom) may be used as a basis for the evaluation of Effective Dose Conversion Factors.
Row 30	More than one Size Specific Dose Estimation may be included, for example if different computation methods are used.
Row 31	The methods of [AAPM Report 204] are listed in CID 10023 "Size Specific Dose Estimation Method for CT"; other methods may be used. The phantom size (16cm or 32cm) used for the calculation is available from the phantom type defined in Row 23.
Row 32	The condition specifies inclusion of the Measured Lateral Dimension if it was used in the calculation.
Row 33	The condition specifies inclusion of the Measured AP Dimension if it was used in the calculation.
Row 34	The Derived Effective Diameter is conditionally included, whether it was derived from measurements or estimated from age, but may not be used for other (non-AAPM Report 204) methods.
Row 34b	A single value for Water Equivalent Diameter is encoded in Row 34b if the method uses a single value. It is required if the method uses a representative slice, but may also be present if the method used a Localizer or Raw Data at a single location rather than the entire scan range.
Row 34c	The modifier is intended to specify the family of methods and not the specific technique (e.g., for AAPM 220 (113987, DCM, "AAPM 220") is used, not (113981, DCM, "Water Equivalent Diameter Representative Value"), etc.).
Row 34d	If the method uses multiple slices across the scan range, the reconstructed image Series or (list of) Instances used is referenced; the values for Water Equivalent Diameter may or may not be recorded in the CT Image Module or CT Exposure Macro of those images. More than one Series may be referenced if the reconstructed images for this acquisition used for Water Equivalent Diameter estimation span multiple series. If the Water Equivalent Diameter was computed from raw views rather than reconstructed images, then the Raw Data is referenced, if it was encoded in DICOM (it is not required to be).
Row 34e	This location is patient (not table or gantry) relative, to allow it to be defined in the Patient Coordinate System and hence related to the Image Position (Patient) in the reconstructed images (see TID 10014 "Scanning Length", included at Row 9). It is required if the method uses a representative slice, but may also be present if the method used a Localizer or Raw Data at a single location rather than the entire scan range.
Row 35	Record of details associated with using the NEMA Dose Check Standard (NEMA XR-25-2010).
Row 36	The type of exposure modulation. May use the value of Exposure Modulation Type (0018,9323) from CT Exposure Macro or from CT Image Module.
Row 38	People responsible for the administration of the radiation reported in the irradiation event. May include values that would appear in Performing Physicians' Name (0008,1050), Performing Physician Identification Sequence (0008,1052), Operators' Name (0008,1070) and/or Operator Identification Sequence (0008,1072).

Row 39	The device that produced the irradiation in this Irradiation Event. I.e., the CT scanner. This is not required to be present if the information is the same as that already recorded in the TID 1004 "Device Observer Identifying Attributes" encoded via the inclusion of TID 1002 "Observer Context" in TID 10011 "CT Radiation Dose" Row 4, which in turn may be absent if identical to the content in the Enhanced General Equipment Module.
--------	--

TID 10014 Scanning Length

Type: Extensible
 Order: Significant
 Root: No

Table TID 10014. Scanning Length

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			NUM	EV (113825, DCM, "Scanning Length")	1	M		UNITS = EV (mm, UCUM, "mm")
2			NUM	EV (113893, DCM, "Length of Reconstructable Volume")	1	U		UNITS = EV (mm, UCUM, "mm")
3			NUM	EV (113899, DCM, "Exposed Range")	1	UC	IFF TID 10013 "CT Irradiation Event Data" row 4 CT Acquisition Type equals (P5-08001 , SRT116152004, SCT, "Spiral Acquisition")	UNITS = EV (mm, UCUM, "mm")
4			NUM	EV (113895, DCM, "Top Z Location of Reconstructable Volume")	1	U		UNITS = EV (mm, UCUM, "mm")
5			NUM	EV (113896, DCM, "Bottom Z Location of Reconstructable Volume")	1	U		UNITS = EV (mm, UCUM, "mm")
6			NUM	EV (113897, DCM, "Top Z Location of Scanning Length")	1	U		UNITS = EV (mm, UCUM, "mm")
7			NUM	EV (113898, DCM, "Bottom Z Location of Scanning Length")	1	U		UNITS = EV (mm, UCUM, "mm")
8			UIDREF	EV (112227, DCM, "Frame of Reference UID")	1	MC	IF any of Rows 4 through 7 or Row 34e of TID 10013 are present.	If present, shall be the same UID as in the images reconstructed from this irradiation event.

Content Item Descriptions

Row 1	<p>For Spiral scanning, the scanning length is normally the table travel in mm during the tube loading (see Figure A-16).</p> <p>For Sequenced scanning, the scanning length is the table travel between consecutive scans times the number of scans.</p> <p>For Stationary and Free scanning, the scanning length is the nominal width of the total collimation.</p>
-------	---

Row 2	<p>The length of the reconstructable volume is the maximum z-range between the outermost edges of the top and bottom slices that can be reconstructed from the acquisition.</p> <p>For Spiral scanning, the length of reconstructable volume is the z-range between the outermost beginning of the first reconstructable slice and the outermost end of the last reconstructable slice (see Figure A-16).</p> <p>For Sequenced scanning, the length of reconstructable volume is the z-range between the outermost beginning of the first slice and the outermost end of the last slice (i.e., including any skip).</p> <p>For Stationary and Free scanning, the length of reconstructable volume is the nominal width of the total collimation.</p>
Row 3	<p>For Spiral scanning, the exposed range is as defined in IEC 60601-2-44 (Ed. 3) 302.115(b) (see Figure A-16).</p> <p>Exposed range is not defined for other modes of scanning.</p>
Rows 4-5	The Top and Bottom Z Locations of the Reconstructable Volume are independent of the slice width of any actual reconstructed slices. They are measured from the edges of the volume, and hence are not equal to the Z locations encoded in the images of any actual reconstructed slices, which are recorded as the center of the slice.
Rows 4-7	These locations are patient (not table or gantry) relative, to allow them to be defined in the Patient Coordinate System and hence related to the Image Position (Patient) in the reconstructed images. They are also defined in terms of the top (towards the patient's head), and bottom (towards the patient's feet) of the corresponding ranges, in order to make them independent of whether the scan starts at the top or the bottom or shuttles back and forth in between (see Figure A-16).




Figure A-16. Spiral Acquisition Parameters

TID 10015 CT Dose Check Details

This Template records details related to the use of the NEMA Dose Check Standard (NEMA XR-25-2010).

Type: Extensible
Order: Significant
Root: No

Table TID 10015. CT Dose Check Details

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113900, DCM, "Dose Check Alert Details")	1	MC	IF the scanning device has implemented dose alerts	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	CODE	EV (113901, DCM, "DLP Alert Value Configured")	1	M		DCID 230 "Yes-No"
3	>	CONTAINS	CODE	EV (113902, DCM, "CTDIvol Alert Value Configured")	1	M		DCID 230 "Yes-No"
4	>	CONTAINS	NUM	EV (113903, DCM, "DLP Alert Value")	1	MC	IFF value of Row 2 is (R-0038D , SRT 373066001, SCT , "Yes")	UNITS = EV (mGy.cm, UCUM, "mGy.cm")
5	>	CONTAINS	NUM	EV (113904, DCM, "CTDIvol Alert Value")	1	MC	IFF value of Row 3 is (R-0038D , SRT 373066001, SCT , "Yes")	UNITS = EV (mGy, UCUM, "mGy")
6	>	CONTAINS	NUM	EV (113905, DCM, "Accumulated DLP Forward Estimate")	1	MC	IF Accumulated DLP Forward Estimate (Row 6) exceeds DLP Alert Value (Row 4)	UNITS = EV (mGy.cm, UCUM, "mGy.cm")
7	>	CONTAINS	NUM	EV (113906, DCM, "Accumulated CTDIvol Forward Estimate")	1	MC	IF Accumulated CTDIvol Forward Estimate (Row 7) exceeds CTDIvol Alert Value (Row 5)	UNITS = EV (mGy, UCUM, "mGy")
8	>	CONTAINS	TEXT	EV (113907, DCM, "Reason for Proceeding")	1	UC	IFF Accumulated DLP Forward Estimate (Row 6) exceeds DLP Alert Value (Row 4) or Accumulated CTDIvol Forward Estimate (Row 7) exceeds CTDIvol Alert Value (Row 5)	
9	>	CONTAINS	INCLUDE	DTID 1020 "Person Participant"	1	MC	IF Accumulated DLP Forward Estimate (Row 6) exceeds DLP Alert Value (Row 4) or Accumulated CTDIvol Forward Estimate (Row 7) exceeds CTDIvol Alert Value (Row 5)	\$PersonProcedureRole = EV (113850, DCM, "Irradiation Authorizing")
10			CONTAINER	EV (113908, DCM, "Dose Check Notification Details")	1	MC	IF the scanning device has implemented dose notifications	
11	>	CONTAINS	CODE	EV (113909, DCM, "DLP Notification Value Configured")	1	M		DCID 230 "Yes-No"
12	>	CONTAINS	CODE	EV (113910, DCM, "CTDIvol Notification Value Configured")	1	M		DCID 230 "Yes-No"
13	>	CONTAINS	NUM	EV (113911, DCM, "DLP Notification Value")	1	MC	IFF value of Row 11 is (R-0038D , SRT 373066001, SCT , "Yes")	UNITS = EV (mGy.cm, UCUM, "mGy.cm")
14	>	CONTAINS	NUM	EV (113912, DCM, "CTDIvol Notification Value")	1	MC	IFF value of Row 12 is (R-0038D , SRT 373066001, SCT , "Yes")	UNITS = EV (mGy, UCUM, "mGy")
15	>	CONTAINS	NUM	EV (113913, DCM, "DLP Forward Estimate")	1	MC	IF DLP Forward Estimate (Row 15) exceeds DLP Notification Value (Row 13)	UNITS = EV (mGy.cm, UCUM, "mGy.cm")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
16	>	CONTAINS	NUM	EV (113914, DCM, "CTDIvol Forward Estimate")	1	MC	IF CTDIvol Forward Estimate (Row 16) exceeds CTDIvol Notification Value (Row 14)	UNITS = EV (mGy, UCUM, "mGy")
17	>	CONTAINS	TEXT	EV (113907, DCM, "Reason for Proceeding")	1	UC	IFF DLP Forward Estimate (Row 15) exceeds DLP Notification Value (Row 13) or CTDIvol Forward Estimate (Row 16) exceeds CTDIvol Notification Value (Row 14)	
18	>	CONTAINS	INCLUDE	DTID 1020 "Person Participant"	1	UC	IFF DLP Forward Estimate (Row 15) exceeds DLP Notification Value (Row 13) or CTDIvol Forward Estimate (Row 16) exceeds CTDIvol Notification Value (Row 14)	\$PersonProcedureRole = EV (113850, DCM, "Irradiation Authorizing")

Content Item Descriptions

Row 1	Container for Dose Check Alert details.
Row 2	Indicates whether a DLP Alert Value was configured (e.g., by the institution) for the exam to which this irradiation event belongs.
Row 3	Indicates whether a CTDIvol Alert Value was configured (e.g., by the institution) for the exam to which this irradiation event belongs.
Row 4	The configured value applicable to the current exam that would trigger an alert if the accumulated DLP were projected to exceed it.
Row 5	The configured value applicable to the current exam that would trigger an alert if the Accumulated CTDIvol at any given location were projected to exceed it.
Row 6	The value estimated prior to performing this irradiation event of the projected DLP accumulated during this exam, including this irradiation event. The estimate may include assumptions such as those described in NEMA XR 25-2010.
Row 7	The value estimated prior to performing this irradiation event of the projected CTDIvol accumulated during this exam, including this irradiation event. The value is for the location with the highest estimated accumulation. The actual location is not recorded. The estimate may include assumptions such as those described in NEMA XR 25-2010.
Row 8	The reason provided by the operator for proceeding with an irradiation event projected to exceed an alert value.
Row 9	Person responsible for authorizing irradiation projected to exceed an alert value.
Row 10	Container for Dose Check Notification details.
Row 11	Indicates whether a DLP Notification Value was configured (e.g., by the institution) for the Protocol Element Group to which this irradiation event corresponds.
Row 12	Indicates whether a CTDIvol Notification Value was configured (e.g., by the institution) for the Protocol Element Group to which this irradiation event corresponds.
Row 13	The configured value applicable to the current irradiation event that would trigger a notification if the DLP were projected to exceed it.
Row 14	The configured value applicable to the current irradiation event that would trigger a notification if the CTDIvol were projected to exceed it.
Row 15	The value estimated prior to performing this irradiation event of the DLP for this irradiation event. The estimate may include assumptions such as those described in NEMA XR 25-2010.

Row 16	The value estimated prior to performing this irradiation event of the CTDIvol for this irradiation event. The value is for the location with the highest estimated value. The actual location is not recorded. The estimate may include assumptions such as those described in NEMA XR 25-2010.
Row 17	The reason provided by the operator for proceeding with an irradiation event projected to exceed a notification value.
Row 18	Person responsible for authorizing irradiation projected to exceed a notification value.

Radiopharmaceutical Radiation Dose SR IOD Templates

The Templates that comprise the Radiopharmaceutical Radiation Dose SR are interconnected as in Figure A-17.




Figure A-17. Radiopharmaceutical Radiation Dose SR IOD Template Structure

TID 10021 Radiopharmaceutical Radiation Dose

This Template defines a container (the root) with subsidiary Content Items, each of which corresponds to a single Radiopharmaceutical Administration Dose event entry. There is a defined recording observer (the system and/or person responsible for recording the assay of the radiopharmaceutical, and the person administered the radiopharmaceutical). Multiple Radiopharmaceutical Radiation Dose objects may be created for one study. Radiopharmaceutical Start DateTime in TID 10022 "Radiopharmaceutical Administration Event Data" will convey the order of administrations.

Type: Extensible
Order: Significant
Root: Yes

Table TID 10021. Radiopharmaceutical Radiation Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113500, DCM, "Radiopharmaceutical Radiation Dose Report")	1	M		Root node
1b	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
2	>	HAS CONCEPT MOD	CODE	EV (G-C2D0 , SRT363589002 , SCT , "Associated Procedure")	1	M		DCID 3108 "NM/PET Procedures"
3	>>	HAS CONCEPT MOD	CODE	EV (G-C0E8 , SRT363703001 , SCT , "Has Intent")	1	M		DCID 3629 "Procedure Intent"
4	>	CONTAINS	INCLUDE	DTID 10022 "Radiopharmaceutical Administration Event Data"	1	M		
5	>	CONTAINS	INCLUDE	DTID 10024 "Imaging Agent Administration Patient Characteristics"	1	U		
6	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 2	The associated procedure is the procedure performed, or if no procedure was performed the procedure that was ordered.
-------	---

TID 10022 Radiopharmaceutical Administration Event Data

The Radiopharmaceutical Administration Event conveys the dose and assay and time information of a single radiopharmaceutical event. A Radiopharmaceutical Administration event is one radioactive pharmaceutical administered to a patient.

Type: Extensible
Order: Significant
Root: No

Table TID 10022. Radiopharmaceutical Administration Event Data

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113502, DCM, "Radiopharmaceutical Administration")	1	M		
2	>	CONTAINS	CODE	EV (F-61FDB; SRT417881006, SCT, "Radiopharmaceutical agent")	1	M		DCID 25 "Radiopharmaceuticals" DCID 4021 "PET Radiopharmaceutical"
3	>>	HAS PROPERTIES	CODE	EV (G-10072; SRT89457008, SCT, "Radionuclide")	1	M		DCID 18 "Isotopes in Radiopharmaceuticals" DCID 4020 "PET Radionuclide"
4	>>	HAS PROPERTIES	NUM	EV (R-42806; SRT304283002, SCT, "Radionuclide Half Life")	1	M		UNITS = EV (s, UCUM, "seconds")
5	>	CONTAINS	NUM	EV (123007, DCM, "Radiopharmaceutical Specific Activity")	1	U		UNITS = EV (Bq/mmol, UCUM, "Bq/mmol")
6	>	CONTAINS	UIDREF	EV (113503, DCM, "Radiopharmaceutical Administration Event UID")	1	M		
7	>	CONTAINS	CODE	EV (113505, DCM, "Intravenous Extravasation Symptoms")	1-n	U		DCID 10043 "Intravenous Extravasation Symptoms"
8	>	CONTAINS	NUM	EV (113506, DCM, "Estimated Extravasation Activity")	1	U		UNITS = EV(%, UCUM, "percent")
9	>	CONTAINS	DATETIME	EV (123003, DCM, "Radiopharmaceutical Start DateTime")	1	M		
10	>	CONTAINS	DATETIME	EV (123004, DCM, "Radiopharmaceutical Stop DateTime")	1	U		
11	>	CONTAINS	NUM	EV (113507, DCM, "Administered activity")	1	M		UNITS = EV (MBq, UCUM, "MBq")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12	>	CONTAINS	NUM	EV (123005, DCM, "Radiopharmaceutical Volume")	1	U		UNITS = EV (cm3, UCUM, "cm3")
13	>	CONTAINS	NUM	EV (113508, DCM, "Pre-Administration Measured Activity")	1	U		UNITS = EV (MBq, UCUM, "MBq")
14	>>	HAS OBS CONTEXT	CODE	EV (113540, DCM, "Activity Measurement Device")	1	U		DCID 10041 "Source of Radioisotope Activity Information"
15	>>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	U		
16	>	CONTAINS	NUM	EV (113509, DCM, "Post-Administration Measured Activity")	1	U		UNITS = EV (MBq, UCUM, "MBq")
17	>>	HAS OBS CONTEXT	CODE	EV (113540, DCM, "Activity Measurement Device")	1	U		DCID 10041 "Source of Radioisotope Activity Information"
18	>>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	U		
19	>	CONTAINS	INCLUDE	DTID 10023 "Organ Dose"	1-n	U		
20	>	CONTAINS	CODE	EV (G-C340 , SRT410675002, SCT, "Route of administration")	1	M		BCID 11 "Route of Administration"
21	>>	HAS PROPERTIES	CODE	EV (G-G581 , SRT272737002, SCT, "Site of")	1	MC	IF Row 20 equals (G-D401 , SRT47625008, SCT, "Intravenous route") or (G-D403 , SRT78421000, SCT, "Intramuscular route")	DCID 3746 "Percutaneous Entry Site"
22	>>>	HAS CONCEPT MOD	CODE	EV (G-G171 , SRT272741003, SCT, "Laterality")	1	MC	IF Row 21 has laterality	DCID 244 "Laterality"
23	>	CONTAINS	INCLUDE	DTID 1020 "Person Participant"	1-n	M		\$PersonProcedureRole = EV (113851, DCM, "Irradiation Administering")
24	>	CONTAINS	CODE	EV (121147, DCM, "Billing Code(s) ")	1-n	U		
25	>	CONTAINS	CODE	EV (113510, DCM, "Drug Product Identifier")	1-n	U		
26	>	CONTAINS	TEXT	EV (111529, DCM, "Brand Name")	1	U		
27	>	CONTAINS	TEXT	EV (113511, DCM, "Radiopharmaceutical Dispense Unit Identifier")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
28	>>	CONTAINS	TEXT	EV (113512, DCM, "Radiopharmaceutical Lot Identifier")	1-n	U		
29	>>	CONTAINS	TEXT	EV (113513, DCM, "Reagent Vial Identifier")	1-n	U		
30	>>	CONTAINS	TEXT	EV (113514, DCM, "Radionuclide Identifier")	1-n	U		
31	>	CONTAINS	TEXT	EV (113516, DCM, "Prescription Identifier")	1	U		
32	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 4	The value of Half-life that was used for computing the decay of the administered radiopharmaceutical. It is not intended for use by the receiver for any further computation.
Row 5	Activity per unit mass of the radiopharmaceutical at Radiopharmaceutical Start Time
Row 6	Unique identification of a single radiopharmaceutical administration event.
Row 8	The estimated percentage of administered activity lost at the injection site. The estimation includes extravasation, paravenous administration and leakage at the injection site.
Row 9	The time the radiopharmaceutical was administered to the patient for imaging purposes.
Row 11	Total amount of radioactivity administered to the patient at Radiopharmaceutical Start Time. It is a computed field from the TID 10022 Pre-Administration Measured Activity Row 13, TID 10022 Post-Administration Measured Activity Row 17, Radionuclide Half Life Row 4 and Radiopharmaceutical Start Time Row 9. Does not include estimated extravasation activity.
Rows 13, 16	Observation DateTime (0040,A032) shall be used to record when the measurement was taken.
Row 23	Identifies the person administering the product.
Row 24	The billing codes for the preparation and administration of the radiopharmaceutical. It does not include performance and interpretation of the imaging.
Row 25	Registered drug establishment code for the product. A coding scheme example is NDC, WHO-DDE or RxNorm. Multiple entries can be used for equivalent drug product codes.
Row 27	The human readable identification of the specific radiopharmaceutical quantity (dose) administered to the patient.
Row 28	Identifies the vial, batch or lot number from which the individual radiopharmaceutical quantity (dose) was produced. Row 27 the Radiopharmaceutical Identifier records the identification for each individual dose.
Row 29	Identifies the lot or unit serial number for the reagent component for the radiopharmaceutical identified in row 27.
Row 30	Identifies the lot or unit serial number for the radionuclide component for the radiopharmaceutical identified in row 27.

TID 10023 Organ Dose

This Template conveys the information about the dose to a single organ.

Type: Extensible
Order: Significant
Root: No

Table TID 10023. Organ Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (113517, DCM, "Organ Dose Information")	1	M		
2	>	HAS CONCEPT MOD	CODE	EV (G-C0E3 , SRT363698007 , SCT , "Finding Site")	1	M		DCID 10044 "Radiosensitive Organs"
3	>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT , "Laterality")	1	MC	IFF anatomy has laterality	DCID 244 "Laterality"
4	>	CONTAINS	NUM	EV (G-D701 , SRT118538004 , SCT , "Mass")	1	U		UNITS = EV (g, UCUM, "grams")
5	>>	HAS CONCEPT MOD	TEXT	EV (G-C036 , SRT370129005 , SCT , "Measurement Method")	1	M		
6	>	CONTAINS	NUM	EV (113518, DCM, "Organ Dose")	1	M		UNITS = EV (mGy, UCUM, "mGy")
7	>>	HAS PROPERTIES	CODE	EV (121406, DCM, "Reference Authority")	1	MC	XOR Row 8	BCID 10040 "Radiopharmaceutical Organ Dose Reference Authority"
8	>>	HAS PROPERTIES	TEXT	EV (121406, DCM, "Reference Authority")	1	MC	XOR Row 7	

Content Item Descriptions

Row 3	For paired organs, use (G-A102 , SRT51440002 , SCT , "Bilateral") to report the estimated absorbed dose for both organs.
Row 4	The estimated mass of organ in grams used when calculating the organ dose.
Row 5	Method used to obtain the estimate. This could include a method that does not involve performing a measurement (e.g., Standard Organ Mass Tables).
Row 6	Organ dose (in units of mGy). Organ is specified by row 2.

TID 10024 Imaging Agent Administration Patient Characteristics

This Template describes the characteristics of the patient that are specific to the current clinical presentation (visit). In the case of radiopharmaceuticals, the characteristics noted may affect the activity received, and how dose is calculated for the patient. Patient Characteristic concepts in this Template, which may replicate attributes in the Patient Study Module, are included here as possible targets of by-reference relationships from other Content Items in the SR tree.

Type: Extensible
Order: Significant
Root: No

Table TID 10024. Imaging Agent Administration Patient Characteristics

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (121118, DCM, "Patient Characteristics")				

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	CODE	EV (109054, DCM, "Patient state")	1-n	U		DCID 10045 "Radiopharmaceutical Patient State" DCID 64 "Imaging Agent Administration Patient State"
3	>	CONTAINS	NUM	EV (121033, DCM, "Subject Age")	1	U		UNITS = DCID 7456 "Units of Measure for Age"
4	>	CONTAINS	CODE	EV (121032, DCM, "Subject Sex")	1	U		DCID 7455 "Sex"
5	>	CONTAINS	NUM	EV (8302-2, LN, "Patient Height")	1	U		UNITS = EV (cm, UCUM, "cm")
6	>	CONTAINS	NUM	EV (29463-7, LN, "Patient Weight")	1	U		UNITS = EV (kg, UCUM, "kg").
7	>	CONTAINS	NUM	EV (8277-6, LN, "Body Surface Area")	1	U		UNITS = EV (m2, UCUM, "m^2")
8	>>	INFERRED FROM	CODE	EV (8278-4, LN, "Body Surface Area Formula")	1	U		BCID 3663 "Body Surface Area Equations"
9	>	CONTAINS	NUM	EV (F-04860 , SRT60621009 , SCT , "Body Mass Index")	1	U		UNITS = EV (kg/m2, UCUM, "kg/m^2")
10	>>	INFERRED FROM	CODE	EV (121420, DCM, "Equation")	1	U		DT (122265, DCM, "BMI = Wt/Ht^2")
11	>	CONTAINS	NUM	EV (14749-6, LN, "Glucose")	1	U		UNITS = EV (mmol/l, UCUM, "mmol/l")
12	>	CONTAINS	NUM	EV(113550, DCM, "Fasting Duration")	1	U		UNITS = DT (h, UCUM, "hours")
13	>	CONTAINS	NUM	EV(113551, DCM, "Hydration Volume")	1	U		UNITS = DT (ml, UCUM, "ml")
14	>	CONTAINS	TEXT	EV (113552, DCM, "Recent Physical Activity")	1	U		
15	>	CONTAINS	NUM	EV (2160-0, LN, "Serum Creatinine")	1	U		UNITS = DT (mg/dl, UCUM, "mg/dl")
16	>	CONTAINS	NUM	EV (F-70210 , SRT80274001 , SCT , "Glomerular Filtration Rate")	1-n	U		UNITS = DT (ml/min{1.73_m2}, UCUM, "ml/min/1.73m2")
17	>>	HAS CONCEPT MOD	CODE	EV (G-C036 , SRT370129005 , SCT , "Measurement Method")	1	U		DCID 10047 "GFR Measurement Methods"
18	>>	HAS CONCEPT MOD	CODE	EV (121050, DCM, "Equivalent meaning of concept name")	1	M		DCID 10046 "GFR Measurements"

Content Item Descriptions

Row 3	Defaults to value of Patient's Age (0010,1010) in Patient Study Module
Row 5	Patient height may differ from Patient's Size (0010,1020). Row 4 is the height value used for any height based protocols. Observation DateTime (0040,A032) may be used to record when the measurement was taken.

Row 6	<p>Patient weight may differ from Patient's Weight (0010,1030). Row 5 is the weight value used for any weight based protocols.</p> <p>Observation DateTime (0040,A032) shall be used to record when the measurement was taken.</p>
Row 11	<p>Patient's Blood Glucose level.</p> <p>Observation DateTime (0040,A032) shall be used to record when the measurement was taken.</p>
Row 15	<p>Serum Creatinine level.</p> <p>Observation DateTime (0040,A032) shall be used to record when the measurement was taken.</p>
Row 16	<p>Glomerular Filtration Rate Observation DateTime (0040,A032) shall be used to record when the measurement was taken.</p> <p>The formatting of the UCUM units is aligned with LOINC. See http://unitsofmeasure.org/trac/ticket/98</p>

Patient Radiation Dose SR IOD Templates

The Templates that comprise the Patient Radiation Dose SR are interconnected as in Figure A-18.




Figure A-18. Patient Radiation Dose Structured Report IOD Template Structure

TID 10030 Patient Radiation Dose

This template defines a container (the root) with subsidiary content items for determining an estimated radiation dose to a patient.

Type: Extensible
Order: Non-Significant
Root: Yes

Table TID 10030. Patient Radiation Dose

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (128401, DCM, "Patient Radiation Dose Report")	1	M		Root Node
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	M		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	M		
4	>	CONTAINS	INCLUDE	DTID 10031 "Radiation Dose Estimate"	1	M		
5	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 3	Identify all observers and devices involved with creating the organ estimations included in this Patient Radiation Dose SR.
-------	---

TID 10031 Radiation Dose Estimate

The dose estimate is used to record the results from one analysis method from one or more radiation sources. Organ dose estimates are calculated from one or more irradiation events to a patient. The output from one or more sources of radiation can be used separately or combined to estimate the dose to a patient or individual organs.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10031. Radiation Dose Estimate

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CONTAINS	CONTAINER	EV (128402, DCM, "Radiation Dose Estimate")	1	M		
2	>	HAS CONCEPT MOD	TEXT	EV (128403, DCM, "Radiation Dose Estimate Name")	1	M		
3	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
4	>	CONTAINS	INCLUDE	DTID 10033 "Radiation Dose Estimate Methodology"	1	M		
5	>	CONTAINS	INCLUDE	DTID 10032 "Radiation Dose Estimate Representation"	1-n	U		
6	>	CONTAINS	CONTAINER	EV (113517, DCM, "Organ Radiation Dose Information")	1-n	M		
7	>>	CONTAINS	CODE	EV (T-D0060 , SRT 113343008, SCT , "Organ")	1	M		DCID 10060 "Organs for Radiation Dose Estimates"
8	>>>	HAS CONCEPT MOD	CODE	EV (G-C474 , SRT 272741003, SCT , "Laterality")	1	MC	IF Row 7 has laterality	DCID 244 Laterality
9	>>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
10	>>	CONTAINS	NUM	DCID 10061 "Absorbed Radiation Dose Types"	1	M		UNITS = EV (mGy, UCUM, "mGy")
11	>>>	HAS PROPERTIES	NUM	DCID 225 "Measurement Uncertainty Concepts"	1-n	U		UNITS = EV (mGy, UCUM, "mGy")
12	>>>>	HAS PROPERTIES	TEXT	EV (128511, DCM, "Reference to Uncertainty Determination Method")	1	U		
13	>>	CONTAINS	NUM	DCID 10062 "Equivalent Radiation Dose Types"	1	U		UNITS = EV (mSv, UCUM, "mSv")
14	>>>	HAS PROPERTIES	NUM	DCID 225 "Measurement Uncertainty Concepts"	1-n	U		UNITS = EV (mSv, UCUM, "mSv")
15	>>>>	HAS PROPERTIES	TEXT	EV (128511, DCM, "Reference to Uncertainty Determination Method")	1	U		

Content Item Descriptions

Row 13	Equivalent Dose is an international quantity and includes the use of a Radiation Weighting Factor to compensate for the radiation type, e.g., photon, neutron, alpha or beta particle, etc. Stating equivalent dose is not recommended in almost all dosimetry situations, except in Radiopharmaceutical dose. This is not Effective Dose.
--------	--

TID 10032 Radiation Dose Estimate Representation

Different representations (e.g., images) of the distribution of absorbed energy allow a better understanding of how this energy may affect tissue.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10032. Radiation Dose Estimate Representation

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (128412, DCM, "Radiation Dose Estimate Representation")	1	M		
2	>	CONTAINS	CODE	EV (128413, DCM, "Distribution Representation")	1	M		DCID 10063 "Radiation Dose Estimate Distribution Representation"
3	>	CONTAINS	IMAGE	EV (128414, DCM, "Radiation Dose Representation Data")	1	MC	XOR Row 4	
4	>	CONTAINS	COMPOSITE	EV (128414, DCM, "Radiation Dose Representation Data")	1	MC	XOR Row 3	
5	>	CONTAINS	CODE	EV (T-D0060 , SRT113343008 , SCT , "Organ")	1-n	M		DCID 10060 "Organs for Radiation Dose Estimates"
6	>>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT , "Laterality")	1	MC	IF Row 5 has laterality	DCID 244 "Laterality"
7	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Roww 3 and 4	Reference to an Instance that contains the dose representation, e.g., surface segmentation, mesh, parametric map, RT dose, Secondary Capture, etc.
Row 5	The organs in the representation. The organs in this Row shall be present in Row 7 of TID 10031 "Radiation Dose Estimate".

TID 10033 Radiation Dose Estimate Methodology

This template includes the information specific to the organ dose calculation methodology used when estimating dose to individual organs, entire body or a phantom from imaging studies that use ionizing radiation.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10033. Radiation Dose Estimate Methodology

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (128415, DCM, "Radiation Dose Estimate Methodology")	1	M		
2	>	CONTAINS	COMPOSITE	EV (128416, DCM, "SR Instance Used")	1-n	M		
3	>>	HAS OBS CONTEXT	COMPOSITE	EV (128447, DCM, "Spatial Fiducials")	1-n	U		
4	>>	HAS PROPERTIES	UIDREF	EV (128429, DCM, "Event UID Used")	1-n	MC	IFF some Events in the Structured Report were not used in calculating the dose.	
5	>	CONTAINS	CONTAINER	EV (128500, DCM, "Patient Radiation Dose Model")	1	M		
6	>>	CONTAINS	CODE	EV (128417, DCM, "Patient Model Type")	1	M		DCID 10064 "Patient Model Type"
7	>>	CONTAINS	CODE	EV (128420, DCM, "Radiation Transport Model Type")	1	M		DCID 10065 "Radiation Transport Model Type"
8	>>	CONTAINS	IMAGE	EV (128425, DCM, "Patient Radiation Dose Model Data")	1	UC	XOR Row 9, 10	
9	>>	CONTAINS	COMPOSITE	EV (128425, DCM, "Patient Radiation Dose Model Data")	1	UC	XOR Row 8, 10	
10	>>	CONTAINS	UIDREF	EV (128425, DCM, "Patient Radiation Dose Model Data")	1	UC	XOR Row 8, 9	
11	>>	CONTAINS	TEXT	EV (128426, DCM, "Patient Radiation Dose Model Reference")	1	U		
12	>>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
13	>>	CONTAINS	CONTAINER	EV (128427, DCM, "Patient Model Demographics")	1	M		
14	>>>	CONTAINS	NUM	EV (128428, DCM, "Model Minimum Age")	1	MC	IF model requires minimum age to be defined	DCID 7456 "Units of Measure for Age"
15	>>>	CONTAINS	NUM	EV (128430, DCM, "Model Maximum Age")	1	MC	IF model requires maximum age to be defined	DCID 7456 "Units of Measure for Age"
16	>>>	CONTAINS	CODE	EV (128437, DCM, "Model Patient Sex")	1	MC	IF model requires sex to be defined.	DCID 7455 "Sex"
17	>>>	CONTAINS	NUM	EV (128438, DCM, "Model Minimum Weight")	1	MC	IF model requires minimum weight to be defined	UNITS = EV (kg, UCUM, "kg")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
18	>>>	CONTAINS	NUM	EV (128441, DCM, "Model Maximum Weight")	1	MC	IF model requires maximum weight to be defined	UNITS = EV (kg, UCUM, "kg")
19	>>>	CONTAINS	NUM	EV (128439, DCM, "Model Minimum Height")	1	MC	IF model requires minimum height to be defined	UNITS = EV (cm, UCUM, "cm")
20	>>>	CONTAINS	NUM	EV (128442, DCM, "Model Maximum Height")	1	MC	IF model requires maximum height to be defined	UNITS = EV (cm, UCUM, "cm")
21	>>	CONTAINS	CONTAINER	EV (128456, DCM, "Patient Model Registration")	1-n	UC	IF spatial information used from Radiation Dose SR or Patient Radiation Dose Model	
22	>>>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
23	>>>	CONTAINS	CODE	EV (128446, DCM, "Registration Method")	1	M		DCID 7100 "RCS Registration Method Type"
24	>>>	CONTAINS	COMPOSITE	EV (128444, DCM, "Spatial Registration Reference")	1	MC	IFF Row 8, 9 or 10 are present and Frame of Reference is defined	
25	>	CONTAINS	CONTAINER	EV (128457, DCM, "X-Ray Beam Attenuator")	1-n	MC	IF attenuators used in estimation	
26	>>	CONTAINS	CODE	EV (128458, DCM, "Attenuator Category")	1	M		DCID 10066 "Attenuator Category"
27	>>	CONTAINS	CODE	EV (128465, DCM, "Equivalent Attenuator Material")	1	M		DCID 10067 "Radiation Attenuator Materials"
28	>>	CONTAINS	NUM	EV (128469, DCM, "Equivalent Attenuator Thickness")	1	MC	IF the attenuator is of uniform thickness	UNITS = EV (mm, UCUM, "mm")
29	>>	CONTAINS	TEXT	EV (128468, DCM, "Attenuator Description")	1	U		
30	>>	CONTAINS	CONTAINER	EV (128472, DCM, "X-Ray Beam Attenuator Model")	1	U		
31	>>>	CONTAINS	CODE	EV (128420, DCM, "Radiation Transport Model Type")	1	U		DCID 10065 "Radiation Transport Model Type"
32	>>>	CONTAINS	TEXT	EV (128474, DCM, "X-Ray Beam Attenuator Model Reference")	1	U		
33	>>>	CONTAINS	IMAGE	EV (128470, DCM, "X-Ray Attenuator Model Data")	1	UC	XOR Row 34, 35	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
34	>>>	CONTAINS	COMPOSITE	EV (128470, DCM, "X-Ray Attenuator Model Data")	1	UC	XOR Row 33, 35	
35	>>>	CONTAINS	UIDREF	EV (128470, DCM, "X-Ray Attenuator Model Data")	1	UC	XOR Row 33, 34	
36	>>	CONTAINS	CONTAINER	EV (128475, DCM, "X-Ray Beam Attenuator Model Registration")	1-n	U		
37	>>>	CONTAINS	CODE	EV (128446, DCM, "Registration Method")	1	M		DCID 7100 "RCS Registration Method Type"
38	>>>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
39	>>>	CONTAINS	COMPOSITE	EV (128444, DCM, "Spatial Registration Reference")	1	MC	IFF Row 33, 34 or 35 are present and Frame of Reference is defined	
40	>	CONTAINS	CONTAINER	EV (128476, DCM, "Radiation Dose Estimate Method")	1-n	M		
41	>>	CONTAINS	CODE	EV (128477, DCM, "Radiation Dose Estimate Method Type")	1	M		DCID 10068 "Estimate Method Types"
42	>>	CONTAINS	INCLUDE	DTID 10034 "Radiation Dose Estimate Parameters"	1	U		
43	>>	CONTAINS	TEXT	EV (128482, DCM, "Radiation Dose Estimate Method Reference")	1	U		

Content Item Descriptions

Row 2	<p>Reference to Radiation Dose SRs or Radiopharmaceutical Administration Dose SRs used in the dose estimation. At least one such SR shall be referenced.</p> <p>Note</p> <p>If an SR does not exist, one must be created from estimated data.</p>
Row 3	Reference to Fiducial SOP Instance that is used to register the Frame of Reference of the Radiation Dose SR.
Row 4	Reference to Irradiation Event UIDs or Radiopharmaceutical Event UIDs used in the Radiation Dose Estimate Methodology. This shall not be present if all events in the SR are used.
Rows 8 and 9	Reference to an instance that contains the model used when determining the radiation transport and deposition of energy within a patient, e.g., Surface Segmentation, Mesh, Parametric Map, etc.
Row 10	Reference to the series of images that contains the model used when determining the radiation transport and deposition of energy within a patient, e.g., CT, MRI, etc.
Row 11	Reference to Publication describing the model used. If proprietary, reference the manufacturer model and version of software used.
Rows 13-20	Provide the demographics used in the patient model to estimate dose. These are not necessarily the demographics of the actual patient.

Row 21	<p>Contains the Spatial Registration from each Source Radiation Dose SR Frame of Reference to the patient model Frame of Reference.</p> <p>The Frame of Reference of patient model is defined by the space of model coordinates. The Frame of Reference of the Source Radiation Dose SR is the Frame of Reference of the acquired patient images. If no Frame of Reference of the acquired patient images exists, fiducials can be used to define Frame of Reference in both the equipment space, i.e., Source Radiation Dose SR, and the Patient Model space and referenced in Row 5.</p> <p>If RCS Registration Method Type is Visual Alignment, it is assumed any translation/rotation information from the visual alignment is added to other alignment translation/rotation information and saved as a single Spatial Registration SOP Instance.</p>
Row 25	One content item per attenuator. This can be information about materials in the radiation beam that is used in the estimation method and that may or may not have been included in the Radiation Dose SR. If the beam Attenuator (e.g., filter) is included here and is also in the Radiation Dose SR it is assumed additional information relative to the beam Attenuator material, shape, size, location was needed and this information was not in the Radiation Dose SR or the Radiation Dose SR information is considered incorrect or incomplete.
Row 27	The estimation method may use an equivalent material rather than the actual material, e.g., a plastic table may be use equivalent aluminum attenuation.
Row 28	<p>If the attenuator is not uniform, a thickness may still be provided and it is expected that Row 29 (Attenuator Description) will clarify how that thickness was determined.</p> <p>The specified equivalent material is identified in Row 27.</p>
Row 29	The attenuator characteristics may be described here. If the attenuator thickness was not provided in Row 28, the attenuator may still be described.
Row 30	Complex attenuators are best described by a model.
Rows 33 and 34	Reference to an Instance that contains the model e.g., Surface Segmentation, Mesh, Parametric Map, etc.
Row 35	Reference to the Series of Images that contains the model, e.g., CT, MRI, etc. This can be a Spatial Fiducials SOP Instance.
Row 36	<p>Contains the Spatial Registration from each Source Radiation Dose SR Frame of Reference to the X-Ray attenuator model Frame of Reference.</p> <p>The Frame of Reference of the X-Ray attenuator model is defined by the space of model coordinates. The Frame of Reference of the Source Radiation Dose SR is the Frame of Reference of the acquired patient images. If no Frame of Reference of the acquired patient images exists, fiducials can be used to define Frame of Reference in both the equipment space, i.e., Source Radiation Dose SR, and X-Ray attenuator model space and referenced in Row 30.</p> <p>If RCS Registration Method Type is Visual Alignment it is assumed any translation/rotation information from the visual alignment is added to other alignment translation/rotation information and saved as a single Spatial Registration SOP Instance.</p>
Row 32 and 43	Provide name of method, reference to a publication or the manufacturer model and version

TID 10034 Radiation Dose Estimate Parameters

This template includes the parameters that are specific to the Radiation Dose Estimate Method used in the algorithms when estimating dose to individual organs, phantoms, or the entire body from imaging studies that use ionizing radiation.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 10034. Radiation Dose Estimate Parameters


	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (128434, DCM, "Radiation Dose Estimate Parameters")	1	M		
2	>	CONTAINS	NUM	DCID 10069 "Radiation Dose Estimation Parameter "	1-n	MC	IF Row 4 absent	UNITS = DCID 82 "Units of Measurement"
4	>	CONTAINS	COMPOSITE	EV (128436, DCM, "Radiation Dose Composite Parameters")	1-n	MC	IF Row 2 absent	
5	>>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 2	These are the parameters of the method specified in Row 43 of TID 10033 "Radiation Dose Estimate Methodology". The code meanings should correlate directly with the names of the parameters used in the methodology documentation.
Row 4	References to Parametric Map Image, Mesh, encapsulated pdf, or other similar IOD.
Row 5	Describes the contents of the IOD referenced in Row 4

Imaging Agent Administration SR IOD Templates**Planned Imaging Agent Administration SR IOD Templates**

The templates that comprise the Planned Imaging Agent Administration are interconnected as in Figure A-19.

**Figure A-19. Planned Imaging Agent Administration SR IOD Template Structure****TID 11001 Planned Imaging Agent Administration**

This template describes single administration plan.

This template defines a container (the root) with subsidiary content items, each of which corresponds to a single Imaging Agent Administration that is planned.

Note

If a planned SR is a modification of a previous planned SR, it can reference the previous plan using the Predecessor Documents Sequence (0040,A360).

Type: Extensible
Order: Non-Significant
Root: Yes

Table TID 11001. Planned Imaging Agent Administration

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130226, DCM, "Planned Imaging Agent Administration")	1	M		
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	M		
4	>	HAS OBS CONTEXT	INCLUDE	DTID 1005 "Procedure Context"	1	M		
5	>	CONTAINS	INCLUDE	DTID 8131 "Medications and Mixture Medications"	1-n	U		\$DrugAdministered = DCID 65 "Pre-medication For Imaging Agent Administration"
6	>	CONTAINS	INCLUDE	DTID 10024 "Imaging Agent Administration Patient Characteristics"	1	U		
7	>	CONTAINS	INCLUDE	DTID 11002 "Imaging Agent Information"	1-n	M		
8	>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		
9	>	CONTAINS	INCLUDE	DTID 11005 "Imaging Agent Administration Consumable"	1-n	U		
10	>	CONTAINS	INCLUDE	DTID 11006 "Imaging Agent Administration Steps"	1	M		

Content Item Descriptions

Row 3	Author of the plan.
Row 5	Describes medications administered prior to the procedure. E.g., for contrast reaction prophylaxis. Not intended for pharmaceutical stress agents.
Row 8	General comments about the planned Imaging Agent administration. It is intended for such things as a summary of the content of the plan, additional instructions related to administration of the plan, and concepts that cannot be expressed by structured features of the plan.
Row 9	The consumables that would be needed to execute the plan. e.g., a catheter of a particular size.

TID 11002 Imaging Agent Information

This template describes an Imaging Agent which may be a single component or a mix of multiple components used in a single syringe or pump.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11002. Imaging Agent Information

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130183, DCM, "Imaging Agent Information")	1	M		
2	>	CONTAINS	TEXT	EV (130254, DCM, "Imaging Agent Identifier")	1	M		
3	>	CONTAINS	CODE	EV (130187, DCM, "Imaging Agent Warmed")	1	M		DCID 230 "Yes-No"
4	>	CONTAINS	CONTAINER	EV (130191, DCM, "Imaging Agent Component Usage")	1-n	M		
5	>>	CONTAINS	INCLUDE	DTID 11004 "Imaging Agent Component"	1	M		
6	>>	CONTAINS	NUM	EV (130239, DCM, "Component Volume")	1	MC	IF 2 or more items of Row 4 are present	UNITS (ml, UCUM, "ml")
7	>	CONTAINS	NUM	EV (130228, DCM, "Contrast Volume Limit")	1	UC	IFF root Concept Name Code Sequence (130226, DCM, "Planned Imaging Agent Administration")	UNITS EV (ml, UCUM, "ml")

Content Item Descriptions

Row 2	Uniquely, within the scope of the root container, identifies the Imaging Agent contained in a syringe or pump.
Row 4	<p>A single Imaging Agent component, or a mixture of multiple Imaging Agent components, used to build a custom mixture of contrast agent, filled in a single syringe or pump.</p> <p>For Imaging Agents that are not a mixture, a single instance of this row defines the Imaging Agent component.</p>
Row 6	Estimated volume of the Imaging Agent component.

TID 11003 Imaging Agent Administration Syringe/Pump Phase Activity

This template describes a single Syringe/Pump activity as part of the single imaging administration phase. A phase activity is the lowest level of the Imaging Agent delivery model.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11003. Imaging Agent Administration Syringe/Pump Phase Activity

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130237, DCM, "Imaging Agent Administration Syringe/Pump Phase Activity")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	TEXT	EV (130255, DCM, "Referenced Imaging Agent Identifier")	1	M		Shall be a value of Row 2 in TID 11002.
3	>	CONTAINS	NUM	EV (122091, DCM, "Volume Administered")	1	M		UNITS = EV (ml, UCUM, "ml")
4	>	CONTAINS	NUM	EV (130208, DCM, "Starting Flow Rate of Administration")	1	M		UNITS = EV (ml/s, UCUM "ml/s")
5	>	CONTAINS	NUM	EV (130209, DCM, "Ending Flow Rate of administration")	1	MC	IF Row 7 = (130253, DCM, "Linear Curve")	UNITS = EV (ml/s, UCUM "ml/s")
6	>	CONTAINS	NUM	EV (130207, DCM, "Rise Time")	1	UC	IF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	UNITS = EV (s, UCUM, "s")
7	>	CONTAINS	CODE	EV (130210, DCM, "Bolus Shaping Curve")	1	U		DCID 73 "Bolus Shaping Curves"
8	>>	HAS PROPERTIES	TEXT	EV (111002, DCM, "Algorithm Parameters")	1-n	U		
9	>	CONTAINS	NUM	EV (130244, DCM, "Peak Flow Rate in Phase Activity")	1	MC	IF TID 11007 Row 4 = (130173, DCM, "Automated Administration") AND IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	UNITS = EV (ml/s, UCUM "ml/s")
10	>	CONTAINS	NUM	EV (130245, DCM, "Peak Pressure in Phase Activity")	1	MC	IF Row 4 = (130173, DCM, "Automated Administration") AND IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	UNITS = EV (kPa, UCUM "kPa")
11	>	CONTAINS	NUM	EV (130205, DCM, "Initial Volume of Imaging Agent in Container")	1	UC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	UNITS = EV (ml, UCUM, "ml")
12	>	CONTAINS	NUM	EV (130206, DCM, "Residual Volume of Imaging Agent in Container")	1	UC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	UNITS = EV (ml, UCUM, "ml")
13	>	CONTAINS	DATETIME	EV (111526, DCM, "DateTime Started")	1	MC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
14	>	CONTAINS	NUM	EV (C0449238 , UMLS, "Duration")	1	MC	IF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	UNITS = EV (s, UCUM, "s")

Content Item Descriptions

Row 3	Volume administered by this syringe or pump.
Row 7	Shape of the flow rate from the beginning rate to the end rate of the administration. This will typically be a vendor specific code. The code meaning of the concept name should describe the type and intent of the curve.
Row 8	Any parameters used to generate the curve defined in Row 7.
Row 9	Peak value of the flow rate of this syringe or pump activity.
Row 10	Peak value of the pressure of this syringe or pump activity.
Row 13	Datetime this individual syringe or pump activity actually started.
Row 14	Duration of this individual syringe or pump activity.

TID 11004 Imaging Agent Component

This template describes the Imaging Agent component. The brand and packaging information can be referenced under Section TID 11005 Imaging Agent Administration Consumable.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11004. Imaging Agent Component

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130238, DCM, "Imaging Agent Component")	1	M		
2	>	CONTAINS	CODE	EV (122083, DCM, "Drug administered")	1	M		DCID 12 "Radiographic Contrast Agent" DCID 3204 "Stress Agents" DCID 70 "Flush" DCID 66 "Medication For Imaging Agent Administration"
3	>	CONTAINS	CODE	EV (G-C52F , SRT 127489000, SCT , "Active Ingredient")	1	U		DCID 13 "Radiographic Contrast Agent Ingredient"
4	>	CONTAINS	CODE	EV (113510, DCM, "Drug Product Identifier")	1	U		
5	>	CONTAINS	NUM	EV (122093, "DCM", "Concentration")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
6	>	CONTAINS	NUM	EV (282258000, SCT, "Molarity")	1	U		UNITS = EV (mmol/l, UCUM, "mmol/l")
7	>	CONTAINS	CODE	EV (56953008, SCT, "Osmolality")	1	U		DCID 75 "Low-high-equal"
8	>	CONTAINS	NUM	EV (126380, DCM, "Contrast Longitudinal Relaxivity")	1	U		UNITS = EV (l/mmol/s, UCUM, "l/mmol/s")
9	>	CONTAINS	NUM	EV (130188, DCM, "Contrast Transverse Relaxivity")	1	U		UNITS = EV (l/mmol/s, UCUM, "l/mmol/s")
10	>	CONTAINS	NUM	EV (130184, DCM, "Osmolality at 37C")	1	U		UNITS = EV (mosm/kg, UCUM, "mosm/kg")
11	>	CONTAINS	NUM	EV (130185, DCM, "Osmolarity at 37C")	1	U		UNITS = EV (mmol/l UCUM, "mmol/l")
12	>	CONTAINS	NUM	EV (130186, DCM, "Viscosity at 37C")	1	U		
13	>	CONTAINS	CODE	EV (130189, DCM, "Is Ionic")	1	U		DCID 231 "Yes-No Only"
14	>	CONTAINS	NUM	EV (130190, DCM, "Dosing Factor")	1	U		
15	>	CONTAINS	CODE	EV (732935002, SCT, "Unit of Presentation")	1	M		DCID 68 "Imaging Agent Administration Pharmaceutical Unit of Presentation"
16	>	CONTAINS	NUM	EV (130221, DCM, "Imaging Agent Volume Per Unit of Presentation")	1	U		UNITS = EV (ml, UCUM, "ml")
17	>	CONTAINS	TEXT	EV (121147, DCM, "Billing Code")	1	U		
18	>	CONTAINS	TEXT	EV (121145, DCM, "Description of Material")	1	U		
19	>	CONTAINS	DATE	EV (C70854, NCIt, "Medical Product Expiration Date")	1	U		
20	>	CONTAINS	TEXT	EV (C0947322, UMLS, "Manufacturer Name")	1	U		
21	>	CONTAINS	TEXT	EV (111529, DCM, "Brand Name")	1	U		
22	>	CONTAINS	TEXT	EV (130231, DCM, "Barcode Value")	1-n	UC	IFF root Concept Name Code Sequence = (130226, DCM, "Planned Imaging Agent Administration")	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
23	>	CONTAINS	TEXT	EV (130231, DCM, "Barcode Value")	1	UC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	
24	>	CONTAINS	TEXT	EV (121148, DCM, "Unit Serial Identifier")	1	U		
25	>	CONTAINS	TEXT	EV (121149, DCM, "Lot Identifier")	1	U		
26	>	CONTAINS	CODE	EV (128739, DCM, "UDI")	1	U		

Content Item Descriptions

Row 3	The drug administered includes contrast agents, stress agents, flush and medication agents.
Row 5	Concentration of the active ingredient (Row 3). The units are not constrained but shall be represented as usual using UCUM.
Row 7	Osmolality relative to blood.
Row 8	Relaxivity at 37°C at B0 field strength.
Row 9	Relaxivity at 37°C at B0 field strength.
Row 12	The units are not constrained but shall be represented using UCUM.
Row 17	The billing codes for material used for Imaging Agent administration procedure. It does not include performance and interpretation of the imaging.
Row 20	Name of the manufacturer of the pharmaceutical.
Row 22, 23	The number from the barcode associated with the unit of presentation e.g., the individual bottle. Some examples for type of codes are UPC, EAN, GTIN, PZN, PPN. Multiple items are permitted for planned Imaging Agent administration since multiple container sizes may be allowed.

TID 11005 Imaging Agent Administration Consumable

This template describes a material or supply used in the course of an Imaging Agent administration procedure, other than the Imaging Agents themselves and the unit of presentation of the Imaging Agents if pre-filled. This includes such supplies as needles, tubing, cannulas, catheters, empty syringes. This template may describe reusable or disposable materials.

For the planned administration, these are the expected consumables. For the performed administration, this template describes what was actually used.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11005. Imaging Agent Administration Consumable

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130222, DCM, "Imaging Agent Administration Consumable")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
2	>	CONTAINS	CODE	EV (130223, DCM, "Imaging Agent Administration Consumable Type")	1	M		DCID 69 "Imaging Agent Administration Consumables"
3	>	CONTAINS	NUM	EV (121146, DCM, "Quantity of Material")	1	U		
4	>>	CONTAINS	CODE	EV (130224, DCM, "Consumable is New")	1	M		DCID 230 "Yes-No"
5	>	CONTAINS	TEXT	EV (121147, DCM, "Billing Code")	1	U		
6	>	CONTAINS	TEXT	EV (121145, DCM, "Description of Material")	1	U		
7	>	CONTAINS	DATE	EV (C70854, NCIt, "Medical Product Expiration Date")	1	U		
8	>	CONTAINS	NUM	EV (111467, DCM, "Needle Length")	1	U	IF Row 2 = (A-26800 ; SRT19923001 , SCT, "Catheter")	UNITS = EV (mm, UCUM, "mm")
9	>	CONTAINS	NUM	EV (122319, DCM, "Catheter Size")	1	MC	IF Row 2 = (A-26800 ; SRT19923001 , SCT, "Catheter") AND If Row 10 = (A-26836 ; SRT82449006 , SCT, "Peripheral intravenous catheter")	UNITS = DCID 3510 "Catheter Size Units"
10	>	CONTAINS	CODE	EV (130257, DCM, "Consumable Catheter Type")	1	MC	IF Row 2 = (A-26800 ; SRT19923001 , SCT, "Catheter")	DCID 74 "Imaging Agent Administration Consumable Catheter Type"
11	>	CONTAINS	TEXT	EV (C0947322 , UMLS, "Manufacturer Name")	1	U		
12	>	CONTAINS	TEXT	EV (111529, DCM, "Brand Name")	1	U		
13	>	CONTAINS	TEXT	EV (130231, DCM, "Barcode Value")	1-n	UC	IFF root Concept Name Code Sequence = (130226, DCM, "Planned Imaging Agent Administration")	
14	>	CONTAINS	TEXT	EV (130231, DCM, "Barcode Value")	1	UC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	
15	>	CONTAINS	TEXT	EV (121148, DCM, "Unit Serial Identifier")	1	U		
16	>	CONTAINS	TEXT	EV (121149, DCM, "Lot Identifier")	1	U		
17	>	CONTAINS	CODE	EV (128739, DCM, "UDI")	1	U		

Content Item Descriptions

Row 3	Quantity of the Imaging Agent consumed or quantity of accessories or other consumables used.
Row 5	The billing codes for material used for Imaging Agent administration procedure. It does not include performance and interpretation of the imaging.
Row 11	Name of the manufacturer of the consumable.
Row 13,14	The number from the barcode associated with the unit of presentation e.g., the individual blister package. Some examples for type of codes are UPC, EAN, GTIN. Multiple items are permitted for planned Imaging Agent administration since multiple container sizes may be allowed.

TID 11006 Imaging Agent Administration Steps

This template provides detailed information on Imaging Agent Administration Steps. It consists of multiple administration steps; a step in turn consists of multiple administration phases.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11006. Imaging Agent Administration Steps

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130192, DCM, "Imaging Agent Administration Steps")	1	M		
2	>	CONTAINS	TEXT	EV (130200, DCM, "Imaging Agent Administration Steps Name")	1	M		
3	>	CONTAINS	TEXT	EV (130199, DCM, "Imaging Agent Administration Steps Description")	1	U		
4	>	CONTAINS	INCLUDE	DTID 11007 "Imaging Agent Administration Step"	1-n	U		

TID 11007 Imaging Agent Administration Step

This template provides detailed information on an Imaging Agent Administration step. A step is part of a plan. Steps are usually distinguished from other steps because an operator's intervention is required between steps. Steps are also distinguished when they have different routes of administration. A step may consist of multiple phases.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11007. Imaging Agent Administration Step

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130195, DCM, "Imaging Agent Administration Step")	1	M		
2	>	CONTAINS	TEXT	EV (130196, DCM, "Imaging Agent Administration Step Identifier")	1	M		
3	>	CONTAINS	UIDREF	EV (130246, DCM, "Imaging Agent Administration Performed Step UID")	1	MC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	CODE	EV (130181, DCM, "Administration Mode")	1	M		DCID 63 "Imaging Agent Administration Mode"
5	>	CONTAINS	CODE	EV (113874, DCM, "Person Role in Organization")	1-n	MC	IF Row 4 = (130174, DCM, "Manual Administration")	DCID 7450 "Person Roles"
6	>	CONTAINS	CODE	EV (130250, DCM, "Administration Step Type")	1	M		DCID 72 "Imaging Agent Administration Step Type"
7	>	CONTAINS	NUM	EV (130197, DCM, "Administration Delay")	1	U		UNITS = EV (s, UCUM, "s")
8	>	CONTAINS	NUM	EV (130198, DCM, "Scan Delay")	1	U		UNITS = EV (s, UCUM, "s")
9	>	CONTAINS	NUM	EV (130193, DCM, "Pressure Limit")	1	UC	IFF Row 4 = (130173, DCM, "Automated Administration")	UNITS = EV (kPa, UCUM, "kPa")
10	>	CONTAINS	CODE	EV (G-C340 , SRT410675002 , SCT, "Route of Administration")	1	M		DCID 11 "Route of Administration"
11	>>	HAS PROPERTIES	CODE	EV (G-C581 , SRT272737002 , SCT, "Site of")	1	MC	IF Row 10 equals(G-D401 , SRT47625008 , SCT, "Intravenous route") OR (G-D409 , SRT12130007 , SCT, "Intra-articular route")	DCID 3746 "Percutaneous Entry Site"
12	>>>	HAS CONCEPT MOD	CODE	EV (G-C171 , SRT272741003 , SCT, "Laterality")	1	MC	IF Row 11 has laterality	DCID 244 "Laterality"
13	>	CONTAINS	INCLUDE	DTID 11008 "Imaging Agent Administration Phase"	1-n	M		
14	>	CONTAINS	INCLUDE	DTID 11023 "Imaging Agent Administration Graph"	1-n	UC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	
15	>	CONTAINS	NUM	EV (130219, DCM, "Number of Injector Heads")	1	U		
16	>	CONTAINS	CODE	EV (130218, DCM, "Programmable Device")	1	U		DCID 231 "Yes-No Only"

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
17	>	CONTAINS	CONTAINER	EV (130172, DCM, "Manually triggered injection information")	1	UC	IF Row 4 = (130173, DCM, "Automated Administration") AND IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	
18	>>	CONTAINS	NUM	EV (130241, DCM, "Total Step Volume Administered")	1	M		UNITS = EV (ml, UCUM, "ml")
19	>>	CONTAINS	NUM	EV (130242, DCM, "Total number of manually triggered injections")	1	M		

Content Item Descriptions

Row 14	For a multi- syringe/pump injector there will be one graph per syringe/pump system. This is only included in the performed administration because it is descriptive not prescriptive.
--------	---

TID 11008 Imaging Agent Administration Phase

This template provides detailed information on Imaging Agent Administration Phase. A phase is part of the administration step and is not interrupted except under abnormal conditions.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11008. Imaging Agent Administration Phase

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130202, DCM, "Imaging Agent Administration Phase")	1	M		
2	>	CONTAINS	TEXT	EV (130203, DCM, "Imaging Agent Administration Phase Identifier")	1	M		
3	>	CONTAINS	UIDREF	EV (130261, DCM, "Imaging Agent Administration Performed Phase UID")	1	MC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	
4	>	CONTAINS	CODE	EV (130204, DCM, "Imaging Agent Administration Phase Type")	1	MC	IF TID 11007 Row 4 = (130173, DCM, "Automated Administration")	DCID 62 "Imaging Agent Administration Phase Type"
5	>	CONTAINS	INCLUDE	DTID 11003 "Imaging Agent Administration Syringe/Pump Phase Activity"	1-n	MC	IF TID 11007 Row 4 = (130173, DCM, "Automated Administration")	
6	>	CONTAINS	NUM	EV (130240, DCM, "Total Phase Volume Administered")	1	M		UNITS = EV (ml, UCUM, "ml")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>	CONTAINS	DATETIME	EV (111526, DCM, "DateTime Started")	1	MC	IFF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	
8	>	CONTAINS	NUM	EV (C0449238 , UMLS , "Duration")	1	MC	IF root Concept Name Code Sequence = (130227, DCM, "Performed Imaging Agent Administration")	UNITS = EV (s, UCUM, "s")

Content Item Descriptions

Row 2	Imaging Agent Administration Phase Identifier is specified as numeric text string, and shall be treated as the ordinal of the recorded administration phase within an administration step (i.e., "1" for the first phase, "2" for the second, etc.).
Row 5	There will be one item for each syringe / pump activity that is administering an agent during this phase.
Row 7	Datetime that the earliest syringe/pump starts administering.
Row 8	Total duration of this phase starting from where the earliest syringe/pump starts administering until the last syringe/pump ends administering.

Performed Imaging Agent Administration SR IOD Templates

The templates that comprise the Performed Imaging Agent Administration are interconnected as in Figure A-20.




Figure A-20. Planned Imaging Agent Administration SR IOD Template Structure

TID 11020 Performed Imaging Agent Administration

Figure A-20: Performed Imaging Agent Administration SR IOD Template Structure

This template defines a container (the root) with subsidiary content items, each of which corresponds to a single Imaging Agent Administration delivered. There is a defined recording observer (the system or person responsible for performing the plan).

Note

A performed SR may document a whole planned SR or only a single part of it. A planned SR can be documented by several performed SRs. It is allowed to aggregate several performed SRs of different performing devices on one patient with the same Study Instance UID for a total description of the administration. The aggregated performed SR should reference the previous Performed Imaging Agent Administrations using the Predecessor Documents Sequence (0040,A360). The individual Performed Administrations can be identified by the (130246, DCM, "Imaging Agent Administration Performed Step UID") of TID 11007 "Imaging Agent Administration Step".

Type: Extensible
Order: Non-Significant
Root: Yes

Table TID 11020. Performed Imaging Agent Administration

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130227, DCM, "Performed Imaging Agent Administration")	1	M		
2	>	HAS CONCEPT MOD	INCLUDE	DTID 1204 "Language of Content Item and Descendants"	1	U		
3	>	HAS OBS CONTEXT	INCLUDE	DTID 1002 "Observer Context"	1-n	M		
4	>	HAS OBS CONTEXT	INCLUDE	DTID 1005 "Procedure Context"	1	U		
5	>	CONTAINS	INCLUDE	DTID 8131 "Medications and Mixture Medications"	1-n	U		\$DrugAdministered = DCID 65 "Pre-medication For Imaging Agent Administration"
6	>	CONTAINS	INCLUDE	DTID 10024 "Imaging Agent Administration Patient Characteristics"	1	U		
7	>	CONTAINS	INCLUDE	DTID 11002 "Imaging Agent Information"	1-n	M		
8	>	CONTAINS	TEXT	EV (55112-7, LN, "Summary")	1	U		
9	>	CONTAINS	INCLUDE	DTID 11005 "Imaging Agent Administration Consumable"	1-n	U		
10	>	CONTAINS	INCLUDE	DTID 11006 "Imaging Agent Administration Steps"	1	M		
11	>	CONTAINS	COMPOSITE	EV (130236, DCM, "Planned Imaging Agent Administration SOP Instance")	1	MC	IF this administration was based on a Planned Imaging Agent Administration SOP Instance.	
12	>	CONTAINS	CODE	EV (130211, DCM, "Imaging Agent Administration Completion Status")	1	M		DCID 67 "Imaging Agent Administration Completion Status"
13	>	CONTAINS	INCLUDE	DTID 11021 "Imaging Agent Administration Adverse Events"	1	U		
14	>	CONTAINS	INCLUDE	DTID 11022 "Imaging Agent Administration Injector Events"	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
15	>	CONTAINS	NUM	EV (130165, DCM, "Total Keep Vein Open Volume Administered"	1	U		UNITS = EV (ml, UCUM, "ml")

Content Item Descriptions

Row 3	Persons and devices responsible for administering the Imaging Agent. If an automated injector was used, it is recorded here.
Row 7	Describes all Imaging Agents used.
Row 8	Summary of individual performed injections. e.g., "Administered 30ml of Ultravist using guage22 via LeftAC."
Row 10	Describes what was delivered.
Row 11	This reference will be to the plan that was actually used. Note If the operator modified a previously stored plan before use, then the modified plan shall be referenced. Stored plans may reference their predecessors using the Predecessor Documents Sequence (0040,A360).

TID 11021 Imaging Agent Administration Adverse Events

This template provides information on adverse events occurring to a patient as a result of administration of an Imaging Agent.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11021. Imaging Agent Administration Adverse Events

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130212, DCM, "Imaging Agent Administration Adverse Events")	1	M		
2	>	CONTAINS	CODE	EV (130220, DCM, "Administration discontinued")	1	U		DCID 231 "Yes-No Only"
3	>	CONTAINS	CODE	EV (C41331, NCI, "Adverse Event")	1-n	M		DCID 60 "Imaging Agent Administration Adverse Events"
4	>>	CONTAINS	CODE	EV (G-C497 , SRT 246112005, SCT, "Severity")	1	U		BCID (3716) Severity
5	>>	CONTAINS	CODE	EV (G-D709 , SRT 118578006, SCT, "Relative Time")	1	U		DCID 61 "Time Relative to Procedure"
6	>>	HAS PROPERTIES	DATETIME	EV (130215, DCM, "Adverse Event Detection DateTime")	1	M		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>>	HAS PROPERTIES	NUM	EV (130214, DCM, "Estimated Extravasation Volume")	1	UC	IF Row 3 is EV (D0-B0330; SRT95384003, SCT, "Injection Site Extravasation")	Units = EV (ml, UCUM, "ml")
8	>>	CONTAINS	UIDREF	EV (130216, DCM, "Referenced Imaging Agent Administration Step UID")	1	U		
9	>>	CONTAINS	UIDREF	EV (130262, DCM, "Referenced Imaging Agent Administration Phase UID")	1	U		
10	>>	CONTAINS	TEXT	EV (121106, DCM, "Comment")	1	U		

Content Item Descriptions

Row 2	Indicates whether the administration is discontinued due to the adverse event. There is no indication of which adverse event if any contributed to the decision to discontinue the administration.
Row 3	Note that presence of this row means the injector was informed about the adverse event by the operating clinician.
Row 6	Date and time when the adverse event was noted by the observer.
Row 8	UID of the performed step (as recorded in Row 3 of TID 11007) in which the adverse event occurred.
Row 9	UID of the performed phase (as recorded in Row 3 of TID 11008) in which the adverse event occurred.

TID 11022 Imaging Agent Administration Injector Events

This template describes events occurring during the administration that are detected by an automated power injector.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11022. Imaging Agent Administration Injector Events

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130233, DCM, "Imaging Agent Administration Injector Events")	1	M		
2	>	CONTAINS	CODE	EV (130220, DCM, "Administration discontinued")	1	U		DCID 231 "Yes-No Only"
3	>	CONTAINS	CODE	EV (130234, DCM, "Imaging Agent Administration Injector Event Type")	1-n	M		DCID 71 "Imaging Agent Administration Injector Event Type"
4	>>	HAS PROPERTIES	DATETIME	EV (130235, DCM, "Injector Event Detection DateTime")	1	M		
5	>>	HAS PROPERTIES	UIDREF	EV (130216, DCM, "Referenced Imaging Agent Administration Step UID")	1	U		
6	>>	HAS PROPERTIES	UIDREF	EV (130262, DCM, "Referenced Imaging Agent Administration Phase UID")	1	U		

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
7	>>	HAS PROPERTIES	TEXT	EV (130255, DCM, "Referenced Imaging Agent Identifier")	1	U		Shall be as defined in (130254, DCM, "Imaging Agent Identifier") Row 2 of TID 11002 "Imaging Agent Information"

Content Item Descriptions

Row 4	Date and time of occurrence of the injector event.
Row 5	UID of the performed step (as recorded in Row 3 of TID 11007) in which the injector event occurred.
Row 6	UID of the performed phase (as recorded in Row 3 of TID 11008) in which the injector event occurred.
Row 7	The Imaging Agent being administered when the event was detected.

TID 11023 Imaging Agent Administration Graph

This template describes two-dimensional graph data for a syringe or pump.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 11023. Imaging Agent Administration Graph

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1			CONTAINER	EV (130232, DCM, "Imaging Agent Administration Graph")	1	M		
2	>	CONTAINS	TEXT	EV (130255, DCM, "Referenced Imaging Agent Identifier")	1	M		EV (130254, DCM, "Imaging Agent Identifier")
3	>	CONTAINS	INCLUDE	DTID 3990 "Two Dimensional Measurement Graph"	1	M		\$MeasurementGraph = EV (130229, DCM, "Flow Rate vs time") \$X-Concept = EV (130194, DCM, "Time after the start of injection") \$Y-Concept = EV (122094, DCM, "Rate of administration") \$X-AxisUnit = DT (ms, UCUM,"ms") \$Y-AxisUnit = DT (ml/s, UCUM,"ml/s")

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	CONTAINS	INCLUDE	DTID 3990 "Two Dimensional Measurement Graph"	1	U		\$MeasurementGraph = EV (130230, DCM, "Pressure vs Time") \$X-Concept = EV (130194, DCM, "Time after the start of injection") \$Y-Concept = EV (A-80002 , SRT279046003 , SCT, "Pressure") \$X-AxisUnit = DT (ms, UCUM,"ms") \$Y-AxisUnit = DT (kPa, UCUM,"kPa")

Content Item Descriptions

Row 2	Identifies the Imaging Agent represented in the graph. Will be as defined in TID 11002.
-------	---

B DCMR Context Groups (Normative)

B.1 Context Groups

This Annex specifies the content of Context Groups required by DICOM IODs.

Note

Section 7.1 of this Part defines the fields of Context Group tables.

CID 2 Anatomic Modifier

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190118
 UID: 1.2.840.10008.6.1.1

Table CID 2. Anatomic Modifier

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A10024028007	Right	24028007G-A100	C0205090
SRTSCT	G-A1017771000	Left	7771000G-A101	C0205091
SRTSCT	G-A10251440002	Bilateral	51440002G-A102	C0238767
SRTSCT	G-A10366459002	Unilateral	66459002G-A103	C0205092
SRTSCT	G-A10449370004	Lateral	49370004G-A104	C0205093
SRTSCT	R-4081A260528009	Median	260528009R-4081A	C2939193
SRTSCT	R-404CC255549009	Anterior	255549009R-404CC	C1704448
SRTSCT	R-404CE255551008	Posterior	255551008R-404CE	C0205095
SRTSCT	G-A10766787007	Cephalic	66787007G-A107	C0205096
SRTSCT	G-A1083583002	Caudal	3583002G-A108	C0205097
SRTSCT	R-404D5255561001	Medial	255561001R-404D5	C0205098
SRTSCT	G-A11026216008	Central	26216008G-A110	C0205099
SRTSCT	G-A11114414005	Peripheral	14414005G-A111	C0205100
SRTSCT	R-40941261074009	External	261074009R-40941	C0205101
SRTSCT	R-40819260521003	Internal	260521003R-40819	C0205102
SRTSCT	G-A11411896004	Intermediate	11896004G-A114	C0205103
SRTSCT	R-4094A261089000	Inferior	261089000R-4094A	C0542339
SRTSCT	R-42191264217000	Superior	264217000R-42191	C1282910
SRTSCT	G-A11762824007	Transverse	62824007G-A117	C0205106
SRTSCT	G-A11840415009	Proximal	40415009G-A118	C0205107
SRTSCT	G-A11946053002	Distal	46053002G-A119	C0205108
SRTSCT	G-A12060583000	Postaxial	60583000G-A120	C0205109
SRTSCT	G-A12132400000	Preaxial	32400000G-A121	C0205110
SRTSCT	G-A12243674008	Apical	43674008G-A122	C0205111
SRTSCT	G-A12357195005	Basal	57195005G-A123	C0205112
SRTSCT	G-A12749530007	Afferent	49530007G-A127	C0205115

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A12833843005	Efferent	33843005G-A128	C0205116
SRTSCT	G-A13881654009	Coronal	81654009G-A138	C0205123
SRTSCT	G-A13926283006	Superficial	26283006G-A139	C0205124
SRTSCT	G-A140795002	Deep	795002G-A140	C0205125
SRTSCT	G-A14224020000	Horizontal	24020000G-A142	C0205126
SRTSCT	G-A14338717003	Longitudinal	38717003G-A143	C0205127
SRTSCT	G-A14433096000	Vertical	33096000G-A144	C0205128
SRTSCT	G-A14530730003	Sagittal	30730003G-A145	C0205129
SRTSCT	G-A14724422004	Axial	24422004G-A147	C0205131
SRTSCT	G-A15187687004	Extra-articular	87687004G-A151	C0205135
SRTSCT	G-A206410679008	Surface	410679008G-A206	C0205148
SRTSCT	G-A16968493006	Gutter	68493006G-A169	C0205149
SRTSCT	G-A17032381004	Hilar	32381004G-A170	C0205150
SRTSCT	G-A17111070000	Capsular	11070000G-A171	C0205151
SRTSCT	G-A17261397002	Subcapsular	61397002G-A172	C0205152
SRTSCT	G-A17457183005	Edge	57183005G-A174	C0205154
SRTSCT	G-A18037197008	Anterolateral	37197008G-A180	C0332194
SRTSCT	G-A18290069004	Posterolateral	90069004G-A182	C0332195
SRTSCT	G-A15A131183008	Intra-articular	131183008G-A15A	C0442108
SRTSCT	G-A428112233002	Marginal	112233002G-A428	C0205284

CID 4 Anatomic Region

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.2

Table CID 4. Anatomic Region

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 4030 "CT, MR and PET Anatomy Imaged"				
Include CID 4040 "Endoscopy Anatomic Regions"				
Include CID 4042 "XA/XRF Anatomy Imaged"				
SRTSCT	T-3210059652004	Atrium	59652004T-32100	C0018792
SRTSCT	T-D810491470000	Axilla	91470000T-D8104	C0004454
SRTSCT	T-D210077568009	Back	77568009T-D2100	C0004600
SRTSCT	T-D650034411009	Broad ligament	34411009T-D6500	C0006205
SRTSCT	T-D120660819002	Buccal region of face	60819002T-D1206	C0007966
SRTSCT	T-D260046862004	Buttock	46862004T-D2600	C0006497
SRTSCT	T-721002334006	Calyx	2334006T-72100	C0022651
SRTSCT	T-D120660819002	Cheek	60819002T-D1206	C0007966
SRTSCT	T-AA20028726007	Cornea	28726007T-AA200	C0010031

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-AB00117590005	Ear	117590005T-AB001	C0013443
SRTSCT	T-4100051114001	Endo-arterial	51114001T-41000	C0003842
SRTSCT	T-3200080891009	Endo-cardiac	80891009T-32000	C0018787
SRTSCT	T-5600032849002	Endo-esophageal	32849002T-56000	C0014876
SRTSCT	T-2130053342003	Endo-nasal	53342003T-21300	C0225425
SRTSCT	T-2305018962004	Endo-nasopharyngeal	18962004T-23050	C0225497
SRTSCT	T-5960034402009	Endo-rectal	34402009T-59600	C0034896
SRTSCT	T-7100064033007	Endo-renal	64033007T-71000	C0022646
SRTSCT	T-7300087953007	Endo-ureteric	87953007T-73000	C0041951
SRTSCT	T-7500013648007	Endo-urethral	13648007T-75000	C0041967
SRTSCT	T-8200076784001	Endo-vaginal	76784001T-82000	C0042232
SRTSCT	T-4000059820001	Endo-vascular	59820001T-40000	C0005847
SRTSCT	T-4800029092000	Endo-venous	29092000T-48000	C0042449
SRTSCT	T-7425048367006	Endo-vesical	48367006T-74250	C0227710
SRTSCT	T-D420027947004	Epigastric region	27947004T-D4200	C0230185
SRTSCT	T-AA81080243003	Eyelid	80243003T-AA810	C0015426
SRTSCT	T-D120089545001	Face	89545001T-D1200	C0015450
SRTSCT	T-D231058602004	Flank	58602004T-D2310	C0230171
SRTSCT	T-1520079361005	Fontanel of skull	79361005T-15200	C0224548
SRTSCT	T-D260046862004	Gluteal region	46862004T-D2600	C0006497
SRTSCT	T-1571024136001	Hip joint	24136001T-15710	C0019558
SRTSCT	T-D424011708003	Hypogastric region	11708003T-D4240	C0230189
SRTSCT	T-D161E170887008	Submental	170887008T-D161E	C0931905
SRTSCT	T-5530081502006	Hypopharynx	81502006T-55300	C0020629
SRTSCT	T-D401052731004	Intra-abdominal	52731004T-D4010	C0230168
SRTSCT	G-A15A131183008	Intra-articular	131183008G-A15A	C0442108
SRTSCT	T-D14001101003	Intracranial	1101003T-D1400	C0230041
SRTSCT	T-5600032849002	Intra-esophageal	32849002T-56000	C0014876
SRTSCT	T-D622121844003	Intra-pelvic	21844003T-D6221	C0559769
SRTSCT	T-D300051185008	Intra-thoracic	51185008T-D3000	C0817096
SRTSCT	T-D4211133945003	Left hypochondriac region	133945003T-D4211	C0738591
SRTSCT	T-D702085119005	Left inguinal region	85119005T-D7020	C0230321
SRTSCT	T-D414068505006	Left lower quadrant of abdomen	68505006T-D4140	C0230180
SRTSCT	T-D2340133943005	Left lumbar region	133943005T-D2340	C1297910
SRTSCT	T-D413086367003	Left upper quadrant of abdomen	86367003T-D4130	C0230179
SRTSCT	T-0400319100000	Lower inner quadrant of breast	19100000T-04003	C0222597
SRTSCT	T-0400533564002	Lower outer quadrant of breast	33564002T-04005	C0222599
SRTSCT	T-D230052612000	Lumbar region	52612000T-D2300	C0024090

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-28000 39607008	Lung	39607008 T-28000	C0024109
SRTSCT	T-D0662 123851003	Mouth	123851003 T-D0662	C0230028
SRTSCT	T-21000 45206002	Nose	45206002 T-21000	C0028429
SRTSCT	T-D4450 113346000	Omental bursa	113346000 T-D4450	C0230212
SRTSCT	T-D4600 27398004	Omentum	27398004 T-D4600	C0028977
SRTSCT	T-87000 15497006	Ovary	15497006 T-87000	C0029939
SRTSCT	T-65010 69930009	Pancreatic duct	69930009 T-65010	C0030288
SRTSCT	T-D31369 1691001	Parasternal	91691001 T-D3136	C0458345
SRTSCT	T-91000 18911002	Penis	18911002 T-91000	C0030851
SRTSCT	T-D2700 38864007	Perineum	38864007 T-D2700	C0031066
SRTSCT	T-D9310 32361000	Popliteal fossa	32361000 T-D9310	C0230436
SRTSCT	T-72000 25990002	Renal pelvis	25990002 T-72000	C0227666
SRTSCT	T-D4900 82849001	Retroperitoneum	82849001 T-D4900	C0035359
SRTSCT	T-D4212 133946002	Right hypochondriac region	133946002 T-D4212	C0738590
SRTSCT	T-D7010 37117007	Right inguinal region	37117007 T-D7010	C0230318
SRTSCT	T-D4120 48544008	Right lower quadrant of abdomen	48544008 T-D4120	C0230178
SRTSCT	T-D2342 133944004	Right lumbar region	133944004 T-D2342	C1297911
SRTSCT	T-D4110 50519007	Right upper quadrant of abdomen	50519007 T-D4110	C0230177
SRTSCT	T-D1160 41695006	Scalp	41695006 T-D1160	C0036270
SRTSCT	T-AA110 18619003	Sclera	18619003 T-AA110	C0036410
SRTSCT	T-98000 20233005	Scrotum	20233005 T-98000	C0036471
SRTSCT	T-A7010 2748008	Spinal cord	2748008 T-A7010	C0037925
SRTSCT	T-D4210 19695001	Subcostal	19695001 T-D4210	C0442184
SRTSCT	T-D1603 5713008	Submandibular area	5713008 T-D1603	C0230070
SRTSCT	T-D3213 5076001	Subxiphoid	5076001 T-D3213	C0230144
SRTSCT	T-D1620 77621008	Supraclavicular region of neck	77621008 T-D1620	C0230078
SRTSCT	T-D4240 11708003	Suprapubic region	11708003 T-D4240	C0230189
SRTSCT	T-11218 26493002	Suprasternal notch	26493002 T-11218	C0222769
SRTSCT	T-D9100 68367000	Thigh	68367000 T-D9100	C0039866
SRTSCT	T-D3000 51185008	Thorax	51185008 T-D3000	C0817096
SRTSCT	T-53000 21974007	Tongue	21974007 T-53000	C0040408
SRTSCT	T-D4230 90290004	Umbilical region	90290004 T-D4230	C0041638
SRTSCT	T-04002 77831004	Upper inner quadrant of breast	77831004 T-04002	C0222596
SRTSCT	T-04004 76365002	Upper outer quadrant of breast	76365002 T-04004	C0222598
SRTSCT	T-82000 76784001	Vagina	76784001 T-82000	C0042232
SRTSCT	A-04140 118375008	Vascular graft	118375008 A-04140	C1289794
SRTSCT	T-32400 21814001	Ventricle	21814001 T-32400	C0018827

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-81000 45292006	Vulva	45292006T-81000	C0042993
SRTSCT	T-15460 74670003	Wrist joint	74670003T-15460	C1322271

CID 5 Transducer Approach

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.3

Table CID 5. Transducer Approach

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A100 24028007	Right	24028007G-A100	C0205090
SRTSCT	G-A101 7771000	Left	7771000G-A101	C0205091
SRTSCT	G-A104 49370004	Lateral	49370004G-A104	C0205093
SRTSCT	R-404CC 255549009	Anterior	255549009R-404CC	C1704448
SRTSCT	R-404CE 255551008	Posterior	255551008R-404CE	C0205095
SRTSCT	G-A108 3583002	Caudal	3583002G-A108	C0205097
SRTSCT	R-404D5 255561001	Medial	255561001R-404D5	C0205098
SRTSCT	G-A110 26216008	Central	26216008G-A110	C0205099
SRTSCT	G-A111 14414005	Peripheral	14414005G-A111	C0205100
SRTSCT	R-40941 261074009	External	261074009R-40941	C0205101
SRTSCT	R-40819 260521003	Internal	260521003R-40819	C0205102
SRTSCT	R-4094A 261089000	Inferior	261089000R-4094A	C0542339
SRTSCT	R-42191 264217000	Superior	264217000R-42191	C1282910
SRTSCT	G-A117 62824007	Transverse	62824007G-A117	C0205106
SRTSCT	G-A118 40415009	Proximal	40415009G-A118	C0205107
SRTSCT	G-A119 46053002	Distal	46053002G-A119	C0205108
SRTSCT	G-A122 43674008	Apical	43674008G-A122	C0205111
SRTSCT	G-A2064 10679008	Surface	410679008G-A206	C0205148
SRTSCT	G-A599 79458005	Ascending	79458005G-A599	C0205385
SRTSCT	G-A600 75294000	Descending	75294000G-A600	C0205386
SRTSCT	T-03000 71966008	Subcutaneous tissue	71966008T-03000	C0278403
SRTSCT	T-A1120 18545000	Dura mater	18545000T-A1120	C0013313
SRTSCT	T-A1280 23180006	Pia mater	23180006T-A1280	C0031869
SRTSCT	A-2C600 102322008	External prosthesis for sonographic procedure [Stand-off]	402322008A-2C600	C0522650
SRTSCT	A-2C602 102323003	Water bag prosthesis for imaging procedure	402323003A-2C602	C0522651
SRTSCT	A-2C604 102324009	Saline bag prosthesis for imaging procedure	402324009A-2C604	C0522652
SRTSCT	A-2C606 102325005	Gel prosthesis for imaging procedure	402325005A-2C606	C0522653

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A10766787007	Cranial	66787007G-A107	C0205096
SRTSCT	G-A10A261129000	Midline	261129000G-A10A	C0441992
SRTSCT	G-A188103342007	Mid-longitudinal	103342007G-A188	C0522490
SRTSCT	G-A189103343002	Parasagittal	103343002G-A189	C0522491
SRTSCT	R-42142264045001	Intraluminal	264045001R-42142	C0442115
SRTSCT	G-A17111070000	Capsular	11070000G-A171	C0205151
SRTSCT	T-D0048113342003	Lumen	113342003T-D0048	C0524461
SRTSCT	G-402211723008	Contact with	11723008G-4022	C0332158
SRTSCT	T-D006291772007	Parenchyma	91772007T-D0062	C0524464

Note

In a prior version of this Context Group, the codes G-A11A, G-A11B, G-A12A, G-A16A, G-A16B, G-A16C, and G-A16D were specified for various concepts. The use of some of those codes conflicts with their assignment to other concepts in SNOMED, and their use in this context is deprecated. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 6 Transducer Orientation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040322
UID: 1.2.840.10008.6.1.4

Table CID 6. Transducer Orientation

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A13881654009	Coronal	81654009G-A138	C0205123
SRTSCT	G-A14338717003	Longitudinal	38717003G-A143	C0205127
SRTSCT	G-A14530730003	Sagittal	30730003G-A145	C0205129
SRTSCT	G-A189103343002	Parasagittal	103343002G-A189	C0522491
SRTSCT	G-A47221114003	Oblique	21114003G-A472	C0205315
SRTSCT	G-A185103339001	Long axis	103339001G-A185	C0522487
SRTSCT	G-A13B419161000	Off axis	419161000G-A13B	C1635161
SRTSCT	G-A186103340004	Short axis	103340004G-A186	C0522488
SRTSCT	G-A191398994001	Five chamber	398994001G-A191	C1302157
SRTSCT	G-A19B399232001	Two chamber	399232001G-A19B	C1302267
SRTSCT	G-A19C399214001	Four chamber	399214001G-A19C	C1302256
SRTSCT	G-A11762824007	Transverse	62824007G-A117	C0205106

Note

In a prior version of this table, the code G-A11B was specified for the concept Parasagittal. The use of this code conflicts with its assignment to another concept in SNOMED, and its use in this context is deprecated. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 7 Ultrasound Beam Path

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.5

Table CID 7. Ultrasound Beam Path

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-D027 103381007	Trans-hepatic	103381007 G-D027	C0522516
SRTSCT	G-A1B2 103353001	Trans-gastric	103353001 G-A1B2	C0442355
SRTSCT	G-A1A5 103348006	Trans-pleural	103348006 G-A1A5	C0522494
SRTSCT	G-A1B3 103354007	Trans-mural	103354007 G-A1B3	C0522497
SRTSCT	G-D065 129226004	Trans-orbital	129226004 G-D065	C0442367
SRTSCT	G-A1A6 103349003	Trans-pancreatic	103349003 G-A1A6	C0522495
SRTSCT	G-A1A4 103347001	Trans-renal	103347001 G-A1A4	C0522493
SRTSCT	G-D032 103382000	Trans-temporal	103382000 G-D032	C0522517
SRTSCT	G-A1A2 103345009	Trans-thecal	103345009 G-A1A2	C0522492
SRTSCT	G-A1A1 103344008	Trans-vesical	103344008 G-A1A1	C0442393
SRTSCT	G-A1A3 103346005	Trans-splenic	103346005 G-A1A3	C0589466
SRTSCT	G-D033 103383005	Trans-esophageal	103383005 G-D033	C0522518
SRTSCT	G-D001 66739002	Trans-abdominal	66739002 G-D001	C0205496
SRTSCT	G-D002 54300008	Trans-vaginal (endovaginal)	54300008 G-D002	C0175672

CID 8 Angiographic Interventional Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.6

Table CID 8. Angiographic Interventional Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-25500 65818007	Stent	65818007 A-25500	C0038257
SRTSCT	A-26800 19923001	Catheter	19923001 A-26800	C0085590
SRTSCT	A-81080 38586004	Laser	38586004 A-81080	C0458142
SRTSCT	C-20005 57126000	Glue	57126000 C-20005	C0017780
SRTSCT	A-25600 102312002	Atherectomy device	102312002 A-25600	C0522642
SRTSCT	A-25614 102315000	Embolization ball	102315000 A-25614	C0522645
SRTSCT	A-26912 102319006	Percutaneous transluminal angioplasty balloon	102319006 A-26912	C0522648
SRTSCT	A-25612 102314001	Embolization coil	102314001 A-25612	C0522644
SRTSCT	A-25612 102314001	Gianturco coil	102314001 A-25612	C0522644
SRTSCT	A-27322 102320000	Detachable balloon	102320000 A-27322	C0522649

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-26802102317008	Guiding catheter	102317008A-26802	C0221799
SRTSCT	A-25616102316004	Embolization particulate	102316004A-25616	C0522646
SRTSCT	A-25610102313007	Rotational atherectomy device	102313007A-25610	C0522643
SRTSCT	A-10141102304005	Measuring ruler	102304005A-10141	C0522637
DCM	122485	Sphere		

CID 9 Image Guided Therapeutic Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.7

Table CID 9. Image Guided Therapeutic Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-3978032318003	Vasoconstriction	32318003F-39780	C0042396
SRTSCT	F-3980030017007	Vasodilatation	30017007F-39800	C0042401
SRTSCT	P1-0310086273004	Biopsy	86273004P1-03100	C0005558
SRTSCT	P1-0317610849003	Removal of foreign body	10849003P1-03176	C0184937
SRTSCT	P1-0503569245005	Intra-arterial infusion of thrombolytic agent	69245005P1-05035	C0184952
SRTSCT	P1-050528592001	Irrigation following insertion of catheter	8592001P1-05052	C0022101
SRTSCT	P1-0553545211000	Catheterization	45211000P1-05535	C0007430
SRTSCT	P1-303506832004	Atherectomy	6832004P1-30350	C0162513
SRTSCT	P1-3035165659003	Atherectomy by rotary cutter	65659003P1-30351	C0162655
SRTSCT	P1-3035276611008	Atherectomy by laser	76611008P1-30352	C0521229
SRTSCT	P1-3053057238002	Selective embolization of artery	57238002P1-30530	C0189632
SRTSCT	P5-3150068457009	Percutaneous transluminal balloon angioplasty	68457009P5-31500	C0411287
SRTSCT	P5-3901016736007	Transcatheter therapy for embolization	16736007P5-39010	C0203006
SRTSCT	P0-05AFA240946003	Percutaneous retrieval of intravascular foreign body	240946003P0-05AFA	C0411305
SRTSCT	P1-00018103709008	Failed attempted procedure	103709008P1-00018	C0522770
SRTSCT	P1-05550103716009	Stent placement	103716009P1-05550	C0522776
SRTSCT	P1-05536103712006	Catheter manipulation	103712006P1-05536	C0522773
SRTSCT	P1-05537103713001	Catheter replacement	103713001P1-05537	C0522774
SRTSCT	P1-05538103714007	Occlusion of catheter	103714007P1-05538	C0522775
SRTSCT	P1-05539103715008	Removal of catheter	103715008P1-05539	C0394884
SRTSCT	P5-39015105372003	Transcatheter deployment of detachable balloon	105372003P5-39015	C0524313

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P5-39191105373008	Percutaneous insertion of intravascular filter	105373008P5-39191	C0524314
SRTSCT	P1-8610034536000	Amniocentesis	34536000P1-86100	C0002627
SRTSCT	P5-B831065388005	Ultrasonic guidance for amniocentesis	65388005P5-B8310	C0203432
SRTSCT	P1-8652015415002	Amnioinfusion [injection of amnion]	15415002P1-86520	C0521272
SRTSCT	P1-861806708002	Intrauterine cordocentesis	6708002P1-86180	C0162650
SRTSCT	P1-2816091602002	Thoracentesis	91602002P1-28160	C0189477
SRTSCT	P1-86E7065240009	Breech Version [Obstetrical Version]	65240009P1-86E70	C0195731
SRTSCT	P2-6806045460008	Intrauterine transfusion	45460008P2-68060	C0005843
SRTSCT	P1-86C50133874006	Fetocide (selective reduction)	133874006P1-86C50	C1297889
SRTSCT	P1-93506133875007	Prostaglandin injection	133875007P1-93506	C1297890

CID 10 Interventional Drug

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.8

Table CID 10. Interventional Drug

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-21047419442005	Ethanol	419442005C-21047	C0001962
SRTSCT	G-229476725000	Methylene blue	6725000C-22947	C0025746
SRTSCT	G-510006425004	Antihistamine	6425004C-51000	C0003360
SRTSCT	G-6777073949004	Atropine	73949004C-67770	C0004259
SRTSCT	G-7200030492008	Diuretic	30492008C-72000	C0012798
SRTSCT	G-8011067507000	Antiarrhythmic drug	67507000C-80110	C0003195
SRTSCT	G-80120111139005	Inotropic agent	111139005C-80120	C0304509
SRTSCT	G-8012369440003	Cardiotonic drug	69440003C-80123	C0007209
SRTSCT	F-6181D373263004	Cardiac adrenergic blocking agent	373263004F-6181D	C1277070
SRTSCT	G-8013167440007	Alpha-adrenergic blocking agent	67440007C-80131	C0001641
SRTSCT	G-8013533252009	beta-Adrenergic blocking agent	33252009C-80135	C0001645
SRTSCT	G-80330796001	Digoxin	796001C-80330	C0012265
SRTSCT	G-8040082573000	Lidocaine	82573000C-80400	C0023660
SRTSCT	G-8040161773008	Lidocaine hydrochloride	61773008C-80401	C0546869
SRTSCT	G-8043085272000	Nifedipine	85272000C-80430	C0028066
SRTSCT	G-8045055745002	Propranolol	55745002C-80450	C0033497
SRTSCT	G-8046031306009	Quinidine	31306009C-80460	C0034414

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-80490 47898004	Verapamil	47898004 C-80490	C0042523
SRTSCT	G-81100 1182007	Hypotensive agent	1182007 C-81100	C0003364
SRTSCT	G-81120 4382004	Centrally acting hypotensive agent	4382004 C-81120	C0304523
SRTSCT	G-81560 71759000	Nitroglycerin	71759000 C-81560	C0017887
SRTSCT	G-A2010 10712001	Glucagon preparation	10712001 C-A2010	C0017687
SRTSCT	G-A6500 81839001	Anticoagulant	81839001 C-A6500	C0003280
SRTSCT	G-A6530 48603004	Warfarin	48603004 C-A6530	C0043031
SRTSCT	G-A6540 84812008	Heparin	84812008 C-A6540	C0019134
SRTSCT	G-A6700 3361000	Anti-heparin agent	3361000 C-A6700	C0304941
SRTSCT	G-A6710 64520006	Protamine sulfate	64520006 C-A6710	C0033602
SRTSCT	G-A6900 15117003	Coagulant	15117003 C-A6900	C0009117
SRTSCT	F-D7011 418326009	Human fibrinogen	418326009 F-D7011	C2587184
SRTSCT	G-A7000 26370007	Hemostatic agent	26370007 C-A7000	C0019120
SRTSCT	G-A7001 60533005	Astringent drug	60533005 C-A7001	C0004110
SRTSCT	G-A7021 59057006	Antihemophilic factor preparation	59057006 C-A7021	C0301494
SRTSCT	F-6ACA0 36176003	Thrombin preparation	36176003 F-6ACA0	C0040018
SRTSCT	F-D7B50 65265006	Thromboplastin	65265006 F-D7B50	C0040048
SRTSCT	G-A7220 13132007	Dextran	13132007 C-A7220	C0086140
SRTSCT	G-50434 303960004	Thrombolytic agent	303960004 C-50434	C0016018
SRTSCT	G-A7420 20847002	Streptokinase preparation	20847002 C-A7420	C0038418
SRTSCT	G-A7430 59082006	Urokinase preparation	59082006 C-A7430	C0042071
SRTSCT	G-A7440 87811005	Injectable fibrinolysin	87811005 C-A7440	C0301485
SRTSCT	G-815E1 19041007	Tolazoline hydrochloride	19041007 C-815E1	C0770500
SRTSCT	F-B2135 387362001	Epinephrine	387362001 F-B2135	C0014563

CID 11 Route of Administration

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.9

Table CID 11. Route of Administration

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-D101 47625008	Intravenous route	47625008 G-D101	C1522726
SRTSCT	G-D102 58100008	Intra-arterial route	58100008 G-D102	C1561451
SRTSCT	G-D103 78421000	Intramuscular route	78421000 G-D103	C1556154
SRTSCT	G-D104 34206005	Subcutaneous route	34206005 G-D104	C1522438
SRTSCT	G-D17D 372464004	Intracutaneous route	372464004 G-D17D	C1522475
SRTSCT	G-D106 38239002	Intraperitoneal route	38239002 G-D106	C1522583
SRTSCT	G-D107 60213007	Intramedullary route	60213007 G-D107	C1512957

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-D10872607000	Intrathecal route	72607000G-D108	C0677897
SRTSCT	G-D10912130007	Intra-articular route	12130007G-D109	C0205528
NCIt	C38244	Intraepithelial route		C1512943
SRTSCT	G-D1126064005	Topical route	6064005G-D112	C1522168
SRTSCT	G-D14026643006	Oral route	26643006G-D140	C1527415
NCIt	C38306	Transluminal route		C1522231
SRTSCT	G-D14437737002	Intraluminal route	37737002G-D144	C1522217
NCIt	C38213	Extraluminal route		C1517059
SRTSCT	R-40B32446406008	By inhalation	446406008R-40B32	C1998547
SRTSCT	G-D16037161004	Per rectum	37161004G-D160	C1527425
SRTSCT	G-D16416857009	Vaginal route	16857009G-D164	C1522570
SRTSCT	G-D17C372463005	Intracoronary route	372463005G-D17C	C0595454
SRTSCT	G-D173372460008	Intracardiac route	372460008G-D173	C1522207
SRTSCT	R-F2C86420287000	Intraventricular route - cardiac	420287000R-F2C86	C1720462
DCM	127070	Retro-orbital route		
SRTSCT	G-D17246713006	Nasal route	46713006G-D172	C1522019
SRTSCT	G-D17D372464004	Intradermal route	372464004G-D17D	C1522475
SRTSCT	R-F2CD4447122006	Intratumor route	447122006R-F2CD4	C2960749

CID 12 Radiographic Contrast Agent

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.10

Table CID 12. Radiographic Contrast Agent

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Trade Name (Informative)
SRTSCT	A-8023015158005	Air	15158005A-80230	C0001861	
SRTSCT	C-1011024099007	Oxygen	24099007C-10110	C0030054	
SRTSCT	C-1012011713004	Water	11713004C-10120	C0043047	
SRTSCT	C-1052031811003	Carbon dioxide	31811003C-10520	C0007012	
SRTSCT	C-1221725419009	Barium Sulfate	25419009C-12217	C0004754	
SRTSCT	C-1780058281002	Gadolinium	58281002C-17800	C0016911	
SRTSCT	C-B03007140000	Contrast agent	7140000C-B0300	C2930749	
SRTSCT	C-B03007140000	Radiopaque medium	7140000C-B0300	C2930749	
SRTSCT	C-B031243538006	Non radiopaque medium	43538006C-B0312	C0301446	
SRTSCT	C-B031590745007	Bunamiodyl	90745007C-B0315	C0623554	
SRTSCT	C-B031662442005	Chloriodized oil	62442005C-B0316	C0301444	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Trade Name (Informative)
SRTSCT	G-B0317 12335007	Diatrizoate	42335007 C-B0317	C0012004	Angiovist™ (Berlex), Cardiografin™ (Bracco), Cystografin™ (Bracco), Gastrogratin™ (Bracco), Gastrovist™ (Berlex), Hypaque™ (GE), MD-nn™ (Mallinckrodt), Reno-nn™ (Bracco), Renografin™ (Bracco), Renovist™ (Bracco), Sinografin™ (Bracco), Urovist™ (Berlex)
SRTSCT	G-B0318 73212002	Iodipamide	73212002 C-B0318	C0021971	Cholographin™ (Bracco), Sinografin™ (Bracco)
SRTSCT	G-B0319 89595000	Iodized oil	89595000 C-B0319	C0021972	
SRTSCT	G-B0323 86584005	Iodoalphonic acid	86584005 C-B0323	C0063766	
SRTSCT	G-B0324 69783005	Meglumine iodipamide	69783005 C-B0324	C0065885	Cholographin Meglumine™ (Bracco)
SRTSCT	G-B0325 925002	Sodium iodipamide	925002 C-B0325	C0301445	Cholographin Sodium™ (Bracco)
SRTSCT	G-B0326 12801003	Iodamide meglumine	12801003 C-B0326	C0065884	Renovue™ (Bracco)
SRTSCT	G-B0327 40710000	Iodopyracet	40710000 C-B0327	C0021990	
SRTSCT	G-B0328 76155001	Iopanoic acid	76155001 C-B0328	C0022028	Telepaque™ (GE)
SRTSCT	G-B0331 28121005	Iophendylate	28121005 C-B0331	C0022029	Pantopaque™ (Alcon)
SRTSCT	G-B0333 23053002	Iophenoxic acid	23053002 C-B0333	C0063816	
SRTSCT	G-B0335 87445005	Ipodate	87445005 C-B0335	C0022049	Bilivist™ (Berlex), Oragrafin™ (Bracco)
SRTSCT	G-B0337 111158001	Propylidone	111158001 C-B0337	C0033509	Dionosil™ (GSK)
SRTSCT	G-B0338 32836007	Sodium acetrizoate	32836007 C-B0338	C0546847	Salpix™ (Ortho)
SRTSCT	G-B0341 74554008	Iodophthalein	74554008 C-B0341	C0163095	
SRTSCT	G-B0342 83423008	Sodium diprotrizoate	83423008 C-B0342	C0301447	
SRTSCT	G-B0344 38344006	Sodium iodomethamate	38344006 C-B0344	C0301448	
SRTSCT	G-B0345 47192000	Meglumine diatrizoate	47192000 C-B0345	C0012005	Angiovist™ (Berlex), Cardiografin™ (Bracco), Cystografin™ (Bracco), Gastrogratin™ (Bracco), Gastrovist™ (Berlex), Hypaque™ (GE), MD-nn™ (Mallinckrodt), Reno-nn™ (Bracco), Renografin™ (Bracco), Renovist™ (Bracco), Sinografin™ (Bracco), Urovist™ (Berlex)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Trade Name (Informative)
SRTSCT	G-B0347 24891006	Sodium diatrizoate	24891006 C-B0347	C0012007	Angiovis TM (Berlex), Gastrografin TM (Bracco), Gastrovist TM (Berlex), Hypaque TM (GE), MD-nn TM (Mallinckrodt), Renografin TM (Bracco), Renovist TM (Bracco), Urovis TM (Berlex)
SRTSCT	G-B0348 90733003	Metrizamide	90733003 C-B0348	C0025869	Amipaque TM (GE)
SRTSCT	G-B0314 109212003	Sodium tyropanoate	109212003 C-B0314	C0936260	
SRTSCT	G-B0301 96387000	Ionic iodinated contrast agent	96387000 C-B0301	C0361904	
DCM	127855	Non-ionic iodinated contrast agent		C0521968	
SRTSCT	G-B0322 109218004	Iohexol	109218004 C-B0322	C0022005	Omnipaque TM (GE)
SRTSCT	G-B03BC 353962003	Iodixanol	353962003 C-B03BC	C0063757	Visipaque TM (GE)
SRTSCT	G-B03C3 354088005	Gadodiamide	354088005 C-B03C3	C0082646	Omniscan TM (GE)
SRTSCT	G-B05A3 410873007	Mangafodipir trisodium	410873007 C-B05A3	C0067297	Teslascan TM (GE)
SRTSCT	G-B038B 353912008	Iothalamate	353912008 C-B038B	C0022032	Conray TM (Mallinckrodt), Cysto-Conray TM (Mallinckrodt), Vasoray TM (Mallinckrodt)
SRTSCT	G-B0339 109223004	Ioxaglate	109223004 C-B0339	C0205807	Hexbrix TM (Mallinckrodt)
SRTSCT	G-B03C9 354094002	Metrizoate	354094002 C-B03C9	C0025870	Isopaque TM (GE)
SRTSCT	G-B014D 404846007	Gadopentetate dimeglumine	404846007 C-B014D	C0060934	Magnevist TM (Berlex)
SRTSCT	G-B0329 109219007	Iopamidol	109219007 C-B0329	C0022026	Isovue TM (Bracco)
SRTSCT	G-B0332 109222009	Ioversol	109222009 C-B0332	C0063828	Optiray TM (Mallinckrodt)
SRTSCT	G-B0382 353903006	Iopromide	353903006 C-B0382	C0063817	Ultravist or Imeron
SRTSCT	G-B0303 409484007	Ioxilan	409484007 C-B0303	C0063829	Imagenil

Note

- The codes drawn from SNOMED are recommended to be those from the concept hierarchy of "radiographic contrast media" in the hierarchy "pharmaceutical/biological product", and secondarily from the hierarchy "substance".
- Trade names are from <http://www.accessdata.fda.gov/scripts/cder/drugsatfda/index.cfm>.

CID 13 Radiographic Contrast Agent Ingredient

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051101
 UID: 1.2.840.10008.6.1.11

Table CID 13. Radiographic Contrast Agent Ingredient

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-11400 44588005	Iodine	44588005 C-11400	C0021968
SRTSCT	G-17800 58281002	Gadolinium	58281002 C-17800	C0016911
SRTSCT	G-10520 31811003	Carbon Dioxide	31811003 C-10520	C0007012
SRTSCT	G-12200 39290007	Barium	39290007 C-12200	C0004749
SRTSCT	G-17200 83598005	Xenon	83598005 C-17200	C0043339
SRTSCT	A-80230 15158005	Air	15158005 A-80230	C0001861
SRTSCT	G-10110 24099007	Oxygen	24099007 C-10110	C0030054
SRTSCT	G-10120 11713004	Water	11713004 C-10120	C0043047
SRTSCT	G-130F9 105840005	Iron	105840005 C-130F9	C0303213

CID 18 Isotopes in Radiopharmaceuticals

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.12

Table CID 18. Isotopes in Radiopharmaceuticals

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-105A2 71647005	¹⁴ Carbon	71647005 C-105A2	C0302945
SRTSCT	G-111A1 77004003	¹⁸ Fluorine	77004003 C-111A1	C0302995
SRTSCT	G-155A1 71633006	²² Sodium	71633006 C-155A1	C0303511
SRTSCT	G-155A2 58541008	²⁴ Sodium	58541008 C-155A2	C0303512
SRTSCT	G-106A1 32505007	³² Phosphorus	32505007 C-106A1	C0851287
SRTSCT	G-135A2 59844004	⁴² Potassium	59844004 C-135A2	C0303277
SRTSCT	G-135A3 8202008	⁴³ Potassium	8202008 C-135A3	C0303278
SRTSCT	G-129A2 52745005	⁵¹ Chromium	52745005 C-129A2	C0303212
SRTSCT	G-144A3 27054007	⁵⁷ Cobalt	27054007 C-144A3	C0303392
SRTSCT	G-144A4 89272005	⁵⁸ Cobalt	89272005 C-144A4	C0303393
SRTSCT	G-130A3 68580003	⁵⁹ Iron	68580003 C-130A3	C0303220
SRTSCT	G-144A6 5405008	⁶⁰ Cobalt	5405008 C-144A6	C0303395
SRTSCT	G-127A2 3932008	⁶⁴ Copper	3932008 C-127A2	C0303190
SRTSCT	G-127A3 53700003	⁶⁷ Copper	53700003 C-127A3	C0303191
SRTSCT	G-131A2 2008008	⁶⁷ Gallium	2008008 C-131A2	C0303225
SRTSCT	G-116A3 43239002	⁷⁵ Selenium	43239002 C-116A3	C0303048
SRTSCT	G-173A5 61716009	^{81m} Krypton	61716009 C-173A5	C0303689
SRTSCT	G-173A7 34127007	⁸⁵ Krypton	34127007 C-173A7	C0303691
SRTSCT	G-158A3 111084009	⁸⁵ Strontium	111084009 C-158A3	C0303544
SRTSCT	G-158A5 78023008	^{87m} Strontium	78023008 C-158A5	C0303546
SRTSCT	G-158A6 7770004	⁸⁹ Strontium	7770004 C-158A6	C0281385
SRTSCT	G-162A7 14691008	⁹⁰ Yttrium	14691008 C-162A7	C0303596

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-180A 223788009	^97^Ruthenium	23788009 C-180A2	C0303730
SRTSCT	G-163A 872454006	^99m^Technetium	72454006 C-163A8	C0303611
SRTSCT	G-145A 456609000	^111^Indium	56609000 C-145A4	C0303403
SRTSCT	G-145A 548895003	^113m^Indium	48895003 C-145A5	C0303404
SRTSCT	G-114A 421572004	^123^Iodine	21572004 C-114A4	C0303023
SRTSCT	G-114A 668630002	^125^Iodine	68630002 C-114A6	C0796396
SRTSCT	G-172A 527081007	^127^Xenon	27081007 C-172A5	C0303677
SRTSCT	G-114B 11368003	^131^Iodine	1368003 C-114B1	C0303029
SRTSCT	G-122A 53027009	^133^Barium	3027009 C-122A5	C0303126
SRTSCT	G-172A 880751004	^133^Xenon	80751004 C-172A8	C0872916
SRTSCT	G-178A 814529005	^153^Gadolinium	14529005 C-178A8	C0303714
SRTSCT	G-B113 419804008	^153^Samarium	419804008 C-B1134	C0677942
SRTSCT	G-181A 341758004	^169^Ytterbium	41758004 C-181A3	C0303739
SRTSCT	G-101E D447553000	^177^Lutetium	447553000 C-101ED	C2959378
SRTSCT	G-156A 66301006	^178^Tantalum	6301006 C-156A6	C0303521
SRTSCT	G-1190 6395865006	^186^Rhenium	395865006 C-11906	C1273039
SRTSCT	G-1018 D423578007	^188^Rhenium	423578007 C-1018D	C1828331
DCM	126604	^191m^Iridium		
SRTSCT	G-146A 924301009	^198^Gold	24301009 C-146A9	C0303420
SRTSCT	G-146B 170544003	^199^Gold	70544003 C-146B1	C0303421
SRTSCT	G-138A 960057003	^201^Thallium	60057003 C-138A9	C0303322
SRTSCT	G-132A 847588004	^203^Lead	47588004 C-132A8	C0303240
SRTSCT	G-136A 224853006	^223^Radium	24853006 C-136A2	C0303282

Note

The use of this Context Group in the Radionuclide Code Sequence (0054,0300) of the "Nuclear Medicine Image IOD" in PS3.3 requires a Coding Scheme Designator value of "99SDM".

CID 19 Patient Orientation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.13

Table CID 19. Patient Orientation

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
NCIt	C86043	erect		C0522015
SRTSCT	F-10450 102538003	recumbent	102538003 F-10450	C0444334
SRTSCT	F-10460 102539006	semi-erect	102539006 F-10460	C0522018

Note

- 1: The use of this Context Group in the Patient Orientation Code Sequence (0054,0410) of the "Nuclear Medicine Image IOD" in PS3.3 and the "Positron Emission Tomography Image IOD" in PS3.3 requires a Coding Scheme Designator value of "99SDM".
- 2: In a prior version of this Context Group (F-10440, SRT, "Upright body position (finding)") was specified for the concept "erect" but has been inactivated as being ambiguous, with no suitable replacement. Accordingly the NCIt concept of "upright" defined as "in a vertical position or posture" is used as a replacement:

In a prior version of this Context Group (102537008, SCT, "Upright body position (finding)") was specified for the concept "erect" but has been inactivated as being ambiguous, with no suitable replacement. Accordingly the NCIt concept of "upright" defined as "in a vertical position or posture" is used as a replacement.

CID 20 Patient Orientation Modifier

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20070524
UID: 1.2.840.10008.6.1.14

Table CID 20. Patient Orientation Modifier

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-103101240000	prone	1240000F-10310	C0033422
SRTSCT	F-1031634026001	semi-prone	34026001F-10316	C0150435
SRTSCT	F-1031832185000	lateral decubitus	32185000F-10318	C0444379
SRTSCT	F-1032010904000	standing	10904000F-10320	C0231472
SRTSCT	F-1032651845000	anatomical	51845000F-10326	C0277809
SRTSCT	F-1033055864004	kneeling	55864004F-10330	C1260920
SRTSCT	F-1033623242002	knee-chest	23242002F-10336	C0277810
SRTSCT	F-1034040199007	supine	40199007F-10340	C0038846
SRTSCT	F-1034614205002	lithotomy	14205002F-10346	C0150665
SRTSCT	F-1034834106002	Trendelenburg	34106002F-10348	C0277812
SRTSCT	F-1034926527006	inverse Trendelenburg	26527006F-10349	C0277813
SRTSCT	F-1038034296003	frog	34296003F-10380	C0426962
SRTSCT	F-1039087068006	stooped-over	87068006F-10390	C0231478
SRTSCT	F-103A033586001	sitting	33586001F-103A0	C0277814
SRTSCT	F-1041034108001	curled-up	34108001F-10410	C0277815
SRTSCT	F-10317102535000	right lateral decubitus	102535000F-10317	C0559228
SRTSCT	F-10319102536004	left lateral decubitus	102536004F-10319	C0559227
SRTSCT	R-40799260450008	lordotic	260450008R-40799	C0442217

Note

The use of this Context Group in the Patient Orientation Modifier Code Sequence (0054,0412) of the "Nuclear Medicine Image IOD" in PS3.3 and the "Positron Emission Tomography Image IOD" in PS3.3 requires a Coding Scheme Designator value of "99SDM".

CID 21 Patient Equipment Relationship

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20151110
UID: 1.2.840.10008.6.1.15

Table CID 21. Patient Equipment Relationship

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10516 399366008	oblique	399366008 R-10516	C1302343
SRTSCT	F-10470 102540008	headfirst	102540008 F-10470	C0522020
SRTSCT	F-10480 102541007	feet-first	102541007 F-10480	C0522022
SRTSCT	R-10515 399220000	transverse	399220000 R-10515	C1302259
DCM	126830	left first		
DCM	126831	right first		
DCM	126832	posterior first		
DCM	126833	anterior first		

Note

1. The use of this Context Group in the Patient Orientation Modifier Code Sequence (0054,0412) of the "Nuclear Medicine Image IOD" in PS3.3 and the "Positron Emission Tomography Image IOD" in PS3.3 requires a Coding Scheme Designator value of "99SDM".
2. In a prior version of this Context Group, the codes G-5190 and G-5191 were specified for the concepts "headfirst" and "feet-first". The use of these codes is deprecated as they are not actually in SNOMED. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.
3. For devices that do not have a conventional gantry geometry, the vendor of that device may describe in the Conformance Statement how the codes are interpreted with respect to the device geometry.
4. (126830, DCM, "left first"), (126831, DCM, "right first"), (126832, DCM, "posterior first") and (126833, DCM, "anterior first") are more specific than (~~R-10515~~, ~~SRT~~399220000, ~~SCT~~, "transverse") in that they specify which side of the patient is towards the front of the equipment.
5. For quadrupeds, separate concepts for ventral and dorsal are not introduced, rather it is expected that anterior and posterior will be considered synonymous as they are when applied to the trunk.

CID 23 Cranio-Caudal Angulation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.16

Table CID 23. Cranio-Caudal Angulation

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A107 66787007	Cephalic	66787007 G-A107	C0205096
SRTSCT	G-A108 3583002	Caudal	3583002 G-A108	C0205097

CID 25 Radiopharmaceuticals

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20190124

UID: 1.2.840.10008.6.1.17

Table CID 25. Radiopharmaceuticals

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Trade name (Informative)
SRTSCT	C-B1302 2942001	Carbon ¹⁴ D-xylose	2942001 C-B1302	C0305043	
SRTSCT	C-B1300 42417005	Carbon ¹⁴ triolein	42417005 C-B1300	C0305042	
SRTSCT	C-B1304 70086001	Cholyl-carbon ¹⁴ glycine	70086001 C-B1304	C0305044	
SRTSCT	C-B1140 17069007	Chromic phosphate P ³²	17069007 C-B1140	C0392428	
SRTSCT	C-B1012 4693006	Chromium ⁵¹ albumin	4693006 C-B1012	C0304956	
SRTSCT	C-B1013 6973004	Chromium ⁵¹ chloride	6973004 C-B1013	C0304957	
SRTSCT	C-B1051 37947008	Colloidal gold Au ¹⁹⁸	37947008 C-B1051	C0304966	
SRTSCT	C-B1063 30825005	Colloidal Indium ¹¹¹	30825005 C-B1063	C0304969	
SRTSCT	C-B1017 78686003	Copper ⁶⁴ acetate	78686003 C-B1017	C0304959	
SRTSCT	C-B1016 88166005	Copper ⁶⁴ versenate	88166005 C-B1016	C0304958	
SRTSCT	C-B1018 29460005	Copper ⁶⁷ ceruloplasmin	29460005 C-B1018	C0304960	
SRTSCT	C-B1021 187006	Cyanocobalamin Co ⁵⁷	187006 C-B1021	C0304961	
SRTSCT	C-B1022 5692007	Cyanocobalamin Co ⁵⁸	5692007 C-B1022	C0304962	
SRTSCT	C-B1023 72159005	Cyanocobalamin Co ⁶⁰	72159005 C-B1023	C0304963	
SRTSCT	C-B1000 17600005	Diagnostic radioisotope	17600005 C-B1000	C0360048	
SRTSCT	C-B1092 53207004	Diiodofluorecein I ¹³¹	53207004 C-B1092	C0304989	
SRTSCT	C-B1062 56475001	Disodium indium ¹¹¹	56475001 C-B1062	C0304968	
SRTSCT	C-B1122 31192007	Ferrous chloride Fe ⁵⁹	31192007 C-B1122	C0305004	
SRTSCT	C-B1124 87958003	Ferrous citrate Fe ⁵⁹	87958003 C-B1121	C0305003	
SRTSCT	C-B1123 125001	Ferrous sulfate Fe ⁵⁹	125001 C-B1123	C0305005	
SRTSCT	C-B1082 71636003	Fibrinogen I ¹²³	71636003 C-B1082	C0304978	
SRTSCT	C-B1031 35321007	Fluorodeoxyglucose F ¹⁸	35321007 C-B1031	C0046056	
SRTSCT	C-B1041 73065000	Gallium ⁶⁷ citrate	73065000 C-B1041	C0893383	
SRTSCT	C-145AB 446871009	Indium ¹¹¹ Capromab Pendetide	446871009 C-145AB	C2959379	Prostascint
SRTSCT	C-14512 395742005	Indium ¹¹¹ Chloride	395742005 C-14512	C0087296	Zevalin
SRTSCT	C-145AA 446800006	Indium ¹¹¹ Pentetate	446800006 C-145AA	C0379955	Octreoscan
SRTSCT	C-B1061 29218008	Indium ¹¹¹ pentetate	29218008 C-B1061	C0304967	
SRTSCT	C-B1066 81621007	Indium ¹¹¹ red cell label	81621007 C-B1066	C0304971	
SRTSCT	C-B1067 78570003	Indium ¹¹¹ transferrin	78570003 C-B1067	C0936259	
SRTSCT	C-B1065 6516008	Indium ¹¹¹ -Fe(OH) >3<	6516008 C-B1065	C0304970	
SRTSCT	C-B1135 424570009	Indium ¹¹¹ oxyquinoline	424570009 C-B1135	C1827660	
SRTSCT	C-B1068 90617008	Indium ^{113m} bleomycin	90617008 C-B1068	C0304972	
SRTSCT	C-B1069 21451004	Indium ^{113m} chloride	21451004 C-B1069	C0361440	
SRTSCT	C-B1072 56006008	Indium ^{113m} oxoquinoline platelet label	56006008 C-B1072	C0304975	
SRTSCT	C-B1073 56867003	Indium ^{113m} oxoquinoline RBC label	56867003 C-B1073	C0304976	
SRTSCT	C-B1071 77510008	Indium ^{113m} oxoquinoline WBC label	77510008 C-B1071	C0304974	
SRTSCT	C-B1070 42728008	Indium ^{113m} pentetate	42728008 C-B1070	C0304973	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Trade name (Informative)
SRTSCT	G-B108472015003	Iodinated I ¹²⁵ albumin	72015003C-B1084	C0304980	
SRTSCT	G-B110064488003	Iodinated I ¹²⁵ human serum albumin	64488003C-B1100	C0304997	
SRTSCT	G-B109480260008	Iodinated I ¹²⁵ levothyroxine	80260008C-B1094	C0304991	
SRTSCT	G-B109373745003	Iodinated I ¹²⁵ oleic acid and triolein	73745003C-B1093	C0304990	
SRTSCT	G-B109669839009	Iodinated I ¹²⁵ povidone	69839009C-B1096	C0304993	
SRTSCT	G-B109721378001	Iodinated I ¹²⁵ Rose Bengal	21378001C-B1097	C0304994	
SRTSCT	G-B109837437001	Iodinated I ¹²⁵ sealed source	37437001C-B1098	C0304995	
SRTSCT	G-B109970154008	Iodinated I ¹²⁵ sodium iodine	70154008C-B1099	C0304996	
SRTSCT	G-B109055814006	Iodinated I ¹³¹ aggregated albumin	55814006C-B1090	C0304986	
SRTSCT	G-B108939200002	Iodinated I ¹³¹ albumin	39200002C-B1089	C0304985	
SRTSCT	G-B111152408003	Iodinated I ¹³¹ gamma globulin	52408003C-B1111	C0305002	
SRTSCT	G-114AB447134003	Iodine ¹²³ 15-(4-Iodophenyl)-3(R,S)-Methylpentadecanoic Acid	447134003C-114AB	C2959625	Cardiodine
SRTSCT	G-B110E395787009	Iodine ¹²³ 3-Iodobenzylguanidine MIBG	395787009C-B110E	C0887719	
SRTSCT	G-B112D395789007	Iodine ¹³¹ 3-Iodobenzylguanidine MIBG	395789007C-B112D	C0524959	
SRTSCT	G-114B6446531006	Iodine ¹³¹ Methylnorcholesterol	446531006C-114B6	C2960809	Adosterol
SRTSCT	G-B110935884005	Iodine ¹³¹ polyvinylpyrrolidone	35884005C-B1109	C0305001	
SRTSCT	G-B108768967007	Iodocholesterol I ¹³¹	68967007C-B1087	C0304983	
SRTSCT	G-B109533785000	Iodohippurate I ¹²³ sodium	33785000C-B1095	C0304992	
SRTSCT	G-B110536900006	Iodohippurate I ¹²⁵ sodium	36900006C-B1105	C0304998	
SRTSCT	G-B109133271006	Iodohippurate I ¹³¹ sodium	33271006C-B1091	C0304987	
SRTSCT	G-B110878481003	Iofetamine I ¹²³ hydrochloride	78481003C-B1108	C0305000	
SRTSCT	G-B108855673009	Iothalamate sodium I ¹²⁵	55673009C-B1088	C0304984	
SRTSCT	G-B112460459006	Iron Fe ⁵⁹ labeled dextran	60459006C-B1124	C0305006	
SRTSCT	G-173A561716009	Krypton ^{81m}	61716009C-173A5	C0303689	
SRTSCT	G-B108322979004	Oleic acid I ¹²⁵	22979004C-B1083	C0304979	
SRTSCT	G-B125129348008	Pentetate calcium trisodium Yb ¹⁶⁹	29348008C-B1251	C0305041	
SRTSCT	G-B1151111161000	Potassium carbonate K ⁴²	111161000C-B1151	C0305009	
SRTSCT	G-B115236641004	Potassium chloride K ⁴²	36641004C-B1152	C0305010	
SRTSCT	G-B115047729008	Potassium chloride K ⁴³	47729008C-B1150	C0305008	
SRTSCT	G-B1085111159009	Rose Bengal sodium I ¹³¹	111159009C-B1085	C0282340	
SRTSCT	G-B117213626001	Selenium ⁷⁵ HCAT	13626001C-B1172	C0046666	
SRTSCT	G-B117188473009	Selenomethionine Se ⁷⁵	88473009C-B1171	C0034616	
SRTSCT	G-B11766257000	Sodium chloride Na ²²	6257000C-B1176	C0205951	
SRTSCT	G-B117531527000	Sodium chloride Na ²⁴	31527000C-B1175	C0305013	
SRTSCT	G-B101162517004	Sodium chromate Cr ⁵¹	62517004C-B1011	C0304955	
SRTSCT	G-B1032129501009	Sodium fluoride F ¹⁸	129501009C-B1032	C0304965	
SRTSCT	G-B108167690002	Sodium iodide I ¹²³	67690002C-B1081	C0304977	
SRTSCT	G-B1086111160004	Sodium iodide I ¹³¹	111160004C-B1086	C0304982	
SRTSCT	G-B120619495007	Sodium pertechnetate Tc ^{99m}	19495007C-B1206	C0039418	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Trade name (Informative)
SRTSCT	G-B114210781003	Sodium phosphate P ³² ^	10781003C-B1142	C0305007	
SRTSCT	G-B118069076006	Strontium chloride Sr ⁸⁵ ^	69076006C-B1180	C0305015	
SRTSCT	G-B118138424001	Strontium chloride Sr ⁸⁷ ^	38424001C-B1181	C0305016	
SRTSCT	G-B11828858006	Strontium nitrate Sr ⁸⁵ ^	8858006C-B1182	C0305017	
SRTSCT	G-B118331953001	Strontium nitrate Sr ⁸⁷ ^	31953001C-B1183	C0305018	
SRTSCT	G-B120555494003	Technetium Tc ^{99m} albumin microspheres	55494003C-B1205	C0305022	
SRTSCT	G-B120085693008	Technetium Tc ^{99m} aggregated albumin	85693008C-B1200	C0039415	
SRTSCT	G-B120416011006	Technetium Tc ^{99m} albumin colloid	16011006C-B1204	C0305021	
SRTSCT	G-B1133415704007	Technetium Tc ^{99m} depreotide	415704007C-B1133	C1100674	
SRTSCT	G-B12073040004	Technetium Tc ^{99m} disofenin	3040004C-B1207	C0075932	
SRTSCT	G-B122377313009	Technetium Tc ^{99m} exametazine	77313009C-B1223	C0145055	
SRTSCT	G-B121087853006	Technetium Tc ^{99m} iron ascorbate	87853006C-B1210	C0305027	
SRTSCT	G-B12097281000	Technetium Tc ^{99m} lidofenin	7281000C-B1209	C0075958	
SRTSCT	G-B12084832001	Technetium Tc ^{99m} mebrofenin	4832001C-B1208	C0075962	
SRTSCT	G-B121896390006	Technetium Tc ^{99m} medronate	96390006C-B1218	C0039416	
SRTSCT	G-B120381761004	Technetium Tc ^{99m} microaggregated albumin	81761004C-B1203	C0305020	
SRTSCT	G-B122587410002	Technetium Tc ^{99m} N-substituted iminodiacetate	87410002C-B1225	C0305039	
SRTSCT	G-B121353951001	Technetium Tc ^{99m} oxidronate	53951001C-B1213	C0305030	
SRTSCT	G-163B0430276001	Technetium Tc ^{99m} pentetate	430276001C-163B0	C0080212	
SRTSCT	G-B121565156006	Technetium Tc ^{99m} pyro and polyphosphates	65156006C-B1215	C0305032	
SRTSCT	G-B121679610008	Technetium Tc ^{99m} serum albumin	79610008C-B1216	C0665175	
SRTSCT	G-163AB424299003	Technetium Tc ^{99m} sestamibi	424299003C-163AB	C0162680	
SRTSCT	G-B122045849009	Technetium Tc ^{99m} sodium glucoheptonate	45849009C-B1220	C0305034	
SRTSCT	G-B1211111162007	Technetium Tc ^{99m} stannous etidronate	111162007C-B1211	C0305028	
SRTSCT	G-B122124511001	Technetium Tc ^{99m} succimer	24511001C-B1221	C0075928	
SRTSCT	G-B12225931004	Technetium Tc ^{99m} sulfur colloid	5931004C-B1222	C0039419	
SRTSCT	G-B122489818005	Technetium Tc ^{99m} tagged red cells	89818005C-B1224	C0305038	
SRTSCT	G-163AC424318009	Technetium Tc ^{99m} Teboroxime	424318009C-163AC	C0076030	
SRTSCT	G-163AD424118002	Technetium Tc ^{99m} Tetrofosmin	424118002C-163AD	C1828125	
SRTSCT	G-163BD447201007	Technetium ^{99m} Dimercaptosuccinic Acid DMSA	447201007C-163BD	C0075928	Kidneyscinti
SRTSCT	G-163B6446534003	Technetium ^{99m} Galactosyl Human Serum Albumin Diethylenetriamine	446534003C-163B6	C2960066	Asialoscinti
SRTSCT	G-163B7446535002	Technetium ^{99m} Hydroxymethylene diphosphonate HMDP	446535002C-163B7	C0075953	
SRTSCT	G-163B9447125008	Technetium ^{99m} labeled carbon	447125008C-163B9	C2960082	Technegas
SRTSCT	G-163B8446536001	Technetium ^{99m} Mercaptoacetyl triglycine MAG3	446536001C-163B8	C2960081	MAGscinti
SRTSCT	G-163BA447126009	Technetium ^{99m} N-pyridoxyl-5-methyltryptophan	447126009C-163BA	C2960810	Hepatimage
NCIt	C116887	Technetium ^{99m} Trofolostat		C3899042	MIP 1404
SRTSCT	G-163BB447127000	Technetium ^{99m} Phytate	447127000C-163BB	C2960676	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	Trade name (Informative)
SRTSCT	G-163BC 447128005	Technetium ^{99m} Stannous Colloid	447128005C-163BC	C2960677	
SRTSCT	G-B1231 73685002	Thallous chloride TI ²⁰¹	73685002C-B1231	C0305040	
SRTSCT	G-B1010 439007	Therapeutic radioisotope	439007C-B1010	C0358509	
SRTSCT	G-B1251 29348008	Yb ¹⁶⁹ -DTPA - pentetate	29348008C-B1251	C0305041	

CID 26 Nuclear Medicine Projections

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20040322

UID: 1.2.840.10008.6.1.18

Table CID 26. Nuclear Medicine Projections

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A138 81654009	Coronal	81654009G-A138	C0205123
SRTSCT	G-A145 30730003	Sagittal	30730003G-A145	C0205129
SRTSCT	G-A147 24422004	Axial	24422004G-A147	C0205131
SRTSCT	G-5206 399108003	Right anterior oblique	399108003G-5206	C1275818
SRTSCT	G-5207 399074003	Left anterior oblique	399074003G-5207	C1275814
SRTSCT	G-5208 399075002	Right posterior oblique	399075002G-5208	C1275815
SRTSCT	G-5209 399136008	Left posterior oblique	399136008G-5209	C1275824
SRTSCT	G-5210 399089007	Oblique axial	399089007G-5210	C1275817
SRTSCT	G-5212 399273000	Sagittal-oblique axial	399273000G-5212	C1275844
SRTSCT	G-5220 399012007	Medial-lateral	399012007G-5220	C1275804
SRTSCT	G-5221 399300004	Lateral-medial	399300004G-5221	C1275847
SRTSCT	G-5222 399297009	Right lateral projection	399297009G-5222	C1261185
SRTSCT	G-5223 399118008	Left lateral projection	399118008G-5223	C1306031
SRTSCT	G-5224 399268006	Medio-lateral oblique	399268006G-5224	C1275843
SRTSCT	G-5225 399159002	Latero-medial oblique	399159002G-5225	C1275827
SRTSCT	G-A117 62824007	Transverse	62824007G-A117	C0205106
SRTSCT	G-A104 49370004	Lateral	49370004G-A104	C0205093
Include CID 27 "Basic Cardiac Views"				
SRTSCT	G-5215 399321004	Anterior projection	399321004G-5215	C1275849
SRTSCT	G-5216 399001007	Posterior projection	399001007G-5216	C1275801

Note

- In a prior version of this table, the code G-A117 was specified for the concept Transaxial, and R-11300 was specified for the concept Transverse. Since these concepts are synonymous in nuclear projections, and since SNOMED assigns G-A117 to the concept Transverse, the use of R-11300 is deprecated. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.
- The following Code Values were formerly included in CID 26 "Nuclear Medicine Projections" and are retired:

SRT	G-5200	Antero-posterior
SRT	G-5201	Postero-anterior
SRT	G-5203	Frontal oblique
SRT	G-5204	Antero-posterior Oblique
SRT	G-5205	Postero-anterior Oblique
SRT	G-5211	Frontal-oblique axial
SRT	G-5213	Submento-vertex axial
SRT	G-5214	Oblique submento-vertex
SRT	G-5226	Right to left oblique
SRT	G-5227	Left to right oblique

CID 27 Basic Cardiac Views

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20120822
 UID: 1.2.840.10008.6.1.957

Table CID 27. Basic Cardiac Views

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A186103340004	Short Axis	103340004G-A186	C0522488
SRTSCT	G-A18A131185001	Vertical Long Axis	131185001G-A18A	C1295721
SRTSCT	G-A18B131186000	Horizontal Long Axis	131186000G-A18B	C1295722

CID 29 Acquisition Modality

This Context Group includes codes that may be used to identify ~~an image or waveform acquisition modality, as used~~ the type of diagnostic equipment, or function or technique of that equipment, that originally acquired, through interaction with a patient or specimen, the data used to create the instance. These codes are used in Attribute Modality (0008,0060) of a Modality Worklist Scheduled Procedure Step or a Composite SOP Instance (see PS3.3). It generally corresponds to a class of diagnostic equipment, or to a specific acquisition function or technique in a device. ~~This~~ Context Group may be used as the value set for HL7 v2 Table 0259 (see HL7 v2.6 Chapter 8 Section 8.8.8.47).

Note

This Context Group is not the complete set of codes that may appear in the Attribute Modality (0008,0060); these are only the codes associated with orderable acquisition processes (not ~~pre-acquisition activities~~ or post-processing).

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: ~~20180605~~20190327
 UID: 1.2.840.10008.6.1.19

Table CID 29. Acquisition Modality

Coding Scheme Designator	Code Value	Code Meaning
DCM	AR	Autorefraction
DCM	BMD	Bone Mineral Densitometry
DCM	BDUS	Ultrasound Bone Densitometry
DCM	EPSBI	Cardiac Electrophysiology Biomagnetic Imaging

Coding Scheme Designator	Code Value	Code Meaning
DCM	BMD	Bone Mineral Densitometry
DCM	CR	Computed Radiography
DCM	CT	Computed Tomography
DCM	DG	Diaphanography
DCM	DX	Digital Radiography
DCM	ECG	Electrocardiography
DCM	ESEPS	EndoscopyCardiac Electrophysiology
DCM	XGES	External-camera PhotographyEndoscopy
DCM	GM	General Microscopy
DCM	HD	Hemodynamic Waveform
DCM	IO	Intra-oral Radiography
DCM	IVOCT	Intravascular Optical Coherence Tomography
DCM	IVUS	Intravascular Ultrasound
DCM	KER	Keratometry
DCM	LEN	Lensometry
DCM	MRLS	Magnetic ResonanceLaser Scan
DCM	MG	Mammography
DCM	MR	Magnetic Resonance
DCM	NM	Nuclear Medicine
DCM	OAM	Ophthalmic Axial Measurements
DCM	OCT	Optical Coherence Tomography
DCM	OPM	Ophthalmic Mapping
DCM	OP	Ophthalmic Photography
DCM	OPROP	Ophthalmic RefractionMapping
DCM	OPT	Ophthalmic Tomography
DCM	OPTBSV	Ophthalmic Tomography B-scan Volume Analysis
DCM	OPTENF	Ophthalmic Tomography En Face
DCM	OPV	Ophthalmic Visual Field
DCM	OSS	Optical Surface Scanner
DCM	PT	Positron emission tomography
DCM	PX	Panoramic X-Ray
DCM	PTRESP	Positron emission tomographyRespiratory Waveform
DCM	RF	Radiofluoroscopy
DCM	RG	Radiographic imaging
DCM	RTIMAGE	RT Image
DCM	SM	Slide Microscopy
DCM	SRF	Subjective Refraction
DCM	TG	Thermography
DCM	US	Ultrasound
DCM	VA	Visual Acuity
DCM	XA	X-Ray Angiography

Coding Scheme Designator	Code Value	Code Meaning
DCM	XC	External-camera Photography

CID 30 DICOM Devices

This Context Group includes codes that may be used to identify a class of equipment that uses DICOM.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: ~~20030108~~20190327

UID: 1.2.840.10008.6.1.20

Table CID 30. DICOM Devices

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 29 "Acquisition Modality"</i>		
DCM	ARCHIVE	Archive
DCM	COMP	Computation Server
DCM	CAD	Computer Assisted Detection/Diagnosis
DCM	CAPTURE	Image Capture
DCM	COMP	Computation Server
DCM	DSS	Department System Scheduler
DCM	FILMD	Film Digitizer
DCM	LOG	Procedure Logging
DCM	M3D	3D Manufacturing Modeling System
DCM	MCD	Media Creation Device
DCM	PRINT	Hard Copy Print Server
DCM	CAPTURE	Image Capture
DCM	LOG	Procedure Logging
DCM	RT	Radiation Therapy Device
DCM	STAIN	Automated Slide Stainer
DCM	WSD	Workstation

CID 31 Abstract Priors

This Context Group includes codes that may be used to identify imaging procedures that may be referred to as priors for the purpose of image set selection in Hanging Protocols.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.21

Table CID 31. Abstract Priors

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	R-40553 278307001	On admission	278307001 R-40553	C0457453
SRT SCT	R-400B2 277671009	Intraoperative	277671009 R-400B2	C0456904
SRT SCT	R-41FD9 281379000	Pre-admission	281379000 R-41FD9	C0559269
SRT SCT	R-411C0 255235001	Pre-dose	255235001 R-411C0	C0439565

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	R-404DA 255566006	Post-dose	255566006 R-404DA	C0439568
SRT SCT	R-413C5 262068006	Pre-operative	262068006 R-413C5	C0445204
SRT SCT	R-413B7 262061000	Post-operative	262061000 R-413B7	C0032790
DCM	109120	On admission to unit		
DCM	109121	On discharge		
DCM	109122	On discharge from unit		
DCM	109123	Pre-intervention		
DCM	109124	Post-intervention		
DCM	109125	At last appointment		

CID 32 Non-Acquisition Modality

This Context Group includes codes that may be used to identify the type of equipment, or function or technique of that equipment, that created the data used to create an instance, other than by means of acquisition through interaction with a patient or specimen.

Note

Many Composite SOP Instances with the Attribute Modality (0008,0060) code values from this Context Group are the result of post-processing, and are not directly associated with an orderable acquisition process.

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20190327

UID: 1.2.840.10008.6.1.1282

Table CID 32. Non-Acquisition Modality

Coding Scheme Designator	Code Value	Code Meaning
DCM	ASMT	Content Assessment Result
DCM	AU	Basic Voice Audio
DCM	CTPROTOCOL	CT Protocol
DCM	DOC	Document
DCM	FID	Spatial Fiducials
DCM	HC	Hard Copy
DCM	IOL	Intraocular Lens Calculation
DCM	KO	Key Object Selection
DCM	M3D	Model for 3D Manufacturing
DCM	OT	Other
DCM	PLAN	Plan
DCM	PR	Presentation State
DCM	REG	Registration
DCM	RTDOSE	RT Dose
DCM	RTPLAN	RT Plan
DCM	RTRECORD	RT Treatment Record
DCM	RTSTRUCT	RT Structure Set
DCM	RWV	Real World Value Map

Coding Scheme Designator	Code Value	Code Meaning
DCM	SEG	Segmentation
DCM	SMR	Stereometric Relationship
DCM	SR	Structured Report Document
DCM	STAIN	Automated Slide Stainer

CID 33 Modality

This Context Group includes codes that may be used to identify the type of equipment, or function or technique of that equipment, that created the data used to create an instance, other than by means of acquisition through interaction with a patient or specimen.

Note

Many Composite SOP Instances with the Attribute Modality (0008,0060) code values from this Context Group are the result of post-processing, and are not directly associated with an orderable acquisition process.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190327

UID: 1.2.840.10008.6.1.1283

Table CID 33. Non-Acquisition Modality

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
Include CID 29 "Acquisition Modality"				
Include CID 32 "Non-Acquisition Modality"				

CID 42 Numeric Value Qualifier

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20020114

UID: 1.2.840.10008.6.1.22

Table CID 42. Numeric Value Qualifier

Coding Scheme Designator	Code Value	Code Meaning
DCM	114000	Not a number
DCM	114001	Negative Infinity
DCM	114002	Positive Infinity
DCM	114003	Divide by zero
DCM	114004	Underflow
DCM	114005	Overflow
DCM	114006	Measurement failure
DCM	114007	Measurement not attempted
DCM	114008	Calculation failure
DCM	114009	Value out of range
DCM	114010	Value unknown
DCM	114011	Value indeterminate

CID 50 Instance Availability Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Non-Extensible
 Version: 20090616
 UID: 1.2.840.10008.6.1.811

Table CID 50. Instance Availability Status

Coding Scheme Designator	Code Value	Code Meaning
DCM	NEARLINE	Nearline
DCM	OFFLINE	Offline
DCM	ONLINE	Online
DCM	UNAVAILABLE	Unavailable

CID 60 Imaging Agent Administration Adverse Events

This Context Group includes contrast reactions listed in the ACR Manual of Contrast Media.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1250

Table CID 60. Imaging Agent Administration Adverse Events

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-0499A405165006	Drug induced Nausea and vomiting	405165006F-0499A	C1319169
SRTSCT	F-5005E271801002	Taste and sense altered	271801002F-5005E	C0013378
SRTSCT	F-400A9415690000	Sweating	415690000F-400A9	C0038990
SRTSCT	F-2410049727002	Cough	49727002F-24100	C0010200
SRTSCT	F-A21A7418363000	Itching	418363000F-A21A7	C0033774
SRTSCT	D0-7100028926001	Drug Rash	28926001D0-71000	C0011609
SCT	724232004	Sensation of being warm (finding)	724232004	
SRTSCT	F-037AB398979000	Pallor (Pale Complexion)	398979000F-037AB	C0030232
SRTSCT	F-2444268235000	Nasal Congestion	68235000F-24442	C0027424
SRTSCT	F-A270025064002	Headache	25064002F-A2700	C0018681
SRTSCT	D0-3002F403618004	Drug induced Flushing	403618004D0-3002F	C1274940
SRTSCT	F-017C0278528006	Facial Swelling	278528006F-017C0	C0151602
SRTSCT	DF-1147C473188002	Drug Induced Dizziness	473188002DF-1147C	C3532678
SRTSCT	F-03261274640006	Chills and fever	274640006F-03261	C0085594
SRTSCT	F-0B32048694002	Anxiety	48694002F-0B320	C0003467
SRTSCT	F-A460026079004	Shaking	26079004F-A4600	C0040822
SRTSCT	D3-3112174615001	Tachycardia-bradycardia	74615001D3-31121	C0221047
SRTSCT	F-202504386001	Bronchospasm	4386001F-20250	C0001999
SRTSCT	D3-0200038341003	Hypertension	38341003D3-02000	C0020538
SRTSCT	D2-0446051599000	Laryngeal edema	51599000D2-04460	C0023052
SRTSCT	D0-2202B402603005	Diffuse inflammatory erythema	402603005D0-2202B	C1304360

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	D3-04006234171009	Drug-induced hypotension	234171009D3-04006	C0340858
SRTSCT	F-201B3267036007	Dyspnea	267036007F-201B3	C0013404
SRTSCT	D2-0446051599000	Laryngeal edema (severe or rapidly progressing)	51599000D2-04460	C0023052
SRTSCT	DA-3000084757009	Epileptic convulsions	84757009DA-30000	C0014544
SRTSCT	D3-0400045007003	Hypotension	45007003D3-04000	C0020649
SRTSCT	F-100EC298336006	No motor response to command	298336006F-100EC	C0575112
SRTSCT	R-FAE6C698247007	Cardiac Arrhythmia	698247007R-FAE6C	C0003811
SRTSCT	D2-60262410430005	Cardiorespiratory arrest	410430005D2-60262	C0600228
SRTSCT	D0-B033095384003	Injection Site Extravasation	95384003D0-B0330	C0521500
DCM	110515	Patient condition prevented continuing		

Include CID 10043 "Intravenous Extravasation Symptoms"

CID 61 Time Relative to Procedure

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1251

Table CID 61. Time Relative to Procedure

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-422A4303110006	After Procedure	303110006R-422A4	C0580203
SRTSCT	R-40FBA307154001	During Procedure	307154001R-40FBA	C0585033
SRTSCT	R-40FB9307153007	Before Procedure	307153007R-40FB9	C0585032

CID 62 Imaging Agent Administration Phase Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1252

Table CID 62. Imaging Agent Administration Phase Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	130168	Automatic Administration Phase
DCM	130169	Automatic Programmed Hold Phase
DCM	130170	Automatic with Manual Hold Phase
DCM	130171	Automatic with Manual Inject Phase

CID 63 Imaging Agent Administration Mode

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115

UID: 1.2.840.10008.6.1.1253

Table CID 63. Imaging Agent Administration Mode

Coding Scheme Designator	Code Value	Code Meaning
DCM	130173	Automated Administration
DCM	130174	Manual Administration

CID 64 Imaging Agent Administration Patient State

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20181115

UID: 1.2.840.10008.6.1.1254

Table CID 64. Imaging Agent Administration Patient State

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	F-70102 39539005	Abnormal Renal Function	39539005 F-70102	C0151746
DCM	113560	Acute unilateral renal blockage		
DCM	113561	Low Thyroid Uptake		
DCM	113562	High Thyroid Uptake		
DCM	113563	Severely Jaundiced		
SRT SCT	R-102B6 414417004	History of renal failure	414417004 R-102B6	C1533077
SRT SCT	G-023F 161445009	History of diabetes mellitus	161445009 G-023F	C0455488
SRT SCT	D2-00036 195967001	Asthma (disorder)	195967001 D2-00036	C0004096
SRT SCT	D3-29021 60573004	Aortic stenosis	60573004 D3-29021	C0003507
SRT SCT	D3-13012 194828000	Angina pectoris	194828000 D3-13012	C0002962
SRT SCT	G-026D 161505003	History of congestive heart failure	161505003 G-026D	C0455531
SRT SCT	G-0269 161501007	History of Hypertension	161501007 G-0269	C0455527
SRT SCT	D3-40300 70995007	Pulmonary hypertension	70995007 D3-40300	C0020542
SRT SCT	D3-20000 85898001	Cardiomyopathy	85898001 D3-20000	C0878544
SRT SCT	F-0B320 48694002	Anxiety	48694002 F-0B320	C0003467
SRT SCT	M-97651 35601003	Paraproteinemia	35601003 M-97651	C0026470
SRT SCT	M-97323 55921005	Myeloma	55921005 M-97323	C0026764
SRT SCT	P0-099F5 440935004	History of Beta-blocking agents therapy	440935004 P0-099F5	C2586054
SRT SCT	DF-00BEA 448216007	Malignant epithelial neoplasm of thyroid	448216007 DF-00BEA	C3163939
DCM	110503	Patient allergic to media/contrast		

CID 65 Pre-medication For Imaging Agent Administration

The following list of pre-medication agents was obtained from the ACR Manual of Contrast Media.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20181115

UID: 1.2.840.10008.6.1.1255

Table CID 65. Pre-Medication for Imaging Agent Administration

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	Trade Name (Informative)
SRTSCT	G-37138116602009	Prednisone	116602009C-37138	C0032952	
SRTSCT	G-5145026458009	Diphenhydramine	26458009C-51450	C0012522	Benadryl
SRTSCT	G-37128116593003	Methylprednisolone	116593003C-37128	C0025815	
SRTSCT	G-A01D1109069007	Methylprednisolone sodium succinate	109069007C-A01D1	C0700546	Solu-Medrol
SRTSCT	G-A0173109066000	Hydrocortisone sodium succinate	109066000C-A0173	C0770560	Solu-Cortef
SRTSCT	G-913A449992008	Dexamethasone sodium sulfate	49992008C-913A4	C0113286	Decadron
SRTSCT	G-51071349955005	H-1 Antihistamine	349955005C-51071	C0019592	
SRTSCT	G-6805065026000	Ephedrine	65026000C-68050	C0014479	
SRTSCT	R-F2989346607007	Papaverine	346607007R-F2989	C0030350	

Include CID 66 "Medication For Imaging Agent Administration"

CID 66 Medication For Imaging Agent Administration

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20181115

UID: 1.2.840.10008.6.1.1256

Table CID 66. Medication for Imaging Agent Administration

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-61B48387423006	Propofol	387423006F-61B48	C0033487
SRTSCT	F-6183C373476007	Midazolam	373476007F-6183C	C0026056
SCT	49998007	Sufentanil	49998007	C0143993
SCT	386839004	Remifentanil	386839004	C0246631
SRTSCT	F-61C65387560008	Alfentanil	387560008F-61C65	C0002026

CID 67 Imaging Agent Administration Completion Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20181115

UID: 1.2.840.10008.6.1.1257

Table CID 67. Imaging Agent Administration Completion Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-404F1255594003	Complete	255594003R-404F1	C0205197
DCM	130156	Terminated due to pressure above termination limit		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	130157	Terminated due to flow rate above termination limit		
DCM	130176	Terminated due to air detected		
DCM	130158	Terminated due to excessive duration pause		
DCM	130154	Terminated due to request from operator		
DCM	130159	Terminated due to injector communication loss		
DCM	130160	Terminated due to unspecified injector failure		
DCM	130177	Terminated by scanner		
DCM	130178	Terminated due to critical battery level		
DCM	130179	Terminated due to consumable removal		

CID 68 Imaging Agent Administration Pharmaceutical Unit of Presentation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20181115

UID: 1.2.840.10008.6.1.1258

Table CID 68. Imaging Agent Administration Pharmaceutical Unit of Presentation

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SCT	733020007	Syringe	733020007	C4319671
SRT SCT	R-FEEFF 706440002	Cartridge	706440002 R-FEEFF	C0179630
SRT SCT	R-FCBB8 464557001	Parenteral/enteral solution bag	464557001 R-FCBB8	C3878874
SRT SCT	A-27500 68276009	Bottle	68276009 A-27500	C0179376

Note

The concept for syringe (unit of presentation) is used in this context group as distinct from syringe (physical object), which is used in Section CID 69. This is intended for pre-filled syringes.

CID 69 Imaging Agent Administration Consumables

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20181115

UID: 1.2.840.10008.6.1.1259

Table CID 69. Imaging Agent Administration Consumables

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	A-10150 61968008	Syringe	61968008 A-10150	C0039142
SRT SCT	A-26800 19923001	Catheter	19923001 A-26800	C0085590
SRT SCT	R-FDF5C 467354001	Contrast medium injection system manifold kit	467354001 R-FDF5C	C3878326
SRT SCT	A-26400 83059008	Tube, device (physical object)	83059008 A-26400	C0175730

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-3036079068005	Needle	79068005A-30360	C0027551
SRTSCT	A-2750068276009	Bottle	68276009A-27500	C0179376

Note

The concept for syringe (physical object) is used in this context group as distinct from syringe (unit of presentation), which is used in Section CID 68. The concept for bottle is used in the context of consumable used during an oral administration of contrast.

CID 70 Flush

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1260

Table CID 70. Flush

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A722013132007	Dextran	13132007C-A7220	C0086140
SRTSCT	G-70841262003004	Saline	262003004C-70841	C0445115
SRTSCT	G-70434347379006	Lactated Ringer's	347379006C-70434	C0073385

CID 71 Imaging Agent Administration Injector Event Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1261

Table CID 71. Imaging Agent Administration Injector Event Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	130150	Pressure above warning limit
DCM	130151	Pressure above adjustment limit
DCM	130152	Flow rate above warning limit
DCM	130153	Flow rate above adjustment limit
DCM	130161	Keep vein open started
DCM	130162	Keep vein open ended
DCM	130175	Air detected
DCM	130155	Fixed duration pause ended
DCM	130163	Syringe attached
DCM	130164	Syringe detached
DCM	110501	Equipment failure
DCM	110527	Resource inadequate
DCM	130156	Terminated due to pressure above termination limit
DCM	130157	Terminated due to flow rate above termination limit
DCM	130176	Terminated due to air detected

Coding Scheme Designator	Code Value	Code Meaning
DCM	130158	Terminated due to excessive duration pause
DCM	130154	Terminated due to request from operator
DCM	130159	Terminated due to injector communication loss
DCM	130160	Terminated due to unspecified injector failure
DCM	130177	Terminated by scanner
DCM	130178	Terminated due to critical battery level
DCM	130179	Terminated due to consumable removal

CID 72 Imaging Agent Administration Step Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1262

Table CID 72. Imaging Agent Administration Step Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	130247	Patency Test Injection
DCM	130248	Transit Time Test Injection
DCM	130249	Diagnostic Administration
DCM	130251	Flush Administration

CID 73 Bolus Shaping Curves

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1263

Table CID 73. Bolus Shaping Curves

Coding Scheme Designator	Code Value	Code Meaning
DCM	130252	Negative exponential
DCM	130253	Linear Curve

CID 74 Imaging Agent Administration Consumable Catheter Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1264

Table CID 74. Imaging Agent Administration Consumable Catheter Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	A-26836 82449006	Peripheral intravenous catheter	82449006 A-26836	C0179768
SRTSCT	A-26810 52124006	Central venous catheter	52124006 A-26810	C1145640
SRTSCT	A-1450B 398013009	Implantable venous access port	398013009 A-1450B	C1275732

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	A-2681052124006	Peripherally inserted central catheter	52124006A-26810	C1145640
SRTSCT	R-FEAEC705541005	Rectal Catheter	705541005R-FEAEC	C0179784

CID 75 Low-high-equal

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1265

Table CID 75. Low-High-Equal

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A37462482003	Low	62482003G-A374	C0205251
SRTSCT	G-A37375540009	High	75540009G-A373	C3163633
SRTSCT	G-A2149726003	Equal	9726003G-A214	C0205163

CID 76 Type of Pre-medication

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181115
 UID: 1.2.840.10008.6.1.1266

Table CID 76. Type of Pre-Medication

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
DCM	123012	Pre-Medication		
DCM	130259	Contrast Reaction Prophylactic Agent		
SRTSCT	F-6171D372614000	Sedative	372614000F-6171D	C0036557
SRTSCT	C-8580052017007	Antiemetic	52017007C-85800	C0003297

CID 82 Units of Measurement

Context Group ID 82 comprises the case-sensitive codes of UCUM. See Section 7.2.2.

Note

Equivalent to the HL7 Value Set "Units of Measure case sensitive" 2.16.840.1.113883.11.12839.

CID 83 Units for Real World Value Mapping

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080123
 UID: 1.2.840.10008.6.1.24

Table CID 83. Units for Real World Value Mapping

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 84 "PET Units"</i>		
UCUM	[hnsfU]	Hounsfield unit

CID 84 PET Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.1030

Table CID 84. PET Units

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 85 "SUV Units"</i>		
UCUM	{counts}	Counts
UCUM	{counts}/s	Counts per second
UCUM	{propcounts}	Proportional to counts
UCUM	{propcounts}/s	Proportional to counts per second
UCUM	cm2	Centimeter**2
UCUM	cm2/ml	Centimeter**2/milliliter
UCUM	%	Percent
UCUM	Bq/ml	Becquerels/milliliter
UCUM	mg/min/ml	Milligrams/minute/milliliter
UCUM	umol/min/ml	Micromole/minute/milliliter
UCUM	ml/min/g	Milliliter/minute/gram
UCUM	ml/g	Milliliter/gram
UCUM	/cm	/Centimeter
UCUM	umol/ml	Micromole/milliliter

CID 85 SUV Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20161106
UID: 1.2.840.10008.6.1.984

Table CID 85. SUV Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	g/ml{SUVbw}	Standardized Uptake Value body weight
UCUM	g/ml{SUVlbm}	Standardized Uptake Value lean body mass (James)
UCUM	g/ml{SUVlbm(James128)}	Standardized Uptake Value lean body mass (James 128 multiplier)
UCUM	g/ml{SUVlbm(Janma)}	Standardized Uptake Value lean body mass (Janma)
UCUM	cm2/ml{SUVbsa}	Standardized Uptake Value body surface area
UCUM	g/ml{SUVibw}	Standardized Uptake Value ideal body weight

Note

The formulas for the determination of SUVbw, SUVbsa, SUVlbm (James) and SUVibw are defined in Sugawara et al. *Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction*. Radiology, 1999 at <http://radiology.rsna.org/content/213/2/521>.

Unfortunately, Sugawara used a parameter of 120 rather than 128 for males, propagating an error in Morgan DJ, Bray KM. Lean Body Mass as a Predictor of Drug Dosage: Implications for Drug Therapy. *Clinical Pharmacokinetics*. 1994;26(4):292-307, which misquoted the original LBM definition that used 128 in James WPT, Waterlow JC. Research on Obesity: A Report of the DHSS/MRC Group. London: Her Majesty's Stationery Office; 1976. Implementations differ in whether they have used 120 or 128 for $(\{SUVlbm\}g/ml\{SUVlbm\}, UCUM, "Standardized Uptake Value lean body mass (James))$. See Kelly M. SUV: Advancing Comparability and Accuracy. Siemens; 2009. Available from: http://www.mpcphysics.com/documents/SUV_Whitepaper_Final_11.17.09_59807428_2.pdf.

The Janmahasatian LBM formula is defined in Janmahasatian et al. *Quantification of Lean Bodyweight*. *Clin Pharmacokinet*. 2005 Oct 1;44(10):1051-65. at <http://dx.doi.org/10.2165/00003088-200544100-00004> and its role in SUVlbm(Janma) calculation is discussed in Tahari et al. *Optimum Lean Body Formulation for Correction of Standardized Uptake Value in PET Imaging*. *Journal of Nuclear Medicine*. 2014 Sep 1;55(9):1481-4. at <http://jnm.snmjournals.org/content/55/9/1481>. The patient size correction factors are summarized here, where weight is in kg and height is in cm:

SUVbw: males & females: weight

SUVlbm (James): males : $1.10 * weight - 120 * (weight/height)^2$

SUVlbm (James): females: $1.07 * weight - 148 * (weight/height)^2$

SUVlbm(Janma): males: $9.27E3 * weight / (6.68E3 + 216 * weight / (height^2))$

SUVlbm(Janma): females: $9.27E3 * weight / (8.78E3 + 244 * weight / (height^2))$

SUVbsa: males & females: $weight^{0.425} * height^{0.725} * 0.007184$

SUVibw: males: $48.0 + 1.06 * (height - 152)$

females: $45.5 + 0.91 * (height - 152)$

CID 91 Functional Condition Present During Acquisition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.891

Table CID 91. Functional Condition Present During Acquisition

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 3271 "Hemodynamic Physiological Challenges"				
SRT SCT	F-F7100 43914001	Phonation	43914001 F-F7100	C0031577
SRT SCT	F-12300 87731000	Weight bearing	87731000 F-12300	C0231573
DCM	109137	During voiding		
DCM	109134	Prior to voiding		
DCM	109135	Post voiding		

CID 92 Joint Position During Acquisition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100625

UID: 1.2.840.10008.6.1.892

Table CID 92. Joint Position During Acquisition

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	109136	Neutral musculoskeletal position		
SRT SCT	F-10110 9964006	Flexion	9964006 F-10110	C0231452
SRT SCT	F-10100 24154002	Extension	24154002 F-10100	C0522009
SRT SCT	F-10120 60074003	Abduction	60074003 F-10120	C0231456
SRT SCT	F-10130 11554009	Adduction	11554009 F-10130	C0231457
SRT SCT	F-10210 12852001	Internal rotation	12852001 F-10210	C0231459
SRT SCT	F-10220 52019005	External rotation	52019005 F-10220	C0231462
SRT SCT	F-10226 14502000	Supination	14502000 F-10226	C0038845
SRT SCT	F-10216 88241000	Pronation	88241000 F-10216	C0033421
SRT SCT	F-10240 51795009	Torsion	51795009 F-10240	C0040480

CID 93 Joint Positioning Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100625
 UID: 1.2.840.10008.6.1.893

Table CID 93. Joint Positioning Method

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-13060 21278004	Passive movement	21278004 F-13060	C0079991
SRT SCT	P0-05083 118745001	Manipulation of joint	118745001 P0-05083	C1292923

CID 94 Physical Force Applied During Acquisition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100625
 UID: 1.2.840.10008.6.1.894

Table CID 94. Physical Force Applied During Acquisition

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	P0-02160 129411004	Traction - action	129411004 P0-02160	C0040597
SRT SCT	P0-021B2 263720003	Compression - action	263720003 P0-021B2	C0565514
SRT SCT	P0-021AB 257912008	Rotation - action	257912008 P0-021AB	C0677597

CID 100 Quantitative Diagnostic Imaging Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190121
 UID: 1.2.840.10008.6.1.998

Table CID 100. Quantitative Diagnostic Imaging Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P0-0099A363679005	Imaging procedure	363679005P0-0099A	C0011923
SRTSCT	P5-09051258177008	Magnetic resonance imaging guidance	258177008P5-09051	C0442974
DCM	126020	Multiparametric MRI		
DCM	126021	Multiparametric MRI of prostate		
DCM	126022	Multiparametric MRI of whole body		
SRTSCT	P5-0907F433139009	Dynamic magnetic resonance imaging of knee	433139009P5-0907F	C2315346
SRTSCT	P5-70694446315002	Dynamic magnetic resonance imaging of pelvis	446315002P5-70694	C2960816
LN	25045-6	CT unspecified body region		C0882201
LN	25056-3	MRI unspecified body region		C0882563
LN	49118-3	NM unspecified body region		C1954874
LN	44136-0	PET unspecified body region		C1715406
LN	44139-4	PET whole body		C1715409
SRTSCT	P5-080FF443271005	PET/CT FDG imaging of whole body	443271005P5-080FF	C2732676
SRTSCT	P5-08118443844003	PET/CT MET imaging of whole body	443844003P5-08118	C2732956
LN	39142-5	CT perfusion head with contrast IV		C1543263
LN	39632-5	SPECT brain		C1543694
RADLEX	RPID5427	NM head perfusion brain PET-CT AV-45		

CID 218 Quantitative Image Features

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20190121
UID: 1.2.840.10008.6.1.1269

Table CID 218. Quantitative Image Features

Coding Scheme Designator	Code Value	Code Meaning
Include CID 7468 "Texture Measurements"		
Include CID 7469 "Generic Intensity and Size Measurements"		
Include CID 7477 "Global Shape Descriptors"		

CID 220 Level of Significance

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.25

Table CID 220. Level of Significance

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-00333371925005	Most significant	371925005R-00333	C1299394

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-0030C 371926006	Highly significant	371926006 R-0030C	C1299395
SRT SCT	R-10045 386134007	Significant	386134007 R-10045	C0750502
SRT SCT	R-00345 371928007	Not significant	371928007 R-00345	C1273937
SRT SCT	R-10046 386135008	Significance Undetermined	386135008 R-10046	C1272585

CID 221 Measurement Range Concepts

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.26

Table CID 221. Measurement Range Concepts

Coding Scheme Designator	Code Value	Code Meaning
Include CID 226 "Population Statistical Descriptors"		
Include CID 227 "Sample Statistical Descriptors"		

CID 222 Normality Codes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.27

Table CID 222. Normality Codes

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	G-A460 17621005	Normal	17621005 G-A460	C0205307
SRT SCT	R-42037 263654008	Abnormal	263654008 R-42037	C0205161
SRT SCT	R-002C 4371879000	Abnormally High	371879000 R-002C4	C1299351
SRT SCT	R-002C 5371880002	Abnormally Low	371880002 R-002C5	C1299352
SRT SCT	R-0039B 371934000	Normality Undetermined	371934000 R-0039B	C1299401

CID 223 Normal Range Values

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.28

Table CID 223. Normal Range Values

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-0038B 371933006	Normal Range Upper Limit	371933006 R-0038B	C1299400
SRT SCT	R-41F90 385524004	Normal Range Lower Limit	385524004 R-41F90	C1272773

CID 224 Selection Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.29

Table CID 224. Selection Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	121410	User chosen value
DCM	121411	Most recent value chosen
DCM	121412	Mean value chosen

CID 225 Measurement Uncertainty Concepts

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.30

Table CID 225. Measurement Uncertainty Concepts

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	R-00363371884006	+/-, range of measurement uncertainty	371884006R-00363	C1299354
SRTSCT	R-00364371886008	+, range of upper measurement uncertainty	371886008R-00364	C1299356
SRTSCT	R-00362371885007	-, range of lower measurement uncertainty	371885007R-00362	C1299355

CID 226 Population Statistical Descriptors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20121101
 UID: 1.2.840.10008.6.1.31

Table CID 226. Population Statistical Descriptors

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	R-00337371889001	95th Percentile Value of population	371889001R-00337	C1299358
SRTSCT	R-00338371887004	90th Percentile Value of population	371887004R-00338	C1276309
SRTSCT	R-00346371917008	1 Sigma Upper Value of population	371917008R-00346	C1299386
SRTSCT	R-00387371920000	2 Sigma Upper Value of population	371920000R-00387	C1299389
SRTSCT	R-00317373098007	Mean Value of population	373098007R-00317	C1298794
SRTSCT	R-00319373099004	Median Value of population	373099004R-00319	C1298795
SRTSCT	R-00377371890005	10th Percentile Value of population	371890005R-00377	C1299359
SRTSCT	R-00397371888009	5th Percentile Value of population	371888009R-00397	C1299357
SRTSCT	R-00347371919006	1 Sigma Lower Value of population	371919006R-00347	C1299388
SRTSCT	R-00388371918003	2 Sigma Lower Value of population	371918003R-00388	C1299387

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	121414	Standard deviation of population		
DCM	121417	2 Sigma deviation of population		

Note

The SNOMED meaning for R-00317 is "Mean - numeric estimation technique", but in the context of its use here, a more specific meaning has been used.

CID 227 Sample Statistical Descriptors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.32

Table CID 227. Sample Statistical Descriptors

Coding Scheme Designator	Code Value	Code Meaning
DCM	121415	Percentile Ranking of measurement
DCM	121416	Z-Score of measurement

CID 228 Equation or Table

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.33

Table CID 228. Equation or Table

Coding Scheme Designator	Code Value	Code Meaning
DCM	121420	Equation
DCM	121421	Equation Citation
DCM	121424	Table of Values
DCM	121422	Table of Values Citation
DCM	121423	Method Citation

CID 230 Yes-No

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20060613
 UID: 1.2.840.10008.6.1.34

Table CID 230. Yes-No

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-0038D373066001	Yes	373066001R-0038D	C1298907
SRTSCT	R-00339373067005	No	373067005R-00339	C1298908
SRTSCT	R-0038A373068000	Undetermined	373068000R-0038A	C3536725

CID 231 Yes-No Only

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1064

Table CID 231. Yes-No Only

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT-Concept RT ID	UMLS Concept Unique ID
SRT SCT	R-0038D 373066001	Yes	373066001 R-0038D	C1298907
SRT SCT	R-00339 373067005	No	373067005 R-00339	C1298908

Note

This context group is intended for use rather than CID 230 "Yes-No" when the value (~~R-0038A~~, ~~SRT~~373068000, ~~SCT~~, "Undetermined") is not permissible.

CID 240 Present-Absent

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.35

Table CID 240. Present-Absent

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT-Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-A203 52101004	Present	52101004 G-A203	C0150312
SRT SCT	R-4089B 272519000	Absent	272519000 R-4089B	C0442733
SRT SCT	R-0038A 373068000	Undetermined	373068000 R-0038A	C3536725

Note

In a previous version of this Context Group (~~R-40271~~, ~~SRT~~260245000, ~~SCT~~, "Findings values") was used incorrectly to mean "Presence Undetermined"; there is no SNOMED CT concept that specifically means that the "presence" (of a finding) is undetermined, so the more general "undetermined" concept is used.

CID 241 Present-Absent Only

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1113

Table CID 241. Present-Absent Only

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT-Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-A203 52101004	Present	52101004 G-A203	C0150312
SRT SCT	R-4089B 272519000	Absent	272519000 R-4089B	C0442733

Note

This context group is intended for use rather than CID 240 "Normal-Abnormal" when the value (~~R-0038A~~, ~~SRT~~373068000, ~~SCT~~, "Undetermined") is not permissible.

CID 242 Normal-Abnormal

This Context Group is a subset of CID 222 "Normality Codes".

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.36

Table CID 242. Normal-Abnormal

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A46017621005	Normal	17621005G-A460	C0205307
SRTSCT	R-42037263654008	Abnormal	263654008R-42037	C0205161
SRTSCT	R-0039B371934000	Normality Undetermined	371934000R-0039B	C1299401

CID 244 Laterality

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.37

Table CID 244. Laterality

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A10024028007	Right	24028007G-A100	C0205090
SRTSCT	G-A1017771000	Left	7771000G-A101	C0205091
SRTSCT	G-A10251440002	Bilateral	51440002G-A102	C0238767
SRTSCT	G-A10366459002	Unilateral	66459002G-A103	C0205092

CID 245 Laterality with Median

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20190118
 UID: 1.2.840.10008.6.1.1267

Table CID 245. Laterality with Median

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 244 "Laterality"				
SRTSCT	R-4081A260528009	Median	260528009R-4081A	C2939193

CID 246 Relative Laterality

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20190326
 UID: 1.2.840.10008.6.1.1279

Table CID 246. Relative Laterality

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	255208005	Ipsilateral	R-40356	C0441989
SCT	255209002	Contralateral	R-40357	C0441988

CID 250 Positive-Negative

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.38

Table CID 250. Positive-Negative

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-A200 10828004	Positive	10828004 G-A200	C1446409
SRT SCT	R-40759 260385009	Negative	260385009 R-40759	C0205160

CID 251 Severity of Complication

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.39

Table CID 251. Severity of Complication

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	R-404F9 255603008	Major	255603008 R-404F9	C0205164
SRT SCT	R-404FC 255606000	Minor	255606000 R-404FC	C0205165

CID 252 S-M-L Size Descriptor

Section CID 6118, "Size Descriptor" is a superset of this Context Group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.735

Table CID 252. S-M-L Size Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	R-404A8 255507004	Small	255507004 R-404A8	C0700321
SRT SCT	R-404A9 255508009	Medium	255508009 R-404A9	C0439536
SRT SCT	R-404AA 255509001	Large	255509001 R-404AA	C0549177

CID 270 Observer Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible

Version: 20040920
 UID: 1.2.840.10008.6.1.40

Table CID 270. Observer Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	121006	Person
DCM	121007	Device

CID 271 Observation Subject Class

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20071102
 UID: 1.2.840.10008.6.1.41

Table CID 271. Observation Subject Class

Coding Scheme Designator	Code Value	Code Meaning
DCM	121025	Patient
DCM	121026	Fetus
DCM	121027	Specimen
DCM	121192	Device Subject

CID 280 Longitudinal Temporal Event Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1184

Table CID 280. Longitudinal Temporal Event Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
NCIt	C37948	Enrollment		C1516879
DCM	121079	Baseline		

CID 300 Multi-energy Relevant Materials

Concepts for materials relevant to Multi-energy Imaging.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181109
 UID: 1.2.840.10008.6.1.1208

Table CID 300. Multi-energy Relevant Materials

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRT SCT	C-12013 83881004	Aluminum Oxide	83881004 C-12013	C0002374
SRT SCT	C-12200 39290007	Barium	39290007 C-12200	C0004749
SRT SCT	C-12500 23172004	Bismuth	23172004 C-12500	C0005642
SRT SCT	C-14300 5540006	Calcium	5540006 C-14300	C0006675

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-14314256579008	Calcium Hydroxyapatite	256579008C-14314	C0115137
SRTSCT	F-6121C256526003	Cobalt-chromium alloy	256526003F-6121C	C0008576
SRTSCT	T-D008A256674009	Fat	256674009T-D008A	C0015677
SRTSCT	G-1780058281002	Gadolinium	58281002C-17800	C0016911
SRTSCT	G-146002309006	Gold	2309006C-14600	C0018026
SRTSCT	G-1470050672002	Hafnium	50672002C-14700	C0018488
SRTSCT	G-1140044588005	Iodine	44588005C-11400	C0021968
SRTSCT	G-130F9105840005	Iron	105840005C-130F9	C0303213
SRTSCT	F-61165261249004	Nickel cobalt chromium	261249004F-61165	C0439955
SRTSCT	G-1530084847000	Platinum	84847000C-15300	C0032207
SRTSCT	T-D048E386103008	Renal stone	386103008T-D048E	C1458136
SRTSCT	G-1094051420009	Silicon	51420009C-10940	C0037107
SRTSCT	G-2230113652007	Silicone	13652007C-22301	C0037114
SRTSCT	G-1370041967008	Silver	41967008C-13700	C0037125
SRTSCT	G-1560045215009	Tantalum	45215009C-15600	C0039297
SRTSCT	G-166001166006	Titanium	1166006C-16600	C0040302
SRTSCT	F-614701710001	Uric Acid	1710001F-61470	C0041980
SRTSCT	G-1012011713004	Water	11713004C-10120	C0043047
SRTSCT	G-1620063754004	Yttrium	63754004C-16200	C0043432

CID 301 Multi-energy Material Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181109
 UID: 1.2.840.10008.6.1.1209

Table CID 301. Multi-energy Material Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	mg/cm3	mg/cm^3
UCUM	[hnsfU]	Hounsfield Unit
UCUM	10*23/ml	Electron Density
DCM	129320	Effective Atomic Number
DCM	129321	Modified Hounsfield Unit
UCUM	mg/ml	mg/ml
UCUM	%	Percent

CID 400 Audit Event ID

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170416
 UID: 1.2.840.10008.6.1.903

Table CID 400. Audit Event ID

Coding Scheme Designator	Code Value	Code Meaning
DCM	110100	Application Activity
DCM	110101	Audit Log Used
DCM	110102	Begin Transferring DICOM Instances
DCM	110103	DICOM Instances Accessed
DCM	110104	DICOM Instances Transferred
DCM	110105	DICOM Study Deleted
DCM	110106	Export
DCM	110107	Import
DCM	110108	Network Entry
DCM	110109	Order Record
DCM	110110	Patient Record
DCM	110111	Procedure Record
DCM	110112	Query
DCM	110113	Security Alert
DCM	110114	User Authentication

CID 401 Audit Event Type Code

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.904

Table CID 401. Audit Event Type Code

Coding Scheme Designator	Code Value	Code Meaning
DCM	110120	Application Start
DCM	110121	Application Stop
DCM	110122	Login
DCM	110123	Logout
DCM	110124	Attach
DCM	110125	Detach
DCM	110126	Node Authentication
DCM	110127	Emergency Override Started
DCM	110128	Network Configuration
DCM	110129	Security Configuration
DCM	110130	Hardware Configuration
DCM	110131	Software Configuration
DCM	110132	Use of Restricted Function
DCM	110133	Audit Recording Stopped
DCM	110134	Audit Recording Started
DCM	110135	Object Security Attributes Changed
DCM	110136	Security Roles Changed

Coding Scheme Designator	Code Value	Code Meaning
DCM	110137	User Security Attributes Changed
DCM	110138	Emergency Override Stopped
DCM	110139	Remote Service Operation Started
DCM	110140	Remote Service Operation Stopped
DCM	110141	Local Service Operation Started
DCM	110142	Local Service Operation Stopped
DCM	110143	Authentication Decision
DCM	110144	Authorization Decision
DCM	110145	Session start
DCM	110146	Session stop
DCM	110147	Access Control Decision

CID 402 Audit Active Participant Role ID Code

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100826
UID: 1.2.840.10008.6.1.905

Table CID 402. Audit Active Participant Role ID Code

Coding Scheme Designator	Code Value	Code Meaning
DCM	110150	Application
DCM	110151	Application Launcher
DCM	110152	Destination Role ID
DCM	110153	Source Role ID
DCM	110154	Destination Media
DCM	110155	Source Media

CID 403 Security Alert Type Code

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.906

Table CID 403. Security Alert Type Code

Coding Scheme Designator	Code Value	Code Meaning
DCM	110120	Application Start
DCM	110121	Application Stop
DCM	110122	Login
DCM	110123	Logout
DCM	110124	Attach
DCM	110125	Detach
DCM	110126	Node Authentication
DCM	110127	Emergency Override Started
DCM	110128	Network Configuration

Coding Scheme Designator	Code Value	Code Meaning
DCM	110129	Security Configuration
DCM	110130	Hardware Configuration
DCM	110131	Software Configuration
DCM	110132	Use of Restricted Function
DCM	110133	Audit Recording Stopped
DCM	110134	Audit Recording Started
DCM	110135	Object Security Attributes Changed
DCM	110136	Security Roles Changed
DCM	110137	User Security Attributes Changed
DCM	110138	Emergency Override Stopped
DCM	110139	Remote Service Operation Started
DCM	110140	Remote Service Operation Stopped
DCM	110141	Local Service Operation Started
DCM	110142	Local Service Operation Stopped
DCM	110143	Authentication Decision
DCM	110144	Authorization Decision
DCM	110145	Session start
DCM	110146	Session stop
DCM	110147	Access Control Decision

CID 404 Audit Participant Object ID Type Code

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100621
UID: 1.2.840.10008.6.1.907

Table CID 404. Audit Participant Object ID Type Code

Coding Scheme Designator	Code Value	Code Meaning
DCM	110180	Study Instance UID
DCM	110181	SOP Class UID
DCM	110182	Node ID

CID 405 Media Type Code

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100824
UID: 1.2.840.10008.6.1.908

Table CID 405. Media Type Code

Coding Scheme Designator	Code Value	Code Meaning
DCM	110030	USB Disk Emulation
DCM	110031	Email
DCM	110032	CD
DCM	110033	DVD

Coding Scheme Designator	Code Value	Code Meaning
DCM	110034	Compact Flash
DCM	110035	Multi-media Card
DCM	110036	Secure Digital Card
DCM	110037	URI
DCM	110010	Film
DCM	110038	Paper Document

CID 501 Volumetric View Description

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20150915
UID: 1.2.840.10008.6.1.1057

Table CID 501. Volumetric View Description

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 6 "Transducer Orientation"				
Include CID 26 "Nuclear Medicine Projections"				
Include CID 4010 "DX View"				
Include CID 12226 "Echocardiography Image View"				

CID 502 Volumetric View Modifier

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20150915
UID: 1.2.840.10008.6.1.1058

Table CID 502. Volumetric View Modifier

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 6 "Transducer Orientation"				
Include CID 23 "Cranio-Caudad Angulation"				
Include CID 4011 "DX View Modifier"				

CID 601 Biosafety Levels

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20151110
UID: 1.2.840.10008.6.1.1065

Table CID 601. Biosafety Levels

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-41E4D409600007	Biosafety level 1	409600007R-41E4D	C1443934
SRTSCT	R-41E4E409603009	Biosafety level 2	409603009R-41E4E	C1443937
SRTSCT	R-41E4F409604003	Biosafety level 3	409604003R-41E4F	C1443938

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-41E50 409605002	Biosafety level 4	409605002 R-41E50	C1443939

CID 602 Biosafety Control Reasons

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1066

Table CID 602. Biosafety Control Reasons

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-61E79 409595003	Biohazardous material	409595003 F-61E79	C0079021
SRT SCT	G-29000 88376000	Carcinogen	88376000 C-29000	C0007090
SRT SCT	F-00D5F 370388006	Patient immunocompromised	370388006 F-00D5F	C0085393
UMLS	C0003069	Transgenic animal		C0003069

CID 603 Animal Room Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1068

Table CID 603. Animal Room Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	127370	Animal housing room		
DCM	127371	Preparation room		
DCM	127372	Imaging procedure room		
SRT SCT	R-305D6 414485004	Induction room	414485004 R-305D6	C1532289
SRT SCT	R-305C3 398161000	Recovery room	398161000 R-305C3	C0198828
SRT SCT	R-305D3 409688003	Isolation room	409688003 R-305D3	C1443994

Note

- Only rooms appropriate for animals in the context of in vivo imaging are described (e.g., not necropsy rooms, etc.)
- (~~R-305C3~~, ~~SRT~~398161000, ~~SCT~~, "Recovery room" (synonym of "postoperative anesthesia care unit ") is reused here even though its parent is "Location within hospital premises (environment)", which is arguably specifically human. The same is true for (~~R-305D6~~, ~~SRT~~414485004, ~~SCT~~, "Induction room") and (~~R-305D3~~, ~~SRT~~409688003, ~~SCT~~, "Isolation room").

CID 604 Device Reuse

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1069

Table CID 604. Device Reuse

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	127177	Unused		
DCM	127178	Reused		

CID 605 Animal Bedding Material

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1070

Table CID 605. Animal Bedding Material

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	127230	Aspen chip bedding		
DCM	127231	Aspen shaving bedding		
DCM	127232	Corn cob bedding		
DCM	127233	Paper-based bedding		
DCM	127234	Pine chip bedding		
DCM	127235	Pine shaving bedding		

CID 606 Animal Shelter Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1071

Table CID 606. Animal Shelter Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-40775 260413007	None	260413007 R-40775	C0549184
DCM	127220	Igloo		
DCM	127221	Red translucent igloo		

CID 607 Animal Feed Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1072

Table CID 607. Animal Feed Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	127271	NIH07		
DCM	127270	NIH31		
DCM	127272	AIN76		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	127273	AIN93G		
DCM	127274	AIN93M		

Note

This context group includes the open source diets described in Barnard DE et al. Open- and Closed-Formula Laboratory Animal Diets and Their Importance to Research. Journal of the American Association for Laboratory Animal Science : JAALAS (2009), 48(6), 709-713. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2786923/>.

A more extensive list of NIH-specified diets for small animals (not just mice and rats) can be found at http://web.archive.org/web/20100527090853/http://dvrnet.ors.od.nih.gov/diets_info.asp.

CID 608 Animal Feed Sources

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1073

Table CID 608. Animal Feed Sources

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
UMLS	C1547887	Commercial product		C1547887
DCM	127390	Locally manufactured product		

Note

(C1547887, UMLS, "Commercial product") originates from the HL7 V2.5 Chapter 04 blood products description as an attribute name rather than a value, but in UMLS is not expressly constrained and has as a parent generic semantic type of "Manufactured Object".

CID 609 Animal Feeding Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1074

Table CID 609. Animal Feeding Methods

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
NCIt	C64636	ad libitum		C1879743
UMLS	C0425422	Restricted diet		C0425422
DCM	127391	Food treat		
SRTSCT	PA-0062061420007	Gavage	61420007PA-00620	C0041281

Note

(C0425422, UMLS, "Restricted diet") corresponds to the inactive SNOMED concept of "Dietary restriction NOS"; SNOMED currently does not seem to have an active generic concept of a restricted diet, as opposed to many specific types of restricted diet. In this context, the intent is to convey that the diet is controlled and restricted to finite quantities (e.g., as opposed to ad libitum) without requiring a detailed classification of what components are restricted.

CID 610 Water Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1075

Table CID 610. Water Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-101E9 444923006	Tap water	444923006C-101E9	C2919405
SRTSCT	G-101E8 444883009	Distilled water	444883009C-101E8	C0790233
DCM	127290	Reverse osmosis purified water		
DCM	127291	Reverse osmosis purified, HCl acidified water		

CID 611 Anesthesia Category Code Type for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1076

Table CID 611. Anesthesia Category Code Type for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 612 "Anesthesia Category Code Type from Anesthesia Quality Initiative (AQI)"				

CID 612 Anesthesia Category Code Type from Anesthesia Quality Initiative (AQI)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1077

Table CID 612. Anesthesia Category Code Type from Anesthesia Quality Initiative (AQI)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P1-C0010 50697003	General anesthesia	50697003P1-C0010	C0002915
SRTSCT	P1-C0B00 72641008	Sedation	72641008P1-C0B00	C0344106
SRTSCT	P1-C0208 231249005	Spinal anesthesia	231249005P1-C0208	C0002928
SRTSCT	P1-C0220 18946005	Epidural anesthesia	18946005P1-C0220	C0002913
SRTSCT	P1-C0200 27372005	Regional anesthesia	27372005P1-C0200	C0002911
SRTSCT	P1-C0037 386760001	Topical local anesthesia	386760001P1-C0037	C0472473
SRTSCT	P1-C0038 386761002	Local anesthesia	386761002P1-C0038	C0002921
SRTSCT	P1-0512E 398239001	Monitored Anesthesia Care (MAC)	398239001P1-0512E	C1301902

Note

This context group contains SNOMED procedure code equivalents of enumerated string concepts for the [AQI Schema] element AnesthesiaCategoryCodeType. See <http://www.aqihq.org/aqischdoc/AnesthesiaCategoryCodeType.html>.

CID 613 Anesthesia Induction Code Type for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1078

Table CID 613. Anesthesia Induction Code Type for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 614 "Anesthesia Induction Code Type from Anesthesia Quality Initiative (AQI)"				
SRTSCT	G-D106 38239002	Intraperitoneal route	38239002 G-D106	C1522583

Note

The intraperitoneal route is added to the AQI value set, since that route is used for small animal imaging.

CID 614 Anesthesia Induction Code Type from Anesthesia Quality Initiative (AQI)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1079

Table CID 614. Anesthesia Induction Code Type from Anesthesia Quality Initiative (AQI)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-40B32 446406008	By inhalation	446406008 R-40B32	C1998547
SRTSCT	G-D101 47625008	Intravenous route	47625008 G-D101	C1522726
SRTSCT	G-D160 37161004	Per rectum	37161004 G-D160	C1527425
SRTSCT	G-D103 78421000	Intramuscular route	78421000 G-D103	C1556154

Note

This context group contains SNOMED administration route code equivalents of enumerated string concepts for the [AQI Schema] element AnesthesiaInductionCodeType. See <http://www.aqihq.org/aqischdoc/AnesthesiaInductionCodeType.html>.

CID 615 Anesthesia Maintenance Code Type for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1080

Table CID 615. Anesthesia Maintenance Code Type for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 616 "Anesthesia Maintenance Code Type from Anesthesia Quality Initiative (AQI)"				

CID 616 Anesthesia Maintenance Code Type from Anesthesia Quality Initiative (AQI)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1081

Table CID 616. Anesthesia Maintenance Code Type from Anesthesia Quality Initiative (AQI)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	P1-C0020 112987001	Inhalation anesthesia system closed rebreathing primary agent	112987001 P1-C0020	C0198795
SRTSCT	P1-C0030 44812007	Inhalation anesthesia system closed no rebreathing primary agent	44812007 P1-C0030	C0198796

Note

This context group contains SNOMED procedure code equivalents of enumerated string concepts for the [AQI Schema] element AnesthesiaMaintenanceCodeType. See <http://www.aqihq.org/aqischdoc/AnesthesiaMaintenanceCodeType.html>.

The AQI value "circle system" corresponds to (~~P1-C0020~~, ~~SRT~~112987001, SCT, "Inhalation anesthesia system closed rebreathing primary agent"). The SNOMED code meaning has been abbreviated to fit within the allowed DICOM Value Representation.

The AQI value "non-rebreathing" corresponds to (~~P1-C0030~~, ~~SRT~~44812007, SCT, "Inhalation anesthesia system closed no rebreathing primary agent"). The SNOMED code meaning has been abbreviated to fit within the allowed DICOM Value Representation.

CID 617 Airway Management Method Code Type for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1082

Table CID 617. Airway Management Method Code Type for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 618 "Airway Management Method Code Type from Anesthesia Quality Initiative (AQI)"				
DCM	127060	Nose cone		

CID 618 Airway Management Method Code Type from Anesthesia Quality Initiative (AQI)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1083

Table CID 618. Airway Management Method Code Type from Anesthesia Quality Initiative (AQI)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	P2-2290D 243147009	Controlled Ventilation	243147009 P2-2290D	C0419011

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P2-2290240617009	Artificial Respiration	40617009P2-22902	C0035205
SRTSCT	P2-2250057485005	Oxygen Therapy	57485005P2-22500	C0184633
SRTSCT	P0-05DE2424979004	Laryngeal Mask Airway (LMA)	424979004P0-05DE2	C0396618
SRTSCT	P0-06211447996002	Intubation of respiratory tract	447996002P0-06211	C3164350
SRTSCT	A-00BA2297120004	Anesthetic face mask	297120004A-00BA2	C0573976
SRTSCT	A-00BA2297120004	Anesthetic face mask	297120004A-00BA2	C0573976
DCM	127061	Nasal cannula		C0179574
SRTSCT	G-D13E180640008	Via tracheostomy	180640008G-D13E	C0393370

Note

This context group contains SNOMED procedure or physical object or qualifier value code equivalents of enumerated string concepts for the [AQI Schema] element AirwayManagementMethodCodeType. See <http://www.aqihq.org/aqischdoc/AirwayManagementMethodCodeType.html>. Used by permission of the Anesthesia Quality Institute (AQI) (<http://aqihq.org/>).

CID 619 Airway Management Sub-Method Code Type for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1084

Table CID 619. Airway Management Sub-Method Code Type for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 620 "Airway Management Sub-Method Code Type from Anesthesia Quality Initiative (AQI)"				

CID 620 Airway Management Sub-Method Code Type from Anesthesia Quality Initiative (AQI)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1085

Table CID 620. Airway Management Sub-Method Code Type from Anesthesia Quality Initiative (AQI)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
UMLS	C2223982	Inverse ratio ventilation		C2223982
SRTSCT	P2-22914243154003	High frequency ventilation	243154003P2-22914	C0019540
SRTSCT	P2-22933448442005	Transtacheal jet ventilation	448442005P2-22933	C3164603
SRTSCT	P2-22916243156001	Continuous flow ventilation	243156001P2-22916	C0419018

Note

This context group contains SNOMED procedure code equivalents of enumerated string concepts for the [AQI Schema] element AirwayManagementSubMethodCodeType. See <http://www.aqihq.org/aqischdoc/AirwayManagementSubMethodCodeType.html>.

CID 621 Type of Medication for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1086

Table CID 621. Type of Medication for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 622 "Medication Type Code Type from Anesthesia Quality Initiative (AQI)"				
DCM	127330	Carrier gas		

CID 622 Medication Type Code Type from Anesthesia Quality Initiative (AQI)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160212
 UID: 1.2.840.10008.6.1.1087

Table CID 622. Medication Type Code Type from Anesthesia Quality Initiative (AQI)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-6800086308005	Adrenergic agent	86308005C-68000	C0001637
SRTSCT	G-5250014443002	Aminoglycoside antibiotic	14443002C-52500	C0002556
SRTSCT	F-6181F373265006	Analgesic	373265006F-6181F	C0002771
SRTSCT	F-6196E372813008	Antiarrhythmic	372813008F-6196E	C0003195
SRTSCT	G-5008C255631004	Antibiotic	255631004C-5008C	C0003232
SRTSCT	F-6180B373246003	Anticholinergic	373246003F-6180B	C0242896
SRTSCT	F-6180B373246003	Anticholinergic agent	373246003F-6180B	C0242896
SRTSCT	F-6199A372862008	Anticoagulant	372862008F-6199A	C0003280
SRTSCT	R-F1216255632006	Anticonvulsant	255632006R-F1216	C0003286
SRTSCT	R-F1216255632006	Anticonvulsant	255632006R-F1216	C0003286
SRTSCT	F-B181077671006	Antidiuretic hormone	77671006F-B1810	C1705480
SRTSCT	G-8580052017007	Antiemetic	52017007C-85800	C0003297
SRTSCT	F-617EF373219008	Antifungal	373219008F-617EF	C0003308
SRTSCT	F-618BA372708000	Anti-heparin agent	372708000F-618BA	C0304941
SRTSCT	F-61969372806008	Antihistamine	372806008F-61969	C0003360
SRTSCT	G-811001182007	Antihypertensive	1182007C-81100	C0003364
UMLS	C1579431	Antihypoglycemic		C1579431
SRTSCT	R-F2B23372798009	Barbiturate	372798009R-F2B23	C0004745
SRTSCT	R-F2B1D372664007	Benzodiazepine	372664007R-F2B1D	C0005064
SRTSCT	F-619EF372906009	Benzodiazepine antagonist	372906009F-619EF	C0360298
SRTSCT	F-61814373254001	Beta-blocker	373254001F-61814	C0001645
SRTSCT	G-00231373297006	Beta-Lactam antibiotic	373297006C-00231	C0026458
SRTSCT	R-005B3410652009	Blood product	410652009R-005B3	C0456388
SRTSCT	F-616EB372580007	Bronchodilator	372580007F-616EB	C0006280

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-143005540006	Calcium	5540006C-14300	C0006675
SRTSCT	F-61878373304005	Calcium channel blocker	373304005F-61878	C0006684
SRTSCT	F-618D8373530005	Caloric agent	373530005F-618D8	C0280082
SRTSCT	G-002B1396345004	Carbapenem antibiotic	396345004C-002B1	C0006968
SRTSCT	G-0021C373262009	Cephalosporin antibiotic	373262009C-0021C	C3536856
SRTSCT	F-620E8421148003	Cholinergic agent	421148003F-620E8	C1720711
SRTSCT	F-618AF372695000	Diuretic	372695000F-618AF	C0012798
SRTSCT	G-5001374626007	Drug diluent	74626007C-50013	C0304221
SRTSCT	F-B270041598000	Estrogen	41598000F-B2700	C0014939
SRTSCT	G-84989116532005	Gastrointestinal prokinetic	116532005C-84989	C1268865
SRTSCT	F-6186A373288007	General anesthetic	373288007F-6186A	C0017302
UMLS	C0019593	H2 antagonist		C0019593
SRTSCT	F-618A5372681003	Hemostatic agent	372681003F-618A5	C0019120
SRTSCT	G-50309312064005	Hypoglycemic	312064005C-50309	C0020616
SRTSCT	G-80120111139005	Inotropic agent	111139005C-80120	C0304509
SRTSCT	G-0023B372677003	Lincomycin antibiotic	372677003C-0023B	C0023726
SRTSCT	G-00286387056004	Linezolid antibiotic	387056004C-00286	C0663241
SRTSCT	F-6183D373477003	Local anesthetic	373477003F-6183D	C0002934
SRTSCT	F-6186F373294004	Low Molecular Weight Heparin	373294004F-6186F	C0019139
SRTSCT	G-00211372480009	Macrolide antibiotic	372480009C-00211	C0003240
SRTSCT	G-1480072717003	Magnesium	72717003C-14800	C0024467
SRTSCT	F-616FE372602008	Metronidazole antibiotic	372602008F-616FE	C0025872
SRTSCT	F-6188F372656001	Narcotic (opiate) antagonist	372656001F-6188F	C0027410
UMLS	C0027409	Narcotic analgesic		C0027409
SRTSCT	G-9730296329004	Nasal decongestant	96329004C-97302	C0042398
SRTSCT	F-6180F373250005	NeuroMuscular Blocking (NMB) - depolarizing	373250005F-6180F	C0027867
SRTSCT	F-61959372790002	NeuroMuscular Blocking (NMB) - non depolarizing	372790002F-61959	C0304435
SRTSCT	F-61898372665008	NSAID	372665008F-61898	C0003211
SRTSCT	F-61D70398828005	Ocular Lubricant	398828005F-61D70	C0717951
SRTSCT	F-61E2A410937004	Oxytocic	410937004F-61E2A	C0030094
SRTSCT	G-0021D373270004	Penicillin antibiotic	373270004C-0021D	C0030842
SRTSCT	F-616E7372578001	Plasma Expander	372578001F-616E7	C1268852
SRTSCT	G-1350088480006	Potassium	88480006C-13500	C0032821
SRTSCT	G-0024C372722000	Quinolone antibiotic	372722000C-0024C	C1533693
SRTSCT	F-6205D418760000	Respiratory stimulant	418760000F-6205D	C0282685
SRTSCT	F-61899372666009	Skeletal muscle relaxant	372666009F-61899	C0037250
SRTSCT	G-10098116566001	Steroid	116566001C-10098	C0038317
SRTSCT	G-00257372788003	Sulfonamide antibiotic	372788003C-00257	C0599503
SRTSCT	G-00216373206009	Tetracycline antibiotic	373206009C-00216	C1744619

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-B3000 18220004	Thyroid hormone	18220004 F-B3000	C0040135
SRTSCT	G-0024E 372735009	Vancomycin antibiotic	372735009 C-0024E	C0042313
SRTSCT	F-619AA 372881000	Vasoconstrictor	372881000 F-619AA	C0042397
SRTSCT	F-61957 372787008	Vasodilator	372787008 F-61957	C0042402
SRTSCT	F-BB000 87708000	Vitamin	87708000 F-BB000	C0042890

Note

This context group contains SNOMED substance or product code equivalents of enumerated string concepts for the [AQI Schema] element MedicationTypeCodeType. See <http://www.aqihq.org/aqischdoc/MedicationTypeCodeType.html> and <http://www.aqihq.org/aqischdoc/MedicationTypeCodeTypeExampleList.html>.

The AQI value "ABX-Miscellaneous" corresponds to (~~G-5008C~~, ~~SRT~~255631004, ~~SCT~~, "Antibiotic") product, since there is no substance code in SNOMED.

The AQI value "Vasopressor" corresponds to (~~F-619AA~~, ~~SRT~~372881000, ~~SCT~~, "Vasoconstrictor").

No equivalent concepts are included for MedicationTypeCodeType values of NonFormulary antibiotic, Dye, Indigo Carmine Red, and Non-Formulary.

CID 623 Medication for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20151110

UID: 1.2.840.10008.6.1.1088

Table CID 623. Medication for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 624 "Inhalational Anesthesia Agents for Small Animal Anesthesia"				
Include CID 625 "Injectable Anesthesia Agents for Small Animal Anesthesia"				
Include CID 626 "Premedication Agents for Small Animal Anesthesia"				
Include CID 627 "Neuromuscular Blocking Agents for Small Animal Anesthesia"				
Include CID 628 "Ancillary Medications for Small Animal Anesthesia"				
Include CID 629 "Carrier Gases for Small Animal Anesthesia"				
Include CID 630 "Local Anesthetics for Small Animal Anesthesia"				

CID 624 Inhalational Anesthesia Agents for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20151110

UID: 1.2.840.10008.6.1.1089

Table CID 624. Inhalational Anesthesia Agents for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-10520 31811003	Carbon dioxide	31811003 C-10520	C0007012
SRTSCT	G-20830 259153006	Chloroform	259153006 C-20830	C0008238

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-61AC9386841003	Desflurane	386841003F-61AC9	C0063252
SRTSCT	G-21216259170003	Diethyl ether	259170003C-21216	C0014994
SRTSCT	F-61A3F387176008	Enflurane	387176008F-61A3F	C0014277
SRTSCT	F-61AFE387351001	Halothane	387351001F-61AFE	C0018549
SRTSCT	F-61B0A387368002	Isoflurane	387368002F-61B0A	C0022180
SRTSCT	G-6A16A11136004	Methoxyflurane	11136004C-6A16A	C0025688
SRTSCT	G-6A118111132001	Nitrous oxide	111132001C-6A118	C0028215
SRTSCT	F-61ACA386842005	Sevoflurane	386842005F-61ACA	C0074414

Note

In this context group, SNOMED substance codes are used in preference to product codes, since there is no need to refer to specific products or preparations. SNOMED codes are used in preference to other potential sources of pharmaceutical related codes, such as from the National Drug Code (NDC) directory.

CID 625 Injectable Anesthesia Agents for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160212

UID: 1.2.840.10008.6.1.1090

Table CID 625. Injectable Anesthesia Agents for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-23805277016007	Alphachloralose	277016007C-23805	C0008162
SRTSCT	G-6A161125707004	Alphadolone	125707004C-6A161	C0051481
UMLS	C0051482	Alphaxalone		C0051482
SRTSCT	G-640A096229001	Azaperone	96229001C-640A0	C0004477
SRTSCT	R-F2B27372901004	Butabarbital	372901004R-F2B27	C0006464
SRTSCT	R-F6E36273948005	Chloral hydrate	273948005R-F6E36	C0008161
SRTSCT	R-F2B2C387264003	Diazepam	387264003R-F2B2C	C0012010
SRTSCT	F-61A26387146001	Droperidol	387146001F-61A26	C0013136
SRTSCT	F-61A66387218008	Etomidate	387218008F-61A66	C0015131
UMLS	C0060473	Fluanisone		C0060473
SRTSCT	F-6182F373464007	Ketamine	373464007F-6182F	C0022614
SRTSCT	F-61848373488009	Methohexital	373488009F-61848	C0025668
UMLS	C0025856	Metomidate		C0025856
SRTSCT	F-6183C373476007	Midazolam	373476007F-6183C	C0026056
SRTSCT	R-F2B1F372703009	Pentobarbital	372703009R-F2B1F	C0030883
SRTSCT	F-61B48387423006	Propofol	387423006F-61B48	C0033487
SRTSCT	G-6A16B40342009	Thiamylal	40342009C-6A16B	C0039855
SRTSCT	F-61BB2387448009	Thiopental	387448009F-61BB2	C0936073
SRTSCT	G-6A19096265006	Tiletamine	96265006C-6A190	C0242522
SRTSCT	G-6A16E84386009	Tribromoethanol	84386009C-6A16E	C0084847

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-29020 873008	Urethane (ethyl carbamate)	873008 C-29020	C0041964
SRTSCT	G-640B0 96230006	Xylazine	96230006 C-640B0	C0242544
SRTSCT	G-64090 96227004	Zolazepam	96227004 C-64090	C0917859

Note

In this context group, SNOMED substance codes are used in preference to product codes, since there is no need to refer to specific products or preparations. SNOMED codes are used in preference to other potential sources of pharmaceutical related codes, such as from the National Drug Code (NDC) directory.

CID 626 Premedication Agents for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1091

Table CID 626. Premedication Agents for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-62960 96218000	Acepromazine	96218000 C-62960	C0000959
SRTSCT	F-61A7F 387258005	Chlorpromazine	387258005 F-61A7F	C0008286

CID 627 Neuromuscular Blocking Agents for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1092

Table CID 627. Neuromuscular Blocking Agents for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-61916 372724004	Succinylcholine	372724004 F-61916	C0038627
SRTSCT	F-61639 373738000	Pancuronium	373738000 F-61639	C0030310

Note

In this context group, SNOMED substance codes are used in preference to product codes, since there is no need to refer to specific products or preparations. SNOMED codes are used in preference to other potential sources of pharmaceutical related codes, such as from the National Drug Code (NDC) directory.

CID 628 Ancillary Medications for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1093

Table CID 628. Ancillary Medications for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID

Note

This context group is currently empty since no ancillary medications have been identified for this use case yet.

CID 629 Carrier Gases for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1094

Table CID 629. Carrier Gases for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-6A102320917000	Oxygen gas	320917000C-6A102	C0350411
SRTSCT	G-6A148417696007	Medical air	417696007C-6A148	C3536832
UMLS	C3846005	Room air		C3846005

Note

In this context group, though SNOMED substance codes are normally used in preference to product codes, in the case of (G-6A102, SRT320917000, SCT, "Oxygen gas") there is no corresponding substance that is specifically the gaseous form of oxygen.

CID 630 Local Anesthetics for Small Animal Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1095

Table CID 630. Local Anesthetics for Small Animal Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-61A28387150008	Bupivacaine	387150008F-61A28	C0006400
SRTSCT	G-80477346553009	Lidocaine + Prilocaine	346553009C-80477	C0617623
SRTSCT	F-61BD0387480006	Lidocaine	387480006F-61BD0	C0023660

Note

- In this context group, SNOMED substance codes are used in preference to product codes, since there is no need to refer to specific products or preparations. SNOMED codes are used in preference to other potential sources of pharmaceutical related codes, such as from the National Drug Code (NDC) directory.
- For Lidocaine + Prilocaine, since it is a mixture of two substances, the code for the product concept is used. The code for a mixture of unspecified type is used, rather than a more specific code, e.g., for the so-called "Eutectic Mixture of Local Anesthetics (EMLA)", which consists of Lidocaine + Prilocaine. UMLS contains three distinct concepts, (C0059079, UMLS, "EMLA"), (C0617623, UMLS, "Lidocaine/Prilocaine") and (C0950567, UMLS, "Eutectic Lidocaine-Prilocaine").

CID 631 Phase of Procedure Requiring Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1096

Table CID 631. Phase of Procedure Requiring Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 632 "Phase of Surgical Procedure Requiring Anesthesia"				
Include CID 633 "Phase of Imaging Procedure Requiring Anesthesia"				

CID 632 Phase of Surgical Procedure Requiring Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1097

Table CID 632. Phase of Surgical Procedure Requiring Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-413C5262068006	Preoperative	262068006R-413C5	C0445204
SRTSCT	R-400B2277671009	Intraoperative	277671009R-400B2	C0456904
SRTSCT	R-413B7262061000	Postoperative	262061000R-413B7	C0032790

CID 633 Phase of Imaging Procedure Requiring Anesthesia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1098

Table CID 633. Phase of Imaging Procedure Requiring Anesthesia

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-40FB9307153007	Before procedure	307153007R-40FB9	C0585032
SRTSCT	R-40FBA307154001	During procedure	307154001R-40FBA	C0585033
SRTSCT	R-422A4303110006	After procedure	303110006R-422A4	C0580203

Note

The concepts used in this context group are more general than those for a specific procedure, e.g., surgery, radiotherapy, chemotherapy. In SNOMED, the concepts used in this context group are the parent concepts of the surgically-specific concepts used in CID 631 "Phase of Procedure Requiring Anesthesia". There are no concepts defined specifically for periods related to an imaging procedure so the general concepts suffice (in context).

CID 634 Phase of Animal Handling

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1099

Table CID 634. Phase of Animal Handling

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	127101	In home cage		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	127102	During transport		
DCM	127103	Staging prior to imaging		
DCM	127104	Preparation for imaging		
SRTSCT	P1-C0012241687005	Anesthesia induction	241687005P1-C0012	C0473960
SRTSCT	P0-0099A363679005	Imaging procedure	363679005P0-0099A	C0011923
UMLS	C0002908	Anesthesia recovery period		C0002908

CID 635 Heating Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20151110
UID: 1.2.840.10008.6.1.1100

Table CID 635. Heating Method

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-FDB79468192005	Air heating pad	468192005R-FDB79	C3877351
SRTSCT	A-1804179811009	Electric blanket	79811009A-18041	C0336614
SRTSCT	A-2C14027812008	Electric heating pad	27812008A-2C140	C0181157
DCM	127250	Forced air heater		
SRTSCT	A-17454420572009	Forced air warming blanket	420572009A-17454	C1719899
DCM	127251	Heated imaging device		
DCM	127252	Heated patient support		
DCM	127253	Heated water blanket		
UMLS	C0181514	Heat lamp		C0181514
SRTSCT	A-2C14139790008	Non-electric heating pad	39790008A-2C141	C0521200
DCM	127254	Pre-heated pad		
DCM	127255	Unheated		
SRTSCT	A-1745071384000	Warmer device	71384000A-17450	C0184348
SRTSCT	A-17452421335007	Warming blanket	421335007A-17452	C0184351

CID 636 Temperature Sensor Device Component Type for Small Animal Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20151110
UID: 1.2.840.10008.6.1.1101

Table CID 636. Temperature Sensor Device Component Type for Small Animal Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-00BB8307047009	Rectal temperature	307047009F-00BB8	C0489749
UMLS	C0039810	Thermography		C0039810

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	127240	Carrier temperature sensor		

Note

(C0039810, UMLS, "Thermography") is a general concept that also encompasses diagnostic uses of thermography, in addition to simple temperature measurement; only the latter meaning is used here, as is implicit from the context of invocation.

CID 637 Exogenous Substance Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1102

Table CID 637. Exogenous Substance Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-C1F9 246345001	Graft material	246345001 G-C1F9	C0181074
DCM	127460	Tumor Graft		
SRT SCT	T-1A080 88921000	Fibril	88921000 T-1A080	C0225328
SRT SCT	L-30000 49872002	Virus	49872002 L-30000	C0042776
SRT SCT	F-CB250 75777003	Cytokine	75777003 F-CB250	C0079189
SRT SCT	G-00224 80917008	Toxin	80917008 C-00224	C0040549

Note

The specific concept (C22490, NCIt, "Tumor Cell Graft") (UMLS:C1519674) is not used, since grafts may not be cell suspensions, but rather entire tumors, fragments of tumor tissue, etc. Whether the graft is a xenograft or homograft is not specified, and may be encoded elsewhere (e.g., by encoding the species of origin). The non-tumor specific concept (~~G-C1F9~~, ~~SRT~~246345001, SCT, "Graft material") may be used when the graft is not a tumor (though strictly speaking, it is a SNOMED attribute rather than substance; UMLS:C0181074 does not make such a distinction).

CID 638 Exogenous Substance

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1103

Table CID 638. Exogenous Substance

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 639 "Tumor Graft Histologic Type"				
Include CID 640 "Fibrils"				
Include CID 641 "Viruses"				
Include CID 642 "Cytokines"				
Include CID 643 "Toxins"				

CID 639 Tumor Graft Histologic Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20151110
UID: 1.2.840.10008.6.1.1104

Table CID 639. Tumor Graft Histologic Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-8140335917007	Adenocarcinoma	35917007M-81403	C0001418
SRTSCT	M-8730370594002	Amelanotic melanoma	70594002M-87303	C0206735
SRTSCT	M-9400338713004	Astrocytoma	38713004M-94003	C0004114
NCIt	C2923	Bronchioloalveolar adenocarcinoma		C0007120
SRTSCT	M-8010368453008	Carcinoma	68453008M-80103	C0007097
SRTSCT	M-8980363264007	Carcinosarcoma	63264007M-89803	C0007140
SRTSCT	M-8440321008007	Cystadenocarcinoma	21008007M-84403	C0010631
SRTSCT	M-9440363634009	Glioblastoma	63634009M-94403	C0017636
SRTSCT	D0-F0369408643008	Infiltrating ductal carcinoma of breast	408643008D0-F0369	C1134719
SRTSCT	M-8012322687000	Large cell carcinoma	22687000M-80123	C0206704
SRTSCT	DC-F411393143009	Leukemia	93143009DC-F4113	C0023418
SRTSCT	M-872032092003	Melanoma	2092003M-87203	C0025202
SRTSCT	M-9050362064005	Mesothelioma	62064005M-90503	C0025500
SRTSCT	M-8045321326004	Mixed small cell carcinoma	21326004M-80453	C0334240
SRTSCT	M-80463128632008	Non-small cell carcinoma	128632008M-80463	C1266002
SRTSCT	M-9180321708004	Osteosarcoma	21708004M-91803	C0029463
SRTSCT	R-FB83F702391001	Renal cell carcinoma	702391001R-FB83F	C0007134
SRTSCT	M-880032424003	Sarcoma	2424003M-88003	C1261473
SRTSCT	M-8041374364000	Small cell carcinoma	74364000M-80413	C0262584
SRTSCT	M-8032365692009	Spindle cell carcinoma	65692009M-80323	C0205697
SRTSCT	M-8070328899001	Squamous cell carcinoma	28899001M-80703	C0007137

CID 640 Fibrils

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20151110
UID: 1.2.840.10008.6.1.1105

Table CID 640. Fibrils

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	127851	Human alpha synuclein preformed fibrils		
DCM	127852	Mouse alpha synuclein preformed fibrils		
DCM	127853	Human Tau preformed fibrils		
DCM	127854	Mouse Tau preformed fibrils		

CID 641 Viruses

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1106

Table CID 641. Viruses

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	L-30606 42024000	Theiler's murine encephalomyelitis virus	42024000 L-30606	C0206425
SRT SCT	L-35500 112381006	Adeno-associated virus group	112381006 L-35500	C0001417

CID 642 Cytokines

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1107

Table CID 642. Cytokines

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-CB962 39525005	Tumor necrosis factor alpha	39525005 F-CB962	C1456820
SRT SCT	F-C0101 420303002	Interferon gamma	420303002 F-C0101	C0021745
SRT SCT	F-CB902 417324009	Vascular endothelial growth factor	417324009 F-CB902	C0078058

CID 643 Toxins

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1108

Table CID 643. Toxins

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-63750 54446009	Lysophosphatidylcholine	54446009 F-63750	C0024360
UMLS	C0019873	Ethidium Bromide		C0019873
PUBCHEM_CID	4624	6-hydroxydopamine		
SRT SCT	F-63390 3325005	Lipopolysaccharide	3325005 F-63390	C0023810

CID 644 Exogenous Substance Administration Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170124
 UID: 1.2.840.10008.6.1.1109

Table CID 644. Exogenous Substance Administration Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-D2310 58602004	Flank	58602004 T-D2310	C0230171
SRTSCT	T-A0100 12738006	Brain	12738006 T-A0100	C0006104
SRTSCT	M-8FFFF 108369006	Tumor	108369006 M-8FFFF	C0027651
SRTSCT	T-62000 10200004	Liver	10200004 T-62000	C0023884
SRTSCT	T-C1000 14016003	Bone Marrow	14016003 T-C1000	C0005953
NCIt	C22550	Mouse mammary fat pad		C1512979

Note

Since this context group defines the sites, rather than routes of administration, if the exogenous substance is administered into a tumor, the code for the morphologic abnormality (~~M-8FFFF~~, ~~SRT~~108369006, ~~SCT~~, "Tumor") is used, rather than the specific concept for the route (~~R-F2GD4~~, ~~SRT~~447122006, ~~SCT~~, "Intratumor route") (which may also be present as the value for the separately encoded route of administration, if present).

CID 645 Exogenous Substance Tissue of Origin

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.1110

Table CID 645. Exogenous Substance Tissue of Origin

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-D04AC 409615008	Ascitic fluid	409615008 T-D04AC	C0003964
SRTSCT	T-D016E 272673000	Bone	272673000 T-D016E	C0262950
SRTSCT	T-A0100 12738006	Brain	12738006 T-A0100	C0006104
SRTSCT	T-04000 76752008	Breast	76752008 T-04000	C0006141
SRTSCT	T-A0090 21483005	Central nervous system	21483005 T-A0090	C0927232
SRTSCT	T-59300 71854001	Colon	71854001 T-59300	C0009368
DCM	127801	Embryonic kidney		
SRTSCT	T-71000 64033007	Kidney	64033007 T-71000	C0022646
SRTSCT	T-28000 39607008	Lung	39607008 T-28000	C0024109
SRTSCT	T-C6020 38000004	Lymph	38000004 T-C6020	C0024202
SRTSCT	T-D03C2 181768009	Lymphatic tissue	181768009 T-D03C2	C0024296
SRTSCT	T-C4000 59441001	Lymph Node	59441001 T-C4000	C0024204
SRTSCT	DF-00436 128462008	Metastasis	128462008 DF-00436	C2939419
SRTSCT	T-87000 15497006	Ovary	15497006 T-87000	C0029939
SRTSCT	D2-80100 60046008	Pleural effusion	60046008 D2-80100	C0032227
SRTSCT	T-92000 41216001	Prostate	41216001 T-92000	C0033572
SRTSCT	D2-F1106 94391008	Pulmonary metastasis	94391008 D2-F1106	C0153676

CID 646 Preclinical Small Animal Imaging Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1111

Table CID 646. Preclinical Small Animal Imaging Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
LN	46305-9	Whole body CT		C1830206
LN	24725-4	Head CT	303653007	C0202691
LN	46358-8	MRI whole body	426252008	C1830259
LN	24590-2	Brain MRI		C0881827
LN	44139-4	PET whole body	702767007	C1715409
LN	44138-6	Brain PET	241434002	C0412493
LN	42175-0	Radionuclide scan of whole body	229033006	C1626178
LN	24730-4	Radionuclide brain scan	41440006	C0581582
DCM	127901	SPECT of whole body		
LN	39632-5	Brain SPECT		C1543694
DCM	127902	SPECT CT of whole body		
SRT SCT	P5-B0008 24135002	Ultrasonography of total body	24135002 P5-B0008	C0203309

Note

- The inconsistent pattern of modality and anatomy in the code meaning is present in the source coding scheme (e.g., "Whole body CT" versus "PET whole body"), and not changed, except where necessary (e.g., (42175-0, LN, "Radionuclide scan of whole body") is actually just "scan of whole body" in the source scheme, which is insufficient, so "radionuclide" has been added).
- The UMLS codes that map to the SNOMED concepts, when present, are shown, in the cases when UMLS is lacking a mapping between the LOINC and SNOMED codes. E.g., (44138-6, LN, "Brain PET") maps directly to (C1715408, UMLS, "Multisection:Find:Pt:Brain:Doc:Radnuc.PET"), but (~~P5-0A001~~, ~~SRT~~241434002, ~~SCT~~, "PET Brain Study") maps to (C0412493, UMLS, "PET Brain Study"), which is used instead. In general, UMLS does not unify the mappings from LOINC and SNOMED, presumably due to the lexical dissimilarity of the terms (i.e., the LOINC mapping seems to be based on the fully-specified name rather than the long common name).

CID 647 Position Reference Indicator for Frame of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1112

Table CID 647. Position Reference Indicator for Frame of Reference

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
FMA	264776	Bregma		C0934419
FMA	264773	Lambda		C0926407

Note

An FMA code is used for bregma since SNOMED only contains fetal bregma.

CID 701 Content Assessment Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160318
 UID: 1.2.840.10008.6.1.1116

Table CID 701. Content Assessment Types

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 702 "RT Content Assessment Types"</i>		

CID 702 RT Content Assessment Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160318
 UID: 1.2.840.10008.6.1.1117

Table CID 702. RT Content Assessment Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	121373	RT Pre-Treatment Dose Check
DCM	121374	RT Pre-Treatment Consistency Check

CID 703 Basis of Assessment

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160318
 UID: 1.2.840.10008.6.1.1118

Table CID 703. Basis of Assessment

Coding Scheme Designator	Code Value	Code Meaning
DCM	121375	Assessment By Comparison
DCM	121376	Assessment By Rules

CID 800 Protocol Assertion Codes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160626
 UID: 1.2.840.10008.6.1.1176

Table CID 800. Protocol Assertion Codes

Coding Scheme Designator	Code Value	Code Meaning
DCM	128601	Appropriate for the indications
DCM	128621	Inappropriate for the indications
DCM	128602	Consistent with labeling of the device
DCM	128622	Inconsistent with labeling of the device
DCM	128603	Approved for use at the institution
DCM	128623	Disapproved for use at the institution

Coding Scheme Designator	Code Value	Code Meaning
DCM	128604	Approved for use in the clinical trial
DCM	128624	Disapproved for use in the clinical trial
DCM	128611	Approved for experimental use
DCM	128612	Disapproved for experimental use
DCM	128605	Approved for use on pregnant patients
DCM	128617	Disapproved for use on pregnant patients
DCM	128609	Disapproved for any use
DCM	128613	Eligible for reimbursement
DCM	128614	Eligible for reimbursement on per patient basis
DCM	128615	Ineligible for reimbursement
DCM	128606	Appropriate for the device
DCM	128618	Inappropriate for the device
DCM	128607	Inside operational limits of the device
DCM	128619	Outside operational limits of the device
DCM	128608	Optimized for the device instance
DCM	128620	Not optimized for the device instance
DCM	128610	Deprecated protocol

CID 1000 CT Transverse Plane Reference Basis

The items in this context group provide the basis for defining transverse planes associated with the limits of CT acquisitions and re-constructions. It includes body structures, morphologic abnormalities and physical objects that may be the subject or serve as points of reference for imaging.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160905
UID: 1.2.840.10008.6.1.1121

Table CID 1000. CT Transverse Plane Reference Basis

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
<i>Include CID 1001 "Anatomical Reference Basis"</i>				
SRTSCT	M-0100049755003	Morphologically Abnormal Structure	49755003M-01000	C0332447
SRTSCT	A-1200016349000	Orthopedic device	16349000A-12000	C0029352
SRTSCT	A-1110014106009	Cardiac pacemaker	14106009A-11100	C0030163
SRTSCT	A-0401040388003	Implant, device	40388003A-04010	C0021102
SRTSCT	A-2550065818007	Stent, device	65818007A-25500	C0038257
DCM	128160	Acquired Volume		

CID 1001 Anatomical Reference Basis

The items in this context group are body structures commonly used as a reference basis for imaging.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160905

UID: 1.2.840.10008.6.1.1122

Table CID 1001. Anatomical Reference Basis

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
Include CID 1002 "Anatomical Reference Basis - Head"				
Include CID 1003 "Anatomical Reference Basis - Spine"				
Include CID 1004 "Anatomical Reference Basis - Chest"				
Include CID 1005 "Anatomical Reference Basis - Abdomen/Pelvis"				
Include CID 1006 "Anatomical Reference Basis - Extremities"				

CID 1002 Anatomical Reference Basis - Head

The items in this context group are body structures in the head commonly used as a reference basis for imaging.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160905

UID: 1.2.840.10008.6.1.1123

Table CID 1002. Anatomical Reference Basis - Head

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-45010 69105007	Carotid Artery	69105007T-45010	C0007272
SRTSCT	T-AB200 84301002	External Auditory Meatus	84301002T-AB200	C0013444
SRTSCT	T-11106 24532009	Foramen Magnum	24532009T-11106	C0016519
SRTSCT	T-22200 55060009	Frontal sinus	55060009T-22200	C0016734
SRTSCT	T-11134 61671002	Internal Auditory Meatus	61671002T-11134	C0222711
SRTSCT	T-AA813 61242005	Lateral Canthus	61242005T-AA813	C0229246
SRTSCT	T-11180 91609006	Mandible	91609006T-11180	C0024687
SRTSCT	T-11133 59066005	Mastoid bone	59066005T-11133	C0446908
SRTSCT	T-AB500 91716001	Mastoid cells and antra	91716001T-AB500	C0229422
SRTSCT	T-22100 15924003	Maxillary sinus	15924003T-22100	C0024957
FMA	264779	Nasion		C0934420
SRTSCT	T-D14AE 363654007	Orbital structure	363654007T-D14AE	C0029180
SRTSCT	T-D1460 42575006	Pituitary Fossa	42575006T-D1460	C0036609
SRTSCT	T-11100 89546000	Skull	89546000T-11100	C0037303
SRTSCT	T-11130 60911003	Temporal Bone	60911003T-11130	C0039484
SRTSCT	T-D1120 88986008	Vertex of Head	88986008T-D1120	C0230003

Note

- (~~T-11134~~, ~~SRT~~61671002, ~~SCT~~, "Internal Auditory Meatus") is also known as the "Internal Auditory Canal".
- (~~T-AB200~~, ~~SRT~~84301002, ~~SCT~~, "External Auditory Meatus") is also known as the "External Auditory Canal".
- (~~T-D1460~~, ~~SRT~~42575006, ~~SCT~~, "Pituitary Fossa") is also known as the "Sella Turcica".

CID 1003 Anatomical Reference Basis - Spine

The items in this context group are body structures in the spine commonly used as a reference basis for imaging.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160905
 UID: 1.2.840.10008.6.1.1124

Table CID 1003. Anatomical Reference Basis - Spine

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-11610 14806007	C1 vertebra	14806007 T-11610	C0004170
SRTSCT	T-D005D 243902007	Level of C2/C3 intervertebral disc	243902007 T-D005D	C0446383
SRTSCT	T-D005E 243903002	Level of C3/C4 intervertebral disc	243903002 T-D005E	C0446384
SRTSCT	T-D005F 243904008	Level of C4/C5 intervertebral disc	243904008 T-D005F	C0446385
SRTSCT	T-D007G 243905009	Level of C5/C6 intervertebral disc	243905009 T-D007G	C0446386
SRTSCT	T-D007D 243906005	Level of C6/C7 intervertebral disc	243906005 T-D007D	C0446387
SRTSCT	T-D009G 243925008	Level of C7/T1 intervertebral disc	243925008 T-D009G	C0446406
SRTSCT	T-D0097 243920003	Level of L1/L2 intervertebral disc	243920003 T-D0097	C0446401
SRTSCT	T-D0098 243921004	Level of L2/L3 intervertebral disc	243921004 T-D0098	C0446402
SRTSCT	T-D0099 243922006	Level of L3/L4 intervertebral disc	243922006 T-D0099	C0446404
SRTSCT	T-D009A 243923001	Level of L4/L5 intervertebral disc	243923001 T-D009A	C0446403
SRTSCT	T-D009E 243927000	Level of L5/S1 intervertebral disc	243927000 T-D009E	C0446408
SRTSCT	T-D007F 243908006	Level of T1/T2 intervertebral disc	243908006 T-D007F	C0446389
SRTSCT	T-D0094 243917006	Level of T10/T11 intervertebral disc	243917006 T-D0094	C0446398
SRTSCT	T-D0095 243918001	Level of T11/T12 intervertebral disc	243918001 T-D0095	C0446399
SRTSCT	T-D009D 243926009	Level of T12/L1 intervertebral disc	243926009 T-D009D	C0446407
SRTSCT	T-D008B 243909003	Level of T2/T3 intervertebral disc	243909003 T-D008B	C0446390
SRTSCT	T-D008G 243910008	Level of T3/T4 intervertebral disc	243910008 T-D008G	C0446391
SRTSCT	T-D008D 243911007	Level of T4/T5 intervertebral disc	243911007 T-D008D	C0446392
SRTSCT	T-D008E 243912000	Level of T5/T6 intervertebral disc	243912000 T-D008E	C0446393
SRTSCT	T-D008F 243913005	Level of T6/T7 intervertebral disc	243913005 T-D008F	C0446394
SRTSCT	T-D0091 243914004	Level of T7/T8 intervertebral disc	243914004 T-D0091	C0446395
SRTSCT	T-D0092 243915003	Level of T8/T9 intervertebral disc	243915003 T-D0092	C0446396
SRTSCT	T-D0093 243916002	Level of T9/T10 intervertebral disc	243916002 T-D0093	C0446397

CID 1004 Anatomical Reference Basis - Chest

The items in this context group are body structures in the chest commonly used as a reference basis for imaging.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160905
 UID: 1.2.840.10008.6.1.1125

Table CID 1004. Anatomical Reference Basis - Chest

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT-Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-154208 5856004	Acromioclavicular Joint	85856004 T-15420	C0001208
SRTSCT	T-423005 7034009	Aortic Arch	57034009 T-42300	C0003489
SRTSCT	T-320041 3383001	Apex of heart	13383001 T-32004	C0225811
SRTSCT	T-252012 8700002	Carina	28700002 T-25201	C0225594
SRTSCT	T-410652 64293000	Coronary artery graft	264293000 T-41065	C0440761
SRTSCT	T-D34005 798000	Diaphragm	5798000 T-D3400	C0011980
SRTSCT	T-320008 0891009	Heart	80891009 T-32000	C0018787
SRTSCT	T-280003 9607008	Lung	39607008 T-28000	C0024109
SRTSCT	T-122807 9601000	Scapula	79601000 T-12280	C0036277
SRTSCT	T-D22201 6982005	Shoulder region structure	16982005 T-D2220	C0037004
SRTSCT	T-156107 844006	Sternoclavicular Joint	7844006 T-15610	C0038291
SRTSCT	T-112105 6873002	Sternum	56873002 T-11210	C0038293
SRTSCT	T-112182 6493002	Suprasternal Notch	26493002 T-11218	C0222769
SRTSCT	T-D31604 2973007	Thoracic Inlet	42973007 T-D3160	C0230137
SRTSCT	T-112272 0298003	Xiphoid Process	20298003 T-11227	C0043356

Note

(~~T-11218~~, ~~SRT~~26493002, ~~SCT~~, "Suprasternal Notch") is also known as the "Jugular Notch (of Sternum) " and the "Sternal Notch".

CID 1005 Anatomical Reference Basis - Abdomen/Pelvis

The items in this context group are body structures in the abdomen and pelvis commonly used as a reference basis for imaging.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160905

UID: 1.2.840.10008.6.1.1126

Table CID 1005. Anatomical Reference Basis - Abdomen/Pelvis

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT-Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-123903 7783008	Acetabulum	37783008 T-12390	C0000962
SRTSCT	T-B30002 3451007	Adrenal gland	23451007 T-B3000	C0001625
SRTSCT	R-102584 13896006	Common iliac artery bifurcation	413896006 R-10258	C1531837
SRTSCT	T-127112 812003	Femoral head	2812003 T-12711	C0015813
SRTSCT	T-157102 4136001	Hip joint	24136001 T-15710	C0019558
SRTSCT	T-1234A2 9850006	Iliac Crest	29850006 T-1234A	C0223651
SRTSCT	T-123508 5710004	Ischium	85710004 T-12350	C0022122
SRTSCT	T-710006 4033007	Kidney	64033007 T-71000	C0022646
SRTSCT	T-127145 5499008	Lesser trochanter	55499008 T-12714	C0223866
SRTSCT	T-620001 0200004	Liver	10200004 T-62000	C0023884
SRTSCT	T-650001 5776009	Pancreas	15776009 T-65000	C0030274

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	T-11AD0 54735007	Sacrum	54735007 T-11AD0	C0036037
SRT SCT	T-15690 82561000	Symphysis pubis	82561000 T-15690	C0034015

Note

(~~T-15690~~, ~~SRT~~82561000, ~~SCT~~, "Symphysis pubis") is also known as the "Pubic Symphysis".

CID 1006 Anatomical Reference Basis - Extremities

The items in this context group are body structures in the extremities commonly used as a reference basis for imaging.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160905
 UID: 1.2.840.10008.6.1.1127

Table CID 1006. Anatomical Reference Basis - Extremities

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	T-15750 70258002	Ankle joint	70258002 T-15750	C0003087
SRT SCT	T-15430 16953009	Elbow joint	16953009 T-15430	C0013770
SRT SCT	T-D9700 56459004	Foot	56459004 T-D9700	C0016504
SRT SCT	T-15720 49076000	Knee joint	49076000 T-15720	C0022745
SRT SCT	T-127A7 314796009	Malleolar structure of tibia	314796009 T-127A7	C1282383
SRT SCT	T-12540 36455000	Metacarpal	36455000 T-12540	C0025526
SRT SCT	T-12730 64234005	Patella	64234005 T-12730	C0030647
SRT SCT	T-12450 30518006	Scaphoid	30518006 T-12450	C0223724
SRT SCT	T-12780 67453005	Talus	67453005 T-12780	C0039277
SRT SCT	T-1273F 306783000	Tibial Plateau	306783000 T-1273F	C0584640
SRT SCT	T-D9800 29707007	Toe	29707007 T-D9800	C0040357
SRT SCT	T-15460 74670003	Wrist joint	74670003 T-15460	C1322271

Note

(~~T-12450~~, ~~SRT~~30518006, ~~SCT~~, "Scaphoid") is also known as the "Radial Carpal".

CID 1010 Reference Geometry - Planes

The items in this context group identify a specific plane associated with a reference basis (see CID 1000 "CT Transverse Plane Reference Basis"). The plane is defined by the intersection of the scan plane with the specified extent of the reference basis.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160905
 UID: 1.2.840.10008.6.1.1128

Table CID 1010. Reference Geometry - Planes

Coding Scheme Designator	Code Value	Code Meaning
DCM	128128	Plane through Anterior Extent

Coding Scheme Designator	Code Value	Code Meaning
DCM	128123	Plane through Distal Extent
DCM	128121	Plane through Inferior Extent
DCM	128125	Plane through Lateral Extent
DCM	128126	Plane through Leftmost Extent
DCM	128124	Plane through Medial Extent
DCM	128130	Plane through Center
DCM	128129	Plane through Posterior Extent
DCM	128122	Plane through Proximal Extent
DCM	128127	Plane through Rightmost Extent
DCM	128120	Plane through Superior Extent

CID 1011 Reference Geometry - Points

The items in this context group identify a specific point associated with a reference basis (see CID 1000 “CT Transverse Plane Reference Basis”).

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20160905
UID: 1.2.840.10008.6.1.1129

Table CID 1011. Reference Geometry - Points

Coding Scheme Designator	Code Value	Code Meaning
DCM	128137	Geometric Centerpoint
DCM	128138	Center of Mass

CID 1015 Patient Alignment Methods

The items in this context group identify methods for aligning a patient (or other imaging subject) in a scanner.

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20160905
UID: 1.2.840.10008.6.1.1130

Table CID 1015. Patient Alignment Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	128151	Laser Cross-hairs

CID 1200 Contraindications For CT Imaging

The items in this context group identify possible contraindications for specific CT imaging protocols. Contraindications for CT imaging in general, irrespective of the Protocol used, are not included here.

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20160905
UID: 1.2.840.10008.6.1.1131

Table CID 1200. Contraindications For CT Imaging

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	DF-10F42293638001	X-ray Contrast Media Allergy	293638001DF-10F42	C0570563
SRTSCT	DF-10F41293637006	Contrast Media Allergy	293637006DF-10F41	C0570562
SRTSCT	F-8400077386006	Patient currently pregnant	77386006F-84000	C0549206
SRTSCT	D7-11007236423003	Impaired Renal Function	236423003D7-11007	C1565489

CID 3000 Audio Channel Source

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040326
 UID: 1.2.840.10008.6.1.42

Table CID 3000. Audio Channel Source

Coding Scheme Designator	Code Value	Code Meaning
DCM	109110	Voice
DCM	109111	Operator's narrative
DCM	109112	Ambient room environment
DCM	109113	Doppler audio
DCM	109114	Phonocardiogram
DCM	109115	Physiological audio signal

CID 3001 ECG Leads

This Context Group comprises the ECG lead identifiers of ISO/IEEE 11073-10101, including human and canine leads. The terms included in the table below may not constitute the complete list; see the ISO/IEEE Standard.

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10101 available through <http://standards.ieee.org>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130613
 UID: 1.2.840.10008.6.1.43

Table CID 3001. ECG Leads

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:71	Lead A (Nehb - Anterior)	MDC_ECG_LEAD_A
MDC	2:75	Auxiliary unipolar lead 1	MDC_ECG_LEAD_A1
MDC	2:76	Auxiliary unipolar lead 2	MDC_ECG_LEAD_A2
MDC	2:77	Auxiliary unipolar lead 3	MDC_ECG_LEAD_A3
MDC	2:78	Auxiliary unipolar lead 4	MDC_ECG_LEAD_A4
MDC	2:127	Auxiliary bipolar lead 1	MDC_ECG_LEAD_AB1
MDC	2:128	Auxiliary bipolar lead 2	MDC_ECG_LEAD_AB2
MDC	2:129	Auxiliary bipolar lead 3	MDC_ECG_LEAD_AB3

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:130	Auxiliary bipolar lead 4	MDC_ECG_LEAD_AB4
MDC	2:133	EASI Lead AI	MDC_ECG_LEAD_AI
MDC	2:132	EASI Lead AS	MDC_ECG_LEAD_AS
MDC	2:64	aVF, augmented voltage, foot	MDC_ECG_LEAD_AVF
MDC	2:63	aVL, augmented voltage, left	MDC_ECG_LEAD_AVL
MDC	2:62	aVR, augmented voltage, right	MDC_ECG_LEAD_AVR
MDC	2:65	-aVR	MDC_ECG_LEAD_AVRneg
MDC	2:86	Chest lead	MDC_ECG_LEAD_C
MDC	2:124	negative: low right scapula Lead	MDC_ECG_LEAD_CB5
MDC	2:98	Chest lead (symmetric placement)	MDC_ECG_LEAD_CC
MDC	2:99	Chest lead per V1 and V1R placement	MDC_ECG_LEAD_CC1
MDC	2:100	Chest lead per V2 and V2R placement	MDC_ECG_LEAD_CC2
MDC	2:101	Chest lead per V3 and V3R placement	MDC_ECG_LEAD_CC3
MDC	2:102	Chest lead per V4 and V4R placement	MDC_ECG_LEAD_CC4
MDC	2:19	Chest lead per V5 and V5R placement	MDC_ECG_LEAD_CC5
MDC	2:103	Chest lead per V6 and V6R placement	MDC_ECG_LEAD_CC6
MDC	2:104	Chest lead per V7 and V8R placement	MDC_ECG_LEAD_CC7
MDC	2:122	Lead CH5	MDC_ECG_LEAD_CH5
MDC	2:105	Chest-manubrium lead	MDC_ECG_LEAD_CM
MDC	2:106	Chest-manubrium lead per V1 placement	MDC_ECG_LEAD_CM1
MDC	2:107	Chest-manubrium lead per V2 placement	MDC_ECG_LEAD_CM2
MDC	2:108	Chest-manubrium lead per V3 placement	MDC_ECG_LEAD_CM3
MDC	2:109	Chest-manubrium lead per V4 placement	MDC_ECG_LEAD_CM4
MDC	2:20	Chest-manubrium lead per V5 placement	MDC_ECG_LEAD_CM5
MDC	2:110	Chest-manubrium lead per V6 placement	MDC_ECG_LEAD_CM6
MDC	2:121	Chest-manubrium lead per V7 placement	MDC_ECG_LEAD_CM7
MDC	2:125	Lead CR5	MDC_ECG_LEAD_CR5
MDC	2:123	negative: right infraclavicular fossa	MDC_ECG_LEAD_CS5
MDC	2:148	Canine, fifth right intercostal space near edge of sternum	MDC_ECG_LEAD_CV5RL
MDC	2:149	Canine, sixth left intercostal space near edge of sternum	MDC_ECG_LEAD_CV6LL
MDC	2:150	Canine, sixth left intercostal space at costochondral junction	MDC_ECG_LEAD_CV6LU
MDC	2:70	Lead D (Nehb - Dorsal)	MDC_ECG_LEAD_D
MDC	2:114	Derived Lead aVF	MDC_ECG_LEAD_dAVF
MDC	2:113	Derived Lead aVL	MDC_ECG_LEAD_dAVL
MDC	2:112	Derived Lead aVR	MDC_ECG_LEAD_dAVR
MDC	2:73	Defibrillator lead: anterior-lateral	MDC_ECG_LEAD_DEFIB
MDC	2:31	Derived Lead I	MDC_ECG_LEAD_dI
MDC	2:32	Derived Lead II	MDC_ECG_LEAD_dII
MDC	2:111	Derived Lead III	MDC_ECG_LEAD_dIII

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:33	Derived Lead V1	MDC_ECG_LEAD_dV1
MDC	2:34	Derived Lead V2	MDC_ECG_LEAD_dV2
MDC	2:35	Derived Lead V3	MDC_ECG_LEAD_dV3
MDC	2:36	Derived Lead V4	MDC_ECG_LEAD_dV4
MDC	2:37	Derived Lead V5	MDC_ECG_LEAD_dV5
MDC	2:38	Derived Lead V6	MDC_ECG_LEAD_dV6
MDC	2:131	EASI Lead ES	MDC_ECG_LEAD_ES
MDC	2:74	External pacing lead: anterior-posterior	MDC_ECG_LEAD_EXTERN
MDC	2:27	Frank Lead A	MDC_ECG_LEAD_fA
MDC	2:26	Frank Lead C	MDC_ECG_LEAD_fC
MDC	2:25	Frank Lead E	MDC_ECG_LEAD_fE
MDC	2:29	Frank Lead F	MDC_ECG_LEAD_fF
MDC	2:30	Frank Lead H	MDC_ECG_LEAD_fH
MDC	2:24	Frank Lead I	MDC_ECG_LEAD_fI
MDC	2:28	Frank Lead M	MDC_ECG_LEAD_fM
MDC	2:1	Lead I	MDC_ECG_LEAD_I
MDC	2:2	Lead II	MDC_ECG_LEAD_II
MDC	2:61	Lead III	MDC_ECG_LEAD_III
MDC	2:72	Lead J (Nehb - Inferior)	MDC_ECG_LEAD_J
MDC	2:21	Left Arm Lead	MDC_ECG_LEAD_LA
MDC	2:23	Left Leg Lead	MDC_ECG_LEAD_LL
MDC	2:91	Modified chest lead (left arm indifferent)	MDC_ECG_LEAD_MCL
MDC	2:92	Modified chest lead per V1 placement	MDC_ECG_LEAD_MCL1
MDC	2:93	Modified chest lead per V2 placement	MDC_ECG_LEAD_MCL2
MDC	2:94	Modified chest lead per V3 placement	MDC_ECG_LEAD_MCL3
MDC	2:95	Modified chest lead per V4 placement	MDC_ECG_LEAD_MCL4
MDC	2:96	Modified chest lead per V5 placement	MDC_ECG_LEAD_MCL5
MDC	2:97	Modified chest lead per V6 placement	MDC_ECG_LEAD_MCL6
MDC	2:126	Modified limb lead	MDC_ECG_LEAD_ML
MDC	2:22	Right Arm Lead	MDC_ECG_LEAD_RA
MDC	2:147	Right Leg Lead	MDC_ECG_LEAD_RL
MDC	2:134	EASI upper sternum lead	MDC_ECG_LEAD_S
MDC	2:87	Precordial lead	MDC_ECG_LEAD_V
MDC	2:3	Lead V1	MDC_ECG_LEAD_V1
MDC	2:151	Canine, over dorsal spinous process of 7th thoracic vertebra	MDC_ECG_LEAD_V10
MDC	2:4	Lead V2	MDC_ECG_LEAD_V2
MDC	2:10	Lead V2R	MDC_ECG_LEAD_V2R
MDC	2:5	Lead V3	MDC_ECG_LEAD_V3
MDC	2:11	Lead V3R	MDC_ECG_LEAD_V3R
MDC	2:6	Lead V4	MDC_ECG_LEAD_V4

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:12	Lead V4R	MDC_ECG_LEAD_V4R
MDC	2:7	Lead V5	MDC_ECG_LEAD_V5
MDC	2:13	Lead V5R	MDC_ECG_LEAD_V5R
MDC	2:8	Lead V6	MDC_ECG_LEAD_V6
MDC	2:14	Lead V6R	MDC_ECG_LEAD_V6R
MDC	2:9	Lead V7	MDC_ECG_LEAD_V7
MDC	2:15	Lead V7R	MDC_ECG_LEAD_V7R
MDC	2:66	Lead V8	MDC_ECG_LEAD_V8
MDC	2:68	Lead V8R	MDC_ECG_LEAD_V8R
MDC	2:67	Lead V9	MDC_ECG_LEAD_V9
MDC	2:69	Lead V9R	MDC_ECG_LEAD_V9R
MDC	2:90	Lead VF, nonaugmented voltage, vector of LL	MDC_ECG_LEAD_VF
MDC	2:89	Lead VL, nonaugmented voltage, vector of LA	MDC_ECG_LEAD_VL
MDC	2:88	Lead VR, nonaugmented voltage, vector of RA	MDC_ECG_LEAD_VR
MDC	2:16	Lead X	MDC_ECG_LEAD_X
MDC	2:17	Lead Y	MDC_ECG_LEAD_Y
MDC	2:18	Lead Z	MDC_ECG_LEAD_Z
MDC	2:0	Unspecified lead	MDC_ECG_LEAD_CONFIG

Note

1. A prior version of this context group used codes from the SCP-ECG vocabulary.
2. In a prior version of this table, the code 2:26 was specified for the concept Chest lead and the code 2:19 was specified for the concept Chest-manubrium lead per V5 placement.

CID 3003 Hemodynamic Waveform Sources

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.44

Table CID 3003. Hemodynamic Waveform Sources

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	G-DB22128444004	Aortic pressure waveform	128444004G-DB22	C1264738
SRTSCT	G-DB31128453006	Aortic valve pullback pressure waveform	128453006G-DB31	C1264746
SRTSCT	G-DB24128446002	Arterial pressure waveform	128446002G-DB24	C0444695
SRTSCT	G-DB23128445003	Central venous pressure waveform	128445003G-DB23	C1264739
SRTSCT	G-DB33128455004	Dye dilution cardiac output waveform	128455004G-DB33	C1264748
SRTSCT	G-DB20128442000	Femoral artery pressure waveform	128442000G-DB20	C1264737

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	G-DB12 128434001	Hemodynamic flow waveform	128434001 G-DB12	C1264729
SRTSCT	G-DB34 128552003	Hemodynamic impedance waveform	128552003 G-DB34	C1264749
SRTSCT	G-DB13 128435000	Hemodynamic oxygen saturation waveform	128435000 G-DB13	C1264730
SRTSCT	G-DB11 128433007	Hemodynamic pressure waveform	128433007 G-DB11	C1264728
SRTSCT	G-DB10 128432002	Hemodynamic waveform	128432002 G-DB10	C1264727
SRTSCT	G-DB19 128441007	Left atrium pressure waveform	128441007 G-DB19	C1264736
SRTSCT	G-DB16 128438003	Left ventricle pressure waveform	128438003 G-DB16	C1264733
SRTSCT	G-DB28 128450009	Mitral valve pullback pressure waveform	128450009 G-DB28	C1264743
SRTSCT	G-DB25 128447006	Pulmonary artery oxygen saturation waveform	128447006 G-DB25	C1264740
SRTSCT	G-DB21 128443005	Pulmonary artery pressure waveform	128443005 G-DB21	C0428729
SRTSCT	G-DB27 128449009	Pulmonary artery wedge pressure waveform	128449009 G-DB27	C1264742
SRTSCT	G-DB26 128448001	Pulmonary capillary wedge pressure waveform	128448001 G-DB26	C1264741
SRTSCT	G-DB30 128452001	Pulmonary valve pullback pressure waveform	128452001 G-DB30	C1264745
SRTSCT	G-DB14 128436004	Respiration impedance waveform	128436004 G-DB14	C1264731
SRTSCT	G-DB18 128440008	Right atrium pressure waveform	128440008 G-DB18	C1264735
SRTSCT	G-DB17 128439006	Right ventricle pressure waveform	128439006 G-DB17	C1264734
SRTSCT	G-DB15 128437008	Temperature waveform	128437008 G-DB15	C1264732
SRTSCT	G-DB32 128454000	Thermal cardiac output waveform	128454000 G-DB32	C1264747
SRTSCT	G-DB29 128451008	Tricuspid valve pullback pressure waveform	128451008 G-DB29	C1264744

CID 3004 Arterial Pulse Waveform

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090409
 UID: 1.2.840.10008.6.1.803

Table CID 3004. Arterial Pulse Waveform

Coding Scheme Designator	Code Value	Code Meaning
DCM	109116	Arterial Pulse Waveform

CID 3005 Respiration Waveform

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090409
 UID: 1.2.840.10008.6.1.804

Table CID 3005. Respiration Waveform

Coding Scheme Designator	Code Value	Code Meaning
DCM	109117	Respiration Waveform

CID 3010 Cardiovascular Anatomic Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20180605

UID: 1.2.840.10008.6.1.45

Table CID 3010. Cardiovascular Anatomic Locations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-42500 7832008	Abdominal aorta	7832008 T-42500	C0003484
SRTSCT	T-48503 128585006	Anomalous pulmonary vein	128585006 T-48503	C0265914
SRTSCT	T-49215 128553008	Antecubital vein	128553008 T-49215	C1276271
SRTSCT	T-48403 194996006	Anterior cardiac vein	194996006 T-48403	C0226662
SRTSCT	T-45530 8012006	Anterior communicating artery	8012006 T-45530	C0149562
SRTSCT	T-45730 17388009	Anterior spinal artery	17388009 T-45730	C0149603
SRTSCT	T-47700 68053000	Anterior tibial artery	68053000 T-47700	C0085816
SRTSCT	T-42000 15825003	Aorta	15825003 T-42000	C0003483
SRTSCT	T-42300 57034009	Aortic arch	57034009 T-42300	C0003489
SRTSCT	D3-81922 128551005	Aortic fistula	128551005 D3-81922	C1290392
SRTSCT	T-32602 128564006	Apex of left ventricle	128564006 T-32602	C0580781
SRTSCT	T-32502 128565007	Apex of right ventricle	128565007 T-32502	C0445242
SRTSCT	T-41000 51114001	Artery	51114001 T-41000	C0003842
SRTSCT	T-42100 54247002	Ascending aorta	54247002 T-42100	C0003956
SRTSCT	T-47100 67937003	Axillary Artery	67937003 T-47100	C0004455
SRTSCT	T-49110 68705008	Axillary vein	68705008 T-49110	C0004456
SRTSCT	T-48340 72107004	Azygos vein	72107004 T-48340	C0004526
SRTSCT	A-00203 128981007	Baffle	128981007 A-00203	C1289790
SRTSCT	T-45800 59011009	Basilar artery	59011009 T-45800	C0004811
SRTSCT	T-D00AB 91830000	Body conduit	91830000 T-D00AB	C1735317
SRTSCT	T-49424 128548003	Boyd's perforating vein	128548003 T-49424	C1267522
SRTSCT	T-47160 17137000	Brachial artery	17137000 T-47160	C0006087
SRTSCT	T-49350 20115005	Brachial vein	20115005 T-49350	C0226812
SRTSCT	T-45010 69105007	Carotid Artery	69105007 T-45010	C0007272
SRTSCT	T-49240 20699002	Cephalic vein	20699002 T-49240	C0226802
SRTSCT	T-45510 88556005	Cerebral artery	88556005 T-45510	C0007770
SRTSCT	D4-31005 253276007	Common atrium	253276007 D4-31005	C0392482
SRTSCT	T-45100 32062004	Common carotid artery	32062004 T-45100	C0162859
SRTSCT	T-47402 181347005	Common Femoral Artery	181347005 T-47402	C0447105
SRTSCT	T-46710 73634005	Common iliac artery	73634005 T-46710	C1261084

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-48920 46027005	Common iliac vein	46027005 T-48920	C0226758
SRTSCT	D4-31120 45503006	Common ventricle	45503006 D4-31120	C0152424
SRTSCT	D4-32504 128555001	Congenital coronary artery fistula to left atrium	128555001 D4-32504	C1290487
SRTSCT	D4-32506 128556000	Congenital coronary artery fistula to left ventricle	128556000 D4-32506	C1290488
SRTSCT	D4-32509 128557009	Congenital coronary artery fistula to right atrium	128557009 D4-32509	C1290489
SRTSCT	D4-32510 128558004	Congenital coronary artery fistula to right ventricle	128558004 D4-32510	C1290490
SRTSCT	D3-40208 111289009	Congenital pulmonary arteriovenous fistula	111289009 D3-40208	C0155675
SRTSCT	T-43000 41801008	Coronary artery	41801008 T-43000	C0205042
SRTSCT	T-48410 90219004	Coronary sinus	90219004 T-48410	C0456944
SRTSCT	T-42400 32672002	Descending aorta	32672002 T-42400	C3163626
SRTSCT	T-49429 128554002	Dodd's perforating vein	128554002 T-49429	C1267525
SRTSCT	T-45200 22286001	External carotid artery	22286001 T-45200	C0007275
SRTSCT	T-46910 113269004	External iliac artery	113269004 T-46910	C0226398
SRTSCT	T-48930 63507001	External iliac vein	63507001 T-48930	C0226761
SRTSCT	T-45240 23074001	Facial artery	23074001 T-45240	C0226109
SRTSCT	T-47400 7657000	Femoral artery	7657000 T-47400	C0015801
SRTSCT	T-49410 83419000	Femoral vein	83419000 T-49410	C0015809
SRTSCT	T-48820 110568007	Gastric vein	110568007 T-48820	C0750610
SRTSCT	T-47490 128559007	Genicular artery	128559007 T-47490	C0447108
SRTSCT	T-48420 5928000	Great cardiac vein	5928000 T-48420	C0226659
SRTSCT	T-49530 60734001	Great saphenous vein	60734001 T-49530	C0392907
SRTSCT	T-46420 76015000	Hepatic artery	76015000 T-46420	C0019145
SRTSCT	T-48720 8993003	Hepatic vein	8993003 T-48720	C0019155
SRTSCT	T-4942A 128560002	Hunterian perforating vein	128560002 T-4942A	C1267526
SRTSCT	T-46700 10293006	Iliac artery	10293006 T-46700	C0020887
SRTSCT	T-484A4 195416006	Inferior cardiac vein	195416006 T-484A4	C0226664
SRTSCT	T-48540 51249003	Inferior left pulmonary vein	51249003 T-48540	C0226686
SRTSCT	T-46520 33795007	Inferior mesenteric artery	33795007 T-46520	C0162860
SRTSCT	T-48520 113273001	Inferior right pulmonary vein	113273001 T-48520	C0226676
SRTSCT	T-48710 64131007	Inferior vena cava	64131007 T-48710	C0042458
SRTSCT	T-46010 12691009	Innominate artery	12691009 T-46010	C0006094
SRTSCT	T-48620 8887007	Innominate vein	8887007 T-48620	C0006095
SRTSCT	T-45300 86117002	Internal carotid artery	86117002 T-45300	C0007276
SRTSCT	T-48170 12123001	Internal jugular vein	12123001 T-48170	C0226550
SRTSCT	T-46740 90024005	Internal iliac artery	90024005 T-46740	C0226364
SRTSCT	T-46200 69327007	Internal mammary artery	69327007 T-46200	C0226276
SRTSCT	D4-31052 128563000	Juxtaposed atrial appendage	128563000 D4-31052	C1290478

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-4541059749000	Lacrimal artery	59749000T-45410	C0226171
SRTSCT	T-45416128979005	Lacrimal artery of right eye	128979005T-45416	C0923299
SRTSCT	T-3230082471001	Left atrium	82471001T-32300	C0225860
SRTSCT	T-3231033626005	Left auricular appendage	33626005T-32310	C0225861
SRTSCT	T-47420113270003	Left femoral artery	113270003T-47420	C0226448
SRTSCT	T-4440050408007	Left pulmonary artery	50408007T-44400	C0226069
SRTSCT	T-3260087878005	Left ventricle	87878005T-32600	C0225897
SRTSCT	T-3264070238003	Left ventricle inflow	70238003T-32640	C0225911
SRTSCT	T-3265013418002	Left ventricle outflow tract	13418002T-32650	C0225912
SRTSCT	T-45230113264009	Lingual artery	113264009T-45230	C0226104
SRTSCT	T-4696034635009	Lumbar artery	34635009T-46960	C0226408
SRTSCT	T-4650086570000	Mesenteric artery	86570000T-46500	C0025465
SRTSCT	T-4884A128583004	Mesenteric vein	128583004T-4884A	C0025473
SRTSCT	T-4525031145008	Occipital artery	31145008T-45250	C0226117
SRTSCT	T-4821432114007	Occipital vein	32114007T-48214	C0226579
SRTSCT	T-4540053549008	Ophthalmic artery	53549008T-45400	C0029078
SRTSCT	D4-3201283330001	Patent ductus arteriosus	83330001D4-32012	C0013274
SRTSCT	T-476308821006	Peroneal artery	8821006T-47630	C0226476
SRTSCT	T-4750043899006	Popliteal artery	43899006T-47500	C0032649
SRTSCT	T-4881032764006	Portal vein	32764006T-48810	C0032718
SRTSCT	T-4532043119007	Posterior communication artery	43119007T-45320	C0149559
SRTSCT	T-49535128569001	Posterior medial tributary	128569001T-49535	C1267527
SRTSCT	T-4760013363002	Posterior tibial artery	13363002T-47600	C0086835
SRTSCT	T-F700114944004	Primitive aorta	14944004T-F7001	C0231136
SRTSCT	T-F704091707000	Primitive pulmonary artery	91707000T-F7040	C0231157
SRTSCT	T-4744031677005	Profunda Femoris Artery	31677005T-47440	C0226455
SRTSCT	T-4400081040000	Pulmonary artery	81040000T-44000	C0034052
SRTSCT	D4-33142128584005	Pulmonary artery conduit	128584005D4-33142	C1290491
SRTSCT	T-32190128586007	Pulmonary chamber of cor triatriatum	128586007T-32190	C1267246
SRTSCT	T-48581122972007	Pulmonary vein	122972007T-48581	C0034090
SRTSCT	D4-33512128566008	Pulmonary vein confluence	128566008D4-33512	C1290492
SRTSCT	D4-33514128567004	Pulmonary venous atrium	128567004D4-33514	C1290493
SRTSCT	T-4730045631007	Radial artery	45631007T-47300	C0162857
SRTSCT	T-466002841007	Renal artery	2841007T-46600	C0035065
SRTSCT	T-4874056400007	Renal vein	56400007T-48740	C0035092
SRTSCT	T-3220073829009	Right atrium	73829009T-32200	C0225844
SRTSCT	T-3221068300000	Right auricular appendage	68300000T-32210	C0225845
SRTSCT	T-4741069833005	Right femoral artery	69833005T-47410	C0226447
SRTSCT	T-4420078480002	Right pulmonary artery	78480002T-44200	C0226054

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-32500 53085002	Right ventricle	53085002T-32500	C0225883
SRTSCT	T-32540 8017000	Right ventricle inflow	8017000T-32540	C0225891
SRTSCT	T-32550 44627009	Right ventricle outflow tract	44627009T-32550	C0225892
SRTSCT	T-D930A 128587003	Saphenofemoral junction	128587003T-D930A	C0447132
SRTSCT	T-4940B 362072009	Saphenous vein	362072009T-4940B	C0036186
SRTSCT	T-46460 22083002	Splenic artery	22083002T-46460	C0037996
SRTSCT	T-48890 35819009	Splenic vein	35819009T-48890	C0038001
SRTSCT	T-46100 36765005	Subclavian artery	36765005T-46100	C0038530
SRTSCT	T-48330 9454009	Subclavian vein	9454009T-48330	C0038532
SRTSCT	T-47403 181349008	Superficial Femoral Artery	181349008T-47403	C0447106
SRTSCT	T-45270 15672000	Superficial temporal artery	15672000T-45270	C0226130
SRTSCT	T-48530 43863001	Superior left pulmonary vein	43863001T-48530	C0226682
SRTSCT	T-46510 42258001	Superior mesenteric artery	42258001T-46510	C0162861
SRTSCT	T-48510 8629005	Superior right pulmonary vein	8629005T-48510	C0226671
SRTSCT	T-45210 72021004	Superior thyroid artery	72021004T-45210	C0226093
SRTSCT	T-48610 48345005	Superior vena cava	48345005T-48610	C0042459
SRTSCT	T-44007 128589000	Systemic collateral artery to lung	128589000T-44007	C0345096
SRTSCT	D4-33516 128568009	Systemic venous atrium	128568009D4-33516	C1290494
SRTSCT	T-42070 113262008	Thoracic aorta	113262008T-42070	C1522460
SRTSCT	D4-31400 61959006	Truncus arteriosus communis	61959006D4-31400	C0041207
SRTSCT	T-46400 57850000	Truncus coeliacus	57850000T-46400	C0007569
SRTSCT	T-47200 44984001	Ulnar artery	44984001T-47200	C0162858
SRTSCT	T-F1810 50536004	Umbilical artery	50536004T-F1810	C0041632
SRTSCT	T-48832 284639000	Umbilical vein	284639000T-48832	C0226734
SRTSCT	T-48000 29092000	Vein	29092000T-48000	C0042449
SRTSCT	T-48003 34340008	Venous network	34340008T-48003	C0226503
SRTSCT	T-45700 85234005	Vertebral artery	85234005T-45700	C0042559

CID 3011 Electrophysiology Anatomic Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.46

Table CID 3011. Electrophysiology Anatomic Locations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-32850 8225009	Accessory atrioventricular bundle	8225009T-32850	C0006383
SRTSCT	T-32602 128564006	Apex of left ventricle	128564006T-32602	C0580781

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-32502128565007	Apex of right ventricle	128565007T-32502	C0445242
SRTSCT	T-32830345000	Atrioventricular bundle	345000T-32830	C0006382
SRTSCT	T-3282025943004	Atrioventricular node	25943004T-32820	C0004247
SRTSCT	D4-3112045503006	Common ventricle	45503006D4-31120	C0152424
SRTSCT	T-4841090219004	Coronary sinus	90219004T-48410	C0456944
SRTSCT	T-390106871001	Epicardium	6871001T-39010	C0225968
SRTSCT	T-484205928000	Great cardiac vein	5928000T-48420	C0226659
SRTSCT	G-DE02128591008	High right atrium	128591008G-DE02	C0456955
SRTSCT	T-4854051249003	Inferior left pulmonary vein	51249003T-48540	C0226686
SRTSCT	T-48520113273001	Inferior right pulmonary vein	113273001T-48520	C0226676
SRTSCT	G-DE04128592001	Lateral high right atrium	128592001G-DE04	C1264751
SRTSCT	T-3283384654008	Left anterior division of left branch atrioventricular bundle	84654008T-32833	C0225918
SRTSCT	T-3230082471001	Left Atrium	82471001T-32300	C0225860
SRTSCT	T-3231033626005	Left auricular appendage	33626005T-32310	C0225861
SRTSCT	T-3283274031005	Left branch of atrioventricular bundle	74031005T-32832	C0459156
SRTSCT	T-3283491085002	Left posterior division of left branch atrioventricular bundle	91085002T-32834	C0225919
SRTSCT	T-3260087878005	Left ventricle	87878005T-32600	C0225897
SRTSCT	T-3264070238003	Left ventricle inflow	70238003T-32640	C0225911
SRTSCT	T-3265013418002	Left ventricle outflow tract	13418002T-32650	C0225912
SRTSCT	G-DE08128594000	Low right atrium	128594000G-DE08	C0456956
SRTSCT	G-DE06128593006	Mid right atrium	128593006G-DE06	C0225856
SRTSCT	T-4843073580002	Middle cardiac vein	73580002T-48430	C0226660
SRTSCT	T-3531065197004	Mitral ring	65197004T-35310	C0225947
SRTSCT	T-4841171271007	Ostium of coronary sinus	71271007T-48411	C0226656
SRTSCT	T-48581122972007	Pulmonary vein	122972007T-48581	C0034090
SRTSCT	T-3521090318009	Pulmonic ring	90318009T-35210	C0225935
SRTSCT	T-3284013050003	Purkinje fibers	13050003T-32840	C0034144
SRTSCT	T-3512090561006	Right atrioventricular ostium	90561006T-35120	C0225927
SRTSCT	T-3220073829009	Right Atrium	73829009T-32200	C0225844
SRTSCT	T-3221068300000	Right auricular appendage	68300000T-32210	C0225845
SRTSCT	T-3283157383004	Right branch of Atrioventricular bundle	57383004T-32831	C0225916
SRTSCT	T-3250053085002	Right ventricle	53085002T-32500	C0225883
SRTSCT	T-325408017000	Right ventricle inflow	8017000T-32540	C0225891
SRTSCT	T-3255044627009	Right ventricle outflow tract	44627009T-32550	C0225892
SRTSCT	T-3281088210001	Sino-atrial node	88210001T-32810	C0037189
SRTSCT	T-4853043863001	Superior left pulmonary vein	43863001T-48530	C0226682
SRTSCT	T-485108629005	Superior right pulmonary vein	8629005T-48510	C0226671
SRTSCT	T-32202128595004	Tendon of Todaro	128595004T-32202	C0456939

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-35110 113259005	Tricuspid ring	413259005 T-35110	C0225926

Note

In a prior version of this Context Group the code T-48500 rather than T-48581 was defined for the concept Pulmonary Vein; this was inconsistent with the DICOM approach of selecting the "structure of" rather than "entire" concept. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 3014 Coronary Artery Segments

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180325
 UID: 1.2.840.10008.6.1.47

Table CID 3014. Coronary Artery Segments

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Equivalent BARI Code
SRTSCT	T-43117 91750005	1st Diagonal Coronary Artery	91750005 T-43117	C0524430	15
SRTSCT	T-4312B 91757008	1st Left Posterolateral Coronary Artery	91757008 T-4312B	C0524437	24
SRTSCT	T-43128 91754001	1st Marginal Coronary Artery	91754001 T-43128	C0524434	20
SRTSCT	T-43213 91761002	1st Right posterolateral Coronary Artery	91761002 T-43213	C0524441	6
SRTSCT	T-43002 244251006	1st Septal Coronary Artery	244251006 T-43002	C0447058	17
SRTSCT	T-43118 91751009	2nd Diagonal Coronary Artery	91751009 T-43118	C0524431	16
SRTSCT	T-4312C 91758003	2nd Left Posterolateral Coronary Artery	91758003 T-4312C	C0524438	25
SRTSCT	T-43129 91755000	2nd Marginal Coronary Artery	91755000 T-43129	C0524435	21
SRTSCT	T-43214 91762009	2nd Right posterolateral Coronary Artery	91762009 T-43214	C0524442	7
SRTSCT	T-43119 91752002	3rd diagonal Coronary Artery	91752002 T-43119	C0524432	29
SRTSCT	T-4312D 91759006	3rd Left Posterolateral Coronary Artery	91759006 T-4312D	C0524439	26
SRTSCT	T-4312A 91756004	3rd Marginal Coronary Artery	91756004 T-4312A	C0524436	22
SRTSCT	T-43215 91763004	3rd Right posterolateral Coronary Artery	91763004 T-43215	C0524443	8
SRTSCT	T-43230 22765000	Marginal Coronary Artery	22765000 T-43230	C0226050	10
SRTSCT	T-43124 75902001	AV groove continuation of Circumflex Artery	75902001 T-43124	C0226041	23
SRTSCT	T-43122 6511003	Distal Circumflex Coronary Artery	6511003 T-43122	C0226039	19A
SRTSCT	T-43112 36672000	Distal Left Anterior Descending Coronary Artery	36672000 T-43112	C0226034	14
SRTSCT	T-43202 41879009	Distal Right Coronary Artery	41879009 T-43202	C0226044	3
BARI	15A	1st Diagonal Coronary Artery Laterals			15A

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Equivalent BARI Code
BARI	20A	1st Marginal Coronary Artery Laterals			20A
BARI	16A	2nd Diagonal Coronary Artery Laterals			16A
BARI	21A	2nd Marginal Coronary Artery Laterals			21A
BARI	29A	3rd Diagonal Coronary Artery Laterals			29A
BARI	22A	3rd Marginal Coronary Artery Laterals			22A
BARI	28A	Ramus Laterals			28A
SRTSCT	T-43107 3227004	Left Main Coronary Artery	3227004 T-43107	C0226031	11
SRTSCT	T-43105 76862008	Left Main Coronary Artery Ostium	76862008 T-43105	C0226030	11A
SRTSCT	T-4312E 91760001	Left Posterior Descending Circumflex Coronary Artery	91760001 T-4312E	C0524440	27
SRTSCT	T-43127 91753007	Mid Circumflex Coronary Artery	91753007 T-43127	C0524433	19
SRTSCT	T-43115 91748002	Mid Left Anterior Descending Coronary Artery	91748002 T-43115	C0524428	13
SRTSCT	T-D6515 450960006	Mid Right Coronary Artery	450960006 T-D6515	C3472627	2
SRTSCT	T-43210 53655008	Posterior Descending Right Coronary Artery	53655008 T-43210	C0226047	4
BARI	9	Posterior descending septal perforators			9
SRTSCT	T-43121 52433000	Proximal Circumflex Coronary Artery	52433000 T-43121	C0226038	18
SRTSCT	T-43111 68787002	Proximal Left Anterior Descending Coronary Artery	68787002 T-43111	C0226033	12
SRTSCT	T-43201 91083009	Proximal Right Coronary Artery	91083009 T-43201	C0226043	1
SRTSCT	T-43003 244252004	Intermediate Artery (Ramus)	244252004 T-43003	C0447059	28
SRTSCT	T-43205 56789007	Right Coronary Artery Ostium	56789007 T-43205	C0226045	1A
SRTSCT	T-43212 12800002	Right posterior AV Coronary Artery	12800002 T-43212	C0226048	5

Note

In prior editions, this Context Group included BARI [1992] codes as the primary set. These have been replaced with equivalent SNOMED codes for the major artery segments (see PS3.16-2011).

CID 3015 Coronary Arteries

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20130403
UID: 1.2.840.10008.6.1.48

Table CID 3015. Coronary Arteries

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
<i>Include CID 3014 "Coronary Artery Segments"</i>				
SRTSCT	T-43110 59438005	Left Anterior Descending Coronary Artery	59438005T-43110	C0226032
SRTSCT	T-43200 13647002	Right Coronary Artery	13647002T-43200	C1261316
SRTSCT	T-43120 57396003	Circumflex Coronary Artery	57396003T-43120	C0226037
SRTSCT	T-43125 57823005	Left Posterolateral Circumflex Coronary Artery	57823005T-43125	C0278432
SRTSCT	T-4312E 91760001	Left Posterior Descending Circumflex Coronary Artery	91760001T-4312E	C0524440
SRTSCT	T-41065 264293000	Coronary Artery Graft	264293000T-41065	C0440761

CID 3016 Major Coronary Arteries

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110818
 UID: 1.2.840.10008.6.1.736

Table CID 3016. Major Coronary Arteries

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-43110 59438005	Left Anterior Descending Coronary Artery	59438005T-43110	C0226032
SRTSCT	T-43200 13647002	Right Coronary Artery	13647002T-43200	C1261316
SRTSCT	T-43120 57396003	Circumflex Coronary Artery	57396003T-43120	C0226037
SRTSCT	T-43107 3227004	Left Main Coronary Artery	3227004T-43107	C0226031

CID 3019 Cardiovascular Anatomic Location Modifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.49

Table CID 3019. Cardiovascular Anatomic Location Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-404CC 255549009	Anterior	255549009R-404CC	C0205094
SRTSCT	G-D873 128950003	Arterial graft to cited segment	128950003G-D873	C1264698
SRTSCT	G-A110 26216008	Central	26216008G-A110	C0205099
SRTSCT	G-A119 46053002	Distal	46053002G-A119	C0205108
SRTSCT	G-D870 128947001	Graft to cited segment, body	128947001G-D870	C1264695
SRTSCT	G-D872 128948006	Graft to cited segment, distal anastomosis	128948006G-D872	C1264697
SRTSCT	G-D871 128949003	Graft to cited segment, proximal anastomosis	128949003G-D871	C1264696

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	R-4094A 261089000	Inferior	261089000 R-4094A	C0205104
SRTSCT	G-A104 49370004	Lateral	49370004 G-A104	C0205093
SRTSCT	G-A101 7771000	Left	7771000 G-A101	C0205091
SRTSCT	R-4215C 264114003	Ostium	264114003 R-4215C	C0444567
SRTSCT	R-404CE 255551008	Posterior	255551008 R-404CE	C0205095
SRTSCT	G-A118 40415009	Proximal	40415009 G-A118	C0205107
SRTSCT	G-A100 24028007	Right	24028007 G-A100	C0205090
SRTSCT	R-42191 264217000	Superior	264217000 R-42191	C1282910
SRTSCT	G-D874 128951004	Venous graft to cited segment	128951004 G-D874	C1264699
SRTSCT	T-40003 361097006	Entire Vessel	361097006 T-40003	C1283786
DCM	122101	Aneurysm on cited vessel		
DCM	122102	Graft to cited segment, proximal section		
DCM	122103	Graft to cited segment, mid section		
DCM	122104	Graft to cited segment, distal section		

CID 3082 Cardiology Units of Measurement (Retired)

This Context Group was a subset of CID 82 “Units of Measurement”, and is retired. See PS3.16-2011.

CID 3083 Units of Radioactivity

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.737

Table CID 3083. Units of Radioactivity

Coding Scheme Designator	Code Value	Code Meaning
UCUM	Bq	becquerel
UCUM	MBq	megabecquerel
UCUM	mCi	millicurie

CID 3090 Time Synchronization Channel Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.51

Table CID 3090. Time Synchronization Channel Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	109001	Digital timecode (NOS)
DCM	109002	ECG-based gating signal, processed
DCM	109003	IRIG-B timecode

Coding Scheme Designator	Code Value	Code Meaning
DCM	109004	X-Ray Fluoroscopy On Signal
DCM	109005	X-Ray On Trigger

CID 3101 Cardiac Procedural State Values

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20091021
 UID: 1.2.840.10008.6.1.52

Table CID 3101. Cardiac Procedural State Values

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-01604 128975004	Resting State	128975004 F-01604	C0679218
SRT SCT	F-05019 432655005	Cardiac Stress State	432655005 F-05019	C2317276
DCM	109092	Reinjection State		
DCM	109093	Redistribution State		
DCM	109094	Delayed Redistribution State		

CID 3102 Rest-Stress

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.738

Table CID 3102. Rest-Stress

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-01604 128975004	Resting State	128975004 F-01604	C0679218
DCM	109091	Cardiac Stress State		

CID 3104 Cardiac Synchronization Technique

This Context Group corresponds to the Enumerated Values of Cardiac Synchronization Technique (0018,9037) (see PS3.3).

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20111028
 UID: 1.2.840.10008.6.1.943

Table CID 3104. Cardiac Synchronization Technique

Coding Scheme Designator	Code Value	Code Meaning
DCM	109080	Real time acquisition
DCM	109081	Prospective gating
DCM	109082	Retrospective gating
DCM	109083	Paced

CID 3106 PET Cardiology Protocols

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.739

Table CID 3106. PET Cardiology Protocols

Coding Scheme Designator	Code Value	Code Meaning
DCM	122791	PET Myocardial Perfusion, Rest only
DCM	122792	PET Myocardial Perfusion, Stress only
DCM	122793	PET Myocardial Perfusion, Rest and Stress
DCM	122795	PET Myocardial Viability, Rest only
DCM	122796	PET Myocardial Viability, Stress only
DCM	122797	PET Myocardial Viability, Rest and Stress

CID 3107 PET Cardiology Radiopharmaceuticals

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.740

Table CID 3107. PET Cardiology Radiopharmaceuticals

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	C-B103 35321007	Fluorodeoxyglucose F ¹⁸	35321007 C-B1031	C0046056
SRTSCT	C-107A 21576001	¹³ Nitrogen	21576001 C-107A1	C0302959
SRTSCT	C-159A 279197006	⁸² Rubidium	79197006 C-159A2	C0303554

CID 3108 NM/PET Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.741

Table CID 3108. NM/PET Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	P5-D30F 8108294005	Nuclear medicine cardiovascular study	108294005 P5-D30F8	C0581579
SRTSCT	P5-0A006 241439007	PET heart study	241439007 P5-0A006	C0412498
SRTSCT	P5-D6000 7562007	Radioisotope study of endocrine system	7562007 P5-D6000	C0203777
SRTSCT	P5-D6500 41842006	Radioisotope study of hematopoietic system	41842006 P5-D6500	C0203797
SRTSCT	P5-D5000 53585008	Radioisotope study of gastrointestinal system	53585008 P5-D5000	C0412377

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P5-D0063252680004	Radionuclide study for localization of inflammatory disease	252680004P5-D0063	C0474787
SRTSCT	P5-D100068796002	Radioisotope study of musculoskeletal system	68796002P5-D1000	C0412452
SRTSCT	P5-D90F8108300008	Nuclear medicine diagnostic procedure on nervous system	108300008P5-D90F8	C0412330
SRTSCT	P5-D004045316007	Radionuclide localization of tumor	45316007P5-D0040	C0203651
SRTSCT	P5-D200019086005	Radioisotope study of respiratory system	19086005P5-D2000	C0203681
SRTSCT	P5-D700076927004	Radioisotope study of genitourinary system	76927004P5-D7000	C0203833
SRTSCT	P5-0A001241434002	PET brain study	241434002P5-0A001	C0412493
SRTSCT	P5-0A00D416323006	PET breast study	416323006P5-0A00D	C1562778
SRTSCT	P5-0A00A241443006	PET study for localization of tumor	241443006P5-0A00A	C0473941

CID 3110 Nuclear Cardiology Protocols

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.742

Table CID 3110. Nuclear Cardiology Protocols

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P5-D300B431511008	Stress thallium procedure	431511008P5-D300B	C2316301
DCM	122781	Rest thallium/stress technetium procedure		
DCM	122782	Rest technetium/stress technetium 1 day procedure		
DCM	122783	Rest technetium/stress technetium 2 day procedure		
DCM	122784	Stress technetium/rest technetium 1 day procedure		
DCM	122785	NM Myocardial Viability procedure		

CID 3111 Nuclear Cardiology Radiopharmaceuticals

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.743

Table CID 3111. Nuclear Cardiology Radiopharmaceuticals

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	C-B1130353842007	Thallium-201	353842007C-B1130	C0303322
SRTSCT	C-B10A2404706008	Tc-99m sestamibi	404706008C-B10A2	C0361361
SRTSCT	C-B10A4404707004	Tc-99m tetrofosmin	404707004C-B10A4	C0361363

CID 3112 Attenuation Correction

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.744

Table CID 3112. Attenuation Correction

Coding Scheme Designator	Code Value	Code Meaning
DCM	122726	Algorithmic Attenuation Correction
DCM	122727	NM Transmission Attenuation Correction
DCM	122728	CT-based Attenuation Correction
DCM	122729	No Attenuation Correction

CID 3113 Types of Perfusion Defects

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.745

Table CID 3113. Types of Perfusion Defects

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-3014D251055003	Reversible myocardial perfusion defect	251055003F-3014D	C0428859
SRTSCT	F-3014F251057006	Fixed myocardial perfusion defect	251057006F-3014F	C0428861
SRTSCT	F-3014E251056002	Partially Reversible myocardial perfusion defect	251056002F-3014E	C0428860
DCM	122748	False Positive defect finding		

CID 3114 Study Quality

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.746

Table CID 3114. Study Quality

Coding Scheme Designator	Code Value	Code Meaning
DCM	122740	Excellent image quality
DCM	122741	Good image quality
DCM	122742	Poor image quality
DCM	111235	Unusable - Quality renders image unusable

CID 3115 Stress Imaging Quality Issues

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.747

Table CID 3115. Stress Imaging Quality Issues

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111210	Motion blur		
DCM	122743	Body habitus attenuation		
DCM	122744	Breast attenuation		
DCM	122745	Diaphragmatic attenuation		
SRTSCT	F-04FD3429382003	Subdiaphragmatic uptake	429382003F-04FD3	C1997338

CID 3116 NM Extracardiac Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.748

Table CID 3116. NM Extracardiac Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-04FA0428552000	Normal extracardiac uptake	428552000F-04FA0	C1997656
SRTSCT	F-04FB8428920008	Increased lung uptake	428920008F-04FB8	C1997679
SRTSCT	F-04FE3429576000	Abnormal extracardiac uptake	429576000F-04FE3	C1998057

CID 3117 Attenuation Correction Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.749

Table CID 3117. Attenuation Correction Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122720	OSEM algorithm
DCM	122721	Chang method

CID 3118 Level of Risk

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.750

Table CID 3118. Level of Risk

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-4044427986001	Normal risk	427986001G-4044	C1998074
SRTSCT	G-404175976002	Low risk	75976002G-4041	C0332165
SRTSCT	G-4045429551001	Low to moderate risk	429551001G-4045	C1998307
SRTSCT	G-404225594002	Moderate risk	25594002G-4042	C0332166

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-4046 429557002	Moderate to high risk	429557002G-4046	C1998133
SRTSCT	G-4043 15508007	High risk	15508007G-4043	C0332167
SRTSCT	G-A648 64957009	Uncertain risk	64957009G-A648	C0087130

CID 3119 LV Function

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.751

Table CID 3119. LV Function

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A460 17621005	Normal	17621005G-A460	C0205307
SRTSCT	F-300FA 275514001	Impaired left ventricular function	275514001F-300FA	C0553982

CID 3120 Perfusion Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.752

Table CID 3120. Perfusion Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-30172 301121007	Myocardial perfusion normal	301121007F-30172	C0577811
SRTSCT	G-A466 42425007	Equivocal	42425007G-A466	C0332241
SRTSCT	R-42037 263654008	Abnormal	263654008R-42037	C0205161

CID 3121 Perfusion Morphology

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.753

Table CID 3121. Perfusion Morphology

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-1070D 414795007	Myocardial ischemia	414795007D3-1070D	C0151744
SRTSCT	D3-15000 22298006	Myocardial Infarction	22298006D3-15000	C0027051
SRTSCT	D3-10711 428196007	Mixed Ischemia and Infarction	428196007D3-10711	C1997401

CID 3122 Ventricular Enlargement

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.754

Table CID 3122. Ventricular Enlargement

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-00343373124004	Normal size cardiac chamber	373124004R-00343	C1298811
SRTSCT	R-0032A373126002	Mildly enlarged cardiac chamber	373126002R-0032A	C1298813
SRTSCT	R-00331373127006	Moderately enlarged cardiac chamber	373127006R-00331	C1298814
SRTSCT	R-00316373128001	Markedly enlarged cardiac chamber	373128001R-00316	C1298815

CID 3200 Stress Test Procedure

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.755

Table CID 3200. Stress Test Procedure

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P0-006E4165079009	Exercise stress test	165079009P0-006E4	C0015260
SRTSCT	P2-31107424064009	Pharmacologic stress test	424064009P2-31107	C1827946
SRTSCT	P2-31011428813002	Pharmacologic and exercise stress test	428813002P2-31011	C1998158
SRTSCT	P2-3110B428685003	Paced stress test	428685003P2-3110B	C1997441

CID 3201 Indications for Stress Test

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.756

Table CID 3201. Indications for Stress Test

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-3700029857009	Chest Pain	29857009F-37000	C0008031
SRTSCT	R-413C5262068006	Pre-operative	262068006R-413C5	C0445204
SRTSCT	D3-1304053741008	Coronary Artery Disease	53741008D3-13040	C0010054
SRTSCT	D3-1600084114007	Heart failure	84114007D3-16000	C0018801
SRTSCT	F-03C97171224000	Heart disease risk factors	171224000F-03C97	C0420044
SRTSCT	F-201B3267036007	Dyspnea	267036007F-201B3	C0013404
SRTSCT	R-00357373108000	Post PTCA	373108000R-00357	C1269832

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-03A5399261000	History of CABG	399261000G-03A5	C1275842
SRTSCT	F-00103165084003	Abnormal exercise tolerance test	165084003F-00103	C0149612
SRTSCT	F-38002102594003	Abnormal ECG	102594003F-38002	C0522055
SRTSCT	D3-3000044808001	Arrhythmia	44808001D3-30000	C0264886
SRTSCT	D3-13012194828000	Angina pectoris	194828000D3-13012	C0002962
SRTSCT	D3-0200038341003	Hypertension	38341003D3-02000	C0020538
SRTSCT	F-3715080313002	Palpitations	80313002F-37150	C0030252
SRTSCT	D3-312906456007	Supraventricular tachycardia	6456007D3-31290	C0039240
SRTSCT	D3-00006271594007	Syncope	271594007D3-00006	C0039070
SRTSCT	G-03AA399211009	History of Myocardial Infarction	399211009G-03AA	C1275835
SRTSCT	D3-3312063467002	Left bundle branch block	63467002D3-33120	C0023211
SRTSCT	D3-10800368009	Valvular heart disease	368009D3-10800	C0018824
SRTSCT	P7-0004429060002	Occupational requirement	429060002P7-00044	C1997084

CID 3202 Chest Pain

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.757

Table CID 3202. Chest Pain

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-13020233819005	Stable Angina	233819005D3-13020	C0340288
SRTSCT	D3-127004557003	Unstable Angina	4557003D3-12700	C0002965
SRTSCT	R-0038F371807002	Atypical Angina	371807002R-0038F	C0741026
SRTSCT	F-37015274668005	Noncardiac Chest Pain	274668005F-37015	C0476281
SRTSCT	F-A265A161971004	Chest pain not present	161971004F-A265A	C0423635
SRTSCT	D3-13037429559004	Typical Angina	429559004D3-13037	C1998435
DCM	122799	Anginal Equivalent		

CID 3203 Exerciser Device

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.758

Table CID 3203. Exerciser Device

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-17230739006	Bicycle ergometer	739006A-17230	C0180749

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-17222 1211003	Treadmill	1211003 A-17222	C0184069
SRTSCT	A-1002A 429560009	Arm ergometer	429560009 A-1002A	C1996977

CID 3204 Stress Agents

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.759

Table CID 3204. Stress Agents

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Trade Name (Informative)
SRTSCT	G-81590 66859009	Dipyridamole	66859009 C-81590	C0012582	Persantine
SRTSCT	G-68030 26523005	Dobutamine	26523005 C-68030	C0012963	
SRTSCT	G-80349 108502004	Adenosine	108502004 C-80349	C0001443	
SRTSCT	G-67770 73949004	Atropine	73949004 C-67770	C0004259	
SRTSCT	G-80012 432062000	Adenosine A2 receptor agonist	432062000 C-80012	C1998062	Regadenoson

CID 3205 Indications for Pharmacological Stress Test

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.760

Table CID 3205. Indications for Pharmacological Stress Test

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-33120 63467002	Left bundle branch block	63467002 D3-33120	C0023211
SRTSCT	R-00728 441509002	Patient has pacemaker	441509002 R-00728	C2712998
SRTSCT	DA-26000 29426003	Paralytic syndrome	29426003 DA-26000	C0270788
SRTSCT	F-A4580 20262006	Ataxia or incoordination	20262006 F-A4580	C0004134
SRTSCT	D3-8005B 400047006	Peripheral vascular disease	400047006 D3-8005B	C0085096
SRTSCT	D2-50000 19829001	Pulmonary disease	19829001 D2-50000	C0024115
SRTSCT	F-18002 22325002	Gait problem	22325002 F-18002	C0575081
SRTSCT	F-A0846 274662006	Transient limb paralysis	274662006 F-A0846	C0159034
SRTSCT	F-01380 13791008	Asthenia (debility)	13791008 F-01380	C0004093
SRTSCT	F-029F7 238108007	Cachexia	238108007 F-029F7	C0006625
SRTSCT	DD-13000 46866001	Fracture of lower limb	46866001 DD-13000	C1542178
SRTSCT	DD-33500 26947005	Open wound of lower limb	26947005 DD-33500	C0178323
SRTSCT	G-02BD 161622006	Lower limb amputation	161622006 G-02BD	C0455616
SRTSCT	G-0202 103321005	Request by Physician	103321005 G-0202	C0686901
SRTSCT	S-20570 105501005	Dependence on enabling machine or device	105501005 S-20570	C0524375

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-044D 428752002	Recent Myocardial infarction	428752002 G-044D	C1998297
SRTSCT	F-33019 429733000	Cannot reach target heart rate	429733000 F-33019	C1997932
DCM	122764	Patient weight exceeds equipment limit		

CID 3206 Non-invasive Cardiac Imaging Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.761

Table CID 3206. Non-invasive Cardiac Imaging Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	P5-D30F8 108294005	Nuclear medicine cardiovascular study	108294005 P5-D30F8	C0581579
SRTSCT	P5-D3304 35621002	Cardiac blood pool imaging (nuclear)	35621002 P5-D3304	C0203725
SRTSCT	P5-0A006 241439007	PET heart study	241439007 P5-0A006	C0412498
SRTSCT	P5-0A100 105371005	SPECT	105371005 P5-0A100	C0040399
SRTSCT	P5-B3000 40701008	Echocardiography	40701008 P5-B3000	C0013516
SRTSCT	P5-09011 241620005	Cardiac MRI	241620005 P5-09011	C0412692

CID 3207 Stress Test Procedure Phases

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20081031
 UID: 1.2.840.10008.6.1.637

Table CID 3207. Stress Test Procedure Phases

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-01604 128975004	Resting State	128975004 F-01604	C0679218
SRTSCT	F-05019 432655005	Cardiac stress state	432655005 F-05019	C2317276
SRTSCT	F-05028 434161005	Peak cardiac stress state	434161005 F-05028	C2316487
SRTSCT	F-05018 432554001	Cardiac stress recovery state	432554001 F-05018	C2316793
SRTSCT	F-25040 68978004	Hyperventilation	68978004 F-25040	C0020578

CID 3208 Summary Codes Exercise ECG

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.763

Table CID 3208. Summary Codes Exercise ECG

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-00101 165082004	Exercise ECG normal	165082004 F-00101	C0231162
SRTSCT	F-00103 165084003	Exercise ECG abnormal	165084003 F-00103	C0149612
SRTSCT	F-201B6 370367002	Exercise ECG equivocal	370367002 F-201B6	C1299965
SRTSCT	R-4135B 262008008	Not performed	262008008 R-4135B	C0445106

CID 3209 Summary Codes Stress Imaging

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.764

Table CID 3209. Summary Codes Stress Imaging

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-04AB2 408573005	Imaging result normal	408573005 F-04AB2	C1319347
SRTSCT	F-04AB3 408574004	Imaging result abnormal	408574004 F-04AB3	C1319348
SRTSCT	F-04A13 408379005	Imaging result equivocal	408379005 F-04A13	C1319511
SRTSCT	R-4135B 262008008	Not performed	262008008 R-4135B	C0445106

CID 3210 Speed of Response

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.765

Table CID 3210. Speed of Response

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A460 17621005	normal	17621005 G-A460	C0205307
SRTSCT	R-40AA8 428691001	accentuated	428691001 R-40AA8	C1997416
SRTSCT	R-40AA7 428247006	blunted	428247006 R-40AA7	C1997138

CID 3211 BP Response

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.766

Table CID 3211. BP Response

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A460 17621005	normal	17621005 G-A460	C0205307
SRTSCT	D3-04000 45007003	Hypotensive	45007003 D3-04000	C0020649
SRTSCT	D3-02000 38341003	Hypertensive	38341003 D3-02000	C0020538

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-40AA7428247006	blunted	428247006R-40AA7	C1997138

CID 3212 Treadmill Speed

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.767

Table CID 3212. Treadmill Speed

Coding Scheme Designator	Code Value	Code Meaning
UCUM	km/h	km/h
UCUM	[mi_i]/h	mph

CID 3213 Stress Hemodynamic Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.768

Table CID 3213. Stress Hemodynamic Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-0400A429561008	Exertional hypotension	429561008D3-0400A	C1998376
SRTSCT	D3-0200B429198000	Exertional hypertension	429198000D3-0200B	C1997276
SRTSCT	F-380B2427989008	Chronotropic incompetence	427989008F-380B2	C1997984

CID 3215 Perfusion Finding Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.769

Table CID 3215. Perfusion Finding Method

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-41D8B258181008	ECG analysis	258181008R-41D8B	C0442977
SRTSCT	P3-4191024587005	Image analysis	24587005P3-41910	C0200765

CID 3217 Comparison Finding

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.770

Table CID 3217. Comparison Finding

Coding Scheme Designator	Code Value	Code Meaning
DCM	122775	Agreement with prior findings
DCM	122776	Disagreement with prior findings

CID 3220 Stress Symptoms

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.771

Table CID 3220. Stress Symptoms

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-201B3267036007	Dyspnea	267036007F-201B3	C0013404
SRTSCT	F-1801016973004	Claudication	16973004F-18010	C1456822
SRTSCT	D3-00006271594007	Syncope	271594007D3-00006	C0039070
SRTSCT	D0-30017238810007	Flushing	238810007D0-30017	C0016382
SRTSCT	F-04E95422587007	Nausea	422587007F-04E95	C0027497
SRTSCT	F-06017404640003	Dizziness	404640003F-06017	C0012833
SRTSCT	F-0136084229001	Fatigue	84229001F-01360	C0015672
SRTSCT	F-3700029857009	Chest pain	29857009F-37000	C0008031
SRTSCT	F-37006279084009	Chest discomfort	279084009F-37006	C0235710
Include CID 3202 "Chest Pain"				

CID 3221 Stress Test Termination Reasons

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.772

Table CID 3221. Stress Test Termination Reasons

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-3700029857009	Chest pain	29857009F-37000	C0008031
SRTSCT	F-38002102594003	Abnormal ECG	102594003F-38002	C0522055
SRTSCT	F-0136084229001	Fatigue	84229001F-01360	C0015672
SRTSCT	F-201B3267036007	Dyspnea	267036007F-201B3	C0013404
SRTSCT	R-214DD408551003	Patient Refused exercise test	408551003R-214DD	C1319325
SRTSCT	F-021E1258153002	Target Heart Rate Achieved	258153002F-021E1	C0432605
SRTSCT	D3-0400167763001	Hypotensive episode	67763001D3-04001	C0520541
SRTSCT	D3-0200462275004	Hypertensive episode	62275004D3-02004	C0520539
SRTSCT	D3-3000044808001	Arrhythmia	44808001D3-30000	C0264886
SRTSCT	F-1801016973004	Claudication	16973004F-18010	C1456822

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-4038D255253007	End of Protocol	255253007R-4038D	C0444496
SRTSCT	D3-00006271594007	Syncope	271594007D3-00006	C0039070

CID 3227 QTc Measurements

This Context Group include both global and per lead corrected QT measurements specified in the ISO/IEEE 11073-10102 MDC nomenclature. Note that the MDC code for the per lead measurement is a base code for post-coordination with separately encoded lead identifiers. MDC also defines pre-coordinated codes that include both the measurement and the lead, which may be used in the same context as this Context Group; see the ISO/IEEE Standard.

While this Context Group includes distinct codes for the various QT correction algorithms, Templates using this Context Group may allow post-coordination using the QTc algorithm codes of CID 3678 "QT Correction Algorithms".

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110330
UID: 1.2.840.10008.6.1.773

Table CID 3227. QTc Measurements

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:15876	QTc interval global	MDC_ECG_TIME_PD_QTC
MDC	2: 33792	QTc interval per lead	MDC_ECG_TIME_PD_QTC_<lead>
MDC	2:15880	QTc global using Bazett formula	MDC_ECG_TIME_PD_QTC_BAZETT
MDC	2:15880	QTc global using Framingham formula	MDC_ECG_TIME_PD_QTC_FRAMINGHAM
MDC	2:15892	QTc global using Fredericia formula	MDC_ECG_TIME_PD_QTC_FREDERICA
MDC	2:15892	QTc global using Hodges formula	MDC_ECG_TIME_PD_QTC_HODGES
MDC	2:34048	QTc per lead using Bazett formula	MDC_ECG_TIME_PD_QTcB_<lead>
MDC	2:34304	QTc per lead using Fredericia formula	MDC_ECG_TIME_PD_QTcF_<lead>

CID 3228 ECG Timing Measurements

This Context Group include both global and per lead ECG measurements specified in the ISO/IEEE 11073-10102 MDC nomenclature. Note that the MDC codes for "per lead" measurements are base codes for post-coordination with separately encoded lead identifiers. MDC also defines pre-coordinated codes that include both the measurement and the lead, which may be used in the same context as this Context Group; see the ISO/IEEE Standard.

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20080927
UID: 1.2.840.10008.6.1.774

Table CID 3228. ECG Timing Measurements

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:15872	PR interval global	MDC_ECG_TIME_PD_PR
MDC	2:16160	QT interval global	MDC_ECG_TIME_PD_QT
MDC	2:16156	QRS duration global	MDC_ECG_TIME_PD_QRS
MDC	2:16184	P duration global	MDC_ECG_TIME_PD_P
MDC	2:16140	PP interval global	MDC_ECG_TIME_PD_PP
MDC	2:16168	RR interval global	MDC_ECG_TIME_PD_RR
MDC	2:7168	PR interval per lead	MDC_ECG_TIME_PD_PR_<lead>
MDC	2:8192	QT interval per lead	MDC_ECG_TIME_PD_QT_<lead>
MDC	2:7936	QRS duration per lead	MDC_ECG_TIME_PD_QRS_<lead>
MDC	2:6656	P duration per lead	MDC_ECG_TIME_PD_P_<lead>
MDC	2:32768	PP interval per lead	MDC_ECG_TIME_PD_PP_<lead>
MDC	2:33024	RR interval per lead	MDC_ECG_TIME_PD_RR_<lead>

CID 3229 ECG Axis Measurements

This Context Group comprises the ECG axis measurements of ISO/IEEE 11073-10102. The terms included in the table below may not constitute the complete list; see the ISO/IEEE Standard.

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20080927
UID: 1.2.840.10008.6.1.775

Table CID 3229. ECG Axis Measurements

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:16132	QRS axis	MDC_ECG_ANGLE_QRS_FRONT
MDC	2:16128	P Axis	MDC_ECG_ANGLE_P_FRONT
MDC	2:16136	T axis	MDC_ECG_ANGLE_T_FRONT

CID 3230 ECG Findings

Note

MDC Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20080927
UID: 1.2.840.10008.6.1.776

Table CID 3230. ECG Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
SRTSCT	F-000B7 164854000	Normal	164854000 F-000B7	C0522054	MDC_ECG_BEAT_NORMAL
SRTSCT	D3-30A03 284470004	Atrial premature contraction	284470004 D3-30A03	C0033036	MDC_ECG_BEAT_ATR_P_C
SRTSCT	D3-31740 17338001	Ventricular premature contraction	17338001 D3-31740	C0151636	MDC_ECG_BEAT_V_P_C
SRTSCT	D3-31520 49436004	Atrial Fibrillation	49436004 D3-31520	C0004238	MDC_ECG_RHY_ATR_FIB
SRTSCT	D3-31290 6456007	Supraventricular Tachycardia	6456007 D3-31290	C0039240	MDC_ECG_RHY_SV_TACHY
SRTSCT	D3-31710 66657009	Non-sustained ventricular tachycardia	66657009 D3-31710	C0030591	MDC_ECG_RHY_V_TACHY_PAROX
SRTSCT	D3-31700 25569003	Ventricular tachycardia	25569003 D3-31700	C0042514	MDC_ECG_RHY_V_TACHY
SRTSCT	D3-31720 71908006	Ventricular fibrillation	71908006 D3-31720	C0042510	MDC_ECG_RHY_V_FIB
SRTSCT	D3-33000 4554005	Intraventricular conduction disturbance	4554005 D3-33000	C0264909	MDC_ECG_BEAT_BLK_IVCD
SRTSCT	D3-33120 63467002	Left bundle branch block	63467002 D3-33120	C0023211	MDC_ECG_BEAT_LBB_BLK_COMP
SRTSCT	D3-33110 59118001	Right bundle branch block	59118001 D3-33110	C0085615	MDC_ECG_BEAT_RBB_BLK_COMP
SRTSCT	D3-33122 251120003	Incomplete Left bundle branch block	251120003 D3-33122	C0281878	MDC_ECG_BEAT_LBB_BLK_INCOMP
SRTSCT	D3-33112 251124007	Incomplete Right bundle branch block	251124007 D3-33112	C0262525	MDC_ECG_BEAT_RBB_BLK_INCOMP
SRTSCT	D3-33200 74021003	Bifascicular Block	74021003 D3-33200	C0264914	MDC_ECG_BEAT_BLK_BIFASC
SRTSCT	D3-33140 37760005	Left anterior fascicular block	37760005 D3-33140	C0264912	MDC_ECG_BEAT_BLK_ANT_L_HEMI
SRTSCT	D3-33150 62026008	Left posterior fascicular block	62026008 D3-33150	C0264913	MDC_ECG_BEAT_BLK_POS_L_HEMI
SRTSCT	D3-30001 270492004	First degree Atrioventricular block	270492004 D3-30001	C0085614	MDC_ECG_RHY_AV_HEART_BLK_DEG_1
SRTSCT	R-F81AE 195042002	Second degree Atrioventricular block	195042002 R-F81AE	C0264906	MDC_ECG_RHY_AV_HEART_BLK_DEG_2
SRTSCT	D3-32102 27885002	Third degree Atrioventricular block	27885002 D3-32102	C0151517	MDC_ECG_RHY_AV_HEART_BLK_DEG_3
SRTSCT	D3-31351 195060002	Ventricular pre-excitation	195060002 D3-31351	C0559106	MDC_ECG_BEAT_PREX

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
SRTSCT	F-38278 26141007	ST depression	26141007 F-38278	C0520887	
SRTSCT	F-38277 76388001	ST elevation	76388001 F-38277	C0520886	
SRTSCT	F-380B3 428417006	Early repolarization	428417006 F-380B3	C1997354	
SRTSCT	F-38794 428750005	Nonspecific ST-T abnormality	428750005 F-38794	C1997940	
SRTSCT	F-38793 428549008	Secondary ST-T abnormality	428549008 F-38793	C1998291	

CID 3231 ST Segment Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.777

Table CID 3231. ST Segment Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-000C3 164929001	ST Interval Normal	164929001 F-000C3	C0438164
DCM	122750	Non-diagnostic - low heart rate		
DCM	122751	Non-diagnostic - resting ST abnormalities		
DCM	122752	Non-diagnostic - ventricular pacing or LBBB		
SRTSCT	G-A205 260408008	Weakly positive	260408008 G-A205	C0442730
SRTSCT	G-A200 10828004	Positive	10828004 G-A200	C1446409
DCM	122755	Strongly positive		
DCM	122756	Strongly positive - ST elevation		

CID 3232 ST Segment Location

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20091021
 UID: 1.2.840.10008.6.1.778

Table CID 3232. ST Segment Location

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-3260A 284355001	Left ventricle anterior segment	284355001 T-3260A	C0562222
SRTSCT	T-3260C 284357009	Left ventricle inferior segment	284357009 T-3260C	C0562224
SRTSCT	T-3260D 284358004	Left ventricle lateral segment	284358004 T-3260D	C0562225
SRTSCT	T-3260B 284356000	Left ventricle septal segment	284356000 T-3260B	C0562223
SRTSCT	T-32602 128564006	Left ventricle apical segment	128564006 T-32602	C0580781

CID 3233 ST Segment Morphology

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.779

Table CID 3233. ST Segment Morphology

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	122757	ST Depression - Horizontal		
DCM	122758	ST Depression - Upsloping		
DCM	122759	ST Depression - Downsloping		
SRTSCT	F-3827776388001	ST Elevation	76388001F-38277	C0520886
SRTSCT	F-3827826141007	ST Depression	26141007F-38278	C0520887

CID 3234 Ectopic Beat Morphology

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.780

Table CID 3234. Ectopic Beat Morphology

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-3170025569003	Ventricular tachycardia	25569003D3-31700	C0042514
SRTSCT	F-3375011157007	Ventricular bigeminy	11157007F-33750	C0262662
SRTSCT	D3-3174410626002	Multifocal PVCs	10626002D3-31744	C0264903
SRTSCT	D3-3174227337007	Unifocal PVCs	27337007D3-31742	C0264902
SRTSCT	D3-31704251159007	Ventricular tachycardia, polymorphic	251159007D3-31704	C0344432

CID 3235 Perfusion Comparison Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.781

Table CID 3235. Perfusion Comparison Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-4075C260388006	No change	260388006R-4075C	C0442739
SRTSCT	R-215D9428927006	New ischemia	428927006R-215D9	C1997666
SRTSCT	R-215DE429232006	Less ischemia	429232006R-215DE	C1998148
SRTSCT	R-215D5428824000	Resolution of ischemia	428824000R-215D5	C1996952
SRTSCT	R-215E1429477006	More ischemia	429477006R-215E1	C1997854
SRTSCT	R-215E0429391004	New infarction	429391004R-215E0	C1997076

CID 3236 Tolerance Comparison Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080827
 UID: 1.2.840.10008.6.1.782

Table CID 3236. Tolerance Comparison Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-4075G260388006	No change	260388006R-4075C	C0442739
SRTSCT	F-00454102460003	Decreased tolerance	402460003F-00454	C0151955
SRTSCT	F-00453102459008	Increased tolerance	402459008F-00453	C0151956

CID 3237 Wall Motion Comparison Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.783

Table CID 3237. Wall Motion Comparison Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-4075G260388006	No change	260388006R-4075C	C0442739
SRTSCT	R-215DG429058004	New wall motion abnormality	429058004R-215DC	C1997943
SRTSCT	R-215D6428825004	Improvement of wall motion	428825004R-215D6	C1997106

CID 3238 Stress Scoring Scales

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.784

Table CID 3238. Stress Scoring Scales

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-E002304915008	Duke treadmill score	304915008G-E002	C0582804
DCM	122770	Ratio of achieved to predicted maximal oxygen consumption		
DCM	122771	Ratio of achieved to predicted functional capacity		
DCM	122772	Aerobic index		
DCM	122773	ST/HR Index		

CID 3239 Perceived Exertion Scales

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927

UID: 1.2.840.10008.6.1.785

Table CID 3239. Perceived Exertion Scales

Coding Scheme Designator	Code Value	Code Meaning
DCM	122734	Borg RPE Scale
DCM	122735	Borg CR10 Scale

CID 3240 Electrophysiology Measurement Functions and Techniques

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20020904

UID: 1.2.840.10008.6.1.53

Table CID 3240. Electrophysiology Measurement Functions and Techniques

Coding Scheme Designator	Code Value	Code Meaning
DCM	109006	Differential signal
DCM	109007	His bundle electrogram
DCM	109008	Monopole signal
DCM	109009	Pacing (electrical) stimulus, voltage
DCM	109010	Radio frequency ablation, power
DCM	109011	Voltage measurement by basket catheter
DCM	109012	Voltage measurement by mapping catheter
DCM	109013	Voltage measurement

CID 3241 Hemodynamic Measurement Techniques

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.54

Table CID 3241. Hemodynamic Measurement Techniques

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRT SCT	PA-50038 128580001	Averaged hemodynamic measurement method	128580001 PA-50038	C1266842
SRT SCT	PA-50035 128577002	Composite hemodynamic measurement method	128577002 PA-50035	C1266839
SRT SCT	PA-50034 128576006	Computed hemodynamic measurement method	128576006 PA-50034	C1266838
SRT SCT	PA-5003B 133910006	Conductance catheter method	133910006 PA-5003B	C1297901
SRT SCT	PA-5003C 133911005	Doppler catheter method	133911005 PA-5003C	C1297902
SRT SCT	PA-50031 128573003	Dual catheter method	128573003 PA-50031	C1266836
SRT SCT	PA-50039 128581002	Fluid filled catheter method	128581002 PA-50039	C1266843
SRT SCT	PA-5003D 133912003	Fiberoptic catheter method	133912003 PA-5003D	C1297903
SRT SCT	PA-5003E 133913008	Hall catheter method	133913008 PA-5003E	C1297904
SRT SCT	PA-50033 128575005	Pullback method	128575005 PA-50033	C1276411

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	G-DB26128448001	Pulmonary capillary wedge method	128448001G-DB26	C1264741
SRTSCT	PA-50036128578007	Static catheter method	128578007PA-50036	C1266840
SRTSCT	PA-5003F133914002	Thermistor catheter method	133914002PA-5003F	C1297905
SRTSCT	PA-5003A128582009	Tip manometer method	128582009PA-5003A	C1266844
SRTSCT	PA-50037128579004	Wedge method	128579004PA-50037	C1266841

CID 3250 Catheterization Procedure Phase

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.55

Table CID 3250. Catheterization Procedure Phase

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	G-7299128961006	Cardiac catheterization bailout phase	128961006G-7299	C1292438
SRTSCT	G-7293128955008	Cardiac catheterization baseline phase	128955008G-7293	C1292432
SRTSCT	G-7294128956009	Cardiac catheterization image acquisition phase	128956009G-7294	C1292433
SRTSCT	G-7295128957000	Cardiac catheterization intervention phase	128957000G-7295	C1292434
SRTSCT	G-729B129083002	Cardiac catheterization post contrast phase	129083002G-729B	C1292440
SRTSCT	G-7298128960007	Cardiac catheterization post-intervention phase	128960007G-7298	C1292437
SRTSCT	G-7296128958005	Cardiac catheterization pre-intervention phase	128958005G-7296	C1292435
SRTSCT	R-002E4373105002	Cardiac catheterization test/challenge phase	373105002R-002E4	C1300063
SRTSCT	G-7297128959002	Cardiac catheterization therapy phase	128959002G-7297	C1292436
SRTSCT	P1-3160A128952006	Catheterization of both left and right heart with graft	128952006P1-3160A	C1293383
SRTSCT	P1-3160B128953001	Catheterization of both left and right heart without graft	128953001P1-3160B	C1293384
SRTSCT	P1-3160467629009	Catheterization of left heart	67629009P1-31604	C0189897
SRTSCT	P1-3160240403005	Catheterization of right heart	40403005P1-31602	C0189896
SRTSCT	P1-3161267338003	Transseptal catheterization	67338003P1-31612	C0189901
SRTSCT	P2-71317133882006	Drug Infusion Challenge	133882006P2-71317	C1297891
SRTSCT	P2-71310128967005	Exercise challenge	128967005P2-71310	C1293901
SRTSCT	F-01604128975004	Resting State	128975004F-01604	C0679218

CID 3254 Electrophysiology Procedure Phase

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.56

Table CID 3254. Electrophysiology Procedure Phase

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-729D 129087001	Atrial Effective Refractory Period, evaluation of	129087001 G-729D	C0428938
SRTSCT	G-7304 129090007	Carotid Sinus Massage procedure phase	129090007 G-7304	C1292445
SRTSCT	G-7406 129092004	Electrophysiology Mapping phase	129092004 G-7406	C1292447
SRTSCT	G-729A 129082007	Electrophysiology procedure baseline phase	129082007 G-729A	C1292439
SRTSCT	G-7408 129093009	Post-ablation phase	129093009 G-7408	C1292448
SRTSCT	G-7305 129091006	Post-defibrillation procedure phase	129091006 G-7305	C1292446
SRTSCT	G-729F 129089003	Radiofrequency Ablation procedure phase	129089003 G-729F	C1292442
SRTSCT	G-729C 129086005	Sinus Node Recovery Time, evaluation of	129086005 G-729C	C1292441
SRTSCT	G-729E 129088006	Ventricular Effective Refractory Period, evaluation of	129088006 G-729E	C0428940

CID 3261 Stress Protocols

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20081027
 UID: 1.2.840.10008.6.1.57

Table CID 3261. Stress Protocols

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P2-7131C 129097005	Balke protocol	129097005 P2-7131C	C0442712
SRTSCT	P2-7131A 129095002	Bruce protocol	129095002 P2-7131A	C0442713
SRTSCT	P2-7131D 129098000	Ellestad protocol	129098000 P2-7131D	C1276407
SRTSCT	P2-7131B 129096001	Modified Bruce protocol	129096001 P2-7131B	C0442714
SRTSCT	P2-713A1 129102008	Modified Naughton protocol	129102008 P2-713A1	C1293907
SRTSCT	P2-713A0 129101001	Naughton protocol	129101001 P2-713A0	C0442715
SRTSCT	P2-7131F 129100000	Pepper protocol	129100000 P2-7131F	C1276409
SRTSCT	P2-7131E 129099008	Ramp protocol	129099008 P2-7131E	C1276408
SRTSCT	P2-31010 46136006	Exercise stress ECG test	46136006 P2-31010	C1304755
SRTSCT	P2-31102 26046004	Stress test using Bicycle Ergometer	26046004 P2-31102	C0430459
SRTSCT	P2-31107 424064009	Pharmacologic Stress protocol	424064009 P2-31107	C1827946

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	P2-3110A 422685009	Dipyridamole Stress protocol	422685009 P2-3110A	C1827789
SRT SCT	P2-31109 424444005	Adenosine Stress protocol	424444005 P2-31109	C1827363
SRT SCT	P2-31108 424225000	Dobutamine Stress protocol	424225000 P2-31108	C1828348
SRT SCT	P2-31011 428813002	Pharmacologic and exercise stress test	428813002 P2-31011	C1998158
SRT SCT	P2-3110B 428685003	Stress test using cardiac pacing	428685003 P2-3110B	C1997441

CID 3262 ECG Patient State Values

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.58

Table CID 3262. ECG Patient State Values

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	F-01602 128974000	Baseline state	128974000 F-01602	C1290922
SRT SCT	F-01606 128976003	Exercise state	128976003 F-01606	C1290923
SRT SCT	F-01608 128977007	Post-exercise state	128977007 F-01608	C1290924
SRT SCT	F-01604 128975004	Resting state	128975004 F-01604	C0679218
SRT SCT	F-10340 40199007	Supine body position	40199007 F-10340	C0038846

CID 3263 Electrode Placement Values

This Context Group comprises the ECG lead placement system identifiers of ISO/IEEE 11073-10102. The terms included in the table below may not constitute the complete list; see the ISO/IEEE Standard.

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.59

Table CID 3263. Electrode Placement Values

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:11264	Unspecified 12-lead system	MDC_ECG_LDSYS_12LD_UNSPECIFIED
MDC	10:11265	Standard 12-lead positions, electrodes placed individually	MDC_ECG_LDSYS_12LD_STD
MDC	10:11266	Mason-Likar lead positions, electrodes placed individually	MDC_ECG_LDSYS_12LD_MASON_LIKAR
MDC	10:11267	Mason-Likar lead positions, V1-V6 in electrode pad	MDC_ECG_LDSYS_12LD_VPAD

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:11268	12-lead electrode pad	MDC_ECG_LDSYS_12LD_PAD
MDC	10:11269	12-lead derived from Frank XYZ leads	MDC_ECG_LDSYS_12LD_FROM_FRANK
MDC	10:11270	12-lead derived from non-standard leads	MDC_ECG_LDSYS_12LD_NON_STANDARD
MDC	10:11271	12-lead for bicycle exercise testing, limb leads on back of patient	MDC_ECG_LDSYS_12LD_BICYCLE
MDC	10:11272	Standard 12-lead positions one intercostal space higher	MDC_ECG_LDSYS_12LD_RAISED_INTERCOSTAL
MDC	10:11273	Unspecified XYZ lead system	MDC_ECG_LDSYS_XYZ_UNSPECIFIED
MDC	10:11274	Frank XYZ lead system	MDC_ECG_LDSYS_XYZ_FRANK
MDC	10:11275	McFee-Parungao XYZ lead system	MDC_ECG_LDSYS_XYZ_MCFEE_PARUNAGO
MDC	10:11276	Cube XYZ lead system	MDC_ECG_LDSYS_XYZ_CUBE
MDC	10:11277	Bipolar uncorrected XYZ lead system	MDC_ECG_LDSYS_XYZ_BIPOLAR
MDC	10:11278	Pseudo-orthogonal XYZ lead system	MDC_ECG_LDSYS_XYZ_PSEUDO_ORTH
MDC	10:11279	XYZ leads derived from standard 12-lead	MDC_ECG_LDSYS_XYZ_FROM_12LD
MDC	10:11280	NEHB lead system	MDC_ECG_LDSYS_3LD_NEHB
MDC	10:11281	3-lead system, CC5-CM5-ML	MDC_ECG_LDSYS_3LD_CC5_CM5_ML
MDC	10:11282	3-lead system, CC5-CM5-CH5	MDC_ECG_LDSYS_3LD_CM5_CC5_CH5
MDC	10:11283	12-lead from Frank leads XYZ leads by Dower transformation	MDC_ECG_LDSYS_12LD_FROM_DOWER
MDC	10:11284	12-lead from EASI leads (ES, AS, AI) by Dower/EASI transformation	MDC_ECG_LDSYS_12LD_FROM_EASI
MDC	10:11285	12-lead from Limb Leads (I, II) and one or more V leads	MDC_ECG_LDSYS_12LD_FROM_LIMB
MDC	10:11286	Standard 12-lead and XYZ	MDC_ECG_LDSYS_12LD_STD_AND_XYZ
MDC	10:11287	Standard 12-lead and NEHB	MDC_ECG_LDSYS_12LD_STD_AND_NEHB
MDC	10:11288	Standard 12-lead and CC5-CM5-ML	MDC_ECG_LDSYS_12LD_STD_AND_CC5_CM5_ML
MDC	10:11289	Standard 12-lead and CM5-CC5-CH5	MDC_ECG_LDSYS_12LD_STD_AND_CM5_CC5_CH5
MDC	10:11290	Standard 12-lead with extra leads to the right and/or left sides	MDC_ECG_LDSYS_12LD_STD_EXTD
MDC	10:11291	Standard 12-lead extended to the right by V5R, V4R, V3R	MDC_ECG_LDSYS_12LD_STD_EXTD_RIGHT
MDC	10:11292	Standard 12-lead extended to the left by V7, V8, V9	MDC_ECG_LDSYS_12LD_STD_EXTD_LEFT

Note

A prior version of this context group used codes from the SCP-ECG vocabulary.

CID 3264 XYZ Electrode Placement Values (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3271 Hemodynamic Physiological Challenges

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible
Version: 20100625
UID: 1.2.840.10008.6.1.61

Table CID 3271. Hemodynamic Physiological Challenges

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	P2-71317133882006	Drug infusion	133882006P2-71317	C1297891
SRTSCT	P2-71310128967005	Exercise challenge	128967005P2-71310	C1293901
SRTSCT	P2-71306128965002	Handgrip	128965002P2-71306	C1293900
SRTSCT	P2-71302128963009	Head up	128963009P2-71302	C1293898
SRTSCT	P2-71314128969008	Held inspiration	128969008P2-71314	C1293904
SRTSCT	P2-71316128970009	Held ventilation	128970009P2-71316	C1293905
SRTSCT	P2-71304128964003	Leg up	128964003P2-71304	C1293899
SRTSCT	P2-71308128966001	Negative lower body pressure	128966001P2-71308	C0024047
SRTSCT	P2-3500018590009	Pacing	18590009P2-35000	C0199640
SRTSCT	P2-71318128971008	Post volume challenge	128971008P2-71318	C1293906
SRTSCT	P2-71312128968000	Vagal stimulation	128968000P2-71312	C1293903
SRTSCT	R-40928261039008	Valsalva maneuver	261039008R-40928	C0042293

CID 3335 ECG Annotations

This Context Group comprises the nomenclature of ISO/IEEE 11073-10102, limited to the hierarchies under Reference IDs MDC_ECG_WAVEC, MDC_ECG_WAVEP, MDC_ECG_BEAT, and MDC_ECG_NOISE.

The base terms from those hierarchies are included in the table below for reference. Note that these base terms are pre-coordinated with a variety of concept discriminators, and the code values for those pre-coordinated terms are arithmetically derived from the code values of the base terms. For the complete current list of terms and discriminator values, see the ISO/IEEE Standard. All pre-coordinated terms (annotation plus discriminators) within the identified hierarchies are part of this Context Group.

Note

1. This Context Group is used in the Concept Name Code Sequence of the Waveform Annotation Sequence (0040,B020). See PS3.3.
2. A prior version of this context group used codes from the SCP-ECG coding system.
3. Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20130613
UID: 1.2.840.10008.6.1.62

Table CID 3335. ECG Annotations

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:256	P wave	MDC_ECG_WAVC_PWAVE
MDC	10:320	P' wave (second deflection in P wave)	MDC_ECG_WAVC_PPWAVE
MDC	10:384	P" wave (third deflection in P wave)	MDC_ECG_WAVC_PPPWAVE

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:448	Q wave	MDC_ECG_WAVC_QWAVE
MDC	10:512	QS wave	MDC_ECG_WAVC_QSWAVE
MDC	10:576	R wave	MDC_ECG_WAVC_RWAVE
MDC	10:640	R' wave (second deflection in R Wave)	MDC_ECG_WAVC_RRWAVE
MDC	10:704	R" wave (third deflection in R Wave)	MDC_ECG_WAVC_RRRWAVE
MDC	10:768	Notch	MDC_ECG_WAVC_NOTCH
MDC	10:832	S wave	MDC_ECG_WAVC_SWAVE
MDC	10:896	S' wave (second deflection in S Wave)	MDC_ECG_WAVC_SSWAVE
MDC	10:960	S" wave (third deflection in S Wave)	MDC_ECG_WAVC_SSSWAVE
MDC	10:1024	T wave	MDC_ECG_WAVC_TWAVE
MDC	10:1088	T' wave (second deflection in T Wave)	MDC_ECG_WAVC_TTWAVE
MDC	10:1152	U wave	MDC_ECG_WAVC_UWAVE
MDC	10:1216	Delta wave	MDC_ECG_WAVC_DELTA
MDC	10:1280	Isoelectric region from global QRS onset to specific lead onset	MDC_ECG_WAVC_IWAVE
MDC	10:1344	Isoelectric region from specific lead QRS Offset to global offset	MDC_ECG_WAVC_KWAVE
MDC	10:1408	Osborne wave	MDC_ECG_WAVC_JWAVE
MDC	10:1472	Entire Beat (Pon to Toff, excluding U)	MDC_ECG_WAVC_PQRSTWAVE
MDC	10:1536	Entire Beat (Qon to Toff, excluding P and U)	MDC_ECG_WAVC_QRSTWAVE
MDC	10:1600	Entire QRS (excluding P, T and U)	MDC_ECG_WAVC_QRSWAVE
MDC	10:1664	TU fused wave	MDC_ECG_WAVC_TUWAVE
MDC	10:1728	Ventricular flutter wave	MDC_ECG_WAVC_VFLWAVE
MDC	10:1792	Atrial flutter wave	MDC_ECG_WAVC_AFLWAVE
MDC	10:1856	Isoelectric point or segment	MDC_ECG_WAVC_ISO
MDC	10:1920	PR Segment	MDC_ECG_WAVC_PRSEG
MDC	10:1984	ST Segment	MDC_ECG_WAVC_STSEG
MDC	10:2048	J-point	MDC_ECG_WAVC_STJ
MDC	10:2112	ST measurement point	MDC_ECG_WAVC_STM
MDC	10:2176	Isolated QRS-like artifact	MDC_ECG_WAVC_ARFCT
MDC	10:2240	Calibration pulse (individual pulse)	MDC_ECG_WAVC_CALP
MDC	10:2304	ST change	MDC_ECG_WAVC_STCH
MDC	10:2368	T-wave change	MDC_ECG_WAVC_TCH
MDC	10:2432	Ventricular Activation Time	MDC_ECG_WAVC_VAT
MDC	10:4096	Antibradycardia pace spike	MDC_ECG_WAVP_PACE
MDC	10:4352	atrium Antibradycardia pace spike	MDC_ECG_WAVP_PACE_ATR
MDC	10:4608	right atrium Antibradycardia pace spike	MDC_ECG_WAVP_PACE_ATR_R
MDC	10:4864	left atrium Antibradycardia pace spike	MDC_ECG_WAVP_PACE_ATR_L
MDC	10:5120	ventricular Antibradycardia pace spike	MDC_ECG_WAVP_PACE_V
MDC	10:5376	right ventricle Antibradycardia pace spike	MDC_ECG_WAVP_PACE_V_R
MDC	10:5632	left ventricle Antibradycardia pace spike	MDC_ECG_WAVP_PACE_V_L

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:5888	transthoracic Antibradycardia pace spike	MDC_ECG_WAVP_PACE_EXT
MDC	10:6144	Antitachycardia pace spike	MDC_ECG_WAVP_ATPACE
MDC	10:6400	atrium Antitachycardia pace spike	MDC_ECG_WAVP_ATPACE_ATR
MDC	10:6656	ventricle Antitachycardia pace spike	MDC_ECG_WAVP_ATPACE_V
MDC	10:6912	transthoracic Antitachycardia pace spike	MDC_ECG_WAVP_ATPACE_EXT
MDC	10:7168	Cardioversion spike	MDC_ECG_WAVP_CDVS
MDC	10:7424	atrium Cardioversion spike	MDC_ECG_WAVP_CDVS_ATR
MDC	10:7680	ventricle Cardioversion spike	MDC_ECG_WAVP_CDVS_V
MDC	10:7936	transthoracic Cardioversion spike	MDC_ECG_WAVP_CDVS_EXT
MDC	10:8192	Defibrillation spike	MDC_ECG_WAVP_DEFIB
MDC	10:8448	atrium Defibrillation spike	MDC_ECG_WAVP_DEFIB_ATR
MDC	10:8704	ventricle Defibrillation spike	MDC_ECG_WAVP_DEFIB_V
MDC	10:8960	transthoracic Defibrillation spike	MDC_ECG_WAVP_DEFIB_EXT
MDC	10:8192	Heart beat	MDC_ECG_BEAT
MDC	10:8208	Normal beat (sinus beat, normal conduction)	MDC_ECG_BEAT_NORMAL
MDC	10:8224	Abnormal beat	MDC_ECG_BEAT_ABNORMAL
MDC	10:8240	Dominant beat	MDC_ECG_BEAT_DOMINANT
MDC	10:8256	Supraventricular premature contraction	MDC_ECG_BEAT_SV_P_C
MDC	10:8272	Atrial premature contraction (beat)	MDC_ECG_BEAT_ATR_P_C
MDC	10:8288	Junctional (nodal) premature contraction	MDC_ECG_BEAT_JUNC_P_C
MDC	10:8304	Aberrated atrial premature beat (Ashman beat)	MDC_ECG_BEAT_ATR_P_C_ABERR
MDC	10:8320	Non-conducted p-wave (blocked)	MDC_ECG_BEAT_ATR_PWAVE_BLK
MDC	10:8336	Ventricular premature contraction beat	MDC_ECG_BEAT_V_P_C
MDC	10:8352	Fusion of ventricular and normal beat	MDC_ECG_BEAT_V_P_C_FUSION
MDC	10:8368	R-on-T premature ventricular beat	MDC_ECG_BEAT_V_P_C_RonT
MDC	10:8384	Supraventricular escape beat	MDC_ECG_BEAT_SV_ESC
MDC	10:8400	Atrial escape beat	MDC_ECG_BEAT_ATR_ESC
MDC	10:8416	Junctional (nodal) escape beat	MDC_ECG_BEAT_JUNC_ESC
MDC	10:8432	Ventricular escape beat	MDC_ECG_BEAT_V_ESC
MDC	10:8448	Bundle branch block beat	MDC_ECG_BEAT_BB_BLK
MDC	10:8464	Left bundle branch block beat	MDC_ECG_BEAT_LBB_BLK_COMP
MDC	10:8480	Incomplete left bundle branch block beat	MDC_ECG_BEAT_LBB_BLK_INCOMP
MDC	10:8496	Right bundle branch block beat	MDC_ECG_BEAT_RBB_BLK_COMP
MDC	10:8512	Incomplete right bundle branch block beat	MDC_ECG_BEAT_RBB_BLK_INCOMP
MDC	10:8528	Left anterior fascicular block beat	MDC_ECG_BEAT_BLK_ANT_L_HEMI
MDC	10:8544	Left posterior fascicular block beat	MDC_ECG_BEAT_BLK_POS_L_HEMI
MDC	10:8560	bifascicular block beat	MDC_ECG_BEAT_BLK_BIFASC
MDC	10:8576	trifascicular block beat	MDC_ECG_BEAT_BLK_TRIFASC
MDC	10:8592	bilateral bundle-branch block beat	MDC_ECG_BEAT_BLK_BILAT

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:8608	intraventricular conduction disturbance	MDC_ECG_BEAT_BLK_IVCD
MDC	10:8624	pre-excitation	MDC_ECG_BEAT_PREX
MDC	10:8640	Wolf-Parkinson-White syndrome	MDC_ECG_BEAT_WPW_UNK
MDC	10:8656	Wolf-Parkinson type A	MDC_ECG_BEAT_WPW_A
MDC	10:8672	Wolf-Parkinson type B	MDC_ECG_BEAT_WPW_B
MDC	10:8688	Lown-Ganong-Levine syndrome	MDC_ECG_BEAT_LGL
MDC	10:8704	Paced beat	MDC_ECG_BEAT_PACED
MDC	10:8720	Pacemaker Fusion beat	MDC_ECG_BEAT_PACED_FUS
MDC	10:8736	Unclassifiable beat	MDC_ECG_BEAT_UNKNOWN
MDC	10:8752	Pacemaker Learning beat	MDC_ECG_BEAT_LEARN
MDC	10:11200	No Noise	MDC_ECG_NOISE_CLEAN
MDC	10:11216	Moderate Noise, beats can be detected but cannot be classified	MDC_ECG_NOISE_MODERATE
MDC	10:11232	Severe Noise, beats cannot be detected or classified	MDC_ECG_NOISE_SEVERE
MDC	10:11248	No ECG signal is available	MDC_ECG_NOISE_NOSIGNAL

Note

In a prior version of this table, the code 10:608 was specified for the concept R wave.

CID 3337 Hemodynamic Annotations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.63

Table CID 3337. Hemodynamic Annotations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
DCM	109014	35% of thermal/dye dilution CO		
DCM	109015	70% of thermal/dye dilution CO		
DCM	109016	A wave peak pressure		
DCM	109017	A wave pressure, average		
DCM	109018	Beat detected (accepted)		
DCM	109019	Beat detected (rejected)		
SRTSCT	F-00E22314453003	Average diastolic blood pressure	314453003F-00E22	C1282163
SRTSCT	F-00E1F314451001	Minimum diastolic blood pressure	314451001F-00E1F	C1282161
SRTSCT	R-FAB5G416190007	End diastole	416190007R-FAB5G	C1562146
DCM	109023	End of expiration		
DCM	109024	End of inspiration		
DCM	109070	End of systole		
DCM	109071	Indicator mean transit time		
DCM	109025	Max dp/dt		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT ConceptRT ID	UMLS Concept Unique ID
DCM	109026	Max neg dp/dt		
SRTSCT	F-311506797001	Mean blood pressure	6797001F-31150	C0428886
DCM	109028	Peak of thermal cardiac output bolus		
DCM	109029	Start of expiration		
DCM	109030	Start of inspiration		
DCM	109031	Start of thermal CO		
SRTSCT	F-00E14314440001	Average systolic blood pressure	314440001F-00E14	C1282151
SRTSCT	F-00E14314439003	Maximum systolic blood pressure	314439003F-00E11	C1282150
DCM	109072	Tau		
DCM	109073	V max myocardial		
DCM	109034	V wave peak pressure		
DCM	109035	V wave pressure, average		
DCM	109036	Valve close		
DCM	109037	Valve open		

CID 3339 Electrophysiology Annotations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.64

Table CID 3339. Electrophysiology Annotations

Coding Scheme Designator	Code Value	Code Meaning
DCM	109038	Ablation off
DCM	109039	Ablation on
DCM	109040	HIS bundle wave
DCM	109041	P wave
DCM	109042	Q wave
DCM	109043	R wave
DCM	109044	S wave
DCM	109045	Start of atrial contraction
DCM	109046	Start of atrial contraction (subsequent)
DCM	109047	Stimulation at rate 1 interval
DCM	109048	Stimulation at rate 2 interval
DCM	109049	Stimulation at rate 3 interval
DCM	109050	Stimulation at rate 4 interval
DCM	109051	T wave
DCM	109052	V wave
DCM	109053	V wave of next beat

CID 3400 Procedure Log Titles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.65

Table CID 3400. Procedure Log Titles

Coding Scheme Designator	Code Value	Code Meaning
DCM	121120	Cath Lab Procedure Log

CID 3401 Types of Log Notes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.66

Table CID 3401. Types of Log Notes

Coding Scheme Designator	Code Value	Code Meaning
DCM	121171	Tech Note
DCM	121172	Nursing Note
DCM	121173	Physician Note
DCM	121174	Procedure Note
DCM	121123	Patient Status or Event

CID 3402 Patient Status and Events

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20090615
UID: 1.2.840.10008.6.1.67

Table CID 3402. Patient Status and Events

Coding Scheme Designator	Code Value	Code Meaning
DCM	122001	Patient called to procedure room
DCM	122002	Patient admitted to procedure room
DCM	122003	Patient given pre-procedure instruction
DCM	122004	Patient informed consent given
DCM	122005	Patient advance directive given
DCM	122006	Nil Per Os (NPO) status confirmed
DCM	122007	Patient assisted to table
DCM	122008	Patient prepped and draped
DCM	122009	Patient connected to continuous monitoring
DCM	122010	Patient transferred to holding area
DCM	122011	Patient transferred to surgery
DCM	122012	Patient transferred to CCU
DCM	122020	Patient disoriented
DCM	122021	Patient reports nausea
DCM	122022	Patient reports discomfort
DCM	122023	Patient reports chest pain

Coding Scheme Designator	Code Value	Code Meaning
DCM	122024	Patient reports no pain
DCM	122025	Patient alert
DCM	122026	Patient restless
DCM	122027	Patient sedated
DCM	122028	Patient asleep
DCM	122029	Patient unresponsive
DCM	122030	Patient has respiratory difficulty
DCM	122031	Patient coughed
DCM	122032	Patient disconnected from continuous monitoring
DCM	122033	Hemostasis achieved
DCM	122034	Hemostasis not achieved - oozing
DCM	122035	Hemostasis not achieved - actively bleeding
DCM	122036	Patient given post-procedure instruction
DCM	122038	Patient pronounced dead
DCM	122039	Patient transferred to morgue
DCM	122037	Patient discharged from department

CID 3403 Percutaneous Entry

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.68

Table CID 3403. Percutaneous Entry

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 3746 "Percutaneous Entry Site"</i>		
<i>Include CID 3747 "Percutaneous Closure"</i>		

CID 3404 Staff Actions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.69

Table CID 3404. Staff Actions

Coding Scheme Designator	Code Value	Code Meaning
DCM	122041	Personnel Arrived
DCM	122042	Personnel Departed
DCM	122043	Page Sent To
DCM	122044	Consultation With
DCM	122045	Office called

CID 3405 Procedure Action Values

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.70

Table CID 3405. Procedure Action Values

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	P4-303506832004	Atherectomy	6832004P1-30350	C0162513
SRTSCT	P4-3035165659003	Atherectomy by rotary cutter	65659003P1-30351	C0162655
SRTSCT	P4-3035276611008	Atherectomy by laser	76611008P1-30352	C0521229
SRTSCT	P4-3053057238002	Selective embolization of artery	57238002P1-30530	C0189632
SRTSCT	P5-3150068457009	Percutaneous transluminal balloon angioplasty	68457009P5-31500	C0411287
SRTSCT	P5-3901016736007	Transcatheter therapy for embolization	16736007P5-39010	C0203006
SRTSCT	P5-3905037630009	Percutaneous retrieval of intravascular foreign body	37630009P5-39050	C0203013
SRTSCT	P4-05550103716009	Stent placement	103716009P1-05550	C0522776
SRTSCT	P5-39015105372003	Transcatheter deployment of detachable balloon	105372003P5-39015	C0524313
SRTSCT	P5-39191105373008	Percutaneous insertion of intravascular filter	105373008P5-39191	C0524314
Include CID 3250 "Catheterization Procedure Phase"				
Include CID 3406 "Non-coronary Transcatheter Interventions"				
Include CID 3428 "Imaging Procedures"				

CID 3406 Non-coronary Transcatheter Interventions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.71

Table CID 3406. Non-coronary Transcatheter Interventions

Coding Scheme Designator	Code Value	Code Meaning
DCM	122053	Valvular Intervention
DCM	122054	Aortic Intervention
DCM	122055	Septal Defect Intervention
DCM	122056	Vascular Intervention
DCM	122057	Myocardial biopsy

CID 3407 Purpose of Reference to Object

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.72

Table CID 3407. Purpose of Reference to Object

Coding Scheme Designator	Code Value	Code Meaning
DCM	122072	Pre-procedure log
DCM	122073	Analysis or measurements for current procedure
DCM	122075	Prior report for current patient

CID 3408 Actions With Consumables

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.73

Table CID 3408. Actions With Consumables

Coding Scheme Designator	Code Value	Code Meaning
DCM	122076	Consumable taken from inventory
DCM	122077	Consumable returned to inventory
DCM	122078	Remaining consumable disposed
DCM	122079	Consumable unusable

CID 3409 Administration of Drugs/Contrast

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.74

Table CID 3409. Administration of Drugs/Contrast

Coding Scheme Designator	Code Value	Code Meaning
DCM	122081	Drug start
DCM	122082	Drug end
DCM	122083	Drug administered
DCM	122084	Contrast start
DCM	122085	Contrast end
DCM	122086	Contrast administered
DCM	122087	Infusate start
DCM	122088	Infusate end

CID 3410 Numeric Parameters of Drugs/Contrast

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20070124
UID: 1.2.840.10008.6.1.75

Table CID 3410. Numeric Parameters of Drugs/Contrast

Coding Scheme Designator	Code Value	Code Meaning
DCM	122091	Volume administered
DCM	122092	Undiluted dose administered

Coding Scheme Designator	Code Value	Code Meaning
DCM	122093	Concentration
DCM	122094	Rate of administration
DCM	122095	Duration of administration
DCM	122096	Volume unadministered or discarded
DCM	121382	Quantity administered
DCM	121383	Mass administered

CID 3411 Intracoronary Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110609
UID: 1.2.840.10008.6.1.76

Table CID 3411. Intracoronary Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	NCDR Equivalent	Trade Name (Informative)
SRTSCT	A-26912102319006	Percutaneous Transluminal Angioplasty Balloon	102319006A-26912	C0522648	113-1	
SRTSCT	R-002F0371794009	Cutting Balloon Angioplasty (CBA) Device	371794009R-002F0	C1269809	113-2	
SRTSCT	A-2550065818007	Stent	65818007A-25500	C0038257	113-3	
SRTSCT	R-002FD371796006	Directional Coronary Atherectomy (DCA) Device	371796006R-002FD	C1269811	113-4	
SRTSCT	A-25610102313007	Rotational Atherectomy Device	102313007A-25610	C0522643	113-5	Rotablator™
SRTSCT	R-0036F371797002	Saline Thrombectomy	371797002R-0036F	C1299427	113-6	AngioJet™
SRTSCT	A-2692021870002	Transluminal Extraction Catheter (TEC)	21870002A-26920	C0521199	113-7	
SRTSCT	A-8108038586004	Laser	38586004A-81080	C0458142	113-8	
SRTSCT	R-00312371795005	Intravascular Ultrasound (IVUS) Device	371795005R-00312	C1269810	113-9	
SRTSCT	R-00310371788001	Intracoronary Doppler guide wire	371788001R-00310	C1269808	113-10	Flowire™
SRTSCT	R-00311371789009	Intracoronary pressure guide wire	371789009R-00311	C1299422	113-11	
SRTSCT	A-040ED228748004	Brachytherapy Device	228748004A-040ED	C0454156		
SRTSCT	R-00361371791001	Radiofrequency Ablation Device	371791001R-00361	C1299424		
SRTSCT	A-00D87445282004	Intravascular Optical Coherence Tomography Device	445282004A-00D87	C2919367		
SRTSCT	A-00927272224001	Guide Wire	272224001A-00927	C0181089		
SRTSCT	A-26802102317008	Guiding Catheter	102317008A-26802	C0221799		

CID 3412 Intervention Actions and Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.77

Table CID 3412. Intervention Actions and Status

Coding Scheme Designator	Code Value	Code Meaning
DCM	122301	Guidewire crossing lesion unsuccessful
DCM	122302	Guidewire crossing lesion successful
DCM	122303	Angioplasty balloon inflated
DCM	122304	Angioplasty balloon deflated
DCM	122305	Device deployed
DCM	122306	Stent re-expanded
DCM	122307	Object removed
DCM	122308	Radiation applied
DCM	122309	Radiation removed
DCM	122310	Interventional device placement unsuccessful
DCM	122311	Interventional device placed
DCM	122312	Intervention performed
DCM	122313	Interventional device withdrawn

CID 3413 Adverse Outcomes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.78

Table CID 3413. Adverse Outcomes

Coding Scheme Designator	Code Value	Code Meaning
DCM	122167	Death During Catheterization
Include CID 3754 "Vascular Complications"		
Include CID 3755 "Cath Complications"		

CID 3414 Procedure Urgency

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.79

Table CID 3414. Procedure Urgency

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	NCDR Equivalents
SRTSCT	G-D210103390000	Elective Procedure	103390000G-D210	C0439608	21-1, 78-1, 92-1
SRTSCT	G-D216103391001	Urgent Procedure	103391001G-D216	C0439609	21-2, 78-2, 92-2
SRTSCT	G-D20925876001	Emergent Procedure	25876001G-D209	C0175673	21-3, 78-3, 92-3

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	NCDR Equivalents
SRTSCT	R-41C8D257950002	Salvage Procedure	257950002R-41C8D	C0442967	21-4, 78-4, 92-4

CID 3415 Cardiac Rhythms

This Context Group comprises the ECG rhythm annotations of ISO/IEEE 11073-10102. The terms included in the table below may not constitute the complete list; see the ISO/IEEE Standard.

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.80

Table CID 3415. Cardiac Rhythms

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:9216	Sinus Rhythm	MDC_ECG_RHY_SINUS_RHY
MDC	10:9232	Normal Sinus Rhythm	MDC_ECG_RHY_SINUS_NORMAL_RHY
MDC	10:9248	Sinus Bradycardia	MDC_ECG_RHY_SINUS_BRADY
MDC	10:9264	Sinus Tachycardia	MDC_ECG_RHY_SINUS_TACHY
MDC	10:9280	Sinus Arrhythmia	MDC_ECG_RHY_SINUS_ARRHY
MDC	10:9296	Respiratory Sinus Arrhythmia	MDC_ECG_RHY_RESP_ARRHY
MDC	10:9312	Non-Respiratory Sinus Arrhythmia	MDC_ECG_RHY_NON_RESP_ARRHY
MDC	10:9328	Wandering Sinus Pacemaker within the sinus node	MDC_ECG_RHY_WANDP_ARRHY
MDC	10:9344	Wandering Pacemaker between the sinus node and the A-V node	MDC_ECG_RHY_WANDPAV_ARRHY
MDC	10:9360	Atrial Ectopic Rhythm	MDC_ECG_RHY_ATR_ECT_RHY
MDC	10:9376	Atrial Bigeminy	MDC_ECG_RHY_ATR_BIGEM
MDC	10:9392	Atrial Tachycardia	MDC_ECG_RHY_ATR_TACHY
MDC	10:9408	Paroxysmal Atrial Tachycardia	MDC_ECG_RHY_ATR_TACHY_PAROX
MDC	10:9424	Multifocal Atrial Tachycardia	MDC_ECG_RHY_ATR_TACHY_MF
MDC	10:9440	Automatic Atrial Tachycardia	MDC_ECG_RHY_ATR_TACHY_AUTO
MDC	10:9456	Atrial flutter	MDC_ECG_RHY_ATR_FLUT
MDC	10:9472	Atrial fibrillation	MDC_ECG_RHY_ATR_FIB
MDC	10:9488	Supraventricular (atrial or junctional) Ectopic Rhythm	MDC_ECG_RHY_SV_ECT_RHY
MDC	10:9504	Supraventricular Tachycardia (atrial or junctional)	MDC_ECG_RHY_SV_TACHY
MDC	10:9520	Supraventricular Paroxysmal Tachycardia	MDC_ECG_RHY_SV_TACHY_PAROX
MDC	10:9536	AV junctional (nodal) rhythm	MDC_ECG_RHY_JUNC_RHY
MDC	10:9552	AV junctional (nodal) escape rhythm	MDC_ECG_RHY_JUNC_ESC_BEATS

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:9568	Accelerated AV junctional (nodal) rhythm	MDC_ECG_RHY_JUNC_ACCEL
MDC	10:9584	Junctional Tachycardia	MDC_ECG_RHY_JUNC_TACHY
MDC	10:9600	AV reciprocating tachycardia	MDC_ECG_RHY_AV_TACHY_RECIP
MDC	10:9616	Reentrant AV nodal tachycardia	MDC_ECG_RHY_AV_TACHY_REENTRANT
MDC	10:9632	First Degree AV Block	MDC_ECG_RHY_AV_HEART_BLK_DEG_1
MDC	10:9648	Second Degree AV Block	MDC_ECG_RHY_AV_HEART_BLK_DEG_2
MDC	10:9664	Second Degree AV Block Type I (Wenckebach, or Mobitz Type I)	MDC_ECG_RHY_AV_HEART_BLK_DEG_2_I
MDC	10:9680	Second Degree AV Block Type II (Mobitz Type II)	MDC_ECG_RHY_AV_HEART_BLK_DEG_2_II
MDC	10:9696	Third Degree AV Block (complete AV block)	MDC_ECG_RHY_AV_HEART_BLK_DEG_3
MDC	10:9712	AV Dissociation	MDC_ECG_RHY_AV DISSOC
MDC	10:9728	AV dissociation with interference	MDC_ECG_RHY_AV DISSOC_INT
MDC	10:9744	Isorhythmic AV dissociation	MDC_ECG_RHY_AV DISSOC_ISO
MDC	10:9760	Complete AV dissociation	MDC_ECG_RHY_AV DISSOC_COMP
MDC	10:9776	First Degree SA Block	MDC_ECG_RHY_SA_HEART_BLK_DEG_1
MDC	10:9792	Second Degree SA Block Type I (Wenckebach)	MDC_ECG_RHY_SA_HEART_BLK_DEG_2_I
MDC	10:9808	Second Degree SA Block Type II	MDC_ECG_RHY_SA_HEART_BLK_DEG_2_II
MDC	10:9824	Third Degree SA Block (complete SA block)	MDC_ECG_RHY_SA_HEART_BLK_DEG_3
MDC	10:9840	Ventricular rhythm	MDC_ECG_RHY_V_RHY
MDC	10:9856	Idioventricular (ventricular escape) rhythm	MDC_ECG_RHY_V_IDIO_RHY
MDC	10:9872	Ventricular Parasystole	MDC_ECG_RHY_V_PARA
MDC	10:9888	Accelerated idioventricular rhythm	MDC_ECG_RHY_V_AIVR
MDC	10:9904	Slow Ventricular Tachycardia (Idioventricular Tachycardia)	MDC_ECG_RHY_V_IDIO_TACHY
MDC	10:9920	Ventricular Bigeminy	MDC_ECG_RHY_V_BIGEM
MDC	10:9936	Ventricular Trigeminy	MDC_ECG_RHY_V_TRIGEM
MDC	10:9952	Ventricular Couplet	MDC_ECG_RHY_V_P_C_CPLT
MDC	10:9968	Ventricular Run	MDC_ECG_RHY_V_P_C_RUN
MDC	10:9984	Ventricular Tachycardia (nonparoxysmal)	MDC_ECG_RHY_V_TACHY
MDC	10:10000	Ventricular Flutter	MDC_ECG_RHY_V_FLUT
MDC	10:10016	Ventricular Fibrillation	MDC_ECG_RHY_V_FIB
MDC	10:10032	Nonsustained Ventricular Tachycardia (paroxysmal)	MDC_ECG_RHY_V_TACHY_PAROX
MDC	10:10048	Sustained Monomorphic Ventricular Tachycardia	MDC_ECG_RHY_V_TACHY_MONO
MDC	10:10064	Polymorphic Ventricular Tachycardia	MDC_ECG_RHY_V_TACHY_POLY
MDC	10:10080	Torsades de Pointes Ventricular Tachycardia	MDC_ECG_RHY_V_TACHY_TDP
MDC	10:10096	pre-excitation	MDC_ECG_RHY_PREX

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:10112	Wolf-Parkinson-White syndrome	MDC_ECG_RHY_WPW_UNK
MDC	10:10128	Wolf-Parkinson type A	MDC_ECG_RHY_WPW_A
MDC	10:10144	Wolf-Parkinson type B	MDC_ECG_RHY_WPW_B
MDC	10:10160	Lown-Ganong-Levine syndrome	MDC_ECG_RHY_LGL
MDC	10:10336	Asystole	MDC_ECG_RHY_ASYSTOLE
MDC	10:10352	Irregular rhythm	MDC_ECG_RHY_IRREG
MDC	10:10368	Low Heart Rate Variability	MDC_ECG_RHY_LHRV
MDC	10:10416	T-wave alternans	MDC_ECG_RHY_TALT
MDC	10:10432	Bradycardia	MDC_ECG_RHY_BRADY
MDC	10:10448	Calibration signal (sustained)	MDC_ECG_RHY_CALS
MDC	10:10176	Atrial Demand Mode Pacing	MDC_ECG_RHY_EPADM
MDC	10:10240	Ventricular Demand Mode Pacing	MDC_ECG_RHY_EPVDM
MDC	10:10304	Anti-Tachycardia Pacing	MDC_ECG_RHY_EPAVT

Note

A prior version of this context group used codes from the SCP-ECG vocabulary.

CID 3416 Respiration Rhythms

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.81

Table CID 3416. Respiration Rhythms

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	F-21301 5467003	normal respiratory rhythm	5467003 F-21301	C0231843
SRTSCT	F-21303 248585001	irregular breathing	248585001 F-21303	C0425492
SRTSCT	F-20130 23141003	gasping respiration	23141003 F-20130	C0425449
SRTSCT	F-21334 248584002	abnormal respiratory rhythm	248584002 F-21334	C0425491
SRTSCT	F-21331 271824009	respiration intermittent	271824009 F-21331	C1313952

CID 3418 Lesion Risk

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.82

Table CID 3418. Lesion Risk

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	111-1	Low Risk Lesion
NCDR	2.0b	111-2	Moderate Risk Lesion
NCDR	2.0b	111-3	High Risk Lesion

CID 3419 Findings Titles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.83

Table CID 3419. Findings Titles

Coding Scheme Designator	Code Value	Code Meaning
DCM	121071	Finding
DCM	121073	Impression
DCM	121075	Recommendation

CID 3421 Procedure Action

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.84

Table CID 3421. Procedure Action

Coding Scheme Designator	Code Value	Code Meaning
DCM	121130	Start Procedure Action
DCM	121131	End Procedure Action
DCM	121132	Suspend Procedure Action
DCM	121133	Resume Procedure Action

CID 3422 Device Use Actions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.85

Table CID 3422. Device Use Actions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-002F8371877003	Device inserted into sheath	371877003R-002F8	C1299350
SRTSCT	R-002F7371876007	Device at site of interest	371876007R-002F7	C1299349
SRTSCT	R-002FB371875006	Device withdrawn / removed	371875006R-002FB	C1299348
SRTSCT	R-002F6373061006	Device applied to patient	373061006R-002F6	C1298903
SRTSCT	R-002FA373062004	Device used	373062004R-002FA	C1298904
SRTSCT	R-10042386125002	Device crossed septum	386125002R-10042	C1272581
DCM	122089	Device crossed lesion		

CID 3423 Numeric Device Characteristics

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.86

Table CID 3423. Numeric Device Characteristics

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	G-D7FE 410668003	Length	410668003 G-D7FE	C1444754
SRT SCT	M-02550 81827009	Diameter	81827009 M-02550	C1301886
DCM	122097	Catheter Curve		
DCM	122098	Transmit Frequency		
SRT SCT	G-D705 118565006	Volume	118565006 G-D705	C0449468
DCM	121208	Inter-Marker Distance		

CID 3425 Intervention Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.87

Table CID 3425. Intervention Parameters

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-002D0 371851006	Angioplasty Inflation pressure	371851006 R-002D0	C1299326
SRT SCT	R-002CF 371852004	Angioplasty Inflation duration	371852004 R-002CF	C1299327
SRT SCT	R-0036C 371854003	Rotational Atherectomy Speed	371854003 R-0036C	C1299329
SRT SCT	R-002F2 371892002	Delivered Radiation Dose	371892002 R-002F2	C1299361
SRT SCT	R-10043 386131004	Ablation power	386131004 R-10043	C1272583
SRT SCT	R-10044 386132006	Ablation frequency	386132006 R-10044	C1272584

CID 3426 Consumables Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.88

Table CID 3426. Consumables Parameters

Coding Scheme Designator	Code Value	Code Meaning
DCM	121145	Description of Material
DCM	121148	Unit Serial Identifier
DCM	121149	Lot Identifier

CID 3427 Equipment Events

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100608
 UID: 1.2.840.10008.6.1.89

Table CID 3427. Equipment Events

Coding Scheme Designator	Code Value	Code Meaning
DCM	110501	Equipment failure
DCM	122047	Equipment brought to procedure room
DCM	122048	Equipment ready
DCM	122049	Equipment removed

CID 3428 Imaging Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20180325

UID: 1.2.840.10008.6.1.90

Table CID 3428. Imaging Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	P5-009A0 77343006	Angiography	77343006 P5-009A0	C0002978
SRTSCT	P5-32130 54640009	Aortography	54640009 P5-32130	C0003515
SRTSCT	P5-30100 33367005	Coronary Arteriography	33367005 P5-30100	C0085532
SRTSCT	P5-3003A 252426003	Cardiac ventriculography	252426003 P5-3003A	C0596683
SRTSCT	P5-30041 265484009	Left Ventriculography	265484009 P5-30041	C0412219
SRTSCT	P5-3003F 265483003	Right Ventriculography	265483003 P5-3003F	C0412220
SRTSCT	P5-30107 252427007	Bypass graft angiography	252427007 P5-30107	C0430469
DCM	122058	Arterial conduit angiography		
SRTSCT	P5-B3002 105376000	Transesophageal echocardiography	105376000 P5-B3002	C0206054
SRTSCT	P5-B3012 433236007	Transthoracic echocardiography	433236007 P5-B3012	C0430462
SRTSCT	P0-05F95 433232009	Epicardial echocardiography	433232009 P0-05F95	C0430465
SRTSCT	P5-B001D 241466007	Intravascular ultrasound	241466007 P5-B001D	C0412530
SRTSCT	P5-B3006 252421008	Intracardiac echocardiography	252421008 P5-B3006	C0430464

Note

In a prior version of this context group, Transthoracic echocardiography was assigned the code P5-B3003 and Epicardial echocardiography was assigned the code P5-B3004; these codes conflict with other SNOMED code assignments. Receiving applications should be aware of this change, and the possibility of misinterpretation of SOP Instances that may include the deprecated codes; see Annex J.

CID 3429 Catheterization Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030327

UID: 1.2.840.10008.6.1.91

Table CID 3429. Catheterization Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-28051 129113006	Intra-Aortic Balloon Pump (IABP)	129113006 A-28051	C0702122
SRTSCT	R-00306 371798007	Fluid filled catheter	371798007 R-00306	C1299428
SRTSCT	R-00304 371801001	Fiberoptic catheter	371801001 R-00304	C1300076
SRTSCT	R-0030A 371799004	Hall catheter	371799004 R-0030A	C1299429
SRTSCT	R-00379 371800000	Thermistor catheter	371800000 R-00379	C1299430
SRTSCT	R-00383 371802008	Tip manometer	371802008 R-00383	C1299431
SRTSCT	A-26860 79952001	Swann-Ganz catheter	79952001 A-26860	C0179790
SRTSCT	F-9B75C 268461001	Sheath	268461001 F-9B75C	C0419524
SRTSCT	R-10041 386124003	Transseptal catheter	386124003 R-10041	C1272580
DCM	122052	Biopsy		
Include CID 3411 "Intracoronary Devices"				

CID 3430 DateTime Qualifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.92

Table CID 3430. DateTime Qualifiers

Coding Scheme Designator	Code Value	Code Meaning
DCM	121136	DateTime Unsynchronized
DCM	121137	DateTime Estimated

CID 3440 Peripheral Pulse Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.93

Table CID 3440. Peripheral Pulse Locations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-47160 17137000	Brachial Artery	17137000 T-47160	C0006087
SRTSCT	T-45010 69105007	Carotid Artery	69105007 T-45010	C0007272
SRTSCT	T-47740 86547008	Dorsalis Pedis Artery	86547008 T-47740	C0226492
SRTSCT	T-47400 7657000	Femoral Artery	7657000 T-47400	C0015801
SRTSCT	T-47500 43899006	Popliteal Artery	43899006 T-47500	C0032649
SRTSCT	T-47600 13363002	Posterior Tibial Artery	13363002 T-47600	C0086835
SRTSCT	T-47300 45631007	Radial Artery	45631007 T-47300	C0162857
SRTSCT	T-47200 44984001	Ulnar Artery	44984001 T-47200	C0162858

CID 3441 Patient Assessments

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.94

Table CID 3441. Patient Assessments

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
LN	8884-9	Cardiac Rhythm		C0488795
LN	9304-7	Respiration Rhythm		C0489261
SRT SCT	F-046D8 364528001	Skin condition assessment	364528001 F-046D8	C1286230
SRT SCT	F-043E6 364062005	Respiration assessment	364062005 F-043E6	C1285809
SRT SCT	F-04317 363871006	Patient mental state assessment	363871006 F-04317	C0278060

CID 3442 Peripheral Pulse Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.95

Table CID 3442. Peripheral Pulse Methods

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	P2-01510 113011001	Palpation	113011001 P2-01510	C0030247
SRT SCT	P1-30022 83422003	Doppler	83422003 P1-30022	C0189575

CID 3446 Skin Condition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.96

Table CID 3446. Skin Condition

Coding Scheme Designator	Code Value	Code Meaning
DCM	122271	skin condition Warm
DCM	122272	skin condition Cool
DCM	122273	skin condition Cold
DCM	122274	skin condition Dry
DCM	122275	skin condition Clammy
DCM	122276	skin condition Diaphoretic
DCM	122277	skin condition Flush
DCM	122278	skin condition Mottled
DCM	122279	skin condition Pale

CID 3448 Airway Assessment

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.97

Table CID 3448. Airway Assessment

Coding Scheme Designator	Code Value	Code Meaning
DCM	122281	airway unobstructed
DCM	122282	airway partially obstructed
DCM	122283	airway severely obstructed

CID 3451 Calibration Objects

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.98

Table CID 3451. Calibration Objects

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRT SCT	A-26800 19923001	Catheter	19923001 A-26800	C0085590
SRT SCT	A-10141 102304005	Measuring Ruler	102304005 A-10141	C0522637
DCM	122485	Sphere		

CID 3452 Calibration Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.99

Table CID 3452. Calibration Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122486	Geometric Isocenter
DCM	122487	Geometric Non-Isocenter
DCM	122488	Calibration Object Used

CID 3453 Cardiac Volume Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.100

Table CID 3453. Cardiac Volume Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122558	Area Length Kennedy
DCM	122559	Area Length Dodge

Coding Scheme Designator	Code Value	Code Meaning
DCM	122560	Area Length Wynne
DCM	122562	Multiple Slices
DCM	122563	Boak
DCM	122564	TS Pyramid
DCM	122565	Two Chamber
DCM	122566	Parallelepiped

CID 3455 Index Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040614
UID: 1.2.840.10008.6.1.101

Table CID 3455. Index Methods

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	8277-6	BSA	C0487992
DCM	122572	BSA^1.219	

CID 3456 Sub-segment Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040614
UID: 1.2.840.10008.6.1.102

Table CID 3456. Sub-segment Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122574	Equidistant method
DCM	122575	User selected method

CID 3458 Contour Realignment

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040614
UID: 1.2.840.10008.6.1.103

Table CID 3458. Contour Realignment

Coding Scheme Designator	Code Value	Code Meaning
DCM	122475	Center of Gravity
DCM	122476	Long Axis Based
DCM	122477	No Realignment

CID 3460 Circumferential Extent

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040614
UID: 1.2.840.10008.6.1.104

Table CID 3460. Circumferential Extent

Coding Scheme Designator	Code Value	Code Meaning
DCM	122464	LAD Region in RAO Projection
DCM	122465	RCA Region in RAO Projection

CID 3461 Regional Extent

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.105

Table CID 3461. Regional Extent

Coding Scheme Designator	Code Value	Code Meaning
DCM	122466	Single LAD Region in RAO Projection
DCM	122467	Single RCA Region in RAO Projection
DCM	122468	Multiple LAD Region in RAO Projection
DCM	122469	Multiple RCA Region in RAO Projection
DCM	122470	LAD Region in LAO Projection
DCM	122471	RCA Region in LAO Projection
DCM	122472	CFX Region in LAO Projection

CID 3462 Chamber Identification

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.106

Table CID 3462. Chamber Identification

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-32600 87878005	Left Ventricle	87878005T-32600	C0225897
SRTSCT	T-32500 53085002	Right Ventricle	53085002T-32500	C0225883
SRTSCT	T-32300 82471001	Left Atrium	82471001T-32300	C0225860
SRTSCT	T-32200 73829009	Right Atrium	73829009T-32200	C0225844

CID 3463 Ventricle Identification

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080927
 UID: 1.2.840.10008.6.1.786

Table CID 3463. Ventricle Identification

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-32600 87878005	Left Ventricle	87878005T-32600	C0225897
SRTSCT	T-32500 53085002	Right Ventricle	53085002T-32500	C0225883

CID 3465 QA Reference Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.107

Table CID 3465. QA Reference Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122489	Curve Fitted Reference
DCM	122490	Interpolated Local Reference
DCM	122491	Mean Local Reference

CID 3466 Plane Identification

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130806
 UID: 1.2.840.10008.6.1.108

Table CID 3466. Plane Identification

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-40985399356000	Right Anterior Oblique	399356000R-40985	C1275852
SRTSCT	R-10220399135007	Left Anterior Oblique	399135007R-10220	C1275823
SRTSCT	R-10206399348003	Antero-posterior	399348003R-10206	C0442212
SRTSCT	R-10236399173006	Left Lateral	399173006R-10236	C0442198
SRTSCT	R-101C3408723005	Cranial LAO	408723005R-101C3	C1443272
SRTSCT	R-101C5408725003	Cranial RAO	408725003R-101C5	C1443274
SRTSCT	R-101C4408724004	Caudal LAO	408724004R-101C4	C1443273
SRTSCT	R-101C6408726002	Caudal RAO	408726002R-101C6	C1443275

Note

In a prior version of this Context Group, "right anterior oblique" was assigned the code R-10218, which in SNOMED is actually "Indirect iris transillumination"; this code has been replaced with the correct code R-40985.

CID 3467 Ejection Fraction

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.109

Table CID 3467. Ejection Fraction

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	8808-8	Left Ventricular Ejection Fraction by Angiography	C0488723
LN	8815-3	Right Ventricular Ejection Fraction by Angiography	C0488731
DCM	122406	Left Atrial Ejection Fraction by Angiography	

CID 3468 ED Volume

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110124
 UID: 1.2.840.10008.6.1.110

Table CID 3468. ED Volume

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	8821-1	Left Ventricular ED Volume	C0488738
LN	8822-9	Right Ventricular ED Volume	C0488739
DCM	122407	Left Atrial ED Volume	

CID 3469 ES Volume

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.111

Table CID 3469. ES Volume

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	8823-7	Left Ventricular ES Volume	C0488740
LN	8824-5	Right Ventricular ES Volume	C0488741
DCM	122408	Left Atrial ES Volume	

CID 3470 Vessel Lumen Cross-sectional Area Calculation Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.112

Table CID 3470. Vessel Lumen Cross-sectional Area Calculation Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122473	Circular method
DCM	122474	Densitometric method

CID 3471 Estimated Volumes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.113

Table CID 3471. Estimated Volumes

Coding Scheme Designator	Code Value	Code Meaning
DCM	121216	Volume estimated from single 2D region
DCM	121218	Volume estimated from two non-coplanar 2D regions

CID 3472 Cardiac Contraction Phase

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20071031
 UID: 1.2.840.10008.6.1.114

Table CID 3472. Cardiac Contraction Phase

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	F-32020 11973004	Systolic	111973004 F-32020	C0039155
SRT SCT	F-32010 90892000	Diastolic	90892000 F-32010	C0012000

CID 3480 IVUS Procedure Phases

This context group outlines the phases of a catheterization procedure in which measurements are performed.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.115

Table CID 3480. IVUS Procedure Phases

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-7298 128960007	Cardiac catheterization post-intervention phase	128960007 G-7298	C1292437
SRT SCT	G-7296 128958005	Cardiac catheterization pre-intervention phase	128958005 G-7296	C1292435

CID 3481 IVUS Distance Measurements

This context group is the set of distance measurements made in an IVUS procedure.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.116

Table CID 3481. IVUS Distance Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	122330	EEM Diameter		
SRT SCT	G-0364 397413000	Vessel lumen diameter	397413000 G-0364	C1301408
SRT SCT	R-101AD 408706001	Stent Diameter	408706001 R-101AD	C1443256
DCM	122331	Plaque Plus Media Thickness		
DCM	122332	Lumen Perimeter		

CID 3482 IVUS Area Measurements

This context group is the set of cross-sectional area measurements made in an IVUS procedure.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.117

Table CID 3482. IVUS Area Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	122333	EEM Cross-Sectional Area		
SRT SCT	G-0366 397415007	Vessel lumen cross-sectional area	397415007 G-0366	C1301410
SRT SCT	R-101AF 408705002	Stent Cross-Sectional Area	408705002 R-101AF	C1443255
DCM	122334	Plaque plus Media Cross-Sectional Area		
DCM	122335	In-Stent Neointimal Cross-Sectional Area		

CID 3483 IVUS Longitudinal Measurements

This context group is a set of measurements that are made on a longitudinal image. A longitudinal image is a perpendicular cut plane reconstructed from an IVUS pullback multi-frame image.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.118

Table CID 3483. IVUS Longitudinal Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-101B0 408703009	Stent Length	408703009 R-101B0	C1443253
SRT SCT	R-101BC 408716009	Stenotic Lesion Length	408716009 R-101BC	C1443266
DCM	122341	Calcium Length		
DCM	122364	Stent Gap		

CID 3484 IVUS Indices and Ratios

This context group is the set of index and ratio calculations made in an IVUS procedure.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.119

Table CID 3484. IVUS Indices and Ratios

Coding Scheme Designator	Code Value	Code Meaning
DCM	122343	Lumen Eccentricity Index
DCM	122344	Plaque plus Media Eccentricity Index
DCM	122345	Remodeling Index
DCM	122346	Stent Symmetry Index
DCM	122347	Stent Expansion Index
DCM	122348	Lumen Shape Index

Coding Scheme Designator	Code Value	Code Meaning
DCM	122350	Lumen Diameter Ratio
DCM	122351	Stent Diameter Ratio
DCM	122352	EEM Diameter Ratio

CID 3485 IVUS Volume Measurements

This context group is the set of volume measurements made from an IVUS procedure.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.120

Table CID 3485. IVUS Volume Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
DCM	122371	EEM Volume		
DCM	122372	Lumen Volume		
SRTSCT	R-101B2408704003	Stent Volume	408704003R-101B2	C1443254
DCM	122374	In-Stent Neointimal Volume		
DCM	122375	Native Plaque Volume		
DCM	122376	Total Plaque Volume		

CID 3486 Vascular Measurement Sites

This context group is the set of sites where vascular measurements can be made.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.121

Table CID 3486. Vascular Measurement Sites

Coding Scheme Designator	Code Value	Code Meaning
DCM	122380	Proximal Reference
DCM	122381	Distal Reference
DCM	122382	Site of Lumen Minimum
DCM	122687	Site of Lumen Maximum

CID 3487 Intravascular Volumetric Regions

This context group is the set of regions where intravascular volumetric measurements can be made.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170413
 UID: 1.2.840.10008.6.1.122

Table CID 3487. Intravascular Volumetric Regions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	122383	Stented Region		
DCM	122384	Entire Pullback		
DCM	122385	Proximal Stent Margin		
DCM	122386	Distal Stent Margin		
SRT SCT	M-01000 49755003	Morphologically Abnormal Structure	49755003M-01000	C0332447
SRT SCT	M-01100 52988006	Lesion	52988006M-01100	C0221198
SRT SCT	R-002EF 371895000	Culprit Lesion	371895000R-002EF	C1299364

Note

(~~M-01000~~, ~~SRT~~49755003, ~~SCT~~, "Morphologically Abnormal Structure") was previously described with a Code Meaning of "Lesion", but that synonym has been retired as "inappropriate" in SNOMED. The Code Meaning has been replaced with the preferred SNOMED term, and the separate concept (~~M-01100~~, ~~SRT~~52988006, ~~SCT~~, "Lesion") added.

CID 3488 Min/Max/Mean

This context group contains modifiers that indicate whether the measurement is a minimum, maximum or averaged value.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20040614

UID: 1.2.840.10008.6.1.123

Table CID 3488. Min/Max/Mean

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-A43 756851009	Maximum	56851009G-A437	C0205289
SRT SCT	R-404FB 255605001	Minimum	255605001R-404FB	C0547040
SRT SCT	R-00317 373098007	Mean	373098007R-00317	C1298794

CID 3489 Calcium Distribution

This context group is a set of modifiers specifying the distribution of a calcium deposit in an arc of calcium measurement.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20040614

UID: 1.2.840.10008.6.1.124

Table CID 3489. Calcium Distribution

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-A139 26283006	Superficial	26283006G-A139	C0205124
SRT SCT	G-A140 795002	Deep	795002G-A140	C0205125

CID 3491 IVUS Lesion Morphologies

This context group is a set of qualitative assessments for lesion morphology.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040614
UID: 1.2.840.10008.6.1.125

Table CID 3491. IVUS Lesion Morphologies

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 3495 "IVUS Plaque Composition"				
DCM	122356	Soft plaque		
DCM	122357	In-Stent Neointima		
SRTSCT	D3-80027 233981004	Arterial (True) Aneurysm	233981004D3-80027	C0340613
SRTSCT	M-32390 22036004	Pseudo Aneurysm	22036004M-32390	C1510412
DCM	122361	False Lumen		
SRTSCT	R-4047B 255465008	Concentric	255465008R-4047B	C0439744
SRTSCT	R-40416 255380003	Eccentric	255380003R-40416	C0439740
SRTSCT	M-52103 62189002	Plaque Ulceration	62189002M-52103	C0333481
DCM	122363	Plaque Rupture		
DCM	122389	Vulnerable Plaque		
DCM	122390	Eroded Plaque		

CID 3492 Vascular Dissection Classifications

This context group is a set of dissection classifications commonly detected with IVUS or CT/MR angiography.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20180325
UID: 1.2.840.10008.6.1.126

Table CID 3492. Vascular Dissection Classifications

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	122399	Medial Dissection		
DCM	122398	Intimal Dissection		
DCM	122397	Adventitial Dissection		
SRTSCT	M-35063 54493002	Intramural hematoma	54493002M-35063	C0333200
DCM	122388	Intra-stent Dissection		

CID 3493 IVUS Relative Stenosis Severities

This context group is a set of stenosis severity classifications for multiple lesions within a segment. There will always be a worst stenosis (T-1), the stenosis with the smallest lumen size.

There can be multiple secondary stenoses (T-2, T-3, etc.), which are lesions meeting the definition of a stenosis, but with lumen sizes larger than the worst stenosis. Reference "American College of Cardiology Clinical Expert Consensus Document on Standards for Acquisition, Measurement and Reporting of Intravascular Ultrasound Studies (IVUS)".

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040614

UID: 1.2.840.10008.6.1.127

Table CID 3493. IVUS Relative Stenosis Severities

Coding Scheme Designator	Code Value	Code Meaning
DCM	122367	T-1 Worst
DCM	122368	T-2 Secondary
DCM	122369	T-3 Secondary
DCM	122370	T-4 Secondary

CID 3494 IVUS Non Morphological Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.128

Table CID 3494. IVUS Non Morphological Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
DCM	122360	True Lumen		
SRTSCT	R-101B3408707005	Arterial Blood Stasis	408707005R-101B3	C1443257
SRTSCT	R-101B5408709008	Incomplete Stent apposition	408709008R-101B5	C1443259
SRTSCT	R-101B6408710003	Acquired Incomplete stent apposition	408710003R-101B6	C1443260

CID 3495 IVUS Plaque Composition

This context group is a set of qualitative assessments defining the composition of plaque.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.129

Table CID 3495. IVUS Plaque Composition

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	M-7826040772000	Fibrous Plaque	40772000M-78260	C0334146
SRTSCT	D6-34737237897009	Vascular Calcification	237897009D6-34737	C0342649
SRTSCT	M-35001396339007	Thrombus	396339007M-35001	C0087086
DCM	122394	Fibro-Lipidic Plaque		
DCM	122395	Necrotic-Lipidic Plaque		

CID 3496 IVUS Fiducial Points

This context group is a set of fiducial points (anatomical markers). Fiducial points are used as identifiable axial landmarks in determining the location of a measurement in a vessel.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.130

Table CID 3496. IVUS Fiducial Points

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-035D397406000	Collateral Branch of vessel	397406000G-035D	C1275670
SRTSCT	A-2550065818007	Stent	65818007A-25500	C0038257
SRTSCT	D6-34737237897009	Vascular Calcification	237897009D6-34737	C0342649
SRTSCT	M-7826040772000	Fibrous Plaque	40772000M-78260	C0334146
SRTSCT	T-4800029092000	Vein	29092000T-48000	C0042449
SRTSCT	G-036A397421006	Vessel Origin	397421006G-036A	C1301415

CID 3497 IVUS Arterial Morphology

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.131

Table CID 3497. IVUS Arterial Morphology

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-4110067170007	Lumen of artery	67170007T-41100	C0225997
SRTSCT	R-102AE414165007	External Elastic Membrane	414165007R-102AE	C1532733
Include CID 3495 "IVUS Plaque Composition"				

CID 3500 Pressure Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.132

Table CID 3500. Pressure Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	mm[Hg]	mmHg
UCUM	kPa	kPa

CID 3502 Hemodynamic Resistance Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20120327
 UID: 1.2.840.10008.6.1.133

Table CID 3502. Hemodynamic Resistance Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	[PRU]	P.R.U.
UCUM	[wood'U]	Wood U
UCUM	dyn.s.cm-5	dyn.s.cm-5

Note

P.R.U. is in units of mm[Hg].s/ml; Wood Units is in mm[Hg].min/l

CID 3503 Indexed Hemodynamic Resistance Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20120327
 UID: 1.2.840.10008.6.1.134

Table CID 3503. Indexed Hemodynamic Resistance Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	[PRU]/m2	P.R.U./m2
UCUM	[wood'U]/m2	Wood U/m2
UCUM	dyn.s.cm-5/m2	dyn.s.cm-5/m2

CID 3510 Catheter Size Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.135

Table CID 3510. Catheter Size Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	[Ch]	french
UCUM	mm	mm

CID 3515 Specimen Collection

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.136

Table CID 3515. Specimen Collection

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	P3-0200017636008	specimen collection	17636008P3-02000	C0200345
SRTSCT	PA-2011082078001	collection of blood specimen for laboratory	82078001PA-20110	C0005834
SRTSCT	PA-2011E243776001	blood sampling from extracorporeal blood circuit	243776001PA-2011E	C0419352

CID 3520 Blood Source Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.137

Table CID 3520. Blood Source Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-00376371952000	Systemic Artery Blood	371952000R-00376	C1299266
SRTSCT	T-C2007116176007	Mixed Venous Blood	116176007T-C2007	C0440739
SRTSCT	R-0035B371953005	Pulmonary Artery Blood	371953005R-0035B	C1299267
SRTSCT	R-0035E371954004	Pulmonary Vein Blood	371954004R-0035E	C1299268

CID 3524 Blood Gas Pressures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.138

Table CID 3524. Blood Gas Pressures

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11557-6	Blood Carbon dioxide partial pressure	C0550246
LN	2019-8	Arterial Blood Carbon dioxide partial pressure	C0364151
LN	2021-4	Venous Blood Carbon dioxide partial pressure	C0364153
LN	11556-8	Blood Oxygen partial pressure	C0550440
LN	2703-7	Arterial Oxygen partial pressure	C1145645
LN	2705-2	Venous Oxygen partial pressure	C1145647
LN	19217-9	Oxygen partial pressure at 50% saturation (P50)	C0802130
LN	19214-6	Arterial Oxygen partial pressure at 50% saturation	C1153749
LN	19216-1	Venous Oxygen partial pressure at 50% saturation	C1153751

CID 3525 Blood Gas Content

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.139

Table CID 3525. Blood Gas Content

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	20565-8	Blood Carbon dioxide content	C0803374
LN	2026-3	Arterial Blood Carbon dioxide content	C0364158
LN	2027-1	Venous Blood Carbon dioxide content	C0364159
DCM	122185	Blood Oxygen content	
LN	19218-7	Arterial Oxygen content	C0802131
LN	19220-3	Venous Oxygen content	C0802133
LN	10232-7	Aortic Root Oxygen content	C0488752
LN	10245-9	Pulmonary Artery Main Oxygen content	C0488765
LN	10247-5	Pulmonary Wedge Oxygen content	C0488767

CID 3526 Blood Gas Saturation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.140

Table CID 3526. Blood Gas Saturation

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
DCM	122187	Blood Carbon dioxide saturation	
LN	20564-1	Blood Oxygen saturation	C0803373
LN	2708-6	Arterial Oxygen saturation	C0364851
LN	2711-0	Venous Oxygen saturation	C0364854
LN	2709-4	Capillary Blood Oxygen Saturation	C0364852
LN	2710-2	Capillary Blood Oxygen Saturation, by Oximetry	C0364853

CID 3527 Blood Base Excess

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.141

Table CID 3527. Blood Base Excess

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11555-0	Blood Base Excess	C0550221
LN	1925-7	Arterial Blood Base Excess	C0364060
LN	1927-3	Venous Blood Base Excess	C0364062

CID 3528 Blood pH

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.142

Table CID 3528. Blood pH

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11558-4	Blood pH	C0550447
LN	2744-1	Arterial Blood pH	C0364887
LN	2746-6	Venous Blood pH	C0364889

CID 3529 Arterial / Venous Content

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.143

Table CID 3529. Arterial / Venous Content

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	19218-7	Arterial Content (FCa)	C0802131
LN	19220-3	Venous Content (FCv)	C0802133
DCM	122188	Pulmonary Arterial Content (FCpa)	
DCM	122189	Pulmonary Venous Content (FCpv)	

CID 3530 Oxygen Administration Actions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.144

Table CID 3530. Oxygen Administration Actions

Coding Scheme Designator	Code Value	Code Meaning
DCM	121161	Begin oxygen administration
DCM	121162	End oxygen administration

CID 3531 Oxygen Administration

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.145

Table CID 3531. Oxygen Administration

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-0034A371907003	Oxygen Administration by nasal cannula	371907003R-0034A	C1299376
SRTSCT	R-00349371908008	Oxygen Administration by mask	371908008R-00349	C1299377
DCM	121163	Oxygen Administration by ventilator		

CID 3550 Circulatory Support Actions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.146

Table CID 3550. Circulatory Support Actions

Coding Scheme Designator	Code Value	Code Meaning
DCM	121157	Begin Circulatory Support
DCM	121158	End Circulatory Support

CID 3551 Ventilation Actions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.147

Table CID 3551. Ventilation Actions

Coding Scheme Designator	Code Value	Code Meaning
DCM	121168	Begin Ventilation
DCM	121169	End Ventilation

CID 3552 Pacing Actions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.148

Table CID 3552. Pacing Actions

Coding Scheme Designator	Code Value	Code Meaning
DCM	121166	Begin Pacing
DCM	121167	End Pacing

CID 3553 Circulatory Support

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.149

Table CID 3553. Circulatory Support

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-28051129113006	Intra-Aortic Balloon Pump	129113006A-28051	C0702122
SRTSCT	R-00303371790000	External Counter-Pulsation	371790000R-00303	C1299423
SRTSCT	A-11FCD360066001	Left Ventricular Assist Device	360066001A-11FCD	C0181598
SRTSCT	P2-77110182744004	Extra-corporeal circulation	182744004P2-77110	C0015354
SRTSCT	P1-3685863697000	Cardiopulmonary bypass	63697000P1-36858	C0007202

CID 3554 Ventilation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.150

Table CID 3554. Ventilation

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-002CC371785003	Ambu Bag	371785003R-002CC	C0221812
SRTSCT	R-00359371786002	Pressure Support Ventilator	371786002R-00359	C1299420

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-0038C371787006	Volume Support Ventilator	371787006R-0038C	C1299421

CID 3555 Pacing

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.151

Table CID 3555. Pacing

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P2-3500018590009	Pacing	18590009P2-35000	C0199640
SRTSCT	R-00315371909000	pacing with magnet	371909000R-00315	C1299378
SRTSCT	P2-3520069158002	atrial pacing	69158002P2-35200	C0199647
SRTSCT	P2-35002344994008	ventricular pacing	344994008P2-35002	C0199648
SRTSCT	R-002D9371910005	A-V sequential pacing	371910005R-002D9	C1299379
SRTSCT	P2-3544059218006	temporary transcutaneous pacing	59218006P2-35440	C0199657

CID 3560 Blood Pressure Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.152

Table CID 3560. Blood Pressure Methods

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-00318371911009	Blood pressure cuff method	371911009R-00318	C1299380

CID 3600 Relative Times

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.153

Table CID 3600. Relative Times

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-407E0272113006	Before	272113006R-407E0	C0740175
SRTSCT	R-407E1272114000	During	272114000R-407E1	C0347985
SRTSCT	R-42517288563008	After	288563008R-42517	C0687676

CID 3602 Hemodynamic Patient State

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.154

Table CID 3602. Hemodynamic Patient State

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-01602128974000	Baseline state	128974000F-01602	C1290922
SRTSCT	F-1034040199007	Supine body position	40199007F-10340	C0038846
SRTSCT	F-01604128975004	Resting state	128975004F-01604	C0679218
SRTSCT	F-01606128976003	Exercise state	128976003F-01606	C1290923
SRTSCT	F-01608128977007	Post-exercise state	128977007F-01608	C1290924

CID 3604 Arterial Lesion Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.155

Table CID 3604. Arterial Lesion Locations

Coding Scheme Designator	Code Value	Code Meaning
Include CID 3015 "Coronary Arteries"		
Include CID 3606 "Arterial Source Locations"		

CID 3606 Arterial Source Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20180605
UID: 1.2.840.10008.6.1.156

Table CID 3606. Arterial Source Locations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-425007832008	Abdominal aorta	7832008T-42500	C0003484
SRTSCT	T-455308012006	anterior communicating artery	8012006T-45530	C0149562
SRTSCT	T-4573017388009	anterior spinal artery	17388009T-45730	C0149603
SRTSCT	T-4200015825003	Aorta	15825003T-42000	C0003483
SRTSCT	T-4230057034009	Aortic Arch	57034009T-42300	C0003489
SRTSCT	D3-81922128551005	Aortic fistula	128551005D3-81922	C1290392
SRTSCT	T-4100051114001	Artery	51114001T-41000	C0003842
SRTSCT	T-4210054247002	Ascending aorta	54247002T-42100	C0003956
SRTSCT	T-4710067937003	Axillary Artery	67937003T-47100	C0004455
SRTSCT	A-00203128981007	Baffle	128981007A-00203	C1289790
SRTSCT	T-4580059011009	basilar artery	59011009T-45800	C0004811
SRTSCT	T-4716017137000	Brachial artery	17137000T-47160	C0006087

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-46010 12691009	brachiocephalic trunk	12691009 T-46010	C0006094
SRTSCT	T-45010 69105007	Carotid Artery	69105007 T-45010	C0007272
SRTSCT	T-45510 88556005	cerebral artery	88556005 T-45510	C0007770
SRTSCT	T-45100 32062004	Common carotid artery	32062004 T-45100	C0162859
SRTSCT	T-47402 181347005	Common Femoral Artery	181347005 T-47402	C0447105
SRTSCT	T-43000 41801008	Coronary Artery	41801008 T-43000	C0205042
SRTSCT	T-42400 32672002	Descending aorta	32672002 T-42400	C3163626
SRTSCT	T-45240 23074001	facial artery	23074001 T-45240	C0226109
SRTSCT	T-47400 7657000	Femoral artery	7657000 T-47400	C0015801
SRTSCT	D4-32504 128555001	Fistula coronary to left atrium	128555001 D4-32504	C1290487
SRTSCT	D4-32506 128556000	Fistula coronary to left ventricle	128556000 D4-32506	C1290488
SRTSCT	R-002ED 373095005	Fistula coronary to right atrium	373095005 R-002ED	C1298791
SRTSCT	D4-32510 128558004	Fistula coronary to right ventricle	128558004 D4-32510	C1290490
SRTSCT	T-47490 128559007	geniculate artery	128559007 T-47490	C0447108
SRTSCT	T-46420 76015000	Hepatic artery	76015000 T-46420	C0019145
SRTSCT	T-46700 10293006	Iliac artery	10293006 T-46700	C0020887
SRTSCT	T-46010 12691009	Innominate artery	12691009 T-46010	C0006094
SRTSCT	T-45300 86117002	internal carotid artery	86117002 T-45300	C0007276
SRTSCT	T-46200 69327007	Internal mammary artery	69327007 T-46200	C0226276
SRTSCT	T-45410 59749000	lacrimal artery	59749000 T-45410	C0226171
SRTSCT	T-47650 44830000	lateral plantar artery	44830000 T-47650	C0226478
SRTSCT	T-47420 113270003	Left femoral artery	113270003 T-47420	C0226448
SRTSCT	T-44400 50408007	Left pulmonary artery	50408007 T-44400	C0226069
SRTSCT	T-45230 113264009	lingual artery	113264009 T-45230	C0226104
SRTSCT	T-46960 34635009	lumbar artery	34635009 T-46960	C0226408
SRTSCT	T-46500 86570000	mesenteric artery	86570000 T-46500	C0025465
SRTSCT	T-47660 74156002	medial plantar artery	74156002 T-47660	C0226479
SRTSCT	T-F7001 14944004	Neo-aorta (primitive aorta)	14944004 T-F7001	C0231136
SRTSCT	T-F7040 91707000	Neonatal pulmonary artery (primitive PA)	91707000 T-F7040	C0231157
SRTSCT	T-45250 31145008	occipital artery	31145008 T-45250	C0226117
SRTSCT	T-45400 53549008	ophthalmic artery	53549008 T-45400	C0029078
SRTSCT	D4-32012 83330001	patent ductus arteriosus	83330001 D4-32012	C0013274
SRTSCT	T-47630 8821006	peroneal artery	8821006 T-47630	C0226476
SRTSCT	T-47500 43899006	popliteal artery	43899006 T-47500	C0032649
SRTSCT	T-45320 43119007	posterior communicating artery	43119007 T-45320	C0149559
SRTSCT	T-47440 31677005	Profunda Femoris Artery	31677005 T-47440	C0226455

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-4020B 253639004	Pulmonary arteriovenous fistula	253639004 D3-4020B	C0345042
SRTSCT	T-440008 1040000	Pulmonary artery	81040000 T-44000	C0034052
SRTSCT	D4-33142 128584005	Pulmonary artery conduit	128584005 D4-33142	C1290491
SRTSCT	R-00360 371829003	Pulmonary vein wedge	371829003 R-00360	C1299456
SRTSCT	T-47300 45631007	radial artery	45631007 T-47300	C0162857
SRTSCT	T-46600 2841007	Renal artery	2841007 T-46600	C0035065
SRTSCT	T-47410 69833005	Right femoral artery	69833005 T-47410	C0226447
SRTSCT	T-44200 78480002	Right pulmonary artery	78480002 T-44200	C0226054
SRTSCT	T-46100 36765005	Subclavian Artery	36765005 T-46100	C0038530
SRTSCT	T-47403 181349008	Superficial Femoral Artery	181349008 T-47403	C0447106
SRTSCT	T-45270 15672000	superficial temporal artery	15672000 T-45270	C0226130
SRTSCT	T-45210 72021004	superior thyroid artery	72021004 T-45210	C0226093
SRTSCT	T-44007 128589000	Systemic collateral Artery to lung	128589000 T-44007	C0345096
SRTSCT	T-42070 113262008	Thoracic aorta	113262008 T-42070	C1522460
SRTSCT	T-4704C 181351007	tibial artery	181351007 T-4704C	C0085427
SRTSCT	D4-31400 61959006	Truncus Arteriosus Communis	61959006 D4-31400	C0041207
SRTSCT	T-F1810 50536004	Umbilical artery	50536004 T-F1810	C0041632
SRTSCT	T-45700 85234005	Vertebral artery	85234005 T-45700	C0042559

CID 3607 Venous Source Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180605
 UID: 1.2.840.10008.6.1.157

Table CID 3607. Venous Source Locations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-48503 128585006	Anomalous pulmonary vein	128585006 T-48503	C0265914
SRTSCT	T-49215 128553008	Antecubital Vein	128553008 T-49215	C1276271
SRTSCT	T-49110 68705008	Axillary vein	68705008 T-49110	C0004456
SRTSCT	T-48340 72107004	Azygos vein	72107004 T-48340	C0004526
SRTSCT	T-49230 19715009	Basilic vein	19715009 T-49230	C0226801
SRTSCT	T-49424 128548003	Boyd perforating vein	128548003 T-49424	C1267522
SRTSCT	T-49350 20115005	Brachial vein	20115005 T-49350	C0226812
SRTSCT	T-48003 34340008	Central venous system	34340008 T-48003	C0226503
SRTSCT	T-49240 20699002	cephalic vein	20699002 T-49240	C0226802
SRTSCT	T-49429 128554002	Dodd perforating vein	128554002 T-49429	C1267525
SRTSCT	T-49410 83419000	Femoral vein	83419000 T-49410	C0015809
SRTSCT	T-48820 110568007	gastric vein	110568007 T-48820	C0750610

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-49530 60734001	Great saphenous vein	60734001 T-49530	C0392907
SRTSCT	T-48720 8993003	hepatic vein	8993003 T-48720	C0019155
SRTSCT	T-4942A 128560002	Hunterian perforating vein	128560002 T-4942A	C1267526
SRTSCT	T-48710 64131007	Inferior Vena cava	64131007 T-48710	C0042458
SRTSCT	T-48620 8887007	Innominate vein	8887007 T-48620	C0006095
SRTSCT	T-48170 12123001	Internal jugular vein	12123001 T-48170	C0226550
SRTSCT	T-4884A 128583004	mesenteric vein	128583004 T-4884A	C0025473
SRTSCT	T-48810 32764006	portal vein	32764006 T-48810	C0032718
SRTSCT	T-49535 128569001	posterior medial tributary	128569001 T-49535	C1267527
SRTSCT	T-48581 122972007	Pulmonary vein	122972007 T-48581	C0034090
SRTSCT	D4-33512 128566008	Pulmonary vein confluence	128566008 D4-33512	C1290492
SRTSCT	T-48740 56400007	Renal vein	56400007 T-48740	C0035092
SRTSCT	T-D930A 128587003	Saphenofemoral junction	128587003 T-D930A	C0447132
SRTSCT	T-4940B 362072009	Saphenous vein	362072009 T-4940B	C0036186
SRTSCT	T-48890 35819009	splenic vein	35819009 T-48890	C0038001
SRTSCT	T-48330 9454009	Subclavian vein	9454009 T-48330	C0038532
SRTSCT	T-48610 48345005	Superior vena cava	48345005 T-48610	C0042459
SRTSCT	T-48832 284639000	Umbilical vein	284639000 T-48832	C0226734
SRTSCT	T-48000 29092000	Vein	29092000 T-48000	C0042449
SRTSCT	R-003AA 371951007	Vena anonyma	371951007 R-003AA	C1299265

Note

In a prior version of this Context Group the code T-48500 rather than T-48581 was defined for the concept Pulmonary Vein; this was inconsistent with the DICOM approach of selecting the "structure of" rather than "entire" concept. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 3608 Atrial Source Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.158

Table CID 3608. Atrial Source Locations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-00203 128981007	Baffle	128981007 A-00203	C1289790
SRTSCT	D4-31005 253276007	Common atrium	253276007 D4-31005	C0392482
SRTSCT	T-32330 31162003	Coronary sinus	31162003 T-32330	C0225863
SRTSCT	D4-31052 128563000	Juxtaposed appendage	128563000 D4-31052	C1290478
SRTSCT	T-32300 82471001	Left atrium	82471001 T-32300	C0225860
SRTSCT	G-DB27 128449009	Pulmonary artery wedge	128449009 G-DB27	C1264742
SRTSCT	G-DB26 128448001	Pulmonary capillary wedge	128448001 G-DB26	C1264741

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	D4-33514 128567004	Pulmonary venous atrium	128567004 D4-33514	C1290493
SRTSCT	T-32190 128586007	Pulmonary chamber in cor triatriatum	128586007 T-32190	C0225841
SRTSCT	T-32200 73829009	Right Atrium	73829009 T-32200	C0225844
SRTSCT	D4-33516 128568009	Systemic venous atrium	128568009 D4-33516	C1290494

CID 3609 Ventricular Source Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.159

Table CID 3609. Ventricular Source Locations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	D4-31120 45503006	Common ventricle	45503006 D4-31120	C0152424
SRTSCT	T-32600 87878005	Left ventricle	87878005 T-32600	C0225897
SRTSCT	T-32602 128564006	Left ventricle apex	128564006 T-32602	C0580781
SRTSCT	T-32640 70238003	Left ventricle inflow	70238003 T-32640	C0225911
SRTSCT	T-32650 13418002	Left ventricle outflow tract	13418002 T-32650	C0225912
SRTSCT	T-32500 53085002	Right ventricle	53085002 T-32500	C0225883
SRTSCT	T-32502 128565007	Right ventricle apex	128565007 T-32502	C0445242
SRTSCT	T-32540 8017000	Right ventricle inflow	8017000 T-32540	C0225891
SRTSCT	T-32550 44627009	Right ventricle outflow tract	44627009 T-32550	C0225892

CID 3610 Gradient Source Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.160

Table CID 3610. Gradient Source Locations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-35300 91134007	Mitral Valve	91134007 T-35300	C0026264
SRTSCT	T-35400 34202007	Aortic Valve	34202007 T-35400	C0003501
SRTSCT	T-35100 46030003	Tricuspid valve	46030003 T-35100	C0040960
SRTSCT	T-35200 39057004	Pulmonary valve	39057004 T-35200	C0034086
SRTSCT	T-44000 81040000	Pulmonary artery	81040000 T-44000	C0034052
SRTSCT	T-32650 13418002	Left ventricle outflow tract	13418002 T-32650	C0225912
SRTSCT	T-32550 44627009	Right ventricle outflow tract	44627009 T-32550	C0225892
SRTSCT	D4-31150 30288003	Ventricular Septal defect	30288003 D4-31150	C0018818
SRTSCT	D4-31220 70142008	Atrial Septal defect	70142008 D4-31220	C0018817
SRTSCT	D4-32014 7305005	Coarctation of aorta	7305005 D4-32014	C0003492

CID 3611 Pressure Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050322
 UID: 1.2.840.10008.6.1.161

Table CID 3611. Pressure Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
DCM	109016	A wave peak pressure		
DCM	122196	C wave pressure		
LN	8462-4	Intravascular diastolic blood pressure		C0488052
SRTSCT	F-00E22314453003	Average diastolic blood pressure	314453003F-00E22	C1282163
SRTSCT	F-00E1F314451001	Minimum diastolic blood pressure	314451001F-00E1F	C1282161
DCM	122191	Ventricular End Diastolic pressure		
DCM	122197	Gradient pressure, average		
DCM	122198	Gradient pressure, peak		
SRTSCT	F-311506797001	Mean blood pressure	6797001F-31150	C0428886
DCM	122199	Pressure at dp/dt max		
LN	8480-6	Intravascular Systolic Blood pressure		C0488055
SRTSCT	F-00E14314440001	Average systolic blood pressure	314440001F-00E14	C1282151
SRTSCT	F-00E11314439003	Maximum systolic blood pressure	314439003F-00E11	C1282150
DCM	109034	V wave peak pressure		
DCM	122208	x-descent pressure		
DCM	122209	y-descent pressure		
DCM	122210	z-point pressure		

CID 3612 Blood Velocity Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.162

Table CID 3612. Blood Velocity Measurements

Coding Scheme Designator	Code Value	Code Meaning
DCM	122201	Diastolic blood velocity, mean
DCM	122202	Diastolic blood velocity, peak
DCM	122203	Systolic blood velocity, mean
DCM	122204	Systolic blood velocity, peak
DCM	122205	Blood velocity, mean
DCM	122206	Blood velocity, minimum
DCM	122207	Blood velocity, peak

CID 3613 Hemodynamic Time Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.163

Table CID 3613. Hemodynamic Time Measurements

Coding Scheme Designator	Code Value	Code Meaning
DCM	122182	R-R interval
DCM	109072	Tau
DCM	122211	Left Ventricular ejection time
DCM	122212	Left Ventricular filling time
DCM	122213	Right Ventricular ejection time
DCM	122214	Right Ventricular filling time
DCM	109071	Indicator mean transit time

CID 3614 Valve Areas, Non-mitral

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.164

Table CID 3614. Valve Areas, Non-mitral

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-0231F251011009	Aortic Valve Area	251011009F-0231F	C0428817
SRTSCT	F-02321251013007	Pulmonic Valve Area	251013007F-02321	C0428819
SRTSCT	F-02322251014001	Tricuspid Valve Area	251014001F-02322	C0428820
DCM	122160	Derived Non-Valve Area		

CID 3615 Valve Areas

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.165

Table CID 3615. Valve Areas

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 3614 "Valve Areas, Non-mitral"				
SRTSCT	F-02320251012002	Mitral Valve Area	251012002F-02320	C0221099

CID 3616 Hemodynamic Period Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.166

Table CID 3616. Hemodynamic Period Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-002D2371850007	Aortic Systolic Ejection Period (SEPa)	371850007R-002D2	C1269855
SRTSCT	R-0035C371848004	Pulmonary Systolic Ejection Period (SEPP)	371848004R-0035C	C1269854
SRTSCT	R-0032C371849007	Mitral Diastolic Filling Period (DFPm)	371849007R-0032C	C1299325
SRTSCT	R-003A9371847009	Tricuspid Diastolic Filling Period (DFPt)	371847009R-003A9	C1299324
SRTSCT	R-002F5371853009	Derived Period, Non-Valve	371853009R-002F5	C1299328

CID 3617 Valve Flows

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.167

Table CID 3617. Valve Flows

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-002D3371845001	Aortic Valve Flow	371845001R-002D3	C1299322
SRTSCT	R-0032D371837006	Mitral Valve Flow	371837006R-0032D	C1299464
SRTSCT	R-0035D371846000	Pulmonary Valve Flow	371846000R-0035D	C1299323
SRTSCT	R-00385371840006	Tricuspid Valve Flow	371840006R-00385	C1299467
SRTSCT	R-00394371839009	Derived Flow, Non-Valve	371839009R-00394	C1299466

CID 3618 Hemodynamic Flows

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.168

Table CID 3618. Hemodynamic Flows

Coding Scheme Designator	Code Value	Code Meaning
DCM	122161	Pulmonary Flow
DCM	122162	Systemic Flow

CID 3619 Hemodynamic Resistance Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.169

Table CID 3619. Hemodynamic Resistance Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	F-03E86 276901002	Pulmonary Vascular Resistance	276901002 F-03E86	C0456261
SRT SCT	F-02B35 386530009	Systemic Vascular Resistance	386530009 F-02B35	C1258192
DCM	122215	Total Pulmonary Resistance		
DCM	122216	Total Vascular Resistance		

CID 3620 Hemodynamic Ratios

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.170

Table CID 3620. Hemodynamic Ratios

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
LN	8581-1	Tibial/brachial index		C0488220
SRT SCT	F-0238B 251050008	Pulmonary/Systemic Flow Ratio	251050008 F-0238B	C0428854
DCM	122217	Coronary Flow reserve		
DCM	122218	Diastolic/Systolic velocity ratio		
DCM	122219	Hyperemic ratio		
SRT SCT	F-031A2 252068008	Pulsatility Index	252068008 F-031A2	C0429863
DCM	122220	Hemodynamic Resistance Index		
Include CID 3621 "Fractional Flow Reserve"				

CID 3621 Fractional Flow Reserve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.171

Table CID 3621. Fractional Flow Reserve

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	R-00307 371842003	Fractional flow reserve	371842003 R-00307	C1299469
SRT SCT	R-00308 371835003	Fractional Flow Reserve using intracoronary bolus	371835003 R-00308	C1299462
SRT SCT	R-00309 371841005	Fractional Flow Reserve using intravenous infusion	371841005 R-00309	C1299468

CID 3627 Measurement Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20060613
 UID: 1.2.840.10008.6.1.172

Table CID 3627. Measurement Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-002E1371912002	Best value	371912002R-002E1	C1299381
SRTSCT	R-00317373098007	Mean	373098007R-00317	C1298794
SRTSCT	R-00319373099004	Median	373099004R-00319	C1298795
SRTSCT	R-0032E373100007	Mode	373100007R-0032E	C1298796
SRTSCT	R-00355371913007	Point source measurement	371913007R-00355	C1299382
SRTSCT	R-00353371914001	Peak to peak	371914001R-00353	C1299383
SRTSCT	R-41D27258083009	Visual estimation	258083009R-41D27	C0444684
SRTSCT	R-10260414135002	Estimated	414135002R-10260	C0750572
SRTSCT	R-41D2D258090004	Calculated	258090004R-41D2D	C0444686
SRTSCT	R-41D41258104002	Measured	258104002R-41D41	C0444706

CID 3628 Cardiac Output Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.173

Table CID 3628. Cardiac Output Methods

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-002E5371838001	Thermal Bath	371838001R-002E5	C1299465
SRTSCT	R-002E7371843008	Thermal Inline	371843008R-002E7	C1299320
SRTSCT	R-002E6373104003	Dye Dilution	373104003R-002E6	C1298799

CID 3629 Procedure Intent

This Context Group specifies the intent for a procedure or a procedure step, depending on the context of invocation. The intent for a procedure step may be different than that of the procedure in which it occurs.

Note

- For example, a surgical biopsy procedure may have "Diagnostic Intent", while the imaging procedure step within that procedure may have "Guidance Intent".
- Collection of specimens is generally "Diagnostic Intent"; "Forensic Intent" is typically used for autopsies; "Palliative Intent" and "Adjuvant Intent" may apply to certain radiotherapy procedures.
- In SNOMED-CT, "Staging Intent" is a subsidiary concept (refinement) of "Diagnostic Intent". The following are subsidiary concepts of "Therapeutic Intent": Adjunct, Adjuvant, Curative, Neo-adjuvant, Prophylactic, and Supportive. Prophylactic is also a subsidiary concept of Preventive intent.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.174

Table CID 3629. Procedure Intent

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-408C3261004008	Diagnostic Intent	261004008R-408C3	C0348026
SRTSCT	R-41531262202000	Therapeutic Intent	262202000R-41531	C0302350
SRTSCT	R-002E9371931008	Combined Diagnostic and Therapeutic Procedure	371931008R-002E9	C1299398
DCM	113680	Quality Control Intent		
SRTSCT	R-408F2373825000	Staging intent	373825000R-408F2	C1276306
SRTSCT	R-40641363675004	Guidance Intent	363675004R-40641	C1285529
SRTSCT	R-40642363676003	Palliative Intent	363676003R-40642	C1285530
SRTSCT	R-42453360156006	Screening Intent	360156006R-42453	C1305399
SRTSCT	R-40644447295008	Forensic Intent	447295008R-40644	C2960804
SRTSCT	R-41564421974008	Adjunct intent	421974008R-41564	C1719882
SRTSCT	R-41561373846009	Adjuvant intent	373846009R-41561	C1298675
SRTSCT	R-41560373808002	Curative intent	373808002R-41560	C1276305
SRTSCT	R-41562373847000	Neo-adjuvant intent	373847000R-41562	C1298676
SRTSCT	R-41563399707004	Supportive intent	399707004R-41563	C1302630
SRTSCT	P0-02179129428001	Preventive intent	129428001P0-02179	C1456501
SRTSCT	P0-021FD360271000	Prophylactic intent	360271000P0-021FD	C0199176

CID 3630 Cardiovascular Anatomic Locations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.175

Table CID 3630. Cardiovascular Anatomic Locations

Coding Scheme Designator	Code Value	Code Meaning
Include CID 3606 "Arterial Source Locations"		
Include CID 3607 "Venous Source Locations"		
Include CID 3608 "Atrial Source Locations"		
Include CID 3609 "Ventricular Source Locations"		
Include CID 3610 "Gradient Source Locations"		

CID 3640 Hypertension

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040920
 UID: 1.2.840.10008.6.1.176

Table CID 3640. Hypertension

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-4030070995007	Pulmonary hypertension	70995007D3-40300	C0020542

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-0200038341003	Systemic arterial hypertension	38341003D3-02000	C0020538

CID 3641 Hemodynamic Assessments

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.177

Table CID 3641. Hemodynamic Assessments

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-03E0D276780008	Left Ventricular Systolic Pressure	276780008F-03E0D	C0456189
SRTSCT	F-03E0E276781007	Left Ventricular End-Diastolic Pressure	276781007F-03E0E	C0456190
SRTSCT	F-0212C250767002	Pulmonary Artery Pressure	250767002F-0212C	C0428642
SRTSCT	F-03E86276901002	Pulmonary Vascular Resistance	276901002F-03E86	C0456261
SRTSCT	F-31146118433006	Pulmonary Capillary Wedge Pressure	118433006F-31146	C0086879
SRTSCT	F-03DFE276772001	Right Ventricular Systolic Pressure	276772001F-03DFE	C0456181
SRTSCT	F-03E02276774000	Right Ventricular End-Diastolic Pressure	276774000F-03E02	C0456183
SRTSCT	F-03DE9276755008	Right Atrial Pressure	276755008F-03DE9	C0456165
SRTSCT	F-3979088619007	Vascular Resistance	88619007F-39790	C0042380
SRTSCT	F-008ED271650006	Diastolic Pressure	271650006F-008ED	C0428883

CID 3642 Degree Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040920
 UID: 1.2.840.10008.6.1.178

Table CID 3642. Degree Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A3161250004	Decreased	1250004G-A316	C0205216
SRTSCT	G-A37375540009	Elevated	75540009G-A373	C3163633
SRTSCT	G-A37A260360000	Severely Elevated	260360000G-A37A	C0442804
SRTSCT	R-40765260395002	Normal Range	260395002R-40765	C0086715

CID 3651 Hemodynamic Measurement Phase

This context group is a subset of CID 3250 "Catheterization Procedure Phase".

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.179

Table CID 3651. Hemodynamic Measurement Phase

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-7293128955008	Cardiac catheterization baseline phase	128955008G-7293	C1292432
SRTSCT	G-729B129083002	Cardiac catheterization post contrast phase	129083002G-729B	C1292440
SRTSCT	G-7298128960007	Cardiac catheterization post-intervention phase	128960007G-7298	C1292437
SRTSCT	R-002E4373105002	Cardiac catheterization test/challenge phase	373105002R-002E4	C1300063
SRTSCT	R-002E3371874005	Cardiac catheterization gradient assessment phase	371874005R-002E3	C1300078
SRTSCT	P2-71317133882006	Drug Infusion Challenge	133882006P2-71317	C1297891
SRTSCT	P2-71310128967005	Exercise challenge	128967005P2-71310	C1293901
SRTSCT	F-01604128975004	Resting State	128975004F-01604	C0679218

CID 3663 Body Surface Area Equations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100609
UID: 1.2.840.10008.6.1.180

Table CID 3663. Body Surface Area Equations

Coding Scheme Designator	Code Value	Code Meaning
DCM	122240	$BSA = 0.003207 * WT^{(0.7285 - 0.0188 \log(WT))} * HT^{0.3}$
DCM	122241	$BSA = 0.007184 * WT^{0.425} * HT^{0.725}$
DCM	122242	$BSA = 0.0235 * WT^{0.51456} * HT_{cm}^{0.42246}$
DCM	122243	$BSA = 0.024265 * WT^{0.5378} * HT_{cm}^{0.3964}$
DCM	122244	$BSA = (HT * WT/36)^{0.5}$
DCM	122245	$BSA = 1321 + 0.3433 * WT$
DCM	122246	$BSA = 0.0004688 * WT^{(0.8168 - 0.0154 * \log(WT))}$
DCM	122266	$BSA = 0.007358 * WT^{0.425} * HT^{0.725}$
DCM	122267	$BSA = 0.010265 * WT^{0.423} * HT^{0.651}$
DCM	122268	$BSA = 0.008883 * WT^{0.444} * HT^{0.663}$
DCM	122269	$BSA = 0.038189 * WT^{0.423} * HT^{0.362}$
DCM	122270	$BSA = 0.009568 * WT^{0.473} * HT^{0.655}$

CID 3664 Oxygen Consumption Equations and Tables

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.181

Table CID 3664. Oxygen Consumption Equations and Tables

Coding Scheme Designator	Code Value	Code Meaning
DCM	122247	$VO2_{male} = BSA (138.1 - 11.49 * \log e(age) + 0.378 * HRf)$
DCM	122248	$VO2_{female} = BSA (138.1 - 17.04 * \log e(age) + 0.378 * HRf)$
DCM	122249	$VO2 = VeSTPD * 10 * (FIO2 - FE02)$
DCM	122250	$VO2 = 152 * BSA$
DCM	122251	$VO2 = 175 * BSA$
DCM	122252	$VO2 = 176 * BSA$
DCM	122253	Robertson & Reid table
DCM	122254	Fleisch table
DCM	122255	Boothby table

CID 3666 P50 Equations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.182

Table CID 3666. P50 Equations

Coding Scheme Designator	Code Value	Code Meaning
DCM	122256	if (prem age < 3days) P50 = 19.9
DCM	122257	if (age < 1day) P50 = 21.6
DCM	122258	if (age < 30day) P50 = 24.6
DCM	122259	if (age < 18y) P50 = 27.2
DCM	122260	if (age < 40y) P50 = 27.4
DCM	122261	if (age > 60y) P50 = 29.3

CID 3667 Framingham Scores

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.183

Table CID 3667. Framingham Scores

Coding Scheme Designator	Code Value	Code Meaning
DCM	122230	10 Year CHD Risk
DCM	122231	Comparative Average 10 Year CHD Risk
DCM	122232	Comparative Low 10 Year CHD Risk

CID 3668 Framingham Tables

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.184

Table CID 3668. Framingham Tables

Coding Scheme Designator	Code Value	Code Meaning
DCM	122233	LDL Cholesterol Score Sheet for Men
DCM	122234	LDL Cholesterol Score Sheet for Women
DCM	122235	Total Cholesterol Score Sheet for Men
DCM	122236	Total Cholesterol Score Sheet for Women

CID 3670 ECG Procedure Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20110330

UID: 1.2.840.10008.6.1.185

Table CID 3670. ECG Procedure Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	P2-3120A 268400002	12-Lead ECG	268400002 P2-3120A	C0430456
SRT SCT	P2-3120E 429163003	15-Lead ECG	429163003 P2-3120E	C1998169
SRT SCT	P2-3120C 425808002	18-Lead ECG	425808002 P2-3120C	C1961003

CID 3671 Reason for ECG Exam

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030327

UID: 1.2.840.10008.6.1.186

Table CID 3671. Reason for ECG Exam

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-00300 373110003	Emergency procedure	373110003 R-00300	C1298802
SRT SCT	P1-00410 110467000	Pre-Surgery testing	110467000 P1-00410	C1293092
SRT SCT	R-00348 371883000	Outpatient procedure	371883000 R-00348	C1299353
SRT SCT	R-0035A 373111004	Procedure in Cardiac Care Unit	373111004 R-0035A	C1298803
SRT SCT	P2-10700 4525004	Emergency Department patient visit	4525004 P2-10700	C0586082
SRT SCT	R-00302 373112006	Evaluation of murmur	373112006 R-00302	C1298804
SRT SCT	R-0036E 373113001	Routine procedure	373113001 R-0036E	C1298805

CID 3672 Pacemakers

This Context Group includes the full set of codes for types of pacemakers specified in the NASPE/BPEG Generic Pacemaker Code (NBG). The Coding Scheme Designator (0008,0102) shall be NBG.

Note

1. A prior version of this context group used codes from the SCP-ECG vocabulary.

2. Further information at <http://www.hrsonline.org/Practice-Guidance/Clinical-Guidelines-Documents/2002-The-Revised-NASPE-BPEG-Generic-Code-for-Antibradycardia-AdaptiveRate-and-Multisite-Pacing>. For reference, the scheme is reproduced here:

Code Position	1 - Chamber(s) paced	2 - Chamber(s) sensed	3 - Response to sensing	4 - Rate modulation	5- Multisite pacing
Code values	O = None A = Atrium V = Ventricle D = Dual (A+V) S = Single(A or V - Mfr designation only)	O = None A = Atrium V = Ventricle D = Dual (A+V) S = Single(A or V - Mfr designation only)	O = None T = Triggered I = Inhibited D = Dual (T+I)	O = None R = Rate modulation	O = None A = Atrium V = Ventricle D = Dual (A+V)

CID 3673 Diagnosis (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3675 Other Filters (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3676 Lead Measurement Technique

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180325
 UID: 1.2.840.10008.6.1.190

Table CID 3676. Lead Measurement Technique

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-00317 373098007	Averaged	373098007 R-00317	C1298794
SRT SCT	R-0036D 373115008	Routine	373115008 R-0036D	C1298806
SRT SCT	R-00349 373099004	Median	373099004 R-00319	C1298795
SRT SCT	R-0036A 371916004	Representative	371916004 R-0036A	C1299385
SRT SCT	R-00373 371871002	Single Beats	371871002 R-00373	C1299345

CID 3677 Summary Codes ECG

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20111028
 UID: 1.2.840.10008.6.1.191

Table CID 3677. Summary Codes ECG

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-000B7 164854000	Normal ECG	164854000 F-000B7	C0522054
SRT SCT	F-38002 102594003	Abnormal ECG	102594003 F-38002	C0522055

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	F-38056 251135002	Borderline Normal ECG	251135002 F-38056	C0428951
SRT SCT	F-38095 370359005	ECG Equivocal	370359005 F-38095	C0438155
DCM	122753	Non-diagnostic ECG		

Note

A prior version of this context group used codes from the SCP-ECG vocabulary.

CID 3678 QT Correction Algorithms

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20081029
 UID: 1.2.840.10008.6.1.192

Table CID 3678. QT Correction Algorithms

Coding Scheme Designator	Code Value	Code Meaning
DCM	122730	Bazett QT Correction Algorithm
DCM	122731	Hodges QT Correction Algorithm
DCM	122732	Fridericia QTc Algorithm
DCM	122733	Framingham QTc Algorithm

Note

A prior version of this context group used codes from the SCP-ECG vocabulary.

CID 3679 ECG Morphology Descriptions (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3680 ECG Lead Noise Descriptions

This Context Group comprises the ECG noise annotations of ISO/IEEE 11073-10102. The terms included in the table below may not constitute the complete list; see the ISO/IEEE Standard.

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110330
 UID: 1.2.840.10008.6.1.194

Table CID 3680. ECG Lead Noise Descriptions

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:11200	No noise	MDC_ECG_NOISE_CLEAN
MDC	10:11216	Moderate noise	MDC_ECG_NOISE_MODERATE
MDC	10:11232	Severe noise	MDC_ECG_NOISE_SEVERE
MDC	10:11248	No signal	MDC_ECG_NOISE_NOSIGNAL

A prior version of this context group used codes from the SCP-ECG vocabulary.

CID 3681 ECG Lead Noise Modifiers (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3682 Probability (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3683 Modifiers (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3684 Trend (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3685 Conjunctive Terms (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3686 ECG Interpretive Statements (Retired)

This Context Group is retired. See PS3.16-2009.

CID 3687 Electrophysiology Waveform Durations

This Context Group consists of the per-lead terms under the hierarchy of Reference ID MDC_ECG_TIME_PD in the ISO/IEEE 11073-10102 nomenclature.

The base terms from that hierarchy are included in the table below for reference. The per-lead base terms are pre-coordinated with concept discriminators for specific leads, and the code values for those pre-coordinated terms are arithmetically derived from the code values of the base terms. For the complete current list of terms and discriminator values, see the ISO/IEEE Standard. All pre-coordinated terms (measurements plus discriminators) within the identified hierarchy are part of this Context Group.

Note

1. A prior version of this context group used codes from the SCP-ECG coding system.
2. Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110330
UID: 1.2.840.10008.6.1.201

Table CID 3687. Electrophysiology Waveform Durations

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:6656	P duration, per lead	MDC_ECG_TIME_PD_P
MDC	2:4608	P onset to P1 duration, per lead	MDC_ECG_TIME_PD_P1
MDC	2:4864	P onset to P2 duration, per lead	MDC_ECG_TIME_PD_P2
MDC	2:5120	P onset to P3 duration, per lead	MDC_ECG_TIME_PD_P3
MDC	2:7168	P offset to QRS onset duration, per lead	MDC_ECG_TIME_PD_PR

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:7680	Q duration, per lead	MDC_ECG_TIME_PD_Q
MDC	2:7936	QRS duration, per lead	MDC_ECG_TIME_PD_QRS
MDC	2:8192	QT duration, per lead	MDC_ECG_TIME_PD_QT
MDC	2:11264	R1 duration, per lead	MDC_ECG_TIME_PD_R_1
MDC	2:11520	R2 duration, per lead	MDC_ECG_TIME_PD_R_2
MDC	2:11776	R3 duration, per lead	MDC_ECG_TIME_PD_R_3
MDC	2:12032	S1 duration, per lead	MDC_ECG_TIME_PD_S_1
MDC	2:12288	S2 duration, per lead	MDC_ECG_TIME_PD_S_2
MDC	2:12544	S3 duration, per lead	MDC_ECG_TIME_PD_S_3
MDC	2:11008	Ventricular activation time, per lead	MDC_ECG_TIME_PD_VENT_ACTIV
MDC	2:32768	PP time period, per lead	MDC_ECG_TIME_PD_PP
MDC	2:33024	RR time period, per lead	MDC_ECG_TIME_PD_RR
MDC	2:33280	PQ time period, per lead	MDC_ECG_TIME_PD_PQ
MDC	2:33536	PQ segment time period, per lead	MDC_ECG_TIME_PD_PQ_SEG
MDC	2:34560	QTU time period, per lead	MDC_ECG_TIME_PD_QTU

CID 3688 Electrophysiology Waveform Voltages

This Context Group consists of the codes of the hierarchies under Reference IDs MDC_ECG_ELEC_POTL and MDC_ECG_AMPL of the ISO/IEEE 11073-10102 nomenclature.

The base terms from those hierarchies are included in the table below for reference. The per lead base terms are pre-coordinated with concept discriminators for specific leads, and the code values for those pre-coordinated terms are arithmetically derived from the code values of the base terms. For the complete current list of terms and discriminator values, see the ISO/IEEE Standard. All pre-coordinated terms (measurements plus discriminators) within the identified hierarchies are part of this Context Group.

Note

1. A prior version of this context group used codes from the SCP-ECG coding system.
2. Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110330
UID: 1.2.840.10008.6.1.202

Table CID 3688. Electrophysiology Waveform Voltages

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:1024	J point Amplitude, per lead	MDC_ECG_AMPL_J
MDC	2:14848	Amplitude at 20 ms into ST segment, per lead	MDC_ECG_ELEC_POTL_ST_20
MDC	2:15104	Amplitude at 40 ms into ST segment, per lead	MDC_ECG_ELEC_POTL_ST_40
MDC	2:14336	Amplitude at 60 ms into ST segment, per lead	MDC_ECG_ELEC_POTL_ST_60

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:14592	Amplitude at 80 ms into ST segment, per lead	MDC_ECG_ELEC_POTL_ST_80
MDC	2:1280	P maximum amplitude, per lead	MDC_ECG_AMPL_P_MAX
MDC	2:1536	P minimum amplitude, per lead	MDC_ECG_AMPL_P_MIN
MDC	2:3072	P3 amplitude, per lead	MDC_ECG_AMPL_P3
MDC	2:1792	Q amplitude, per lead	MDC_ECG_AMPL_Q
MDC	2:2048	R amplitude, per lead	MDC_ECG_AMPL_R
MDC	2:12800	R1 amplitude, per lead	MDC_ECG_ELEC_POTL_R_1
MDC	2:13056	R2 amplitude, per lead	MDC_ECG_ELEC_POTL_R_2
MDC	2:13312	R3 amplitude, per lead	MDC_ECG_ELEC_POTL_R_3
MDC	2:2304	S amplitude, per lead	MDC_ECG_AMPL_S
MDC	2:13568	S1 amplitude, per lead	MDC_ECG_ELEC_POTL_S_1
MDC	2:13824	S2 amplitude, per lead	MDC_ECG_ELEC_POTL_S_2
MDC	2:14080	S3 amplitude, per lead	MDC_ECG_ELEC_POTL_S_3
MDC	2:2560	T maximum amplitude, per lead	MDC_ECG_AMPL_T_MAX
MDC	2:2816	T minimum amplitude, per lead	MDC_ECG_AMPL_T_MIN
MDC	2:768	ST amplitude, per lead	MDC_ECG_AMPL_ST

CID 3689 ECG Global Waveform Durations

This Context Group consists of the global terms under the hierarchy of Reference ID MDC_ECG_TIME_PD in the ISO/IEEE 11073-10102 nomenclature.

The base terms from that hierarchy are included in the table below for reference. The base terms may be pre-coordinated with concept discriminators, and the code values for those pre-coordinated terms are arithmetically derived from the code values of the base terms. For the complete current list of terms and discriminator values, see the ISO/IEEE Standard. All pre-coordinated terms (measurements plus discriminators) within the identified hierarchy are part of this Context Group.

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110330
UID: 1.2.840.10008.6.1.927

Table CID 3689. ECG Global Waveform Durations

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:16184	P duration, global	MDC_ECG_TIME_PD_P_GL
MDC	2:16140	PP time period, global	MDC_ECG_TIME_PD_PP_GL
MDC	2:16144	PQ time period, global	MDC_ECG_TIME_PD_PQ_GL
MDC	2:15872	PR time period, global	MDC_ECG_TIME_PD_PR_GL
MDC	2:16148	PQ segment time period, global	MDC_ECG_TIME_PD_PQ_SEG_GL
MDC	2:16156	QRS duration, global	MDC_ECG_TIME_PD_QRS_GL
MDC	2:16160	QT duration, global	MDC_ECG_TIME_PD_QT_GL

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	2:16000	RR time period, global	MDC_ECG_TIME_PD_RR_GL
MDC	2:16004	QTU time period, global	MDC_ECG_TIME_PD_QTU_GL

CID 3690 ECG Control Variables Numeric

This Context Group includes the ECG control variables specified in the ISO/IEEE 11073-10102 nomenclature that take numeric values. The terms are included in the table below for reference; these may not constitute the complete current list (see the ISO/IEEE Standard).

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110330
UID: 1.2.840.10008.6.1.895

Table CID 3690. ECG Control Variables Numeric

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:11393	Sample rate	MDC_ECG_CTL_VBL_SAMPLE_RATE
MDC	10:11394	Sensitivity	MDC_ECG_CTL_VBL_SENSITIVITY
MDC	10:11395	Zero offset	MDC_ECG_CTL_VBL_ZERO_OFFSET
MDC	10:11397	Pad value	MDC_ECG_CTL_VBL_PAD_VALUE
MDC	10:11398	Time skew	MDC_ECG_CTL_VBL_TIME_SKEW
MDC	10:11399	Sample skew	MDC_ECG_CTL_VBL_SAMPLE_SKEW
MDC	10:11400	Time offset	MDC_ECG_CTL_VBL_TIME_OFFSET
MDC	10:11403	Low pass filter cutoff freq	MDC_ECG_CTL_VBL_ATTR_FILTER_CUTOFF_FREQ
MDC	10:11408	Notch filter frequency	MDC_ECG_CTL_VBL_ATTR_FILTER_NOTCH_FREQ
MDC	10:11409	Notch filter bandwidth	MDC_ECG_CTL_VBL_ATTR_FILTER_NOTCH_BANDWIDTH
MDC	10:11418	Interpolator SNR	MDC_ECG_CTL_VBL_INTERPOLATOR_SNR

CID 3691 ECG Control Variables Text

This Context Group includes the ECG control variables specified in the ISO/IEEE 11073-10102 nomenclature that take text or coded values. The terms are included in the table below for reference; these may not constitute the complete current list (see the ISO/IEEE Standard).

Note

Codes reprinted by permission of IEEE, Copyright 2004 by IEEE. ISO/IEEE 11073-10102 available through <http://standards.ieee.org/>.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110330
UID: 1.2.840.10008.6.1.896

Table CID 3691. ECG Control Variables Text

Coding Scheme Designator	Code Value	Code Meaning	ISO/IEEE 11073 MDC Equivalent Reference ID (Informative)
MDC	10:11402	Low pass filter	MDC_ECG_CTL_VBL_ATTR_FILTER_LOW_PASS
MDC	10:11404	High pass filter	MDC_ECG_CTL_VBL_ATTR_FILTER_HIGH_PASS
MDC	10:11406	High pass filter description	MDC_ECG_CTL_VBL_ATTR_FILTER_DESCRIPTION
MDC	10:11407	Notch filter	MDC_ECG_CTL_VBL_ATTR_FILTER_NOTCH
MDC	10:11410	Notch filter description	MDC_ECG_CTL_VBL_ATTR_FILTER_NOTCH_DESCRIPTION
MDC	10:11412	Baseline description	MDC_ECG_CTL_VBL_BASELINE_DESC
MDC	10:11414	Interpolator	MDC_ECG_CTL_VBL_INTERPOLATOR
MDC	10:11416	Interpolator description	MDC_ECG_CTL_VBL_INTERPOLATOR_DESC

CID 3692 ICDs

This Context Group includes the full set of codes for types of implanted cardioverter/defibrillators (ICDs) specified in the NASPE/BPEG Defibrillator Code (NBD). The Coding Scheme Designator (0008,0102) shall be NBD.

Note

Further information at <http://www.hrsonline.org/News/ep-history/topics-in-depth/modecodehistory.cfm>. For reference, the scheme is reproduced here:

Code Position	Shock chamber	Antitachycardia pacing chamber	Tachycardia detection	Antibradycardia pacing chamber
Code values	O = None A = Atrium V = Ventricle D = Dual (A+V)	O = None A = Atrium V = Ventricle D = Dual (A+V)	E = Electrogram H = Hemodynamic	O = None A = Atrium V = Ventricle D = Dual (A+V)

Short Form

ICD-S = ICD with shock capability only

ICD-B = ICD with bradycardia pacing as well as shock

ICD-T = ICD with tachycardia (and bradycardia) pacing as well as shock

CID 3700 Cath Diagnosis

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.203

Table CID 3700. Cath Diagnosis

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ^{RT} ID	UMLS Concept Unique ID
SRT SCT	D3-13040 53741008	Coronary artery disease	53741008 D3-13040	C1956346
SRT SCT	D3-15100 57054005	Acute myocardial infarction	57054005 D3-15100	C0155626
SRT SCT	F-37012 102589003	Atypical chest pain	102589003 F-37012	C0262384

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	D3-13020 233819005	Stable Angina	233819005 D3-13020	C0340288
SRTSCT	D3-12400 87343002	Atypical Angina, Variant Angina	87343002 D3-12400	C0002963
SRTSCT	D3-12700 4557003	Unstable Angina, Progressive Angina	4557003 D3-12700	C0002965
SRTSCT	D3-13014 314116003	Post-infarction angina	314116003 D3-13014	C1278535
SRTSCT	R-00368 371808007	Recurrent angina Post-PTCA	371808007 R-00368	C1299436
SRTSCT	R-00367 371812001	Recurrent angina Post-DCA	371812001 R-00367	C1299440
SRTSCT	R-00369 371811008	Recurrent angina Post-Rotational Atherectomy	371811008 R-00369	C1299439
SRTSCT	R-00366 371809004	Recurrent angina Post-Stent	371809004 R-00366	C1299437
SRTSCT	R-00365 371810009	Recurrent angina Post-CABG	371810009 R-00365	C1299438
SRTSCT	D3-16010 42343007	Congestive heart failure	42343007 D3-16010	C0018802
SRTSCT	D2-61100 19242006	Pulmonary edema	19242006 D2-61100	C0034063
SRTSCT	D3-00200 89138009	cardiogenic shock	89138009 D3-00200	C0036980
SRTSCT	R-002CB 371817007	Acute ventricular septal rupture	371817007 R-002CB	C1299445
SRTSCT	D3-29010 11851006	Mitral valve disease	11851006 D3-29010	C0026265
SRTSCT	D3-29011 79619009	Mitral stenosis	79619009 D3-29011	C0026269
SRTSCT	D3-29012 48724000	Mitral regurgitation	48724000 D3-29012	C0026266
SRTSCT	D3-29096 373116009	Acute mitral regurgitation	373116009 D3-29096	C1298807
SRTSCT	D3-13021 233823002	Silent ischemia	233823002 D3-13021	C0340291
SRTSCT	R-00336 371824008	s/p MI positive stress for ischemia	371824008 R-00336	C1300077
SRTSCT	D3-26000 50920009	Myocarditis	50920009 D3-26000	C0027059
SRTSCT	D3-28102 73774007	Subacute bacterial endocarditis	73774007 D3-28102	C0014122
SRTSCT	D3-2906A 360465008	Idiopathic hypertrophic subaortic stenosis	360465008 D3-2906A	C0700053
SRTSCT	D3-40300 70995007	Pulmonary hypertension	70995007 D3-40300	C0020542
SRTSCT	D3-29040 20721001	Tricuspid valve disease	20721001 D3-29040	C0264882
SRTSCT	D3-29042 111287006	Tricuspid regurgitation	111287006 D3-29042	C0040961
SRTSCT	D3-1081C 409712001	Mitral valve prolapse	409712001 D3-1081C	C0026267
SRTSCT	D3-31700 25569003	Ventricular tachycardia	25569003 D3-31700	C0042514
SRTSCT	D3-31720 71908006	Ventricular fibrillation	71908006 D3-31720	C0042510
SRTSCT	D3-20021 399020009	Congestive cardiomyopathy	399020009 D3-20021	C0007193
SRTSCT	D3-02500 64715009	Hypertensive heart disease	64715009 D3-02500	C0152105
SRTSCT	D3-22100 90828009	Restrictive cardiomyopathy	90828009 D3-22100	C0007196
SRTSCT	D3-90000 55855009	Pericardial disease	55855009 D3-90000	C0265122
SRTSCT	D3-90100 35304003	Pericardial tamponade	35304003 D3-90100	C0007177
SRTSCT	D3-29020 8722008	Aortic valve disease	8722008 D3-29020	C1260873
SRTSCT	D3-29021 60573004	Aortic stenosis	60573004 D3-29021	C0003507
SRTSCT	D3-29025 194983005	Aortic insufficiency	194983005 D3-29025	C0340377

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D4-3122070142008	Atrial septal defect	70142008D4-31220	C0018817
SRTSCT	D3-80016308546005	Aortic dissection	308546005D3-80016	C0340643
SRTSCT	D3-2905076267008	Pulmonic valve disease	76267008D3-29050	C0034087
SRTSCT	D4-3115030288003	Ventricular septal defect	30288003D4-31150	C0018818
SRTSCT	D3-8330067362008	Aortic aneurysm	67362008D3-83300	C0003486
SRTSCT	R-FAE6C698247007	Arrhythmia	698247007R-FAE6C	C0003811
SRTSCT	D3-3152049436004	Atrial fibrillation	49436004D3-31520	C0004238
SRTSCT	D4-3100013213009	heart disease, congenital	13213009D4-31000	C0152021
SRTSCT	D3-9103085598007	Constrictive pericarditis	85598007D3-91030	C0031048

CID 3701 Cardiac Valves and Tracts

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.204

Table CID 3701. Cardiac Valves and Tracts

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-3530091134007	Mitral Valve	91134007T-35300	C0026264
SRTSCT	T-3540034202007	Aortic Valve	34202007T-35400	C0003501
SRTSCT	T-3510046030003	Tricuspid valve	46030003T-35100	C0040960
SRTSCT	T-3520039057004	Pulmonary valve	39057004T-35200	C0034086
SRTSCT	T-3265013418002	Left ventricle outflow tract	13418002T-32650	C0225912

CID 3703 Wall Motion

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20111028
 UID: 1.2.840.10008.6.1.205

Table CID 3703. Wall Motion

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-00378373121007	Not Evaluated	373121007R-00378	C1298808
SRTSCT	R-41198261665006	Unknown	261665006R-41198	C0439673
DCM	122288	Not visualized		
SRTSCT	R-00344373122000	Normal wall motion	373122000R-00344	C1298809
SRTSCT	R-0030D373123005	Hyperkinetic region	373123005R-0030D	C1298810
SRTSCT	F-3205637706002	Hypokinesis	37706002F-32056	C0232172
SRTSCT	R-00327371868005	Mild Hypokinesis	371868005R-00327	C1299342
SRTSCT	R-0032F371869002	Moderate Hypokinesis	371869002R-0032F	C1299343
SRTSCT	R-00370371870001	Severe Hypokinesis	371870001R-00370	C1299344
SRTSCT	F-30004195675009	Akinesis	195675009F-30004	C0232171

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-3205225437005	Dyskinesia	25437005F-32052	C0232168

Note

In prior editions, this Context Group included incorrect codes for "Hypokinesia" and "Mild Hypokinesia" (see PS3.16-2011).

CID 3704 Myocardium Wall Morphology Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.206

Table CID 3704. Myocardium Wall Morphology Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
DCM	122112	Normal Myocardium		
SRTSCT	D3-1051090539001	Ventricular Aneurysm	90539001D3-10510	C0392464
DCM	122113	Scarred Myocardium		
DCM	122114	Thinning Myocardium		

CID 3705 Chamber Size

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.207

Table CID 3705. Chamber Size

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-00343373124004	Normal size cardiac chamber	373124004R-00343	C1298811
SRTSCT	R-002C6373125003	Abnormally small cardiac chamber	373125003R-002C6	C1298812
SRTSCT	R-0032A373126002	Mildly Enlarged cardiac chamber	373126002R-0032A	C1298813
SRTSCT	R-00331373127006	Moderately Enlarged cardiac chamber	373127006R-00331	C1298814
SRTSCT	R-00316373128001	Markedly Enlarged cardiac chamber	373128001R-00316	C1298815

CID 3706 Overall Contractility

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20111028
 UID: 1.2.840.10008.6.1.208

Table CID 3706. Overall Contractility

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-00341373129009	Normal wall contractility	373129009R-00341	C1298816
SRTSCT	R-00398371855002	Hyperkinesis	371855002R-00398	C1299330
SRTSCT	F-3205637706002	Hypokinesis	37706002F-32056	C0232172
SRTSCT	F-30004195675009	Akinesis	195675009F-30004	C0232171

CID 3707 VSD Description

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.209

Table CID 3707. VSD Description

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D4-3115494150003	Membranous	94150003D4-31154	C0685706
SRTSCT	R-0033B373131000	Non-restrictive	373131000R-0033B	C1298817
SRTSCT	D4-31166253551005	Restrictive	253551005D4-31166	C0344924
SRTSCT	R-40775260413007	None	260413007R-40775	C0549184

CID 3709 Aortic Root Description

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.210

Table CID 3709. Aortic Root Description

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-0033C373132007	Normal Aortic Root	373132007R-0033C	C1298818
SRTSCT	R-00301373133002	Enlarged Aortic Root	373133002R-00301	C1298819
SRTSCT	R-002CD373134008	Aneurysm of Aortic Root	373134008R-002CD	C1298820
SRTSCT	R-002D1373135009	Annular Abscess of Aortic Root	373135009R-002D1	C1298821
SRTSCT	R-003A1371872009	Post Stenotic Dilation	371872009R-003A1	C1299346
SRTSCT	D3-8366021379009	Ruptured Sinus of Valsalva	21379009D3-83660	C0265019

CID 3710 Coronary Dominance

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20111028
 UID: 1.2.840.10008.6.1.211

Table CID 3710. Coronary Dominance

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	D4-3252G 253729004	Left Coronary Dominance	253729004 D4-3252C	C0345136
SRTSCT	D4-3252B 253728007	Right Coronary Dominance	253728007 D4-3252B	C0345135
SRTSCT	D4-3252D 253730009	Balanced Coronary Dominance	253730009 D4-3252D	C0345137

Note

In prior editions, this Context Group included NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes (see PS3.16-2011).

CID 3711 Valvular Abnormalities

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.212

Table CID 3711. Valvular Abnormalities

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	D3-29001 44241007	Stenosis	44241007 D3-29001	C0264878
SRTSCT	F-32400 10337008	Regurgitation	10337008 F-32400	C0042300
SRTSCT	R-0030B 373136005	Calcified Heart Valve	373136005 R-0030B	C1142152
SRTSCT	R-0030F 373137001	Immobile Heart Valve	373137001 R-0030F	C1298822
DCM	127856	Heart Valve Flail		
SRTSCT	D3-28005 89736004	Valvular endocarditis	89736004 D3-28005	C0264865

CID 3712 Vessel Descriptors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.213

Table CID 3712. Vessel Descriptors

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-00389 373138006	Ulcerated	373138006 R-00389	C1298823
SRTSCT	R-0036B 371893007	Restenotic	371893007 R-0036B	C1299362
SRTSCT	R-002E2 371894001	Bifurcation	371894001 R-002E2	C1299363
SRTSCT	R-002EF 371895000	Culprit	371895000 R-002EF	C1299364
SRTSCT	R-40411 255378009	Aneurysmal	255378009 R-40411	C0439651
SRTSCT	R-002FC 371915000	Diffuse Disease	371915000 R-002FC	C1299384
SRTSCT	R-00314 371873004	Luminal Irregularities	371873004 R-00314	C1299347
SRTSCT	D4-31B68 424045003	Muscle Bridge	424045003 D4-31B68	C1827939
SRTSCT	R-10050 386139002	Stenotic	386139002 R-10050	C1272588

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10051386140000	Ectatic	386140000R-10051	C1272589
SRTSCT	D6-34737237897009	Calcified	237897009D6-34737	C0342649
SRTSCT	M-35001396339007	Thrombus	396339007M-35001	C0087086
SRTSCT	R-10048386137000	Tortuous	386137000R-10048	C1272586
SRTSCT	R-10049386138005	Stented	386138005R-10049	C1272587

CID 3713 TIMI Flow Characteristics

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.214

Table CID 3713. TIMI Flow Characteristics

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	NCDR Equivalent
SRTSCT	R-0037E371867000	0: No Perfusion	371867000R-0037E	C1299341	106-0, 107-0
SRTSCT	R-0037F371866009	1: Penetration without Perfusion	371866009R-0037F	C1299340	106-1, 107-1
SRTSCT	R-00381371864007	2: Partial Perfusion	371864007R-00381	C1299338	106-2, 107-2
SRTSCT	R-00382371865008	3: Complete Perfusion	371865008R-00382	C1299339	106-3, 107-3

CID 3714 Thrombus

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.215

Table CID 3714. Thrombus

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-0033A373140001	No Thrombus	373140001R-0033A	C1276764
SRTSCT	R-00356373141002	Possible Thrombus	373141002R-00356	C1298825
SRTSCT	R-002F1373142009	Definite Thrombus	373142009R-002F1	C1298826
SRTSCT	R-00371373143004	Severe Thrombus	373143004R-00371	C1298827

CID 3715 Lesion Margin

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050614
 UID: 1.2.840.10008.6.1.216

Table CID 3715. Lesion Margin

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A54582280004	Smooth	82280004G-A545	C0205357

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A40249608001	Irregular	49608001G-A402	C0205271
SRTSCT	R-00335371922008	Multiple Irregularities	371922008R-00335	C1299391
SRTSCT	R-403CC255321001	Ulcerative	255321001R-403CC	C0041582

CID 3716 Severity

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.217

Table CID 3716. Severity

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-40775260413007	None	260413007R-40775	C0549184
SRTSCT	R-404FA255604002	Mild	255604002R-404FA	C2945599
SRTSCT	R-00329371923003	Mild to Moderate	371923003R-00329	C1299392
SRTSCT	G-A0026736007	Moderate	6736007G-A002	C0205081
SRTSCT	R-00330371924009	Moderate to Severe	371924009R-00330	C1299393
SRTSCT	G-A00324484000	Severe	24484000G-A003	C0205082
SRTSCT	R-4099D399166001	Fatal	399166001R-4099D	C1302234

CID 3717 Myocardial Wall Segments

This 17-segment model of left ventricular myocardial wall segments uses the terminology specified in "AHA Scientific Statement: Standardized Myocardial Segmentation and Nomenclature for Tomographic Imaging of the Heart"(see Section 2).

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.218

Table CID 3717. Myocardial Wall Segments

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-32619264850008	left ventricle basal anterior segment	264850008T-32619	C0555926
SRTSCT	R-10075396482007	left ventricle basal anteroseptal segment	396482007R-10075	C1300766
SRTSCT	R-10076396646008	left ventricle basal inferoseptal segment	396646008R-10076	C1300903
SRTSCT	T-32615264846001	left ventricle basal inferior segment	264846001T-32615	C0555929
SRTSCT	R-10079396652009	left ventricle basal inferolateral segment	396652009R-10079	C1300909
SRTSCT	R-1007A396654005	left ventricle basal anterolateral segment	396654005R-1007A	C1300911
SRTSCT	T-32617264848000	left ventricle mid anterior segment	264848000T-32617	C0555925

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRT SCT	R-10077 396647004	left ventricle mid anteroseptal segment	396647004 R-10077	C1300904
SRT SCT	R-10078 396649001	left ventricle mid inferoseptal segment	396649001 R-10078	C1300906
SRT SCT	T-32616 264847005	left ventricle mid inferior segment	264847005 T-32616	C0555924
SRT SCT	R-1007B 396655006	left ventricle mid inferolateral segment	396655006 R-1007B	C1300912
SRT SCT	R-1007C 396656007	left ventricle mid anterolateral segment	396656007 R-1007C	C1300913
SRT SCT	T-32613 264844003	left ventricle apical anterior segment	264844003 T-32613	C0555922
SRT SCT	T-32614 264845002	left ventricle apical septal segment	264845002 T-32614	C0555923
SRT SCT	T-32618 264849008	left ventricle apical inferior segment	264849008 T-32618	C0555930
SRT SCT	T-3261C 264853005	left ventricle apical lateral segment	264853005 T-3261C	C0555928
SRT SCT	T-32602 128564006	apex of left ventricle	128564006 T-32602	C0580781

CID 3718 Myocardial Wall Segments in Projection

This context group specifies the left ventricular myocardial wall segments as seen in typical right anterior oblique (RAO) and left anterior oblique (LAO) angiographic projections.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030614
 UID: 1.2.840.10008.6.1.219

Table CID 3718. Myocardial Wall Segments in Projection

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRT SCT	T-32619 264850008	left ventricle basal anterior segment	264850008 T-32619	C0555926
SRT SCT	T-32634 73050001	myocardium of anterolateral region	73050001 T-32634	C0225907
SRT SCT	T-32636 47962008	myocardium of apex of heart	47962008 T-32636	C0225909
SRT SCT	T-32632 72542009	myocardium of diaphragmatic region	72542009 T-32632	C0225905
SRT SCT	T-32615 264846001	left ventricle basal inferior segment	264846001 T-32615	C0555929
SRT SCT	T-32603 277631004	left ventricle basal lateral segment	277631004 T-32603	C0559192
SRT SCT	T-32633 33272004	myocardium of posterolateral region	33272004 T-32633	C0225906
SRT SCT	T-32637 16239001	myocardium of inferolateral region	16239001 T-32637	C0225910
SRT SCT	T-32614 264845002	left ventricle apical septal segment	264845002 T-32614	C0555923
SRT SCT	T-32601 277630003	left ventricular basal septal segment	277630003 T-32601	C0559191
SRT SCT	R-101C0 408720008	left ventricular posterobasal segment	408720008 R-101C0	C1443269

CID 3719 Canadian Clinical Classification

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.220

Table CID 3719. Canadian Clinical Classification

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	NCDR [2.0b] Equivalent
SRTSCT	F-A265A 161971004	Chest pain not present	161971004 F-A265A	C0423635	50-0
SRTSCT	D3-12001 61490001	Angina Class I	61490001 D3-12001	C0264675	50-I
SRTSCT	D3-12002 41334000	Angina Class II	41334000 D3-12002	C0264676	50-II
SRTSCT	D3-12003 85284003	Angina Class III	85284003 D3-12003	C0264677	50-III
SRTSCT	D3-12004 89323001	Angina Class IV	89323001 D3-12004	C0264678	50-IV

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3720 Cardiac History Dates (Retired)

This Context Group is retired. See PS3.16-2007.

CID 3721 Cardiovascular Surgeries

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20081027
 UID: 1.2.840.10008.6.1.222

Table CID 3721. Cardiovascular Surgeries

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	NCDR [2.0b] Equivalent
SRTSCT	R-102B4 415070008	Percutaneous coronary intervention	415070008 R-102B4	C1532338	40
SRTSCT	P1-3301A 232717009	Coronary artery bypass graft	232717009 P1-3301A	C0010055	42
SRTSCT	P1-32000 73544002	Operation on heart valve	73544002 P1-32000	C0190065	44
SRTSCT	P1-31C03 233159005	Ablation operation for arrhythmia	233159005 P1-31C03	C0397403	
SRTSCT	P0-004BA 307280005	Implantation of cardiac pacemaker	307280005 P0-004BA	C0189842	
SRTSCT	P1-3157D 233170003	Implantation of automatic cardiac defibrillator	233170003 P1-3157D	C0397417	
SRTSCT	P1-0555A 307701005	Abdominal aortic aneurysm stenting	307701005 P1-0555A	C0585569	
SRTSCT	P1-31D00 32413006	Heart transplant	32413006 P1-31D00	C0018823	
SRTSCT	P1-080B4 428613004	Correction of congenital cardiovascular deformity	428613004 P1-080B4	C1997888	

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3722 Diabetic Therapy

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20141103
UID: 1.2.840.10008.6.1.223

Table CID 3722. Diabetic Therapy

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-02F14170745003	Diabetic on Dietary Treatment	170745003F-02F14	C0421246
SRTSCT	F-02F15170746002	Diabetic on Oral Treatment	170746002F-02F15	C0421247
SRTSCT	F-02F16170747006	Diabetic on Insulin	170747006F-02F16	C0421248

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3723 MI Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20070827
UID: 1.2.840.10008.6.1.224

Table CID 3723. MI Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	NCDR [2.0b] Equivalent
SRTSCT	D3-1511A401314000	Non ST Elevation Myocardial Infarction	401314000D3-1511A	C1276061	94-1
SRTSCT	D3-15119401303003	ST Elevation Myocardial Infarction	401303003D3-15119	C1303258	94-2

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3724 Smoking History

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20070827
UID: 1.2.840.10008.6.1.225

Table CID 3724. Smoking History

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	NCDR [2.0b] Equivalent
SRTSCT	F-9321F266919005	No History of Smoking	266919005F-9321F	C0425293	38-0
SRTSCT	S-3200077176002	Current Smoker	77176002S-32000	C3241966	38-1
SRTSCT	S-320708517006	Former Smoker	8517006S-32070	C0337671	38-2

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3726 Indications for Coronary Intervention

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.226

Table CID 3726. Indications for Coronary Intervention

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	NCDR Equivalent
DCM	122171	Coronary lesion > = 50% stenosis			
SRTSCT	D3-0020089138009	Cardiogenic Shock	89138009D3-00200	C0036980	123

CID 3727 Indications for Catheterization

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20111028
 UID: 1.2.840.10008.6.1.227

Table CID 3727. Indications for Catheterization

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-0020089138009	cardiogenic shock	89138009D3-00200	C0036980
SRTSCT	D3-10800368009	valvular heart disease	368009D3-10800	C0018824
SRTSCT	D3-3000044808001	Arrhythmia	44808001D3-30000	C0264886
SRTSCT	D3-10030414545008	ischemic heart disease	414545008D3-10030	C0151744
SRTSCT	F-000FF165076002	cardiac function test abnormal	165076002F-000FF	C0438177
SRTSCT	P1-31D0032413006	heart transplant	32413006P1-31D00	C0018823
SRTSCT	D4-3100013213009	heart disease - congenital	13213009D4-31000	C0152021
SRTSCT	D3-2000085898001	cardiomyopathy	85898001D3-20000	C0878544
SRTSCT	D3-1000056265001	heart disease	56265001D3-10000	C0018799

Note

- (D3-10000, SRT56265001, SCT, "heart disease") should be used only when a more specific characterization of the disease is not applicable.

2. In prior editions, this Context Group included NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes (see PS3.16-2011).

CID 3728 Cath Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.228

Table CID 3728. Cath Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	R-0033F371856001	Normal left heart hemodynamics	371856001R-0033F	C1299331
SRTSCT	R-00342371859008	Normal right heart hemodynamics	371859008R-00342	C1299334
SRTSCT	R-0033E371858000	Normal left and right heart hemodynamics	371858000R-0033E	C1299333
SRTSCT	R-00340371857005	Normal left ventricular systolic function and wall motion	371857005R-00340	C1299332
SRTSCT	R-0033D371860003	Normal coronary arteries	371860003R-0033D	C1299335
SRTSCT	R-00328371861004	Mild intimal coronary irregularities, no significant stenoses	371861004R-00328	C1299336
SRTSCT	D3-13001194842008	Single vessel coronary artery disease.	194842008D3-13001	C0581374
SRTSCT	D3-13013194843003	Double vessel coronary artery disease.	194843003D3-13013	C0581375
SRTSCT	D3-1301F233817007	Triple vessel coronary artery disease.	233817007D3-1301F	C0340285
SRTSCT	R-00334371803003	Multi vessel coronary artery disease.	371803003R-00334	C1299432
SRTSCT	R-00313371804009	Left main coronary artery disease	371804009R-00313	C1299433
SRTSCT	R-00372371805005	Significant coronary bypass graft disease	371805005R-00372	C1299434
SRTSCT	D3-2902160573004	Aortic stenosis	60573004D3-29021	C0003507
SRTSCT	D3-29025194983005	Aortic insufficiency	194983005D3-29025	C0340377
SRTSCT	D3-2901179619009	Mitral stenosis	79619009D3-29011	C0026269
SRTSCT	D3-2901248724000	Mitral regurgitation	48724000D3-29012	C0026266
SRTSCT	R-002F3371862006	Depression of left ventricular systolic function	371862006R-002F3	C1299337
SRTSCT	R-002C8371813006	Acute mitral regurgitation from chordal rupture	371813006R-002C8	C1299441
SRTSCT	R-002C7371814000	Acute mitral regurgitation from chordal dysfunction	371814000R-002C7	C1299442
SRTSCT	R-002CA371816003	Acute mitral regurgitation from papillary muscle rupture	371816003R-002CA	C1299444
SRTSCT	R-002C9371815004	Acute mitral regurgitation from papillary muscle dysfunction	371815004R-002C9	C1299443
SRTSCT	D3-1081C409712001	Mitral valve prolapse	409712001D3-1081C	C0026267
SRTSCT	D3-20021399020009	Congestive cardiomyopathy	399020009D3-20021	C0007193

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-23000 45227007	Hypertrophic cardiomyopathy with obstruction	45227007 D3-23000	C0007194
SRTSCT	D3-20003 195020003	Hypertrophic cardiomyopathy without obstruction	195020003 D3-20003	C0340425
SRTSCT	D3-02500 64715009	Hypertensive heart disease	64715009 D3-02500	C0152105
SRTSCT	D3-22100 90828009	Restrictive cardiomyopathy	90828009 D3-22100	C0007196
SRTSCT	D3-90100 35304003	Pericardial tamponade	35304003 D3-90100	C0007177
SRTSCT	D3-91030 85598007	Constrictive pericarditis	85598007 D3-91030	C0031048
SRTSCT	D3-40300 70995007	Pulmonary hypertension	70995007 D3-40300	C0020542
SRTSCT	D4-31220 70142008	Atrial septal defect	70142008 D4-31220	C0018817
SRTSCT	D4-31150 30288003	Ventricular septal defect	30288003 D4-31150	C0018818
SRTSCT	R-002CB 371817007	Acute ventricular septal rupture	371817007 R-002CB	C1299445
SRTSCT	D4-31000 13213009	heart disease - congenital	13213009 D4-31000	C0152021

CID 3729 Admission Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.229

Table CID 3729. Admission Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	NCDR [2.0b] Equivalent
SRTSCT	P0-10010 8715000	Elective	8715000 P0-10010	C0184667	17-1
SRTSCT	P0-10800 50849002	Emergency Department	50849002 P0-10800	C0583237	17-2
SRTSCT	P0-10210 4563007	Transfer	4563007 P0-10210	C0184681	17-3

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3730 Insurance Payor

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.230

Table CID 3730. Insurance Payor

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	18-1	Government
NCDR	2.0b	18-2	Commercial
NCDR	2.0b	18-3	Health Maintenance Organization
NCDR	2.0b	18-4	None

CID 3733 Primary Cause of Death

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.231

Table CID 3733. Primary Cause of Death

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	25-1	Cardiac
NCDR	2.0b	25-2	Neurologic
NCDR	2.0b	25-3	Renal
NCDR	2.0b	25-4	Vascular
NCDR	2.0b	25-5	Infection
NCDR	2.0b	25-6	Pulmonary
NCDR	2.0b	25-7	Valvular
NCDR	2.0b	25-8	Other

CID 3735 Acute Coronary Syndrome Time Period

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.232

Table CID 3735. Acute Coronary Syndrome Time Period

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	51-1	< = 6 hours
NCDR	2.0b	51-2	between 6 hours and 24 hours
NCDR	2.0b	51-3	between 24 hours and 7 days

CID 3736 NYHA Classification

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.233

Table CID 3736. NYHA Classification

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID	NCDR [2.0b] Equivalent
SRT SCT	F-3018B 420300004	NYHA Class I	420300004 F-3018B	C1319793	47-I
SRT SCT	F-3018C 421704003	NYHA Class II	421704003 F-3018C	C1319794	47-II
SRT SCT	F-3018D 420913000	NYHA Class III	420913000 F-3018D	C1319795	47-III
SRT SCT	F-3018E 422293003	NYHA Class IV	422293003 F-3018E	C1319796	47-IV

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3737 Non-invasive Test - Ischemia

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.234

Table CID 3737. Non-invasive Test - Ischemia

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	48-1	Not Done
NCDR	2.0b	48-2	Positive
NCDR	2.0b	48-3	Negative
NCDR	2.0b	48-4	Equivocal
NCDR	2.0b	48-5	Arrhythmia

CID 3738 Pre-Cath Angina Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.235

Table CID 3738. Pre-Cath Angina Type

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	49-I	Atypical Chest Pain
NCDR	2.0b	49-II	Stable Angina
NCDR	2.0b	49-IIIa	Acute Coronary Syndrome: Unstable Angina
NCDR	2.0b	49-IIIb	Acute Coronary Syndrome: Non ST-Elevation Myocardial Infarction
NCDR	2.0b	49-IIIc	Acute Coronary Syndrome: ST-Elevation Myocardial Infarction

CID 3739 Cath Procedure Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.236

Table CID 3739. Cath Procedure Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	NCDR Equivalent
SRTSCT	P1-3160240403005	Catheterization of right heart	40403005P1-31602	C0189896	54-1
SRTSCT	P1-3160467629009	Catheterization of left heart	67629009P1-31604	C0189897	54-2
SRTSCT	P1-3160A128952006	Catheterization of both left and right heart with graft	128952006P1-3160A	C1293383	
SRTSCT	P1-3160B128953001	Catheterization of both left and right heart without graft	128953001P1-3160B	C1293384	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	NCDR Equivalent
DCM	122061	Percutaneous Coronary Intervention			54-3

CID 3740 Thrombolytic Administration

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.237

Table CID 3740. Thrombolytic Administration

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	NCDR Equivalent
SRTSCT	R-0037D373148008	Contraindicated	373148008R-0037D	C1276287	57-1
SRTSCT	R-0037C371896004	Administered less than 3 hours before PCI	371896004R-0037C	C1299365	57-2
SRTSCT	R-0037A371897008	Administered between 3 and 6 hours before PCI	371897008R-0037A	C1299366	57-3
SRTSCT	R-0037B371906007	Administered between 6 hours and 7 days before PCI	371906007R-0037B	C1299375	57-4

CID 3741 Medication Administration, Lab Visit

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.238

Table CID 3741. Medication Administration, Lab Visit

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	NCDR Equivalent
SRTSCT	R-0032I373147003	Contraindicated	373147003R-0032I	C1298831	58-1
SRTSCT	R-0031B371898003	Administered before lab visit	371898003R-0031B	C1299367	58-2
SRTSCT	R-0031C371905006	Administered during lab visit	371905006R-0031C	C1299374	58-3
SRTSCT	R-0031A371899006	Administered after lab visit	371899006R-0031A	C1299368	58-4

CID 3742 Medication Administration, PCI

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.239

Table CID 3742. Medication Administration, PCI

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	NCDR Equivalent
SRTSCT	R-00320371900001	Not Administered	371900001R-00320	C1299369	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	NCDR Equivalent
SRT SCT	R-00321 373147003	Contraindicated	373147003 R-00321	C1298831	59-1
SRT SCT	R-0031F 371904005	Administered Prior to Percutaneous Coronary Intervention	371904005 R-0031F	C1299373	59-2
SRT SCT	R-0039A 371903004	Administered During Percutaneous Coronary Intervention	371903004 R-0039A	C1299372	59-3
SRT SCT	R-00399 371902009	Administered After Percutaneous Coronary Intervention	371902009 R-00399	C1299371	59-4

CID 3743 Clopidogrel/Ticlopidine Administration

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.240

Table CID 3743. Clopidogrel/Ticlopidine Administration

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	NCDR Equivalent
SRT SCT	R-00320 371900001	Not Administered	371900001 R-00320	C1299369	60-1
SRT SCT	R-00321 373147003	Contraindicated	373147003 R-00321	C1298831	60-2
SRT SCT	R-0031E 371901002	Administered Less than 72 Hours before PCI	371901002 R-0031E	C1299370	60-3
SRT SCT	R-00399 371902009	Administered After Percutaneous Coronary Intervention	371902009 R-00399	C1299371	60-4

CID 3744 EF Testing Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.241

Table CID 3744. EF Testing Method

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	P5-3003A 252426003	Cardiac ventriculography	252426003 P5-3003A	C0596683
SRT SCT	P5-D3300 85606007	Radionuclide ventriculography	85606007 P5-D3300	C0034610
SRT SCT	P5-B3000 40701008	Echocardiography	40701008 P5-B3000	C0013516

Note

Previously, a non-existent SNOMED code, (P5-B3081, SRT, "Adult echocardiography"), was used in this context group. It has been replaced with the more generic (~~P5-B3000~~, ~~SRT~~40701008, SCT, "Echocardiography") (rather than replacement with (~~P5-B3004~~, ~~SRT~~252418006, SCT, "Transthoracic echocardiography"); see Table J-1 SNOMED Codes Retired from DICOM Use.

CID 3745 Calculation Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.242

Table CID 3745. Calculation Method

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-10260414135002	Estimated	414135002R-10260	C0750572
SRTSCT	R-41D2D258090004	Calculated	258090004R-41D2D	C0444686

CID 3746 Percutaneous Entry Site

This Context Group includes concepts for Percutaneous entry that are the most relevant children of SNOMED concept 297211001 "transvascular approach". Other concepts from that hierarchy may be used as local extensions to this Context Group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110609
 UID: 1.2.840.10008.6.1.243

Table CID 3746. Percutaneous Entry Site

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-D067260590008	Via femoral artery	260590008G-D067	C0442441
SRTSCT	G-D1E4444850002	Via radial artery	444850002G-D1E4	C2919368
SRTSCT	G-D05F260585005	Via brachial artery	260585005G-D05F	C0442436
SRTSCT	G-D054103387006	Via artery	103387006G-D054	C0522522
SRTSCT	G-D0C6261459001	Via arm vein	261459001G-D0C6	C0442444
SRTSCT	G-D071260601006	Via femoral vein	260601006G-D071	C0442455
SRTSCT	G-D052103386002	Via vein	103386002G-D052	C0522521

Note

In prior editions, this Context Group included NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes (see PS3.16-2009).

CID 3747 Percutaneous Closure

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.244

Table CID 3747. Percutaneous Closure

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	75-0	No closure device used at percutaneous entry
NCDR	2.0b	75-1	Percutaneous entry closed by suture
NCDR	2.0b	75-2	Percutaneous entry closed by sealant
NCDR	2.0b	75-3	Percutaneous entry closed by other mechanism

CID 3748 Angiographic EF Testing Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.245

Table CID 3748. Angiographic EF Testing Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	122059	Single plane Angiography
DCM	122060	Bi-plane Angiography

CID 3749 PCI Procedure Result

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.246

Table CID 3749. PCI Procedure Result

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	100-1	Successful
NCDR	2.0b	100-2	Partially successful
NCDR	2.0b	100-3	Unsuccessful

CID 3750 Previously Dilated Lesion

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.247

Table CID 3750. Previously Dilated Lesion

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning
NCDR	2.0b	108-0	not previously treated
NCDR	2.0b	108-1	balloon only
NCDR	2.0b	108-2	stent only
NCDR	2.0b	108-3	other/any combination

CID 3752 Guidewire Crossing

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.248

Table CID 3752. Guidewire Crossing

Coding Scheme Designator	Code Value	Code Meaning
DCM	122301	Guidewire crossing lesion unsuccessful
DCM	122302	Guidewire crossing lesion successful

CID 3754 Vascular Complications

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180325
 UID: 1.2.840.10008.6.1.249

Table CID 3754. Vascular Complications

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	NCDR 2.0b Equivalent Code Value
SRTSCT	M-37000 50960005	Bleeding	50960005 M-37000	C0019080	127
SRTSCT	D3-89100 1386000	Occlusion of artery	1386000 D3-89100	C0151699	128
SRTSCT	R-102B2 414617007	Loss of distal pulse	414617007 R-102B2	C1532146	129
SRTSCT	D3-80086 710864009	Arterial dissection	710864009 D3-80086	C0002949	130
SRTSCT	M-32390 22036004	Pseudoaneurysm	22036004 M-32390	C1510412	131
SRTSCT	M-39390 128617001	AV Fistula	128617001 M-39390	C0003855	132

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3755 Cath Complications

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.250

Table CID 3755. Cath Complications

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	NCDR 2.0b Equivalent Code Value
SRTSCT	D3-00200 89138009	Cardiogenic shock	89138009 D3-00200	C0036980	123
SRTSCT	D3-30000 44808001	Arrhythmia	44808001 D3-30000	C0264886	124
SRTSCT	D3-8900D 230690007	Cerebrovascular Accident or Stroke	230690007 D3-8900D	C0038454	125
SRTSCT	D3-90100 35304003	Cardiac tamponade	35304003 D3-90100	C0007177	126
SRTSCT	DF-10781 292095005	Contrast media adverse reaction	292095005 DF-10781	C0569413	133
SRTSCT	D3-16010 42343007	Congestive heart failure	42343007 D3-16010	C0018802	134
SRTSCT	D7-11010 42399005	Renal failure	42399005 D7-11010	C0035078	135
SRTSCT	R-102B5 414089002	Emergency Percutaneous Coronary Intervention	414089002 R-102B5	C1532297	136
SRTSCT	R-102B3 414088005	Emergency Coronary Artery Bypass	414088005 R-102B3	C1532296	137
SRTSCT	D3-3002F 410429000	Cardiac arrest	410429000 D3-3002F	C0018790	

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3756 Cardiac Patient Risk Factors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.251

Table CID 3756. Cardiac Patient Risk Factors

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	NCDR 2.0b Equivalent Code Value
SRTSCT	G-026D 161505003	History of congestive heart failure	161505003 G-026D	C0455531	30
SRTSCT	G-023F 161445009	History of Diabetes	161445009 G-023F	C0455488	31
SRTSCT	R-102B6 414417004	History of renal failure	414417004 R-102B6	C1533077	32
SRTSCT	R-102B7 414415007	History of chronic lung disease	414415007 R-102B7	C1533075	33
SRTSCT	G-0102 308064009	History of cerebrovascular disease	308064009 G-0102	C0585890	34
SRTSCT	D3-8005B 400047006	Peripheral vascular disease	400047006 D3-8005B	C0085096	35
SRTSCT	G-03AA 399211009	History of myocardial infarction	399211009 G-03AA	C1275835	36
SRTSCT	G-0269 161501007	History of Hypertension	161501007 G-0269	C0455527	37
SRTSCT	R-102B8 414416008	History of hypercholesterolemia	414416008 R-102B8	C1533076	39
SRTSCT	D3-30000 44808001	Arrhythmia	44808001 D3-30000	C0264886	
SRTSCT	F-0331B 165816005	HIV Positive	165816005 F-0331B	C0019699	
UMLS	C0456029	Infant of mother with gestational diabetes		C0456029	
SRTSCT	G-0586 444161008	Insulin dependent mother (IDM)	444161008 G-0586	C2732238	

Note

In prior editions, this Context Group included the NCDR 2.0b codes as the primary set. These have been replaced with equivalent SNOMED codes.

CID 3757 Cardiac Diagnostic Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.252

Table CID 3757. Cardiac Diagnostic Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	P5-D330435621002	Cardiac blood pool imaging (nuclear)	35621002P5-D3304	C0203725
SRTSCT	P5-00A25418903008	Cardiac cath coronary angiogram and left ventriculogram	418903008P5-00A25	C1690980
SRTSCT	P1-3160041976001	Cardiac catheterization	41976001P1-31600	C0018795
SRTSCT	P5-00A34419416005	Cardiac catheterization coronary angiogram	419416005P5-00A34	C1633729
SRTSCT	P5-08025241547009	Cardiac CT	241547009P5-08025	C0412618
SRTSCT	P5-080C2426005005	Cardiac CT for calcium scoring	426005005P5-080C2	C1960839
SRTSCT	P5-09011241620005	Cardiac MRI	241620005P5-09011	C0412692
SRTSCT	P0-00CA7431609005	Cardiac MRI stress	431609005P0-00CA7	C2314961
SRTSCT	P5-00A5C419545005	CT angiography of coronary arteries	419545005P5-00A5C	C1634617
SRTSCT	P5-B300040701008	Echocardiography	40701008P5-B3000	C0013516
SRTSCT	P5-B3050433233004	Exercise Stress echocardiography	433233004P5-B3050	C0430466
SRTSCT	P0-006E4165079009	Exercise Tolerance Test	165079009P0-006E4	C0015260
SRTSCT	P5-0903A241663008	Magnetic resonance angiography	241663008P5-0903A	C0243032
SRTSCT	P5-D30F8108294005	Nuclear medicine cardiovascular study	108294005P5-D30F8	C0581579
SRTSCT	P5-D005035202002	Perfusion imaging (nuclear)	35202002P5-D0050	C0412366
SRTSCT	P5-0A006241439007	PET heart study	241439007P5-0A006	C0412498
SRTSCT	P2-31011428813002	Pharmacologic and exercise stress test	428813002P2-31011	C1998158
SRTSCT	P2-31107424064009	Pharmacological stress test	424064009P2-31107	C1827946
SRTSCT	P5-30045426940008	Radionuclide angiocardiology	426940008P5-30045	C1960212
SRTSCT	P5-D3008252432008	Radionuclide myocardial perfusion study	252432008P5-D3008	C0430471
SRTSCT	P5-0A100105371005	SPECT	105371005P5-0A100	C0040399
SRTSCT	P2-3110B428685003	Stress test using cardiac pacing	428685003P2-3110B	C1997441
SRTSCT	P5-B3002105376000	Transesophageal echocardiography	105376000P5-B3002	C0206054
SRTSCT	P5-B3012433236007	Transthoracic echocardiography	433236007P5-B3012	C0430462

Note

In a prior version of this Context Group, the code P5-B3009 was specified for Exercise stress echocardiography. That code has been retired by SNOMED, and replaced by P5-B3050. Although there is minimal possibility of misinterpretation with SOP Instances that may include the retired code, receiving applications should be aware of this change; see Annex J.

CID 3758 Cardiovascular Family History

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible

Version: 20111028
 UID: 1.2.840.10008.6.1.253

Table CID 3758. Cardiovascular Family History

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-032F266894000	Family history of cardiovascular disease	266894000G-032F	C0455404
SRTSCT	G-0157160303001	Family history of diabetes mellitus	160303001G-0157	C1313937
SRTSCT	G-011E266897007	Family history of myocardial infarction	266897007G-011E	C0455406
SRTSCT	G-04E3430091005	Family history of coronary arteriosclerosis	430091005G-04E3	C2317524
SRTSCT	R-2087E160274005	No family history of diabetes	160274005R-2087E	C0455678
SRTSCT	R-20773160270001	No family history of cardiovascular disease	160270001R-20773	C0455346
SRTSCT	F-03F6E407559004	Family history unknown	407559004F-03F6E	C1319897

CID 3760 Hypertension Therapy

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.254

Table CID 3760. Hypertension Therapy

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-8013533252009	Beta blocker	33252009C-80135	C0001645
SRTSCT	G-8016048698004	Calcium channel blocker	48698004C-80160	C0006684
SRTSCT	G-8152031970009	Nitrate vasodilator	31970009C-81520	C0360716
SRTSCT	G-8015041549009	ACE inhibitor	41549009C-80150	C0003015
SRTSCT	G-8130096308008	Angiotensin II receptor antagonist	96308008C-81300	C0521942
SRTSCT	G-7200030492008	Diuretic	30492008C-72000	C0012798

CID 3761 Antilipemic Agents

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.255

Table CID 3761. Antilipemic Agents

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-80609346322006	Anion exchange resin	346322006C-80609	C0003072
SRTSCT	G-8061083750004	Bile acid sequestrant	83750004C-80610	C0304522
SRTSCT	G-80680108602006	Fibrate	108602006C-80680	C0358700
SRTSCT	G-8060A346441008	Fish oils	346441008C-8060A	C0016157

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	C-80800 96302009	Statins	96302009C-80800	C0360714

CID 3762 Antiarrhythmic Agents

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.256

Table CID 3762. Antiarrhythmic Agents

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-6181B 373260001	class I antiarrhythmic agent	373260001F-6181B	C0360692
SRTSCT	F-61861 373278006	class II antiarrhythmic agent	373278006F-61861	C0360701
SRTSCT	F-61995 372855004	class III antiarrhythmic agent	372855004F-61995	C0360703
SRTSCT	F-618AE 372693007	class IV antiarrhythmic agent	372693007F-618AE	C0360706

CID 3764 Myocardial Infarction Therapies

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.257

Table CID 3764. Myocardial Infarction Therapies

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-102B4 415070008	Percutaneous coronary intervention	415070008R-102B4	C1532338
SRTSCT	P1-33530 36969009	Insertion of coronary artery stent	36969009P1-33530	C0521232
SRTSCT	P1-3301A 232717009	Coronary artery bypass graft	232717009P1-3301A	C0010055
SRTSCT	P0-00C29 426347000	Thrombolytic therapy	426347000P0-00C29	C0040044

CID 3769 Concern Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.258

Table CID 3769. Concern Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-04BA9 409586006	Complaint	409586006F-04BA9	C0277786
SRTSCT	DF-00000 64572001	Disease	64572001DF-00000	C0012634
SRTSCT	R-005AE 404684003	Finding	404684003R-005AE	C0037088
SRTSCT	R-005E0 418799008	Finding reported by patient/informant	418799008R-005E0	C1689949

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-03E55248536006	Functional performance and activity	248536006F-03E55	C0424866
SRTSCT	F-0100055607006	Problem	55607006F-01000	C0033213

CID 3770 Problem Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.259

Table CID 3770. Problem Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-42501394774009	Active problem	394774009R-42501	C1273826
SRTSCT	G-A27090734009	Chronic	90734009G-A270	C0205191
SRTSCT	G-A3977087005	Intermittent	7087005G-A397	C0205267
SRTSCT	G-A39A255227004	Recurrent	255227004G-A39A	C2945760
SRTSCT	G-A47B415684004	Suspected	415684004G-A47B	C0750491
SRTSCT	R-42502394775005	Inactive problem	394775005R-42502	C1273827
SRTSCT	F-04B88413322009	Problem resolved	413322009F-04B88	C1446392
SRTSCT	G-A46B410516002	Known absent	410516002G-A46B	C1444640
SRTSCT	P0-304501194003	Well controlled	1194003P0-30450	C0184778

CID 3772 Health Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190125
 UID: 1.2.840.10008.6.1.260

Table CID 3772. Health Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-05036438949009	Alive	438949009F-05036	C2584946
SRTSCT	F-0000181323004	Alive and well	81323004F-00001	C0231162
SRTSCT	F-029D4313386006	In remission	313386006F-029D4	C1277626
SRTSCT	R-209F6162467007	Symptom free	162467007R-209F6	C0436342
SRTSCT	F-0600C161901003	Chronically ill	161901003F-0600C	C0581862
SRTSCT	F-06001271593001	Severely ill	271593001F-06001	C0424547
SRTSCT	F-0010021134002	Disabled	21134002F-00100	C0231170
SRTSCT	F-0351E161045001	Severely disabled	161045001F-0351E	C0424990
SRTSCT	F-04DA1419099009	Deceased	419099009F-04DA1	C1546956
SRTSCT	F-00FBE399307001	Lost to follow-up	399307001F-00FBE	C1302313

CID 3773 Use Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.261

Table CID 3773. Use Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-D316 385656004	Ended	385656004 G-D316	C1272693
SRTSCT	G-D30F 385655000	Suspended	385655000 G-D30F	C1705537
SRTSCT	G-D30B 385651009	In progress	385651009 G-D30B	C1272688

CID 3774 Social History

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.262

Table CID 3774. Social History

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-93109 365981007	Tobacco Smoking Behavior	365981007 F-93109	C0453996
SRTSCT	F-931D4 228366006	Drug misuse behavior	228366006 F-931D4	C0556386
SRTSCT	R-40C16 256235009	Exercise	256235009 R-40C16	C0015259
SRTSCT	F-045CE 364393001	Nutrition	364393001 F-045CE	C1286103
SRTSCT	F-02573 160573003	Alcohol consumption	160573003 F-02573	C0001948

CID 3777 Implanted Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.263

Table CID 3777. Implanted Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-11100 14106009	Cardiac pacemaker	14106009 A-11100	C0030163
SRTSCT	A-11206 72506001	Implantable defibrillator	72506001 A-11206	C0162589
SRTSCT	A-11FCD 360066001	Left ventricular assist device	360066001 A-11FCD	C0181598
SRTSCT	A-28040 69805005	Insulin pump	69805005 A-28040	C1140609

CID 3778 Stages

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20081027

UID: 1.2.840.10008.6.1.638

Table CID 3778. Stages

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-41177 261613009	Stage 0	261613009 R-41177	C0441763
SRTSCT	R-41DA8 258215001	Stage 1	258215001 R-41DA8	C0441766
SRTSCT	R-41DAC 258219007	Stage 2	258219007 R-41DAC	C0441767
SRTSCT	R-41DB0 258224005	Stage 3	258224005 R-41DB0	C0441771
SRTSCT	R-41DB4 258228008	Stage 4	258228008 R-41DB4	C0441772
SRTSCT	R-4117B 261617005	Stage 5	261617005 R-4117B	C0441777

CID 3802 Plaque Structures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051103

UID: 1.2.840.10008.6.1.264

Table CID 3802. Plaque Structures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-40448 255423002	fibrous	255423002 R-40448	C0439709
SRTSCT	M-50080 29185008	fatty degeneration	29185008 M-50080	C0152254
SRTSCT	M-55420 18115005	pathologic calcification	18115005 M-55420	C0006663
SRTSCT	M-72000 76197007	hyperplasia	76197007 M-72000	C0020507
SRTSCT	G-A265 17589002	non-calcified	17589002 G-A265	C0332209
SRTSCT	G-A660 26242008	mixed	26242008 G-A660	C0205430

CID 3804 Stenosis Measurement Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051103

UID: 1.2.840.10008.6.1.265

Table CID 3804. Stenosis Measurement Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122655	NASCET
DCM	122656	ECST
DCM	122650	Area Based Method
DCM	122651	Diameter Based Method

CID 3805 Stenosis Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051103

UID: 1.2.840.10008.6.1.266

Table CID 3805. Stenosis Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-81100 72092001	arteriosclerotic vascular disease	72092001 D3-81100	C0003850
SRTSCT	M-01460 71173004	compression	71173004 M-01460	C0332459
SRTSCT	R-40448 255423002	fibrous	255423002 R-40448	C0439709
SRTSCT	D3-80505 195295006	Raynaud's disease	195295006 D3-80505	C0034734
SRTSCT	M-300F2 363563002	entrapment	363563002 M-300F2	C1285497
SRTSCT	D3-80650 31996006	vasculitis	31996006 D3-80650	C0042384
SRTSCT	R-423C3 264579008	thrombosis	264579008 R-423C3	C0040053
SRTSCT	M-35300 55584005	embolism	55584005 M-35300	C1704212
SRTSCT	D3-80033 234021009	cystic adventitial disease	234021009 D3-80033	C1306656

CID 3806 Stenosis Shape

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.267

Table CID 3806. Stenosis Shape

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-4047B 255465008	concentric	255465008 R-4047B	C0439744
SRTSCT	R-40416 255380003	eccentric	255380003 R-40416	C0439740

CID 3807 Volume Measurement Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.268

Table CID 3807. Volume Measurement Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122650	Area Based Method
DCM	122651	Diameter Based Method
DCM	122652	Volume Based Method

CID 3808 Aneurysm Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180325
 UID: 1.2.840.10008.6.1.269

Table CID 3808. Aneurysm Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-80086 710864009	dissecting aneurysm	710864009 D3-80086	C0020449
SRTSCT	D3-83602 314186008	inflammatory abdominal aortic aneurysm	314186008 D3-83602	C1279376
SRTSCT	M-32201 22039006	ruptured aneurysm	22039006 M-32201	C0162869
SRTSCT	M-32240 85726003	mixed aneurysm	85726003 M-32240	C0333093
SRTSCT	M-32410 14156004	racemose aneurysm	14156004 M-32410	C0334533
SRTSCT	D3-80002 233982006	cirroid aneurysm	233982006 D3-80002	C0334533
SRTSCT	M-32320 51668007	mycotic aneurysm	51668007 M-32320	C0085808
SRTSCT	M-32310 43299000	miliary aneurysm	43299000 M-32310	C0333097
SRTSCT	M-32340 54002007	saccular aneurysm	54002007 M-32340	C2713497
SRTSCT	M-32221 57754000	varicose aneurysm	57754000 M-32221	C0333091
SRTSCT	M-32350 85431000	fusiform aneurysm	85431000 M-32350	C0333099
SRTSCT	M-32210 110421000	traumatic aneurysm	110421000 M-32210	C1527161
SRTSCT	M-32202 125271003	thrombosed aneurysm	125271003 M-32202	C1265766
SRTSCT	M-32203 125272005	expanding aneurysm	125272005 M-32203	C1265767
SRTSCT	M-32204 125273000	calcified aneurysm	125273000 M-32204	C1265768
SRTSCT	M-32208 125274006	multiple aneurysm	125274006 M-32208	C1265769
SRTSCT	M-32360 52856002	cylindroid aneurysm	52856002 M-32360	C0333100
SRTSCT	M-32260 70984001	serpentine aneurysm	70984001 M-32260	C0333095

CID 3809 Associated Conditions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.270

Table CID 3809. Associated Conditions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D6-90800 19346006	Marfan's Syndrome	19346006 D6-90800	C0024796
SRTSCT	M-10000 19130008	Traumatic Abnormality	19130008 M-10000	C0221206

CID 3810 Vascular Morphology

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180325
 UID: 1.2.840.10008.6.1.271

Table CID 3810. Vascular Morphology

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-01470 1522000	plaque	1522000 M-01470	C0332461
SRTSCT	M-3400A 415582006	stenosis	415582006 M-3400A	C0009814

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-3220085659009	aneurysm	85659009M-32200	C0002940
SRTSCT	D3-80086710864009	arterial dissection	710864009D3-80086	C0002949
SRTSCT	A-2550065818007	stent	65818007A-25500	C0038257
SRTSCT	M-3400026036001	occlusion	26036001M-34000	C0028778
SRTSCT	M-39390128617001	arteriovenous fistula	128617001M-39390	C0003855
SRTSCT	M-912002099007	angioma	2099007M-91200	C0018916
SRTSCT	M-3200025322007	dilatation	25322007M-32000	C0012359
SRTSCT	R-FAB5E416061003	vascular coiling	416061003R-FAB5E	C1562399
SRTSCT	M-3179015690004	tortuosity	15690004M-31790	C0333076
SRTSCT	M-3270031113003	diverticulum	31113003M-32700	C0012817
SRTSCT	M-520F8107671003	vascular sclerosis	107671003M-520F8	C0003850
SRTSCT	M-35001396339007	thrombus	396339007M-35001	C0087086
SRTSCT	M-3239022036004	pseudoaneurysm	22036004M-32390	C1510412
SRTSCT	M-3530055584005	embolism	55584005M-35300	C1704212
SRTSCT	M-7488031653004	fibromuscular dysplasia	31653004M-74880	C0016052

CID 3813 Stent Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.272

Table CID 3813. Stent Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-7530055199003	hypoplasia	55199003M-75300	C0243069
SRTSCT	M-3400A415582006	stenosis	415582006M-3400A	C0009814
DCM	122680	endoleak		
SRTSCT	DD-661D2370512004	migration of implant or internal device	370512004DD-661D2	C1299914
DCM	122684	stent disintegration		
DCM	122683	stent fracture		

CID 3814 Stent Composition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051103

UID: 1.2.840.10008.6.1.273

Table CID 3814. Stent Composition

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-25502257363003	metal stent	257363003A-25502	C0441290
SRTSCT	A-25501257362008	plastic stent	257362008A-25501	C0441289

CID 3815 Source of Vascular Finding

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.274

Table CID 3815. Source of Vascular Finding

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D3-80515118927008	thrombosis	118927008D3-80515	C0040053
SRTSCT	M-3530055584005	embolism	55584005M-35300	C1704212
SRTSCT	M-7200076197007	hyperplasia	76197007M-72000	C0020507
SRTSCT	D3-8065031996006	vasculitis	31996006D3-80650	C0042384
SRTSCT	M-8FFFF108369006	tumor	108369006M-8FFFF	C0027651
SRTSCT	DF-00777417746004	trauma	417746004DF-00777	C3263723
SRTSCT	G-B10283578000	surgical	83578000G-B102	C0543467
SRTSCT	R-422A4303110006	after procedure	303110006R-422A4	C0580203

CID 3817 Vascular Sclerosis Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.275

Table CID 3817. Vascular Sclerosis Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-5245047631006	adventitial degeneration	47631006M-52450	C0333493
SRTSCT	M-5221032651000	arteriosclerosis with fibrinoid necrosis	32651000M-52210	C0333487
SRTSCT	M-5220017941002	arteriolosclerosis	17941002M-52200	C0333486
SRTSCT	M-5200028960008	arteriosclerosis	28960008M-52000	C0003850
SRTSCT	M-5210048434008	atheroma	48434008M-52100	C0264956
SRTSCT	M-5212020717008	atherosclerotic fibrous plaque	20717008M-52120	C0333483
SRTSCT	M-5210129483008	calcified atheromatous plaque	29483008M-52101	C0333479
SRTSCT	M-5210274937006	complicated atheromatous plaque	74937006M-52102	C0333480
SRTSCT	M-5247042182000	cystic medical necrosis	42182000M-52470	C0392775
SRTSCT	M-5224019952003	elastic vascular sclerosis	19952003M-52240	C0333488
SRTSCT	M-5213053151000	fatty streaks	53151000M-52130	C0333484
SRTSCT	M-5230072166006	fibroelastosis	72166006M-52300	C0016038
SRTSCT	M-52302125358004	diffuse fibroelastosis	125358004M-52302	C1265866
SRTSCT	M-52301125357009	focal fibroelastosis	125357009M-52301	C1265865
SRTSCT	M-5250018016009	phlebosclerosis	18016009M-52500	C0333494
SRTSCT	M-5210362189002	ulcerated atheromatous plaque	62189002M-52103	C0333481

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	M-52400 33593002	vascular wall degeneration	33593002 M-52400	C0333489

CID 3820 Non-invasive Vascular Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051103

UID: 1.2.840.10008.6.1.276

Table CID 3820. Non-invasive Vascular Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	P5-0903A 241663008	vascular MRI	241663008 P5-0903A	C0243032
SRTSCT	P5-09011 241620005	cardiac MRI	241620005 P5-09011	C0412692
SRTSCT	P5-0807F 303680000	cardiovascular CT	303680000 P5-0807F	C0581427
SRTSCT	P5-0802B 241553009	CT of abdominal aorta	241553009 P5-0802B	C0412626
SRTSCT	P5-00A0D 303827001	trunk angiography	303827001 P5-00A0D	C0565173
SRTSCT	P5-009BF 271993009	peripheral angiography	271993009 P5-009BF	C0412290

CID 3821 Papillary Muscle Included/Excluded

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051103

UID: 1.2.840.10008.6.1.277

Table CID 3821. Papillary Muscle Included/Excluded

Coding Scheme Designator	Code Value	Code Meaning
DCM	122620	Papillary Muscle Excluded
DCM	122621	Papillary Muscle Included

CID 3823 Respiratory Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051103

UID: 1.2.840.10008.6.1.278

Table CID 3823. Respiratory Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-20010 14910006	inspiration	14910006 F-20010	C0004048
SRTSCT	F-20020 58322009	expiration	58322009 F-20020	C0231800
SRTSCT	F-20030 45804006	autonomous breathing	45804006 F-20030	C0231802
SRTSCT	R-40928 261039008	Valsalva maneuver	261039008 R-40928	C0042293
DCM	122612	central breathing position		
SRTSCT	F-201BD 386616007	shallow breathing	386616007 F-201BD	C0221161

CID 3826 Heart Rhythm

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.279

Table CID 3826. Heart Rhythm

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-33300 64730000	normal sinus rhythm	64730000 F-33300	C0232202
SRTSCT	D3-31500 17366009	atrial arrhythmia	17366009 D3-31500	C0085611
SRTSCT	D3-31715 44103008	ventricular arrhythmia	44103008 D3-31715	C0085612

CID 3827 Vessel Segments

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.280

Table CID 3827. Vessel Segments

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12105 "Intracranial Cerebral Vessels"		
Include CID 12106 "Intracranial Cerebral Vessels (Unilateral)"		
Include CID 12104 "Extracranial Arteries"		
Include CID 12109 "Lower Extremity Arteries"		
Include CID 12110 "Lower Extremity Veins"		
Include CID 12107 "Upper Extremity Arteries"		
Include CID 12108 "Upper Extremity Veins"		
Include CID 12115 "Renal Vessels"		
Include CID 12111 "Abdominal Arteries (Lateral)"		
Include CID 12112 "Abdominal Arteries (Unilateral)"		
Include CID 12113 "Abdominal Veins (Lateral)"		
Include CID 12114 "Abdominal Veins (Unilateral)"		
Include CID 3015 "Coronary Arteries"		
Include CID 3839 "Coronary Veins"		
Include CID 3840 "Pulmonary Veins"		

CID 3829 Pulmonary Arteries

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110818
 UID: 1.2.840.10008.6.1.281

Table CID 3829. Pulmonary Arteries

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-44100 45341000	Trunk of pulmonary artery	45341000 T-44100	C0034052
SRTSCT	T-44010 79142001	Suprapulmonic valve area	79142001 T-44010	C0226052
SRTSCT	T-35250 90315007	pulmonary valve sinuses	90315007 T-35250	C0225946
SRTSCT	T-44400 50408007	Left pulmonary artery	50408007 T-44400	C0226069
SRTSCT	T-44200 78480002	Right pulmonary artery	78480002 T-44200	C0226054

Note

A previous version of this context group used terms with the SNOMED concept "entire" (see PS3.16-2011). The use of "structure" concepts rather than "entire" is described in Section 8.1.1.

CID 3831 Stenosis Length

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.282

Table CID 3831. Stenosis Length

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-404AC 255511005	long	255511005 R-404AC	C0205166
SRTSCT	R-4235F 367450005	short	367450005 R-4235F	C1806781

CID 3832 Stenosis Grade

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.283

Table CID 3832. Stenosis Grade

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A003 24484000	severe	24484000 G-A003	C0205082
SRTSCT	G-A002 6736007	moderate	6736007 G-A002	C0205081
SRTSCT	R-404FA 255604002	mild	255604002 R-404FA	C2945599

CID 3833 Cardiac Ejection Fraction

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.284

Table CID 3833. Cardiac Ejection Fraction

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	8810-4	Left ventricular ejection fraction by CT	C0488725
LN	8817-9	Right ventricular ejection fraction by CT	C0488733
LN	8811-2	Left ventricular ejection fraction by MR	C0488726
LN	8818-7	Right ventricular ejection fraction by MR	C0488734

CID 3835 Cardiac Volume Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.285

Table CID 3835. Cardiac Volume Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Equivalent LOINC Code Value
Include CID 3468 "ED Volume"					
Include CID 3469 "ES Volume"					
SRTSCT	F-3242090096001	Stroke Volume	90096001F-32120	C0038455	20562-5

CID 3836 Time-based Perfusion Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.286

Table CID 3836. Time-based Perfusion Measurements

Coding Scheme Designator	Code Value	Code Meaning
DCM	122631	Signal Earliest Peak Time
DCM	122633	Signal Increase Start Time
DCM	122634	Signal Time to Peak
DCM	122638	Signal Baseline Start
DCM	122639	Signal Baseline End

CID 3837 Fiducial Feature

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.287

Table CID 3837. Fiducial Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-4215C264114003	Ostium	264114003R-4215C	C0444567
SRTSCT	T-466002841007	Renal Artery	2841007T-46600	C0035065

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-42580 73166001	Aortic Bifurcation	73166001 T-42580	C0226027
SRTSCT	R-10258 413896006	Common Iliac Bifurcation	413896006 R-10258	C1531837

CID 3838 Diameter Derivation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.288

Table CID 3838. Diameter Derivation

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 3488 "Min/Max/Mean"				
SRTSCT	G-A117 62824007	Transverse	62824007 G-A117	C0205106
DCM	122675	Anterior-Posterior		

CID 3839 Coronary Veins

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110818
 UID: 1.2.840.10008.6.1.289

Table CID 3839. Coronary Veins

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-48340 72107004	Azygos Vein	72107004 T-48340	C0004526
SRTSCT	T-48410 90219004	Coronary Sinus	90219004 T-48410	C0456944
SRTSCT	T-48420 5928000	Great Cardiac Vein	5928000 T-48420	C0226659
SRTSCT	T-48435 49082002	Small Cardiac Vein	49082002 T-48435	C0226661
SRTSCT	T-48403 194996006	Anterior Cardiac Vein	194996006 T-48403	C0226662
SRTSCT	T-48406 195164009	Atrial Vein	195164009 T-48406	C0226666
SRTSCT	T-48407 195496005	Atrioventricular Vein	195496005 T-48407	C0226668
SRTSCT	T-48430 73580002	Middle Cardiac Vein	73580002 T-48430	C0226660
SRTSCT	T-48404 195328002	Ventricular Vein	195328002 T-48404	C0226667
SRTSCT	T-48405 195073003	Smallest Cardiac Vein	195073003 T-48405	C1279372

Note

A previous version of this context group used terms with the SNOMED concept "entire" (see PS3.16-2011). The use of "structure" concepts rather than "entire" is described in Section 8.1.1.

CID 3840 Pulmonary Veins

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110818
 UID: 1.2.840.10008.6.1.290

Table CID 3840. Pulmonary Veins

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-4858F 430757002	Pulmonary Vein	430757002 T-4858F	C2317442
SRTSCT	T-48502 27706005	Left Pulmonary Vein	27706005 T-48502	C0226670
SRTSCT	T-485405 1249003	Inferior Left Pulmonary Vein	51249003 T-48540	C0226686
SRTSCT	T-485304 3863001	Superior Left Pulmonary Vein	43863001 T-48530	C0226682
SRTSCT	T-48504 91539005	Right Pulmonary Vein	91539005 T-48501	C0226669
SRTSCT	T-48520 113273001	Inferior Right Pulmonary Vein	413273001 T-48520	C0226676
SRTSCT	T-48510 8629005	Superior Right Pulmonary Vein	8629005 T-48510	C0226671

Note

A previous version of this context group used terms with the SNOMED concept "entire" (see PS3.16-2011). The use of "structure" concepts rather than "entire" is described in Section 8.1.1.

CID 3843 Myocardial Subsegment

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051103
 UID: 1.2.840.10008.6.1.291

Table CID 3843. Myocardial Subsegment

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-427E6 304059001	endocardial	304059001 R-427E6	C0014124
SRTSCT	R-40940 261073003	epicardial	261073003 R-40940	C0442016

CID 3850 Contrast Bolus Substance

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110609
 UID: 1.2.840.10008.6.1.934

Table CID 3850. Contrast Bolus Substance

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID	Trade Name (Informative)
SRTSCT	G-A7220 13132007	Dextran	43132007 C-A7220	C0086140	
SRTSCT	G-70841 262003004	Saline	262003004 C-70841	C0445115	
SRTSCT	G-70434 347379006	Lactated Ringer's	347379006 C-70434	C0073385	
Include CID 12 "Radiographic Contrast Agent"					

Note

Trade names are from <http://www.accessdata.fda.gov/scripts/cder/drugsatfda/index.cfm>.

CID 4005 Partial View Section for Mammography

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Non-Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.292

Table CID 4005. Partial View Section for Mammography

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-404CC255549009	Anterior	255549009R-404CC	C0205094
SRTSCT	R-404CE255551008	Posterior	255551008R-404CE	C0205095
SRTSCT	R-42191264217000	Superior	264217000R-42191	C1282910
SRTSCT	R-4094A261089000	Inferior	261089000R-4094A	C0542339
SRTSCT	R-404D5255561001	Medial	255561001R-404D5	C0205098
SRTSCT	G-A10449370004	Lateral	49370004G-A104	C0205093
SRTSCT	G-A11026216008	Central	26216008G-A110	C0205099

CID 4009 DX Anatomy Imaged

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040114
 UID: 1.2.840.10008.6.1.293

Table CID 4009. DX Anatomy Imaged

Coding Scheme Designator	Code Value	Code Meaning
Include CID 4031 "Common Anatomic Regions"		

CID 4010 DX View

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.294

Table CID 4010. DX View

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10202399033003	frontal	399033003R-10202	C0442223
SRTSCT	R-10204399160007	frontal oblique	399160007R-10204	C1302231
SRTSCT	R-10206399348003	antero-posterior	399348003R-10206	C0442212
SRTSCT	R-10208399312000	antero-posterior oblique	399312000R-10208	C1302318
SRTSCT	R-10210399038007	right posterior oblique	399038007R-10210	C1275807
SRTSCT	R-10212399006002	left posterior oblique	399006002R-10212	C1275802
SRTSCT	R-40888272479007	postero-anterior	272479007R-40888	C0457409
SRTSCT	R-10216399059000	postero-anterior oblique	399059000R-10216	C1275812
SRTSCT	R-40985399356000	right anterior oblique	399356000R-40985	C1275852
SRTSCT	R-10220399135007	left anterior oblique	399135007R-10220	C1275823
SRTSCT	G-A14530730003	sagittal	30730003G-A145	C0205129
SRTSCT	R-10224399260004	medial-lateral	399260004R-10224	C1302283

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-40783260427002	lateral oblique	260427002R-40783	C0442295
SRTSCT	R-10228399352003	lateral-medial	399352003R-10228	C1302336
SRTSCT	R-40782260426006	medial oblique	260426006R-40782	C0442294
SRTSCT	R-10232399198007	right lateral	399198007R-10232	C0442202
SRTSCT	R-10234399236003	right oblique	399236003R-10234	C0442291
SRTSCT	R-10236399173006	left lateral	399173006R-10236	C0442198
SRTSCT	R-10238399184004	left oblique	399184004R-10238	C0442288
SRTSCT	R-10241399061009	axial	399061009R-10241	C0442269
SRTSCT	R-10242399162004	cranio-caudal	399162004R-10242	C0442215
SRTSCT	R-10244399196006	caudo-cranial	399196006R-10244	C1302249
SRTSCT	R-10246399004004	oblique axial	399004004R-10246	C1302164
SRTSCT	R-10248399288005	oblique cranio-caudal	399288005R-10248	C1302302
SRTSCT	R-10250399225005	oblique caudo-cranial	399225005R-10250	C1302262
SRTSCT	R-10252399132005	frontal-oblique axial	399132005R-10252	C1275822
SRTSCT	R-10254399325008	sagittal-oblique axial	399325008R-10254	C1275850
SRTSCT	R-102C1399182000	oblique	399182000R-102C1	C0442287
SRTSCT	R-102CD399067008	lateral	399067008R-102CD	C0442197
SRTSCT	R-102C2399110001	tangential	399110001R-102C2	C0442227
SRTSCT	R-10256399255003	submentovertical	399255003R-10256	C0442244
SRTSCT	R-10257399360002	verticosubmental	399360002R-10257	C1302340
SRTSCT	R-102C3399071006	plantodorsal	399071006R-102C3	C1302192
SRTSCT	R-102C4399335002	dorsoplantar	399335002R-102C4	C1302328
SRTSCT	R-102C5399272005	parietoacanthial	399272005R-102C5	C1302290
SRTSCT	R-102C6399242004	acanthioparietal	399242004R-102C6	C1302273
SRTSCT	R-102C7399351005	orbitoparietal	399351005R-102C7	C1302335
SRTSCT	R-102C8399316002	parieto-orbital	399316002R-102C8	C1302320
SRTSCT	R-10230399099002	latero-medial oblique	399099002R-10230	C1302201
SRTSCT	R-10226399368009	medio-lateral oblique	399368009R-10226	C1302345
SRTSCT	G-8300119376003	tissue specimen	119376003G-8300	C1292533
SRTSCT	R-40810260499007	Occlusal projection	260499007R-40810	C0442276

Note

1. In a prior version of this Context Group, Lateral Oblique was assigned the code R-10226, and Medial Oblique was assigned the code R-10230, as synonymous with Medio-Lateral Oblique and Latero-Medial Oblique, respectively. SNOMED currently distinguishes between LO and MLO, and between MO and LMO, although in most radiography contexts there is no practical distinction. Receiving applications should be aware that they may receive SOP Instances with the prior code assignments.
2. In a prior version of this Context Group, "right anterior oblique" was assigned the code R-10218, which in SNOMED is actually "Indirect iris transillumination"; this code has been replaced with the correct code R-40985.
3. In a prior version of this Context Group, a concept of "sagittal" was present with a code of R-10222, which in SNOMED is actually "Trypan blue"; this code has been replaced with the general SNOMED qualifier concept G-A145.

CID 4011 DX View Modifier

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070524
 UID: 1.2.840.10008.6.1.295

Table CID 4011. DX View Modifier

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10244 399196006	cephalad	399196006R-10244	C1302249
SRTSCT	R-10242 399162004	caudad	399162004R-10242	C0442215
SRTSCT	R-40885 272476000	transthoracic	272476000R-40885	C0442285
SRTSCT	R-4087B 272466003	transforamenal	272466003R-4087B	C0442259
SRTSCT	G-D00B 118438002	transoral	118438002G-D00B	C0442366
SRTSCT	R-40554 278318001	transorbital	278318001R-40554	C0457460
DCM	111069	Crosstable		
SRTSCT	R-421A4 286866000	Mouth closed	286866000R-421A4	C0564684

Note

In a prior version of this Context Group, the codes R-102C9, R-102CA, R-102CB, R-102CC, and R-102CE were specified for various concepts. Those codes are not actually in SNOMED, and their use in this context is deprecated. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 4012 Projection Eponymous Name

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.296

Table CID 4012. Projection Eponymous Name

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10261 399142007	Albers-Schonberg	399142007R-10261	C1302223
SRTSCT	R-10262 399237007	Alexander	399237007R-10262	C1302270
SRTSCT	R-40A88 422670003	Apple	422670003R-40A88	C1827705
SRTSCT	R-10263 399218003	Arcelin	399218003R-10263	C1302258
SRTSCT	R-10264 399263002	Beclere	399263002R-10264	C1302284
SRTSCT	R-10265 399362005	Bertel	399362005R-10265	C1302341
SRTSCT	R-10266 399246001	Blackett-Healy	399246001R-10266	C1302276
SRTSCT	R-40809 260492003	Brewerton projection	260492003R-40809	C0442271
SRTSCT	R-10267 399344001	Broden	399344001R-10267	C1302332
SRTSCT	R-40A89 422861003	Burman	422861003R-40A89	C1828171
SRTSCT	R-10268 399278009	Cahoon	399278009R-10268	C1302294
SRTSCT	R-10269 399358004	Caldwell	399358004R-10269	C0442264
SRTSCT	R-1026A 399212002	Camp-Coventry	399212002R-1026A	C1302254

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-1026B399065000	Causton	399065000R-1026B	C1302190
SRTSCT	R-1026C399148006	Chamberlain	399148006R-1026C	C1302226
SRTSCT	R-1026D399013002	Chassard-Lapine	399013002R-1026D	C1302168
SRTSCT	R-1026E399355001	Chausse	399355001R-1026E	C1302338
SRTSCT	R-1026F399245002	Cleaves	399245002R-1026F	C1302275
SRTSCT	R-10270399028002	Clements	399028002R-10270	C1302177
SRTSCT	R-10271399320003	Clements-Nakayama	399320003R-10271	C1302322
SRTSCT	R-40A8A423091003	Colcher-Sussman	423091003R-40A8A	C1827227
SRTSCT	R-40A8B424811006	Danelius-Miller	424811006R-40A8B	C1828231
SRTSCT	R-10272399303002	Dunlap	399303002R-10272	C1302310
SRTSCT	R-40A8F424655003	Eraso Modification	424655003R-40A8F	C1827856
SRTSCT	R-10273399372008	Ferguson	399372008R-10273	C1302349
SRTSCT	R-40A8C424962005	Fisk	424962005R-40A8C	C1827093
SRTSCT	R-10274399281004	Fleischner	399281004R-10274	C1302296
SRTSCT	R-40A8D425157002	Folio	425157002R-40A8D	C1827491
SRTSCT	R-10275399103007	Friedman	399103007R-10275	C1302203
SRTSCT	R-10276399073009	Fuchs	399073009R-10276	C1302193
SRTSCT	R-40A8E425188003	Garth	425188003R-40A8E	C1827580
SRTSCT	R-10277399082003	Gaynor-Hart	399082003R-10277	C1302196
SRTSCT	R-10278399311007	Grandy	399311007R-10278	C1302317
SRTSCT	R-10279399146005	Grashey	399146005R-10279	C1302225
SRTSCT	R-1027A399341009	Haas	399341009R-1027A	C1302330
SRTSCT	R-4080A260493008	Harris Beath axial projection	260493008R-4080A	C0442308
SRTSCT	R-1027B399199004	Henschen	399199004R-1027B	C1302250
SRTSCT	R-1027C399277004	Hickey	399277004R-1027C	C1302293
SRTSCT	R-40A90424086005	Hirtz Modification	424086005R-40A90	C1828045
SRTSCT	R-1027D399129007	Holly	399129007R-1027D	C1302216
SRTSCT	R-1027E399285008	Holmblad	399285008R-1027E	C1302300
SRTSCT	R-1027F399168000	Hough	399168000R-1027F	C1302236
SRTSCT	R-10280399083008	Hsieh	399083008R-10280	C1302197
SRTSCT	R-10281399003005	Hughston	399003005R-10281	C1302163
SRTSCT	R-10282399025004	Isherwood	399025004R-10282	C0456593
SRTSCT	R-10283399201002	Judd	399201002R-10283	C1302252
SRTSCT	R-4080D260496000	Judet projection	260496000R-4080D	C0442309
SRTSCT	R-10284399152006	Kandel	399152006R-10284	C1302227
SRTSCT	R-10285399280003	Kasabach	399280003R-10285	C1302295
SRTSCT	R-10286399227002	Kemp Harper	399227002R-10286	C1302263
SRTSCT	R-40A91425030002	Kite	425030002R-40A91	C1827203
SRTSCT	R-10287399318001	Kovacs	399318001R-10287	C1302321
SRTSCT	R-10288399080006	Kuchendorf	399080006R-10288	C1302195

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10289399332004	Kurzbauer	399332004R-10289	C1302327
SRTSCT	R-1028A399156009	Laquerriere-Pierquin	399156009R-1028A	C1302230
SRTSCT	R-1028B399169008	Lauenstein	399169008R-1028B	C1302237
SRTSCT	R-1028C399206007	Law	399206007R-1028C	C1302253
SRTSCT	R-1028D399179005	Lawrence	399179005R-1028D	C1302241
SRTSCT	R-1028E398996004	Leonard-George	398996004R-1028E	C1302159
SRTSCT	R-1028F399037002	Lewis	399037002R-1028F	C1302179
SRTSCT	R-10290399342002	Lilienfeld	399342002R-10290	C1302331
SRTSCT	R-10291399308006	Lindblom	399308006R-10291	C1302314
SRTSCT	R-10292399251007	Lorenz	399251007R-10292	C1302279
SRTSCT	R-10293399327000	Low-Beer	399327000R-10293	C1302324
SRTSCT	R-10294399370000	Lysholm	399370000R-10294	C1302347
SRTSCT	R-10295399024000	May	399024000R-10295	C1302174
SRTSCT	R-10296399000008	Mayer	399000008R-10296	C1302161
SRTSCT	R-10297399284007	Merchant	399284007R-10297	C1302299
SRTSCT	R-10298399005003	Miller	399005003R-10298	C1302165
SRTSCT	R-40A92422568001	Moore	422568001R-40A92	C1827499
SRTSCT	R-4080E260497009	Mortice projection	260497009R-4080E	C0442274
SRTSCT	R-40A93422795009	Neer	422795009R-40A93	C1828002
SRTSCT	R-10299399002000	Nolke	399002000R-10299	C1302162
SRTSCT	R-1029A399157000	Norgaard	399157000R-1029A	C0442275
SRTSCT	R-1029B399171008	Otonello	399171008R-1029B	C1302238
SRTSCT	R-1029C399181007	Pawlow	399181007R-1029C	C1302242
SRTSCT	R-1029D399365007	Pearson	399365007R-1029D	C1302342
SRTSCT	R-1029E399138009	Penner	399138009R-1029E	C1302221
SRTSCT	R-1029F399022001	Pirie	399022001R-1029F	C1302172
SRTSCT	R-40A94423720000	Rafert	423720000R-40A94	C1827152
SRTSCT	R-40A95422534007	Rafert-Long	422534007R-40A95	C1827402
SRTSCT	R-102A0399234000	Rhese	399234000R-102A0	C1302268
SRTSCT	R-40A96425035007	Robert	425035007R-40A96	C1827274
SRTSCT	R-40A97425042007	Rosenberg	425042007R-40A97	C1827277
SRTSCT	R-102A1399290006	Schuller	399290006R-102A1	C1302303
SRTSCT	R-102A2399243009	Settegast	399243009R-102A2	C1302274
SRTSCT	R-102A3399098005	Staunig	399098005R-102A3	C1302200
SRTSCT	R-102A4399292003	Stecher	399292003R-102A4	C1302304
SRTSCT	R-102A5399349006	Stenvers	399349006R-102A5	C0442232
SRTSCT	R-40A98422954003	Stryker	422954003R-40A98	C1828322
SRTSCT	R-102A6399313005	Swanson	399313005R-102A6	C1302319
SRTSCT	R-102A7399247005	Tarrant	399247005R-102A7	C1302277
SRTSCT	R-102A8399296000	Taylor	399296000R-102A8	C1302307
SRTSCT	R-102A9399127009	Teufel	399127009R-102A9	C1302215

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-102AA399241006	Titterington	399241006R-102AA	C1302272
SRTSCT	R-102AB399270002	Towne	399270002R-102AB	C0442265
SRTSCT	R-102AC399125001	Twining	399125001R-102AC	C1302214
SRTSCT	R-102AD399330007	Valdini	399330007R-102AD	C1302326
SRTSCT	R-40816260506009	Van Rosen projection	260506009R-40816	C0442286
SRTSCT	R-407B0260473000	Waters	260473000R-407B0	C0442243
SRTSCT	R-102AF399130002	West Point	399130002R-102AF	C1302217
SRTSCT	R-102B0399215000	Wigby-Taylor	399215000R-102B0	C1302257
SRTSCT	R-40A99422996004	Wolf	422996004R-40A99	C1828400
SRTSCT	R-102B1399026003	Zanelli	399026003R-102B1	C1302175

CID 4013 Anatomic Region for Mammography

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.297

Table CID 4013. Anatomic Region for Mammography

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-04000 76752008	Breast	76752008T-04000	C0006141

CID 4014 View for Mammography

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20090717
 UID: 1.2.840.10008.6.1.298

Table CID 4014. View for Mammography

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	ACR MQCM 1999 Equivalent
SRTSCT	R-10224399260004	medio-lateral	399260004R-10224	C1302283	ML
SRTSCT	R-10226399368009	medio-lateral oblique	399368009R-10226	C1302345	MLO
SRTSCT	R-10228399352003	latero-medial	399352003R-10228	C1302336	LM
SRTSCT	R-10230399099002	latero-medial oblique	399099002R-10230	C1302201	LMO
SRTSCT	R-10242399162004	cranio-caudal	399162004R-10242	C0442215	CC
SRTSCT	R-10244399196006	caudo-cranial (from below)	399196006R-10244	C1302249	FB
SRTSCT	R-102D0399188001	superolateral to inferomedial oblique	399188001R-102D0	C1302245	SIO
SRTSCT	R-40AAA441555000	inferomedial to superolateral oblique	441555000R-40AAA	C2711617	ISO
SRTSCT	R-1024A399192008	cranio-caudal exaggerated laterally	399192008R-1024A	C1302247	XCCL

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	ACR MQCM 1999 Equivalent
SRT SCT	R-1024B 399101009	cranio-caudal exaggerated medially	399101009 R-1024B	C1302202	XCCM
SRT SCT	G-8310 127457009	tissue specimen from breast	127457009 G-8310	C0444070	

Note

- In a prior version of this Context Group, Cranio-Caudal Exaggerated Laterally was assigned the code Y-X1770, and Cranio-Caudal Exaggerated Medially was assigned the code Y-X1771. Those codes are deprecated, as they are not valid SNOMED codes. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated codes, receiving applications should be aware of this change; see Annex J.
- While SRT is the preferred Coding Scheme Designator for SNOMED, regulatory approval of mammography systems makes changes to such systems problematic. Implementers should be aware that many systems will continue to use the deprecated designator SNM3 for certain terms in this context group. It is recommended that implementations receiving Mammography Image or CAD SOP Instances support both SNM3 and SRT as equivalent Coding Scheme Designators for Attributes or Content Items that use this Context Group.
- In a prior version of this Context Group, (~~R-102CF~~, ~~SRT~~399265009, ~~SCT~~, "cranio-caudal exaggerated") was included. This is not a clinically applied view. Use of this term is deprecated, but receiving applications should be aware of its prior existence.

CID 4015 View Modifier for Mammography

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20090717
 UID: 1.2.840.10008.6.1.299

Table CID 4015. View Modifier for Mammography

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Applies only when View ACR MQCM 1999 Equivalent is:	ACR MQCM 1999 Equivalent
SRT SCT	R-102D2 399161006	Cleavage	399161006 R-102D2	C1302232	CC or FB	CV
SRT SCT	R-102D1 399011000	Axillary Tail	399011000 R-102D1	C1302167	MLO	AT
SRT SCT	R-102D3 399197002	Rolled Lateral	399197002 R-102D3	C1275832	any	...RL
SRT SCT	R-102D4 399226006	Rolled Medial	399226006 R-102D4	C1275838	any	...RM
SRT SCT	R-102CA 414493004	Rolled Inferior	414493004 R-102CA	C1532323	any	...RI
SRT SCT	R-102C9 415670009	Rolled Superior	415670009 R-102C9	C1531911	any	...RS
SRT SCT	R-102D5 399209000	Implant Displaced	399209000 R-102D5	C1275834	any	...ID
SRT SCT	R-102D6 399163009	Magnification	399163009 R-102D6	C1302233	any	M...
SRT SCT	R-102D7 399055006	Spot Compression	399055006 R-102D7	C1302185	any	S...
SRT SCT	R-102C2 399110001	Tangential	399110001 R-102C2	C0442227	any	TAN
SRT SCT	R-40AB3 442581004	Nipple in profile	442581004 R-40AB3	C2711408	any	...NP
SRT SCT	P2-00161 441752004	Anterior compression	441752004 P2-00161	C2711933	any	...AC
SRT SCT	R-40ABE 442593008	Infra-mammary fold	442593008 R-40ABE	C2711136	any	...IMF

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Applies only when View ACR MQCM 1999 Equivalent is:	ACR MQCM 1999 Equivalent
SRTSCT	R-40AB2442580003	Axillary tissue	442580003R-40AB2	C2711122	any	...AX

Note

- The View ACR MQCM 1999 Equivalent is defined in CID 4014 "View for Mammography".
- Some applications and View Modifier ACR MQCM 1999 equivalents have been extended by DICOM to incorporate additional known clinical use cases. The View Modifier ACR MQCM 1999 equivalent indicates its use as a prefix (shown by trailing "...") or suffix (shown by preceding "...") to the View ACR MQCM 1999 equivalent, or replacement for the View ACR MQCM 1999 equivalent.
- While SRT is the preferred Coding Scheme Designator for SNOMED, regulatory approval of mammography systems makes changes to such systems problematic. Implementers should be aware that many systems will continue to use the deprecated designator SNM3 for certain terms in this context group. It is recommended that implementations receiving Mammography Image or CAD-SOP Instances support both SNM3 and SRT as equivalent Coding Scheme Designators for Attributes or Content Items that use this Context Group.

CID 4016 Anatomic Region for Intra-oral Radiography

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20150318
 UID: 1.2.840.10008.6.1.300

Table CID 4016. Anatomic Region for Intra-oral Radiography

Coding Scheme Designator	Code Value	Code Meaning	SNODENT Code	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-D1213661005	Jaw region	100108D	664005T-D1213	C3887617
SRTSCT	T-1117070925003	Maxilla	108042D	70925003T-11170	C0024947
SRTSCT	T-1118091609006	Mandible	144511D	91609006T-11180	C0024687
SRTSCT	T-5400028035005	Teeth, gums and supporting structures	124191D	28035005T-54000	C0702127

Note

In a prior version of this table, the code T-D1217 was specified for the concept "Maxilla and mandible". The use of this code conflicts with its assignment to another concept in SNOMED, and its use in this context is deprecated. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 4017 Anatomic Region Modifier for Intra-oral Radiography

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20150318
 UID: 1.2.840.10008.6.1.301

Table CID 4017. Anatomic Region Modifier for Intra-oral Radiography

Coding Scheme Designator	Code Value	Code Meaning	SNODENT Code	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-FB322699453001	Central incisor region	178934D	699453001R-FB322	C3697198
SRTSCT	R-FB35C699511000	Lateral incisor region	178947D	699511000R-FB35C	C3697187
SRTSCT	R-FB35B699510004	Canine region	178952D	699510004R-FB35B	C3697045
SRTSCT	R-FB35A699509009	First premolar region	178968D	699509009R-FB35A	C3697100
SRTSCT	R-FB359699508001	Second premolar region	178975D	699508001R-FB359	C3698067
SRTSCT	R-FB358699507006	First molar region	178981D	699507006R-FB358	C3698498
SRTSCT	R-FB356699505003	Second molar region	178999D	699505003R-FB356	C3698361
SRTSCT	R-FB354699503005	Third molar region	179005D	699503005R-FB354	C3697261

Note

In a prior version of this table, SNOMED codes T-51005 through T-5100C were specified for various concepts. The use of these codes conflicts with their assignment to other concepts in SNOMED, and the set of concepts has been replaced. Also, SNOMED code T-5100D was specified for an Occlusal view; this code does not exist in SNOMED, and the concept is more properly considered as a view rather than an anatomic region, hence has been moved to CID 4010, and assigned the correct SNOMED code R-40810. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; the deprecated codes are included in Annex J.

CID 4018 Primary Anatomic Structure for Intra-oral Radiography (Permanent Dentition - Designation of Teeth)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20150318
 UID: 1.2.840.10008.6.1.302

Table CID 4018. Primary Anatomic Structure for Intra-oral Radiography (Permanent Dentition - Designation of Teeth)

Coding Scheme Designator	Code Value	Code Meaning	ISO 3950 Designation of Quadrant	ISO 3950 Designation of Tooth	SNODENT Code	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-5421068085002	Maxillary right third molar tooth	1	8	133248D	68085002T-54210	C0227032
SRTSCT	T-542207121006	Maxillary right second molar tooth	1	7	109449D	7121006T-54220	C0227033
SRTSCT	T-542305140004	Maxillary right first molar tooth	1	6	104587D	5140004T-54230	C0227034
SRTSCT	T-5424036492000	Maxillary right second premolar tooth	1	5	128425D	36492000T-54240	C0227037
SRTSCT	T-5425057826002	Maxillary right first premolar tooth	1	4	138890D	57826002T-54250	C0227038
SRTSCT	T-5426080647007	Maxillary right canine tooth	1	3	145111D	80647007T-54260	C0227039
SRTSCT	T-5427011712009	Maxillary right lateral incisor tooth	1	2	116770D	11712009T-54270	C0227040
SRTSCT	T-5428022120004	Maxillary right central incisor tooth	1	1	106397D	22120004T-54280	C0227042

Coding Scheme Designator	Code Value	Code Meaning	ISO 3950 Designation of Quadrant	ISO 3950 Designation of Tooth	SNODENT Code	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-5429031982000	Maxillary left central incisor tooth	2	1	125190D	31982000T-54290	C0227043
SRTSCT	T-5430025748002	Maxillary left lateral incisor tooth	2	2	103484D	25748002T-54300	C0227045
SRTSCT	T-5431072876007	Maxillary left canine tooth	2	3	108821D	72876007T-54310	C0227046
SRTSCT	T-5432061897005	Maxillary left first premolar tooth	2	4	119834D	61897005T-54320	C0227047
SRTSCT	T-5433023226009	Maxillary left second premolar tooth	2	5	126921D	23226009T-54330	C0227048
SRTSCT	T-5434023427002	Maxillary left first molar tooth	2	6	135665D	23427002T-54340	C0227051
SRTSCT	T-5435066303006	Maxillary left second molar tooth	2	7	130330D	66303006T-54350	C0227052
SRTSCT	T-5436087704003	Maxillary left third molar tooth	2	8	136609D	87704003T-54360	C0227053
SRTSCT	T-5437074344005	Mandibular left third molar tooth	3	8	129534D	74344005T-54370	C0227054
SRTSCT	T-5438048402004	Mandibular left second molar tooth	3	7	101391D	48402004T-54380	C0227055
SRTSCT	T-5439089625000	Mandibular left first molar tooth	3	6	109790D	89625000T-54390	C0227056
SRTSCT	T-5440024573005	Mandibular left second premolar tooth	3	5	117536D	24573005T-54400	C0227059
SRTSCT	T-5441024000006	Mandibular left first premolar tooth	3	4	138336D	24000006T-54410	C0227060
SRTSCT	T-5442039844006	Mandibular left canine tooth	3	3	119269D	39844006T-54420	C0227061
SRTSCT	T-5443077130001	Mandibular left lateral tooth	3	2	119276D	77130001T-54430	C0227062
SRTSCT	T-54440113278005	Mandibular left central incisor tooth	3	1	116581D	113278005T-54440	C0227064
SRTSCT	T-5445015422005	Mandibular right central incisor tooth	4	1	139525D	15422005T-54450	C0227065
SRTSCT	T-5446082628004	Mandibular right lateral incisor tooth	4	2	113091D	82628004T-54460	C0227067
SRTSCT	T-5447047055002	Mandibular right canine tooth	4	3	107357D	47055002T-54470	C0227068
SRTSCT	T-5448080140008	Mandibular right first premolar tooth	4	4	144507D	80140008T-54480	C0227069
SRTSCT	T-544908873007	Mandibular right second premolar tooth	4	5	110784D	8873007T-54490	C0227070
SRTSCT	T-5450028480000	Mandibular right first molar tooth	4	6	143324D	28480000T-54500	C0227073

Coding Scheme Designator	Code Value	Code Meaning	ISO 3950 Designation of Quadrant	ISO 3950 Designation of Tooth	SNODENT Code	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-54510 40005008	Mandibular right second molar tooth	4	7	145772D	40005008 T-54510	C0227074
SRTSCT	T-54520 38994002	Mandibular right third molar tooth	4	8	100566D	38994002 T-54520	C0227075

CID 4019 Primary Anatomic Structure for Intra-oral Radiography (Deciduous Dentition - Designation of Teeth)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20150318
 UID: 1.2.840.10008.6.1.303

Table CID 4019. Primary Anatomic Structure for Intra-oral Radiography (Deciduous Dentition - Designation of Teeth)

Coding Scheme Designator	Code Value	Code Meaning	ISO 3950 Designation of Quadrant	ISO 3950 Designation of Tooth	SNODENT Code	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-54610 245620002	Deciduous maxillary right central incisor tooth	5	1	162619D	245620002 T-54610	C0447234
SRTSCT	T-54620 245619008	Deciduous maxillary right lateral incisor tooth	5	2	162494D	245619008 T-54620	C0447233
SRTSCT	T-54630 30618001	Deciduous maxillary right canine tooth	5	3	124018D	30618001 T-54630	C0227087
SRTSCT	T-54640 245616001	Deciduous maxillary right first molar tooth	5	4	162234D	245616001 T-54640	C0447230
SRTSCT	T-54650 27855007	Deciduous maxillary right second molar tooth	5	5	130574D	27855007 T-54650	C0227089
SRTSCT	T-54660 51678005	Deciduous maxillary left central incisor tooth	6	1	108911D	51678005 T-54660	C1533615
SRTSCT	T-54670 43622005	Deciduous maxillary left lateral incisor tooth	6	2	123818D	43622005 T-54670	C0227091
SRTSCT	T-54680 73937000	Deciduous maxillary left canine tooth	6	3	140711D	73937000 T-54680	C0227092
SRTSCT	T-54690 45234009	Deciduous maxillary left first molar tooth	6	4	141712D	45234009 T-54690	C0227093
SRTSCT	T-54700 51943008	Deciduous maxillary left second molar tooth	6	5	112992D	51943008 T-54700	C0227094
SRTSCT	T-54760 89552004	Deciduous mandibular left central incisor tooth	7	1	150298D	89552004 T-54760	C0227100
SRTSCT	T-54770 14770005	Deciduous mandibular left lateral incisor tooth	7	2	134816D	14770005 T-54770	C1533616
SRTSCT	T-54780 245639007	Deciduous mandibular left canine tooth	7	3	162441D	245639007 T-54780	C0447255

Coding Scheme Designator	Code Value	Code Meaning	ISO 3950 Designation of Quadrant	ISO 3950 Designation of Tooth	SNODENT Code	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-54790 38896004	Deciduous mandibular left first molar tooth	7	4	118147D	38896004T-54790	C0227103
SRTSCT	T-54800 49330006	Deciduous mandibular left second molar tooth	7	5	144621D	49330006T-54800	C0227104
SRTSCT	T-54710 67834006	Deciduous mandibular right central incisor tooth	8	1	120236D	67834006T-54710	C0227095
SRTSCT	T-54720 22445006	Deciduous mandibular right lateral incisor tooth	8	2	113281D	22445006T-54720	C0227101
SRTSCT	T-54730 6062009	Deciduous mandibular right canine tooth	8	3	105720D	6062009T-54730	C0227097
SRTSCT	T-54740 245631005	Deciduous mandibular right first molar tooth	8	4	162206D	245631005T-54740	C0447244
SRTSCT	T-54750 61868007	Deciduous mandibular right second molar tooth	8	5	107031D	61868007T-54750	C0227099

CID 4020 PET Radionuclide

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160119
UID: 1.2.840.10008.6.1.304

Table CID 4020. PET Radionuclide

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-105A1 40565003	¹¹ Carbon	40565003C-105A1	C0302944
SRTSCT	G-107A1 21576001	¹³ Nitrogen	21576001C-107A1	C0302959
SRTSCT	G-1018C 424875009	¹⁴ Oxygen	424875009C-1018C	C1828369
SRTSCT	G-B1038 129504001	¹⁵ Oxygen	129504001C-B1038	C1268556
SRTSCT	G-111A1 77004003	¹⁸ Fluorine	77004003C-111A1	C0302995
SRTSCT	G-155A1 71633006	²² Sodium	71633006C-155A1	C0303511
SRTSCT	G-135A4 423764008	³⁸ Potassium	423764008C-135A4	C1827255
DCM	126605	⁴³ Scandium		
DCM	126600	⁴⁴ Scandium		
SRTSCT	G-166A2 75696008	⁴⁵ Titanium	75696008C-166A2	C0303635
DCM	126601	⁵¹ Manganese		
SRTSCT	G-130A1 69089000	⁵² Iron	69089000C-130A1	C0303218
SRTSCT	G-149A1 37225000	⁵² Manganese	37225000C-149A1	C0303448
DCM	126607	^{52m} Manganese		
SRTSCT	G-127A4 425364008	⁶⁰ Copper	425364008C-127A4	C1827982
SRTSCT	G-127A1 71425003	⁶¹ Copper	71425003C-127A1	C0303189
SRTSCT	G-127A5 422934004	⁶² Copper	422934004C-127A5	C1828311

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	C-141A1 65054007	^62^Zinc	65054007C-141A1	C0303361
SRTSCT	C-127A2 3932008	^64^Copper	3932008C-127A2	C0303190
SRTSCT	C-131A1 79477007	^66^Gallium	79477007C-131A1	C0303224
SRTSCT	C-131A3 35337001	^68^Gallium	35337001C-131A3	C0303226
SRTSCT	C-128A2 53315004	^68^Germanium	53315004C-128A2	C0303198
DCM	126602	^70^Arsenic		
SRTSCT	C-115A2 2705002	^72^Arsenic	2705002C-115A2	C0303037
SRTSCT	C-116A2 87437000	^73^Selenium	87437000C-116A2	C0303047
SRTSCT	C-113A1 17910003	^75^Bromine	17910003C-113A1	C0303008
SRTSCT	C-113A2 79523006	^76^Bromine	79523006C-113A2	C1304532
SRTSCT	C-113A3 86521004	^77^Bromine	86521004C-113A3	C0303010
SRTSCT	C-159A2 79197006	^82^Rubidium	79197006C-159A2	C0303554
SRTSCT	C-162A3 10738001	^86^Yttrium	10738001C-162A3	C0303592
SRTSCT	C-168A4 63360001	^89^Zirconium	63360001C-168A4	C0303661
DCM	126603	^90^Niobium		
SRTSCT	C-162A7 14691008	^90^Yttrium	14691008C-162A7	C0303596
SRTSCT	C-163AA 424079002	^94m^Technetium	424079002C-163AA	C1828040
SRTSCT	C-114A5 40937006	^124^Iodine	40937006C-114A5	C0303024
DCM	126606	^152^Terbium		

CID 4021 PET Radiopharmaceutical

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190124
 UID: 1.2.840.10008.6.1.305

Table CID 4021. PET Radiopharmaceutical

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Other Names
DCM	126752	28H1 ^89^Zr			
DCM	126713	2FA F^18^			FA-85380
DCM	126751	7D12 ^89^Zr			
DCM	126750	7E11 ^89^Zr			
SRTSCT	C-B1043 129513004	Acetate C^11^	129513004C-B1043	C1098488	
DCM	126729	AGN-150998 ^89^Zr			MP0112
SRTSCT	C-B103C 129508003	Ammonia N^13^	129508003C-B103C	C1268560	
DCM	126754	Anti-B220 ^89^Zr			Anti-CD45R
DCM	126700	ATSM Cu^60^			
DCM	126701	ATSM Cu^61^			
DCM	126702	ATSM Cu^62^			
SRTSCT	C-B07DB 422855001	ATSM Cu^64^	422855001C-B07DB	C1828021	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Other Names
DCM	126722	Benralizumab ^89^Zr			MEDI-563, KHK4563
DCM	126516	Bevacizumab ^89^Zr			Avastin™ ^89^Zr
DCM	126727	Blinatumomab ^89^Zr			AMG103, MT103
DCM	126735	Brentuximab ^89^Zr			Adcetris™
SRTSCT	G-B07DC 422540000	Butanol O^15^	422540000 C-B07DC	C1827030	
SRTSCT	G-B103B 129507008	Carbon dioxide O^15^	129507008 C-B103B	C1268559	
SRTSCT	G-B1045 129515006	Carbon monoxide C^11^	129515006 C-B1045	C1268564	
SRTSCT	G-B103A 129506004	Carbon monoxide O^15^	129506004 C-B103A	C1268558	
SRTSCT	G-B103F 129511002	Carfentanil C^11^	129511002 C-B103F	C1268562	
DCM	126513	Cetuximab ^89^Zr			Erbix™ ^89^Zr
DCM	126517	cG250-F(ab')(2) ^89^Zr			
DCM	126703	Choline C^11^			
DCM	126715	CLR1404 I^124^			
DCM	126716	CLR1404 I^131^			
DCM	126746	cMAb U36 ^89^Zr			
DCM	126515	cU36 ^89^Zr			
NCIt	C96234	DCFBC F^18^		C2604127	N-[N-[(S)-1,3-dicarboxypropyl] carbamoyl]-4-fluorobenzyl-L-cysteine F^18^
NCIt	C116352	DCFPyL F^18^		C3492634	2-(3-(1-carboxy-5-[(6-fluoro-pyridine-3-carbonyl)-amino]-pentyl)-ureido)-pentanedioic acid F^18^
DCM	126762	Df-[FK](2) ^89^Zr			
DCM	126763	Df-[FK](2)-3PEG(4) ^89^Zr			
DCM	126520	Df-CD45 ^89^Zr			
DCM	126760	Df-FK ^89^Zr			
DCM	126761	Df-FK-PEG(3) ^89^Zr			
DCM	126747	DN30 ^89^Zr			
DCM	126519	E4G10 ^89^Zr			
DCM	126732	Ecromeximab ^89^Zr			KW-2871
UMLS	C2713594	Edotreotide Ga^68^		C2713594	DOTATOC, SMT487
SRTSCT	G-B07DD 423498000	EDTA Ga^68^	423498000 C-B07DD	C1828067	
DCM	126704	Fallypride C^11^			
DCM	126705	Fallypride F^18^			
DCM	126706	FLB 457 C^11^			
SRTSCT	G-D6858 712736002	Florbetaben F^18^	712736002 C-D6858	C3818757	NeuroCeq™
SRTSCT	G-E0269 456995000	Florbetapir F^18^	456995000 C-E0269	C3475363	AV-45, Amyvid™
UMLS	C4547429	Flortaucipir F^18^		C4547429	AV-1451, T807
DCM	126503	Flubatine F^18^			NCFHEB
SRTSCT	G-E0265 456999006	Fluciclatide F^18^	456999006 C-E0265	C2987729	
SRTSCT	G-E026A 457000009	Fluciclovine F^18^	457000009 C-E026A	C1311253	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT ConceptRT ID	UMLS Concept Unique ID	Other Names
SRTSCT	G-B07DE423543007	Flumazenil C ¹¹ ^	423543007C-B07DE	C1827653	
SRTSCT	G-B07DF422975006	Flumazenil F ¹⁸ ^	422975006C-B07DF	C1828330	
SRTSCT	G-B07E0424708001	Fluorethyltyrosin F ¹⁸ ^	424708001C-B07E0	C1827913	
SRTSCT	G-B07E4423546004	Fluorobenzothiazole F ¹⁸ ^	423546004C-B07E4	C1827131	
SRTSCT	G-E0273456992002	Fluorocholine F ¹⁸ ^	456992002C-E0273	C3531803	
SRTSCT	G-B103135321007	Fluorodeoxyglucose F ¹⁸ ^	35321007C-B1031	C0046056	
UMLS	C1831937	Fluoroestradiol (FES) F ¹⁸ ^		C1831937	
UMLS	C1541539	Fluoroetanidazole F ¹⁸ ^		C1541539	EF5
SRTSCT	G-B1034129500005	Fluoro-L-dopa F ¹⁸ ^	129500005C-B1034	C1268553	
SRTSCT	G-B07E2422763008	Fluoromethane F ¹⁸ ^	422763008C-B07E2	C1827137	
SRTSCT	G-B07E1422598008	Fluoromisonidazole F ¹⁸ ^	422598008C-B07E1	C1827349	FMISO
UMLS	C2934038	Fluoropropyl-dihydrotetabenazine (DTBZ) F ¹⁸ ^		C2934038	AV-133
DCM	126707	Fluorotripride F ¹⁸ ^			
SRTSCT	G-B07E3425236000	Fluorouracil F ¹⁸ ^	425236000C-B07E3	C1827690	
DCM	126718	Flurpiridaz F ¹⁸ ^			BMS-747158-02
SRTSCT	G-E0267456997008	Flutemetamol F ¹⁸ ^	456997008C-E0267	C2983948	Vizamy TM
DCM	126748	Fresolimumab ^89^Zr			GC1008
DCM	126731	GA201 ^89^Zr			RG1760, RO5083945
SRTSCT	G-B1046129516007	Germanium Ge ⁶⁸ ^	129516007C-B1046	C1268565	
DCM	126724	Glembatumumab vedotin ^89^Zr			CDX-011, CR011-vcMMAE
SRTSCT	G-B103D129509006	Glutamate N ¹³ ^	129509006C-B103D	C1268561	
DCM	126709	Glutamine C ¹¹ ^			
DCM	126710	Glutamine C ¹⁴ ^			
DCM	126711	Glutamine F ¹⁸ ^			
UMLS	C2981788	ISO-1 F ¹⁸ ^		C2981788	
DCM	126514	J591 ^89^Zr			
DCM	126740	Margetuximab ^89^Zr			MGAH22
DCM	126730	MEDI-551 ^89^Zr			
SRTSCT	G-B07E5424789007	Mespiperone C ¹¹ ^	424789007C-B07E5	C1828032	
SRTSCT	G-B103E129510001	Methionine C ¹¹ ^	129510001C-B103E	C0252667	
UMLS	C4506764	MK-6240 F ¹⁸ ^		C4506764	
DCM	126738	Mogamulizumab ^89^Zr			AMG761, KW-0761, Poteligeo TM
DCM	126510	Monoclonal Antibody (mAb) ^64^Cu			
DCM	126511	Monoclonal Antibody (mAb) ^89^Zr			
SRTSCT	G-B07E6424874008	Monoclonal antibody I ¹²⁴ ^	424874008C-B07E6	C1827605	
DCM	126753	Nanocolloidal albumin ^89^Zr			Nanocoll
DCM	126714	Nifene F ¹⁸ ^			
DCM	126721	Obinituzimab ^89^Zr			Afutuzumab, Gazyva TM
DCM	126723	Ocaratuzumab ^89^Zr			AME-133v, LY2469298

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Other Names
SRTSCT	G-B1038129504001	Oxygen O ¹⁵ ^	129504001C-B1038	C1268556	
SRTSCT	G-B1039129505000	Oxygen-water O ¹⁵ ^	129505000C-B1039	C1268557	
SRTSCT	G-B1044129514005	Palmitate C ¹¹ ^	129514005C-B1044	C1268563	
DCM	126736	Panitumumab ^89^Zr			ABX-EGF, Vectibix™
DCM	126728	Pegdinetanib ^89^Zr			BMS-844203, CT-322, Angiocept™
DCM	126725	Pinatuzumab vedotin ^89^Zr			RG7593, DCDT2980S
DCM	126500	Pittsburgh compound B C ¹¹ ^			PIB
DCM	126726	Polatuzumab vedotin ^89^Zr			RG7596, DCDS4501A
DCM	126758	PSMA-1007 F ¹⁸ ^			
NCIt	C118961	PSMA-11 Ga ⁶⁸ ^		C3899042	Glu-NH-CO-NH-Lys(Ahx)-HBED-CC Ga ⁶⁸ ^
DCM	126759	PSMA-617 Ga ⁶⁸ ^			
SRTSCT	G-B07E7422789008	PTSM Cu ⁶² ^	422789008C-B07E7	C1827357	
DCM	126518	R1507 ^89^Zr			
SRTSCT	G-B1042129512009	Raclopride C ¹¹ ^	129512009C-B1042	C0752264	
DCM	126742	Ranibizumab ^89^Zr			Lucentis™
DCM	126737	Rituximab ^89^Zr			IDEC-C2B8, Rituxan™
DCM	126755	RO5323441 ^89^Zr			
DCM	126756	RO542908 ^89^Zr			
DCM	126719	RO6924963 ^11^C			RO-963
DCM	126720	RO6931643 ^11^C			RO-643
DCM	126757	RO6958948 ^18^F			RO-948
DCM	126733	Roledumab ^89^Zr			LFB-R593
SRTSCT	G-B1037129503007	Rubidium chloride Rb ⁸² ^	129503007C-B1037	C1268555	
DCM	126741	SAR3419 ^89^Zr			
NCIt	C122684	Sarcosine C ¹¹ ^		C4055275	
SRTSCT	G-B1032129501009	Sodium fluoride F ¹⁸ ^	129501009C-B1032	C0304965	
SRTSCT	G-B07E8422980002	Sodium iodide I ¹²⁴ ^	422980002C-B07E8	C1828393	
SRTSCT	G-B1047129517003	Sodium Na ²² ^	129517003C-B1047	C1268566	
SRTSCT	G-B1033129499001	Spiperone F ¹⁸ ^	129499001C-B1033	C1268552	
DCM	126502	T807 F ¹⁸ ^			AV-1451
UMLS	C4550127	THK5317 F ¹⁸ ^		C4550127	
UMLS	C4279748	THK5351 F ¹⁸ ^		C4279748	
SRTSCT	G-B1036129502002	Thymidine (FLT) F ¹⁸ ^	129502002C-B1036	C1268554	
DCM	126512	Trastuzumab ^89^Zr			Herceptin™ ^89^Zr
DCM	126749	TRC105 ^89^Zr			
UMLS	C1742831	tyrosine-3-octreotate Ga ⁶⁸ ^		C1742831	DOTATATE
DCM	126739	Ublituximab ^89^Zr			LFB-R603, TG-1101
UMLS	C4506788	UCB-J C ¹¹ ^		C4506788	
DCM	126734	XmAb5574 ^89^Zr			MOR208

CID 4025 Primary Anatomic Structure for Intra-oral Radiography (Supernumerary Dentition - Designation of Teeth)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Non-Extensible

Version: 20150318

UID: 1.2.840.10008.6.1.1021

Table CID 4025. Primary Anatomic Structure for Intra-oral Radiography (Supernumerary Dentition - Designation of Teeth)

Coding Scheme Designator	Code Value	Code Meaning	SNODENT Code	SNOMED-CT Concept ID
SRTSCT	R- 707029006FC4E0	Supernumerary deciduous mandibular left canine tooth	177552D	707029006 R-FC4E0
SRTSCT	R- 707026004FC4DD	Supernumerary deciduous mandibular left central incisor tooth	177292D	707026004 R-FC4DD
SRTSCT	R- 707030001FC4E1	Supernumerary deciduous mandibular left first molar tooth	177421D	707030001 R-FC4E1
SRTSCT	R- 707028003FC4DF	Supernumerary deciduous mandibular left lateral incisor tooth	177318D	707028003 R-FC4DF
SRTSCT	R- 707031002FC4E2	Supernumerary deciduous mandibular left second molar tooth	177704D	707031002 R-FC4E2
SRTSCT	R- 707023007FC4DA	Supernumerary deciduous mandibular right canine tooth	177387D	707023007 R-FC4DA
SRTSCT	R- 707025000FC4DC	Supernumerary deciduous mandibular right central incisor tooth	177450D	707025000 R-FC4DC
SRTSCT	R- 707022002FC4D9	Supernumerary deciduous mandibular right first molar tooth	177758D	707022002 R-FC4D9
SRTSCT	R- 707024001FC4DB	Supernumerary deciduous mandibular right lateral incisor tooth	177466D	707024001 R-FC4DB
SRTSCT	R- 707021009FC4D8	Supernumerary deciduous mandibular right second molar tooth	177302D	707021009 R-FC4D8
SRTSCT	R- 707016006FC4D3	Supernumerary deciduous maxillary left canine tooth	177497D	707016006 R-FC4D3
SRTSCT	R- 707014009FC4D1	Supernumerary deciduous maxillary left central incisor tooth	177736D	707014009 R-FC4D1
SRTSCT	R- 707017002FC4D4	Supernumerary deciduous maxillary left first molar tooth	177715D	707017002 R-FC4D4
SRTSCT	R- 707015005FC4D2	Supernumerary deciduous maxillary left lateral incisor tooth	177263D	707015005 R-FC4D2
SRTSCT	R- 707018007FC4D5	Supernumerary deciduous maxillary left second molar tooth	177581D	707018007 R-FC4D5
SRTSCT	R- 707011001FC4CE	Supernumerary deciduous maxillary right canine tooth	177575D	707011001 R-FC4CE
SRTSCT	R- 707013003FC4D0	Supernumerary deciduous maxillary right central incisor tooth	177696D	707013003 R-FC4D0
SRTSCT	R- 707010000FC4CD	Supernumerary deciduous maxillary right first molar tooth	177360D	707010000 R-FC4CD
SRTSCT	R- 707012008FC4CF	Supernumerary deciduous maxillary right lateral incisor tooth	177620D	707012008 R-FC4CF

Coding Scheme Designator	Code Value	Code Meaning	SNODENT Code	SNOMED-CT Concept ID
SRTSCT	R- 707009005FC4CC	Supernumerary deciduous maxillary right second molar tooth	177665D	707009005 R-FC4CC
SRTSCT	R- 707058009FC4FD	Supernumerary permanent mandibular left canine tooth	177523D	707058009 R-FC4FD
SRTSCT	R- 707060006FC4FF	Supernumerary permanent mandibular left central incisor tooth	177510D	707060006 R-FC4FF
SRTSCT	R- 707055007FC4FA	Supernumerary permanent mandibular left first molar tooth	177478D	707055007 R-FC4FA
SRTSCT	R- 707057004FC4FC	Supernumerary permanent mandibular left first premolar tooth	177631D	707057004 R-FC4FC
SRTSCT	R- 707059001FC4FE	Supernumerary permanent mandibular left lateral incisor tooth	177271D	707059001 R-FC4FE
SRTSCT	R- 707054006FC4F9	Supernumerary permanent mandibular left second molar tooth	177677D	707054006 R-FC4F9
SRTSCT	R- 707056008FC4FB	Supernumerary permanent mandibular left second premolar tooth	177727D	707056008 R-FC4FB
SRTSCT	R- 707052005FC4F7	Supernumerary permanent mandibular left third molar tooth	177743D	707052005 R-FC4F7
SRTSCT	R- 707063008FC502	Supernumerary permanent mandibular right canine tooth	177341D	707063008 R-FC502
SRTSCT	R- 707061005FC500	Supernumerary permanent mandibular right central incisor tooth	177285D	707061005 R-FC500
SRTSCT	R- 707066000FC505	Supernumerary permanent mandibular right first molar tooth	177413D	707066000 R-FC505
SRTSCT	R- 707064002FC503	Supernumerary permanent mandibular right first premolar tooth	177599D	707064002 R-FC503
SRTSCT	R- 707062003FC501	Supernumerary permanent mandibular right lateral incisor tooth	177506D	707062003 R-FC501
SRTSCT	R- 707067009FC506	Supernumerary permanent mandibular right second molar tooth	177432D	707067009 R-FC506
SRTSCT	R- 707065001FC504	Supernumerary permanent mandibular right second premolar tooth	177409D	707065001 R-FC504
SRTSCT	R- 707068004FC507	Supernumerary permanent mandibular right third molar tooth	177608D	707068004 R-FC507
SRTSCT	R- 707044007FC4EF	Supernumerary permanent maxillary left canine tooth	177356D	707044007 R-FC4EF
SRTSCT	R- 707042006FC4ED	Supernumerary permanent maxillary left central incisor tooth	177762D	707042006 R-FC4ED
SRTSCT	R- 707047000FC4F2	Supernumerary permanent maxillary left first molar tooth	177654D	707047000 R-FC4F2
SRTSCT	R- 707045008FC4F0	Supernumerary permanent maxillary left first premolar tooth	177445D	707045008 R-FC4F0
SRTSCT	R- 707043001FC4EE	Supernumerary permanent maxillary left lateral incisor tooth	177683D	707043001 R-FC4EE
SRTSCT	R- 707048005FC4F3	Supernumerary permanent maxillary left second molar tooth	177373D	707048005 R-FC4F3
SRTSCT	R- 707046009FC4F1	Supernumerary permanent maxillary left second premolar tooth	177325D	707046009 R-FC4F1

Coding Scheme Designator	Code Value	Code Meaning	SNODENT Code	SNOMED- GT ConceptRT ID
SRTSCT	R- 707049002FC4F4	Supernumerary permanent maxillary left third molar tooth	177568D	707049002 R-FC4F4
SRTSCT	R- 707038008FC4E9	Supernumerary permanent maxillary right canine tooth	177339D	707038008 R-FC4E9
SRTSCT	R- 707041004FC4EC	Supernumerary permanent maxillary right central incisor tooth	177259D	707041004 R-FC4EC
SRTSCT	R- 707035006FC4E6	Supernumerary permanent maxillary right first molar tooth	177534D	707035006 R-FC4E6
SRTSCT	R- 707037003FC4E8	Supernumerary permanent maxillary right first premolar tooth	177612D	707037003 R-FC4E8
SRTSCT	R- 707039000FC4EA	Supernumerary permanent maxillary right lateral incisor tooth	177484D	707039000 R-FC4EA
SRTSCT	R- 707033004FC4E4	Supernumerary permanent maxillary right second molar tooth	177649D	707033004 R-FC4E4
SRTSCT	R- 707036007FC4E7	Supernumerary permanent maxillary right second premolar tooth	177547D	707036007 R-FC4E7
SRTSCT	R- 707032009FC4E3	Supernumerary permanent maxillary right third molar tooth	177394D	707032009 R-FC4E3

CID 4026 Primary Anatomic Structure for Intra-oral and Craniofacial Radiography - Teeth

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Non-Extensible
Version: 20150318
UID: 1.2.840.10008.6.1.1022

Table CID 4026. Primary Anatomic Structure for Intra-oral and Craniofacial Radiography - Teeth

Coding Scheme Designator	Code Value	Code Meaning
Include CID 4018 "Primary Anatomic Structure for Intra-oral Radiography (Permanent Dentition - Designation of Teeth)"		
Include CID 4019 "Primary Anatomic Structure for Intra-oral Radiography (Deciduous Dentition - Designation of Teeth)"		
Include CID 4025 "Primary Anatomic Structure for Intra-oral Radiography (Supernumerary Dentition - Designation of Teeth)"		

CID 4028 Craniofacial Anatomic Regions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.306

Table CID 4028. Craniofacial Anatomic Regions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-D006D312779009	Bone structure of head and/or neck	312779009T-D006D	C0730130
SRTSCT	T-11501122494005	Cervical spine	122494005T-11501	C0728985
SRTSCT	T-1115652374004	Ethmoid bone	52374004T-11156	C0015027
SRTSCT	T-AB10028347008	External ear	28347008T-AB100	C0013453

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-AA77079652003	Eyeball	79652003T-AA770	C0229242
SRTSCT	T-D0801371398005	Eye region	371398005T-D0801	C0015392
SRTSCT	T-1119691397008	Facial bones	91397008T-11196	C0015455
SRTSCT	T-1111074872008	Frontal bone	74872008T-11110	C0016732
SRTSCT	T-D110069536005	Head	69536005T-D1100	C0018670
SRTSCT	T-D1000774007	Head and Neck	774007T-D1000	C0460004
SRTSCT	T-1119021387005	Hyoid bone	21387005T-11190	C0020417
SRTSCT	T-AB70022945000	Inner ear	22945000T-AB700	C0022889
SRTSCT	T-AB959361078006	Internal Auditory Canal	361078006T-AB959	C1283773
SRTSCT	T-D1213661005	Jaw region	661005T-D1213	C0022359
SRTSCT	T-1115A6229007	Lacrimal bone	6229007T-1115A	C0222733
SRTSCT	T-241004596009	Larynx	4596009T-24100	C0023078
SRTSCT	T-5200048477009	Lip	48477009T-52000	C0023759
SRTSCT	T-1118091609006	Mandible	91609006T-11180	C0024687
SRTSCT	T-1113359066005	Mastoid bone	59066005T-11133	C0446908
SRTSCT	T-1117070925003	Maxilla	70925003T-11170	C0024947
SRTSCT	T-AB30025342003	Middle ear	25342003T-AB300	C0013455
SRTSCT	T-1310022688005	Muscle of head	22688005T-13100	C0224097
SRTSCT	T-1330081727001	Muscle of neck	81727001T-13300	C0027532
SRTSCT	T-1114974386004	Nasal bone	74386004T-11149	C0027422
SRTSCT	T-D160045048000	Neck	45048000T-D1600	C0027530
SRTSCT	T-1114031640002	Occipital bone	31640002T-11140	C0028784
SRTSCT	T-1110255024004	Optic canal	55024004T-11102	C0450102
SRTSCT	T-D14AE363654007	Orbital structure	363654007T-D14AE	C0029180
SRTSCT	T-1116051283005	Palatine bone	51283005T-11160	C0222734
SRTSCT	T-220002095001	Paranasal sinus	2095001T-22000	C0030471
SRTSCT	T-1112024924006	Parietal bone	24924006T-11120	C0030558
SRTSCT	T-61007385294005	Salivary gland	385294005T-61007	C0036098
SRTSCT	T-1110089546000	Skull	89546000T-11100	C0037303
SRTSCT	T-5112049460000	Soft palate	49460000T-51120	C0030219
SRTSCT	T-1115073117003	Sphenoid bone	73117003T-11150	C0037884
SRTSCT	T-6130054019009	Submandibular gland	54019009T-61300	C0038556
SRTSCT	T-1113060911003	Temporal bone	60911003T-11130	C0039484
SRTSCT	T-1529053620006	Temporomandibular joint	53620006T-15290	C0039493
SRTSCT	T-5300021974007	Tongue	21974007T-53000	C0040408
SRTSCT	T-5401038199008	Tooth	38199008T-54010	C0040426
SRTSCT	T-2500044567001	Trachea	44567001T-25000	C0040578
SRTSCT	T-11011110517009	Vertebral column and cranium	110517009T-11011	C1266914
SRTSCT	T-2134287166008	Vomer bone	87166008T-21342	C0242403
SRTSCT	T-1116613881006	Zygoma	13881006T-11166	C0043539

CID 4029 Dermatology Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190118
 UID: 1.2.840.10008.6.1.1268

Table CID 4029. Dermatology Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	Mayo Code R
SRTSCT	T-D03C9182329002	Anterior triangle of neck	182329002T-D03C9	C0446459	57777	XA1NS6	41		42	41		42
SRTSCT	T-AA20028726007	Cornea	28726007T-AA200	C0229124	58238	XA4C02	109		108			
SRTSCT	T-0153085803001	Eyelash	85803001T-01530	C0015422	53669		105		104	105		104
SRTSCT	T-81001279479008	Female external urethral orifice	279479008T-81001	C0458493	85266			504				
SRTSCT	T-81206279867004	Frenulum of labia minora	279867004T-81206	C0458840	20404	XA0565		508				
SRTSCT	T-01041280387007	Groin skin crease	280387007T-01041	C0459399	326449	XA2XG2	519		518			
SRTSCT	T-0130A386045008	Hair	386045008T-0130A	C0018494	53667						503	
SRTSCT	T-AA50041296002	Iris	41296002T-AA500	C0022077	58235		109		108	109		108
SRTSCT	T-75181279478000	Male external urethral orifice	279478000T-75181	C0458492	85265			513				
FMA	281534	Mucosa of dorsum of oral part of tongue		C4244787	281534	XA8YB9	157		154			
FMA	281537	Mucosa of dorsum of pharyngeal part of tongue		C4244789	281537	XA0HQ3	155		152			
SRTSCT	T-5121036152006	Mucosa of floor of mouth	36152006T-51210	C0226911	292374	XA8EY7	161		158			
SRTSCT	T-5221046353006	Mucosa of lower lip	46353006T-52210	C0226939	59833	XA72W2	165		162			
SRTSCT	T-5494D245823002	Mucosa of mandibular gingiva	245823002T-5494D	C0447479		XA9303	163		160			
SRTSCT	T-5493D245814000	Mucosa of maxillary gingiva	245814000T-5493D	C0447470		XA6743	145		144			
FMA	289677	Mucosa of oral segment of hard palate		C4242040	289677	XA4527	147		146			
FMA	60031	Mucosa of palatoglossal arch		C0930720	60031		151		148			
FMA	55031	Mucosa of pharynx		C0227140	55031						518	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	Mayo Code C
FMA	55060	Mucosa of posterior wall of oropharynx		C0926847	55060	XA8659	153		150			
SRTSCT	T-53012245831007	Mucosa of tip of tongue	245831007T-53012	C0447488	323681	XA1WZ8	159		156			
SRTSCT	T-530108001006	Mucosa of tongue	8001006T-53010	C0226950	54807	XA1T19					515	
SRTSCT	T-5211018444004	Mucosa of upper lip	18444004T-52110	C0226933	59832	XA9072	143		142			
FMA	60030	Mucosa of uvula		C0930719	60030	XA2993	149		149			
SRTSCT	T-0162522740002	Nail of fifth toe	22740002T-01625	C0222012	54356	XA3VM6	441		440	441		4
SRTSCT	T-0161491456000	Nail of finger	91456000T-01614	C0222001		XA0EH9					526	
SRTSCT	T-016246194002	Nail of fourth toe	6194002T-01624	C0222011	54353	XA6TS5	439		438	439		4
SRTSCT	T-0162138790000	Nail of great toe	38790000T-01621	C0222008	54344	XA1RE3	433		432	433		4
SRTSCT	T-0161663288009	Nail of index finger	63288009T-01616	C0222003	54332	XA40D9	329		328	329		3
SRTSCT	T-0161944431006	Nail of little finger	44431006T-01619	C0222006	54341	XA29K9	335		334	335		3
SRTSCT	T-0161761366001	Nail of middle finger	61366001T-01617	C0222004	54335	XA9YZ9	331		330	331		3
SRTSCT	T-0161851596007	Nail of ring finger	51596007T-01618	C0222005	54338	XA6Y59	333		332	333		3
SRTSCT	T-016228770002	Nail of second toe	8770002T-01622	C0222009	54347	XA7GG3	435		434	435		4
SRTSCT	T-016231569005	Nail of third toe	1569005T-01623	C0222010	54350	XA3D73	437		436	437		4
SRTSCT	T-0161528274006	Nail of thumb	28274006T-01615	C0222002	54329	XA5PD5	327		326	327		3
SRTSCT	T-0162076578001	Nail of toe	76578001T-01620	C0222007	54328	XA9E36					531	
SRTSCT	T-51300113277000	Oral mucosa	113277000T-51300	C0026639	59660	XA1WN1					516	
SRTSCT	T-812304019005	Posterior commissure of labium majorum	4019005T-81230	C0227762	20401							
SRTSCT	T-XX6105665001	Retina	5665001T-AA610	C0024622	58301						509	
SRTSCT	T-AA11018619003	Sclera	18619003T-AA110	C0036410	58269	XA2AF4	111		110	111		1
SRTSCT	T-0100039937001	Skin	39937001T-01000	C0221911							500	
SRTSCT	T-0248075093004	Skin of abdomen	75093004T-02480	C0222166	22988	XA6GV0				522		5
SRTSCT	T-0214268598004	Skin of ala nasi	68598004T-02142	C0222097	59534	XA32Q9	23		24	23		2
SRTSCT	T-0262117957002	Skin of antecubital fossa	17957002T-02621	C0222214	38251	XA9NE6	303		302	303		3
DCM	130305	Skin of anterior helix of ear					119		118	119		1

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	Mayo Code R
SRTSCT	T-0230211584001	Skin of anterior portion of neck	11584001T-02302	C0222131	23023	XA4QS6		60				
SRTSCT	T-0263270559009	Skin of anterior surface of forearm	70559009T-02632	C0222217	38268	XA8ZL6	305		304	305		304
SRTSCT	T-0282E181553006	Skin of anterior surface of knee	181553006T-0282E	C0448900	38159	XA9L17	405		404	405		404
SRTSCT	T-0283125763004	Skin of anterior surface of lower leg	25763004T-02831	C0222280	37837	XA33X4	407		406	407		406
SRTSCT	T-0281161248009	Skin of anterior surface of thigh	61248009T-02811	C0222270	37793	XA98B3	403		402	403		402
SRTSCT	T-02425244106003	Skin of anterior surface of thorax	244106003T-02425	C0448821							521	
SRTSCT	T-0261245981001	Skin of anterior surface of upper arm	45981001T-02612	C0222207	38238	XA22Q1	301		300	301		300
SRTSCT	T-02408181491009	Skin of anterior trunk	181491009T-02408	C3698018							521a	
SRTSCT	T-0221338407007	Skin of antitragus	38407007T-02213	C0222123	322677	XA7RR9	123		122			
SRTSCT	T-0250859112000	Skin of anus	59112000T-02508	C0222181	28008	XA0D34		512			537	
SRTSCT	T-0243272005009	Skin of areola	72005009T-02432	C0222151	50050	XA2JK3	207		206	207		206
SRTSCT	R-FB4D8699891005	Skin of axilla	699891005R-FB4D8	C0222146	37322	XA17J1	355		354	355		354
SRTSCT	T-0245066643007	Skin of back	66643007T-02450	C0222155	10462						527	
FMA	49943	Skin of back of trunk		C0923309	49943						521b	
SRTSCT	R-FB4DA699893008	Skin of back of upper thoracic region	699893008R-FB4DA	C3697168	23024	XA10L7	225		224	225		224
SRTSCT	T-0247122180002	Skin of buttock	22180002T-02471	C0222165	45285	XA3VA7	231		230	231	527a	230
DCM	130306	Skin of caruncle of eye								171		170
SRTSCT	T-0221751098001	Skin of cavity of concha	51098001T-02217	C0222127		XA8D58	125		124	125		124
SRTSCT	T-0212136141000	Skin of cheek	36141000T-02121	C0222085	24759	XA7MK8	13		14	13	511	14
SRTSCT	T-0215523747009	Skin of chin	23747009T-02155	C0222106	53658	XA2C62	35	58	36	35	517	36
SRTSCT	T-0252329353003	Skin of clitoris	29353003T-02523	C0222189	20168	XA4851		502			536	
SRTSCT	T-0221857726007	Skin of crus of helix	57726007T-02218	C0222128	322323	XA9A86	117		116	117		116
SRTSCT	T-D0315244169007	Skin of digit of hand	244169007T-D0315	C0448888	38304	XA2593					525	
SRTSCT	T-0264152876008	Skin of dorsal area of wrist	52876008T-02641	C0278393	38286	XA0SH5	313		312	313		312

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	Mayo Code C
FMA	37885	Skin of dorsal part of fifth toe		C0829302	37885		431		430	431		4
FMA	37882	Skin of dorsal part of fourth toe		C0829299	37882		429		428	429		4
FMA	37873	Skin of dorsal part of great toe		C0829290	37873		423		422	423		4
FMA	38324	Skin of dorsal part of index finger		C0829711	38324		325		324	325		3
FMA	38333	Skin of dorsal part of little finger		C0829720	38333		319		318	319		3
FMA	38327	Skin of dorsal part of middle finger		C0829714	38327		323		322	323		3
FMA	38330	Skin of dorsal part of ring finger		C0829717	38330		321		320	321		3
FMA	37876	Skin of dorsal part of second toe		C0829293	37876		425		424	425		4
FMA	37879	Skin of dorsal part of third toe		C0829296	37879		427		426	427		4
FMA	38321	Skin of dorsal part of thumb		C0829708	38321		317		316	317		3
FMA	59532	Skin of dorsum of nose		C0930371	59532	XA5YP3	19	53	20	19		1
SRTSCT	T-022001902009	Skin of ear	1902009T-02200	C0222110		XA6ZY6					506	
SRTSCT	T-022142059009	Skin of ear lobule	2059009T-02214	C0222124		XA0TW7	131		130	131		1
SRTSCT	T-0248130598005	Skin of epigastric area	30598005T-02481	C0222167	322773		233		233			
SRTSCT	T-0221986409001	Skin of external auditory canal	86409001T-02219	C0222129		XA3UC1					505	
SRTSCT	T-0250160944009	Skin of external genitalia	60944009T-02501	C0222177		XA5FG3					532	
SRTSCT	T-D149C362916000	Skin of eye region	362916000T-D149C	C1285124							508	
SRTSCT	T-02106367577003	Skin of eyebrow	367577003T-02106	C1288306		XA1LZ5	101		100	101		1
SRTSCT	T-0212073897004	Skin of face	73897004T-02120	C0222084	24758	XA86S4					507	
SRTSCT	T-0285060496002	Skin of foot	60496002T-02850	C0222289	37834	XA4TV8				529b	529	5
SRTSCT	T-0210468698007	Skin of forehead	68698007T-02104	C0222074	63883	XA6TR8	7	52	8	7	504	
SRTSCT	T-025317991003	Skin of glans penis	7991003T-02531	C1261043	19642	XA0MH6	511		511			

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	Mayo Code R
SRTSCT	T-0250663029009	Skin of gluteal fold	63029009T-02506	C0222179	20233	XA5UE3		238				
SRTSCT	T-0265033712006	Skin of hand	33712006T-02650	C0222224	38295	XA5R12				524b	524	524a
SRTSCT	T-0210070762009	Skin of head	70762009T-02100	C0205029	12166	XA20Q1					501	
SRTSCT	T-0284184607009	Skin of heel	84607009T-02841	C0222287		XA5HK0	463		460	463		462
SRTSCT	T-0220279313003	Skin of helix of ear	79313003T-02202	C0222113		XA6B58						
SRTSCT	T-02488367578008	Skin of hypogastric region	367578008T-02488	C1288307	323207		235		235			
SRTSCT	T-0266689784008	Skin of hypothenar region of palm	89784008T-02666	C0222233	79164	XA5TQ4	343		342	343		342
DCM	130307	Skin of inferior helix of ear					119		118			
DCM	130308	Skin of inferior posterior surface of the pinna					139		138	139		138
DCM	130312	Skin of infraalar groove					25		26	25		26
SRTSCT	T-0241466288003	Skin of infraclavicular region	66288003T-02414	C0222145	61431		203		202	203		202
SRTSCT	T-0248739687006	Skin of inguinal region	39687006T-02487	C0222173	326059		223		222	223		222
SRTSCT	T-0221245591000	Skin of intertragal incisure	45591000T-02212	C0222122	322676	XA5VK5	129		128	129		128
SRTSCT	T-02150244097004	Skin of jawline	244097004T-02150	C0448804		XA8KA2	37		38	37		38
SRTSCT	T-0252073058008	Skin of labium	73058008T-02520	C0222184							535	
SRTSCT	T-02527128252004	Skin of labium majus	128252004T-02527	C0222185	20464	XA59G9						
SRTSCT	T-02528128253009	Skin of labium minus	128253009T-02528	C0222186	20465	XA0MU9	515		514			
SRTSCT	T-02849181564009	Skin of lateral aspect of ankle	181564009T-02849	C1182496	70406	XA7AM4	415		414	415		414
SRTSCT	T-0285335739000	Skin of lateral border of sole of foot	35739000T-02853	C0222292		XA9Y82	461		462	461		460
SRTSCT	T-0213637671003	Skin of lateral canthus	37671003T-02136	C0222094	322533	XA0403	169		166	169		166
DCM	130309	Skin of lateral part of dorsum of foot					419		418	419		418
SRTSCT	R-FB4EA699909001	Skin of lateral part of heel	699909001R-FB4EA	C3697424	326712	XA3R99	417		416	417		416

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	M Code
SRTSCT	T-023045272005	Skin of lateral portion of neck	5272005T-02304	C0222133		XA2ZF0	43		44	43		4
SRTSCT	T-0215088089004	Skin of lips	88089004T-02150	C0222101	24764	XA8JD4					512	
SRTSCT	R-FB4EF699914002	Skin of lower abdomen	699914002R-FB4EF	C3698018			221		220	221		2
SRTSCT	R-FB4EF699914002	Skin of lower abdomen	699914002R-FB4EF	C3698018						603		6
DCM	130310	Skin of lower antihelix of ear								123		1
SRTSCT	T-02452113182001	Skin of lower back	113182001T-02452	C0222157	322763	XA9ET2	229		228	229		2
SRTSCT	R-FB4F0699915001	Skin of lower chest wall	699915001R-FB4F0	C3698074			217		216	217		2
SRTSCT	T- 3713040040262C	Skin of lower extremity	371304004 T-0262C	C1266887	74665I	XA45A6				528b	528	5
SRTSCT	T-0213240069000	Skin of lower eyelid	40069000T-02132	C0222090	24762	XA0JV9	115		114	115		1
DCM	130311	Skin of lower eyelid margin				XA0JV9	113		112	113		1
FMA	61427	Skin of lower inner quadrant of breast		C2363131	61427	XA0VX8	213		212	213		2
SRTSCT	T-0215266934001	Skin of lower lip	66934001T-02152	C0222103	24767	XA5VD0						
FMA	61423	Skin of lower outer quadrant of breast		C2363133	61423	XA94U2	215		214	215		2
DCM	130304	Skin of lower paraspinal region				XA7ZW8		236				
SRTSCT	T-02848181563003	Skin of medial aspect of ankle	181563003T-02848	C0448930	38134	XA7P78	443		442	443		
SRTSCT	T-0285452953006	Skin of medial border of sole of foot	52953006T-02854	C0222293		XA3WM8	459		458	459		4
SRTSCT	T-0213527887005	Skin of medial canthus	27887005T-02135	C0222093	322532	XA2GQ3	167		164	167		1
DCM	130313	Skin of medial part of dorsum of foot					421		420	421		4
SRTSCT	R-FB4F4699919007	Skin of medial part of heel	699919007R-FB4F4	C3698118	326720	XA1QH8	445		444	445		4
SRTSCT	T-0281473958006	Skin of medial surface of thigh	73958006T-02814	C0222273		XA1YQ6	401		400	401		4
DCM	130323	Skin of mid back					227		226	227		2

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	Mayo Code R
DCM	130303	Skin of mid paraspinal region						234				
SRTSCT	T-02141 37108007	Skin of nasolabial fold	37108007 T-02141	C0222096	322319		27		28	27		28
SRTSCT	T-02300 43081002	Skin of neck	43081002 T-02300	C0205030	23021	XA7AA6					519	
SRTSCT	T-02431 54468004	Skin of nipple	54468004 T-02431	C0222150	12828	XA5MC5	205		204	205		204
SRTSCT	T-02140 113179006	Skin of nose	113179006 T-02140	C0222095	24763	XA3H13					510	
SRTSCT	T-02305 4658004	Skin of nuchal region	4658004 T-02305	C0222134	23020	XA1M78	45		46	45		46
SRTSCT	T-02109 79951008	Skin of occipital region	79951008 T-02109	C0222078	24773	XA7JE5	1	61	2	1		2
SRTSCT	T-02652 70887009	Skin of palm of hand	70887009 T-02652	C0222226	38301	XA3NY8	341		340	341		340
SRTSCT	T-02642 24527008	Skin of palmar area of wrist	24527008 T-02642	C0278394	38283	XA6AR5	337		336	337		336
FMA	38344	Skin of palmar part of index finger		C0829728	38344		347		346	347		346
FMA	38357	Skin of palmar part of little finger		C0829738	38357		353		352	353		352
FMA	38347	Skin of palmar part of middle finger		C0829731	38347		349		348	349		348
FMA	38354	Skin of palmar part of ring finger		C0829735	38354		351		350	351		350
FMA	38341	Skin of palmar part of thumb		C0829725	38341		345		344	345		344
DCM	130314	Skin of paranasal cheek				XA3ZL3	15		16	15		16
DCM	130300	Skin of paraspinal area of the neck						62				
DCM	130301	Skin of paraspinal area of the superior back						63				
SRTSCT	T-02108 21672008	Skin of parietal region	21672008 T-02108	C0222077		XA4W34	3		4	3		4
SRTSCT	T-0265D 281642007	Skin of part of dorsal surface of hand	281642007 T-0265D	C0559541		XA30Z6	315		314	315		314
SRTSCT	T-02530 35900000	Skin of penis	35900000 T-02530	C0222193	19638	XA7QV2					533	
SRTSCT	T-02500 48014002	Skin of perineum	48014002 T-02500	C0222176	20429			510				

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	M
SRTSCT	T-021481 10488009	Skin of perioral region of face	110488009 T-02148	C1266883	59354	XA1A48					513	
SRTSCT	T-021538 4365009	Skin of philtrum	84365009 T-02153	C0222104	59377	XA5LY8		55				
FMA	38119	Skin of plantar part of fifth toe		C0829534	38119		455		454	455		4
FMA	38116	Skin of plantar part of fourth toe		C0829531	38116		453		452	453		4
FMA	38107	Skin of plantar part of great toe		C0829522	38107		447		446	447		4
FMA	38110	Skin of plantar part of second toe		C0829525	38110		449		448	449		4
FMA	38113	Skin of plantar part of third toe		C0829528	38113		451		450	451		4
SRTSCT	T-028218 4507004	Skin of popliteal fossa	84507004 T-02821	C0222276	38162	XA4DM3	411		410	411		4
SRTSCT	T-021132 4483006	Skin of postauricular region	24483006 T-02113	C0222082		XA4DV9	9		10	9		
DCM	130315	Skin of posterior helix of ear					135		134	135		1
DCM	130316	Skin of posterior lobule of the ear					141		140	141		1
SRTSCT	T-D077A1 81536004	Skin of posterior surface of elbow	181536004 T-D077A	C0448862		XA3RT8	309		308	309		3
SRTSCT	T-026314 1550009	Skin of posterior surface of forearm	41550009 T-02631	C0222216	38271	XA8WH0	311		310	311		3
SRTSCT	T-028334 7224004	Skin of posterior surface of lower leg	47224004 T-02833	C0222282	37840	XA4K86	413		412	412		4
SRTSCT	T-028124 578000	Skin of posterior surface of thigh	4578000 T-02812	C0222271	37797	XA0183	409		408	409		4
SRTSCT	T-0242A2 44111001	Skin of posterior surface of thorax	244111001 T-0242A	C0448820	74762	XA10L7	49		50	49		5
SRTSCT	T-026137 2939005	Skin of posterior surface of upper arm	72939005 T-02613	C0222208	38241	XA5TK8	307		306	307		3

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	Mayo Code R
SRTSCT	T-0211486719006	Skin of preauricular region	86719006T-02114	C0222083		XA0SU2	11		12	11		12
SRTSCT	T-0252576723005	Skin of prepuce of clitoris	76723005T-02525	C0222191	27886	XA3C45		500				
SRTSCT	T-02536244117002	Skin of root of penis	244117002T-02536	C0447599	322351	XA0970		501				
SRTSCT	T-0210243067004	Skin of scalp	43067004T-02102	C0699772	24757	XA6CW5					502	
SRTSCT	T-0254581992007	Skin of scrotum	81992007T-02545	C0222198	20432	XA8MT4	505		503	534		534
SRTSCT	T-02537244118007	Skin of shaft of penis	244118007T-02537	C0447600	19643	XA9A26		507				
SRTSCT	T-0214D244089006	Skin of side of nose	244089006T-0214D	C0448800	322330	XA9JN5	17		18	17		18
DCM	130317	Skin of sole of forefoot				XA6KE9	457		456	457		456
SRTSCT	T-0215634926004	Skin of submental area	34926004T-02156	C0222107		XA5TZ1		59				
DCM	130318	Skin of superior antihelix of ear					121		120			
DCM	130319	Skin of superior posterior helix of ear					133		132	133		132
DCM	130320	Skin of superior posterior surface of the pinna					137		136	137		136
SRTSCT	T-0230676072005	Skin of supraclavicular region of neck	76072005T-02306	C0222135		XA9DQ5	47		48	47		48
SRTSCT	T-0210548670002	Skin of supraorbital area	48670002T-02105	C0222075		XA5WP1	103		102			
SRTSCT	T-0211116621002	Skin of temporal region	16621002T-02111	C0222080	320486	XA9DZ0	5		6	5		6
SRTSCT	T-0266526795005	Skin of thenar region of palm	26795005T-02665	C0222232	79164	XA2JN4	339		338	339		338
SRTSCT	T-0214379283007	Skin of tip of nose	79283007T-02143	C0222098	59533	XA56T3	21	54	22	21		22
SRTSCT	T-0287052034004	Skin of toe	52034004T-02870	C0222297	37852	XA4LC9					530	
SRTSCT	T-0221179502000	Skin of tragus	79502000T-02211	C0222121	322671	XA2N71	127		126	127		126
SRTSCT	T-02483315003	Skin of umbilicus	315003T-02483	C0222169	74803	XA3MT9		200			200	
SRTSCT	R-FB504699935000	Skin of upper abdomen	699935000R-FB504	C3696900			219		218	219		218
SRTSCT	R-FB504699935000	Skin of upper abdomen	699935000R-FB504	C3696900						601		600

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	FMA ID	ICD-11	NYU Code L	NYU Code M	NYU Code R	Mayo Code L	Mayo Code M	Mayo Code R
DCM	130321	Skin of upper antihelix of ear								121		
SRTSCT	T-02008 371311000	Skin of upper extremity	371311000 T-02008	C0222201		XA4BA8				523b	523	
SRTSCT	T-02131 41310005	Skin of upper eyelid	41310005 T-02131	C0222089	24761	XA9K79	105		104	103		
DCM	130322	Skin of upper eyelid margin				XA53T1	107		106	107		
FMA	61426	Skin of upper inner quadrant of breast		C2363130	61426	XA3LS6	211		210	211		
SRTSCT	T-02151 16251004	Skin of upper lip	16251004 T-02151	C0222102	24765	XA0K68	29		30	29		
FMA	61439	Skin of upper outer quadrant of left breast		C0931805	61439	XA2Q54	209		208	209		
DCM	130302	Skin of upper paraspinal region					232		232			
SRTSCT	T-02401 54440003	Skin of upper trunk	54440003 T-02401	C0222138		XA4QH7					520	
FMA	312651	Skin of vermilion proper of lower lip		C4242687	312651	XA7H02	33	57	34	33		
FMA	312647	Skin of vermilion proper of upper lip		C4242681	312647	XA75S0	31	56	32	31		
SRTSCT	T-02107 61719002	Skin of vertex of scalp	61719002 T-02107	C0222076		XA5BY6		51				
SRTSCT	T-02426 244107007	Sternal skin	244107007 T-02426	C0448823				201			201	
SRTSCT	T-D1603 5713008	Submandibular triangle	5713008 T-D1603	C0230070	57779	XA0MP5	39		40	39		
SRTSCT	T-54010 38199008	Tooth	38199008 T-54010	C0040426	12516						514	
SRTSCT	T-82006 18857001	Vaginal introitus	18857001 T-82006	C0458952	19984	XA4AH3		506				
SRTSCT	T-81270 23213005	Vulval vestibule	23213005 T-81270	C0227765	19970			516				

Note

- It is desirable to use more general standard coding schemes such as SNOMED CT whenever possible, to support interoperability across specialist domains, yet the numeric codes from the NYU and Mayo systems are well known to dermatologists. Multiple codes may be encoded in the image by using the equivalent code mechanism. See 8.9 "Equivalent Code Sequence". Standard Coding Scheme Designators (NYUMCCG and MAYOASRG) are defined.
- SNOMED CT and FMA "skin of" or "mucosa of" specific concepts are used here when available, rather than the more generic underlying organ or part concepts; this sacrifices commonality with the anatomic regions used for more general applications, but is appropriate for dermatologic applications. E.g., (~~T-02508~~, ~~SRT~~59112000, ~~SCT~~, "Skin of anus") is used instead of (~~T-59900~~, ~~SRT~~53505006, ~~SCT~~, "Anal structure").

3. The DICOM convention is to use "structure of" concepts rather than "entire" concepts when both are defined, and that convention is followed here. E.g., (~~T-02136~~, ~~SRT37671003~~, ~~SCT~~, "Skin structure of lateral canthus") is used in preference to (~~T-0213D~~, ~~SRT368772009~~, ~~SCT~~ "Entire skin of lateral canthus").
4. The illustrations of the NYU anatomy identify two separately numbered structures associated with the female urethral orifice; it is not clear what separate structure is identified (perhaps Skene's Glands (71648, FMA, "Lesser vestibular glands") , but in the absence of further information, it is assumed that NYUMCCG:504 refers to the urethral orifice and NYUMCCG:517 is ignored (i.e., not included in this Context Group).
5. The illustrations of the NYU anatomy use female genitalia to show the genitocrural fold, but it is believed that the intent is to identify the region irrespective of sex, so (~~T-0104~~, ~~SRT280387007~~, ~~SCT~~, "Groin skin crease") is used rather than (~~T-02512~~, ~~SRT87706001~~, ~~SCT~~, "Skin of crurovulvar fold").
6. There is some uncertainty regarding the distinction between the antitragus and the intertragal incisure and whether the latter is represented at all in the NYU and Mayo drawings. The more recent mapping decision of Kenneweg et al has been adopted here, even though the text meaning differs from that for the NYU and Mayo schemes.
7. There is some uncertainty regarding the distinction between the skin of the forehead and the frontal region of the scalp; (~~T-02104~~, ~~SRT68698007~~, ~~SCT~~, "Skin of forehead") is used rather than (~~R-FB4E1~~, ~~SRT699900002~~, ~~SCT~~, "Skin of frontal region of scalp") , even though the later would be more consistent with the other scalp regions (parietal, temporal and occipital).
8. Laterality is pre-coordinated in most of the NYU and Mayo codes, but by convention is factored out and encoded separately in DICOM. The appropriate modifiers are listed in CID 245 "Laterality with Median". The left and right modifiers correspond to the NYU/Mayo columns labelled "L" and "R" in this context group table. An entry in the "M" column of this table means that the NYU or Mayo code is for a midline or unpaired structure or refers to the median part of a structure that spans from left to right.

CID 4030 CT, MR and PET Anatomy Imaged

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.307

Table CID 4030. CT, MR and PET Anatomy Imaged

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
Include CID 4031 "Common Anatomic Regions"				
SRT SCT	T-42500 7832008	Abdominal aorta	7832008 T-42500	C0003484
SRT SCT	T-B3000 23451007	Adrenal gland	23451007 T-B3000	C0001625
SRT SCT	T-42300 57034009	Aortic arch	57034009 T-42300	C0003489
SRT SCT	T-A0100 12738006	Brain	12738006 T-A0100	C0006104
SRT SCT	T-45010 69105007	Carotid Artery	69105007 T-45010	C0007272
SRT SCT	T-A6000 113305005	Cerebellum	113305005 T-A6000	C0007765
SRT SCT	T-45520 11279006	Circle of Willis	11279006 T-45520	C0008812
SRT SCT	T-43000 41801008	Coronary artery	41801008 T-43000	C0205042
SRT SCT	T-A0191 128320002	Cranial venous system	128320002 T-A0191	C0447118
SRT SCT	T-41068 299716001	Iliac and/or femoral artery	299716001 T-41068	C0576469
SRT SCT	T-71000 64033007	Kidney	64033007 T-71000	C0022646
SRT SCT	T-62000 10200004	Liver	10200004 T-62000	C0023884
SRT SCT	T-65000 15776009	Pancreas	15776009 T-65000	C0030274

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-B7000111002	Parathyroid	111002T-B7000	C0030518
SRTSCT	T-4400081040000	Pulmonary artery	81040000T-44000	C0034052
SRTSCT	T-466002841007	Renal artery	2841007T-46600	C0035065
SRTSCT	T-C300078961009	Spleen	78961009T-C3000	C0037993
SRTSCT	T-9400040689003	Testis	40689003T-94000	C0039597
SRTSCT	T-42070113262008	Thoracic aorta	113262008T-42070	C1522460
SRTSCT	T-C80009875009	Thymus	9875009T-C8000	C0040113
SRTSCT	T-B600069748006	Thyroid	69748006T-B6000	C0040132
SRTSCT	T-8300035039007	Uterus	35039007T-83000	C0042149

CID 4031 Common Anatomic Regions

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.308

Table CID 4031. Common Anatomic Regions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-D4000113345001	Abdomen	113345001T-D4000	C0000726
SRTSCT	R-FAB57416949008	Abdomen and Pelvis	416949008R-FAB57	C1508499
SRTSCT	T-1542085856004	Acromioclavicular joint	85856004T-15420	C0001208
SRTSCT	T-1575070258002	Ankle joint	70258002T-15750	C0003087
SRTSCT	T-5990053505006	Anus	53505006T-59900	C0003461
SRTSCT	T-280A086598002	Apex of Lung	86598002T-280A0	C0225703
SRTSCT	T-6061028273000	Bile duct	28273000T-60610	C0005400
SRTSCT	T-7400089837001	Bladder	89837001T-74000	C0005682
SRTSCT	T-1270072001000	Bone of lower limb	72001000T-12700	C0448188
SRTSCT	T-D0821371195002	Bone of upper limb	371195002T-D0821	C0003793
SRTSCT	T-0400076752008	Breast	76752008T-04000	C0006141
SRTSCT	T-26000955009	Bronchus	955009T-26000	C0006255
SRTSCT	T-1277080144004	Calcaneus	80144004T-12770	C0006655
SRTSCT	T-11501122494005	Cervical spine	122494005T-11501	C0728985
SRTSCT	T-D00F7297171002	Cervico-thoracic spine	297171002T-D00F7	C0729373
SRTSCT	T-D300051185008	Chest	51185008T-D3000	C0817096
SRTSCT	R-FAB55416550000	Chest and Abdomen	416550000R-FAB55	C1442171
SRTSCT	R-FAB56416775004	Chest, Abdomen and Pelvis	416775004R-FAB56	C1562547
SRTSCT	T-1231051299004	Clavicle	51299004T-12310	C0008913
SRTSCT	T-11BF064688005	Coccyx	64688005T-11BF0	C0009194
SRTSCT	T-5930071854001	Colon	71854001T-59300	C0009368
SRTSCT	T-5820038848004	Duodenum	38848004T-58200	C0013303

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-15430 16953009	Elbow joint	16953009 T-15430	C0013770
SRTSCT	T-D0010 38266002	Entire body	38266002 T-D0010	C0229960
SRTSCT	T-56000 32849002	Esophagus	32849002 T-56000	C0014876
SRTSCT	T-DD163 110861005	Esophagus, stomach and duodenum	110861005 T-DD163	C1268410
SRTSCT	T-D0300 66019005	Extremity	66019005 T-D0300	C0015385
SRTSCT	T-AA000 81745001	Eye	81745001 T-AA000	C0015392
SRTSCT	T-D0801 371398005	Eye region	371398005 T-D0801	C0700042
SRTSCT	T-11196 91397008	Facial bones	91397008 T-11196	C0015455
SRTSCT	T-12710 71341001	Femur	71341001 T-12710	C0015811
SRTSCT	T-12750 87342007	Fibula	87342007 T-12750	C0016068
SRTSCT	T-D8800 7569003	Finger	7569003 T-D8800	C0016129
SRTSCT	T-D9700 56459004	Foot	56459004 T-D9700	C0016504
SRTSCT	T-D8500 14975008	Forearm	14975008 T-D8500	C0016536
SRTSCT	T-63000 28231008	Gallbladder	28231008 T-63000	C0016976
SRTSCT	T-D8700 85562004	Hand	85562004 T-D8700	C0018563
SRTSCT	T-D1100 69536005	Head	69536005 T-D1100	C0018670
SRTSCT	T-D1000 774007	Head and Neck	774007 T-D1000	C0460004
SRTSCT	T-32000 80891009	Heart	80891009 T-32000	C0018787
SRTSCT	T-15710 29836001	Hip joint	29836001 T-15710	C0019558
SRTSCT	T-12410 85050009	Humerus	85050009 T-12410	C0020164
SRTSCT	T-58600 34516001	Ileum	34516001 T-58600	C0020885
SRTSCT	T-12340 22356005	Ilium	22356005 T-12340	C0020889
SRTSCT	T-AB959 361078006	Internal Auditory Canal	361078006 T-AB959	C1283773
SRTSCT	T-D1213 661005	Jaw region	661005 T-D1213	C0022359
SRTSCT	T-58400 21306003	Jejunum	21306003 T-58400	C0022378
SRTSCT	T-D9200 72696002	Knee	72696002 T-D9200	C0022742
SRTSCT	T-59000 14742008	Large intestine	14742008 T-59000	C0021851
SRTSCT	T-24100 4596009	Larynx	4596009 T-24100	C0023078
SRTSCT	T-D9400 30021000	Lower leg	30021000 T-D9400	C1140621
SRTSCT	T-D9000 61685007	Lower limb	61685007 T-D9000	C0023216
SRTSCT	T-11503 122496007	Lumbar spine	122496007 T-11503	C0024091
SRTSCT	T-D00F9 297173004	Lumbo-sacral spine	297173004 T-D00F9	C0574025
SRTSCT	T-11180 91609006	Mandible	91609006 T-11180	C0024687
SRTSCT	T-11133 59066005	Mastoid bone	59066005 T-11133	C0446908
SRTSCT	T-11170 70925003	Maxilla	70925003 T-11170	C0024947
SRTSCT	T-D3300 72410000	Mediastinum	72410000 T-D3300	C0025066
SRTSCT	T-14668 102292000	Muscle of lower limb	102292000 T-14668	C0584890
SRTSCT	T-13600 30608006	Muscle of upper limb	30608006 T-13600	C0559498
SRTSCT	T-11149 74386004	Nasal bone	74386004 T-11149	C0027422
SRTSCT	T-D1600 45048000	Neck	45048000 T-D1600	C0027530

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-FAB52417437006	Neck and Chest	417437006R-FAB52	C1562459
SRTSCT	R-FAB53416152001	Neck, Chest and Abdomen	416152001R-FAB53	C1562378
SRTSCT	R-FAB54416319003	Neck, Chest, Abdomen and Pelvis	416319003R-FAB54	C1562776
SRTSCT	T-1110255024004	Optic canal	55024004T-11102	C0450102
SRTSCT	T-D14AE363654007	Orbital structure	363654007T-D14AE	C0029180
SRTSCT	T-65600110621006	Pancreatic duct and bile duct systems	110621006T-65600	C1267614
SRTSCT	T-220002095001	Paranasal sinus	2095001T-22000	C0030471
SRTSCT	T-6110045289007	Parotid gland	45289007T-61100	C0030580
SRTSCT	T-1273064234005	Patella	64234005T-12730	C0030647
SRTSCT	T-D600012921003	Pelvis	12921003T-D6000	C0030797
SRTSCT	R-FAB58416631005	Pelvis and lower extremities	416631005R-FAB58	C1562943
DCM	113681	Phantom		C0282611
SRTSCT	T-9200041216001	Prostate	41216001T-92000	C0033572
SRTSCT	T-5960034402009	Rectum	34402009T-59600	C0034896
SRTSCT	T-11300113197003	Rib	113197003T-11300	C0035561
SRTSCT	T-1568039723000	Sacroiliac joint	39723000T-15680	C0036036
SRTSCT	T-11AD054735007	Sacrum	54735007T-11AD0	C0036037
SRTSCT	T-1228079601000	Scapula	79601000T-12280	C0036277
SRTSCT	T-D146042575006	Sella turcica	42575006T-D1460	C0036609
SRTSCT	T-1298058742003	Sesamoid bones of foot	58742003T-12980	C0278418
SRTSCT	T-D222016982005	Shoulder	16982005T-D2220	C0037004
SRTSCT	T-1110089546000	Skull	89546000T-11100	C0037303
SRTSCT	T-5800030315005	Small intestine	30315005T-58000	C0021852
SRTSCT	T-D04FF421060004	Spine	421060004T-D04FF	C0037949
SRTSCT	T-156107844006	Sternoclavicular joint	7844006T-15610	C0038291
SRTSCT	T-1121056873002	Sternum	56873002T-11210	C0038293
SRTSCT	T-5700069695003	Stomach	69695003T-57000	C0038351
SRTSCT	T-6130054019009	Submandibular gland	54019009T-61300	C0038556
SRTSCT	T-1577027949001	Tarsal joint	27949001T-15770	C0039318
SRTSCT	T-1529053620006	Temporomandibular joint	53620006T-15290	C0039493
SRTSCT	T-D910068367000	Thigh	68367000T-D9100	C0039866
SRTSCT	T-11502122495006	Thoracic spine	122495006T-11502	C0581269
SRTSCT	T-D00F8297172009	Thoraco-lumbar spine	297172009T-D00F8	C0729374
SRTSCT	T-D881076505004	Thumb	76505004T-D8810	C0040067
SRTSCT	T-D980029707007	Toe	29707007T-D9800	C0040357
SRTSCT	T-2500044567001	Trachea	44567001T-25000	C0040578
SRTSCT	T-D820040983000	Upper arm	40983000T-D8200	C0446516

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-D8000 53120007	Upper limb	53120007 T-D8000	C1140618
SRTSCT	T-7000B 431491007	Upper urinary tract	431491007 T-7000B	C2317509
SRTSCT	T-73000 87953007	Ureter	87953007 T-73000	C0041951
SRTSCT	T-75000 13648007	Urethra	13648007 T-75000	C0041967
SRTSCT	T-88920 110639002	Uterus and fallopian tubes	110639002 T-88920	C1267676
SRTSCT	T-11011 110517009	Vertebral column and cranium	110517009 T-11011	C1266914
SRTSCT	T-15460 74670003	Wrist joint	74670003 T-15460	C1322271
SRTSCT	T-11166 13881006	Zygoma	13881006 T-11166	C0043539

Note

1. In a prior version of this table, the code T-D1217 was specified for the concept "Maxilla and mandible". The use of this code conflicts with its assignment to another concept in SNOMED, and its use in this context is deprecated. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.
2. In a prior version of this table, the code T-D8300 was used for T-15430, T-12402 for T-D8500, T-15710 for T-D2500, T-73800 for T-73000, and T-11167 for T-11166. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 4032 MR Spectroscopy Metabolites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040322
 UID: 1.2.840.10008.6.1.309

Table CID 4032. MR Spectroscopy Metabolites

Coding Scheme Designator	Code Value	Code Meaning
Include CID 4033 "MR Proton Spectroscopy Metabolites"		

CID 4033 MR Proton Spectroscopy Metabolites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.310

Table CID 4033. MR Proton Spectroscopy Metabolites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Units
SRTSCT	F-65C50 115391007	N-acetylaspartate	115391007 F-65C50	C0067684	DT (ppm, UCUM, "ppm")
SRTSCT	F-61080 59351004	Citrate	59351004 F-61080	C0376259	DT (ppm, UCUM, "ppm")
SRTSCT	F-61620 65123005	Choline	65123005 F-61620	C0008405	DT (ppm, UCUM, "ppm")
SRTSCT	F-61380 14804005	Creatine	14804005 F-61380	C0010286	DT (ppm, UCUM, "ppm")
DCM	113094	Creatine and Choline			DT (ppm, UCUM, "ppm")
SRTSCT	F-61760 83036002	Lactate	83036002 F-61760	C0376261	DT (ppm, UCUM, "ppm")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID	Units
SRT SCT	F-63600 70106000	Lipid	70106000 F-63600	C0023779	DT (ppm, UCUM, "ppm")
DCM	113095	Lipid and Lactate			DT (ppm, UCUM, "ppm")
DCM	113080	Glutamate and glutamine			DT (ppm, UCUM, "ppm")
SRT SCT	F-64210 25761002	Glutamine	25761002 F-64210	C0017797	DT (ppm, UCUM, "ppm")
SRT SCT	F-64460 10944007	Tuarine	10944007 F-64460	C0039350	DT (ppm, UCUM, "ppm")
SRT SCT	F-61A90 72164009	Inositol	72164009 F-61A90	C0021547	DT (ppm, UCUM, "ppm")
DCM	113081	Choline/Creatine Ratio			DT (ppm, UCUM, "ppm")
DCM	113082	N-acetylaspartate/Creatine Ratio			DT (ppm, UCUM, "ppm")
DCM	113083	N-acetylaspartate/Choline Ratio			DT (ppm, UCUM, "ppm")
DCM	113096	Creatine+Choline/Citrate Ratio			DT (ppm, UCUM, "ppm")

Note

For the purpose of this context group, where possible, the resonance peak in the spectrum corresponding to a particular metabolite is described using the concept from SNOMED for the substance corresponding to the metabolite. E.g., the code used for "lipid" is the code for "lipid (substance) ", as this concept is effectively post-coordinated by its use in the Metabolite Map Code Sequence (0018,9083) to mean "lipid resonance peaks in MR spectroscopy".

CID 4040 Endoscopy Anatomic Regions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.311

Table CID 4040. Endoscopy Anatomic Regions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRT SCT	T-D4000 113345001	Abdomen	113345001 T-D4000	C0000726
SRT SCT	T-59490 110612005	Anus, rectum and sigmoid colon	110612005 T-59490	C1267595
SRT SCT	T-60610 28273000	Bile duct	28273000 T-60610	C0005400
SRT SCT	T-74000 89837001	Bladder	89837001 T-74000	C0005682
SRT SCT	T-DD123 110837003	Bladder and urethra	110837003 T-DD123	C1268386
SRT SCT	T-26000 955009	Bronchus	955009 T-26000	C0006255
SRT SCT	T-83200 71252005	Cervix	71252005 T-83200	C0007874
SRT SCT	T-D3000 51185008	Chest	51185008 T-D3000	C0817096
SRT SCT	T-DD163 110861005	Esophagus, stomach and duodenum	110861005 T-DD163	C1268410
SRT SCT	T-AB200 84301002	External auditory canal	84301002 T-AB200	C0013444
SRT SCT	T-63000 28231008	Gallbladder	28231008 T-63000	C0016976
SRT SCT	T-D7000 26893007	Inguinal region	26893007 T-D7000	C0018246
SRT SCT	T-15001 39352004	Joint	39352004 T-15001	C0022417

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-7100064033007	Kidney	64033007T-71000	C0022646
SRTSCT	T-D920072696002	Knee	72696002T-D9200	C0022742
SRTSCT	T-5900014742008	Large intestine	14742008T-59000	C0021851
SRTSCT	T-241004596009	Larynx	4596009T-24100	C0023078
SRTSCT	T-4023091747007	Lumen of blood vessel	91747007T-40230	C0524424
SRTSCT	T-D330072410000	Mediastinum	72410000T-D3300	C0025066
SRTSCT	T-23000360955006	Nasopharynx	360955006T-23000	C1283682
SRTSCT	T-220002095001	Paranasal sinus	2095001T-22000	C0030471
SRTSCT	T-5500054066008	Pharynx	54066008T-55000	C0031354
SRTSCT	T-20101312535008	Pharynx and larynx	312535008T-20101	C0729889
SRTSCT	T-5960034402009	Rectum	34402009T-59600	C0034896
SRTSCT	T-D222016982005	Shoulder	16982005T-D2220	C0037004
SRTSCT	T-5947060184004	Sigmoid colon	60184004T-59470	C0227391
SRTSCT	T-D04FF421060004	Spine	421060004T-D04FF	C0037949
SRTSCT	T-DD006110726009	Trachea and bronchus	110726009T-DD006	C1268276
SRTSCT	T-7000B431491007	Upper urinary tract	431491007T-7000B	C2317509
SRTSCT	T-7300087953007	Ureter	87953007T-73000	C0041951
SRTSCT	T-88920110639002	Uterus and fallopian tubes	110639002T-88920	C1267676

Note

- See Annex I for examples of the relationship between anatomic regions and type of endoscopy performed.
- In a prior version of this table, the code T-55002 was used for T-55000, and T-73800 for T-73000. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 4042 XA/XRF Anatomy Imaged

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050822
 UID: 1.2.840.10008.6.1.312

Table CID 4042. XA/XRF Anatomy Imaged

Coding Scheme Designator	Code Value	Code Meaning
Include CID 3010 "Cardiovascular Anatomic Locations"		
Include CID 4031 "Common Anatomic Regions"		

CID 4050 Drug or Contrast Agent Characteristics

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070124
 UID: 1.2.840.10008.6.1.313

Table CID 4050. Drug or Contrast Agent Characteristics

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	G-C52F 127489000	Active Ingredient	127489000 G-C52F	C1292749
DCM	121380	Active Ingredient Undiluted Concentration		
DCM	121381	Contrast/Bolus Ingredient Opaque		
SRT SCT	G-D705 118565006	Volume	118565006 G-D705	C0449468

CID 4051 General DevicesResources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20160525

UID: 1.2.840.10008.6.1.314

Table CID 4051. General Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
<i>Include CID 8 "Angiographic Interventional Devices"</i>				
<i>Include CID 3451 "Calibration Objects"</i>				
<i>Include CID 4052 "Phantom Devices"</i>				
SRT SCT	A-10150 61968008	Syringe	61968008 A-10150	C0039142

CID 4052 Phantom DevicesResources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20061023

UID: 1.2.840.10008.6.1.315

Table CID 4052. Phantom Devices

Coding Scheme Designator	Code Value	Code Meaning
DCM	113681	Phantom
DCM	113682	ACR Accreditation Phantom - CT
DCM	113683	ACR Accreditation Phantom - MR
DCM	113684	ACR Accreditation Phantom - Mammography
DCM	113685	ACR Accreditation Phantom - Stereotactic Breast Biopsy
DCM	113686	ACR Accreditation Phantom - ECT
DCM	113687	ACR Accreditation Phantom - PET
DCM	113688	ACR Accreditation Phantom - ECT/PET
DCM	113689	ACR Accreditation Phantom - PET Faceplate
DCM	113690	IEC Head Dosimetry Phantom
DCM	113691	IEC Body Dosimetry Phantom
DCM	113692	NEMA XR21-2000 Phantom

CID 4100 T1 Measurement Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.985

Table CID 4100. T1 Measurement Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	126350	T1 by Multiple Flip Angles
DCM	126351	T1 by Inversion Recovery
DCM	126352	T1 by Fixed Value

CID 4101 Tracer Kinetic Models

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160316
 UID: 1.2.840.10008.6.1.986

Table CID 4101. Tracer Kinetic Models

Coding Scheme Designator	Code Value	Code Meaning
DCM	126340	Standard Tofts Model
DCM	126341	Extended Tofts Model
DCM	126343	First Pass Leakage Profile (FPLP) Model
DCM	126344	Shutter-Speed Model (SSM)
DCM	126345	Gamma Capillary Transit Time (GCTT) Model
DCM	126346	Adiabatic Tissue Homogeneity (ATH) Model
DCM	126347	Two Compartment Exchange (2CX) Model

CID 4102 Perfusion Measurement Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.987

Table CID 4102. Perfusion Measurement Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	126300	Perfusion analysis by Stable Xenon CT technique
DCM	126301	Perfusion analysis by IV Iodinated Contrast CT technique
DCM	126302	Perfusion analysis by Arterial Spin Labeling MR technique
DCM	126303	Perfusion analysis by Susceptibility MR technique

CID 4103 Arterial Input Function Measurement Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.988

Table CID 4103. Arterial Input Function Measurement Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	126360	AIF Ignored
DCM	126361	Population Averaged AIF
DCM	126362	User-defined AIF ROI
DCM	126363	Automatically Detected AIF ROI
DCM	126364	Blind Estimation of AIF

Note

The anatomic location relevant to the application of any AIF method is not pre-coordinated in concepts in this Context Group. Typically these would be described by the Finding Site of any related measurements in the appropriate Template.

CID 4104 Bolus Arrival Time Derivation Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20141110
UID: 1.2.840.10008.6.1.989

Table CID 4104. Bolus Arrival Time Derivation Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	126373	Temporal Derivative Exceeds Threshold
DCM	126370	Time of Peak Concentration
DCM	126372	Time of Leading Half-Peak Concentration

CID 4105 Perfusion Analysis Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20141110
UID: 1.2.840.10008.6.1.990

Table CID 4105. Perfusion Analysis Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	126310	Least Mean Square (LMS) deconvolution
DCM	126311	Singular Value Decomposition (SVD) deconvolution

CID 4106 Quantitative Methods used for Perfusion And Tracer Kinetic Models

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20141110
UID: 1.2.840.10008.6.1.991

Table CID 4106. Quantitative Methods used for Perfusion And Tracer Kinetic Models

Coding Scheme Designator	Code Value	Code Meaning
Include CID 4100 "T1 Measurement Methods"		
Include CID 4101 "Tracer Kinetic Models"		
Include CID 4102 "Perfusion Measurement Methods"		

Coding Scheme Designator	Code Value	Code Meaning
Include CID 4103 "Arterial Input Function Measurement Methods"		
Include CID 4104 "Bolus Arrival Time Derivation Methods"		
Include CID 4105 "Perfusion Analysis Methods"		
DCM	126342	Model-free concentration-time quantification

Note

- Concepts from this context group may be used in measurement Templates to describe the measurement method of measurement on an ROI.

E.g., NUM (126312, DCM, "Ktrans") = 0.0185 /min; (~~G-C036~~, ~~SRT~~370129005, SCT, "Measurement Method") = (126341, DCM, "Extended Tofts Model")

CID 4107 Tracer Kinetic Model Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.992

Table CID 4107. Tracer Kinetic Model Parameters

Coding Scheme Designator	Code Value	Code Meaning	Units
DCM	126312	Ktrans	DT (/min, UCUM, "/min")
DCM	126313	kep	DT (/min, UCUM, "/min")
DCM	126314	ve	DT ({ratio}, UCUM, "ratio")
DCM	126330	tau_m	DT (s, UCUM, "s")
DCM	126331	vp	DT ({ratio}, UCUM, "ratio")

CID 4108 Perfusion Model Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: ~~20161106~~20190326
 UID: 1.2.840.10008.6.1.993

Table CID 4108. Perfusion Model Parameters

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID	Units
DCM	113055	Regional Cerebral Blood Flow			DT (ml/(100.ml)/min, UCUM, "ml/(100.ml)/min") DT (ml/(100.g)/min, UCUM, "ml/(100.g)/min")
DCM	126390	Absolute Regional Blood Flow			DT (ml/(100.ml)/min, UCUM, "ml/(100.ml)/min") DT (ml/(100.g)/min, UCUM, "ml/(100.g)/min")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
DCM	113056 126391	Absolute Regional Cerebral Blood Volume			DT (ml/(100.ml), UCUM, "ml/(100.ml)") DT (ml/(100.g), UCUM, "ml/(100.g)")
DCM	126391 126397	Relative Regional Blood Volume Flow			DT (ml/(100.ml) {ratio}, UCUM, "ml/(100.ml)ratio") DT (ml/(100.g), UCUM, "ml/(100.g)")
DCM	126398	Relative Regional Blood Volume			DT ({ratio}, UCUM, "ratio")
DCM	113052	Mean Transit Time			DT (s, UCUM, "s")
DCM	113069	Time To Peak			DT (s, UCUM, "s")
DCM	126392	Oxygen Extraction Fraction			
DCM	113084	Tmax			DT (s, UCUM, "s")

Note

Previously, concepts specific to the brain (e.g., regional cerebral blood flow) were included in this Context Group, but these have been retired in favor of using the non-body-part-specific concepts. See DICOM PS3.16 2019a.

CID 4109 Model-Independent Dynamic Contrast Analysis Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20150916

UID: 1.2.840.10008.6.1.994

Table CID 4109. Model-Independent Dynamic Contrast Analysis Parameters

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
DCM	126320	IAUC			DT (mmol/l.s, UCUM, "mmol/l.s")
DCM	126321	IAUC60			DT (mmol/l.s, UCUM, "mmol/l.s")
DCM	126322	IAUC90			DT (mmol/l.s, UCUM, "mmol/l.s")
DCM	126323	IAUC180			DT (mmol/l.s, UCUM, "mmol/l.s")
DCM	126324	IAUCBN			DT {normalized}, UCUM, "normalized"
DCM	126325	IAUC60BN			DT {/AIF}, UCUM, "/AIF"
DCM	126326	IAUC90BN			DT {/AIF}, UCUM, "/AIF"
DCM	126327	IAUC180BN			DT {/AIF}, UCUM, "/AIF"
DCM	126370	Time of Peak Concentration			DT (s, UCUM, "s")
DCM	126372	Time of Leading Half-Peak Concentration			DT (s, UCUM, "s")
DCM	126371	Bolus Arrival Time			DT (s, UCUM, "s")
DCM	113069	Time To Peak			DT (s, UCUM, "s")
DCM	126374	Temporal Derivative Threshold			

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Units
DCM	126375	Maximum Slope			
DCM	126376	Maximum Difference			
DCM	126377	Tracer Concentration			DT (mmol/l, UCUM, "mmol/l")

Note

(126326, DCM, "IAUC90BN") can be used for DCE-MRI using a Gd-based contrast agent to represent the $IAUC_{BN}$ measurement in the claim of the QIBA DCE MRI Quantification Profile, though the concept itself is not specific to the modality or the contrast agent used. See http://www.rsna.org/QIBA_Protocols_and_Profiles.aspx. See also Ng, CS., et al. "Reproducibility of Perfusion Parameters in Dynamic Contrast-Enhanced MRI of Lung and Liver Tumors: Effect on Estimates of Patient Sample Size in Clinical Trials and on Individual Patient Responses." *AJR* 194, no. 2 (February 1, 2010): W134-40. <http://dx.doi.org/10.2214/AJR.09.3116>.

The type of contrast agent and the AIF used for blood normalization may or may not be post-coordinated.

E.g., voxel-wise $IAUC_{BN}$ measurements encoded as a parametric map with the quantity defined by the Quantity Definition Sequence (0040,9220) in a Real World Value Map might be encoded as:

(~~G-G1G6~~, ~~SRT246205007~~, SCT, "Quantity") = (126326, DCM, "IAUC90BN")

(~~G-G036~~, ~~SRT370129005~~, SCT, "Measurement Method") = (126362, DCM, "User-defined AIF ROI")

(123011, DCM, "Contrast Bolus/Agent") = (~~G-17800~~, ~~SRT58281002~~, SCT, "Gadolinium")

E.g., an $IAUC_{BN}$ measurement for an ROI encoded in a structured report might be encoded as:

NUM (126326, DCM, "IAUC90BN") = 0.230 (UNITS = ({normalized}, UCUM, "normalized")

>HAS CONCEPT MOD: CODE (~~G-G036~~, ~~SRT370129005~~, SCT, "Measurement Method") = (126364, DCM, "Blind Estimation of AIF")

Note that the generic ROI measurement templates do not have the contrast/bolus agent as a parameter; this may be implicit from context, or inherited from the (121058, DCM, "Procedure reported") in the parent template.

CID 4110 Tracer Kinetic Modeling Covariates

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.995

Table CID 4110. Tracer Kinetic Modeling Covariates

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	20570-8	Hematocrit	C0803379

CID 4111 Contrast Characteristics

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.996

Table CID 4111. Contrast Characteristics

Coding Scheme Designator	Code Value	Code Meaning
DCM	126380	Contrast Longitudinal Relaxivity

CID 4200 Ophthalmic Imaging Agent

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040921
 UID: 1.2.840.10008.6.1.316

Table CID 4200. Ophthalmic Imaging Agent

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-B02GG350086004	Fluorescein	350086004C-B02CC	C0060520
SRTSCT	G-B01567292004	Indocyanine green	7292004C-B0156	C0021234
SRTSCT	G-B0295330888007	Rose Bengal	330888007C-B0295	C0035857
SRTSCT	G-2285360441008	Trypan blue	60441008C-22853	C0041213
SRTSCT	G-B02G5354064008	Methylene blue	354064008C-B02C5	C0025746

CID 4201 Patient Eye Movement Command

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040921
 UID: 1.2.840.10008.6.1.317

Table CID 4201. Patient Eye Movement Command

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-1022D408744005	Primary gaze	408744005R-1022D	C1443287
SRTSCT	R-404BF255533007	Upward gaze	255533007R-404BF	C0439774
SRTSCT	R-404B9255525006	Left upgaze	255525006R-404B9	C0439769
SRTSCT	R-404BC255530005	Left gaze	255530005R-404BC	C0439773
SRTSCT	R-404B7255523004	Left downgaze	255523004R-404B7	C0439772
SRTSCT	R-404B6255521002	Downgaze	255521002R-404B6	C0439777
SRTSCT	R-404B8255524005	Right downgaze	255524005R-404B8	C0439763
SRTSCT	R-404BD255531009	Right gaze	255531009R-404BD	C0439765
SRTSCT	R-404BA255526007	Right upgaze	255526007R-404BA	C0439760
SRTSCT	R-10227408745006	Convergent gaze	408745006R-10227	C1446614

CID 4202 Ophthalmic Photography Acquisition Device

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100607
 UID: 1.2.840.10008.6.1.318

Table CID 4202. Ophthalmic Photography Acquisition Device

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-1021A409898007	Fundus Camera	409898007R-1021A	C0179536
SRTSCT	A-2B201397247004	Slit Lamp Biomicroscope	397247004A-2B201	C0183355
SRTSCT	R-1021B409903006	External Camera	409903006R-1021B	C1444146
SRTSCT	R-1021C409899004	Specular Microscope	409899004R-1021C	C1444145
SRTSCT	A-2B210102321001	Operating Microscope	102321001A-2B210	C0181849
SRTSCT	A-00E8A392001008	Scanning Laser Ophthalmoscope	392001008A-00E8A	C0392288
SRTSCT	R-1021D409901008	Indirect Ophthalmoscope	409901008R-1021D	C0182048
SRTSCT	R-1021E409900009	Direct Ophthalmoscope	409900009R-1021E	C0182047
SRTSCT	R-1021F409902001	Ophthalmic Endoscope	409902001R-1021F	C0493036
SRTSCT	A-00FCA397522002	Keratoscope	397522002A-00FCA	C0181448
SRTSCT	A-00FF4420827006	Pupillograph	420827006A-00FF4	C0182567

CID 4203 Ophthalmic Photography Illumination

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100607

UID: 1.2.840.10008.6.1.319

Table CID 4203. Ophthalmic Photography Illumination

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-1020E410461001	Dual diffuse direct illumination	410461001R-1020E	C1444589
SRTSCT	R-1020F410462008	Fine slit beam direct illumination	410462008R-1020F	C1444590
SRTSCT	R-10211410463003	Broad tangential direct illumination	410463003R-10211	C1444591
SRTSCT	R-10213410464009	Indirect sclerotic scatter illumination	410464009R-10213	C1444592
SRTSCT	R-10215410465005	Indirect retroillumination from the iris	410465005R-10215	C1444593
SRTSCT	R-10217410466006	Indirect retroillumination from the retina	410466006R-10217	C1444594
SRTSCT	R-10218410467002	Indirect iris transillumination	410467002R-10218	C1444595
DCM	111625	Diffuse direct illumination		
DCM	111627	Scotopic light		
DCM	111628	Mesopic light		
DCM	111629	Photopic light		
DCM	111630	Dynamic light		

Reference: From the OPS web site: <http://www.opsweb.org/Op-Photo/SlitLamp/SL/SlitLamp.htm>

Note

Reference: From the OPS web site: <http://www.opsweb.org/page/slitbiomicrography>

CID 4204 Ophthalmic Filter

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110112
 UID: 1.2.840.10008.6.1.320

Table CID 4204. Ophthalmic Filter

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	A-010E2445465004	Green optical filter	445465004A-010E2	C2919396
SRTSCT	A-010DF445279009	Red optical filter	445279009A-010DF	C2919397
SRTSCT	A-010DA445084008	Blue optical filter	445084008A-010DA	C2919751
SRTSCT	A-010E0445340000	Yellow-green optical filter	445340000A-010E0	C2919190
SRTSCT	A-010D8422915004	Blue-green optical filter	422915004A-010D8	C1828251
SRTSCT	A-010DC445169002	Infrared optical filter	445169002A-010DC	C2919637
SRTSCT	A-010E1445391002	Polarizing optical filter	445391002A-010E1	C2919554
DCM	111609	No filter		

CID 4205 Ophthalmic Lens

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040921
 UID: 1.2.840.10008.6.1.321

Table CID 4205. Ophthalmic Lens

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-10219409897002	Indirect ophthalmoscopy lens	409897002R-10219	C1444144
SRTSCT	R-10239409783000	Concave contact fundus lens	409783000R-10239	C1444081
SRTSCT	R-1023A410688004	Concave noncontact fundus lens	410688004R-1023A	C1444761
SRTSCT	R-1023B410686000	Contact fundus lens	410686000R-1023B	C1444759
SRTSCT	A-00FAD389156006	Goniolens	389156006A-00FAD	C1300255
SRTSCT	R-1023D410687009	Convex noncontact fundus lens	410687009R-1023D	C1444760
SRTSCT	R-1023E410685001	Noncontact fundus lens	410685001R-1023E	C1444758
SRTSCT	R-1023C410689007	Convex contact fundus lens	410689007R-1023C	C1444762

CID 4206 Ophthalmic Channel Description

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040921
 UID: 1.2.840.10008.6.1.322

Table CID 4206. Ophthalmic Channel Description

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A12F405738005	Blue	405738005G-A12F	C1260957
SRTSCT	R-102C0414298005	Full Spectrum	414298005R-102C0	C1532530
SRTSCT	G-A11E371246006	Green	371246006G-A11E	C0332583
SRTSCT	R-102BE414497003	Infrared	414497003R-102BE	C1532326
SRTSCT	G-A11A371240000	Red	371240000G-A11A	C1260956
SRTSCT	G-A132405739002	Red free	405739002G-A132	C1319009
SRTSCT	R-102BF415770004	Ultraviolet	415770004R-102BF	C1532472

CID 4207 Ophthalmic Image Position

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110825
 UID: 1.2.840.10008.6.1.323

Table CID 4207. Ophthalmic Image Position

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10229408734008	Diabetic Retinopathy Study field 1	408734008R-10229	C1443282
SRTSCT	R-1022A410434001	Diabetic Retinopathy Study field 2	410434001R-1022A	C1444567
SRTSCT	R-1022B410435000	Diabetic Retinopathy Study field 3	410435000R-1022B	C1444568
SRTSCT	R-1022C410436004	Diabetic Retinopathy Study field 4	410436004R-1022C	C1444569
SRTSCT	R-1022E410437008	Diabetic Retinopathy Study field 5	410437008R-1022E	C1444570
SRTSCT	R-1022F410438003	Diabetic Retinopathy Study field 6	410438003R-1022F	C1444571
SRTSCT	R-10231410439006	Diabetic Retinopathy Study field 7	410439006R-10231	C1444572
DCM	111621	Field 1 for Joslin3 field		
DCM	111622	Field 2 for Joslin 3 field		
DCM	111623	Field 3 for Joslin 3 field		
DCM	111900	Macula centered		
DCM	111901	Disc centered		
DCM	111902	Lesion centered		
DCM	111903	Disc-macula centered		
DCM	111904	Mid-peripheral-superior		
DCM	111905	Mid-peripheral-superior temporal		
DCM	111906	Mid-peripheral-temporal		
DCM	111907	Mid-peripheral-inferior temporal		
DCM	111908	Mid-peripheral-inferior		
DCM	111909	Mid-peripheral-inferior nasal		
DCM	111910	Mid-peripheral-nasal		
DCM	111911	Mid-peripheral-superior nasal		
DCM	111912	Peripheral-superior		
DCM	111913	Peripheral-superior temporal		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111914	Peripheral-temporal		
DCM	111915	Peripheral-inferior temporal		
DCM	111916	Peripheral-inferior		
DCM	111917	Peripheral-inferior nasal		
DCM	111918	Peripheral-nasal		
DCM	111919	Peripheral-superior nasal		

CID 4208 Mydriatic Agent

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040921
 UID: 1.2.840.10008.6.1.324

Table CID 4208. Mydriatic Agent

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	G-677B9 349947003	Atropine	349947003 C-677B9	C0360182
SRT SCT	G-677C0 82264009	Homatropine	82264009 C-677C0	C0062922
SRT SCT	G-97520 8348002	Cyclopentolate	8348002 C-97520	C0010582
SRT SCT	G-68165 386693003	Phenylephrine	386693003 C-68165	C0717985
SRT SCT	G-97580 9190005	Tropicamide	9190005 C-97580	C0041190

CID 4209 Ophthalmic Anatomic Structure Imaged

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040921
 UID: 1.2.840.10008.6.1.325

Table CID 4209. Ophthalmic Anatomic Structure Imaged

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	T-AA050 31636006	Anterior chamber of eye	31636006 T-AA050	C0003151
SRT SCT	T-AA180 40638003	Both eyes	40638003 T-AA180	C0229118
SRT SCT	T-AA310 68703001	Choroid of eye	68703001 T-AA310	C0008520
SRT SCT	T-AA400 29534007	Ciliary body	29534007 T-AA400	C0008779
SRT SCT	T-AA860 29445007	Conjunctiva	29445007 T-AA860	C0009758
SRT SCT	T-AA200 28726007	Cornea	28726007 T-AA200	C0010031
SRT SCT	T-AA000 81745001	Eye	81745001 T-AA000	C0015392
SRT SCT	T-AA810 80243003	Eyelid	80243003 T-AA810	C0015426
SRT SCT	T-AA621 67046006	Fovea centralis	67046006 T-AA621	C0016622
SRT SCT	T-AA500 41296002	Iris	41296002 T-AA500	C0022077
SRT SCT	T-AA862 43045000	Lacrimal caruncle	43045000 T-AA862	C0446860
SRT SCT	T-AA910 13561001	Lacrimal gland	13561001 T-AA910	C0022907

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-AA9403954005	Lacrimal sac	3954005T-AA940	C0229289
SRTSCT	T-AA70078076003	Lens	78076003T-AA700	C0023317
SRTSCT	T-AA83062736007	Lower Eyelid	62736007T-AA830	C0229258
SRTSCT	T-4540053549008	Ophthalmic artery	53549008T-45400	C0029078
SRTSCT	T-AA63081016008	Optic nerve head	81016008T-AA630	C0029127
SRTSCT	T-AA6105665001	Retina	5665001T-AA610	C0035298
SRTSCT	T-AA11018619003	Sclera	18619003T-AA110	C0036410
SRTSCT	T-AA82038934000	Upper Eyelid	38934000T-AA820	C0585636

CID 4210 Ophthalmic Tomography Acquisition Device

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20131014
 UID: 1.2.840.10008.6.1.326

Table CID 4210. Ophthalmic Tomography Acquisition Device

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-00FBE392012008	Optical Coherence Tomography Scanner	392012008A-00FBE	C1271441
SRTSCT	R-FAB5A416567007	Retinal Thickness Analyzer	416567007R-FAB5A	C1562933
SRTSCT	A-00E8B392004000	Confocal Scanning Laser Ophthalmoscope	392004000A-00E8B	C1271438
DCM	111626	Scheimpflug Camera		
SRTSCT	A-00E8C392007007	Scanning Laser Polarimeter	392007007A-00E8C	C1271440
DCM	111945	Elevation-based corneal tomographer		
DCM	111946	Reflection-based corneal topographer		
DCM	111947	Interferometry-based corneal tomographer		

CID 4211 Ophthalmic OCT Anatomic Structure Imaged

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20071016
 UID: 1.2.840.10008.6.1.327

Table CID 4211. Ophthalmic OCT Anatomic Structure Imaged

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-AA05031636006	Anterior chamber of eye	31636006T-AA050	C0003151
SRTSCT	T-AA31068703001	Choroid of eye	68703001T-AA310	C0008520
SRTSCT	T-AA40029534007	Ciliary body	29534007T-AA400	C0008779
SRTSCT	T-AA86029445007	Conjunctiva	29445007T-AA860	C0009758
SRTSCT	T-AA20028726007	Cornea	28726007T-AA200	C0010031

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-AA50041296002	Iris	41296002T-AA500	C0022077
SRTSCT	T-AA70078076003	Lens	78076003T-AA700	C0023317
SRTSCT	T-AA63081016008	Optic nerve head	81016008T-AA630	C0029127
SRTSCT	T-AA6105665001	Retina	5665004T-AA610	C0035298
SRTSCT	T-AA11018619003	Sclera	18619003T-AA110	C0036410
SRTSCT	T-AA07926386000	Vitreous	26386000T-AA079	C0229095
SRTSCT	T-AA22015775008	Corneal epithelium	15775008T-AA220	C0459875
SRTSCT	T-AA26065431007	Corneal endothelium	65431007T-AA260	C0014258

CID 4214 Ophthalmic Horizontal Directions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080124
 UID: 1.2.840.10008.6.1.800

Table CID 4214. Ophthalmic Horizontal Directions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-C028255460003	Inward	255460003G-C028	C0439786
SRTSCT	R-404C7255543005	Outward	255543005R-404C7	C0439788

CID 4215 Ophthalmic Vertical Directions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080124
 UID: 1.2.840.10008.6.1.801

Table CID 4215. Ophthalmic Vertical Directions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-404BE255532002	Up	255532002R-404BE	C0547043
SRTSCT	R-404B3255518004	Down	255518004R-404B3	C0205104

CID 4216 Ophthalmic Visual Acuity Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080124
 UID: 1.2.840.10008.6.1.802

Table CID 4216. Ophthalmic Visual Acuity Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111685	Autorefractive Visual Acuity		
DCM	111686	Habitual Visual Acuity		
DCM	111687	Prescription Visual Acuity		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-04ECE424622008	Potential Acuity Meter Visual Acuity	424622008F-04ECE	C1827765
SRTSCT	F-04D54419775003	Best Corrected Visual Acuity	419775003F-04D54	C1690532
SRTSCT	F-04D53420050001	Uncorrected Visual Acuity	420050001F-04D53	C1637380
SRTSCT	F-04D55419475002	Pinhole Visual Acuity	419475002F-04D55	C1642831
SRTSCT	F-04ECF425141002	Brightness Acuity Testing Visual Acuity	425141002F-04ECF	C1827482

CID 4220 Visual Fixation Quality During Acquisition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090917
 UID: 1.2.840.10008.6.1.819

Table CID 4220. Visual Fixation Quality During Acquisition

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A55555011004	Steady	55011004G-A555	C0205361
SRTSCT	G-A556103361006	Not Steady	103361006G-A556	C0439829
SRTSCT	G-A38582334004	Indeterminate	82334004G-A385	C0205258

CID 4221 Visual Fixation Quality Problem

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090917
 UID: 1.2.840.10008.6.1.820

Table CID 4221. Visual Fixation Quality Problem

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	110518	Patient Movement		
SRTSCT	F-02FA4251786004	Eccentric Fixation	251786004F-02FA4	C0429578
DCM	110519	Operator Error		
DCM	110501	Equipment failure		

CID 4222 Ophthalmic Macular Grid Problem

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090917
 UID: 1.2.840.10008.6.1.821

Table CID 4222. Ophthalmic Macular Grid Problem

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 4221 "Visual Fixation Quality Problem"				

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-0123A301939004	Constricted Pupil	301939004F-0123A	C0728710
SRTSCT	DA-73402193570009	Lens Opacity	193570009DA-73402	C0086543
SRTSCT	DA-7530064634000	Corneal Opacity	64634000DA-75300	C0010038
SRTSCT	DA-7931D422061002	Vitreous Opacity	422061002DA-7931D	C0152006
SRTSCT	R-20839314348007	Poor Visual Fixation	314348007R-20839	C1277657
SRTSCT	DA-7600060113004	Eyelid Disease	60113004DA-76000	C0015423
DCM	111695	Interfering Tears or Drops		
SRTSCT	DA-7410039021009	Refractive Error	39021009DA-74100	C0034951
DCM	111209	Patient Positioning Problem		
SRTSCT	F-F1722162290004	Dry Eyes Problem	162290004F-F1722	C0314719

CID 4230 Ophthalmic Ultrasound Axial Measurements Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.876

Table CID 4230. Ophthalmic Ultrasound Axial Measurements Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	111750	Ultrasound Contact
DCM	111751	Ultrasound Immersion

CID 4231 Lens Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.877

Table CID 4231. Lens Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	DA-7341024010005	Aphakic	24010005DA-73410	C0003534
SRTSCT	R-2073F309649001	Phakic	309649001R-2073F	C0587139
SRTSCT	A-040F7397559001	Phakic IOL	397559001A-040F7	C1301524
SRTSCT	F-02087370951003	Piggyback IOL	370951003F-02087	C1299686
SRTSCT	DA-7346095217000	Pseudophakia	95217000DA-73460	C0684343

CID 4232 Vitreous Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.878

Table CID 4232. Vitreous Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT -ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-035F3247094004	Gas in vitreous cavity	247094004F-035F3	C0423372
SRTSCT	DA-7930B232077005	Post-Vitrectomy	232077005DA-7930D	C0339563
SRTSCT	F-035FD247095003	Silicone Oil	247095003F-035FD	C0423373
SRTSCT	T-AA092372242005	Vitreous Only	372242005T-AA092	C1299205

CID 4233 Ophthalmic Axial Length Measurements Segment Names

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.879

Table CID 4233. Ophthalmic Axial Length Measurements Segment Names

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT -ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-AA20028726007	Cornea	28726007T-AA200	C0010031
SRTSCT	T-AA05031636006	Anterior Chamber	31636006T-AA050	C0003151
DCM	111778	Single or Anterior Lens		
DCM	111779	Posterior Lens		
SRTSCT	T-AA07926386000	Vitreous Cavity	26386000T-AA079	C0229095

CID 4234 Refractive Surgery Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181111
 UID: 1.2.840.10008.6.1.880

Table CID 4234. Refractive Surgery Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT -ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P1-A310251683002	RK	51683002P1-A3102	C0022607
SRTSCT	P1-A3835397516006	PRK	397516006P1-A3835	C0395416
SRTSCT	P0-0526F312965008	LASIK	312965008P0-0526F	C0752094
SRTSCT	P1-A3846414582004	LASEK	414582004P1-A3846	C1449939
DCM	111681	SMILE		

CID 4235 Keratometry Descriptors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.881

Table CID 4235. Keratometry Descriptors

Coding Scheme Designator	Code Value	Code Meaning
DCM	111753	Manual Keratometry
DCM	111754	Auto Keratometry
DCM	111755	Simulated Keratometry
DCM	111756	Equivalent K-reading

CID 4236 IOL Calculation Formula

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190124
 UID: 1.2.840.10008.6.1.882

Table CID 4236. IOL Calculation Formula

Coding Scheme Designator	Code Value	Code Meaning
DCM	111760	Haigis
DCM	111761	Haigis-L
DCM	111762	Holladay 1
DCM	111763	Holladay 2
DCM	111764	Hoffer Q
DCM	111765	Olsen
DCM	111766	SRKII
DCM	111767	SRK-T
DCM	111860	Haigis Toric
DCM	111861	Haigis-L Toric
DCM	111862	Barrett Toric
DCM	111863	Barrett True-K
DCM	111864	Barrett True-K Toric
DCM	111865	Barrett Universal II

CID 4237 Lens Constant Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190124
 UID: 1.2.840.10008.6.1.883

Table CID 4237. Lens Constant Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-048FA397263007	A-Constant	397263007F-048FA	C1301307
DCM	111768	ACD Constant		
DCM	111769	Haigis a0		
DCM	111770	Haigis a1		
DCM	111771	Haigis a2		
DCM	111772	Hoffer pACD Constant		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	111773	Surgeon Factor		
DCM	111866	Barrett Lens Factor		
DCM	111867	Barrett Design Factor		

CID 4238 Refractive Error Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.884

Table CID 4238. Refractive Error Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	DA-74120 57190000	Myopia	57190000 DA-74120	C0027092
SRT SCT	DA-74110 38101003	Hyperopia	38101003 DA-74110	C0020490

CID 4239 Anterior Chamber Depth Definition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.885

Table CID 4239. Anterior Chamber Depth Definition

Coding Scheme Designator	Code Value	Code Meaning
DCM	111776	Front Of Cornea To Front Of Lens
DCM	111777	Back Of Cornea To Front Of Lens

CID 4240 Ophthalmic Measurement or Calculation Data Source

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190124
 UID: 1.2.840.10008.6.1.886

Table CID 4240. Ophthalmic Measurement or Calculation Data Source

Coding Scheme Designator	Code Value	Code Meaning
DCM	111780	Measurement From This Device
DCM	113857	Manual Entry
DCM	111781	External Data Source
DCM	111782	Axial Measurements SOP Instance
DCM	111783	Refractive Measurements SOP Instance
DCM	111784	Autorefracton Measurements SOP Instance
DCM	111757	Keratometry Measurements SOP Instance

CID 4241 Ophthalmic Axial Length Selection Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.887

Table CID 4241. Ophthalmic Axial Length Selection Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	121412	Mean value chosen
DCM	121410	User chosen value

CID 4242 Cornea Measurement Method Descriptors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190124
 UID: 1.2.840.10008.6.1.1275

Table CID 4242. Cornea Measurement Method Descriptors

Coding Scheme Designator	Code Value	Code Meaning
DCM	111758	Total Cornea Power Measurement Method
DCM	111759	Posterior Cornea Surface Measurement Method

Include CID 4235 "Keratometry Descriptors"

CID 4243 Ophthalmic Quality Metric Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.889

Table CID 4243. Ophthalmic Quality Metric Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	111786	Standard Deviation of measurements used
DCM	111787	Signal to Noise Ratio

CID 4244 Ophthalmic Agent Concentration Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100623
 UID: 1.2.840.10008.6.1.890

Table CID 4244. Ophthalmic Agent Concentration Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	%	Percent
UCUM	mg/ml	mg/ml

CID 4245 Wide Field Ophthalmic Photography Transformation Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150326
 UID: 1.2.840.10008.6.1.1029

Table CID 4245. Wide Field Ophthalmic Photography Transformation Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	111791	Spherical projection
DCM	111792	Surface contour mapping

CID 4250 Visual Field Static Perimetry Test Patterns

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100827
UID: 1.2.840.10008.6.1.909

Table CID 4250. Visual Field Static Perimetry Test Patterns

Coding Scheme Designator	Code Value	Code Meaning
DCM	111800	Visual Field 24-2 Test Pattern
DCM	111801	Visual Field 10-2 Test Pattern
DCM	111802	Visual Field 30-2 Test Pattern
DCM	111803	Visual Field 60-4 Test Pattern
DCM	111804	Visual Field Macula Test Pattern
DCM	111805	Visual Field Central 40 Point Test Pattern
DCM	111806	Visual Field Central 76 Point Test Pattern
DCM	111807	Visual Field Peripheral 60 Point Test Pattern
DCM	111808	Visual Field Full Field 81 Point Test Pattern
DCM	111809	Visual Field Full Field 120 Point Test Pattern
DCM	111810	Visual Field G Test Pattern
DCM	111811	Visual Field M Test Pattern
DCM	111812	Visual Field 07 Test Pattern
DCM	111813	Visual Field LVC Test Pattern
DCM	111814	Visual Field Central Test Pattern

CID 4251 Visual Field Static Perimetry Test Strategies

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100827
UID: 1.2.840.10008.6.1.910

Table CID 4251. Visual Field Static Perimetry Test Strategies

Coding Scheme Designator	Code Value	Code Meaning
DCM	111815	Visual Field SITA-Standard Test Strategy
DCM	111816	Visual Field SITA-SWAP Test Strategy
DCM	111817	Visual Field SITA-Fast Test Strategy
DCM	111818	Visual Field Full Threshold Test Strategy
DCM	111819	Visual Field FastPac Test Strategy
DCM	111820	Visual Field Full From Prior Test Strategy
DCM	111821	Visual Field Optima Test Strategy

Coding Scheme Designator	Code Value	Code Meaning
DCM	111822	Visual Field Two-Zone Test Strategy
DCM	111823	Visual Field Three-Zone Test Strategy
DCM	111824	Visual Field Quantify-Defects Test Strategy
DCM	111825	Visual Field TOP Test Strategy
DCM	111826	Visual Field Dynamic Test Strategy
DCM	111827	Visual Field Normal Test Strategy
DCM	111828	Visual Field 1-LT Test Strategy
DCM	111829	Visual Field 2-LT Test Strategy
DCM	111830	Visual Field LVS Test Strategy
DCM	111831	Visual Field GATE Test Strategy
DCM	111832	Visual Field GATEi Test Strategy
DCM	111833	Visual Field 2LT-Dynamic Test Strategy
DCM	111834	Visual Field 2LT-Normal Test Strategy
DCM	111835	Visual Field Fast Threshold Test Strategy
DCM	111836	Visual Field CLIP Test Strategy
DCM	111837	Visual Field CLASS Strategy

CID 4252 Visual Field Static Perimetry Screening Test Modes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100827
UID: 1.2.840.10008.6.1.911

Table CID 4252. Visual Field Static Perimetry Screening Test Modes

Coding Scheme Designator	Code Value	Code Meaning
DCM	111838	Age corrected
DCM	111839	Threshold related
DCM	111840	Single luminance
DCM	111841	Foveal sensitivity related
DCM	111842	Related to non macular sensitivity
DCM	121410	User chosen value

CID 4253 Visual Field Static Perimetry Fixation Strategy

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100827
UID: 1.2.840.10008.6.1.912

Table CID 4253. Visual Field Static Perimetry Fixation Strategy

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
DCM	111843	Automated Optical		
DCM	111844	Blind Spot Monitoring		
DCM	111845	Macular Fixation Testing		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	111846	Observation by Examiner		
SRT SCT	R-40775 260413007	None	260413007 R-40775	C0549184

CID 4254 Visual Field Static Perimetry Test Analysis Results

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100827
 UID: 1.2.840.10008.6.1.913

Table CID 4254. Visual Field Static Perimetry Test Analysis Results

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	111847	Outside normal limits		
DCM	111848	Borderline		
DCM	111849	Abnormally high sensitivity		
DCM	111850	General reduction in sensitivity		
DCM	111851	Borderline and general reduction in sensitivity		
SRT SCT	M-00101 125112009	Within normal limits	125112009 M-00101	C1265570

CID 4255 Visual Field Illumination Color

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100827
 UID: 1.2.840.10008.6.1.914

Table CID 4255. Visual Field Illumination Color

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-A11D 371244009	Yellow	371244009 G-A11D	C0221205
SRT SCT	G-A12B 371251000	White	371251000 G-A12B	C0220938
SRT SCT	G-A11A 371240000	Red	371240000 G-A11A	C1260956
SRT SCT	G-A12F 405738005	Blue	405738005 G-A12F	C1260957
SRT SCT	G-A11E 371246006	Green	371246006 G-A11E	C0332583

CID 4256 Visual Field Procedure Modifier

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100827
 UID: 1.2.840.10008.6.1.915

Table CID 4256. Visual Field Procedure Modifier

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	R-42453 360156006	Screening	360156006 R-42453	C1305399

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-408C3261004008	Diagnostic	261004008R-408C3	C0348026

CID 4257 Visual Field Global Index Name

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100827
 UID: 1.2.840.10008.6.1.916

Table CID 4257. Visual Field Global Index Name

Coding Scheme Designator	Code Value	Code Meaning
DCM	111852	Visual Field Index
DCM	111853	Visual Field Loss Due to Diffuse Defect
DCM	111854	Visual Field Loss Due to Local Defect
DCM	111855	Glaucoma Hemifield Test Analysis
DCM	111856	Optical Fixation Measurements

CID 4260 Ophthalmic Mapping Units for Real World Value Mapping

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110825
 UID: 1.2.840.10008.6.1.936

Table CID 4260. Ophthalmic Mapping Units for Real World Value Mapping

Coding Scheme Designator	Code Value	Code Meaning
UCUM	um	micrometer

CID 4261 Ophthalmic Mapping Acquisition Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110825
 UID: 1.2.840.10008.6.1.937

Table CID 4261. Ophthalmic Mapping Acquisition Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	111920	Time domain
DCM	111921	Spectral domain
DCM	111922	No corneal compensation
DCM	111923	Corneal birefringence compensation
DCM	111924	Retinal topography

CID 4262 Retinal Thickness Definition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110825
 UID: 1.2.840.10008.6.1.938

Table CID 4262. Retinal Thickness Definition

Coding Scheme Designator	Code Value	Code Meaning
DCM	111925	Retinal nerve fiber layer thickness
DCM	111926	Ganglion cell complex thickness
DCM	111927	Total retinal thickness (ILM to IS-OS)
DCM	111928	Total retinal thickness (ILM to RPE)
DCM	111929	Total retinal thickness (ILM to BM)

CID 4263 Ophthalmic Thickness Map Value Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110825
UID: 1.2.840.10008.6.1.939

Table CID 4263. Ophthalmic Thickness Map Value Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	111930	Absolute ophthalmic thickness
DCM	111931	Thickness deviation category from normative data
DCM	111932	Thickness deviation from normative data

CID 4264 Ophthalmic Map Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110825
UID: 1.2.840.10008.6.1.940

Table CID 4264. Ophthalmic Map Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121311	Localizer
DCM	121322	Source image for image processing operation
DCM	111933	Related ophthalmic thickness map

CID 4265 Ophthalmic Thickness Deviation Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110825
UID: 1.2.840.10008.6.1.941

Table CID 4265. Ophthalmic Thickness Deviation Categories

Coding Scheme Designator	Code Value	Code Meaning
DCM	111935	p>5%
DCM	111936	p<5%
DCM	111937	p<2%
DCM	111938	p<1%
DCM	111939	p<0.5%

CID 4266 Ophthalmic Anatomic Structure Reference Point

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.942

Table CID 4266. Ophthalmic Anatomic Structure Reference Point

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	M-01000 49755003	Morphologically Abnormal Structure	49755003M-01000	C0332447
SRT SCT	M-01100 52988006	Lesion	52988006M-01100	C0221198
SRT SCT	T-AA621 67046006	Fovea centralis	67046006T-AA621	C0016622
SRT SCT	T-AA630 81016008	Optic nerve head	81016008T-AA630	C0029127
DCM	111934	Disc-Fovea		
SRT SCT	T-AA200 28726007	Cornea	28726007T-AA200	C0010031

Note

(~~M-01000~~, ~~SRT~~49755003, ~~SCT~~, "Morphologically Abnormal Structure") was previously described with a Code Meaning of "Lesion", but that synonym has been retired as "inappropriate" in SNOMED. The Code Meaning has been replaced with the preferred SNOMED term, and the separate concept (~~M-01100~~, ~~SRT~~52988006, ~~SCT~~, "Lesion") added.

CID 4267 Corneal Topography Mapping Units for Real World Value Mapping

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20131014
 UID: 1.2.840.10008.6.1.965

Table CID 4267. Corneal Topography Mapping Units for Real World Value Mapping

Coding Scheme Designator	Code Value	Code Meaning
UCUM	um	micrometer
UCUM	diop	diopters
UCUM	mm	mm

CID 4268 Corneal Topography Map Value Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20131014
 UID: 1.2.840.10008.6.1.966

Table CID 4268. Corneal Topography Map Value Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	111940	Corneal axial power map
DCM	111941	Corneal instantaneous power map
DCM	111942	Corneal refractive power map
DCM	111943	Corneal elevation map
DCM	111944	Corneal wavefront map

CID 4270 OCT-A Processing Algorithm Families

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181110
UID: 1.2.840.10008.6.1.1150

Table CID 4270. OCT-A Processing Algorithm Families

Coding Scheme Designator	Code Value	Code Meaning
DCM	128252	OCT-A amplitude decorrelation
DCM	128253	OCT-A complex variance
DCM	128254	OCT-A speckle variance
DCM	128255	OCT-A correlation mapping
DCM	128256	Doppler OCT-A
DCM	128304	OCT-A one-sided ratio (lesser)
DCM	128305	OCT-A one-sided ratio (greater)

CID 4271 En Face Image Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170405
UID: 1.2.840.10008.6.1.1151

Table CID 4271. En Face Image Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	128257	Retina depth encoded vasculature flow
DCM	128258	Retina depth encoded structural reflectance map
DCM	128259	Retina vasculature flow
DCM	128260	Retina structural reflectance map
DCM	128261	Vitreous vasculature flow
DCM	128262	Vitreous structural reflectance map
DCM	128263	Radial peripapillary vasculature flow
DCM	128264	Radial peripapillary structural reflectance map
DCM	128265	Superficial retina vasculature flow
DCM	128266	Superficial retina structural reflectance map
DCM	128267	Middle inner retina vasculature flow
DCM	128268	Middle inner structural reflectance map
DCM	128269	Deep retina vasculature flow
DCM	128270	Deep retina structural reflectance map
DCM	128271	Outer retina vasculature flow
DCM	128272	Outer retina structural reflectance map
DCM	128273	Choriocapillaris vasculature flow
DCM	128274	Choriocapillaris structural reflectance map
DCM	128275	Choroid vasculature flow
DCM	128276	Choroid structural reflectance map

Coding Scheme Designator	Code Value	Code Meaning
DCM	128277	Whole eye vasculature flow
DCM	128278	Whole eye structural reflectance map

CID 4272 Opt Scan Pattern Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.1152

Table CID 4272. OPT Scan Pattern Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	128279	Cube B-scan pattern
DCM	128280	Raster B-scan pattern
DCM	128281	Line B-scan pattern
DCM	128282	Radial B-scan pattern
DCM	128283	Cross B-scan pattern
DCM	128284	Circle B-scan pattern
DCM	128285	Concentric circle B-scan pattern
DCM	128286	Circle-raster B-scan pattern
DCM	128287	Circle-radial B-scan pattern
DCM	128288	Grid B-scan pattern

CID 4273 Retinal Segmentation Surfaces

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.1153

Table CID 4273. Retinal Segmentation Surfaces

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRT SCT	T-AA62D 280677004	ILM - Internal limiting membrane	280677004 T-AA62D	C0459664
DCM	128289	Outer surface of RNFL		
DCM	128290	Outer surface of GCL		
DCM	128291	Outer surface of IPL		
DCM	128292	Outer surface of INL		
DCM	128293	Outer surface of OPL		
DCM	128294	Outer surface of HFL		
SRT SCT	T-AA650 76710003	ELM - External limiting membrane	76710003 T-AA650	C0229209
DCM	128295	Surface between Inner and Outer Segments of the photoreceptors		
DCM	128296	Surface of the interdigitating zone between retina and RPE		
DCM	128297	Anterior surface of the RPE		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	128298	Surface of the center of the RPE		
DCM	128299	Posterior surface of the RPE		
DCM	128300	Outer surface of the BM		
DCM	128301	Surface of the choroid-sclera interface		
DCM	128302	Outer surface of the CC		

CID 5000 Languages

Context Group ID 5000 comprises the language tag coding scheme of [RFC 5646]. The Coding Scheme Designator (0008,0102) shall be RFC5646.

Note

1. The [RFC 5646] coding scheme is constructed from a primary subtag component encoded using the shortest language codes of [ISO 639], plus codes for extensions for languages not represented in [ISO 639]. The code optionally includes additional subtag components, for scripts encoded using the four letter codes of [ISO 15924], and for regions encoded using the two letter country codes of [ISO 3166].
2. [RFC 5646] may be obtained at <http://www.ietf.org/rfc/rfc5646.txt>. [RFC 5646] obsoletes [RFC 4646], [RFC 3066] and [RFC 1766], but is forward compatible with those specifications. In previous editions of the Standard, [RFC 4646] codes were used with a Coding Scheme Designator of IETF4646. [RFC 5646] is a superset of [RFC 4646], which formalizes support for [ISO 639-3].
3. [ISO 639] codes may be obtained at <http://www.loc.gov/standards/iso639-2/langhome.html>.
4. The two letter country codes of [ISO 3166] may be obtained at <http://www.iso.org/obp/ui/#search/code/>
5. IANA language tag registrations may be obtained at <http://www.iana.org/assignments/language-subtag-registry/language-subtag-registry>
6. In previous editions of the Standard, this Context Group formerly included the three letter language codes of [ISO 639-2]/B, using Coding Scheme Designator ISO639_2, or the language codes of [RFC 3066], using Coding Scheme Designator RFC3066, and several IANA-registered language code extensions, using Coding Scheme Designator IANARFC1766.
7. In previous editions of the Standard, this Context Group provided only language identifiers, with national or regional variant identified in a separate attribute or Content Item.

CID 5001 Countries

Context Group ID 5001 comprises the two letter country code scheme of ISO 3166. The Coding Scheme Designator (0008,0102) shall be ISO3166_1.

Note

The two letter country codes of ISO 3166 may be obtained at <http://www.iso.org/obp/ui/#search/code/>

CID 5002 Organizations

Context Group ID 5002 comprises the object identifier scheme of ISO 8824-1 and ISO 9834-1, when applied to organizational identifiers (see Section 8.2). The Coding Scheme Designator (0008,0102) shall be ISO_OID.

CID 6000 Overall Breast Composition

Note

In future extensions, Overall Breast Composition terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.330

Table CID 6000. Overall Breast Composition

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6001 "Overall Breast Composition from BI-RADS®"		

CID 6001 Overall Breast Composition from BI-RADS®

Note

From BI-RADS® Third Edition (National Mammography Database, E77)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.331

Table CID 6001. Overall Breast Composition from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-01711129716005	Almost entirely fat	129716005F-01711	C0231248
SRTSCT	F-01712129717001	Scattered fibroglandular densities	129717001F-01712	C0544447
SRTSCT	F-01713129718006	Heterogeneously dense	129718006F-01713	C0231249
SRTSCT	F-01714129719003	Extremely dense	129719003F-01714	C1268647

CID 6002 Change Since Last Mammogram or Prior Surgery

Note

In future extensions, Change Since Last Mammogram or Prior Surgery terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.332

Table CID 6002. Change Since Last Mammogram or Prior Surgery

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6003 "Change Since Last Mammogram or Prior Surgery from BI-RADS®"		

CID 6003 Change Since Last Mammogram or Prior Surgery from BI-RADS®

Note

From BI-RADS® Third Edition (National Mammography Database, E79)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.333

Table CID 6003. Change Since Last Mammogram or Prior Surgery from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-01721 129721008	New finding	129721008 F-01721	C1268649
SRTSCT	F-01722 129722001	Finding partially removed	129722001 F-01722	C1268650
SRTSCT	F-01723 129723006	No significant changes in the finding	129723006 F-01723	C1268651
SRTSCT	M-02520 15454001	Increase in size	15454001 M-02520	C0332509
SRTSCT	M-02530 19776001	Decrease in size	19776001 M-02530	C0332511
SRTSCT	F-01726 129726003	Increase in number of calcifications	129726003 F-01726	C1268654
SRTSCT	F-01727 129727007	Decrease in number of calcifications	129727007 F-01727	C1268655
SRTSCT	F-01728 129728002	Less defined	129728002 F-01728	C1268656
SRTSCT	F-01729 129729005	More defined	129729005 F-01729	C1268657
SRTSCT	F-0172A 129730000	Removal of implant since previous mammogram	129730000 F-0172A	C1268658
SRTSCT	F-0172B 129731001	Implant revised since previous mammogram	129731001 F-0172B	C1268659

CID 6004 Mammography Characteristics of Shape

Note

In future extensions, Mammography Characteristics of Shape terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.334

Table CID 6004. Mammography Characteristics of Shape

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6005 "Characteristics of Shape from BI-RADS®"		

CID 6005 Characteristics of Shape from BI-RADS®

Note

From BI-RADS® Third Edition (National Mammography Database, E80)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.335

Table CID 6005. Characteristics of Shape from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-02100 42700002	Round shape	42700002 M-02100	C0332490
SRTSCT	M-02120 84360004	Ovoid shape (Oval)	84360004 M-02120	C0332492
SRTSCT	G-A640 40266001	Lobular	40266001 G-A640	C0205417
SRTSCT	G-A402 49608001	Irregular	49608001 G-A402	C0205271

CID 6006 Mammography Characteristics of Margin

Note

In future extensions, Mammography Characteristics of Margin terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.336

Table CID 6006. Mammography Characteristics of Margin

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6007 "Characteristics of Margin from BI-RADS®"		

CID 6007 Characteristics of Margin from BI-RADS®

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.337

Table CID 6007. Characteristics of Margin from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-01741 129738007	Circumscribed lesion	129738007 F-01741	C1268666
SRTSCT	F-01742 129739004	Microlobulated lesion	129739004 F-01742	C1268667
SRTSCT	F-01743 129740002	Obscured lesion	129740002 F-01743	C1268668
SRTSCT	F-01744 129741003	Indistinct lesion	129741003 F-01744	C1268669
SRTSCT	F-01745 129742005	Spiculated lesion	129742005 F-01745	C1268670
DCM	111343	Angular margins		

CID 6008 Density Modifier

Note

In future extensions, Density Modifier terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.338

Table CID 6008. Density Modifier

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6009 "Density Modifier from BI-RADS®"		

CID 6009 Density Modifier from BI-RADS®

Note

From BI-RADS® Third Edition (National Mammography Database, E82)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.339

Table CID 6009. Density Modifier from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-01751129744006	High density lesion	129744006F-01751	C1268672
SRTSCT	F-01752129745007	Equal density (isodense) lesion	129745007F-01752	C1268673
SRTSCT	F-01753129746008	Low density (not containing fat) lesion	129746008F-01753	C1268674
SRTSCT	F-01754129747004	Fat containing (radiolucent) lesion	129747004F-01754	C1268675

CID 6010 Mammography Calcification Types

Note

In future extensions, Mammography Calcification Types terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.340

Table CID 6010. Mammography Calcification Types

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6011 "Calcification Types from BI-RADS®"		

CID 6011 Calcification Types from BI-RADS®

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.341

Table CID 6011. Calcification Types from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-01761129749001	Coarse (popcorn-like) calcification	129749001F-01761	C1268677
SRTSCT	F-01762129750001	Dystrophic calcification	129750001F-01762	C0333582
SRTSCT	F-01763129751002	Eggshell calcification	129751002F-01763	C1313950
SRTSCT	F-01764129752009	Large rod-like calcification	129752009F-01764	C1268678
SRTSCT	F-01765129753004	Milk of calcium calcification	129753004F-01765	C1268679
SRTSCT	F-01766129754005	Lucent-centered calcification	129754005F-01766	C1268680
SRTSCT	F-01767129755006	Punctate calcification	129755006F-01767	C1265883
SRTSCT	F-01768129756007	Round shaped calcification	129756007F-01768	C1268681
SRTSCT	F-01769129757003	Calcified skin of breast	129757003F-01769	C1268682
SRTSCT	F-0176A129758008	Calcified suture material	129758008F-0176A	C1268683
SRTSCT	F-0176B129759000	Vascular calcification	129759000F-0176B	C1268684
SRTSCT	F-0176C129760005	Amorphous calcification	129760005F-0176C	C1268685
SRTSCT	F-0176D129761009	Fine, linear (casting) calcification	129761009F-0176D	C1268686
SRTSCT	F-0176E129762002	Fine linear, branching (casting) calcification	129762002F-0176E	C1268687
SRTSCT	F-0176F129763007	Heterogeneous calcification	129763007F-0176F	C1268688
DCM	111344	Fine pleomorphic calcification		
SRTSCT	D7-9043544771000	Microcalcifications of the breast	44771000D7-90435	C0520594
DCM	111345	Macrocalcifications		

CID 6012 Calcification Distribution Modifier

Note

In future extensions, Calcification Distribution Modifier terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.342

Table CID 6012. Calcification Distribution Modifier

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6013 "Calcification Distribution Modifier from BI-RADS®"		

CID 6013 Calcification Distribution Modifier from BI-RADS®

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.343

Table CID 6013. Calcification Distribution Modifier from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-01770 129764001	Diffuse calcification distribution	129764001 F-01770	C1268689
SRT SCT	F-01771 129765000	Linear calcification distribution	129765000 F-01771	C1268690
SRT SCT	F-01772 129766004	Grouped calcification distribution	129766004 F-01772	C1268691
SRT SCT	F-01773 129767008	Regional calcification distribution	129767008 F-01773	C1268692
SRT SCT	F-01774 129768003	Segmental calcification distribution	129768003 F-01774	C1268693
DCM	111346	Calcifications within a mass		
DCM	111347	Calcifications outside of a mass		

CID 6014 Mammography Single Image Finding

Note

In future extensions, Mammography Single Image Finding terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.344

Table CID 6014. Mammography Single Image Finding

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 6015 "Single Image Finding from BI-RADS®"				
DCM	111099	Selected region		
DCM	111100	Breast geometry		
DCM	111101	Image Quality		
DCM	111102	Non-lesion		
SRT SCT	T-04100 24142002	Nipple	24142002 T-04100	C0028109

CID 6015 Single Image Finding from BI-RADS®

Note

Collected from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914

UID: 1.2.840.10008.6.1.345

Table CID 6015. Single Image Finding from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	F-01796 129793001	Mammography breast density	429793001 F-01796	C1268717
SRTSCT	F-01776 129770007	Individual Calcification	429770007 F-01776	C1268695
SRTSCT	F-01775 129769006	Calcification Cluster	429769006 F-01775	C1268694
SRTSCT	F-01795 129792006	Architectural distortion of breast	429792006 F-01795	C1268716
SRTSCT	F-01797 129794007	Tubular density	429794007 F-01797	C1268718
SRTSCT	T-C430B 443808008	Intramammary lymph node	443808008 T-C430B	C2733350
SRTSCT	F-01798 129795008	Trabecular thickening of breast	429795008 F-01798	C1268719
SRTSCT	F-01710 129715009	Breast composition	429715009 F-01710	C0005890
SRTSCT	F-01799 129796009	Skin retraction of breast	429796009 F-01799	C0238832
SRTSCT	F-0179A 129797000	Skin thickening of breast	429797000 F-0179A	C1268720
SRTSCT	DC-721C4 127189005	Axillary adenopathy	427189005 DC-721C4	C0578735
SRTSCT	D0-00050 95324001	Skin lesion	95324001 D0-00050	C0037284
DCM	111111	Cooper's ligament changes		
SRTSCT	M-36300 79654002	Edema	79654002 M-36300	C0013604
DCM	111112	Mass in the skin		
DCM	111113	Mass on the skin		
SRTSCT	T-C4710 68171009	Axillary lymph node	68171009 T-C4710	C0729594

CID 6016 Mammography Composite Feature

Note

In future extensions, Mammography Composite Feature terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.346

Table CID 6016. Mammography Composite Feature

Coding Scheme Designator	Code Value	Code Meaning
DCM	111459	Mass with calcifications
Include CID 6014 "Mammography Single Image Finding"		
Include CID 6017 "Composite Feature from BI-RADS®"		

CID 6017 Composite Feature from BI-RADS®

Note

Collected from BI-RADS® Third Edition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.347

Table CID 6017. Composite Feature from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-01791129788004	Mammographic breast mass	129788004F-01791	C1268712
SRTSCT	F-01792129789007	Focal asymmetric breast tissue	129789007F-01792	C1268713
SRTSCT	F-01793129790003	Asymmetric breast tissue	129790003F-01793	C1268714

CID 6018 Clockface Location or Region

Note

In future extensions, Clockface Location or Region terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.348

Table CID 6018. Clockface Location or Region

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 6019 "Clockface Location or Region from BI-RADS®"				
SRTSCT	T-D305078904004	Chest wall	78904004T-D3050	C0205076

CID 6019 Clockface Location or Region from BI-RADS®

Note

From BI-RADS® 3.1, with Addendum 3.1 (National Mammography Database, E96)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.349

Table CID 6019. Clockface Location or Region from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-01781129772004	1 o'clock position	129772004F-01781	C1268696
SRTSCT	F-01782129773009	2 o'clock position	129773009F-01782	C1268697
SRTSCT	F-01783129774003	3 o'clock position	129774003F-01783	C1268698
SRTSCT	F-01784129775002	4 o'clock position	129775002F-01784	C1268699
SRTSCT	F-01785129776001	5 o'clock position	129776001F-01785	C1268700
SRTSCT	F-01786129777005	6 o'clock position	129777005F-01786	C1268701
SRTSCT	F-01787129778000	7 o'clock position	129778000F-01787	C1268702
SRTSCT	F-01788129779008	8 o'clock position	129779008F-01788	C1268703

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-01789129780006	9 o'clock position	129780006F-01789	C1268704
SRTSCT	F-0178A129781005	10 o'clock position	129781005F-0178A	C1268705
SRTSCT	F-0178B129782003	11 o'clock position	129782003F-0178B	C1268706
SRTSCT	F-0178C129783008	12 o'clock position	129783008F-0178C	C1268707
SRTSCT	F-0178D129784002	Subareolar region	129784002F-0178D	C1268708
SRTSCT	F-0178E129785001	Axillary tail region	129785001F-0178E	C1268709
SRTSCT	F-0178F129786000	Central region of breast	129786000F-0178F	C1268710
SRTSCT	F-01794129791004	Axilla region	129791004F-01794	C1268715

CID 6020 Quadrant Location

Note

In future extensions, Quadrant Location terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.350

Table CID 6020. Quadrant Location

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6021 "Quadrant Location from BI-RADS®"		

CID 6021 Quadrant Location from BI-RADS®

Note

From BI-RADS® Third Edition (National Mammography Database, E97)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.351

Table CID 6021. Quadrant Location from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-0400476365002	Upper outer quadrant of breast	76365002T-04004	C0222598
SRTSCT	T-0400277831004	Upper inner quadrant of breast	77831004T-04002	C0222596
SRTSCT	T-0400533564002	Lower outer quadrant of breast	33564002T-04005	C0222599
SRTSCT	T-0400319100000	Lower inner quadrant of breast	19100000T-04003	C0222597

CID 6022 Side

Note

In future extensions, Side terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible

Version: 20020904
UID: 1.2.840.10008.6.1.352

Table CID 6022. Side

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6023 "Side from BI-RADS®"		

CID 6023 Side from BI-RADS®

Note

From BI-RADS® Third Edition (National Mammography Database, E98)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Non-Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.353

Table CID 6023. Side from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-0403080248007	Left breast	80248007T-04030	C0222601
SRTSCT	T-0402073056007	Right breast	73056007T-04020	C0222600
SRTSCT	T-0408063762007	Both breasts	63762007T-04080	C0222605

CID 6024 Depth

Note

In future extensions, Depth terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.354

Table CID 6024. Depth

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6025 "Depth from BI-RADS®"		

CID 6025 Depth from BI-RADS®

Note

From BI-RADS® Third Edition (National Mammography Database, E99)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160405
UID: 1.2.840.10008.6.1.355

Table CID 6025. Depth from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-404CC255549009	Anterior	255549009R-404CC	C1704448
SRTSCT	R-4081A260528009	Middle	260528009R-4081A	C2939193
SRTSCT	R-404CE255551008	Posterior	255551008R-404CE	C0205095

CID 6026 Mammography Assessment

Note

In future extensions, Mammography Assessment terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050822
 UID: 1.2.840.10008.6.1.356

Table CID 6026. Mammography Assessment

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6027 "Assessment from BI-RADS®"		
DCM	111120	Post Procedure Mammograms for Marker Placement

CID 6027 Assessment from BI-RADS®

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050822
 UID: 1.2.840.10008.6.1.357

Table CID 6027. Assessment from BI-RADS®

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT		F- 397138000037BB	0 - Incomplete - Need additional imaging evaluation +/- priors	397138000 F-037BB	C1301244
SRTSCT		F- 397140005037BC	1 - Negative	397140005 F-037BC	C1301245
SRTSCT		F- 397141009037BD	2 - Benign	397141009 F-037BD	C1301246
SRTSCT		F- 397143007037BF	3 - Probably Benign	397143007 F-037BF	C1301247
SRTSCT		F- 397144001037C0	4 - Suspicious	397144001 F-037C0	C1301248
BI	4.0	MA.II.A.5.4A	4A - Low suspicion		
BI	4.0	MA.II.A.5.4B	4B - Intermediate suspicion		
BI	4.0	MA.II.A.5.4C	4C - Moderate suspicion		
SRTSCT		F- 397145000037C1	5 - Highly suggestive of malignancy	397145000 F-037C1	C1301249

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
BI	4.0	MA.II.A.5.6	6 - Known biopsy proven malignancy		

Note

- The code meanings are those from BI-RADS Atlas 5th edition, which removed the management recommendation from the assessment category.
- The code meaning for category 0 is shortened to fit the 64 character limitation of the Value Representation. In BI-RADS 5th edition, the full meaning is "Incomplete - Need additional imaging evaluation and/or prior mammograms for comparison".

CID 6028 Mammography Recommended Follow-up

Note

In future extensions, Mammography Recommended Follow-up terms that are not derived from BI-RADS® should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.358

Table CID 6028. Mammography Recommended Follow-up

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 6029 "Recommended Follow-up from BI-RADS®"				
DCM	111121	Follow-up post biopsy as directed by clinician		
SRTSCT	P0-006F1371572003	Nuclear medicine procedure	371572003P0-006F1	C0203634
SRTSCT	P0-009B4386053000	Evaluation procedure	386053000P0-009B4	C1261322
DCM	111410	Surgical consult		

CID 6029 Recommended Follow-up from BI-RADS®

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.359

Table CID 6029. Recommended Follow-up from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	111135	Additional projections		
SRTSCT	R-102D6399163009	Magnification views	399163009R-102D6	C1302233
SRTSCT	R-102D7399055006	Spot compression	399055006R-102D7	C1302185

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
DCM	111136	Spot magnification view(s)		
SRTSCT	P5-B000016310003	Diagnostic ultrasonography	16310003P5-B0000	C0041618
DCM	111138	Old films for comparison		
SRTSCT	P5-4006018102001	Mammary ductogram	18102001P5-40060	C0203033
DCM	111140	Normal interval follow-up		
DCM	111141	Any decision to biopsy should be based on clinical assessment		
DCM	111142	Follow-up at short interval (1-11 months)		
DCM	111143	Biopsy should be considered		
DCM	111144	Needle localization and biopsy		
DCM	111145	Histology using core biopsy		
DCM	111146	Suggestive of malignancy - take appropriate action		
DCM	111147	Cytologic analysis		
DCM	111148	Biopsy should be strongly considered		
DCM	111149	Highly suggestive of malignancy - take appropriate action		
DCM	111122	Known biopsy proven malignancy - take appropriate action		
SRTSCT	P5-0900D241615005	MRI of breast	241615005P5-0900D	C0344104

CID 6030 Mammography Pathology Codes

Note

In future extensions, Mammography Pathology Codes terms that are not derived from BI-RADS® should be added to this context group.

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.360

Table CID 6030. Mammography Pathology Codes

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6031 "Benign Pathology Codes from BI-RADS®"		
Include CID 6032 "High Risk Lesions Pathology Codes from BI-RADS®"		
Include CID 6033 "Malignant Pathology Codes from BI-RADS®"		

CID 6031 Benign Pathology Codes from BI-RADS®

Note

From BI-RADS® Third Edition, with Addendum 3.1 (National Mammography Database,F110)

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.361

Table CID 6031. Benign Pathology Codes from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	M-41610 44132006	Abscess	44132006M-41610	C0000833
SRTSCT	M-74200 57597008	Adenosis	57597008M-74200	C0334050
SRTSCT	M-81400 32048006	Adenoma	32048006M-81400	C0001430
SRTSCT	M-83240 22024005	Adenolipoma	22024005M-83240	C0334325
SRTSCT	M-73310 81274009	Apocrine Metaplasia	81274009M-73310	C0269252
SRTSCT	M-89830 128765009	Adenomyoepithelioma	128765009M-89830	C1266146
SRTSCT	M-55160 37279009	Amyloid (tumor)	37279009M-55160	C0333572
DCM	111251	Normal axillary node		
SRTSCT	M-88610 73219006	Angiolipoma	73219006M-88610	C0206632
DCM	111252	Axillary node with calcifications		
SRTSCT	M-76100 14350002	Angiomatosis	14350002M-76100	C0002992
DCM	111253	Axillary node hyperplasia		
SRTSCT	F-8A063 130963002	Asynchronous involution of breast	130963002F-8A063	C1295577
SRTSCT	D7-90035 399294002	Cyst of breast	399294002D7-90035	C0006144
DCM	111255	Benign cyst with blood		
DCM	111256	Benign Calcifications		
SRTSCT	M-92200 31186001	Chondroma	31186001M-92200	C0936248
SRTSCT	M-85040 47488001	Intracystic papilloma	47488001M-85040	C0334374
DCM	111258	Ductal adenoma		
SRTSCT	D7-90370 22049009	Mammary duct ectasia	22049009D7-90370	C0152442
DCM	111259	Diabetic fibrous mastopathy		
SRTSCT	M-72170 67617000	Ductal hyperplasia, Usual	67617000M-72170	C0333994
SRTSCT	M-88211 47284001	Extra abdominal desmoid	47284001M-88211	C0079218
SRTSCT	D4-48014 1896004	Ectopic (accessory) breast tissue	1896004D4-48014	C0266012
SRTSCT	M-33415 419670003	Epidermal inclusion cyst	419670003M-33415	C0014511
SRTSCT	M-36300 79654002	Edema	79654002M-36300	C0013604
SRTSCT	M-90100 65877006	Fibroadenoma	65877006M-90100	C0206650
DCM	111263	Fibroadenomatoid hyperplasia		
DCM	111264	Fibroadenolipoma		
SRTSCT	M-44140 37058002	Foreign body (reaction)	37058002M-44140	C0016549
SRTSCT	D7-90310 27431007	Fibrocystic disease of breast	27431007D7-90310	C0016034
SRTSCT	M-78266 45559001	Focal fibrosis	45559001M-78266	C0521195
SRTSCT	M-78800 19928005	Fibromatosis	19928005M-78800	C0016048
SRTSCT	D7-90434 21381006	Fat necrosis of breast	21381006D7-90434	C0156321
SRTSCT	D7-90364 42385006	Galactoceles	42385006D7-90364	C0152243
SRTSCT	M-95800 12169001	Granular cell tumor	12169001M-95800	C0085167
SRTSCT	M-90160 34882000	Giant fibroadenoma	34882000M-90160	C0334500
SRTSCT	D7-90420 4754008	Gynecomastia	4754008D7-90420	C0018418

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	M-75500 51398009	Hamartoma	51398009M-75500	C0018552
SRTSCT	M-91200 2099007	Hemangioma	2099007M-91200	C0018916
SRTSCT	D3-F0620 93473009	Hemangioma of subcutaneous tissue	93473009D3-F0620	C0685200
SRTSCT	M-91220 56468002	Hemangioma - venous	56468002M-91220	C0334532
SRTSCT	M-35060 35566002	Hematoma	35566002M-35060	C0018944
SRTSCT	M-72000 76197007	Hyperplasia, usual	76197007M-72000	C0020507
SRTSCT	D7-90452 77296004	Infarction of breast	77296004D7-90452	C0269266
SRTSCT	M-40000 23583003	Inflammation	23583003M-40000	C0021368
SRTSCT	T-C430B 443808008	Intramammary lymph node	443808008T-C430B	C2733350
SRTSCT	M-85030 5244003	Intraductal papilloma	5244003M-85030	C0206713
SRTSCT	M-90300 46212000	Juvenile fibroadenoma	46212000M-90300	C0346158
DCM	111277	Juvenile papillomatosis		
SRTSCT	M-82040 128651002	Lactating adenoma	128651002M-82040	C1266023
SRTSCT	M-88500 46720004	Lipoma	46720004M-88500	C0023798
DCM	111279	Lactational change		
SRTSCT	D7-90428 6703006	Breast lobular hyperplasia	6703006D7-90428	C0269263
SRTSCT	M-88900 44598004	Leiomyoma	44598004M-88900	C0042133
SRTSCT	T-C4000 59441001	Lymph node	59441001T-C4000	C0024204
DCM	111281	Large duct papilloma		
SRTSCT	D3-87780 69954004	Thrombophlebitis of breast (Mondor's disease)	69954004D3-87780	C0265070
SRTSCT	M-88250 128738002	Myofibroblastoma	128738002M-88250	C0242404
DCM	111284	Microglandular adenosis		
DCM	111285	Multiple Intraductal Papillomas		
DCM	111286	No abnormality		
DCM	111287	Normal breast tissue		
SRTSCT	M-95400 89084002	Neurofibroma	89084002M-95400	C0027830
SRTSCT	M-95401 81669005	Neurofibromatosis	81669005M-95401	C0162678
SRTSCT	D7-F0810 92248004	Benign neoplasm of nipple of female breast (Nipple adenoma)	92248004D7-F0810	C0686290
DCM	111290	Oil cyst (fat necrosis cyst)		
SRTSCT	M-80500 23730008	Papilloma	23730008M-80500	C0030354
SRTSCT	M-89400 8360001	Pleomorphic adenoma	8360001M-89400	C0026277
DCM	111291	Post reduction mammoplasty		
DCM	111292	Pseudoangiomatous stromal hyperplasia		
SRTSCT	M-78731 133855003	Radial scar	133855003M-78731	C1297883
SRTSCT	M-74220 50916005	Sclerosing adenosis	50916005M-74220	C0235590
SRTSCT	M-36050 56021002	Seroma	56021002M-36050	C0262627
DCM	111296	Silicone granuloma		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-7806012402003	Scar tissue	12402003M-78060	C2004491
SRTSCT	M-8211019665009	Tubular adenoma	19665009M-82110	C0334292
DCM	111298	Virginal hyperplasia		

CID 6032 High Risk Lesions Pathology Codes from BI-RADS®

Note

From BI-RADS® Third Edition, with Addendum 3.1 (National Mammography Database,F110)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.362

Table CID 6032. High Risk Lesions Pathology Codes from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-721756660000	Atypical intraductal hyperplasia	6660000M-72175	C0521187
SRTSCT	M-7210533889003	Atypical lobular hyperplasia	33889003M-72105	C0442835
SRTSCT	D7-F0A02109888004	Lobular carcinoma in situ of breast	109888004D7-F0A02	C0279563
DCM	111299	Peripheral duct papillomas		
SRTSCT	M-9020171232009	Phyllodes tumor	71232009M-90201	C0010701

CID 6033 Malignant Pathology Codes from BI-RADS®

Note

From BI-RADS® Third Edition, with Addendum 3.1 (National Mammography Database,F110)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.363

Table CID 6033. Malignant Pathology Codes from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-8200311671000	Adenoid cystic carcinoma	11671000M-82003	C0010606
DCM	111300	Axillary node with lymphoma		
DCM	111301	Axillary nodal metastases		
SRTSCT	M-8401357141000	Apocrine adenocarcinoma	57141000M-84013	C0334346
SRTSCT	M-9120339000009	Angiosarcoma	39000009M-91203	C0018923
DCM	111307	Basal cell carcinoma of nipple		
DCM	111303	Blood vessel (vascular) invasion		
SRTSCT	M-8480372495009	Mucinous adenocarcinoma (Colloid carcinoma)	72495009M-84803	C0007130
DCM	111304	Carcinoma in children		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	M-9220314990007	Chondrosarcoma	14990007M-92203	C0008479
DCM	111305	Carcinoma in ectopic breast		
DCM	111306	Carcinoma with endocrine differentiation		
SRTSCT	M-8501278197004	Comedocarcinoma (intraductal)	78197004M-85012	C0334369
SRTSCT	D7-F090292652009	Carcinoma in situ of male breast	92652009D7-F0902	C0686328
SRTSCT	M-8573322694002	Carcinoma with metaplasia	22694002M-85733	C0334396
DCM	111309	Cartilaginous and osseous change		
DCM	111310	Carcinoma in pregnancy and lactation		
SRTSCT	M-8980363264007	Carcinosarcoma	63264007M-89803	C0007140
DCM	111312	Intraductal comedocarcinoma with necrosis		
DCM	111341	Intraductal carcinoma, high grade		
DCM	111313	Intraductal carcinoma, low grade		
SRTSCT	M-85072128696009	Intraductal carcinoma micro-papillary	128696009M-85072	C1266080
SRTSCT	M-8810353654007	Fibrosarcoma	53654007M-88103	C0016057
SRTSCT	M-8315374280008	Glycogen-rich carcinoma	74280008M-83153	C0334319
SRTSCT	M-9150136060005	Hemangiopericytoma	36060005M-91501	C0018922
SRTSCT	M-9650314537002	Hodgkin's disease (lymphoma)	14537002M-96503	C0019829
SRTSCT	M-8201330156004	Invasive cribriform carcinoma	30156004M-82013	C0205643
DCM	111315	Intracystic papillary carcinoma		
SRTSCT	M-8500382711006	Infiltrating duct carcinoma	82711006M-85003	C1412014
DCM	111316	Invasive and in-situ carcinoma		
SRTSCT	M-8520389740008	Invasive lobular carcinoma	89740008M-85203	C0206692
SRTSCT	M-8530332968003	Inflammatory carcinoma	32968003M-85303	C0334385
SRTSCT	M-8050325910003	Papillary carcinoma (invasive)	25910003M-80503	C0007133
DCM	111318	Leukemic infiltration		
SRTSCT	M-8890351549004	Leiomyosarcoma	51549004M-88903	C0023269
SRTSCT	M-8850349430005	Liposarcoma	49430005M-88503	C0023827
SRTSCT	M-831433839000	Lipid-rich (lipid-secreting) carcinoma	3839000M-83143	C0334318
DCM	111320	Lymphatic vessel invasion		
SRTSCT	M-9590321964009	Lymphoma	21964009M-95903	C0024299
DCM	111322	Occult carcinoma presenting with axillary lymph node metastases		
DCM	111323	Metastatic cancer to the breast		
DCM	111324	Metastatic cancer to the breast from the colon		
DCM	111325	Metastatic cancer to the breast from the lung		
DCM	111326	Metastatic melanoma to the breast		
DCM	111327	Metastatic cancer to the breast from the ovary		
DCM	111328	Metastatic sarcoma to the breast		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	M-8510332913002	Medullary carcinoma	32913002M-85103	C0206693
DCM	111329	Multifocal intraductal carcinoma		
DCM	111330	Metastatic disease to axillary node		
SRTSCT	M-8830334360000	Malignant fibrous histiocytoma	34360000M-88303	C0334463
DCM	111332	Multifocal invasive ductal carcinoma		
DCM	111333	Metastasis to an intramammary lymph node		
DCM	111334	Malignant melanoma of nipple		
SRTSCT	M-959131929004	Non-Hodgkin's lymphoma	1929004M-95913	C0024305
SRTSCT	D0-F035F126510002	Neoplasm of the mammary skin	126510002D0-F035F	C1290094
SRTSCT	M-9180321708004	Osteogenic sarcoma	21708004M-91803	C0029463
SRTSCT	M-8050210376009	Papillary carcinoma in-situ	10376009M-80502	C0334242
SRTSCT	M-854032985005	Paget's disease, mammary (of the nipple)	2985005M-85403	C0030185
SRTSCT	M-9731310639003	Plasmacytoma	10639003M-97313	C0032131
SRTSCT	M-9020387913009	Phyllodes tumor, malignant	87913009M-90203	C0600066
DCM	111338	Recurrent malignancy		
SRTSCT	M-8490387737001	Signet ring cell carcinoma	87737001M-84903	C0206696
DCM	111340	Squamous cell carcinoma of the nipple		
SRTSCT	M-78190110451006	Spindle cell nodule (tumor)	110451006M-78190	C0333821
SRTSCT	M-8502341919003	Secretory (juvenile) carcinoma of the breast	41919003M-85023	C0334371
SRTSCT	M-8070328899001	Squamous cell carcinoma	28899001M-80703	C0007137
SRTSCT	M-821134631006	Tubular adenocarcinoma	4631006M-82113	C0205645

CID 6034 Intended Use of CAD Output

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.364

Table CID 6034. Intended Use of CAD Output

Coding Scheme Designator	Code Value	Code Meaning
DCM	111150	Presentation Required: Rendering device is expected to present
DCM	111151	Presentation Optional: Rendering device may present
DCM	111152	Not for Presentation: Rendering device expected not to present

CID 6035 Composite Feature Relations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.365

Table CID 6035. Composite Feature Relations

Coding Scheme Designator	Code Value	Code Meaning
DCM	111153	Target content items are related temporally
DCM	111154	Target content items are related spatially
DCM	111155	Target content items are related contra-laterally

CID 6036 Scope of Feature

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.366

Table CID 6036. Scope of Feature

Coding Scheme Designator	Code Value	Code Meaning
DCM	111156	Feature detected on the only image
DCM	111157	Feature detected on only one of the images
DCM	111158	Feature detected on multiple images
DCM	111159	Feature detected on images from multiple modalities

CID 6037 Mammography Quantitative Temporal Difference Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.367

Table CID 6037. Mammography Quantitative Temporal Difference Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-017B1129806009	Difference in size	129806009F-017B1	C1268722
SRTSCT	F-017B2129807000	Difference in opacity	129807000F-017B2	C1268723
SRTSCT	F-017B3129808005	Difference in location	129808005F-017B3	C1268724
SRTSCT	F-017B4129809002	Difference in spatial proximity	129809002F-017B4	C1268725
SRTSCT	F-017B5129810007	Difference in number of calcifications	129810007F-017B5	C1268726

CID 6038 Mammography Qualitative Temporal Difference Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.368

Table CID 6038. Mammography Qualitative Temporal Difference Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-017B6129811006	Difference in shape	129811006F-017B6	C1268727
SRTSCT	F-017B7129812004	Difference in margin	129812004F-017B7	C1268728

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-017B8129813009	Difference in symmetry	129813009F-017B8	C1268729

CID 6039 Nipple Characteristic

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.369

Table CID 6039. Nipple Characteristic

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-0200031842008	Normal shape	31842008M-02000	C0332480
SRTSCT	D7-9055431845005	Nipple retraction	31845005D7-90554	C0221370

CID 6040 Non-lesion Object Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.370

Table CID 6040. Non-lesion Object Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 6401 "Non-lesion Object Type - Physical Objects"				
Include CID 6402 "Non-lesion Object Type - Substances"				
Include CID 6403 "Non-lesion Object Type - Tissues"				
DCM	111176	Unspecified		

Note

The use of (111176, DCM, "Unspecified") is explicitly permitted in this context group to allow for the communication of measurements of an object of unknown type using TID 4012 "Mammography CAD Non-lesion".

CID 6041 Mammography Image Quality Finding

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.371

Table CID 6041. Mammography Image Quality Finding

Coding Scheme Designator	Code Value	Code Meaning	Source
DCM	111177	View and Laterality Marker is missing	MQSA
DCM	111178	View and Laterality Marker does not have both view and laterality	MQCM 1999
DCM	111179	View and Laterality Marker does not have approved codes	MQCM 1999

Coding Scheme Designator	Code Value	Code Meaning	Source
DCM	111180	View and Laterality Marker is not near the axilla	MQCM 1999
DCM	111181	View and Laterality Marker overlaps breast tissue	MQCM 1999
DCM	111182	View and Laterality Marker is partially obscured	MQCM 1999
DCM	111183	View and Laterality Marker is incorrect	
DCM	111184	View and Laterality Marker is off image	
DCM	111185	Flash is not near edge of film	MQCM 1999
DCM	111186	Flash is illegible, does not fit, or is lopsided	MQSA
DCM	111187	Flash doesn't include patient name and additional patient id	MQCM 1999
DCM	111188	Flash doesn't include date of examination	MQCM 1999
DCM	111189	Flash doesn't include facility name and location	MQSA
DCM	111190	Flash doesn't include technologist identification	MQCM 1999
DCM	111191	Flash doesn't include cassette/screen/detector identification	MQCM 1999
DCM	111192	Flash doesn't include mammography unit identification	MQCM 1999
DCM	111193	Date sticker is missing	MQCM 1999
DCM	111194	Technical factors missing	MQCM 1999
DCM	111195	Collimation too close to breast	MQCM 1999
DCM	111196	Inadequate compression	MQCM 1999
DCM	111197	MLO Insufficient pectoral muscle	MQCM 1999
DCM	111198	MLO No fat is visualized posterior to fibroglandular tissues	MQCM 1999
DCM	111199	MLO Poor separation of deep and superficial breast tissues	MQCM 1999
DCM	111200	MLO Evidence of motion blur	MQCM 1999
DCM	111201	MLO Inframammary fold is not open	MQCM 1999
DCM	111202	CC Not all medial tissue visualized	MQCM 1999
DCM	111203	CC Nipple not centered on image	MQCM 1999
DCM	111204	CC Posterior nipple line does not measure within 1 cm of MLO	MQCM 1999
DCM	111205	Nipple not in profile	
DCM	111206	Insufficient implant displacement incorrect	MQCM 1999
DCM	111208	Grid artifact(s)	
DCM	111209	Positioning	
DCM	111210	Motion blur	
DCM	111211	Under exposed	
DCM	111212	Over exposed	
DCM	111213	No image	
DCM	111214	Detector artifact(s)	
DCM	111215	Artifact(s) other than grid or detector artifact	
DCM	111216	Mechanical failure	
DCM	111217	Electrical failure	

Coding Scheme Designator	Code Value	Code Meaning	Source
DCM	111218	Software failure	
DCM	111219	Inappropriate image processing	
DCM	111220	Other failure	
DCM	111221	Unknown failure	

CID 6042 Status of Results

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.372

Table CID 6042. Status of Results

Coding Scheme Designator	Code Value	Code Meaning
DCM	111222	Succeeded
DCM	111223	Partially Succeeded
DCM	111224	Failed
DCM	111225	Not Attempted

CID 6043 Types of Mammography CAD Analysis

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.373

Table CID 6043. Types of Mammography CAD Analysis

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Notes
SRTSCT	P5-B3402133884007	Spatial collocation analysis	133884007P5-B3402	C1297892	See Note 1
SRTSCT	P5-B3404133885008	Spatial proximity analysis	133885008P5-B3404	C1297893	See Note 2
SRTSCT	P5-B3406133886009	Temporal correlation	133886009P5-B3406	C1297894	
SRTSCT	P5-B3408133887000	Image quality analysis	133887000P5-B3408	C1297895	
SRTSCT	P5-B3410133888005	Focal asymmetric density analysis	133888005P5-B3410	C1297896	
SRTSCT	P5-B3412133889002	Asymmetric breast tissue analysis	133889002P5-B3412	C1297897	
SRTSCT	P5-B3414133890006	Breast composition analysis	133890006P5-B3414	C1297898	
DCM	111233	Individual Impression / Recommendation Analysis			
DCM	111234	Overall Impression / Recommendation Analysis			

Note

1. Spatial Collocation Analysis is used to identify features that are the same or located in the same place.

2. Spatial Proximity Analysis is used to identify features that are related spatially, such as nipple retraction associated with a spiculated mass.

CID 6044 Types of Image Quality Assessment

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.374

Table CID 6044. Types of Image Quality Assessment

Coding Scheme Designator	Code Value	Code Meaning
DCM	111235	Unusable - Quality renders image unusable
DCM	111236	Usable - Does not meet the quality control standard
DCM	111237	Usable - Meets the quality control standard

CID 6045 Mammography Types of Quality Control Standard

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.375

Table CID 6045. Mammography Types of Quality Control Standard

Coding Scheme Designator	Code Value	Code Meaning
DCM	111238	Mammography Quality Control Manual 1999, ACR
DCM	111239	Title 21 CFR Section 900, Subpart B
DCM	111240	Institutionally defined quality control standard

CID 6046 Units of Follow-up Interval

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.376

Table CID 6046. Units of Follow-up Interval

Coding Scheme Designator	Code Value	Code Meaning
UCUM	d	day
UCUM	wk	week
UCUM	mo	month
UCUM	a	year

CID 6047 CAD Processing and Findings Summary

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Non-Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.377

Table CID 6047. CAD Processing and Findings Summary

Coding Scheme Designator	Code Value	Code Meaning
DCM	111241	All algorithms succeeded; without findings
DCM	111242	All algorithms succeeded; with findings
DCM	111243	Not all algorithms succeeded; without findings
DCM	111244	Not all algorithms succeeded; with findings
DCM	111245	No algorithms succeeded; without findings

CID 6048 CAD Operating Point Axis Label

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20060612
 UID: 1.2.840.10008.6.1.378

Table CID 6048. CAD Operating Point Axis Label

Coding Scheme Designator	Code Value	Code Meaning
DCM	111012	Certainty of Finding
DCM	111047	Probability of cancer
DCM	111086	False Markers per Image
DCM	111087	False Markers per Case
DCM	111088	Case Sensitivity
DCM	111089	Lesion Sensitivity
DCM	111090	Case Specificity
DCM	111091	Image Specificity

CID 6050 Breast Procedure Reported

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190125
 UID: 1.2.840.10008.6.1.379

Table CID 6050. Breast Procedure Reported

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
DCM	111408	Film Screen Mammography		
DCM	111409	Digital Mammography		
SRTSCT	P5-B8500 47079000	Ultrasonography of breast	47079000 P5-B8500	C0080264
SRTSCT	P5-0900D 241615005	MRI of breast	241615005 P5-0900D	C0344104
SRTSCT	P1-48011 237380007	Pre-biopsy localization of breast lesion	237380007 P1-48011	C0473515
SRTSCT	P1-48145 387736007	Fine needle aspiration of breast	387736007 P1-48145	C0542415
SRTSCT	P1-48142 287572003	Diagnostic aspiration of breast cyst	287572003 P1-48142	C0565162
SRTSCT	P1-48304 44578009	Core needle biopsy of breast	44578009 P1-48304	C0191853
SRTSCT	P1-4830F 274331003	Breast - surgical biopsy	274331003 P1-4830F	C0585992
SRTSCT	P5-40060 18102001	Mammary ductogram	18102001 P5-40060	C0203033

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	P5-0801C 241539009	CT of breast	241539009P5-0801C	C0412609
SRTSCT	P5-D0042 66377006	Radionuclide localization of tumor, limited area	66377006P5-D0042	C0203652
SRTSCT	P5-40030 80865008	Specimen radiography of breast	80865008P5-40030	C0203031
SRTSCT	P2-4A000 46662001	Examination of breast	46662001P2-4A000	C0199850
DCM	111410	Surgical consult		
DCM	111411	Mammography CAD		
SRTSCT	P1-65359 396487001	Sentinel lymph node biopsy	396487001P1-65359	C0796693
SRTSCT	P5-D0061 169167001	Radioisotope scan of lymphatic system	169167001P5-D0061	C0412375
DCM	111123	Marker placement		
SRTSCT	P1-05535 45211000	Insertion of catheter	45211000P1-05535	C0007430
LN	36626-0	breast - bilateral mammogram		C1524974
LN	30795-9	breast - bilateral mr		C1114600
LN	36150-1	breast - bilateral mr w contrast iv		C1524494
LN	36277-2	breast - bilateral mr wo and w contrast iv		C1524125
LN	46342-2	breast ffd mammogram		C1830243
LN	36627-8	breast - left mammogram		C1524975
LN	35954-7	breast - left mr		C1524349
LN	36151-9	breast - left mr w contrast iv		C1524495
LN	36278-0	breast - left mr wo and w contrast iv		C1524126
LN	36149-3	breast mr w contrast iv		C1524493
LN	36276-4	breast mr wo and w contrast iv		C1524610
LN	37774-7	breast - right mammogram		C1525124
LN	35955-4	breast - right mr		C1524350
LN	36152-7	breast - right mr w contrast iv		C1524496
LN	36279-8	breast - right mr wo and w contrast iv		C1524127
LN	36279-8	breast - right mr wo and w contrast iv		C1524127
LN	46339-8	breast - unilateral mammogram		C1830240
LN	46299-4	breast - unilateral mr		C1830200
LN	46323-2	breast - unilateral mr w contrast iv		C1830224
LN	43528-9	breast - unilateral mr wo and w contrast iv		C1714927
LN	46333-1	breast - unilateral mr wo contrast		C1830234
LN	46305-9	whole body ct		C1830206
LN	44139-4	whole body pt w rnc iv		C1715409

Note

- (~~P5-0900D~~, ~~SRT~~241615005, ~~SCT~~, "MRI of breast") is used historically in preference to (30794-2, LN, "breast mr") even though LOINC is used for more specific pre-coordinated concepts.
- (46342-2, LN, "breast ffd mammogram") is specific to full field digital mammography, which is not explicit in the definition of (111409, DCM, "Digital Mammography").

CID 6051 Breast Procedure Reason

Note

Some of these terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.380

Table CID 6051. Breast Procedure Reason

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 6061 "Breast Imaging Procedure Modifiers"				
DCM	111415	Additional evaluation requested from prior study		
DCM	111416	Follow-up at short interval from prior study		
DCM	111417	History of breast augmentation, asymptomatic		
DCM	111418	Review of an outside study		
DCM	111402	Clinical finding		
SRTSCT	P1-48830 59214008	Reduction mammoplasty	59214008 P1-48830	C0191922
SRTSCT	P5-C0000 53438000	Radiation therapy	53438000 P5-C0000	C1522449
SRTSCT	P1-48840 22890008	Augmentation mammoplasty	22890008 P1-48840	C0191925
DCM	111419	Additional evaluation requested from abnormal screening exam		
SRTSCT	P5-C018A 384692006	Brachytherapy	384692006 P5-C018A	C0006098
DCM	111420	History of benign breast biopsy		
DCM	111421	Personal history of breast cancer with breast conservation therapy		
DCM	111124	Personal history of breast cancer with mastectomy		
DCM	111125	Known biopsy proven malignancy		
SRTSCT	G-03D3 415076002	Personal history of breast cancer	415076002 G-03D3	C1387407
DCM	111590	Recall for technical reasons		
DCM	111591	Recall for imaging findings		
DCM	111592	Recall for patient symptoms/ clinical findings		

CID 6052 Breast Imaging Report Section Title

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040112
UID: 1.2.840.10008.6.1.381

Table CID 6052. Breast Imaging Report Section Title

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111423	Physical Examination Results		
DCM	111424	Comparison to previous exams		
DCM	121070	Findings		
LN	19005-8	Impressions		C0801998
DCM	121074	Recommendations		
DCM	121076	Conclusions		
DCM	121078	Addendum		
SRT SCT	F-01710 129715009	Breast composition	129715009 F-01710	C0005890
DCM	111413	Overall Assessment		
DCM	121058	Procedure reported		
DCM	111401	Reason for procedure		

CID 6053 Breast Imaging Report Elements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.382

Table CID 6053. Breast Imaging Report Elements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111423	Physical Examination Results		
DCM	111424	Comparison to previous exams		
DCM	121071	Finding		
DCM	121073	Impression		
DCM	121075	Recommendation		
DCM	121077	Conclusion		
SRT SCT	F-01710 129715009	Breast composition	129715009 F-01710	C0005890
DCM	111413	Overall Assessment		
DCM	121058	Procedure reported		
DCM	111401	Reason for procedure		

CID 6054 Breast Imaging Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.383

Table CID 6054. Breast Imaging Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-8A084 290084006	Breast normal	290084006 F-8A084	C0567498

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-8A057 309587003	Calcification of breast	309587003 F-8A057	C0587094
SRTSCT	A-04010 40388003	Implant	40388003 A-04010	C0021102
Include CID 6016 "Mammography Composite Feature"				
Include CID 6057 "Ductography Findings for Breast"				
Include CID 6064 "Ultrasound Findings for Breast"				

CID 6055 Breast Clinical Finding or Indicated Problem

Note

Some of these terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.384

Table CID 6055. Breast Clinical Finding or Indicated Problem

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-207D7 268951004	O/E - Breast lump palpated	268951004 R-207D7	C0437107
SRTSCT	D7-90565 290113009	Bloody nipple discharge	290113009 D7-90565	C0541951
DCM	111478	Non-bloody discharge (from nipple)		
DCM	111479	Difficult physical/clinical examination		
SRTSCT	D7-90010 271989003	Disorder of breast implant	271989003 D7-90010	C0405486
SRTSCT	F-0179A 129797000	Skin thickening of breast	129797000 F-0179A	C1268720
SRTSCT	F-01799 129796009	Skin retraction of breast	129796009 F-01799	C0238832
SRTSCT	D7-90560 87386002	Peau d'orange surface of breast	87386002 D7-90560	C0425791
SRTSCT	F-8A09C 290119008	Nipple problem	290119008 F-8A09C	C0567530
SRTSCT	R-20099 164150006	O/E - axillary lymphadenopathy	164150006 R-20099	C0437624
SRTSCT	F-8A030 53430007	Breast pain	53430007 F-8A030	C0024902
DCM	111480	Cancer elsewhere		
SRTSCT	D7-90530 89164003	Breast lump	89164003 D7-90530	C0024103
SRTSCT	F-8A074 290069002	Discoloration of skin of breast	290069002 F-8A074	C0567486
SRTSCT	F-01760 129748009	Radiographic calcification finding	129748009 F-01760	C0015663
DCM	111126	Image detected mass		
SRTSCT	F-03753 162164007	Nipple discharge symptom	162164007 F-03753	C0149741
SRTSCT	F-4410C 247441003	Erythema	247441003 F-4410C	C0041834
SRTSCT	R-202A9 274303007	O/E - lymphadenopathy	274303007 R-202A9	C0558515
SRTSCT	DF-00577 285645000	Disseminated malignancy of unknown primary	285645000 DF-00577	C0563521

CID 6056 Associated Findings for Breast

Note

These terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.385

Table CID 6056. Associated Findings for Breast

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D7-9002A302924003	Breast hematoma	302924003D7-9002A	C0342095
SRTSCT	M-7828063130001	Surgical scar	63130001M-78280	C0334150
SRTSCT	D7-9055431845005	Nipple retraction	31845005D7-90554	C0221370
Include CID 6015 "Single Image Finding from BI-RADS®"				

CID 6057 Ductography Findings for Breast

Note

These terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.386

Table CID 6057. Ductography Findings for Breast

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111287	Normal breast tissue		
DCM	111425	Intraluminal filling defect		
SRTSCT	D7-9037022049009	Mammary duct ectasia	22049009D7-90370	C0152442
DCM	111426	Multiple filling defect		
DCM	111427	Abrupt duct termination		
DCM	111428	Extravasation		
DCM	111429	Duct narrowing		
DCM	111430	Cyst fill		

CID 6058 Procedure Modifiers for Breast

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050822
 UID: 1.2.840.10008.6.1.387

Table CID 6058. Procedure Modifiers for Breast

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6059 "Breast Implant Types"		

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6060 "Breast Biopsy Techniques"		
Include CID 6061 "Breast Imaging Procedure Modifiers"		
Include CID 12224 "Ultrasound Image Modes"		

CID 6059 Breast Implant Types

Note

Some of these terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.388

Table CID 6059. Breast Implant Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	A-048302282003	Breast implant, type not specified	2282003A-04830	C0179412
SRTSCT	A-04831257357007	Silicone gel implant	257357007A-04831	C0441274
DCM	111481	Saline implant		
DCM	111482	Polyurethane implant		
DCM	111483	Percutaneous silicone injection		
DCM	111484	Combination implant		
DCM	111485	Pre-pectoral implant		
DCM	111486	Retro-pectoral implant		

CID 6060 Breast Biopsy Techniques

Note

Some of these terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.389

Table CID 6060. Breast Biopsy Techniques

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P1-030C4392021009	Lumpectomy	392021009P1-030C4	C0851238
UMLS	C0024881	Mastectomy		C0024881
SRTSCT	P1-4834A172049005	Quadrantectomy of breast	172049005P1-4834A	C0337354
SRTSCT	P5-0003264318009	Diagnostic radiography, stereotactic localization	64318009P5-00032	C0202577
SRTSCT	P5-B070061593002	Ultrasonic guidance procedure	61593002P5-B0700	C0442973
SRTSCT	P5-4001071651007	Mammography	71651007P5-40010	C0024671
DCM	111487	Mammographic (crosshair)		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	111488	Mammographic (grid)		
SRT SCT	P1-03107 277592004	Magnetic resonance imaging guided biopsy	277592004P1-03107	C0456854
SRT SCT	P1-03106 277591006	Computed tomography guided biopsy	277591006P1-03106	C0456853
DCM	111489	Palpation guided		
DCM	111490	Vacuum assisted		

Note

1. In a prior version of this Context Group, the code P1-03115 was specified for the concept "Ultrasound guided biopsy". The use of this code is too restrictive, and its use in this context is deprecated. There is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use.
2. The incorrect code P1-43850 was previously used for mastectomy, presumably a two-character transposition of the actual SNOMED concept (~~P1-48350~~, ~~SRT~~5884001, SCT, "Mastectomy"); since the correct SNOMED concept is inactive (has a ConceptStatus in SNOMED of ambiguous) and there is no replacement, the corresponding UMLS concept (which maps to multiple coding schemes) is used instead. Currently SNOMED contains a more generic parent concept "Excision of breast tissue", which includes procedures that are less than a mastectomy, e.g., "excisional biopsy of breast", and only specific types of mastectomy, e.g., "simple mastectomy" or "mastectomy of left breast".

CID 6061 Breast Imaging Procedure Modifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090819
 UID: 1.2.840.10008.6.1.390

Table CID 6061. Breast Imaging Procedure Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-42453 360156006	Screening	360156006R-42453	C1305399
SRT SCT	R-408C3 261004008	Diagnostic	261004008R-408C3	C0348026
DCM	111127	Targeted		
DCM	111128	Survey		
DCM	122505	Calibration		
DCM	110002	Quality Control		
DCM	111144	Needle localization and biopsy		
DCM	111123	Marker placement		

CID 6062 Interventional Procedure Complications

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181110
 UID: 1.2.840.10008.6.1.391

Table CID 6062. Interventional Procedure Complications

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	DD-66A67 110265006	Hemorrhage postprocedure	110265006 DD-66A67	C0032788
DCM	111491	Abnormal discharge		
SRTSCT	F-01FBA 213262007	Hematoma - postoperative	213262007 F-01FBA	C0472340
SRTSCT	D0-00165 247472004	Weal	247472004 D0-00165	C0221232
SRTSCT	DD-67703 408678008	Healthcare associated infection	408678008 DD-67703	C0010356
SRTSCT	F-A2632 279047007	Persistent pain following procedure	279047007 F-A2632	C0458166
SRTSCT	D2-80300 36118008	Pneumothorax	36118008 D2-80300	C0032326
SRTSCT	D0-00058 271807003	Rash	271807003 D0-00058	C0015230
SRTSCT	M-02570 65124004	Swelling	65124004 M-02570	C0038999
SRTSCT	F-A558A 398665005	Vasovagal syncope	398665005 F-A558A	C0042420
DCM	111492	No complications		

CID 6063 Interventional Procedure Results

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040112
UID: 1.2.840.10008.6.1.392

Table CID 6063. Interventional Procedure Results

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A249 30807003	Benign	30807003 G-A249	C0205183
SRTSCT	R-41DDC 258270003	High risk tumor	258270003 R-41DDC	C0475283
SRTSCT	G-A425 21594007	Malignant	21594007 G-A425	C0205282
SRTSCT	M-09024 281268007	Insufficient sample	281268007 M-09024	C0460062
SRTSCT	F-01E06 280416009	Indeterminate result	280416009 F-01E06	C0459425

CID 6064 Ultrasound Findings for Breast

Note

These terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.393

Table CID 6064. Ultrasound Findings for Breast

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-01BF8 169254007	Ultrasound scan normal	169254007 F-01BF8	C0581117
SRTSCT	D7-90035 399294002	Cyst of breast	399294002 D7-90035	C0006144

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	111460	Complex cyst		
DCM	111461	Intracystic lesion		
SRT SCT	D7-90370 22049009	Mammary duct ectasia	22049009 D7-90370	C0152442
DCM	111462	Solid mass		
SRT SCT	T-C4000 59441001	Lymph node	59441001 T-C4000	C0024204
SRT SCT	D7-90382 76649007	Sebaceous cyst of skin of breast	76649007 D7-90382	C0342082
DCM	111129	Clustered microcysts		
DCM	111130	Complicated cyst		
SRT SCT	M-30400 19227008	Foreign body	19227008 M-30400	C0016542

CID 6065 Instrument Approach

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.394

Table CID 6065. Instrument Approach

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	R-404D5 255561001	Medial	255561001 R-404D5	C0205098
SRT SCT	G-A104 49370004	Lateral	49370004 G-A104	C0205093
SRT SCT	R-42191 264217000	Superior	264217000 R-42191	C1282910
SRT SCT	R-4094A 261089000	Inferior	261089000 R-4094A	C0542339
DCM	111432	Inferolateral to superomedial		
DCM	111433	Inferomedial to superolateral		
DCM	111434	Superolateral to inferomedial		
DCM	111435	Superomedial to inferolateral		

CID 6066 Target Confirmation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.395

Table CID 6066. Target Confirmation

Coding Scheme Designator	Code Value	Code Meaning
DCM	111443	Target contained in the specimen
DCM	111444	Target partially obtained in the specimen
DCM	111445	Target not in the specimen
DCM	111446	Calcifications seen in the core
DCM	111447	Lesion completely removed
DCM	111448	Lesion partially removed
DCM	111449	Fluid obtained

CID 6067 Fluid Color

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.396

Table CID 6067. Fluid Color

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	G-A12B371251000	White color	371251000G-A12B	C0220938
SRTSCT	G-A11D371244009	Yellow color	371244009G-A11D	C0221205
DCM	111450	Light brown color		
SRTSCT	G-A11E371246006	Green color	371246006G-A11E	C0332583
SRTSCT	G-A12B371253002	Gray color	371253002G-A12D	C1269776
DCM	111451	Dark red color		
DCM	111452	Dark brown color		
SRTSCT	R-4205B263707001	Clear	263707001R-4205B	C2963144
SRTSCT	G-A12E371254008	Brown color	371254008G-A12E	C0678579
DCM	111453	Bright red color		
DCM	111454	Blood tinged color		
SRTSCT	G-A12C371252007	Black color	371252007G-A12C	C0439541

CID 6068 Tumor Stages From AJCC

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.397

Table CID 6068. Tumor Stages From AJCC

Coding Scheme Designator	Code Value	Code Meaning
DCM	111494	Stage 0
DCM	111495	Stage I
DCM	111496	Stage IIA
DCM	111497	Stage IIB
DCM	111498	Stage IIIA
DCM	111499	Stage IIIB
DCM	111500	Stage IIIC
DCM	111501	Stage IV

CID 6069 Nottingham Combined Histologic Grade

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.398

Table CID 6069. Nottingham Combined Histologic Grade

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-02B9B384668003	Nottingham Combined Grade cannot be determined	384668003F-02B9B	C1273755
SRTSCT	G-F616369790002	Nottingham Combined Grade I: 3-5 points	369790002G-F616	C1298194
SRTSCT	G-F617369791003	Nottingham Combined Grade II: 6-7 points	369791003G-F617	C1298195
SRTSCT	G-F618369792005	Nottingham Combined Grade III: 8-9 points	369792005G-F618	C1298196

CID 6070 Bloom-Richardson Histologic Grade

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.399

Table CID 6070. Bloom-Richardson Histologic Grade

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-F21154102005	Grade 1: well differentiated	54102005G-F211	C0475269
SRTSCT	G-F2121663004	Grade 2: moderately differentiated	1663004G-F212	C0475270
SRTSCT	G-F21361026006	Grade 3: poorly differentiated	61026006G-F213	C0475271
SRTSCT	R-41DC5258245003	Grade 4: undifferentiated	258245003R-41DC5	C0475272

CID 6071 Histologic Grading Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.400

Table CID 6071. Histologic Grading Method

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	111502	Bloom-Richardson Grade		
SRTSCT	R-00288372276001	Nottingham Combined Grade	372276001R-00288	C1276778

CID 6072 Breast Implant Findings

Note

These terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.401

Table CID 6072. Breast Implant Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111503	Normal implants		
DCM	111504	Asymmetric implants		
DCM	111505	Calcified implant		
DCM	111506	Distorted implant		
DCM	111507	Silicone-laden lymph nodes		
DCM	111508	Free silicone		
DCM	111509	Herniated implant		
SRT SCT	DD-66544 237473006	Rupture of breast implant	237473006 DD-66544	C0405491
DCM	111510	Explantation		

CID 6080 Gynecological Hormones

Note

Some of these terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.402

Table CID 6080. Gynecological Hormones

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	G-B7100 108899006	Contraceptives	108899006 C-B7100	C0009871
SRT SCT	G-A09006 1946003	Estrogen product	61946003 C-A0900	C0014939
SRT SCT	G-A1204 50318003	Progesterone product	50318003 C-A1204	C0033308
SRT SCT	G-781E0 75959001	Tamoxifen	75959001 C-781E0	C0039286
DCM	111542	Unspecified gynecological hormone		
SRT SCT	G-A0005 109029006	Raloxifene	109029006 C-A0005	C0244404
SRT SCT	F-61B21 386910003	Anastrozole	386910003 F-61B21	C0290883

CID 6081 Breast Cancer Risk Factors

Note

Some of these terms were obtained from BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.403

Table CID 6081. Breast Cancer Risk Factors

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	111550	Personal breast cancer history		
DCM	111551	History of endometrial cancer		
DCM	111552	History of ovarian cancer		
DCM	111553	History of high risk lesion on previous biopsy		
DCM	111554	Post menopausal patient		
SRT SCT	F-84430 102877006	Nulliparous	102877006 F-84430	C0425979
DCM	111555	Late child bearing (after 30)		
DCM	111556	BRCA1 breast cancer gene		
DCM	111557	BRCA2 breast cancer gene		
DCM	111558	BRCA3 breast cancer gene		
SRT SCT	G-04C5 429740004	Family history of breast cancer	429740004 G-04C5	C1261325
DCM	111559	Weak family history of breast cancer		
DCM	111560	Intermediate family history of breast cancer		
DCM	111561	Very strong family history of breast cancer		
DCM	111562	Family history of prostate cancer		
DCM	111563	Family history unknown		
SRT SCT	R-207AD 313376005	No family history of breast carcinoma	313376005 R-207AD	C1277317

CID 6082 Gynecological Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.404

Table CID 6082. Gynecological Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	P0-05CCA 386802000	Endometrial biopsy	386802000 P0-05CCA	C1510477
SRT SCT	P1-8330D 236886002	Hysterectomy	236886002 P1-8330D	C0020699
SRT SCT	P1-03151 13091001	Dilation and curettage	13091001 P1-03151	C0012358

CID 6083 Procedures for Breast

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.405

Table CID 6083. Procedures for Breast

Coding Scheme Designator	Code Value	Code Meaning
DCM	111564	Nipple discharge cytology
Include CID 6050 "Breast Procedure Reported"		

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6084 "Mammoplasty Procedures"		
Include CID 6085 "Therapies for Breast"		

CID 6084 Mammoplasty Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.406

Table CID 6084. Mammoplasty Procedures

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P1-48501119853006	Breast implantation	119853006P1-48501	C0178391
SRTSCT	P1-4883059214008	Reduction mammoplasty	59214008P1-48830	C0191922
SRTSCT	P1-4882033496007	Breast reconstruction	33496007P1-48820	C0085076
SRTSCT	P1-4852027315000	Removal of breast implant	27315000P1-48520	C0191909

CID 6085 Therapies for Breast

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.407

Table CID 6085. Therapies for Breast

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P0-0058E367336001	Chemotherapy	367336001P0-0058E	C3665472
SRTSCT	P5-C000053438000	Radiation therapy	53438000P5-C0000	C1522449
SRTSCT	P0-007AC169413002	Hormone therapy	169413002P0-007AC	C0279025
SRTSCT	P1-67D4023719005	Bone marrow transplant	23719005P1-67D40	C0005961

CID 6086 Menopausal Phase

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.408

Table CID 6086. Menopausal Phase

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-41FFF309606002	Before menopause	309606002R-41FFF	C0587111
SRTSCT	R-422A5303111005	During menopause	303111005R-422A5	C0587112
SRTSCT	R-410C3307429007	After menopause	307429007R-410C3	C0587113
SRTSCT	D7-76202371036001	Postsurgical menopause	371036001D7-76202	C0740421
SRTSCT	D7-7620031351009	Artificial menopause state	31351009D7-76200	C0232972

CID 6087 General Risk Factors

This context group collects risk factor terms from specialized risk factor context groups into one aggregate list for general purpose use.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.409

Table CID 6087. General Risk Factors

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6081 "Breast Cancer Risk Factors"		
Include CID 6088 "OB-GYN Maternal Risk Factors"		

CID 6088 OB-GYN Maternal Risk Factors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.410

Table CID 6088. OB-GYN Maternal Risk Factors

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-023F161445009	History of - diabetes mellitus	161445009G-023F	C0455488
SRTSCT	G-0269161501007	History of - hypertension	161501007G-0269	C0455527
SRTSCT	G-0244161453001	History of - obesity	161453001G-0244	C0455493
SRTSCT	G-02D0161656000	History of - regular medication	161656000G-02D0	C0455633
SRTSCT	G-0338371422002	History of substance abuse	371422002G-0338	C1299544
SRTSCT	G-0335266995000	History of - cardiovascular disease	266995000G-0335	C0455539
DCM	111565	Uterine malformations		
SRTSCT	G-0304161763005	History of - ectopic pregnancy	161763005G-0304	C0438096
DCM	111566	Spontaneous Abortion		
DCM	111567	Gynecologic condition		
DCM	111568	Gynecologic surgery		
SRTSCT	G-031E161806007	History of - eclampsia	161806007G-031E	C0438072
SRTSCT	G-031F161807003	History of - severe pre-eclampsia	161807003G-031F	C0438073
DCM	111569	Previous LBW or IUGR birth		
DCM	111570	Previous fetal malformation/syndrome		
SRTSCT	G-0305161765003	History of - premature delivery	161765003G-0305	C0438076
DCM	111571	Previous RH negative or blood dyscrasia at birth		
SRTSCT	G-0319161798008	History of infertility	161798008G-0319	C0438063
DCM	111572	History of multiple fetuses		
SRTSCT	D8-2010016356006	Multiple pregnancy	16356006D8-20100	C0032989
DCM	111573	Current pregnancy, known or suspected malformations/syndromes		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111574	Family history, fetal malformation/syndrome		

CID 6089 Substances

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.411

Table CID 6089. Substances

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-21047 419442005	Ethyl alcohol	419442005 C-21047	C0001962
SRTSCT	R-FBDEA 703842006	Amphetamine	703842006 R-FBDEA	C0002658
SRTSCT	F-61D6F 398705004	Marijuana	398705004 F-61D6F	C0678449
SRTSCT	F-61C76 387085005	Cocaine	387085005 F-61C76	C0009170
SRTSCT	F-61AC4 387341002	Heroin	387341002 F-61AC4	C0011892
SRTSCT	G-63A10 15698006	Lysergic acid diethylamide	15698006 C-63A10	C0024334
SRTSCT	F-6169A 373780001	Mescaline	373780001 F-6169A	C0025460
SRTSCT	G-6A180 9721008	Phencyclidine	9721008 C-6A180	C0031381
SRTSCT	F-61A95 387286002	Methadone	387286002 F-61A95	C0025605
SRTSCT	F-618D7 373529000	Morphine	373529000 F-618D7	C0026549
SRTSCT	F-618FE 373337007	Methlyphenidate	373337007 F-618FE	C0025810
SRTSCT	G-F3310 81911001	Chewing tobacco	81911001 C-F3310	C0008038
SRTSCT	G-F3302 66562002	Cigarette smoking tobacco	66562002 C-F3302	C0301612
SRTSCT	F-61117 255641001	Caffeine	255641001 F-61117	C0006644

CID 6090 Relative Usage, Exposure Amount

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050822
 UID: 1.2.840.10008.6.1.412

Table CID 6090. Relative Usage, Exposure Amount

Coding Scheme Designator	Code Value	Code Meaning
DCM	111575	High
DCM	111576	Medium
DCM	111577	Low
DCM	111587	No known exposure

CID 6091 Relative Frequency of Event Values

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible

Version: 20040112
 UID: 1.2.840.10008.6.1.413

Table CID 6091. Relative Frequency of Event Values

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-40377 255238004	Continuous	255238004 R-40377	C0549178
SRT SCT	G-7154 70232002	Frequent	70232002 G-7154	C0332183
SRT SCT	R-40365 255218000	Mid-frequency	255218000 R-40365	C0439604
SRT SCT	G-7155 27789000	Infrequent	27789000 G-7155	C0521114
SRT SCT	R-40B16 225761000	As required	225761000 R-40B16	C0558288
SRT SCT	R-4112F 307486002	Single event	307486002 R-4112F	C0585347

CID 6092 Quantitative Concepts for Usage, Exposure

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.414

Table CID 6092. Quantitative Concepts for Usage, Exposure

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	G-C0B7 260911001	Dosage	260911001 G-C0B7	C0178602
DCM	111578	Dose frequency		
DCM	111579	Rate of exposure		
DCM	111580	Volume of use		

CID 6093 Qualitative Concepts for Usage, Exposure Amount

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.415

Table CID 6093. Qualitative Concepts for Usage, Exposure Amount

Coding Scheme Designator	Code Value	Code Meaning
DCM	111581	Relative dose amount
DCM	111582	Relative amount of exposure
DCM	111583	Relative amount of use

CID 6094 Qualitative Concepts for Usage, Exposure Frequency

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.416

Table CID 6094. Qualitative Concepts for Usage, Exposure Frequency

Coding Scheme Designator	Code Value	Code Meaning
DCM	111584	Relative dose frequency
DCM	111585	Relative frequency of exposure
DCM	111586	Relative frequency of use

CID 6095 Numeric Properties of Procedures

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.417

Table CID 6095. Numeric Properties of Procedures

Coding Scheme Designator	Code Value	Code Meaning
DCM	111465	Needle Gauge
DCM	111467	Needle Length

CID 6096 Pregnancy Status

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.418

Table CID 6096. Pregnancy Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-8189060001007	not pregnant	60001007F-81890	C0232973
SRTSCT	F-84094102874004	possible pregnancy	102874004F-84094	C0425965
SRTSCT	F-8400077386006	patient currently pregnant	77386006F-84000	C0549206
SRTSCT	R-41198261665006	Unknown	261665006R-41198	C0439673

CID 6097 Side of Family

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.419

Table CID 6097. Side of Family

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	111541	Maternal		
SRTSCT	R-40333224944003	Paternal	224944003R-40333	C0337493

CID 6098 Clinical Course of Disease

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190125

UID: 1.2.840.10008.6.1.1277

Table CID 6098. Clinical Course of Disease

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
NCIt	C40413	No Evidence of Disease		C1518340
NCIt	C38155	Recurrent Disease		C0277556

CID 6099 Racial Group

Note

This Context Group is intended to be a set of values that is the union of concepts used in various jurisdictions. It does not distinguish race from ethnic group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190125
 UID: 1.2.840.10008.6.1.1278

Table CID 6099. Racial Group

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	S-0004E413464008	African race	413464008S-0004E	C0027567
SRTSCT	S-00051413582008	Asian race	413582008S-00051	C0078988
SRTSCT	S-0003D413773004	Caucasian race	413773004S-0003D	C0007457
SRTSCT	S-0004B413490006	American Indian or Alaska native	413490006S-0004B	C1515945
NCIt	C41219	Native Hawaiian or other Pacific Islander		C1513907

CID 6100 Chest Component Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.420

Table CID 6100. Chest Component Categories

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-2800039607008	Lung	39607008T-28000	C0024109
DCM	112052	Bronchovascular		
SRTSCT	T-290003120008	Pleural structure	3120008T-29000	C0032225
SRTSCT	T-D330072410000	Mediastinum	72410000T-D3300	C0025066
SRTSCT	T-3200080891009	Heart	80891009T-32000	C0018787
DCM	112053	Osseous		
SRTSCT	T-4000E281157001	Systemic vascular structure	281157001T-4000E	C0459962
SRTSCT	R-420AE263816006	Muscular	263816006R-420AE	C0442025

CID 6101 Chest Finding or Feature

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.421

Table CID 6101. Chest Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning
DCM	112061	Abnormal lines (1D)
DCM	112033	Abnormal opacity
DCM	112062	Abnormal lucency
DCM	112063	Abnormal calcifications
DCM	112064	Abnormal texture
DCM	112005	Radiographic anatomy
DCM	111102	Non-lesion
DCM	111101	Image quality
DCM	111099	Selected region

CID 6102 Chest Finding or Feature Modifier

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.422

Table CID 6102. Chest Finding or Feature Modifier

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6103 "Abnormal Lines Finding or Feature"		
Include CID 6104 "Abnormal Opacity Finding or Feature"		
Include CID 6105 "Abnormal Lucency Finding or Feature"		
Include CID 6106 "Abnormal Texture Finding or Feature"		
Include CID 6109 "Radiographic Anatomy Finding or Feature"		
Include CID 6138 "Chest Non-lesion Object Type"		

CID 6103 Abnormal Lines Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.423

Table CID 6103. Abnormal Lines Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	112065	Reticulonodular pattern		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	112104	Air-fluid level		
DCM	112105	Corona radiata		
DCM	112106	Honeycomb pattern		
DCM	112107	Fleischner's line(s)		
DCM	112108	Intralobular lines		
DCM	112109	Kerley A line		
DCM	112110	Kerley B line		
DCM	112111	Kerley C lines		
DCM	112112	Parenchymal band		
SRT SCT	D2-60302 40779009	Plate-like atelectasis	40779009D2-60302	C0264494
DCM	112113	Reticular pattern		
DCM	112114	Septal line(s)		
DCM	112115	Subpleural line		
DCM	112116	Tramline shadow		
DCM	112117	Tubular shadow		

CID 6104 Abnormal Opacity Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.424

Table CID 6104. Abnormal Opacity Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	112066	Beaded septum sign		
DCM	112067	Nodular pattern		
DCM	112059	Primary complex		
DCM	112068	Pseudoplaque		
DCM	112065	Reticulonodular pattern		
DCM	112069	Signet-ring sign		
DCM	112004	Abnormal interstitial pattern		
SRT SCT	F-20172 308689002	Coin lesion	308689002F-20172	C0009250
DCM	112118	Density		
DCM	112119	Dependent opacity		
DCM	112120	Ground glass opacity		
DCM	112121	Infiltrate		
SRT SCT	M-03000 4147007	Mass	4147007M-03000	C0577559
DCM	112122	Micronodule		
SRT SCT	M-03010 27925004	Nodule	27925004M-03010	C0028259

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
DCM	112001	Opacity		
DCM	112123	Phantom tumor (pseudotumor)		
DCM	112124	Shadow		
DCM	112125	Small irregular opacities		
DCM	112126	Small rounded opacities		
DCM	112127	Tree-in-bud sign		
SRT SCT	D3-40230 59282003	Pulmonary embolism	59282003 D3-40230	C0034065

CID 6105 Abnormal Lucency Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.425

Table CID 6105. Abnormal Lucency Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
DCM	112070	Air bronchiogram		
DCM	112071	Air bronchogram		
DCM	112072	Air crescent		
SRT SCT	F-20240 76171001	Air-trapping	76171001 F-20240	C0231819
DCM	112073	Halo sign		
SRT SCT	D2-81180 16838000	Pneumomediastinum	16838000 D2-81180	C0025062
SRT SCT	D2-80300 36118008	Pneumothorax	36118008 D2-80300	C0032326

CID 6106 Abnormal Texture Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.426

Table CID 6106. Abnormal Texture Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning
DCM	112067	Nodular pattern
DCM	112065	Reticulonodular pattern
DCM	112004	Abnormal interstitial pattern
DCM	112128	Granular pattern
DCM	112106	Honeycomb pattern

Coding Scheme Designator	Code Value	Code Meaning
DCM	112129	Miliary pattern
DCM	112130	Mosaic pattern
DCM	112113	Reticular pattern
DCM	112125	Small irregular opacities

CID 6107 Width Descriptor

Note

Original source of terms is [Fraser and Pare].

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.427

Table CID 6107. Width Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-40750 260376009	Enlarged	260376009 R-40750	C0442800
SRT SCT	R-41727 134223000	Narrow	134223000 R-41727	C0333164
DCM	112077	Vasoconstriction		
DCM	112078	Vasodilation		

CID 6108 Chest Anatomic Structure Abnormal Distribution

Note

Original source of terms is [Fraser and Pare].

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.428

Table CID 6108. Chest Anatomic Structure Abnormal Distribution

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	F-20240 76171001	Air-trapping	76171001 F-20240	C0231819
DCM	112079	Architectural distortion		
DCM	112080	Mosaic perfusion		
DCM	112060	Oligemia		
DCM	112081	Pleonemia		

CID 6109 Radiographic Anatomy Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible

Version: 20030108
 UID: 1.2.840.10008.6.1.429

Table CID 6109. Radiographic Anatomy Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 6110 "Lung Anatomy Finding or Feature"</i>		
<i>Include CID 6111 "Bronchovascular Anatomy Finding or Feature"</i>		
<i>Include CID 6112 "Pleura Anatomy Finding or Feature"</i>		
<i>Include CID 6113 "Mediastinum Anatomy Finding or Feature"</i>		
<i>Include CID 6114 "Osseous Anatomy Finding or Feature"</i>		
<i>Include CID 6116 "Muscular Anatomy"</i>		
<i>Include CID 6117 "Vascular Anatomy"</i>		
DCM	112082	Interface
DCM	112083	Line
DCM	112084	Lucency

CID 6110 Lung Anatomy Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.430

Table CID 6110. Lung Anatomy Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	T-28770 31094006	Lobe of lung	31094006 T-28770	C0225752
DCM	112085	Midlung window		
DCM	112054	Secondary pulmonary lobule		
SRT SCT	T-280D0 72674008	Segment of lung	72674008 T-280D0	C0225705

CID 6111 Bronchovascular Anatomy Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.431

Table CID 6111. Bronchovascular Anatomy Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	T-20001 89187006	Airway structure	89187006 T-20001	C0458827
SRT SCT	T-26000 955009	Bronchus	955009 T-26000	C0006255

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	T-25201 28700002	Carina	28700002 T-25201	C0225594
DCM	112086	Carina angle		
DCM	112087	Centrilobular structures		
SRT SCT	T-28080 46750007	Hilum of lung	46750007 T-28080	C0225701

CID 6112 Pleura Anatomy Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.432

Table CID 6112. Pleura Anatomy Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	112088	Anterior junction line		
SRT SCT	T-D051D 278983006	Fissure of lung	278983006 T-D051D	C0458078
DCM	112089	Posterior junction line		

CID 6113 Mediastinum Anatomy Finding or Feature

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130617
 UID: 1.2.840.10008.6.1.433

Table CID 6113. Mediastinum Anatomy Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	T-15420 85856004	Acromioclavicular Joint	85856004 T-15420	C0001208
SRT SCT	T-35400 34202007	Aortic Valve	34202007 T-35400	C0003501
SRT SCT	D4-31220 70142008	Atrial Septal Defect	70142008 D4-31220	C0018817
SRT SCT	T-32100 59652004	Atrium	59652004 T-32100	C0018792
SRT SCT	T-18774 368536000	Axillary Fascia	368536000 T-18774	C0225236
DCM	112090	Azygoesophageal recess interface		
SRT SCT	T-25201 28700002	Carina	28700002 T-25201	C0225594
SRT SCT	T-B4000 51345006	Carotid Body	51345006 T-B4000	C0007277
SRT SCT	T-11240 50016007	Costal Cartilage	50016007 T-11240	C0222787
SRT SCT	T-D3412 280062008	Esophageal Hiatus	280062008 T-D3412	C0230160
SRT SCT	T-56000 32849002	Esophagus	32849002 T-56000	C0014876

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-D0634 120576005	Fascial layer	120576005 T-D0634	C1268198
SRTSCT	T-32000 80891009	Heart	80891009 T-32000	C0018787
DCM	112095	Hiatus		
SRTSCT	T-26500 75245000	Left main bronchus	75245000 T-26500	C0225630
SRTSCT	T-42370 2160002	Ligamentum arteriosum	2160002 T-42370	C0226023
SRTSCT	T-C4000 59441001	Lymph node	59441001 T-C4000	C0024204
SRTSCT	T-35300 91134007	Mitral Valve	91134007 T-35300	C0026264
DCM	112091	Paraspinal line		
DCM	112092	Posterior tracheal stripe		
SRTSCT	T-35200 39057004	Pulmonary valve	39057004 T-35200	C0034086
SRTSCT	T-26100 70074004	Right main bronchus	70074004 T-26100	C0225608
DCM	112093	Right tracheal stripe		
DCM	112094	Stripe		
SRTSCT	T-C6510 1732005	Thoracic Duct	1732005 T-C6510	C0039979
SRTSCT	T-C8000 9875009	Thymus Gland	9875009 T-C8000	C0040113
SRTSCT	T-B6000 69748006	Thyroid	69748006 T-B6000	C0040132
SRTSCT	T-25000 44567001	Trachea	44567001 T-25000	C0040578
SRTSCT	T-14171 31764008	Trapezius muscle	31764008 T-14171	C0224361
SRTSCT	T-35100 46030003	Tricuspid Valve	46030003 T-35100	C0040960
SRTSCT	T-32400 21814001	Ventricle	21814001 T-32400	C0018827

CID 6114 Osseous Anatomy Finding or Feature

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.434

Table CID 6114. Osseous Anatomy Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-12310 51299004	Clavicle	51299004 T-12310	C0008913
SRTSCT	T-12410 85050009	Humerus	85050009 T-12410	C0020164
SRTSCT	T-11300 113197003	Rib	113197003 T-11300	C0035561
SRTSCT	T-12280 79601000	Scapula	79601000 T-12280	C0036277
SRTSCT	T-D04FF 421060004	Spine	421060004 T-D04FF	C0037949
SRTSCT	T-11210 56873002	Sternum	56873002 T-11210	C0038293
SRTSCT	T-11510 51282000	Vertebra	51282000 T-11510	C0549207

CID 6115 Osseous Anatomy Modifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.435

Table CID 6115. Osseous Anatomy Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-1228 131934006	Acromion process of scapula	31934006 T-12281	C0001209
SRTSCT	T-1130 714510004	Angle of rib	14510004 T-11307	C0222812
SRTSCT	T-1151 440265002	Arch of vertebra	40265002 T-11511	C0223076
SRTSCT	T-1122 052509009	Body of sternum	52509009 T-11220	C0222771
SRTSCT	T-1121 975319007	Clavicular notch of sternum	75319007 T-11219	C0222770
SRTSCT	T-1228 28931003	Coracoid process of scapula	8931003 T-12282	C0223626
SRTSCT	T-1130 817399006	Costal groove	17399006 T-11308	C0222813
SRTSCT	T-1228 751698000	Dorsal aspect of scapula	51698000 T-12287	C0223631
SRTSCT	T-1228 A46385009	Glenoid cavity of scapula	46385009 T-1228A	C1261046
SRTSCT	T-1130 112872006	Head of rib	12872006 T-11301	C0222806
SRTSCT	T-116E F181901007	Inferior articular facet of axis	181901007 T-116EF	C0223115
SRTSCT	T-1153 F317766009	Inferior articular process of vertebra	317766009 T-1153F	C0223083
SRTSCT	T-1151 489340005	Lamina of vertebra	89340005 T-11514	C0223079
SRTSCT	T-1121 137285002	Manubrium of sternum	37285002 T-11211	C0024764
SRTSCT	T-1130 372184008	Neck of rib	72184008 T-11303	C0222808
SRTSCT	T-1220 026444007	Pectoral girdle	26444007 T-12200	C0427245
SRTSCT	T-1151 578972004	Pedicle of vertebra	78972004 T-11515	C0223080
DCM	112096	Rib Scalene Tubercle		
DCM	112101	Scapular Infraspinatus Fossa		
DCM	112099	Scapular Spine		
DCM	112100	Scapular Supraspinatus Fossa		
SRTSCT	T-1130 941601005	Shaft of rib	41601005 T-11309	C0448161
SRTSCT	T-1151 255678000	Spinous process of vertebra	55678000 T-11512	C0223077
SRTSCT	T-1122 144612009	Sternal angle	44612009 T-11221	C0222772
DCM	112098	Subscapular Fossa		
SRTSCT	T-116E E181900008	Superior articular facet of axis	181900008 T-116EE	C0223114
SRTSCT	T-1153 E317665004	Superior articular process of vertebra	317665004 T-1153E	C0223082
SRTSCT	T-1121 826493002	Suprasternal notch	26493002 T-11218	C0222769
SRTSCT	T-1151 373400003	Transverse process or vertebra	73400003 T-11513	C0223078
SRTSCT	T-1130 4113198008	Tubercle of rib	113198008 T-11304	C0222809
SRTSCT	T-1151 F61853006	Vertebral canal	61853006 T-1151F	C0037922
SRTSCT	T-1153 4280734009	Vertebral foramen	280734009 T-11531	C0459720
DCM	112097	Vertebral Intervertebral Notch		
SRTSCT	T-1122 720298003	Xiphoid process of sternum	20298003 T-11227	C0043356

CID 6116 Muscular Anatomy

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914

UID: 1.2.840.10008.6.1.436

Table CID 6116. Muscular Anatomy

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-35020 102298001	Chordae tendineae cordis	102298001 T-35020	C0008484
SRTSCT	T-13660 35259002	Deltoid muscle	35259002 T-13660	C0224234
SRTSCT	T-D3400 5798000	Diaphragm	5798000 T-D3400	C0011980
SRTSCT	T-14020 44947003	Erector spinae muscle	44947003 T-14020	C0224301
SRTSCT	T-14161 53967007	External intercostal muscle	53967007 T-14161	C1744535
SRTSCT	T-14030 57651003	Iliocostalis muscle	57651003 T-14030	C0224302
SRTSCT	T-13620 72573008	Infraspinatus muscle	72573008 T-13620	C0584882
SRTSCT	T-14165 24062007	Innermost intercostal muscles	24062007 T-14165	C0224357
SRTSCT	T-32150 58095006	Interatrial septum	58095006 T-32150	C0225836
SRTSCT	T-14163 41313007	Internal intercostal muscle	41313007 T-14163	C1744536
SRTSCT	T-32410 589001	Interventricular septum	589001 T-32410	C0225870
SRTSCT	T-14172 15665001	Latissimus dorsi muscle	15665001 T-14172	C0224362
SRTSCT	T-14150 73930003	Levatores costarum muscles	73930003 T-14150	C1744586
SRTSCT	T-14040 88340001	Longissimus muscle	88340001 T-14040	C0224306
SRTSCT	T-14110 60005003	Pectoralis major muscle	60005003 T-14110	C0585574
SRTSCT	T-14120 18686000	Pectoralis minor muscle	18686000 T-14120	C0224347
SRTSCT	T-13450 50755001	Scalenus anterior muscle	50755001 T-13450	C0224173
SRTSCT	T-14140 18346003	Serratus anterior muscle	18346003 T-14140	C0224349
SRTSCT	T-14050 4317002	Spinalis muscle	4317002 T-14050	C0224310
SRTSCT	T-13310 22823000	Sternocleidomastoid muscle	22823000 T-13310	C0224153
SRTSCT	T-14166 64658001	Subcostal muscle	64658001 T-14166	C0224358
SRTSCT	T-13650 90588001	Subscapularis muscle	90588001 T-13650	C0584884
SRTSCT	T-13610 6423006	Supraspinatus muscle	6423006 T-13610	C0584869
SRTSCT	T-13640 1193009	Teres major muscle	1193009 T-13640	C0224232
SRTSCT	T-13630 51159009	Teres minor muscle	51159009 T-13630	C0224231
SRTSCT	T-32423 118755002	Trabeculae carnae	118755002 T-32423	C0502348
SRTSCT	T-14167 88454005	Transversus thoracis	88454005 T-14167	C1744608
SRTSCT	T-14171 31764008	Trapezius muscle	31764008 T-14171	C0224361

CID 6117 Vascular Anatomy

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130617
 UID: 1.2.840.10008.6.1.437

Table CID 6117. Vascular Anatomy

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
Include CID 3015 "Coronary Arteries"				

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-42300 57034009	Aortic arch	57034009 T-42300	C0003489
SRTSCT	T-42310 88593004	Aortic isthmus	88593004 T-42310	C0226019
DCM	112102	Aortic knob		
DCM	112103	Arch of the Azygos vein		
SRTSCT	T-42100 54247002	Ascending aorta	54247002 T-42100	C0003956
SRTSCT	T-47100 67937003	Axillary Artery	67937003 T-47100	C0004455
SRTSCT	T-49110 68705008	Axillary vein	68705008 T-49110	C0004456
SRTSCT	T-48340 72107004	Azygos vein	72107004 T-48340	C0004526
SRTSCT	T-47160 17137000	Brachial artery	17137000 T-47160	C0006087
SRTSCT	T-A9090 36582005	Brachial plexus	36582005 T-A9090	C0006090
SRTSCT	T-46010 12691009	Brachiocephalic trunk	12691009 T-46010	C0006094
SRTSCT	T-48620 8887007	Brachiocephalic vein	8887007 T-48620	C0006095
SRTSCT	T-46310 64468002	Bronchial artery	64468002 T-46310	C0006257
SRTSCT	T-45100 32062004	Common carotid artery	32062004 T-45100	C0162859
SRTSCT	T-46180 3159004	Costocervical trunk	3159004 T-46180	C0226273
SRTSCT	T-D0765 281130003	Descending aorta	281130003 T-D0765	C0011666
SRTSCT	T-461A0 91732003	Dorsal scapular artery	91732003 T-461A0	C0500583
SRTSCT	T-4630D 206034008	Esophageal artery	206034008 T-4630D	C0226294
SRTSCT	T-46940 29660000	Inferior phrenic artery	29660000 T-46940	C0226406
SRTSCT	T-48710 64131007	Inferior vena cava	64131007 T-48710	C0042458
SRTSCT	T-D305A 281134007	Intercostal artery	281134007 T-D305A	C0459917
SRTSCT	T-48170 12123001	Internal jugular vein	12123001 T-48170	C0226550
SRTSCT	T-46200 69327007	Internal thoracic artery	69327007 T-46200	C0226276
SRTSCT	T-46210 3924000	Pericardiophrenic Artery	3924000 T-46210	C0226287
SRTSCT	T-44000 81040000	Pulmonary artery	81040000 T-44000	C0034052
SRTSCT	T-44100 45341000	Pulmonary trunk	45341000 T-44100	C0034052
SRTSCT	T-48581 122972007	Pulmonary vein	122972007 T-48581	C0034090
SRTSCT	T-46100 36765005	Subclavian artery	36765005 T-46100	C0038530
SRTSCT	T-48330 9454009	Subclavian vein	9454009 T-48330	C0038532
SRTSCT	T-46350 38991005	Superior phrenic artery	38991005 T-46350	C0226295
SRTSCT	T-48610 48345005	Superior vena cava	48345005 T-48610	C0042459
SRTSCT	T-46130 6538005	Thyrocervical trunk	6538005 T-46130	C0226263
SRTSCT	T-45700 85234005	Vertebral artery	85234005 T-45700	C0042559

Note

In a prior version of this Context Group the code T-48500 rather than T-48581 was defined for the concept Pulmonary Vein; this was inconsistent with the DICOM approach of selecting the "structure of" rather than "entire" concept. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 6118 Size Descriptor

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
 Type: Extensible

Version: 20030108
 UID: 1.2.840.10008.6.1.438

Table CID 6118. Size Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	112131	Extremely small		
DCM	112132	Very small		
SRT SCT	R-404A8 255507004	Small	255507004 R-404A8	C0700321
SRT SCT	R-404A9 255508009	Medium	255508009 R-404A9	C0439536
SRT SCT	R-404AA 255509001	Large	255509001 R-404AA	C0549177
SRT SCT	R-40750 260376009	Enlarged	260376009 R-40750	C0442800
DCM	112133	Too small		

CID 6119 Chest Border Shape

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.439

Table CID 6119. Chest Border Shape

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	M-02100 42700002	Round shape	42700002 M-02100	C0332490
DCM	112134	Elliptic		
SRT SCT	G-A402 49608001	Irregular	49608001 G-A402	C0205271
DCM	112135	Lobulated		
DCM	112136	Spiculated		

CID 6120 Chest Border Definition

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: ~~20030108~~20190326
 UID: 1.2.840.10008.6.1.440

Table CID 6120. Chest Border Definition

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-40771 260409000	Well defined	260409000 R-40771	C0442825
DCM	112137	Sharply defined		
SRT SCT	R-428E7 300841009	Poorly defined	300841009 R-428E7	C0577553

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	112138	Distinctly defined		
DCM	112139	Well demarcated		
DCM	112140	Sharply demarcated		
DCM	112141	Poorly demarcated		
DCM SCT	112142 263706005	Circumscribed	R-4205A	C1282914

CID 6121 Chest Orientation Descriptor

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.441

Table CID 6121. Chest Orientation Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	G-A142 24020000	Horizontal	24020000 G-A142	C0205126
SRT SCT	G-A144 33096000	Vertical	33096000 G-A144	C0205128
SRT SCT	G-A472 21114003	Oblique	21114003 G-A472	C0205315

CID 6122 Chest Content Descriptor

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.442

Table CID 6122. Chest Content Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	112143	Air		
SRT SCT	T-D008A 256674009	Fat	256674009 T-D008A	C0015677
DCM	112144	Soft tissue		
DCM	112145	Calcium		
SRT SCT	M-30400 19227008	Foreign material (iodized oil, mercury,talc)	19227008 M-30400	C0016542

CID 6123 Chest Opacity Descriptor

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.443

Table CID 6123. Chest Opacity Descriptor

Coding Scheme Designator	Code Value	Code Meaning
DCM	112146	Acinar
DCM	112147	Air space
DCM	112148	Fibronodular
DCM	112149	Fluffy
DCM	112150	Linear
DCM	112151	Profusion
DCM	112152	Silhouette sign

CID 6124 Location in Chest

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.444

Table CID 6124. Location in Chest

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6125 "General Chest Location"		
Include CID 6126 "Location in Lung"		
Include CID 6127 "Segment Location in Lung"		

CID 6125 General Chest Location

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.445

Table CID 6125. General Chest Location

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A11026216008	Central	26216008G-A110	C0205099
SRTSCT	G-A11114414005	Peripheral	14414005G-A111	C0205100
SRTSCT	G-A12243674008	Apical	43674008G-A122	C0205111
SRTSCT	G-A12357195005	Basal	57195005G-A123	C0205112

CID 6126 Location in Lung

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.446

Table CID 6126. Location in Lung

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-D3208281392002	Upper zone of lung	281392002T-D3208	C0559286

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	T-D3209 281393007	Middle zone of lung	281393007 T-D3209	C0559287
SRT SCT	T-D320A 281394001	Lower zone of lung	281394001 T-D320A	C0559288
SRT SCT	T-28820 45653009	Upper lobe of lung	45653009 T-28820	C0225756
SRT SCT	T-28825 40020002	Middle lobe of lung	40020002 T-28825	C0225757
SRT SCT	T-28830 90572001	Lower lobe of lung	90572001 T-28830	C0225758
DCM	112153	Subpleural		

CID 6127 Segment Location in Lung

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.447

Table CID 6127. Segment Location in Lung

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	T-28230 39743006	Anterior segment of right upper lobe	39743006 T-28230	C0225718
SRT SCT	T-28630 22270008	Anterior segment of left upper lobe	22270008 T-28630	C0225742
SRT SCT	T-28220 3236000	Posterior segment of right upper lobe	3236000 T-28220	C0225717

CID 6128 Chest Distribution Descriptor

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.448

Table CID 6128. Chest Distribution Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	112154	Bat's wing distribution		
DCM	112155	Butterfly distribution		
DCM	112156	Centrilobular		
DCM	112157	Coalescent		
SRT SCT	G-A321 19648000	Diffuse	19648000 G-A321	C0205219
SRT SCT	M-020FA 255282008	Discoid	255282008 M-020FA	C0439641
SRT SCT	G-A324 65709003	Disseminated	65709003 G-A324	C0205221
SRT SCT	G-A351 87017008	Focal	87017008 G-A351	C0205234
SRT SCT	G-A366 60132005	Generalized	60132005 G-A366	C0205246
DCM	112158	Lobar		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A443524008	Multifocal	524008G-A443	C0205292
SRTSCT	G-A13762372003	Segmental	62372003G-A137	C0205122
SRTSCT	G-A57231099001	Systemic	31099001G-A572	C0205373

CID 6129 Chest Site Involvement

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.449

Table CID 6129. Chest Site Involvement

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-2800039607008	Lung	39607008T-28000	C0024109
SRTSCT	T-D330072410000	Mediastinum	72410000T-D3300	C0025066
DCM	112158	Lobar		
SRTSCT	T-1A00785293002	Interstitial tissue	85293002T-1A007	C0225318
SRTSCT	R-40939261061003	Bronchial	261061003R-40939	C0205039
SRTSCT	T-2808046750007	Hilum of lung	46750007T-28080	C0225701
SRTSCT	T-4200015825003	Aorta	15825003T-42000	C0003483
SRTSCT	T-290003120008	Pleural structure	3120008T-29000	C0032225
SRTSCT	T-D305078904004	Chest wall	78904004T-D3050	C0205076
SRTSCT	T-D400180581009	Upper abdomen	80581009T-D4001	C2937240

CID 6130 Severity Descriptor

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.450

Table CID 6130. Severity Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-404FA255604002	Mild	255604002R-404FA	C2945599
SRTSCT	G-A0026736007	Moderate	6736007G-A002	C0205081
SRTSCT	G-A00324484000	Severe	24484000G-A003	C0205082
SRTSCT	R-424BE373933003	Acute onset	373933003R-424BE	C1276802
SRTSCT	G-A27090734009	Chronic	90734009G-A270	C0205191
DCM	112159	Hyper-acute		
SRTSCT	G-A56119939008	Subacute	19939008G-A561	C0205365

CID 6131 Chest Texture Descriptor

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.451

Table CID 6131. Chest Texture Descriptor

Coding Scheme Designator	Code Value	Code Meaning
DCM	112160	Homogeneous (uniform opacity)
DCM	112161	Inhomogeneous

CID 6132 Chest Calcification Descriptor

Note

Original source of terms is [Fraser and Pare].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.452

Table CID 6132. Chest Calcification Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	F-01763 129751002	Eggshell calcification	129751002 F-01763	C1313950
SRT SCT	F-01761 129749001	Coarse (popcorn-like) calcification	129749001 F-01761	C1268677
DCM	112162	Target		
SRT SCT	G-A405 88446008	Laminated	88446008 G-A405	C0205274
DCM	112163	Fibrocalcific		
DCM	112164	Flocculent		
SRT SCT	R-403A7 255288007	Nodular	255288007 R-403A7	C0205297
SRT SCT	F-12100 83323007	Ossification	83323007 F-12100	83323007

CID 6133 Chest Quantitative Temporal Difference Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100604
 UID: 1.2.840.10008.6.1.453

Table CID 6133. Chest Quantitative Temporal Difference Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	F-05173 442714003	Difference in size	442714003 F-05173	C2711955
SRT SCT	F-05179 442726008	Difference in location	442726008 F-05179	C2711109

CID 6134 Chest Qualitative Temporal Difference Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090717
 UID: 1.2.840.10008.6.1.454

Table CID 6134. Chest Qualitative Temporal Difference Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-0517E 442755000	Difference in border shape	442755000 F-0517E	C2711283
SRTSCT	F-05166 442688001	Difference in border definition	442688001 F-05166	C2711343
SRTSCT	F-0516C 442704007	Difference in distribution	442704007 F-0516C	C2711851
SRTSCT	F-05170 442711006	Difference in site involvement	442711006 F-05170	C2711937
SRTSCT	F-05167 442691001	Difference in substance	442691001 F-05167	C2711644
SRTSCT	F-0516A 442700003	Difference in Texture	442700003 F-0516A	C2711323
SRTSCT	F-01722 129722001	Finding partially removed	129722001 F-01722	C1268650
SRTSCT	F-01723 129723006	No significant changes in the finding	129723006 F-01723	C1268651
SRTSCT	M-02520 15454001	Increase in size	15454001 M-02520	C0332509
SRTSCT	M-02530 19776001	Decrease in size	19776001 M-02530	C0332511
SRTSCT	F-01728 129728002	Less defined	129728002 F-01728	C1268656
SRTSCT	F-01729 129729005	More defined	129729005 F-01729	C1268657

CID 6135 Image Quality Finding

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.455

Table CID 6135. Image Quality Finding

Coding Scheme Designator	Code Value	Code Meaning
DCM	111208	Grid artifact(s)
DCM	111209	Positioning
DCM	111210	Motion blur
DCM	111211	Under exposed
DCM	111212	Over exposed
DCM	111213	No image
DCM	111214	Detector artifact(s)
DCM	111215	Artifact(s) other than grid or detector artifact
DCM	111216	Mechanical failure
DCM	111217	Electrical failure
DCM	111218	Software failure
DCM	111219	Inappropriate image processing
DCM	111220	Other failure
DCM	111221	Unknown failure

Coding Scheme Designator	Code Value	Code Meaning
RADLEX	RID11327	Beam-hardening artifact

CID 6136 Chest Types of Quality Control Standard

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.456

Table CID 6136. Chest Types of Quality Control Standard

Coding Scheme Designator	Code Value	Code Meaning
DCM	112035	Performance of Pediatric and Adult Chest Radiography, ACR
DCM	112036	ACR Position Statement
DCM	111240	Institutionally defined quality control standard
DCM	112184	Performance of Pediatric and Adult Thoracic CT
DCM	112185	Performance of CT for Detection of Pulmonary Embolism in Adults
DCM	112186	Performance of High-Resolution CT of the Lungs in Adults

CID 6137 Types of CAD Analysis

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.457

Table CID 6137. Types of CAD Analysis

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	Notes
SRT SCT	P5-B3402 133884007	Spatial collocation analysis	133884007 P5-B3402	C1297892	See Note 1
SRT SCT	P5-B3404 133885008	Spatial proximity analysis	133885008 P5-B3404	C1297893	See Note 2
SRT SCT	P5-B3406 133886009	Temporal correlation	133886009 P5-B3406	C1297894	
SRT SCT	P5-B3408 133887000	Image quality analysis	133887000 P5-B3408	C1297895	

Note

1. Spatial Co-location Analysis is used to identify features that are the same or located in the same place.
2. Spatial Proximity Analysis is used to identify different features that are related spatially.

CID 6138 Chest Non-lesion Object Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.458

Table CID 6138. Chest Non-lesion Object Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 6404 "Chest Non-lesion Object Type - Physical Objects"				

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 6405 "Chest Non-lesion Object Type - Tissues"				

Note

The use of (111176, DCM, "Unspecified") was previously included in this context group but was removed since it does not make sense to have Chest CAD detections of an unknown type (was using TID 4015 "CAD Detections Performed" invoked by TID 4100 "Chest CAD Document Root", TID 4102 "Chest CAD Composite Feature" and TID 4104 "Chest CAD Single Image Finding" of an unknown type).

CID 6139 Non-lesion Modifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.459

Table CID 6139. Non-lesion Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-40819260521003	Internal	260521003R-40819	C0205102
SRTSCT	R-40941261074009	External	261074009R-40941	C0205101

CID 6140 Calculation Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070625
 UID: 1.2.840.10008.6.1.460

Table CID 6140. Calculation Methods

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10260414135002	Estimated	414135002R-10260	C0750572
DCM	112187	Unspecified method of calculation		
DCM	112055	Agatston scoring method		
DCM	112056	Volume scoring method		
DCM	112057	Mass scoring method		
DCM	112188	Two-dimensional method		
DCM	112189	Three-dimensional method		

CID 6141 Attenuation Coefficient Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030108
 UID: 1.2.840.10008.6.1.461

Table CID 6141. Attenuation Coefficient Measurements

Coding Scheme Designator	Code Value	Code Meaning
DCM	112031	Attenuation Coefficient

Coding Scheme Designator	Code Value	Code Meaning
DCM	112179	Minimum Attenuation Coefficient
DCM	112180	Maximum Attenuation Coefficient
DCM	112181	Mean Attenuation Coefficient
DCM	112182	Median Attenuation Coefficient
DCM	112183	Standard Deviation of Attenuation Coefficient

CID 6142 Calculated Value

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20070625
UID: 1.2.840.10008.6.1.462

Table CID 6142. Calculated Value

Coding Scheme Designator	Code Value	Code Meaning
DCM	112017	Cavity extent as percent of volume
DCM	112018	Calcification extent as percent of surface
DCM	112019	Calcification extent as percent of volume
DCM	112058	Calcium score
DCM	112191	Breast tissue density
DCM	112192	Volume of parenchymal tissue
DCM	112193	Volume of breast
DCM	112194	Mass of parenchymal tissue
DCM	112195	Mass of breast
DCM	112196	Area of Vascular Calcification
DCM	112197	Volume of Vascular Calcification
DCM	112198	Percentage of Vascular Calcification
DCM	112199	Mass of Vascular Calcification
DCM	112200	Average calcification distance in a calcification cluster
DCM	112201	Standard deviation distance of calcifications in a cluster

CID 6143 Lesion Response

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.463

Table CID 6143. Lesion Response

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 6144 "RECIST Defined Lesion Response"</i>		

CID 6144 RECIST Defined Lesion Response

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.464

Table CID 6144. RECIST Defined Lesion Response

Coding Scheme Designator	Code Value	Code Meaning
DCM	112041	Target Lesion Complete Response
DCM	112042	Target Lesion Partial Response
DCM	112043	Target Lesion Progressive Disease
DCM	112044	Target Lesion Stable Disease
DCM	112045	Non-Target Lesion Complete Response
DCM	112046	Non-Target Lesion Incomplete Response or Stable Disease
DCM	112047	Non-Target Lesion Progressive Disease

CID 6145 Baseline Category

Note

From RECIST

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030108
UID: 1.2.840.10008.6.1.465

Table CID 6145. Baseline Category

Coding Scheme Designator	Code Value	Code Meaning
DCM	112074	Target Lesion at Baseline
DCM	112075	Non-Target Lesion at Baseline
DCM	112076	Non-Lesion at Baseline

CID 6146 Time Point Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20141110
UID: 1.2.840.10008.6.1.1002

Table CID 6146. Time Point Types

Coding Scheme Designator	Code Value	Code Meaning
UMLS	C1442488	Baseline
UMLS	C3539075	Pretreatment
DCM	126074	Posttreatment
DCM	126075	Eligibility
UMLS	C1699701	Unscheduled
UMLS	C1708760	Nadir

Note

- (C1442488, UMLS, "Baseline") is (C25213, NCIt, "Baseline"). The undefined (121079, DCM, "Baseline") that is used in CID 7003 Diagnostic Imaging Report Purposes of Reference is not used in this context.
- (C3539075, UMLS, "Pretreatment") is (C103341, NCIt, "Pretreatment").

3. (C1708760, UMLS, "Nadir") is (C43517, NCIt, "Nadir"), and is a synonym for "lowest", though "nadir" is more commonly used in the context of therapeutic response criteria.

CID 6147 Response Criteria

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20141110
UID: 1.2.840.10008.6.1.1004

Table CID 6147. Response Criteria

Coding Scheme Designator	Code Value	Code Meaning
DCM	112029	WHO
DCM	126080	RECIST 1.0
DCM	126081	RECIST 1.1
NCIt	C114879	RANO

CID 6151 Background Echotexture

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.466

Table CID 6151. Background Echotexture

Coding Scheme Designator	Code Value	Code Meaning
DCM	111351	Homogeneous fat echotexture
DCM	111352	Homogeneous fibroglandular echotexture
DCM	111353	Heterogeneous echotexture

CID 6152 Orientation

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.467

Table CID 6152. Orientation

Coding Scheme Designator	Code Value	Code Meaning
DCM	111355	Parallel
DCM	111356	Not parallel

CID 6153 Lesion Boundary

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.468

Table CID 6153. Lesion Boundary

Coding Scheme Designator	Code Value	Code Meaning
DCM	111358	Abrupt interface
DCM	111359	Echogenic halo

CID 6154 Echo Pattern

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.469

Table CID 6154. Echo Pattern

Coding Scheme Designator	Code Value	Code Meaning
DCM	111361	Anechoic
DCM	111362	Hyperechoic
DCM	111363	Complex
DCM	111364	Hypoechoic
DCM	111365	Isoechoic

CID 6155 Posterior Acoustic Features

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20060622
UID: 1.2.840.10008.6.1.470

Table CID 6155. Posterior Acoustic Features

Coding Scheme Designator	Code Value	Code Meaning
DCM	111367	No posterior acoustic features
DCM	111368	Posterior enhancement
DCM	111369	Posterior shadowing
DCM	111370	Combined posterior enhancement and shadowing

CID 6157 Vascularity

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.471

Table CID 6157. Vascularity

Coding Scheme Designator	Code Value	Code Meaning
DCM	111373	Vascularity not present
DCM	111374	Vascularity not assessed
DCM	111375	Vascularity present in lesion
DCM	111376	Vascularity present immediately adjacent to lesion
DCM	111377	Diffusely increased vascularity in surrounding tissue

CID 6158 Correlation to Other Findings

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.472

Table CID 6158. Correlation to Other Findings

Coding Scheme Designator	Code Value	Code Meaning
DCM	111381	Correlates to physical exam findings
DCM	111382	Correlates to mammography findings
DCM	111383	Correlates to MRI findings
DCM	111384	Correlates to ultrasound findings
DCM	111385	Correlates to other imaging findings
DCM	111386	No correlation to other imaging findings
DCM	111387	No correlation to clinical findings

CID 6159 Malignancy Type

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050822
UID: 1.2.840.10008.6.1.473

Table CID 6159. Malignancy Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111389	Invasive breast carcinoma		
SRT SCT	M-85002 86616005	Intraductal carcinoma, non-infiltrating	86616005M-85002	C0007124
DCM	111390	Other malignancy type		

CID 6160 Breast Primary Tumor Assessment From AJCC

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20050822

UID: 1.2.840.10008.6.1.474

Table CID 6160. Breast Primary Tumor Assessment From AJCC

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-003B8 373173008	TX: Primary tumor cannot be assessed (breast)	373173008R-003B8	C1276754
SRT SCT	R-003B9 373174002	T0: No evidence of primary tumor (breast)	373174002R-003B9	C1276755
SRT SCT	R-003BB 373175001	Tis: Carcinoma in situ (breast)	373175001R-003BB	C1276756
SRT SCT	R-003BC 373176000	Tis: Ductal carcinoma in situ (breast)	373176000R-003BC	C1276757
SRT SCT	R-003BD 373177009	Tis: Lobular carcinoma in situ (breast)	373177009R-003BD	C1276758
SRT SCT	R-003BE 373178004	Tis: Paget's disease of the nipple with no tumor	373178004R-003BE	C1269975
SRT SCT	R-003BA 373172003	T1: Tumor 2 cm or less in greatest dimension (breast)	373172003R-003BA	C1272784
SRT SCT	R-003BF 373179007	T1mic: Microinvasion 0.1 cm or less in greatest dimension...	373179007R-003BF	C1269976
SRT SCT	R-003C0 373180005	T1a: Tumor more than 0.1 cm but not more than 0.5 cm...	373180005R-003C0	C1269977
SRT SCT	R-003C1 373204007	T1b: Tumor more than 0.5 cm but not more than 1 cm...	373204007R-003C1	C1269981
SRT SCT	R-003C2 373183007	T1c: Tumor more than 1 cm but not more than 2 cm...	373183007R-003C2	C1272785
SRT SCT	R-003C3 373182002	T2: Tumor more than 2 cm but not more than 5 cm...	373182002R-003C3	C1269978
SRT SCT	R-003C4 373184001	T3: Tumor more than 5 cm in greatest dimension (breast)	373184001R-003C4	C1269979
SRT SCT	R-003C5 373185000	T4: Tumor of any size with direct extension to chest wall...	373185000R-003C5	C1276759
SRT SCT	R-003C6 373186004	T4a: Tumor of any size with extension to chest wall, not incl...	373186004R-003C6	C1276760
SRT SCT	R-003C7 373187008	T4b: Tumor of any size with edema (including peau d'orange) ...	373187008R-003C7	C1276761
SRT SCT	R-003C8 373189006	T4c: Tumor of any size with direct extension to chest wall...	373189006R-003C8	C1268960

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-003C9373190002	T4: Inflammatory carcinoma (breast)	373190002R-003C9	C1276762

CID 6161 Clinical Regional Lymph Node Assessment for Breast

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20050822

UID: 1.2.840.10008.6.1.475

Table CID 6161. Clinical Regional Lymph Node Assessment for Breast

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-003CA373150000	NX: Regional lymph nodes cannot be assessed...	373150000R-003CA	C1276765
SRTSCT	R-003CB373151001	N0: No regional lymph node metastasis histologically...	373151001R-003CB	C1272783
SRTSCT	R-003D0373156006	N1: Metastasis in 1 to 3 axillary lymph nodes...	373156006R-003D0	C1276766
SRTSCT	R-003D6373162001	N2: Metastasis in 4 to 9 axillary lymph nodes...	373162001R-003D6	C1276749
SRTSCT	R-003D7373163006	N2a: Metastasis in 4 to 9 axillary lymph nodes (...2.0 mm)...	373163006R-003D7	C1276750
SRTSCT	R-003D8373164000	N2b: Metastasis in clinically apparent internal... nodes...	373164000R-003D8	C1276751
SRTSCT	G-F749369991007	N3: Metastasis to ipsilateral internal mammary lymph node(s)	369991007G-F749	C1276711
SRTSCT	R-003D9373165004	N3a: Metastasis in 10 or more axillary lymph nodes...	373165004R-003D9	C1276752
SRTSCT	R-003DA373167007	N3b: Metastasis in clinically apparent ipsilateral internal...	373167007R-003DA	C1274009
SRTSCT	R-003DB373166003	N3c: Metastasis in ipsilateral supraclavicular lymph nodes...	373166003R-003DB	C1276753

CID 6162 Assessment of Metastasis for Breast

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20050822

UID: 1.2.840.10008.6.1.476

Table CID 6162. Assessment of Metastasis for Breast

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-003DC373170006	MX: Distant metastasis cannot be assessed (breast)	373170006R-003DC	C1268958
SRTSCT	R-003DD373169005	M0: No distant metastasis (breast)	373169005R-003DD	C1268957
SRTSCT	R-003DE373171005	M1: Distant metastasis (breast)	373171005R-003DE	C1268959

CID 6163 Menstrual Cycle Phase

Note

From BI-RADS®

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050822
 UID: 1.2.840.10008.6.1.477

Table CID 6163. Menstrual Cycle Phase

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111392	1st week		
DCM	111393	2nd week		
DCM	111394	3rd week		
SRT SCT	F-840B3 289894009	Menstruation present	289894009 F-840B3	C0567306

CID 6164 Time Intervals

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050822
 UID: 1.2.840.10008.6.1.478

Table CID 6164. Time Intervals

Coding Scheme Designator	Code Value	Code Meaning
DCM	111396	< 3 months ago
DCM	111397	4 months to 1 year ago
DCM	111398	> 1 year ago
DCM	111399	Not sure

CID 6165 Breast Linear Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050822
 UID: 1.2.840.10008.6.1.479

Table CID 6165. Breast Linear Measurements

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 7470 "Linear Measurements"</i>		
DCM	121242	Distance from nipple
DCM	121243	Distance from skin
DCM	121244	Distance from chest wall

CID 6166 CAD Geometry Secondary Graphical Representation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20060822

UID: 1.2.840.10008.6.1.480

Table CID 6166. CAD Geometry Secondary Graphical Representation

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	113661	Outline of lobulations		
DCM	113662	Inner limits of fuzzy margin		
DCM	113663	Outer limits of fuzzy margin		
DCM	113664	Outline of spiculations		
DCM	113665	Linear spiculation		
DCM	113666	Pixelated spiculations		
SRTSCT	G-A185103339001	Long axis	103339001G-A185	C0522487
SRTSCT	G-A186103340004	Short axis	103340004G-A186	C0522488
DCM	113669	Orthogonal location arc		
DCM	113670	Orthogonal location arc inner margin		
DCM	113671	Orthogonal location arc outer margin		

CID 6200 Colon Overall Assessment

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.787

Table CID 6200. Colon Overall Assessment

Coding Scheme Designator	Code Value	Code Meaning
DCM	112240	C0 - Inadequate Study/Awaiting Prior Comparisons
DCM	112241	C1 - Normal Colon or Benign Lesion
DCM	112242	C2 - Intermediate Polyp or Indeterminate Finding
DCM	112243	C3 - Polyp, Possibly Advanced Adenoma
DCM	112244	C4 - Colonic Mass, Likely Malignant

CID 6201 Colon Finding or Feature

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.788

Table CID 6201. Colon Finding or Feature

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	111101	Image quality		
DCM	111099	Selected region		
SRTSCT	D5-4117068496003	Polyp of colon	68496003D5-41170	C0009376
SRTSCT	D5-F131F126838000	Tumor of colon	126838000D5-F131F	C0009375
SRTSCT	F-54005248523006	Rectal mass	248523006F-54005	C0240873
SRTSCT	M-3270031113003	Diverticulum	31113003M-32700	C0012817

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-593456533001	Colonic haustra	6533001T-59345	C0227361
SRTSCT	T-5966639477002	Feces	39477002T-59666	C0015733
SRTSCT	M-8850046720004	Lipoma	46720004M-88500	C0023798
SRTSCT	T-50153442170005	Intraluminal fluid	442170005T-50153	C2711278
SRTSCT	F-61D54385420005	Contrast media	385420005F-61D54	C0009924
SRTSCT	T-5865023153004	Ileocecal valve	23153004T-58650	C0020880
SRTSCT	M-32704441901008	Inverted diverticulum	441901008M-32704	C2711356
SRTSCT	M-1800043526002	Operative Site	43526002M-18000	C0332850
DCM	111102	Non-lesion		
DCM	112238	Anatomic non-colon		

CID 6202 Colon Finding or Feature Modifier

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.789

Table CID 6202. Colon Finding or Feature Modifier

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6203 "Colon Non-lesion Object Type"		
Include CID 6204 "Anatomic Non-colon Findings"		

CID 6203 Colon Non-lesion Object Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.790

Table CID 6203. Colon Non-lesion Object Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	A-3211086122002	Bullet	86122002A-32110	C0336699
SRTSCT	A-1360056353002	Staple	56353002A-13600	C0524724
SRTSCT	A-1350027065002	Suture	27065002A-13500	C0038969
SRTSCT	M-7806012402003	Scar tissue	12402003M-78060	C2004491
SRTSCT	A-2680019923001	Catheter	19923001A-26800	C0085590
DCM	112173	Chest tube		
SRTSCT	A-14611257409000	Vena cava filter	257409000A-14611	C0080306
SRTSCT	A-0400053350007	Prosthesis	53350007A-04000	C0175649
SRTSCT	A-26434126065006	Jejunostomy tube	126065006A-26434	C0879216
DCM	112175	Kidney stent		
SRTSCT	A-11C08286558002	Ureteral stent	286558002A-11C08	C0183518
DCM	112176	Pancreatic stent		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	A-61000 80919006	Jewelry	80919006 A-61000	C0336902
DCM	112178	Coin		
SRT SCT	A-12024 77444004	Pin	77444004 A-12024	C0175718
SRT SCT	A-30360 79068005	Needle	79068005 A-30360	C0027551
DCM	112171	Fiducial mark		
SRT SCT	A-120DD 341036005	Colostomy set	341036005 A-120DD	C0180028
SRT SCT	A-10DBC 339648008	Colostomy bag	339648008 A-10DBC	C0180026
SRT SCT	A-1009E 342706005	Ileostomy set	342706005 A-1009E	C0181271
SRT SCT	A-10029 417136005	Ileostomy bag	417136005 A-10029	C1563151
SRT SCT	A-10703 344575009	Urostomy set	344575009 A-10703	C0467978
SRT SCT	A-105E3 344088002	Urostomy bag	344088002 A-105E3	C0467658
SRT SCT	A-26440 67966000	Rectal tube	67966000 A-26440	C0175752
SRT SCT	A-26864 34759008	Urethral catheter	34759008 A-26864	C0179800

Note

The use of (111176, DCM, "Unspecified") was previously included in this context group but was removed since it does not make sense to have Colon CAD composite feature modifiers (TID 4125 "Colon CAD Composite Feature") and single image finding modifiers (TID 4127 "Colon CAD Single Image Finding") of an unknown type.

CID 6204 Anatomic Non-colon Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.791

Table CID 6204. Anatomic Non-colon Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	T-62000 10200004	Liver	10200004 T-62000	C0023884
SRT SCT	T-C3000 78961009	Spleen	78961009 T-C3000	C0037993
SRT SCT	T-71000 64033007	Kidney	64033007 T-71000	C0022646
SRT SCT	T-B3000 23451007	Adrenal gland	23451007 T-B3000	C0001625
SRT SCT	T-42000 15825003	Aorta	15825003 T-42000	C0003483
SRT SCT	T-48710 64131007	Inferior vena cava	64131007 T-48710	C0042458
SRT SCT	T-28000 39607008	Lung	39607008 T-28000	C0024109
SRT SCT	T-D016E 272673000	Bone	272673000 T-D016E	C0262950
SRT SCT	T-94000 40689003	Testis	40689003 T-94000	C0039597
SRT SCT	T-83000 35039007	Uterus	35039007 T-83000	C0042149
SRT SCT	T-87000 15497006	Ovary	15497006 T-87000	C0029939
SRT SCT	T-83200 71252005	Cervix	71252005 T-83200	C0007874
SRT SCT	T-92000 41216001	Prostate	41216001 T-92000	C0033572
SRT SCT	T-93000 64739004	Seminal Vesicle	64739004 T-93000	C0036628
SRT SCT	T-59600 34402009	Rectum	34402009 T-59600	C0034896

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-74000 89837001	Bladder	89837001 T-74000	C0005682
SRTSCT	T-13001 71616004	Muscle	71616004 T-13001	C0026845
SRTSCT	T-40000 59820001	Blood Vessel	59820001 T-40000	C0005847
SRTSCT	T-59200 66754008	Appendix	66754008 T-59200	C0003617
SRTSCT	T-D0874 441850003	Appendiceal stump	441850003 T-D0874	C2711602

CID 6205 Clockface Location for Colon

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.792

Table CID 6205. Clockface Location for Colon

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-01781 129772004	1 o'clock position	129772004 F-01781	C1268696
SRTSCT	F-01782 129773009	2 o'clock position	129773009 F-01782	C1268697
SRTSCT	F-01783 129774003	3 o'clock position	129774003 F-01783	C1268698
SRTSCT	F-01784 129775002	4 o'clock position	129775002 F-01784	C1268699
SRTSCT	F-01785 129776001	5 o'clock position	129776001 F-01785	C1268700
SRTSCT	F-01786 129777005	6 o'clock position	129777005 F-01786	C1268701
SRTSCT	F-01787 129778000	7 o'clock position	129778000 F-01787	C1268702
SRTSCT	F-01788 129779008	8 o'clock position	129779008 F-01788	C1268703
SRTSCT	F-01789 129780006	9 o'clock position	129780006 F-01789	C1268704
SRTSCT	F-0178A 129781005	10 o'clock position	129781005 F-0178A	C1268705
SRTSCT	F-0178B 129782003	11 o'clock position	129782003 F-0178B	C1268706
SRTSCT	F-0178C 129783008	12 o'clock position	129783008 F-0178C	C1268707

CID 6206 Recumbent Patient Orientation for Colon

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.793

Table CID 6206. Recumbent Patient Orientation for Colon

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-10310 1240000	Prone	1240000 F-10310	C0033422
SRTSCT	F-10340 40199007	Supine	40199007 F-10340	C0038846
SRTSCT	F-10317 102535000	right lateral decubitus	102535000 F-10317	C0559228
SRTSCT	F-10319 102536004	left lateral decubitus	102536004 F-10319	C0559227

CID 6207 Colon Quantitative Temporal Difference Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
 Version: 20090717
 UID: 1.2.840.10008.6.1.794

Table CID 6207. Colon Quantitative Temporal Difference Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-05173442714003	Difference in size	442714003F-05173	C2711955
SRTSCT	F-05179442726008	Difference in location	442726008F-05179	C2711109
SRTSCT	F-0516E442707000	Difference in attenuation	442707000F-0516E	C2711926

CID 6208 Colon Types of Quality Control Standard

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.795

Table CID 6208. Colon Types of Quality Control Standard

Coding Scheme Designator	Code Value	Code Meaning
DCM	112036	ACR Position Statement
DCM	111240	Institutionally defined quality control standard
DCM	112248	ACR Guideline, Performance of Adult CT Colonography
DCM	112249	ACR Standard, CT medical physics performance monitoring

CID 6209 Colon Morphology Descriptor

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.796

Table CID 6209. Colon Morphology Descriptor

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A5305712003	Sessile	5712003G-A530	C0205348
SRTSCT	G-A47725126001	Pedunculated	25126001G-A477	C0205320
SRTSCT	G-A4856041008	Flat	6041008G-A485	C0205324
SRTSCT	R-404F0255593009	Circumferential	255593009R-404F0	C0205113
SRTSCT	M-3800056208002	Ulcer	56208002M-38000	C0041582

CID 6210 Location in Intestinal Tract

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090402
 UID: 1.2.840.10008.6.1.797

Table CID 6210. Location in Intestinal Tract

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-59600 34402009	Rectum	34402009T-59600	C0034896
SRTSCT	T-59470 60184004	Sigmoid colon	60184004T-59470	C0227391
SRTSCT	T-59460 32622004	Descending colon	32622004T-59460	C0227389
SRTSCT	T-59440 485005	Transverse colon	485005T-59440	C0227386
SRTSCT	T-59420 9040008	Ascending colon	9040008T-59420	C0227375
SRTSCT	T-59100 32713005	Cecum	32713005T-59100	C0007531
SRTSCT	T-59442 72592005	Splenic flexure of colon	72592005T-59442	C0227387
SRTSCT	T-59438 48338005	Hepatic flexure of colon	48338005T-59438	C0227385

CID 6211 Colon CAD Material Description

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20090402

UID: 1.2.840.10008.6.1.798

Table CID 6211. Colon CAD Material Description

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	112144	Soft tissue		
SRTSCT	T-D008A 256674009	Fat	256674009T-D008A	C0015677
SRTSCT	A-80230 15158005	Air	15158005A-80230	C0001861
SRTSCT	T-11034 45001002	Bone matrix	45001002T-11034	C0005962

CID 6212 Calculated Value for Colon Findings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20090402

UID: 1.2.840.10008.6.1.799

Table CID 6212. Calculated Value for Colon Findings

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-0045B 395511002	Polyp stalk length	395511002R-0045B	C1273121
SRTSCT	R-00286 373197004	Polyp size, largest dimension	373197004R-00286	C1272618
DCM	112232	Polyp stalk width		
DCM	112233	Distance from anus		

CID 6300 Prostate Sector Anatomy

Note

In future extensions, Prostate Sector Anatomy terms that are not derived from PI-RADS v2 should be added to this context group.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20161106
UID: 1.2.840.10008.6.1.1138

Table CID 6300. Prostate Sector Anatomy

Coding Scheme Designator	Code Value	Code Meaning
Include CID 6301 "Prostate Sector Anatomy from PI-RADS v2"		
Include CID 6302 "Prostate Sector Anatomy from European Consensus 16 Sector (Minimal) Model"		
Include CID 6303 "Prostate Sector Anatomy from European Consensus 27 Sector (Optimal) Model"		

CID 6301 Prostate Sector Anatomy from PI-RADS v2

Note

From [PI-RADS v2].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20161106
UID: 1.2.840.10008.6.1.1139

Table CID 6301. Prostate Sector Anatomy from PI-RADS v2

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	FMA ID	PI-RADS v2 Abbreviation	NCI Thesaurus
SRTSCT	R-FFFFG716901006	Central zone of left half prostate	716901006R-FFFFC	C4273550	302475	Base L CZ	C128587
SRTSCT	R-FFFFD0716900007	Central zone of right half prostate	716900007R-FFFFD0	C4274157	302473	Base R CZ	C128593
SRTSCT	R0-00025716937001	Left anterior apical peripheral zone of prostate	716937001R0-00025	C4274170	328760	Apex L PZa	C128575
SRTSCT	R-FFFE5716931000	Left anterior apical transition zone of prostate	716931000R-FFFE5	C4274174	328795	Apex L TZa	C128578
SRTSCT	R0-00001716905002	Left anterior basal peripheral zone of prostate	716905002R0-00001	C4273857	328753	Base L PZa	C128588
SRTSCT	R-FFFD6716897000	Left anterior basal transition zone of prostate	716897000R-FFFD6	C4274207	328785	Base L TZa	C128589
SRTSCT	R-FFFB0716920008	Left anterior middle peripheral zone of prostate	716920008R-FFFB0	C4274185	328768	Mid L PZa	C128600
SRTSCT	R0-00013716914007	Left anterior middle transition zone of prostate	716914007R0-00013	C4274190	328784	Mid L TZa	C128603
SRTSCT	R-FFFD7716927006	Left apical anterior fibromuscular stroma of prostate	716927006R-FFFD7	C4274178	328772	Apex L AS	C128574

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	FMA ID	PI-RADS v2 Abbreviation	NCI Thesaurus
SRTSCT	R-FFFDG716893001	Left basal anterior fibromuscular stroma of prostate	716893001R-FFFDG	C4274482	328758	Base L AS	C128586
SRTSCT	R0-00027716910003	Left middle anterior fibromuscular stroma of prostate	716910003R0-00027	C4274479	328781	Mid L AS	C128599
SRTSCT	R0-00014716933002	Left posterior apical transition zone of prostate	716933002R0-00014	C4274173	328775	Apex L TZp	C128579
SRTSCT	R-FFFB7716899002	Left posterior basal transition zone of prostate	716899002R-FFFB7	C4274204	328789	Base L TZp	C128590
SRTSCT	R-FFFAB716916009	Left posterior middle transition zone of prostate	716916009R-FFFAB	C4274189	328786	Mid L TZp	C128604
SRTSCT	R-FFFDDB716939003	Left posterolateral apical peripheral zone of prostate	716939003R-FFFDD	C4274168	328752	Apex L PZpl	C128576
SRTSCT	R-FFFC2716907005	Left posterolateral basal peripheral zone of prostate	716907005R-FFFC2	C4274197	328759	Base L PZpl	C128591
SRTSCT	R-FFFE9716922000	Left posterolateral middle peripheral zone of prostate	716922000R-FFFE9	C4274180	328791	Mid L PZpl	C128601
SRTSCT	R0-0000B716941002	Left posteromedial apical peripheral zone of prostate	716941002R0-0000B	C4274166	328792	Apex L PZpm	C128577
SRTSCT	R-FFFB5716924004	Left posteromedial middle peripheral zone of prostate	716924004R-FFFB5	C4274183	328777	Mid L PZpm	C128602
SRTSCT	T-9302042320003	Left seminal vesicle	42320003T-93020	C0227980	19388	L SV	C128598
SRTSCT	R-FFFD9717027004	Male external urethral sphincter	717027004R-FFFD9	C0815353	19733	US	C128612
SRTSCT	R0-00003716936005	Right anterior apical peripheral zone of prostate	716936005R0-00003	C4274125	328779	Apex R PZa	C128581
SRTSCT	R0-00006716930004	Right anterior apical transition zone of prostate	716930004R0-00006	C4274131	328761	Apex R TZa	C128584
SRTSCT	R-FFFE2716904003	Right anterior basal peripheral zone of prostate	716904003R-FFFE2	C4274200	328798	Base R PZa	C128594
SRTSCT	R0-00000716896009	Right anterior basal transition zone of prostate	716896009R0-00000	C4273547	328793	Base R TZa	C128596
SRTSCT	R-FFFCDD716919002	Right anterior middle peripheral zone of prostate	716919002R-FFFCDD	C4274141	328796	Mid R PZa	C128606

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	FMA ID	PI-RADS v2 Abbreviation	NCI Thesaurus
SRTSCT	R-FFFF4716913001	Right anterior middle transition zone of prostate	716913001R-FFFF4	C4274147	328800	Mid R TZa	C128609
SRTSCT	R-FFFFD716926002	Right apical anterior fibromuscular stroma of prostate	716926002R-FFFFD	C4273870	328801	Apex R AS	C128580
SRTSCT	R-FFFF2716892006	Right basal anterior fibromuscular stroma of prostate	716892006R-FFFF2	C4273849	328778	Base R AS	C128592
SRTSCT	R0-00004716909008	Right middle anterior fibromuscular stroma of prostate	716909008R0-00004	C4273544	328783	Mid R AS	C128605
SRTSCT	R-FFFF3716932007	Right posterior apical transition zone of prostate	716932007R-FFFF3	C4274099	328763	Apex R TZp	C128585
SRTSCT	R-FFFB1716898005	Right posterior basal transition zone of prostate	716898005R-FFFB1	C4274205	328799	Base R TZp	C128597
SRTSCT	R-FFFC9716915008	Right posterior middle transition zone of prostate	716915008R-FFFC9	C4273542	328787	Mid R TZp	C128610
SRTSCT	R-FFFC0716938006	Right posterolateral apical peripheral zone of prostate	716938006R-FFFC0	C4273861	328782	Apex R PZpl	C128582
SRTSCT	R0-0001E716906001	Right posterolateral basal peripheral zone of prostate	716906001R0-0001E	C4274198	328797	Base R PZpl	C128595
SRTSCT	R0-0000C716921007	Right posterolateral middle peripheral zone of prostate	716921007R0-0000C	C4274184	328771	Mid R PZpl	C128607
SRTSCT	R-FFFEA716940001	Right posteromedial apical peripheral zone of prostate	716940001R-FFFEA	C4274167	328764	Apex R PZpm	C128583
SRTSCT	R-FFFD4716923005	Right posteromedial middle peripheral zone of prostate	716923005R-FFFD4	C4274181	328766	Mid R PZpm	C128608
SRTSCT	T-9301074308000	Right seminal vesicle	74308000T-93010	C0227979	19387	R SV	C128611

CID 6302 Prostate Sector Anatomy from European Consensus 16 Sector (Minimal) Model

Note

From [Prostate Eu Consensus].

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
 Type: Extensible
 Version: 20161106
 UID: 1.2.840.10008.6.1.1140

Table CID 6302. Prostate Sector Anatomy from European Consensus 16 Sector (Minimal) Model

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	FMA ID	16 Sector Code
SRTSCT	R-FFFFG716901006	Central zone of left half prostate	716901006 R-FFFFC	C4273550	302475	6p
SRTSCT	R-FFFD0716900007	Central zone of right half prostate	716900007 R-FFFD0	C4274157	302473	1p
SRTSCT	R-FFFD3716935009	Left apical peripheral zone of prostate	716935009 R-FFFD3	C4274171	328790	10p
SRTSCT	R-FFFA9716929009	Left apical transition zone of prostate	716929009 R-FFFA9	C4274176	328769	6a
SRTSCT	R0-00020716895008	Left basal part transition zone of prostate	716895008 R0-00020	C4274160	328755	4a
SRTSCT	R-FFFFG4716903009	Left basal peripheral zone of prostate	716903009 R-FFFC4	C4274120	328765	7p
SRTSCT	R-FFFE6716918005	Left lateral middle peripheral zone of prostate	716918005 R-FFFE6	C4274142	328767	9p
SRTSCT	R-FFFD5716912006	Left middle transition zone of prostate	716912006 R-FFFD5	C4274192	328762	5a
SRTSCT	R-FFFB5716924004	Left posteromedial middle peripheral zone of prostate	716924004 R-FFFB5	C4274183	328777	8p
SRTSCT	T-93020 42320003	Left seminal vesicle	42320003 T-93020	C0227980	19388	L SV
SRTSCT	R-FFFD9717027004	Male external urethral sphincter	717027004 R-FFFD9	C0815353	19733	US
SRTSCT	R-FFFB3716934008	Right apical peripheral zone of prostate	716934008 R-FFFB3	C4274128	328794	5p
SRTSCT	R-FFFFG1716928001	Right apical transition zone of prostate	716928001 R-FFFC1	C4273855	328773	3a
SRTSCT	R0-00018716902004	Right basal peripheral zone of prostate	716902004 R0-00018	C4274155	328802	2p
SRTSCT	R-FFFB716894007	Right basal transition zone of prostate	716894007 R-FFFB7	C4274164	328780	1a
SRTSCT	R0-0000F716917000	Right lateral middle peripheral zone of prostate	716917000 R0-0000F	C4274143	328803	4p
SRTSCT	R-FFFB6716911004	Right middle transition zone of prostate	716911004 R-FFFB6	C4273545	328757	2a
SRTSCT	R-FFFD4716923005	Right posteromedial middle peripheral zone of prostate	716923005 R-FFFD4	C4274181	328766	3p
SRTSCT	T-93010 74308000	Right seminal vesicle	74308000 T-93010	C0227979	19387	R SV

CID 6303 Prostate Sector Anatomy from European Consensus 27 Sector (Optimal) Model

Note

From [Prostate Eu Consensus].

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20161106

UID: 1.2.840.10008.6.1.1141

Table CID 6303. Prostate Sector Anatomy from European Consensus 27 Sector (Optimal) Model

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	FMA ID	27 Sector Code
SRTSCT	R0-0004B716925003	Apical anterior fibromuscular stroma of prostate	716925003R0-0001B	C4274179	302546	15as
SRTSCT	R0-00017716891004	Basal anterior fibromuscular stroma of prostate	716891004R0-00017	C4273850	302539	13as
SRTSCT	R-FFFFC716901006	Central zone of left half prostate	716901006R-FFFFC	C4273550	302475	7p
SRTSCT	R-FFFD0716900007	Central zone of right half prostate	716900007R-FFFD0	C4274157	302473	1p
SRTSCT	R0-00025716937001	Left anterior apical peripheral zone of prostate	716937001R0-00025	C4274170	328760	12a
SRTSCT	R0-00004716905002	Left anterior basal peripheral zone of prostate	716905002R0-00001	C4273857	328753	8a
SRTSCT	R-FFFB0716920008	Left anterior middle peripheral zone of prostate	716920008R-FFFB0	C4274185	328768	10a
SRTSCT	R-FFFA9716929009	Left apical transition zone of prostate	716929009R-FFFA9	C4274176	328769	11a
SRTSCT	R0-00020716895008	Left basal part transition zone of prostate	716895008R0-00020	C4274160	328755	7a
SRTSCT	R-FFFD5716912006	Left middle transition zone of prostate	716912006R-FFFD5	C4274192	328762	9a
SRTSCT	R-FFFD0716939003	Left posterolateral apical peripheral zone of prostate	716939003R-FFFD0	C4274168	328752	12p
SRTSCT	R-FFFC2716907005	Left posterolateral basal peripheral zone of prostate	716907005R-FFFC2	C4274197	328759	8p
SRTSCT	R-FFFE9716922000	Left posterolateral middle peripheral zone of prostate	716922000R-FFFE9	C4274180	328791	10p
SRTSCT	R0-0000B716941002	Left posteromedial apical peripheral zone of prostate	716941002R0-0000B	C4274166	328792	11p
SRTSCT	R-FFFB5716924004	Left posteromedial middle peripheral zone of prostate	716924004R-FFFB5	C4274183	328777	9p
SRTSCT	T-9302042320003	Left seminal vesicle	42320003T-93020	C0227980	19388	L SV
SRTSCT	R-FFFD9717027004	Male external urethral sphincter	717027004R-FFFD9	C0815353	19733	US
SRTSCT	R-FFFE0716908000	Middle anterior fibromuscular stroma of prostate	716908000R-FFFE0	C4274194	302542	14as
SRTSCT	R0-00003716936005	Right anterior apical peripheral zone of prostate	716936005R0-00003	C4274125	328779	6a
SRTSCT	R-FFFE2716904003	Right anterior basal peripheral zone of prostate	716904003R-FFFE2	C4274200	328798	2a
SRTSCT	R-FFFC0716919002	Right anterior middle peripheral zone of prostate	716919002R-FFFC0	C4274141	328796	4a
SRTSCT	R-FFFC1716928001	Right apical transition zone of prostate	716928001R-FFFC1	C4273855	328773	5a

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	FMA ID	27 Sector Code
SRTSCT	R- FFFBE 716894007	Right basal transition zone of prostate	716894007 R- FFFBE	C4274164	328780	1a
SRTSCT	R- FFFB6 716911004	Right middle transition zone of prostate	716911004 R- FFFB6	C4273545	328757	3a
SRTSCT	R- FFFC0 716938006	Right posterolateral apical peripheral zone of prostate	716938006 R- FFFC0	C4273861	328782	6p
SRTSCT	R0- 0001E 716906001	Right posterolateral basal peripheral zone of prostate	716906001 R0- 0001E	C4274198	328797	2p
SRTSCT	R0- 0000C 716921007	Right posterolateral middle peripheral zone of prostate	716921007 R0- 0000C	C4274184	328771	4p
SRTSCT	R- FFFEA 716940001	Right posteromedial apical peripheral zone of prostate	716940001 R- FFFEA	C4274167	328764	5p
SRTSCT	R- FFFD4 716923005	Right posteromedial middle peripheral zone of prostate	716923005 R- FFFD4	C4274181	328766	3p
SRTSCT	T-93010 74308000	Right seminal vesicle	74308000 T-93010	C0227979	19387	R SV

CID 6401 Non-lesion Object Type - Physical Objects

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.1185

Table CID 6401. Non-lesion Object Type - Physical Objects

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	A- 32475 102378009	BB shot (Lead Pellet)	102378009 A- 32475	C0522706
SRTSCT	A- 32110 86122002	Bullet	86122002 A- 32110	C0336699
SRTSCT	A- 11101 118378005	Cardiac Pacemaker	118378005 A- 11101	C1289799
SRTSCT	A- 26800 19923001	Catheter	19923001 A- 26800	C0085590
SRTSCT	A- 12062 77720000	Clip	77720000 A- 12062	C0175722
SRTSCT	A- 0110F 228761004	Collimator	228761004 A- 0110F	C0454169
SRTSCT	A- 10042 129460009	Compression paddle	129460009 A- 10042	C1268544
SRTSCT	A- 16016 129467007	ID Plate	129467007 A- 16016	C1268548
SRTSCT	A- 04010 40388003	Implant	40388003 A- 04010	C0021102
SRTSCT	A- 1016B 129463006	J Wire	129463006 A- 1016B	C1268545
SRTSCT	A- 00D7B 262301009	Opaque Marker	262301009 A- 00D7B	C0445402
DCM	111175	Other Marker		
SRTSCT	A- 13600 56353002	Staple	56353002 A- 13600	C0524724
SRTSCT	A- 13500 27065002	Suture	27065002 A- 13500	C0038969

Note

This Context Group formerly included SNOMED code J-83250, which has been replaced with A-00D7B. See Annex J.

CID 6402 Non-lesion Object Type - Substances

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1186

Table CID 6402. Non-lesion Object Type - Substances

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-B0300 7140000	Contrast agent	7140000 C-B0300	C0009924

CID 6403 Non-lesion Object Type - Tissues

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1187

Table CID 6403. Non-lesion Object Type - Tissues

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	M-78060 12402003	Scar tissue	12402003 M-78060	C2004491

CID 6404 Chest Non-lesion Object Type - Physical Objects

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1188

Table CID 6404. Chest Non-lesion Object Type - Physical Objects

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	A-32110 86122002	Bullet	86122002 A-32110	C0336699
SRTSCT	A-11100 14106009	Cardiac Pacemaker	14106009 A-11100	C0030163
SRTSCT	A-040CB 360129009	Cardiac pacemaker lead	360129009 A-040CB	C1283151
SRTSCT	A-26800 19923001	Catheter	19923001 A-26800	C0085590
DCM	112174	Central line		
SRTSCT	A-12210 63562005	Cervical collar	63562005 A-12210	C0175751
DCM	112173	Chest tube		
DCM	112178	Coin		
SRTSCT	A-25350 26412008	Endotracheal tube	26412008 A-25350	C0336630
SRTSCT	A-26430 25062003	Feeding tube	25062003 A-26430	C2945625
DCM	112171	Fiducial mark		
SRTSCT	A-04110 25510005	Heart valve prosthesis	25510005 A-04110	C0018825
SRTSCT	A-26434 126065006	Jejunostomy tube	126065006 A-26434	C0879216
SRTSCT	A-61000 80919006	Jewelry	80919006 A-61000	C0336902
DCM	112175	Kidney stent		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRT SCT	A-30360 79068005	Needle	79068005 A-30360	C0027551
DCM	112177	Nipple ring		
DCM	112176	Pancreatic stent		
SRT SCT	A-12024 77444004	Pin	77444004 A-12024	C0175718
DCM	112172	Portacath		
SRT SCT	A-04000 53350007	Prosthesis	53350007 A-04000	C0175649
SRT SCT	A-13600 56353002	Staple	56353002 A-13600	C0524724
SRT SCT	A-13500 27065002	Suture	27065002 A-13500	C0038969
SRT SCT	P1-26100 48387007	Tracheotomy	48387007 P1-26100	C0040590
SRT SCT	A-11C08 286558002	Ureteric stent	286558002 A-11C08	C0183518
SRT SCT	A-14611 257409000	Vena cava filter	257409000 A-14611	C0080306

CID 6405 Chest Non-lesion Object Type - Tissues

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.1189

Table CID 6405. Chest Non-lesion Object Type - Tissues

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRT SCT	M-78060 12402003	Scar tissue	12402003 M-78060	C2004491

CID 7000 Diagnostic Imaging Report Document Titles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20140102

UID: 1.2.840.10008.6.1.481

Table CID 7000. Diagnostic Imaging Report Document Titles

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	18745-0	Cardiac Catheterization Report	C0801759
LN	11540-2	CT Abdomen Report	C0551722
LN	11538-6	CT Chest Report	C0551723
LN	11539-4	CT Head Report	C0551724
LN	18747-6	CT Report	C0801761
LN	18748-4	Diagnostic Imaging Report	C0801762
LN	11522-0	Echocardiography Report	C0551715
LN	18760-9	Ultrasound Report	C0801774
LN	11541-0	MRI Head Report	C0551725
LN	18755-9	MRI Report	C0801769
LN	18756-7	MRI Spine Report	C0801770
LN	18757-5	Nuclear Medicine Report	C0801771

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	17787-3	Nuclear Medicine Thyroid Scan Report	C0800894
LN	11525-3	Ultrasound Obstetric and Gyn Report	C0551717
LN	18758-3	PET Scan Report	C0801772
LN	11528-7	Radiology Report	C0551720
LN	18750-0	Cardiac Electrophysiology Report	C0801764
LN	11524-0	ECG Report	
LN	18752-6	Exercise Stress Test Report	C0801766
LN	18754-2	Holter Study Report	C0801768
LN	43468-8	X-Ray Report	C1714805
LN	38269-7	DEXA Skeletal System Study Report	C1526358
DCM	111400	Breast Imaging Report	
LN	24606-6	Mammography Screening Report	C0881841
LN	49512-7	Fluoroscopy Study Report	C1977263
LN	47048-4	Diagnostic Interventional Radiology Report	C1831148

CID 7001 Diagnostic Imaging Report Headings

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20150324
UID: 1.2.840.10008.6.1.482

Table CID 7001. Diagnostic Imaging Report Headings

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID	Equivalent DCMR (DCM) Code
LN	11329-0	History	C0551569	121060
LN	55115-0	Request	C2708293	121062
LN	55111-9	Current Procedure Descriptions	C2708286	121064
LN	55114-3	Prior Procedure Descriptions	C2708291	121066
LN	18834-2	Previous Findings	C0801832	121068
LN	59776-5	Findings	C2926606	121070
LN	19005-8	Impressions	C0801998	121072
LN	18783-1	Recommendations	C0801796	121074
LN	55110-1	Conclusions	C2708285	121076
LN	55107-7	Addendum	C2708272	121078
LN	18785-6	Indications for Procedure	C0801797	121109
LN	55108-5	Patient Presentation	C2708282	121110
LN	55109-3	Complications	C2708284	121113
LN	55112-7	Summary	C2708288	121111
LN	55113-5	Key Images	C2708289	121180
LN	73569-6	Radiation Exposure and Protection Information	C3654408	113923
LN	55752-0	Clinical Information	C2708732	

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID	Equivalent DCMR (DCM) Code
LN	29549-3	Medications Administered	C0945765	
LN	73568-8	Communication of Critical Results	C3654409	

Note

- In previous editions of the Standard, this Context Group included codes of DCMR, using Coding Scheme Designator DCM. The preferable encoding of these concepts is using the LOINC codes, however, the support of equivalent DCMR codes is recommended for backward compatibility.
- In a prior version of this Context Group, the code (18782-3, LN, "Study Observation") was specified for report heading "Findings". This has now been replaced by (59776-5, LN, "Procedure Findings").

CID 7002 Diagnostic Imaging Report Elements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.483

Table CID 7002. Diagnostic Imaging Report Elements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
LN	11329-0	History		C0551569
LN	55115-0	Request		C2708293
DCM	121065	Procedure Description		
DCM	121069	Previous Finding		
DCM	121071	Finding		
DCM	121073	Impression		
DCM	121075	Recommendation		
DCM	121077	Conclusion		
SRTSCT	DD-60002116224001	Complication of Procedure	116224001DD-60002	C0742724
DCM	121110	Patient Presentation		
DCM	121111	Summary		

CID 7003 Diagnostic Imaging Report Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100604
 UID: 1.2.840.10008.6.1.484

Table CID 7003. Diagnostic Imaging Report Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121079	Baseline
DCM	121080	Best illustration of finding
DCM	121112	Source of Measurement
DCM	121200	Illustration of ROI

CID 7004 Waveform Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090409
 UID: 1.2.840.10008.6.1.485

Table CID 7004. Waveform Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121301	Simultaneous Doppler
DCM	121302	Simultaneous Hemodynamic
DCM	121303	Simultaneous ECG
DCM	121304	Simultaneous Voice Narrative
DCM	121305	Simultaneous Respiratory Waveform
DCM	121306	Simultaneous Arterial Pulse Waveform
DCM	121307	Simultaneous Phonocardiographic Waveform

CID 7005 Contributing Equipment Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130617
 UID: 1.2.840.10008.6.1.486

Table CID 7005. Contributing Equipment Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	109101	Acquisition Equipment
DCM	109102	Processing Equipment
DCM	109103	Modifying Equipment
DCM	109104	De-identifying Equipment
DCM	109105	Frame Extracting Equipment
DCM	109106	Enhanced Multi-frame Conversion Equipment
DCM	MEDIM	Portable Media Importer Equipment
DCM	FILMD	Film Digitizer
DCM	DOCD	Document Digitizer Equipment
DCM	VIDD	Video Tape Digitizer Equipment

CID 7006 SR Document Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20061023
 UID: 1.2.840.10008.6.1.487

Table CID 7006. SR Document Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121331	Equivalent CDA Document
DCM	121332	Complete Rendering for Presentation

Coding Scheme Designator	Code Value	Code Meaning
DCM	121333	Partial Rendering for Presentation
DCM	121334	Extended Rendering for Presentation
DCM	121335	Source Document

CID 7007 Signature Purpose

Context Group ID 7007 comprises the signature purposes codes of ASTM E 2084-00. The Coding Scheme Designator (0008,0102) shall be "ASTM-sigpurpose". The ASTM document defines the signature purpose codes as OIDs. For the purposes of this Coding Scheme only the leaf digit is used as the Code Value (0008,0100).

Note

ASTM E 1762 provides the full definitions for the signature purpose OIDs defined by E 2084. The recommended Code Meanings (0008,0104) are the titles of the definitions for the leaves of the OIDs. For example, the OID 1.2.840.10065.1.12.1 corresponds to the leaf "id-purpose-author", whose meaning could be encoded as "Author Signature" and whose code value is 1.

CID 7008 Media Import

This Context Group specifies items that may be conveyed in the Billing and Materials Management Module (see PS3.3).

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20061024
UID: 1.2.840.10008.6.1.489

Table CID 7008. Media Import

Coding Scheme Designator	Code Value	Code Meaning
DCM	110020	Sheet Film Digitized
DCM	110021	Cine Film Digitized
DCM	110022	Video Tape Digitized
DCM	110023	Paper Digitized
DCM	110024	CD Imported
DCM	110025	DVD Imported
DCM	110026	MOD Imported
DCM	110027	Studies Imported
DCM	110028	Instances Imported

CID 7009 Purpose of Reference to Predecessor Report

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20090826
UID: 1.2.840.10008.6.1.818

Table CID 7009. Purpose of Reference to Predecessor Report

Coding Scheme Designator	Code Value	Code Meaning
DCM	121360	Replaced report
DCM	121361	Addended report
DCM	121362	Preliminary report

Coding Scheme Designator	Code Value	Code Meaning
DCM	121363	Partial report
DCM	122073	Current procedure evidence

Note

The concepts of replaced and addended correspond to REPLACEMENT and ADDENDUM in HL7 V2.6 Chapter 9, with the exception that an EDITED value is not supported due to incompatibility with HL7 CDA.

CID 7010 Key Object Selection Document Title

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.490

Table CID 7010. Key Object Selection Document Title

Coding Scheme Designator	Code Value	Code Meaning
DCM	113000	Of Interest
DCM	113001	Rejected for Quality Reasons
DCM	113002	For Referring Provider
DCM	113003	For Surgery
DCM	113004	For Teaching
DCM	113005	For Conference
DCM	113006	For Therapy
DCM	113007	For Patient
DCM	113008	For Peer Review
DCM	113009	For Research
DCM	113010	Quality Issue
DCM	113013	Best In Set
DCM	113018	For Printing
DCM	113020	For Report Attachment
DCM	113021	For Litigation
DCM	113030	Manifest
DCM	113031	Signed Manifest
DCM	113032	Complete Study Content
DCM	113033	Signed Complete Study Content
DCM	113034	Complete Acquisition Content
DCM	113035	Signed Complete Acquisition Content
DCM	113036	Group of Frames for Display
DCM	113037	Rejected for Patient Safety Reasons
DCM	113038	Incorrect Modality Worklist Entry
DCM	113039	Data Retention Policy Expired
DCM	113022	Collection of Presentation States
DCM	128181	Diagnostic Source Images
DCM	128182	Segmentation Result

Coding Scheme Designator	Code Value	Code Meaning
DCM	128183	Registration Result
DCM	128195	For Diagnosis
DCM	128218	Diagnosis Input Used
DCM	128196	For Segmentation
DCM	128219	Contouring Input Used
DCM	128199	For Plan Comparison
DCM	128220	Plan Comparison Input Used
DCM	128203	For Tumor Board
DCM	128221	Tumor Board Input Used
DCM	128208	For Tumor Registry
DCM	128222	Tumor Registry Input Used
DCM	128207	For Clinical Trial Submission
DCM	128223	Clinical Trial Submission Input Used
<i>Include CID 7023 "RT Process Output"</i>		
<i>Include CID 7024 "RT Process Input"</i>		
<i>Include CID 7025 "RT Process Input Used"</i>		
<i>Include CID 7014 "Export Additional Information Document Titles"</i>		

CID 7011 Rejected for Quality Reasons

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20020904
UID: 1.2.840.10008.6.1.491

Table CID 7011. Rejected for Quality Reasons

Coding Scheme Designator	Code Value	Code Meaning
DCM	111207	Image artifact(s)
DCM	111208	Grid artifact(s)
DCM	111209	Positioning
DCM	111210	Motion blur
DCM	111211	Under exposed
DCM	111212	Over exposed
DCM	111213	No image
DCM	111214	Detector artifact(s)
DCM	111215	Artifact(s) other than grid or detector artifact
DCM	111216	Mechanical failure
DCM	111217	Electrical failure
DCM	111218	Software failure
DCM	111219	Inappropriate image processing
DCM	111220	Other failure
DCM	111221	Unknown failure
DCM	113026	Double exposure

CID 7012 Best in Set

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.492

Table CID 7012. Best in Set

Coding Scheme Designator	Code Value	Code Meaning
DCM	113014	Study
DCM	113015	Series
DCM	113016	Performed Procedure Step
DCM	113017	Stage-View

CID 7013 Non-Image Source Instance Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1134

Table CID 7013. Non-Image Source Instance Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	128224	Source measurement
DCM	128225	Source report
DCM	128226	Source raw data
<i>Include CID 7019 "Segmentation Non-Image Source Purposes of Reference"</i>		

Note

This context group previously contained a code for "source image", which has been removed.

CID 7014 Export Additional Information Document Titles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1178

Table CID 7014. Export Additional Information Document Titles

Coding Scheme Designator	Code Value	Code Meaning
DCM	128710	For Teaching File Export
DCM	128711	For Clinical Trial Export
DCM	128713	For Research Collection Export
DCM	128714	For Publication Export

CID 7015 Export Delay Reasons

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1179

Table CID 7015. Export Delay Reasons

Coding Scheme Designator	Code Value	Code Meaning
DCM	128715	Delay export until final report is available
DCM	128716	Delay export until clinical information is available
DCM	128717	Delay export until confirmation of diagnosis is available
DCM	128718	Delay export until histopathology is available
DCM	128719	Delay export until other laboratory results are available
DCM	128720	Delay export until patient is discharged
DCM	128721	Delay export until patient dies
DCM	128722	Delay export until expert review is available

CID 7016 Level of Difficulty

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.1180

Table CID 7016. Level of Difficulty

Coding Scheme Designator	Code Value	Code Meaning
DCM	128725	Primary level
DCM	128726	Intermediate level
DCM	128727	Advanced level

CID 7017 Category of Teaching Material - Imaging

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.1181

Table CID 7017. Category of Teaching Material - Imaging

Coding Scheme Designator	Code Value	Code Meaning
DCM	128728	Musculoskeletal imaging subject matter
DCM	128729	Pulmonary imaging subject matter
DCM	128730	Cardiovascular imaging subject matter
DCM	128731	Gastrointestinal imaging subject matter
DCM	128732	Genitourinary imaging subject matter
DCM	128733	Neuroimaging subject matter
DCM	128734	Vascular and interventional imaging subject matter
DCM	128735	Nuclear medicine imaging subject matter
DCM	128736	Ultrasound imaging subject matter
DCM	128737	Pediatric imaging subject matter
DCM	128738	Breast imaging subject matter

Note

The contents of this context group correspond to the American Board of Radiology categories in use at the time the IHE TCE Profile was developed.

CID 7018 Miscellaneous Document Titles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.1182

Table CID 7018. Miscellaneous Document Titles

Coding Scheme Designator	Code Value	Code Meaning
DCM	128712	Additional Teaching File Information

CID 7019 Segmentation Non-Image Source Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.1183

Table CID 7019. Segmentation Non-Image Source Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	128227	Source real world value map		

CID 7020 Document Titles

Context Group ID 7020 comprises all document names (i.e., terms with Scale "DOC") within the HIPAA Attachments class of the LOINC coding scheme. The Coding Scheme Designator shall be LN.

Note

1. A subset of this Context Group directly applicable to imaging reports is in CID 7000 "Diagnostic Imaging Report Document Titles".
2. The LOINC coding scheme can be found at <http://www.regenstrief.org/loinc>.

CID 7021 Measurement Report Document Titles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20141110
UID: 1.2.840.10008.6.1.997

Table CID 7021. Measurement Report Document Titles

Coding Scheme Designator	Code Value	Code Meaning
DCM	126000	Imaging Measurement Report
DCM	126001	Oncology Measurement Report
DCM	126002	Dynamic Contrast MR Measurement Report
DCM	126003	PET Measurement Report

CID 7022 Radiotherapy Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180916
 UID: 1.2.840.10008.6.1.1115

Table CID 7022. Radiotherapy Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
DCM	121310	RT treatment plan for the position being verified		
DCM	129210	Registration used in Planning		
DCM	129211	Registration created during Treatment		

CID 7023 RT Process Output

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160908
 UID: 1.2.840.10008.6.1.1135

Table CID 7023. RT Process Output

Coding Scheme Designator	Code Value	Code Meaning
DCM	128184	Pre-Planning Result
DCM	128185	RT Prescription Result
DCM	128186	Dose Calculation Image Series
DCM	128187	Coordinate Alignment Image Series
DCM	128188	RT Treatment Simulation Result
DCM	128189	RT Planning Result
DCM	128190	Dosimetric Result
DCM	128191	Patient Setup Verification Result
DCM	128192	RT Treatment Session Result
DCM	128193	RT Treatment Course Summary
DCM	128194	RT Treatment QA Result

Note

The concepts in the CID are intended to be a declarative statement to represent the output of an operation, without implying that this operation was part of a particular workflow or that the output will be used in any future operation.

CID 7024 RT Process Input

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160908
 UID: 1.2.840.10008.6.1.1136

Table CID 7024. RT Process Input

Coding Scheme Designator	Code Value	Code Meaning
DCM	128180	For RT Workflow

Coding Scheme Designator	Code Value	Code Meaning
DCM	128197	For RT Prescription
DCM	128198	For RT Treatment Planning
DCM	128200	For RT Plan Summation
DCM	128201	For Physician Review
DCM	128202	For Physicist Review
DCM	128204	For Plan Quality Assurance
DCM	128205	For Machine Quality Assurance
DCM	128206	For Patient Setup Verification

Note

The concepts in the CID are intended to be a declarative statement to represent the potential input of an operation, without implying that this operation is part of a particular workflow, that this input will be used at all in any subsequent operation, that only parts of the referenced instances will be used, or that instances other than those referenced will be used as input.

CID 7025 RT Process Input Used

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160908
 UID: 1.2.840.10008.6.1.1137

Table CID 7025. RT Process Input Used

Coding Scheme Designator	Code Value	Code Meaning
DCM	128209	RT Workflow Input Used
DCM	128210	RT Prescription Input Used
DCM	128211	RT Treatment Planning Input Used
DCM	128212	RT Plan Summation Input Used
DCM	128213	Physician Review Input Used
DCM	128214	Physicist Review Input Used
DCM	128215	Plan Quality Assurance Input Used
DCM	128216	Machine Quality Assurance Input Used
DCM	128217	Patient Setup Verification Input Used

Note

The concepts in the CID are intended to be a declarative statement to represent input that has been used in an operation, without implying that this operation was part of a particular workflow or how this input was collected.

CID 7026 Radiotherapeutic Dose Measurement Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1177

Table CID 7026. Radiotherapeutic Dose Measurement Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-FGGF2706247001	Medical x-ray film	706247001R-FCCF2	C3873821

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	128701	3D Gel		
DCM	128702	Diode Array		
DCM	128703	Ion Chamber Array		
SRT SCT	R-FCE69 464983000	Thermoluminescent radiation dosimeter	464983000 R-FCE69	C3881975
DCM	128704	Diode		
DCM	128705	Liquid Ion Chamber		
SRT SCT	R-FCC16 701933006	MOSFET radiation therapy dosimetry system dosimeter	701933006 R-FCC16	C3872923
DCM	128706	OSLD		
DCM	128707	Ion Chamber		
SRT SCT	R-FD5EB 468440006	Digital imager	468440006 R-FD5EB	C3877969
DCM	128708	Diamond Detector		

CID 7027 Segmented Radiotherapeutic Dose Measurement Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190125
 UID: 1.2.840.10008.6.1.1276

Table CID 7027. Segmented Radiotherapeutic Dose Measurement Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	128702	Diode Array		
DCM	128703	Ion Chamber Array		
SRT SCT	R-FCE69 464983000	Thermoluminescent radiation dosimeter	464983000 R-FCE69	C3881975
DCM	128704	Diode		
DCM	128705	Liquid Ion Chamber		
SRT SCT	R-FCC16 701933006	MOSFET radiation therapy dosimetry system dosimeter	701933006 R-FCC16	C3872923
DCM	128706	OSLD		
DCM	128707	Ion Chamber		
SRT SCT	R-FD5EB 468440006	Digital imager	468440006 R-FD5EB	C3877969
DCM	128708	Diamond Detector		

CID 7030 Institutional Departments, Units and Services

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.817

Table CID 7030. Institutional Departments, Units and Services

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
DCM	128170	Abdominal Radiology		
SRTSCT	R-300E3225728007	Accident and Emergency	225728007R-300E3	C0562508
SRTSCT	R-30246309913004	Allergy and Immunology	309913004R-30246	C0587451
SRTSCT	R-3023A309901009	Anesthesiology	309901009R-3023A	C0002907
SRTSCT	R-30247309914005	Audiology	309914005R-30247	C0587452
DCM	128171	Biomedical Engineering		
SRTSCT	R-3027F309968000	Breast Surgery	309968000R-3027F	C0587504
SRTSCT	R-3060E426439001	Burns Intensive Care	426439001R-3060E	C1959926
SRTSCT	R-30240309907008	Cardiac Intensive Care	309907008R-30240	C0587446
SRTSCT	R-30282309971008	Cardiac Surgery	309971008R-30282	C0587507
SRTSCT	R-30248309915006	Cardiology	309915006R-30248	C0587453
SRTSCT	R-30280309969008	Cardiothoracic Surgery	309969008R-30280	C0587505
DCM	128172	Cardiovascular Radiology		
SRTSCT	R-30276309959002	Child and Adolescent Psychiatry	309959002R-30276	C0587495
SRTSCT	R-421EB310076001	Clinical Biochemistry	310076001R-421EB	C0587609
SRTSCT	R-3023B309902002	Clinical Oncology	309902002R-3023B	C0587443
SRTSCT	R-3028E309983005	Colorectal Surgery	309983005R-3028E	C0587519
SRTSCT	R-4221E310128004	Computerized Tomography Service	310128004R-4221E	C0587659
SRTSCT	R-4225D310200001	Cytology	310200001R-4225D	C0587725
SRTSCT	R-30283309972001	Dental Surgery	309972001R-30283	C0587508
SRTSCT	R-30250309923008	Dermatology	309923008R-30250	C0587461
SRTSCT	R-3061B441662001	Diagnostic Imaging	441662001R-3061B	C2711258
SRTSCT	R-3028A309979005	Endocrine Surgery	309979005R-3028A	C0587515
SRTSCT	R-30252309925001	Endocrinology	309925001R-30252	C0587463
SRTSCT	R-421D4310030000	Endoscopy	310030000R-421D4	C0587565
SRTSCT	R-3028B309980008	Gastrointestinal Surgery	309980008R-3028B	C0587516
SRTSCT	R-30254309927009	General Medicine	309927009R-30254	C0587465
SRTSCT	R-3028F309984004	General Surgery	309984004R-3028F	C0587520
SRTSCT	R-3025A309933000	Geriatric Medicine	309933000R-3025A	C0587471
SRTSCT	R-30264309943002	Gynecology	309943002R-30264	C0587481
SRTSCT	R-30290309985003	Hand Surgery	309985003R-30290	C0587521
SRTSCT	R-3026F309954007	Hematology	309954007R-3026F	C0587491
SRTSCT	R-4223B310158005	Hepatobiliary Surgery	310158005R-4223B	C0587687
SRTSCT	R-3061D441950002	Histopathology	441950002R-3061D	C2711413
SRTSCT	R-3025B309934006	Infectious Disease	309934006R-3025B	C0587472
DCM	128173	Information Technology		
SRTSCT	R-3023D309904001	Intensive Care	309904001R-3023D	C0021708

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-FF0C4708174004	Interventional Radiology Service	708174004R-FF0C4	C3872675
SRTSCT	R-4221D310127009	Magnetic Resonance Imaging Service	310127009R-4221D	C0587658
SRTSCT	R-3061E441994008	Medical Intensive Care	441994008R-3061E	C2711734
SRTSCT	R-30270309956009	Medical Microbiology	309956009R-30270	C0587492
DCM	128174	Medical Physics		
DCM	128175	Musculoskeletal Radiology		
SRTSCT	R-305CE405269005	Neonatal Intensive Care	405269005R-305CE	C0021709
SRTSCT	R-3025D309936008	Nephrology	309936008R-3025D	C0587474
SRTSCT	R-3025E309937004	Neurology	309937004R-3025E	C0587475
UMLS	C2183225	Neuroradiology		C2183225
SRTSCT	R-4223C310159002	Neurosurgery	310159002R-4223C	C0587688
SRTSCT	R-3025F309938009	Nuclear Medicine	309938009R-3025F	C0587476
SRTSCT	R-30265309944008	Obstetrics	309944008R-30265	C0028775
SRTSCT	R-30263309942007	Obstetrics and Gynecology	309942007R-30263	C0587480
SRTSCT	R-3025C309935007	Ophthalmology	309935007R-3025C	C0587473
SRTSCT	R-42207310105000	Optometry	310105000R-42207	C0587638
SRTSCT	R-30285309974000	Oral Surgery	309974000R-30285	C0587510
SRTSCT	R-30294309989009	Orthopedic Surgery	309989009R-30294	C0587525
SRTSCT	R-30289309978002	Otorhinolaryngology	309978002R-30289	C0587514
SRTSCT	R-3026A309949003	Pain Management	309949003R-3026A	C0587486
SRTSCT	R-30260309939001	Palliative Care	309939001R-30260	C0587477
SRTSCT	R-3026B309950003	Pathology	309950003R-3026B	C0587487
SRTSCT	R-30243309910001	Pediatric Intensive Care	309910001R-30243	C0021710
SRTSCT	R-305EA420223003	Pediatric Medicine	420223003R-305EA	C1628316
SRTSCT	R-30269309948006	Pediatric Oncology	309948006R-30269	C0587485
DCM	128177	Pediatric Radiology		
SRTSCT	R-30296309991001	Pediatric Surgery	309991001R-30296	C0587527
SRTSCT	R-302A2310464005	Physiotherapy	310464005R-302A2	C0587975
SRTSCT	R-30297309992008	Plastic Surgery	309992008R-30297	C0587528
SRTSCT	S-8000A441480003	Primary Care Department	441480003S-8000A	C2711449
SRTSCT	R-30275309958005	Psychiatry	309958005R-30275	C0587494
SRTSCT	R-42219310123008	Psychology	310123008R-42219	C0587654
SRTSCT	R-3024B309918008	Pulmonology	309918008R-3024B	C0587456
SRTSCT	R-3027B309964003	Radiology	309964003R-3027B	C0587500
SRTSCT	R-3023C309903007	Radiotherapy	309903007R-3023C	C0587444
SRTSCT	R-30261309940004	Rehabilitation	309940004R-30261	C0587478
SRTSCT	R-30262309941000	Rheumatology	309941000R-30262	C0587479
SRTSCT	R-42203310101009	Speech and Language Therapy	310101009R-42203	C0587634
SRTSCT	R-3027D309966001	Stroke	309966001R-3027D	C0587502

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-3027E309967005	Surgery	309967005R-3027E	C0587503
SRTSCT	R-305EB418433008	Surgical Intensive Care	418433008R-305EB	C1690590
DCM	128179	Thoracic Radiology		
SRTSCT	R-30284309970009	Thoracic Surgery	309970009R-30281	C0587506
SRTSCT	R-30298309993003	Transplant Surgery	309993003R-30298	C0587529
SRTSCT	R-30299309994009	Trauma Surgery	309994009R-30299	C0587530
SRTSCT	R-30616441548002	Tropical Medicine	441548002R-30616	C2711407
SRTSCT	R-42246310169008	Ultrasonography	310169008R-42246	C0587698
SRTSCT	R-3029A309995005	Urology	309995005R-3029A	C0587531
SRTSCT	R-3029B309996006	Vascular Surgery	309996006R-3029B	C0587532

Note

In SNOMED, there is often a choice of unit, department or service concepts; in DICOM, the department concept is preferred and used in this context group.

CID 7035 Actionable Finding Classification

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150324
 UID: 1.2.840.10008.6.1.1026

Table CID 7035. Actionable Finding Classification

Coding Scheme Designator	Code Value	Code Meaning
RADLEX	RID49480	ACR Category 1 Actionable Finding
RADLEX	RID49481	ACR Category 2 Actionable Finding
RADLEX	RID49482	ACR Category 3 Actionable Finding

CID 7036 Image Quality Assessment

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150324
 UID: 1.2.840.10008.6.1.1027

Table CID 7036. Image Quality Assessment

Coding Scheme Designator	Code Value	Code Meaning
RADLEX	RID12	Diagnostic quality
RADLEX	RID13	Limited quality
RADLEX	RID14	Non-diagnostic quality

CID 7039 Pediatric Size Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170417
 UID: 1.2.840.10008.6.1.1173

Table CID 7039. Pediatric Size Categories

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
Include CID 7040 "Broselow-Luten Pediatric Size Categories"				

CID 7040 Broselow-Luten Pediatric Size Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20100127
 UID: 1.2.840.10008.6.1.824

Table CID 7040. Broselow-Luten Pediatric Size Categories

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-051E3444488009	Broselow Luten Pink Zone (6-7 kg)	444488009F-051E3	C2733122
SRTSCT	F-051DF444471002	Broselow Luten Red Zone (8-9 kg)	444471002F-051DF	C2732530
SRTSCT	F-051E4444489001	Broselow Luten Purple Zone (10-11 kg)	444489001F-051E4	C2733258
SRTSCT	F-051E8444505007	Broselow Luten Yellow Zone (12-14 kg)	444505007F-051E8	C2732308
SRTSCT	F-051E7444504006	Broselow Luten White Zone (15-18 kg)	444504006F-051E7	C2732835
SRTSCT	F-051E0444474005	Broselow Luten Blue Zone (19-23 kg)	444474005F-051E0	C2733154
SRTSCT	F-051E5444496004	Broselow Luten Orange Zone (24-29 kg)	444496004F-051E5	C2732302
SRTSCT	F-051E6444503000	Broselow Luten Green Zone (30-36 kg)	444503000F-051E6	C2732991

CID 7041 Calcium Scoring Patient Size Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170417
 UID: 1.2.840.10008.6.1.1174

Table CID 7041. Calcium Scoring Patient Size Categories

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
Include CID 7042 "CMDCTECC Calcium Scoring Patient Size Categories"				

CID 7042 CMDCTECC Calcium Scoring Patient Size Categories

Patient sizes for calibrating calcium scoring, from the Consortium for Multi-Detector CT Evaluation of Coronary Calcium.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20100127
 UID: 1.2.840.10008.6.1.825

Table CID 7042. CMDCTECC Calcium Scoring Patient Size Categories

Coding Scheme Designator	Code Value	Code Meaning
DCM	113601	Small: < 32.0 cm lateral thickness
DCM	113602	Medium: 32.0-38.0 cm lateral thickness
DCM	113603	Large: > 38.0 cm lateral thickness

CID 7050 De-identification Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.925

Table CID 7050. De-identification Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	113100	Basic Application Confidentiality Profile
DCM	113101	Clean Pixel Data Option
DCM	113102	Clean Recognizable Visual Features Option
DCM	113103	Clean Graphics Option
DCM	113104	Clean Structured Content Option
DCM	113105	Clean Descriptors Option
DCM	113106	Retain Longitudinal Temporal Information Full Dates Option
DCM	113107	Retain Longitudinal Temporal Information Modified Dates Option
DCM	113108	Retain Patient Characteristics Option
DCM	113109	Retain Device Identity Option
DCM	113110	Retain UIDs Option
DCM	113111	Retain Safe Private Option
DCM	113112	Retain Institution Identity Option

CID 7060 Encapsulated Document Source Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180403
 UID: 1.2.840.10008.6.1.1201

Table CID 7060. Encapsulated Document Source Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121324	Source image
<i>Include CID 7013 "Non-Image Source Instance Purposes of Reference"</i>		

CID 7061 Model Document Titles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180403
 UID: 1.2.840.10008.6.1.1202

Table CID 7061. Model Document Titles

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	121324	Source image		
LN	85041-2	MR 3D CAM model		C4297407
LN	85040-4	CT 3D CAM model		C4297408
DCM	129018	US 3D CAM model		
DCM	129019	Mixed Modality 3D CAM model		
DCM	129020	Photogrammetric Imaging 3D CAM model		
DCM	129021	Laser Scanning 3D CAM model		

CID 7062 Purpose of Reference to Predecessor 3D Model

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20180403
UID: 1.2.840.10008.6.1.1203

This Context Group comprises reasons that a prior 3D model may be referenced by a newer instance.

Table CID 7062. Purpose of Reference to Predecessor 3D Model

Coding Scheme Designator	Code Value	Code Meaning
DCM	129010	Edited Model
DCM	129011	Component Model

CID 7063 Model Scale Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Non-extensible
Version: 20180403
UID: 1.2.840.10008.6.1.1204

This Context Group comprises all valid scale units that may be used in a 3D model.

Table CID 7063. Model Scale Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	m	m
UCUM	cm	cm
UCUM	mm	mm
UCUM	um	um

CID 7064 Model Usage

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20180403
UID: 1.2.840.10008.6.1.1205

This Context Group comprises intended uses for objects manufactured from a 3D model. The intended use can help to distinguish similar-appearing models.

Table CID 7064. Model Usage

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	129012	Educational Intent		
SRT SCT	R-408C3 261004008	Diagnostic Intent	261004008 R-408C3	C0348026
DCM	129013	Planning Intent		
DCM	129014	Tool Fabrication		
DCM	129015	Prosthetic Fabrication		
DCM	129016	Implant Fabrication		
DCM	113680	Quality Control Intent		
DCM	129017	Simulation Intent		

CID 7100 RCS Registration Method Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20040115

UID: 1.2.840.10008.6.1.494

Table CID 7100. RCS Registration Method Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	125021	Frame of Reference Identity
DCM	125023	Acquisition Equipment Alignment
DCM	125025	Visual Alignment
DCM	125022	Fiducial Alignment
DCM	125024	Image Content-based Alignment

CID 7101 Brain Atlas Fiducials

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20040115

UID: 1.2.840.10008.6.1.495

Table CID 7101. Brain Atlas Fiducials

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	125030	Inter-Hemispheric Plane		
SRT SCT	T-A2980 62872008	Anterior Commissure	62872008 T-A2980	C0152335
SRT SCT	T-A4904 279336005	Posterior Commissure	279336005 T-A4904	C0152327
DCM	125031	Right Hemisphere Most Anterior		
DCM	125032	Right Hemisphere Most Posterior		
DCM	125033	Right Hemisphere Most Superior		
DCM	125034	Right Hemisphere Most Inferior		
DCM	125035	Left Hemisphere Most Anterior		
DCM	125036	Left Hemisphere Most Posterior		
DCM	125037	Left Hemisphere Most Superior		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	125038	Left Hemisphere Most Inferior		

CID 7110 Fiducials Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160919
 UID: 1.2.840.10008.6.1.1132

Table CID 7110. Fiducials Categories

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	112171	Fiducial mark		
SRT SCT	R-FF2E 7711101009	Anatomical point	711101009 R-FF2E7	C0504079
SRT SCT	T-D002F 183973000	Body surface point	183973000 T-D002F	C0567332
SRT SCT	R-FDCFF 706484002	Body reference point marker	706484002 R-FDCFF	C3872476

CID 7111 Fiducials

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180917
 UID: 1.2.840.10008.6.1.1133

Table CID 7111. Fiducials

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 3496 "IVUS Fiducial Points"				
Include CID 3837 "Fiducial Feature"				
Include CID 7101 "Brain Atlas Fiducials"				
Include CID 7112 "Radiotherapy Fiducials"				

CID 7112 Radiotherapy Fiducials

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180917
 UID: 1.2.840.10008.6.1.1207

Table CID 7112. Radiotherapy Fiducials

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	129301	Coil Marker		
DCM	122485	Sphere		
DCM	129303	Cylinder Marker		
SRT SCT	A-32475 102378009	BB Shot (Lead Pellet)	102378009 A-32475	C0522706
DCM	129305	Wire Marker		
DCM	129306	Transponder Marker		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	A-04034 19443004	Radioactive implant	19443004 A-04034	C0521196
DCM	129308	MR Marker		
DCM	129309	Infrared Reflector Marker		
DCM	129310	Visible Reflector Marker		
SRT SCT	A-12062 77720000	Clip	77720000 A-12062	C0175722
SRT SCT	A-26800 19923001	Catheter	19923001 A-26800	C0085590
SRT SCT	F-61D54 385420005	Contrast media	385420005 F-61D54	C0009924

CID 7140 Brain Structures for Volumetric Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.967

Table CID 7140. Brain Structures for Volumetric Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	T-A3230 4958002	Amygdala	4958002 T-A3230	C0002708
SRT SCT	T-D0558 119238007	Brain Stem	119238007 T-D0558	C1268144
SRT SCT	T-A3200 11000004	Caudate Nucleus	11000004 T-A3200	C0007461
SRT SCT	T-A6040 25991003	Cerebellar Cortex	25991003 T-A6040	C0007759
SRT SCT	T-A6080 33060004	Cerebellar White Matter	33060004 T-A6080	C0152381
SRT SCT	T-A2020 40146001	Cerebral Gray Matter	40146001 T-A2020	C0007776
SRT SCT	T-A2030 68523003	Cerebral White Matter	68523003 T-A2030	C0152295
SRT SCT	T-D1400 1101003	Cranial Cavity	1101003 T-D1400	C0230041
SRT SCT	T-A1502 33930006	Cranial Subarachnoid Space	33930006 T-A1502	C0228145
SRT SCT	T-A1604 180933005	Fifth Ventricle	180933005 T-A1604	C0228158
SRT SCT	T-A1820 35918002	Fourth Ventricle	35918002 T-A1820	C0149556
SRT SCT	T-A3500 14738005	Globus Pallidus	14738005 T-A3500	C0017651
SRT SCT	T-A2570 5366008	Hippocampus	5366008 T-A2570	C0019564
SRT SCT	T-A1509 263972004	Cerebellar Subarachnoid Space	263972004 T-A1509	C0446676
SRT SCT	T-A1720 53118009	Inferior Horn of Lateral Ventricle	53118009 T-A1720	C0152283
SRT SCT	T-A1650 66720007	Lateral Ventricle	66720007 T-A1650	C0152279
SRT SCT	T-A0149 427667007	Nucleus Accumbens	427667007 T-A0149	C0028633
SRT SCT	T-A0190 128319008	Intracranial structure	128319008 T-A0190	C1267697
SRT SCT	T-A3400 89278009	Putamen	89278009 T-A3400	C0034169
SRT SCT	T-D0593 119406000	Thalamus	119406000 T-D0593	C0458271
SRT SCT	T-A1740 49841001	Third ventricle	49841001 T-A1740	C0149555
DCM	110700	Ventral Diencephalon		
DCM	110701	White Matter T1 Hypointensity		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
DCM	110702	White Matter T2 Hyperintensity		

Note

1. (~~T-D1400~~, ~~SRT1101003~~, ~~SCT~~, "Cranial Cavity") may be used to describe the volume of the entire intra-cranial space (intra-cranial volume or ICV) though the coded concept used is "structure of" rather than "entire" to be consistent with normal DICOM practice.
2. (~~T-A6040~~, ~~SRT25991003~~, ~~SCT~~, "Cerebellar Cortex") is the gray matter of the cerebellum (as distinct from (~~T-A6080~~, ~~SRT33060004~~, ~~SCT~~, "Cerebellar white matter")).
3. (~~T-A1502~~, ~~SRT33930006~~, ~~SCT~~, "Cranial Subarachnoid Space") may be used to describe the volume of the exterior CSF (surrounding the brain, excluding the ventricles).
4. (~~T-A1509~~, ~~SRT263972004~~, ~~SCT~~, "Cerebellar Subarachnoid Space") may be used to describe the volume of the inferior intracranial CSF space (infra-tentorial).

CID 7150 Segmentation Property Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.496

Table CID 7150. Segmentation Property Categories

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID	Segmentation Property Type Context Group
SRT SCT	T-D0050 85756007	Tissue	85756007 T-D0050	C0040300	CID 7191 "Tissue Segmentation Property Types"
SRT SCT	T-D000A 123037004	Anatomical Structure	123037004 T-D000A	C1268086	CID 7192 "Anatomical Structure Segmentation Property Types"
SRT SCT	A-00004 260787004	Physical object	260787004 A-00004	C0085089	CID 7193 "Physical Object Segmentation Property Types"
SRT SCT	M-01000 49755003	Morphologically Abnormal Structure	49755003 M-01000	C0221198	CID 7194 "Morphologically Abnormal Structure Segmentation Property Types"
SRT SCT	R-42019 246464006	Function	246464006 R-42019	C0542341	CID 7195 "Function Segmentation Property Types"
SRT SCT	R-42018 309825002	Spatial and Relational Concept	309825002 R-42018	C0587374	CID 7196 "Spatial and Relational Concept Segmentation Property Types"
SRT SCT	T-D0080 91720002	Body Substance	91720002 T-D0080	C0504082	CID 7197 "Body Substance Segmentation Property Types"
SRT SCT	F-61002 105590001	Substance	105590001 F-61002	C0439861	CID 7198 "Substance Segmentation Property Types"

CID 7151 Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.497

Table CID 7151. Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning
Include CID 7191 "Tissue Segmentation Property Types"		
Include CID 7192 "Anatomical Structure Segmentation Property Types"		
Include CID 7193 "Physical Object Segmentation Property Types"		
Include CID 7194 "Morphologically Abnormal Structure Segmentation Property Types"		
Include CID 7195 "Function Segmentation Property Types"		
Include CID 7196 "Spatial and Relational Concept Segmentation Property Types"		
Include CID 7197 "Body Substance Segmentation Property Types"		
Include CID 4273 "Retinal Segmentation Surfaces"		

CID 7152 Cardiac Structure Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20130617

UID: 1.2.840.10008.6.1.498

Table CID 7152. Cardiac Structure Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	T-32000 80891009	Heart	80891009 T-32000	C0018787
SRT SCT	T-42000 15825003	Aorta	15825003 T-42000	C0003483
SRT SCT	T-32600 87878005	Left Ventricle	87878005 T-32600	C0225897
SRT SCT	T-32500 53085002	Right Ventricle	53085002 T-32500	C0225883
SRT SCT	T-39000 76848001	Pericardium	76848001 T-39000	C0031050
SRT SCT	T-39050 25489000	Pericardial cavity	25489000 T-39050	C0225972

CID 7153 CNS Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.499

Table CID 7153. CNS Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	T-B1100 62818001	Adenohypophysis	62818001 T-B1100	C0032008
SRT SCT	T-A3230 4958002	Amygdala	4958002 T-A3230	C0002708
SRT SCT	T-A1220 75042008	Arachnoid	75042008 T-A1220	C0003707
FMA	276650	Arcuate Fasciculus		C2329633
SRT SCT	T-A0100 12738006	Brain	12738006 T-A0100	C0006104
SRT SCT	T-A0109 280371009	Brain cerebrospinal fluid pathway	280371009 T-A0109	C0459387
SRT SCT	T-D0558 119238007	Brain stem	119238007 T-D0558	C1268144
SRT SCT	T-A1600 35764002	Brain ventricle	35764002 T-A1600	C0007799

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-A320011000004	Caudate nucleus	11000004T-A3200	C0007461
SRTSCT	T-A009021483005	Central nervous system	21483005T-A0090	C0927232
SRTSCT	T-A608033060004	Cerebellar white matter	33060004T-A6080	C0152381
SRTSCT	T-A180080447000	Cerebral aqueduct	80447000T-A1800	C0007769
SRTSCT	T-A202040146001	Cerebral cortex	40146001T-A2020	C0007776
SRTSCT	T-A297087463005	Cerebral fornix	87463005T-A2970	C0152334
SRTSCT	T-A202040146001	Cerebral Gray Matter	40146001T-A2020	C0007776
SRTSCT	T-A203068523003	Cerebral White Matter	68523003T-A2030	C0152295
SRTSCT	T-A100065216001	Cerebrospinal Fluid	65216001T-A1000	C0007806
SRTSCT	T-A284037035000	Cingulum	37035000T-A2840	C0228272
SRTSCT	T-A270088442005	Corpus callosum	88442005T-A2700	C0010090
SRTSCT	T-A310031428008	Corpus striatum	31428008T-A3100	C0010097
SRTSCT	T-A010287563008	Diencephalon	87563008T-A0102	C0012144
SRTSCT	T-A112018545000	Dura mater	18545000T-A1120	C0013313
SRTSCT	T-A25943937002	Entorhinal Cortex	3937002T-A2594	C0175196
SRTSCT	T-A182035918002	Fourth ventricle	35918002T-A1820	C0149556
SRTSCT	T-A220083251001	Frontal lobe	83251001T-A2200	C0016733
SRTSCT	T-A350014738005	Globus pallidus	14738005T-A3500	C0017651
SRTSCT	T-A0096389081007	Gray Matter	389081007T-A0096	C1300312
SRTSCT	T-A25705366008	Hippocampus	5366008T-A2570	C0019564
SRTSCT	T-A664067701001	Inferior cerebellar peduncle	67701001T-A6640	C0152393
SRTSCT	T-A285055233005	Inferior longitudinal fasciculus	55233005T-A2850	C0228273
SRTSCT	T-A261036169008	Insula	36169008T-A2610	C0021640
SRTSCT	T-A7093461002	Lateral corticospinal tract	461002T-A7093	C0152402
SRTSCT	T-A165066720007	Lateral ventricle	66720007T-A1650	C0152279
SRTSCT	T-A0036279215006	Limbic lobe	279215006T-A0036	C0458337
SRTSCT	T-A527130114003	Medial Lemniscus	30114003T-A5271	C0228420
SRTSCT	T-A11101231004	Meninges	1231004T-A1110	C0025285
SRTSCT	T-A510061962009	Midbrain	61962009T-A5100	C0025462
SRTSCT	T-A663033723005	Middle cerebellar peduncle	33723005T-A6630	C0152392
SRTSCT	T-A0149427667007	Nucleus accumbens	427667007T-A0149	C0028633
SRTSCT	T-B120037512009	Neurohypophysis	37512009T-B1200	C0032009
SRTSCT	T-A240031065004	Occipital lobe	31065004T-A2400	C0028785
SRTSCT	T-A800B244453006	Optic chiasm	244453006T-A800B	C0029126
SRTSCT	T-A288070105001	Optic radiation	70105001T-A2880	C0228277
SRTSCT	T-A806053238003	Optic tract	53238003T-A8060	C0152405
SRTSCT	T-A230016630005	Parietal lobe	16630005T-A2300	C0030560
SRTSCT	T-A128023180006	Pia mater	23180006T-A1280	C0031869
SRTSCT	T-B200045793000	Pineal Gland	45793000T-B2000	C0031939
SRTSCT	T-B100056329008	Pituitary	56329008T-B1000	C0032005

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-A4904 279336005	Posterior cerebral commissure	279336005 T-A4904	C0152327
SRTSCT	T-A3400 89278009	Putamen	89278009 T-A3400	C0034169
SRTSCT	T-D0721 280401006	Spinal cerebrospinal fluid pathway	280401006 T-D0721	C0459413
SRTSCT	T-A7010 2748008	Spinal cord	2748008 T-A7010	C0037925
SRTSCT	T-A7020 12958003	Spinal cord gray matter	12958003 T-A7020	C0475853
SRTSCT	T-A7070 27088001	Spinal cord white matter	27088001 T-A7070	C0458457
SRTSCT	T-A1500 35951006	Subarachnoid space	35951006 T-A1500	C0038527
SRTSCT	T-A5160 70007007	Substantia nigra	70007007 T-A5160	C0038590
SRTSCT	T-A6620 11089000	Superior cerebellar peduncle	11089000 T-A6620	C0152391
SRTSCT	T-A2820 89202009	Superior longitudinal fasciculus	89202009 T-A2820	C0228270
SRTSCT	T-A0103 11628009	Telencephalon	11628009 T-A0103	C0039452
SRTSCT	T-A2500 78277001	Temporal lobe	78277001 T-A2500	C0039485
SRTSCT	T-A4000 42695009	Thalamus	42695009 T-A4000	C0039729
SRTSCT	T-A1740 49841001	Third ventricle	49841001 T-A1740	C0149555
SRTSCT	T-A2830 26230003	Uncinate fasciculus	26230003 T-A2830	C0228271
SRTSCT	T-A0095 389080008	White Matter	389080008 T-A0095	C1300311

CID 7154 Abdominal Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130617
 UID: 1.2.840.10008.6.1.500

Table CID 7154. Abdominal Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-D4000 113345001	Abdomen	113345001 T-D4000	C0000726
SRTSCT	T-D4010 52731004	Abdominal cavity	52731004 T-D4010	C0230168
SRTSCT	T-14001 195879000	Abdominal wall muscle	195879000 T-14001	C1279385
SRTSCT	T-B3000 23451007	Adrenal gland	23451007 T-B3000	C0001625
SRTSCT	T-42500 7832008	Abdominal aorta	7832008 T-42500	C0003484
SRTSCT	T-60610 28273000	Bile Duct	28273000 T-60610	C0005400
SRTSCT	T-48710 64131007	Inferior vena cava	64131007 T-48710	C0042458
SRTSCT	T-71000 64033007	Kidney	64033007 T-71000	C0022646
SRTSCT	T-62000 10200004	Liver	10200004 T-62000	C0023884
SRTSCT	T-D4600 27398004	Omentum	27398004 T-D4600	C0028977
SRTSCT	T-D4425 83670000	Peritoneal cavity	83670000 T-D4425	C1704247
SRTSCT	T-D4400 15425007	Peritoneum	15425007 T-D4400	C0031153
SRTSCT	T-D4900 82849001	Retroperitoneal space	82849001 T-D4900	C0035359

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-02480 75093004	Skin of abdomen	75093004 T-02480	C0222166
SRTSCT	T-58000 30315005	Small Intestine	30315005 T-58000	C0021852
SRTSCT	T-C3000 78961009	Spleen	78961009 T-C3000	C0037993
SRTSCT	T-70001 122489005	Urinary system	122489005 T-70001	C1508753

CID 7155 Thoracic Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20130617

UID: 1.2.840.10008.6.1.501

Table CID 7155. Thoracic Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-40000 59820001	Blood Vessel	59820001 T-40000	C0005847
SRTSCT	T-D0170 272710004	Bone of thorax	272710004 T-D0170	C0448157
SRTSCT	T-26000 955009	Bronchus	955009 T-26000	C0006255
SRTSCT	T-14122 372074006	Chest wall muscle	372074006 T-14122	C1269825
SRTSCT	T-12310 51299004	Clavicle	51299004 T-12310	C0008913
SRTSCT	T-D3400 5798000	Diaphragm	5798000 T-D3400	C0011980
SRTSCT	T-56000 32849002	Esophagus	32849002 T-56000	C0014876
SRTSCT	T-28830 90572001	Lower lobe of lung	90572001 T-28830	C0225758
SRTSCT	T-28000 39607008	Lung	39607008 T-28000	C0024109
SRTSCT	T-D3300 72410000	Mediastinum	72410000 T-D3300	C0025066
SRTSCT	T-28300 72481006	Middle lobe of right lung	72481006 T-28300	C0225757
SRTSCT	T-29000 3120008	Pleura	3120008 T-29000	C0032225
SRTSCT	T-11300 113197003	Rib	113197003 T-11300	C0035561
SRTSCT	T-02424 74160004	Skin of chest	74160004 T-02424	C0222149
SRTSCT	T-11210 56873002	Sternum	56873002 T-11210	C0038293
SRTSCT	T-11502 122495006	Thoracic spine	122495006 T-11502	C0581269
SRTSCT	T-D3000 51185008	Thorax	51185008 T-D3000	C0817096
SRTSCT	T-25000 44567001	Trachea	44567001 T-25000	C0040578
SRTSCT	T-C8000 9875009	Thymus	9875009 T-C8000	C0040113
SRTSCT	T-28820 45653009	Upper lobe of lung	45653009 T-28820	C0225756

CID 7156 Vascular Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.502

Table CID 7156. Vascular Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-1A190 30180000	Adventitia	30180000 T-1A190	C0225342
SRTSCT	T-30000 113257007	Cardiovascular system	113257007 T-30000	C0007226
SRTSCT	T-1A170 8361002	Intima	8361002 T-1A170	C0162864
SRTSCT	T-40230 91747007	Lumen	91747007 T-40230	C0524424
SRTSCT	T-1A180 61695000	Media	61695000 T-1A180	C0162867
SRTSCT	T-4105E 281159003	Systemic artery	281159003 T-4105E	C0459964
SRTSCT	T-48081 360592004	Systemic vein	360592004 T-48081	C0447117
SRTSCT	M-35001 396339007	Thrombus	396339007 M-35001	C0087086
SRTSCT	M-520F8 107671003	Vascular sclerosis	107671003 M-520F8	C0003850

CID 7157 Device Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130617
 UID: 1.2.840.10008.6.1.503

Table CID 7157. Device Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 9505 "Fixation or Positioning Devices"				
Include CID 9506 "Brachytherapy Devices"				
SRTSCT	A-12024 77444004	Bone Pin	77444004 A-12024	C0175718
SRTSCT	A-12030 68183006	Bone Screw	68183006 A-12030	C0005975
SRTSCT	A-11100 14106009	Cardiac Pacemaker	14106009 A-11100	C0030163
SRTSCT	A-11206 72506001	Defibrillator	72506001 A-11206	C0162589
SRTSCT	A-04200 27606000	Dental Prosthesis	27606000 A-04200	C0162686
SRTSCT	A-04036 272287005	Inlay Dental Restoration	272287005 A-04036	C0441351
SRTSCT	A-11FCD 360066001	Left ventricular assist device	360066001 A-11FCD	C0181598
SRTSCT	A-30360 79068005	Needle	79068005 A-30360	C0027551
SRTSCT	A-04034 19443004	Radioactive implant	19443004 A-04034	C0521196
SRTSCT	A-25500 65818007	Stent	65818007 A-25500	C0038257

CID 7158 Artifact Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130617
 UID: 1.2.840.10008.6.1.504

Table CID 7158. Artifact Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	A-00916 272180002	Clothing	272180002 A-00916	C0009072

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-3040019227008	Foreign body	19227008M-30400	C0016542
SRTSCT	A-1735086407004	Table	86407004A-17350	C0039224

CID 7159 Lesion Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: ~~20150106~~20190327
 UID: 1.2.840.10008.6.1.505

Table CID 7159. Lesion Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-4161044132006	Abscess	44132006M-41610	C0000833
SRTSCT	M-3500075753009	Blood clot	75753009M-35000	C0302148
SRTSCT	M-3340A367643001	Cyst	367643001M-3340A	C0010709
SRTSCT	M-3630079654002	Edema	79654002M-36300	C0013604
SRTSCT	M-3530055584005	Embolus	55584005M-35300	C1704212
SRTSCT	M-3700050960005	Hemorrhage	50960005M-37000	C0019080
SRTSCT	M-4000023583003	Inflammation	23583003M-40000	C0021368
SRTSCT	M-030004147007	Mass	4147007M-03000	C0577559
SRTSCT	M-540006574001	Necrosis	6574001M-54000	C0027540
SRTSCT	M-8FFFF108369006	Neoplasm	108369006M-8FFFF	C0027651
SRTSCT	M-8000386049000	Neoplasm, Primary	86049000M-80003	C1306459
SRTSCT	M-8000614799000	Neoplasm, Secondary	14799000M-80006	C2939419
SRTSCT	M-0301027925004	Nodule	27925004M-03010	C0028259

Include CID 7168 "Brain Lesion Segmentation Types With Necrosis"

CID 7160 Pelvic Organ Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20130617
 UID: 1.2.840.10008.6.1.506

Table CID 7160. Pelvic Organ Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-7400089837001	Bladder	89837001T-74000	C0005682
SRTSCT	T-8320071252005	Cervix	71252005T-83200	C0007874
SRTSCT	T-8800031435000	Fallopian tube	31435000T-88000	C0015560
SRTSCT	T-8001086969008	Female external genitalia	86969008T-80010	C0227747
SRTSCT	T-8002087759004	Female internal genitalia	87759004T-80020	C0227748
SRTSCT	T-9001090418005	Male external genitalia	90418005T-90010	C0227922
SRTSCT	T-9002038242008	Male internal genitalia	38242008T-90020	C0227923

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-87000 15497006	Ovary	15497006 T-87000	C0029939
SRTSCT	T-92000 41216001	Prostate	41216001 T-92000	C0033572
SRTSCT	T-59600 34402009	Rectum	34402009 T-59600	C0034896
SRTSCT	T-93000 64739004	Seminal Vesicle	64739004 T-93000	C0036628
SRTSCT	T-94000 40689003	Testis	40689003 T-94000	C0039597
SRTSCT	T-83000 35039007	Uterus	35039007 T-83000	C0042149
SRTSCT	T-82000 76784001	Vagina	76784001 T-82000	C0042232
SRTSCT	T-96000 57671007	Vas deferens	57671007 T-96000	C0042360

CID 7161 Physiology Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20060822
 UID: 1.2.840.10008.6.1.507

Table CID 7161. Physiology Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-0039F 371863001	Perfusion	371863001 R-0039F	C1276288

CID 7162 Surface Processing Algorithm Families

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080829
 UID: 1.2.840.10008.6.1.636

Table CID 7162. Surface Processing Algorithm Families

Coding Scheme Designator	Code Value	Code Meaning
DCM	123101	Neighborhood Analysis
DCM	123102	Adaptive Filtering
DCM	123103	Edge Detection
DCM	123104	Morphological Operations
DCM	123105	Histogram Analysis
DCM	123106	Multi-Scale/Resolution Filtering
DCM	123107	Cluster Analysis
DCM	123108	Multispectral Processing
DCM	123109	Manual Processing
DCM	123110	Artificial Intelligence
DCM	123111	Deformable Models

CID 7165 Abstract Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: ~~20154143~~20190327

UID: 1.2.840.10008.6.1.962

Table CID 7165. Abstract Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	125040	Background		
SRT SCT	T-D0050 85756007	Tissue	85756007T-D0050	C0040300
SRT SCT	F-61779 289925000	Waste Material	289925000F-61779	C0043045
DCM	125041	Registration Input		
DCM	113132	Single subject extracted from group		
NCIt	C94970	Reference Region		C2986814
SCT	17621005	Normal	G-A460	C0205307

Note

The concept (17621005, SCT, "Normal") is a general normality qualifier used here to mean normal in the context of the structural or functional image being segmented, whether it be "normal tissue" or "normal function". Normal may be distinguished from background (e.g., where there is no tissue at all).

CID 7166 Common Tissue Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.963

Table CID 7166. Common Tissue Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	T-41000 51114001	Artery	51114001T-41000	C0003842
SRT SCT	T-C2000 87612001	Blood	87612001T-C2000	C0005767
SRT SCT	T-40000 59820001	Blood vessel	59820001T-40000	C0005847
SRT SCT	F-03D38 248300009	Body fat	248300009F-03D38	C0344335
SRT SCT	T-D016E 272673000	Bone	272673000T-D016E	C0262950
SRT SCT	T-40050 20982000	Capillary	20982000T-40050	C0006901
SRT SCT	T-D021B 309312004	Cartilage	309312004T-D021B	C0007301
SRT SCT	T-1A200 21793004	Connective tissue	21793004T-1A200	C0009780
SRT SCT	T-18010 52082005	Ligament	52082005T-18010	C0023685
SRT SCT	T-C4000 59441001	Lymph node	59441001T-C4000	C0024204
SRT SCT	T-C6000 89890002	Lymphatic system	89890002T-C6000	C0024235
SRT SCT	T-C6010 83555006	Lymphatic vessel	83555006T-C6010	C0229889
SRT SCT	T-15009 74135004	Meniscus	74135004T-15009	C0224498
SRT SCT	T-13001 71616004	Muscle	71616004T-13001	C0026845
SRT SCT	T-D0598 119410002	Nerve	119410002T-D0598	C1268169
SRT SCT	T-D0060 113343008	Organ	113343008T-D0060	C0229983
SRT SCT	T-01000 39937001	Skin	39937001T-01000	C1123023
SRT SCT	T-17010 13024002	Tendon	13024002T-17010	C0039508

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-D0050 85756007	Tissue	85756007T-D0050	C0040300
SRTSCT	T-48000 29092000	Vein	29092000T-48000	C0042449

Note

Blood and body fat are considered tissues rather than body substances because they are cellular.

CID 7167 Peripheral Nervous System Segmentation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20130617

UID: 1.2.840.10008.6.1.964

Table CID 7167. Peripheral Nervous System Segmentation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-A0140 3058005	Peripheral nervous system	3058005T-A0140	C0206417
SRTSCT	T-A0500 84782009	Peripheral nerve	84782009T-A0500	C0031119
SRTSCT	T-A8000 25238003	Cranial nerve	25238003T-A8000	C0010268
SRTSCT	T-A8640 88882009	Vagus nerve	88882009T-A8640	C0042276
SRTSCT	T-A9605 53520000	Autonomic nerve	53520000T-A9605	C0206250
SRTSCT	T-A9630 44909008	Sympathetic trunk	44909008T-A9630	C0228972

CID 7168 Brain Lesion Segmentation Types With Necrosis

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190327

UID: 1.2.840.10008.6.1.1280

Table CID 7168. Brain Lesion Segmentation Types With Necrosis

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
Include CID 7169 "Brain Lesion Segmentation Types Without Necrosis"				
SCT	6574001	Necrosis	M-54000	C0027540

Note

The same concept for non-enhancing tumor is used in this Context Group and when included in CID 7169 "Brain Lesion Segmentation Types Without Necrosis". When used in this Context Group, non-enhancing tumor excludes any necrotic region, whereas when used in CID 7169, it does not.

CID 7169 Brain Lesion Segmentation Types Without Necrosis

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190327

UID: 1.2.840.10008.6.1.1281

Table CID 7169. Brain Lesion Segmentation Types Without Necrosis

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
DCM	125040	Background		
SCT	17621005	Normal	G-A460	C0205307
SCT	79654002	Edema	M-36300	C0013604
NCIt	C81175	Non-Enhancing Lesion		C2825493
NCIt	C113842	Enhancing Lesion		C3830314

Note

1. The concept (17621005, SCT, "Normal") is a general normality qualifier used here in context to mean normally appearing brain tissue on an imaging study. Some coding schemes contain more specific concepts such as "normal tissue" (but may be part of a coding scheme for histopathology rather than imaging) or "normal brain" or "normal white matter". Normal may be distinguished from background (e.g., where there is no tissue at all).
2. A generic concept for edema is used for consistency with other segmentation-related Context Groups, rather than a more specific anatomy or tumor-related concept such as (C121674, NCIt, "Peritumoral Brain Edema") UMLS:C4054192.
3. The same concept for non-enhancing tumor is used in this Context Group and when included in CID 7168 "Brain Lesion Segmentation Types With Necrosis". When used in this Context Group, non-enhancing tumor includes any necrotic region, whereas when used in CID 7168, it does not.

CID 7180 Abstract Multi-dimensional Image Model Component Semantics**Resources:** HTML | FHIR JSON | FHIR XML | IHE SVS XML**Type:** Extensible**Version:** ~~20180904~~20190323**UID:** 1.2.840.10008.6.1.917**Table CID 7180. Abstract Multi-dimensional Image Model Component Semantics**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Units
<i>Include CID 4033 "MR Proton Spectroscopy Metabolites"</i>					
DCM	113063	T1			DT (ms, UCUM, "ms")
DCM	113065	T2			DT (ms, UCUM, "ms")
DCM	113064	T2*			DT (ms, UCUM, "ms")
DCM	113058	Proton Density			
DCM	110800	Spin Tagging Perfusion MR Signal Intensity			
DCM	113070	Velocity encoded			
DCM	113067	Temperature encoded			
DCM	110801	Contrast Agent Angio MR Signal Intensity			
DCM	110802	Time Of Flight Angio MR Signal Intensity			
DCM	110803	Proton Density Weighted MR Signal Intensity			
DCM	110804	T1 Weighted MR Signal Intensity			

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Units
DCM	110805	T2 Weighted MR Signal Intensity			
DCM	110806	T2* Weighted MR Signal Intensity			
Include Section CID 7270 "MR Diffusion Component Semantics"					
Include Section CID 7271 "MR Diffusion Anisotropy Indices"					
Include Section CID 7272 "MR Diffusion Model Parameters"					
DCM	110807	Field Map MR Signal Intensity			
DCM	110816	T1 Weighted Dynamic Contrast Enhanced MR Signal Intensity			
DCM	110817	T2 Weighted Dynamic Contrast Enhanced MR Signal Intensity			
DCM	110818	T2* Weighted Dynamic Contrast Enhanced MR Signal Intensity			
DCM	110819	Blood Oxygenation Level			
DCM	110820	Nuclear Medicine Projection Activity			
DCM	110821	Nuclear Medicine Tomographic Activity			
DCM	110822	Spatial Displacement X Component			
DCM	110823	Spatial Displacement Y Component			
DCM	110824	Spatial Displacement Z Component			
DCM	110825	Hemodynamic Resistance			
DCM	110826	Indexed Hemodynamic Resistance			
DCM	112031	Attenuation Coefficient			DT ([hnsfU], UCUM, "Hounsfield unit")
DCM	110827	Tissue Velocity			
DCM	110828	Flow Velocity			
SRTSCT	P0-02241425704008	Power Doppler	425704008P0-02241	C1960437	
DCM	110829	Flow Variance			
DCM	110830	Elasticity			
DCM	110831	Perfusion			
DCM	110832	Speed of sound			
DCM	110833	Ultrasound Attenuation			
DCM	113068	Student's T-test			
DCM	113071	Z-score			
DCM	113057	R-Coefficient			

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Units
DCM	126220	R2-Coefficient			
DCM	126221	Chi-square			
DCM	126222	D-W			
DCM	126223	AIC			
DCM	126224	BIC			
DCM	110834	RGB R Component			
DCM	110835	RGB G Component			
DCM	110836	RGB B Component			
DCM	110837	YBR FULL Y Component			
DCM	110838	YBR FULL CB Component			
DCM	110839	YBR FULL CR Component			
DCM	110840	YBR PARTIAL Y Component			
DCM	110841	YBR PARTIAL CB Component			
DCM	110842	YBR PARTIAL CR Component			
DCM	110843	YBR ICT Y Component			
DCM	110844	YBR ICT CB Component			
DCM	110845	YBR ICT CR Component			
DCM	110846	YBR RCT Y Component			
DCM	110847	YBR RCT CB Component			
DCM	110848	YBR RCT CR Component			
DCM	110849	Echogenicity			
DCM	110850	X-Ray Attenuation			
DCM	110852	MR signal intensity			
DCM	110853	Binary Segmentation			
DCM	110854	Fractional Probabilistic Segmentation			
DCM	110855	Fractional Occupancy Segmentation			
DCM	126393	R1			DT (/ms, UCUM, "/ms")
DCM	126394	R2			DT (/ms, UCUM, "/ms")
DCM	126395	R2*			DT (/ms, UCUM, "/ms")
DCM	113098	Magnetization Transfer Ratio			DT ({ratio}, UCUM, "ratio")
DCM	126396	Magnetic Susceptibility			DT ({ratio}, UCUM, "ratio")
Include Section CID 4107 "Tracer Kinetic Model Parameters"					
Include Section CID 4108 "Perfusion Model Parameters"					
Include Section CID 4109 "Model-Independent Dynamic Contrast Analysis Parameters"					
DCM	126400	Standardized Uptake Value			

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept RT ID	UMLS Concept Unique ID	Units
DCM	126401	SUVbw			DT (g/ml{SUVbw}, UCUM, "Standardized Uptake Value body weight")
DCM	126402	SUVlbm			DT (g/ml{SUVlbm}, UCUM, "Standardized Uptake Value lean body mass (James)")
DCM	126406	SUVlbm(James128)			DT (g/ml{SUVlbm(James128)}, UCUM, "Standardized Uptake Value lean body mass (James 128 multiplier)")
DCM	126405	SUVlbm(Janma)			DT (g/ml{SUVlbm(Janma)}, UCUM, "Standardized Uptake Value lean body mass (Janma)")
DCM	126403	SUVbsa			DT (cm2/ml{SUVbsa}, UCUM, "Standardized Uptake Value body surface area")
DCM	126404	SUVibw			DT (g/ml{SUVibw}, UCUM, "Standardized Uptake Value ideal body weight")
Include CID 10070 "Radiation Dose Types"					
SRT SCT	T-D008A 256674009	Fat	256674009 T-D008A	C0015677	
DCM	129100	Fat fraction			
DCM	129101	Water/fat in phase			
DCM	129102	Water/fat out of phase			
DCM	113054	Negative enhancement integral			
DCM	113059	Signal change			
DCM	113060	Signal to noise			
DCM	113066	Time course of signal			
SRT SCT	C-10120 11713004	Water	11713004 C-10120	C0043047	
DCM	129103	Water fraction			
DCM	130086	Relative Linear Stopping Power			DT (ratio, UCUM, "ratio")

CID 7181 Abstract Multi-dimensional Image Model Component Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180605
 UID: 1.2.840.10008.6.1.918

Table CID 7181. Abstract Multi-dimensional Image Model Component Units

Coding Scheme Designator	Code Value	Code Meaning
Include CID 3500 "Pressure Units"		

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 3502 "Hemodynamic Resistance Units"</i>		
<i>Include CID 3503 "Indexed Hemodynamic Resistance Units"</i>		
<i>Include CID 7460 "Units of Linear Measurement"</i>		
<i>Include CID 7461 "Units of Area Measurement"</i>		
<i>Include CID 7462 "Units of Volume Measurement"</i>		
<i>Include CID 84 "PET Units"</i>		
<i>Include CID 7277 "Units of Diffusion Rate Area Over Time"</i>		
<i>Include CID 10071 "Radiation Dose Units"</i>		
UCUM	1	no units
UCUM	{ratio}	ratio
UCUM	[hnsfU]	Hounsfield Unit
UCUM	{counts}	Counts
UCUM	{counts}/s	Counts per second
UCUM	[arbU]	arbitrary unit
UCUM	ppm	ppm
UCUM	cm/s	centimeter/second
UCUM	mm/s	millimeter/second
UCUM	dB	decibel
UCUM	Cel	degrees Celsius
UCUM	ml/min	milliliter per minute
UCUM	ml/s	milliliter per second
UCUM	ms	millisecond
UCUM	s	second
UCUM	Hz	Hertz
UCUM	mT	milliTesla
UCUM	{Particles}/{100}g{Tissue}	number particles per 100 gram of tissue
UCUM	s/mm ²	second per square millimeter
UCUM	ml/[100]g/min	milliliter per 100 gram per minute
UCUM	ml/[100]ml	milliliter per 100 milliliter
UCUM	mmol/kg{WetWeight}	millimoles per kg wet weight
UCUM	/min	/min
UCUM	/s	/s

CID 7182 Abstract Multi-dimensional Image Model Dimension Semantics

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100825

UID: 1.2.840.10008.6.1.919

Table CID 7182. Abstract Multi-dimensional Image Model Dimension Semantics

Coding Scheme Designator	Code Value	Code Meaning
DCM	110856	Linear Displacement
DCM	110857	Photon Energy

Coding Scheme Designator	Code Value	Code Meaning
DCM	110858	Time
DCM	110859	Angle

CID 7183 Abstract Multi-dimensional Image Model Dimension Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100825
UID: 1.2.840.10008.6.1.920

Table CID 7183. Abstract Multi-dimensional Image Model Dimension Units

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 7460 "Units of Linear Measurement"</i>		
UCUM	ms	Millisecond
UCUM	s	Second
UCUM	deg	Degree
UCUM	rad	Radian

CID 7184 Abstract Multi-dimensional Image Model Axis Direction

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100825
UID: 1.2.840.10008.6.1.921

Table CID 7184. Abstract Multi-dimensional Image Model Axis Direction

Coding Scheme Designator	Code Value	Code Meaning
DCM	110860	Left-Right Axis
DCM	110861	Head-Foot Axis
DCM	110862	Anterior-Posterior Axis
DCM	110863	Apex-Base Axis
DCM	110864	Anterior-Inferior Axis
DCM	110865	Septum-Wall Axis

CID 7185 Abstract Multi-dimensional Image Model Axis Orientation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100825
UID: 1.2.840.10008.6.1.922

Table CID 7185. Abstract Multi-dimensional Image Model Axis Orientation

Coding Scheme Designator	Code Value	Code Meaning
DCM	110866	Right To Left
DCM	110867	Left To Right
DCM	110868	Head To Foot
DCM	110869	Foot To Head
DCM	110870	Anterior To Posterior

Coding Scheme Designator	Code Value	Code Meaning
DCM	110871	Posterior To Anterior
DCM	110872	Apex To Base
DCM	110873	Base To Apex
DCM	110874	Anterior To Inferior
DCM	110875	Inferior To Anterior
DCM	110876	Septum To Wall
DCM	110877	Wall To Septum

CID 7186 Abstract Multi-dimensional Image Model Qualitative Dimension Sample Semantics

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100825
UID: 1.2.840.10008.6.1.923

Table CID 7186. Abstract Multi-dimensional Image Model Qualitative Dimension Sample Semantics

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 4033 "MR Proton Spectroscopy Metabolites"</i>		
DCM	110810	Volumetric Diffusion Dxx Component
DCM	110811	Volumetric Diffusion Dxy Component
DCM	110812	Volumetric Diffusion Dxz Component
DCM	110813	Volumetric Diffusion Dyy Component
DCM	110814	Volumetric Diffusion Dyz Component
DCM	110815	Volumetric Diffusion Dzz Component
DCM	110834	RGB R Component
DCM	110835	RGB G Component
DCM	110836	RGB B Component
DCM	110837	YBR FULL Y Component
DCM	110838	YBR FULL CB Component
DCM	110839	YBR FULL CR Component
DCM	110840	YBR PARTIAL Y Component
DCM	110841	YBR PARTIAL CB Component
DCM	110842	YBR PARTIAL CR Component
DCM	110843	YBR ICT Y Component
DCM	110844	YBR ICT CB Component
DCM	110845	YBR ICT CR Component
DCM	110846	YBR RCT Y Component
DCM	110847	YBR RCT CB Component
DCM	110848	YBR RCT CR Component

CID 7191 Tissue Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible

Version: 20170914
UID: 1.2.840.10008.6.1.1190

Table CID 7191. Tissue Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
Include CID 6403 "Non-lesion Object Type - Tissues"				
Include CID 6405 "Chest Non-lesion Object Type - Tissues"				
Include CID 7166 "Common Tissue Segmentation Types"				

CID 7192 Anatomical Structure Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.1191

Table CID 7192. Anatomical Structure Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
Include CID 4 "Anatomic Region"				
Include CID 3010 "Cardiovascular Anatomic Locations"				
Include CID 3827 "Vessel Segments"				
Include CID 3829 "Pulmonary Arteries"				
Include CID 4028 "Craniofacial Anatomic Regions"				
Include CID 4030 "CT, MR and PET Anatomy Imaged"				
Include CID 4040 "Endoscopy Anatomic Regions"				
Include CID 6110 "Lung Anatomy Finding or Feature"				
Include CID 6111 "Bronchovascular Anatomy Finding or Feature"				
Include CID 6112 "Pleura Anatomy Finding or Feature"				
Include CID 6113 "Mediastinum Anatomy Finding or Feature"				
Include CID 6114 "Osseous Anatomy Finding or Feature"				
Include CID 6116 "Muscular Anatomy"				
Include CID 6117 "Vascular Anatomy"				
Include CID 7152 "Cardiac Structure Segmentation Types"				
Include CID 7153 "CNS Segmentation Types"				
Include CID 7154 "Abdominal Segmentation Types"				
Include CID 7155 "Thoracic Segmentation Types"				
Include CID 7156 "Vascular Segmentation Types"				
Include CID 7160 "Pelvic Organ Segmentation Types"				
Include CID 7167 "Peripheral Nervous System Segmentation Types"				
Include CID 4273 "Retinal Segmentation Surfaces"				

CID 7193 Physical Object Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914

UID: 1.2.840.10008.6.1.1192

Table CID 7193. Physical Object Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 8 "Angiographic Interventional Devices"				
Include CID 6401 "Non-lesion Object Type - Physical Objects"				
Include CID 6404 "Chest Non-lesion Object Type - Physical Objects"				
Include CID 7157 "Device Segmentation Types"				
Include CID 7158 "Artifact Segmentation Types"				
Include CID 7027 "Segmented Radiotherapeutic Dose Measurement Devices"				

CID 7194 Morphologically Abnormal Structure Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.1193

Table CID 7194. Morphologically Abnormal Structure Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 7159 "Lesion Segmentation Types"				

CID 7195 Function Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.1194

Table CID 7195. Function Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 7161 "Physiology Segmentation Types"				

CID 7196 Spatial and Relational Concept Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.1195

Table CID 7196. Spatial and Relational Concept Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	112082	Interface		
DCM	112083	Line		
DCM	112084	Lucency		
Include CID 7165 "Abstract Segmentation Types"				

Note

Some of the concepts in this context group are derived from CID 6109 "Radiographic Anatomy Finding or Feature".

CID 7197 Body Substance Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1196

Table CID 7197. Body Substance Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-60650 70150004	Bile	70150004 T-60650	C0005388
SRTSCT	T-D0070 32457005	Body fluid	32457005 T-D0070	C0005889
SRTSCT	T-59666 39477002	Feces	39477002 T-59666	C0015733
SRTSCT	C-10080 74947009	Gas	74947009 C-10080	C0017110
SRTSCT	T-70060 78014005	Urine	78014005 T-70060	C0042036

CID 7198 Substance Segmentation Property Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1197

Table CID 7198. Substance Segmentation Property Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 6402 "Non-lesion Object Type - Substances"				

CID 7201 Referenced Image Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180916
 UID: 1.2.840.10008.6.1.508

Table CID 7201. Referenced Image Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121311	Localizer
DCM	121312	Biopsy localizer
DCM	121313	Other partial views
DCM	121314	Other image of biplane pair
DCM	121315	Other image of stereoscopic pair
DCM	121316	Images related to standalone object
DCM	121317	Spectroscopy
DCM	121338	Anatomic image
DCM	121339	Functional image

Coding Scheme Designator	Code Value	Code Meaning
DCM	121340	Spectral filtered image
DCM	121341	Device localizer
DCM	121346	Acquisition frames corresponding to volume
DCM	121347	Volume corresponding to spatially-related acquisition frames
DCM	121348	Temporal Predecessor
DCM	121349	Temporal Successor
DCM	129201	Image used for Treatment Planning
DCM	129202	Image used for Dose Calculation
DCM	129203	Image Acquired during Treatment
DCM	129204	Image used as Reference Image for Treatment

CID 7202 Source Image Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170405

UID: 1.2.840.10008.6.1.509

Table CID 7202. Source Image Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121320	Uncompressed predecessor
DCM	121321	Mask image for image processing operation
DCM	121322	Source image for image processing operation
DCM	121329	Source image for montage
DCM	121330	Lossy compressed predecessor
DCM	121358	For Processing predecessor
DCM	113130	Predecessor containing group of imaging subjects
DCM	128250	Structural image for image processing
DCM	128251	Flow image for image processing

CID 7203 Image Derivation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20180904

UID: 1.2.840.10008.6.1.510

Table CID 7203. Image Derivation

Coding Scheme Designator	Code Value	Code Meaning
DCM	113040	Lossy Compression
DCM	113042	Pixel by pixel addition
DCM	113046	Pixel by pixel division
DCM	113047	Pixel by pixel mask
DCM	113048	Pixel by pixel Maximum
DCM	113049	Pixel by pixel mean
DCM	113050	Metabolite Maps from spectroscopy data

Coding Scheme Designator	Code Value	Code Meaning
DCM	113051	Pixel by pixel Minimum
DCM	113053	Pixel by pixel multiplication
DCM	113062	Pixel by pixel subtraction
DCM	113072	Multiplanar reformatting
DCM	113073	Curved multiplanar reformatting
DCM	113074	Volume rendering
DCM	113075	Surface rendering
DCM	113076	Segmentation
DCM	113077	Volume editing
DCM	113078	Maximum intensity projection
DCM	113079	Minimum intensity projection
DCM	113085	Spatial resampling
DCM	113086	Edge enhancement
DCM	113087	Smoothing
DCM	113088	Gaussian blur
DCM	113089	Unsharp mask
DCM	113090	Image stitching
DCM	113091	Spatially-related frames extracted from the volume
DCM	113092	Temporally-related frames extracted from the set of volumes
DCM	113097	Multi-energy proportional weighting
DCM	113093	Polar to Rectangular Scan Conversion
DCM	113131	Extraction of individual subject from group
DCM	128303	OCT B-scan analysis
DCM	129104	Perfusion image analysis
DCM	129105	Diffusion image analysis
DCM	129106	Diffusion tractography

Note

This context group contains relatively generic descriptions of image processing, e.g., (129104, DCM, "Perfusion image analysis"). More specific descriptions of the exact derivation method can be expected in the Quantity Definition Sequence (0040,9220) in a Real World Value Map describing pixel values, or the describing numeric measurements from regions of interest, e.g., using CID 4102 "Perfusion Measurement Methods".

CID 7205 Purpose of Reference to Alternate Representation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20040322
UID: 1.2.840.10008.6.1.511

Table CID 7205. Purpose of Reference to Alternate Representation

Coding Scheme Designator	Code Value	Code Meaning
DCM	121324	Source image
DCM	121325	Lossy compressed image
DCM	121326	Alternate SOP Class instance

Coding Scheme Designator	Code Value	Code Meaning
DCM	121327	Full fidelity image
DCM	121328	Alternate Photometric Interpretation image

CID 7210 Related Series Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20140627
UID: 1.2.840.10008.6.1.512

Table CID 7210. Related Series Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	122400	Simultaneously Acquired
DCM	122401	Same Anatomy
DCM	122402	Same Indication
DCM	122403	For Attenuation Correction
DCM	121323	Source series for image processing operation

CID 7215 Spectroscopy Purpose of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20140105
UID: 1.2.840.10008.6.1.970

Table CID 7215. Spectroscopy Purpose of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121318	Spectroscopy Data for Water Phase Correction

CID 7220 RT Dose Derivation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20140106
UID: 1.2.840.10008.6.1.968

Table CID 7220. RT Dose Derivation

Coding Scheme Designator	Code Value	Code Meaning
DCM	121370	Composed from prior doses
DCM	121371	Composed from prior doses and current plan

CID 7221 RT Dose Purpose of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20140106
UID: 1.2.840.10008.6.1.969

Table CID 7221. RT Dose Purpose of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121372	Source dose for composing current dose

CID 7222 Parametric Map Derivation Image Purpose of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20141110

UID: 1.2.840.10008.6.1.1009

Table CID 7222. Parametric Map Derivation Image Purpose of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121322	Source Image for Image Processing Operation

CID 7250 Multi-Frame Subset Type

This Context Group specifies the terms used to identify a subset of frames of a multi-frame image. It is used for encoding an equivalent of the Image SOP Instance Reference Macro (see PS3.3) in an HL7 v3 data structure (see HL7 v3 CMET, COCT_RM830120 "A_DicomCompositeObjectReference minimal").

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20070625

UID: 1.2.840.10008.6.1.513

Table CID 7250. Multi-Frame Subset Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	121190	Referenced Frames
DCM	121191	Referenced Segment

CID 7260 Diffusion Acquisition Value Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20150918

UID: 1.2.840.10008.6.1.1059

Table CID 7260. Diffusion Acquisition Value Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	113221	HARDI
DCM	113222	DKI
DCM	113223	DTI
DCM	113224	DSI
DCM	113225	LSDI
DCM	113226	Single Shot EPI
DCM	113227	Multiple Shot EPI
DCM	113228	Parallel Imaging

CID 7261 Diffusion Model Value Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150918
 UID: 1.2.840.10008.6.1.1060

Table CID 7261. Diffusion Model Value Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	113231	Single Tensor
DCM	113232	Multi Tensor
DCM	113233	Model Free
DCM	113234	CHARMED
DCM	113224	DSI
DCM	113236	DOT
DCM	113237	PAS
DCM	113238	Spherical Deconvolution

CID 7262 Diffusion Tractography Algorithm Families

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150918
 UID: 1.2.840.10008.6.1.1061

Table CID 7262. Diffusion Tractography Algorithm Families

Coding Scheme Designator	Code Value	Code Meaning
DCM	113211	Deterministic
DCM	113212	Probabilistic
DCM	113213	Global
DCM	113214	FACT
DCM	113215	Streamline
DCM	113216	TEND
DCM	113217	Bootstrap
DCM	113218	Euler
DCM	113219	Runge-Kutta

CID 7263 Diffusion Tractography Measurement Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150918
 UID: 1.2.840.10008.6.1.1062

Table CID 7263. Diffusion Tractography Measurement Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	113201	Trace
DCM	113202	Mean Diffusivity

Coding Scheme Designator	Code Value	Code Meaning
DCM	113041	Apparent Diffusion Coefficient
DCM	110808	Fractional Anisotropy
DCM	110809	Relative Anisotropy
DCM	113203	Radial Diffusivity
DCM	113204	Axial Diffusivity
DCM	113205	Mean Kurtosis
DCM	113206	Apparent Kurtosis Coefficient
DCM	113207	Radial Kurtosis
DCM	113208	Axial Kurtosis
DCM	113209	Fractional Kurtosis Anisotropy
DCM	110810	Volumetric Diffusion Dxx Component
DCM	110811	Volumetric Diffusion Dxy Component
DCM	110812	Volumetric Diffusion Dxz Component
DCM	110813	Volumetric Diffusion Dyy Component
DCM	110814	Volumetric Diffusion Dyz Component
DCM	110815	Volumetric Diffusion Dzz Component

CID 7270 MR Diffusion Component Semantics

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170413
UID: 1.2.840.10008.6.1.1165

Table CID 7270. MR Diffusion Component Semantics

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
DCM	113043	Diffusion weighted			DT (1, UCUM, "no units")
DCM	110810	Volumetric Diffusion Dxx Component			DT (1, UCUM, "no units")
DCM	110811	Volumetric Diffusion Dxy Component			DT (1, UCUM, "no units")
DCM	110812	Volumetric Diffusion Dxz Component			DT (1, UCUM, "no units")
DCM	110813	Volumetric Diffusion Dyy Component			DT (1, UCUM, "no units")
DCM	110814	Volumetric Diffusion Dyz Component			DT (1, UCUM, "no units")
DCM	110815	Volumetric Diffusion Dzz Component			DT (1, UCUM, "no units")

CID 7271 MR Diffusion Anisotropy Indices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170413
UID: 1.2.840.10008.6.1.1166

Table CID 7271. MR Diffusion Anisotropy Indices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Units
DCM	110808	Fractional Anisotropy			DT ({0:1}, UCUM, "range 0:1")
DCM	110809	Relative Anisotropy			DT ({ratio}, UCUM, "ratio")
DCM	113288	Volume Ratio			DT ({0:1}, UCUM, "range 0:1")

CID 7272 MR Diffusion Model Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170413
UID: 1.2.840.10008.6.1.1167

Table CID 7272. MR Diffusion Model Parameters

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Units
DCM	113041	Apparent Diffusion Coefficient		C3890194	DCID 7277 "Units of Diffusion Rate Area Over Time"
DCM	113289	Diffusion Coefficient			DCID 7277 "Units of Diffusion Rate Area Over Time"
DCM	113290	Mono-exponential Apparent Diffusion Coefficient			DCID 7277 "Units of Diffusion Rate Area Over Time"
DCM	113291	Slow Diffusion Coefficient			DCID 7277 "Units of Diffusion Rate Area Over Time"
DCM	113292	Fast Diffusion Coefficient			DCID 7277 "Units of Diffusion Rate Area Over Time"
DCM	113293	Fast Diffusion Coefficient Fraction			DT ({0:1}, UCUM, "range 0:1")
DCM	113294	Kurtosis Diffusion Coefficient			DCID 7277 "Units of Diffusion Rate Area Over Time"
DCM	113295	Gamma Distribution Scale Parameter			DT (1, UCUM, "no units")
DCM	113296	Gamma Distribution Shape Parameter			DT (1, UCUM, "no units")
DCM	113297	Gamma Distribution Mode			DT (1, UCUM, "no units")
DCM	113298	Distributed Diffusion Coefficient			DCID 7277 "Units of Diffusion Rate Area Over Time"
DCM	113299	Anomalous Exponent Parameter			DT ({0:1}, UCUM, "range 0:1")

CID 7273 MR Diffusion Models

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170413
UID: 1.2.840.10008.6.1.1168

Table CID 7273. MR Diffusion Models

Coding Scheme Designator	Code Value	Code Meaning
DCM	113250	Mono-exponential diffusion model
DCM	113251	Bi-exponential (IVIM) diffusion model
DCM	113252	Kurtosis diffusion model
DCM	113253	Gamma distribution model
DCM	113254	Stretched exponential diffusion model
DCM	113255	Truncated Gaussian diffusion model

CID 7274 MR Diffusion Model Fitting Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170413
UID: 1.2.840.10008.6.1.1169

Table CID 7274. MR Diffusion Model Fitting Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	113260	Log of ratio of two samples
DCM	113261	Least squares fit of multiple samples
DCM	113265	Levenberg-Marquardt
DCM	113266	Trust-Region
DCM	113267	Fixed-Dp
DCM	113268	Segmented-Unconstrained
DCM	113269	Segmented-Constrained
DCM	113270	Bayesian-Probability

CID 7275 MR Diffusion Model Specific Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170413
UID: 1.2.840.10008.6.1.1170

Table CID 7275. MR Diffusion Model Specific Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	113285	Voxelwise selection of b-value

CID 7276 MR Diffusion Model Inputs

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170413
UID: 1.2.840.10008.6.1.1171

Table CID 7276. MR Diffusion Model Inputs

Coding Scheme Designator	Code Value	Code Meaning	Units
DCM	113240	Source image diffusion b-value	DT (s/mm ² , UCUM, "s/mm ² ")

CID 7277 Units of Diffusion Rate Area Over Time

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170413
 UID: 1.2.840.10008.6.1.1172

Table CID 7277. Units of Diffusion Rate Area Over Time

Coding Scheme Designator	Code Value	Code Meaning
UCUM	mm2/s	mm2/s
UCUM	um2/ms	um2/ms
UCUM	um2/s	um2/s
UCUM	10-6.mm2/s	10-6.mm2/s

CID 7300 Implant Materials

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20101102
 UID: 1.2.840.10008.6.1.1031

Table CID 7300. Implant Materials

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRT SCT	F-61166 261250004	Nickel Titanium	261250004 F-61166	C0076736
SRT SCT	F-611FC 256496006	Gold Alloy	256496006 F-611FC	C0018027
SRT SCT	F-61207 256506002	Stainless Steel Material	256506002 F-61207	C0038126
SRT SCT	F-61DF9 412155002	Polymer	412155002 F-61DF9	C0032521
SRT SCT	F-61202 256501007	Carbon Fiber	256501007 F-61202	C0108411

CID 7301 Intervention Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181110
 UID: 1.2.840.10008.6.1.1032

Table CID 7301. Intervention Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRT SCT	P1-14810 119614000	Hip joint reconstruction	119614000 P1-14810	C1293219
SRT SCT	P1-0558A 398010007	Insertion of hip prosthesis	398010007 P1-0558A	C0392806
SRT SCT	P1-103D3 445185007	Resurfacing of the femoral head	445185007 P1-103D3	C2919830
SRT SCT	P1-189C2 239503002	Resurfacing of the patella	239503002 P1-189C2	C0408429

CID 7302 Implant Templates View Orientations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20101102

UID: 1.2.840.10008.6.1.1033

Table CID 7302. Implant Templates View Orientations

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10206 399348003	Antero-Posterior	399348003 R-10206	C0442212
SRTSCT	R-10226 399368009	Medio-Lateral	399368009 R-10226	C1302345
SRTSCT	R-10228 399352003	Lateral-Medial	399352003 R-10228	C1302336

CID 7303 Implant Templates Modified View Orientations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20101102

UID: 1.2.840.10008.6.1.1034

Table CID 7303. Implant Templates Modified View Orientations

Coding Scheme Designator	Code Value	Code Meaning
DCM	112300	AP+45
DCM	112301	AP-45

CID 7304 Implant Target Anatomy

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.1035

Table CID 7304. Implant Target Anatomy

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-15750 70258002	Ankle Joint	70258002 T-15750	C0003087
SRTSCT	T-11501 122494005	Cervical Spine	122494005 T-11501	C0728985
SRTSCT	T-D00F7 297171002	Cervico-Thoracic Spine	297171002 T-D00F7	C0729373
SRTSCT	T-15430 16953009	Elbow Joint	16953009 T-15430	C0013770
SRTSCT	T-11196 91397008	Facial Bones	91397008 T-11196	C0015455
SRTSCT	T-12710 71341001	Femur	71341001 T-12710	C0015811
SRTSCT	T-12711 2812003	Head of Femur	2812003 T-12711	C0015813
SRTSCT	T-D078C 310651003	Proximal Femur	310651003 T-D078C	C0588192
SRTSCT	T-12717 41111004	Shaft of Femur	41111004 T-12717	C0588193
SRTSCT	T-D078D 310652005	Distal Femur	310652005 T-D078D	C0588194
SRTSCT	T-15516 125682004	Finger Joint	125682004 T-15516	C0016125
SRTSCT	T-15710 24136001	Hip Joint	24136001 T-15710	C0019558
SRTSCT	T-D1213 661005	Jaw Region	661005 T-D1213	C0022359
SRTSCT	T-D9200 72696002	Knee	72696002 T-D9200	C0022742
SRTSCT	T-11503 122496007	Lumbar Spine	122496007 T-11503	C0024091
SRTSCT	T-D0059 243898001	Lumbo-Sacral Spine	243898001 T-D0059	C0446379
SRTSCT	T-11180 91609006	Mandible	91609006 T-11180	C0024687

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-11170 70925003	Maxilla	70925003 T-11170	C0024947
SRTSCT	T-12730 64234005	Patella	64234005 T-12730	C0030647
SRTSCT	T-12310 51299004	Clavicle	51299004 T-12310	C0008913
SRTSCT	T-D2220 16982005	Shoulder	16982005 T-D2220	C0037004
SRTSCT	T-12410 85050009	Humerus	85050009 T-12410	C0020164
SRTSCT	T-1240F 119524001	Proximal Humerus	119524001 T-1240F	C0588209
SRTSCT	T-12412 20760004	Shaft of Humerus	20760004 T-12412	C0588210
SRTSCT	T-1241F 118495001	Distal Humerus	118495001 T-1241F	C0588211
SRTSCT	T-12420 62413002	Radius	62413002 T-12420	C0034627
SRTSCT	T-1242A 12881000	Proximal Radius	12881000 T-1242A	C0588205
SRTSCT	T-12423 47728000	Shaft of Radius	47728000 T-12423	C0588208
SRTSCT	T-1242B 75129005	Distal Radius	75129005 T-1242B	C0588207
SRTSCT	T-12430 23416004	Ulna	23416004 T-12430	C0041600
SRTSCT	T-1243A 34318004	Proximal Ulna	34318004 T-1243A	C0588201
SRTSCT	T-12435 21133008	Shaft of Ulna	21133008 T-12435	C0588204
SRTSCT	T-1243B 91238003	Distal Ulna	91238003 T-1243B	C0588203
SRTSCT	T-11100 89546000	Skull	89546000 T-11100	C0037303
SRTSCT	T-12600 24097009	Hand	24097009 T-12600	C0448064
SRTSCT	T-11502 122495006	Thoracic Spine	122495006 T-11502	C0581269
SRTSCT	T-D00FA 297174005	Thoraco-Lumbar Spine	297174005 T-D00FA	C0574026
SRTSCT	T-15460 74670003	Wrist Joint	74670003 T-15460	C1322271
SRTSCT	T-12375 118645006	Pelvis	118645006 T-12375	C0448168
SRTSCT	T-12750 87342007	Fibula	87342007 T-12750	C0016068
SRTSCT	T-12780 67453005	Talus	67453005 T-12780	C0039277
SRTSCT	T-12770 80144004	Calcaneus	80144004 T-12770	C0006655
SRTSCT	T-12740 12611008	Tibia	12611008 T-12740	C0040184
SRTSCT	T-12746 52687003	Shaft of Tibia	52687003 T-12746	C0588199
SRTSCT	T-1274B 64605006	Distal Tibia	64605006 T-1274B	C0588200

Note

Consistent with other concepts in this context group that refer to specific bones or joints, the concept for Elbow has been changed from T-D8300 to T-15430 used in a prior version of this table. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 7305 Implant Planning Landmarks

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20101102
 UID: 1.2.840.10008.6.1.1036

Table CID 7305. Implant Planning Landmarks

Coding Scheme Designator	Code Value	Code Meaning
Include CID 7306 "Human Hip Implant Planning Landmarks"		

CID 7306 Human Hip Implant Planning Landmarks

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20101102
 UID: 1.2.840.10008.6.1.1037

Table CID 7306. Human Hip Implant Planning Landmarks

Coding Scheme Designator	Code Value	Code Meaning
DCM	112302	Anatomical axis of femur
DCM	112303	Acetabular Center of Rotation
DCM	112304	Femur Head Center of Rotation

CID 7307 Implant Component Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20101102
 UID: 1.2.840.10008.6.1.1038

Table CID 7307. Implant Component Types

Coding Scheme Designator	Code Value	Code Meaning
Include CID 7308 "Human Hip Implant Component Types"		
Include CID 7309 "Human Trauma Implant Component Types"		

CID 7308 Human Hip Implant Component Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20101102
 UID: 1.2.840.10008.6.1.1039

Table CID 7308. Human Hip Implant Component Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
DCM	112305	Acetabular Cup Shell		
DCM	112306	Acetabular Cup Insert		
DCM	112307	Acetabular Cup Monoblock		
SRT SCT	A-04459304121006	Femoral Head Prosthesis	304121006A-04459	C0015803
DCM	112308	Femoral Head Ball Component		
DCM	112309	Femoral Head Cone Taper Component		
DCM	112310	Femoral Stem		
DCM	112311	Femoral Stem Distal Component		
DCM	112312	Femoral Stem Proximal Component		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	112313	Femoral Stem Component		
DCM	112314	Neck Component		
DCM	112315	Monoblock Stem		
DCM	112325	Distal Centralizer		
DCM	112316	Prosthetic Shaft Augment		
DCM	112317	Femoral Head Resurfacing Component		

CID 7309 Human Trauma Implant Component Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20101102

UID: 1.2.840.10008.6.1.1040

Table CID 7309. Human Trauma Implant Component Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	A-1203068183006	Screw	68183006A-12030	C0005975
SRTSCT	A-12010271003	Bone Plate	271003A-12010	C0005971
SRTSCT	A-12018257327003	DHS Plate	257327003A-12018	C0441261
SRTSCT	A-1202063289001	Bone Nail	63289001A-12020	C0336579

CID 7310 Implant Fixation Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20101102

UID: 1.2.840.10008.6.1.1041

Table CID 7310. Implant Fixation Method

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	P0-02126129380009	Anchoring	129380009P0-02126	C1292829
SRTSCT	P0-02125129379006	Fusion	129379006P0-02125	C1283075
SRTSCT	P0-021D6360038009	Gluings	360038009P0-021D6	C1283084
SRTSCT	P1-1099B257837004	Internal fixation using internal fixator system	257837004P1-1099B	C0441561
SRTSCT	P1-10999257835007	Internal fixation using plate	257835007P1-10999	C0441559
SRTSCT	P1-10998257834006	Internal fixation using screw	257834006P1-10998	C0441558
SRTSCT	P1-10997257833000	Internal fixation using staple	257833000P1-10997	C0441557
SRTSCT	R-41C37257771002	Cemented component fixation	257771002R-41C37	C0441496
SRTSCT	R-42808304367000	Uncemented component fixation	304367000R-42808	C0582264
SRTSCT	P1-0808035860002	Repair by nailing	35860002P1-08080	C0021885
DCM	112318	Pinning		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	112319	Sewing		
DCM	112320	Bolting		
DCM	112321	Wedging		

CID 7320 Planning Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20101102
UID: 1.2.840.10008.6.1.924

Table CID 7320. Planning Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	112340	Generic 2D Planning
DCM	112341	Generic 3D Planning
DCM	112342	Generic Planning for Hip Replacement
DCM	112343	Generic Planning for Knee Replacement
DCM	112344	Müller Method Planning for Hip Replacement

CID 7445 Device Participating Roles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20120406
UID: 1.2.840.10008.6.1.1042

Table CID 7445. Device Participating Roles

Coding Scheme Designator	Code Value	Code Meaning
DCM	113859	Irradiating Device
DCM	121097	Recording
DCM	113942	X-Ray Reading Device

CID 7449 Reader Specialty

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160601
UID: 1.2.840.10008.6.1.1119

Table CID 7449. Reader Specialty

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	128006	Abdominal Imaging Specialty		
DCM	128007	Cardiac Imaging Specialty		
DCM	128008	Head and Neck Imaging Specialty		
DCM	128009	Musculoskeletal Imaging Specialty		
DCM	128010	Neurology Specialty		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	128011	Neuroradiology Imaging Specialty		
DCM	128012	OB/Gyn Imaging Specialty		
DCM	128013	Oncologic Imaging Specialty		
DCM	128014	Oncology Specialty		
DCM	128015	Thoracic Imaging Specialty		
DCM	128016	Pediatric Imaging Specialty		
DCM	128017	Vascular Imaging Specialty		

CID 7450 Person Roles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.514

Table CID 7450. Person Roles

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	121025	Patient		
SRT SCT	J-00552 223366009	Healthcare professional	223366009 J-00552	C1704312
SRT SCT	S-11090 113163005	Friend	113163005 S-11090	C0079382
Include CID 7451 "Family Member"				
Include CID 7452 "Organizational Roles"				

CID 7451 Family Member

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040112
 UID: 1.2.840.10008.6.1.515

Table CID 7451. Family Member

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	S-10121 65656005	Natural mother	65656005 S-10121	C0337486
SRT SCT	S-10131 9947008	Natural father	9947008 S-10131	C0337494
SRT SCT	S-10151 73678001	Natural sister	73678001 S-10151	C0337515
SRT SCT	S-10161 60614009	Natural brother	60614009 S-10161	C0337528
SRT SCT	S-101A1 25211005	Aunt	25211005 S-101A1	C0337576
SRT SCT	S-101A2 38048003	Uncle	38048003 S-101A2	C0337577
SRT SCT	S-10154 2272004	Half-sister	2272004 S-10154	C0337518
SRT SCT	S-10164 45929001	Half-brother	45929001 S-10164	C0337531
SRT SCT	S-10115 17945006	Natural grand-mother	17945006 S-10115	C0337476
SRT SCT	S-10116 62296006	Natural grand-father	62296006 S-10116	C0337477
SRT SCT	S-10181 83420006	Natural daughter	83420006 S-10181	C0337552

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	S-1019113160008	Natural son	113160008S-10191	C0337564
SRTSCT	S-101A9270002	Female first cousin	270002S-101A9	C0337584
SRTSCT	S-101AA11993008	Male first cousin	11993008S-101AA	C0337585

CID 7452 Organizational Roles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170626
 UID: 1.2.840.10008.6.1.516

Table CID 7452. Organizational Roles

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	J-0016E158965000	Medical Practitioner	158965000J-0016E	C1306754
SRTSCT	J-004E8309343006	Physician	309343006J-004E8	C0031831
DCM	128670	Head of Radiology		
DCM	128671	Chair of Protocol Committee		
DCM	128676	Representative of Protocol Committee		
DCM	128677	Representative of Ethics Committee		
DCM	128675	Head of Cardiology		
DCM	128673	Administrator of Radiology Department		
SRTSCT	J-07100106292003	Nurse	106292003J-07100	C0028661
SRTSCT	J-00187159016003	Radiologic Technologist	159016003J-00187	C0402007
DCM	128674	Lead Radiologic Technologist		
SRTSCT	J-061733430008	Radiation Therapist	3430008J-06173	C0278604
SRTSCT	J-00187159016003	Radiographer	159016003J-00187	C0402007
UMLS	C1144859	Intern		C1144859
SRTSCT	J-005E6405277009	Resident	405277009J-005E6	C1320928
SRTSCT	J-00172158971006	Registrar	158971006J-00172	C0401974
DCM	121088	Fellow		
SRTSCT	J-005E8405279007	Attending	405279007J-005E8	C1320929
SRTSCT	J-0050A309390008	Consultant	309390008J-0050A	C0586911
UMLS	C1441532	Consulting Physician		C1441532
SRTSCT	J-0714A415506007	Scrub nurse	415506007J-0714A	C1531952
SRTSCT	J-00556304292004	Surgeon	304292004J-00556	C0582175
DCM	121092	Sonologist		
UMLS	C1954848	Sonographer		C1954848
UMLS	C2985483	Radiation Physicist		C2985483
UMLS	C1708969	Medical Physicist		C1708969

Note

1. The distinction between a "physician" and a "surgeon" and a "medical practitioner" is subject to regional variation. In the US, "physician" is often equated with "medical practitioner", and a "surgeon" is considered to be a "physician". In the UK, a "surgeon" is a "medical practitioner" but is not a "physician". In SNOMED, "physician" and "surgeon" are distinct siblings with no direct relationship, and both are children of "medical practitioner". It is recommended that "medical practitioner" be used rather than "physician" when there is uncertainty over whether the person is or is not a "surgeon".
2. There is no distinction between a "radiographer" and a "radiologic technologist", hence the same SNOMED concept is used for both, and "radiologic technologist" is provided as a synonym for use in the US.
3. In the US, the medical practitioner not in training responsible for the care of a hospital patient is referred to as an "attending". In the UK they are referred to as a "consultant". Though these two concepts are essentially the same, they are separate concepts in SNOMED, which defines no explicit relationship between them.
4. A distinction is made between a Consultant and a Consulting Physician since these are separate concepts in UMLS. A Consultant is defined as "individuals referred to for expert or professional advice or services" (MSH) whereas a Consulting Physician is defined as "a physician that has expertise in a specific medical discipline that can offer expertise or advice to other physicians and healthcare providers" (from NCI/PT). In UK practice a "consultant" is always a medical practitioner. In SNOMED, (~~J-0050A~~, ~~SRT309390008~~, ~~SCT~~, "Consultant") is actually described as "Hospital Consultant" and is a child of "Medical practitioner grade (occupation)".

CID 7453 Performing Roles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180326
 UID: 1.2.840.10008.6.1.517

Table CID 7453. Performing Roles

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	121094	Performing		
UMLS	C1709880	Referring		C1709880
DCM	121096	Requesting		
DCM	121097	Recording		
DCM	121098	Verifying		
DCM	121099	Assisting		
SRT SCT	J-0714B 413854007	Circulating Nurse	413854007 J-0714B	C1531633
DCM	121101	Standby		
DCM	113850	Irradiation Authorizing		
DCM	113851	Irradiation Administering		
NCIt	C28747	Reader		C1514743
DCM	129001	Eligibility Reader		
NCIt	C96561	Adjudicator		C0401783
NCIt	C54634	Reviewer		C1882950
DCM	129002	Designator		
DCM	129003	Image Quality Controller		
DCM	129004	Results Quality Controller		

CID 7454 Animal Taxonomic Rank Values

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20160211
UID: 1.2.840.10008.6.1.518

Table CID 7454. Animal Taxonomic Rank Values

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept SNOMED-RT ID ID	UMLS Concept Unique ID	ITIS TSN
SRTSCT	L-85003337915000	homoHomo sapiens	337915000L-85003	C0086418	180092
SRTSCT	L-000F9388626009	Felis	388626009L-000F9	C0524517	180586
SRTSCT	L-00376448169003	Felis catus (domestic cat)	448169003L-00376	C0007450	183798
SRTSCT	L-000A9388445009	Equus	388445009L-000A9	C1265527	180689
SRTSCT	L-8A10235354009	Equus caballus (domestic horse)	35354009L-8A102	C0019944	180691
SRTSCT	L-8C3FD388254009	Ovis	388254009L-8C3FD	C0036945	180709
SRTSCT	L-8C336125099002	Ovis aries (domestic sheep)	125099002L-8C336	C1123019	552475
SRTSCT	L-8B1FB388393002	Sus	388393002L-8B1FB	C1265533	180721
SRTSCT	L-8B10078678003	Sus scrofa	78678003L-8B100	C1135183	180722
SRTSCT	L-8C3FB388249000	Capra	388249000L-8C3FB	C1265549	180714
SRTSCT	L-8C306125097000	Capra hircus (domestic goat)	125097000L-8C306	C0018019	180715
SRTSCT	L-881FC388490000	Canis	388490000L-881FC	C0524516	180595
SRTSCT	L-8812136855005	Canis lupus	36855005L-88121	C1510418	180596
SRTSCT	L-88124448771007	Canis lupus familiaris (domestic dog)	448771007L-88124	C0012984	726821
SRTSCT	L-8BA18388168008	Bos	388168008L-8BA18	C1265540	183837
SRTSCT	L-8B9F9107007004	Bovinae	107007004L-8B9F9	C0325235	552332
SRTSCT	L-8B94134618005	Bos taurus (domestic cow)	34618005L-8B941	C1140701	183838
SRTSCT	L-87830447482001	Mus genus	447482001L-87830	C0026809	180365
SRTSCT	L-87831447612001	Mus musculus (House mouse)	447612001L-87831	C0025914	180366
ITIS_TSN	180278	Peromyscus leucopus (American white-footed mouse)			180278
ITIS_TSN	180276	Peromyscus maniculatus (Deer mouse)			180276
SRTSCT	L-877FB371564000	Rattus	371564000L-877FB	C0034721	180361
SRTSCT	L-877FC371565004	Rattus norvegicus (common rat)	371565004L-877FC	C0034693	180363
ITIS_TSN	180346	Sigmodon genus (cotton rat)		C0037070	180346
SRTSCT	L-87A02125076001	Cavia porcellus (domestic guinea pig)	125076001L-87A02	C0999699	584713
SRTSCT	L-88423449310008	Mustela putorius furo (ferret)	449310008L-88423	C0015859	727313
SRTSCT	L-86B0236571002	Oryctolagus cuniculus (European rabbit)	36571002L-86B02	C0324889	180129

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept SNOMED-RT ID ID	UMLS Concept Unique ID	ITIS TSN
SRTSCT	L-001DE406733009	Callithrix jacchus (common marmoset)	406733009L-001DE	C0006765	572915

Note

Codes that are now defined in SNOMED as "ambiguous" (conceptstatus = 4) were previously included in this table, but have been retired and replaced with unambiguous alternatives (e.g., (~~L-80700~~, ~~SRT69986009~~, SCT, "Canine species") has been replaced with genus (~~L-881FC~~, ~~SRT388490000~~, SCT, "Canis"), species (~~L-88121~~, ~~SRT36855005~~, SCT, "Canis lupus") and subspecies (~~L-88124~~, ~~SRT448771007~~, SCT, "Canis lupus familiaris"). Note that in UMLS, there is a lack of distinction between "Canis familiaris" and "Canis lupus familiaris". The replaced codes are (~~L-85B00~~, ~~SRT~~, ~~"homo30996001~~, SCT, "Homo sapiens"), (~~L-80A00~~, ~~SRT23826000~~, SCT, "Feline species"), (~~36295001~~, SCT, "Equine species"), (~~L-80400~~, ~~SRT~~, ~~"Equine species"~~), (~~L-80300~~, ~~SRT36295001~~, SCT, "Ovine species"), (~~L-80500~~, ~~SRT42018006~~, SCT, "Porcine species"), (~~L-80200~~, ~~SRT68552000~~, SCT, "Caprine species"), (~~L-80700~~, ~~SRT69986009~~, SCT, "Canine species") and (~~L-80100~~, ~~SRT79058000~~, SCT, "Bovine species").

CID 7455 Sex

This Context Group includes terms for the finding of sex of a subject for clinical purposes, such as selection of sex-based growth metrics.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Non-Extensible
Version: 20040112
UID: 1.2.840.10008.6.1.519

Table CID 7455. Sex

Coding Scheme Designator	Code Value	Code Meaning	Patient's Sex (0010,0040) Equivalent
DCM	M	Male	M
DCM	F	Female	F
DCM	U	Unknown sex	
DCM	MP	Male Pseudohermaphrodite	
DCM	FP	Female Pseudohermaphrodite	
DCM	H	Hermaphrodite	
DCM	MC	Male changed to Female	
DCM	FC	Female changed to Male	
DCM	121104	Ambiguous sex	
DCM	121102	Other sex	
DCM	121103	Undetermined sex	O

Note

- These terms are distinct from the gender of a subject for administrative purposes, although the default value for clinical sex is often based on the administrative gender (e.g., see TID 1007 "Subject Context, Patient"). The administrative value "O" from Patient's Sex (0010,0040) maps by default to "undetermined" for clinical purposes.
- This Context Group in a prior edition of the Standard included codes improperly attributed to ISO 5218.
- These terms are derived from the terminology and codes for sex in ASTM E1633-02a "Standard Specification for Coded Values Used in the Electronic Health Record."

CID 7456 Units of Measure for Age

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.520

Table CID 7456. Units of Measure for Age

Coding Scheme Designator	Code Value	Code Meaning
UCUM	a	year
UCUM	mo	month
UCUM	wk	week
UCUM	d	day
UCUM	h	hour
UCUM	min	minute

CID 7457 Sex - Male Female or Both

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1067

Table CID 7457. Sex - Male Female or Both

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	M	Male		
DCM	F	Female		
DCM	127146	Mixed sex		

CID 7460 Units of Linear Measurement

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.521

Table CID 7460. Units of Linear Measurement

Coding Scheme Designator	Code Value	Code Meaning
UCUM	cm	centimeter
UCUM	mm	millimeter
UCUM	um	micrometer

CID 7461 Units of Area Measurement

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.522

Table CID 7461. Units of Area Measurement

Coding Scheme Designator	Code Value	Code Meaning
UCUM	cm2	square centimeter
UCUM	mm2	square millimeter
UCUM	um2	square micrometer

CID 7462 Units of Volume Measurement

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20020904
 UID: 1.2.840.10008.6.1.523

Table CID 7462. Units of Volume Measurement

Coding Scheme Designator	Code Value	Code Meaning
UCUM	dm3	cubic decimeter
UCUM	cm3	cubic centimeter
UCUM	mm3	cubic millimeter
UCUM	um3	cubic micrometer

Note

A "cubic decimeter" is a "liter", just as a "cubic centimeter" is a "milliliter" (of water). Though there are specific units "l" and "ml" in UCUM, only one form is included here, since this context group is intended for use for volume measurements of a physical object derived from one or more images, rather than of fluid volume.

CID 7464 General Region of Interest Measurement Modifiers

This context group contains modifiers of measurements of ROIs.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20121101
 UID: 1.2.840.10008.6.1.951

Table CID 7464. General Region of Interest Measurement Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 3488 "Min/Max/Mean"				
SRTSCT	R-10047386136009	Standard Deviation	386136009R-10047	C0871420
SRTSCT	R-40507255619001	Total	255619001R-40507	C0439810
SRTSCT	R-00319373099004	Median	373099004R-00319	C1298795
SRTSCT	R-0032E373100007	Mode	373100007R-0032E	C1298796
DCM	126031	Peak Value Within ROI		
UMLS	C0681921	Coefficient of Variance		C0681921
DCM	126051	Skewness		
DCM	126052	Kurtosis		
UMLS	C1711260	Variance		C1711260
UMLS	C2347976	Root Mean Square		C2347976

CID 7465 Measurements Derived From Multiple ROI Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20121101
 UID: 1.2.840.10008.6.1.952

Table CID 7465. Measurements Derived From Multiple ROI Measurements

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 226 "Population Statistical Descriptors"</i>		
<i>Include CID 227 "Sample Statistical Descriptors"</i>		

CID 7466 PET Region of Interest Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.999

Table CID 7466. PET Region of Interest Measurements

Coding Scheme Designator	Code Value	Code Meaning
DCM	126032	Metabolic Volume
DCM	126033	Total Lesion Glycolysis
DCM	126034	Glycolysis
DCM	126035	Total Lesion Proliferation
DCM	126036	Proliferative Activity
DCM	126037	Standardized Added Metabolic Activity
DCM	126038	Standardized Added Metabolic Activity Background
DCM	126039	Lesion to Background SUV Ratio
DCM	126040	Background for Lesion to Background SUV Ratio

CID 7467 Gray Level Co-occurrence Matrix Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190121
 UID: 1.2.840.10008.6.1.1000

Table CID 7467. Gray Level Co-occurrence Matrix Measurements

Coding Scheme Designator	Code Value	Code Meaning
IBSI	TU9B	Joint Entropy of GLCM
DCM	126061	Root Angular Second Moment of GLCM
IBSI	WF0Z	Inverse Difference Moment of GLCM
IBSI	ACUI	Contrast of GLCM
IBSI	8S9J	Dissimilarity of GLCM
IBSI	8ZQL	Angular Second Moment of GLCM
IBSI	NI2N	Correlation of GLCM
IBSI	GYBY	Joint Maximum of GLCM

Coding Scheme Designator	Code Value	Code Meaning
IBSI	60VM	Joint Average of GLCM
IBSI	UR99	Joint Variance of GLCM
IBSI	TF7R	Difference Average of GLCM
IBSI	D3YU	Difference Variance of GLCM
IBSI	NTRS	Difference Entropy of GLCM
IBSI	ZGXS	Sum Average of GLCM
IBSI	OEEB	Sum Variance of GLCM
IBSI	P6QZ	Sum Entropy of GLCM
IBSI	IB1Z	Inverse Difference of GLCM
IBSI	NDRX	Normalized Inverse Difference of GLCM
IBSI	1QCO	Normalized Inverse Difference Moment of GLCM
IBSI	E8JP	Inverse Variance of GLCM
IBSI	QWB0	Autocorrelation of GLCM
IBSI	DG8W	Cluster Tendency of GLCM
IBSI	7NFM	Cluster Shade of GLCM
IBSI	AE86	Cluster Prominence of GLCM
IBSI	R8DG	First Measure of Information Correlation of GLCM
IBSI	JN9H	Second Measure of Information Correlation of GLCM

CID 7468 Texture Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20190121
UID: 1.2.840.10008.6.1.1001

Table CID 7468. Texture Measurements

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 7478 "Intensity Histogram Features"</i>		
<i>Include CID 7467 "Gray Level Co-occurrence Matrix Measurements"</i>		
<i>Include CID 7475 "Gray Level Run Length Based Features"</i>		
<i>Include CID 7476 "Gray Level Size Zone Based Features"</i>		
<i>Include CID 7479 "Grey Level Distance Zone Based Features"</i>		
<i>Include CID 7500 "Neighbourhood Grey Tone Difference Based Features"</i>		
<i>Include CID 7501 "Neighbouring Grey Level Dependence Based Features"</i>		
DCM	126050	Fractal Dimension

CID 7469 Generic Intensity and Size Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20141110
UID: 1.2.840.10008.6.1.1003

Table CID 7469. Generic Intensity and Size Measurements

Coding Scheme Designator	Code Value	Code Meaning
Include CID 7180 "Abstract Multi-dimensional Image Model Component Semantics"		
Include CID 7470 "Linear Measurements"		
Include CID 7471 "Area Measurements"		
Include CID 7472 "Volume Measurements"		

CID 7470 Linear Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190121

UID: 1.2.840.10008.6.1.524

Table CID 7470. Linear Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	G-D7FE 410668003	Length	410668003 G-D7FE	C1444754
DCM	121211	Path length		
DCM	121206	Distance		
SRT SCT	G-A220 103355008	Width	103355008 G-A220	C0487742
SRT SCT	G-D785 131197000	Depth	131197000 G-D785	C0205125
SRT SCT	M-02550 81827009	Diameter	81827009 M-02550	C1301886
SRT SCT	G-A185 103339001	Long Axis	103339001 G-A185	C0522487
SRT SCT	G-A186 103340004	Short Axis	103340004 G-A186	C0522488
SRT SCT	G-A193 131187009	Major Axis	131187009 G-A193	C1295723
SRT SCT	G-A194 131188004	Minor Axis	131188004 G-A194	C1295724
SRT SCT	G-A195 131189007	Perpendicular Axis	131189007 G-A195	C1295725
SRT SCT	G-A196 131190003	Radius	131190003 G-A196	C1306504
SRT SCT	G-A197 131191004	Perimeter	131191004 G-A197	C1295726
SRT SCT	M-02560 74551000	Circumference	74551000 M-02560	C0332520
SRT SCT	G-A198 131192006	Diameter of circumscribed circle	131192006 G-A198	C1295727
DCM	121207	Height		
IBSI	L0JK	Maximum 3D Diameter of a Mesh		
IBSI	TDIC	Major Axis in 3D Length		
IBSI	P9VJ	Minor Axis in 3D Length		
IBSI	7J51	Least Axis in 3D Length		

CID 7471 Area Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190121

UID: 1.2.840.10008.6.1.525

Table CID 7471. Area Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A16642798000	Area	42798000G-A166	C0205146
SRTSCT	G-A16A131184002	Area of defined region	131184002G-A16A	C1295720
IBSI	C0JK	Surface Area of Mesh		

CID 7472 Volume Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190121

UID: 1.2.840.10008.6.1.526

Table CID 7472. Volume Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-D705118565006	Volume	118565006G-D705	C0449468
DCM	121216	Volume estimated from single 2D region		
DCM	121218	Volume estimated from two non-coplanar 2D regions		
DCM	121217	Volume estimated from three or more non-coplanar 2D regions		
DCM	121222	Volume of sphere		
DCM	121221	Volume of ellipsoid		
DCM	121220	Volume of circumscribed sphere		
DCM	121219	Volume of bounding three dimensional region		
IBSI	RNU0	Volume of Mesh		
IBSI	YEKZ	Volume from Voxel Summation		

CID 7473 General Area Calculation Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20070827

UID: 1.2.840.10008.6.1.527

Table CID 7473. General Area Calculation Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122501	Area of closed irregular polygon
DCM	122502	Area of a closed NURBS

CID 7474 General Volume Calculation Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20141110

UID: 1.2.840.10008.6.1.528

Table CID 7474. General Volume Calculation Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	122503	Integration of sum of closed areas on contiguous slices
DCM	126030	Sum of segmented voxel volumes

CID 7475 Gray Level Run Length Based Features

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20190121
UID: 1.2.840.10008.6.1.1199.xml

Table CID 7475. Gray Level Run Length Based Features

Coding Scheme Designator	Code Value	Code Meaning
IBSI	22OV	Short Runs Emphasis
IBSI	W4KF	Long Runs Emphasis
IBSI	V3SW	Low Gray Level Run Emphasis
IBSI	G3QZ	High Gray Level Run Emphasis
IBSI	HTZT	Short Run Low Gray Level Emphasis
IBSI	GD3A	Short Run High Gray Level Emphasis
IBSI	IVPO	Long Run Low Gray Level Emphasis
IBSI	3KUM	Long Run High Gray Level Emphasis
IBSI	R5YN	Gray Level Nonuniformity in Runs
IBSI	OVBL	Normalized Gray Level Nonuniformity in Runs
IBSI	W92Y	Run Length Nonuniformity
IBSI	IC23	Normalized Run Length Nonuniformity
IBSI	9ZK5	Run Percentage
IBSI	8CE5	Gray Level Variance in Runs
IBSI	SXLW	Run Length Variance
IBSI	HJ9O	Run Entropy

CID 7476 Gray Level Size Zone Based Features

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20190121
UID: 1.2.840.10008.6.1.1200.xml

Table CID 7476. Gray Level Size Zone Based Features

Coding Scheme Designator	Code Value	Code Meaning
IBSI	5QRC	Small Zone Emphasis
IBSI	48P8	Large Zone Emphasis
IBSI	XMSY	Low Gray Level Zone Emphasis
IBSI	5GN9	High Gray Level Zone Emphasis
IBSI	5RAI	Small Zone Low Gray Level Emphasis
IBSI	HW1V	Small Zone High Gray Level Emphasis

Coding Scheme Designator	Code Value	Code Meaning
IBSI	YH51	Large Zone Low Gray Level Emphasis
IBSI	J17V	Large Zone High Gray Level Emphasis
IBSI	JNSA	Gray Level Nonuniformity of Size Zone Counts
IBSI	Y1RO	Normalized Gray Level Nonuniformity of Size Zone Counts
IBSI	4JP3	Zone Size Nonuniformity
IBSI	VB3A	Normalized Zone Size Nonuniformity
IBSI	P30P	Size Zone Percentage
IBSI	BYLV	Gray Level Variance in Size Zones
IBSI	3NSA	Zone Size Variance
IBSI	GU8N	Zone Size Entropy

CID 7477 Global Shape Descriptors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190121

UID: 1.2.840.10008.6.1.1270

These features are categorized in [IBSI Features] as "Morphology".

Table CID 7477. Global Shape Descriptors

Coding Scheme Designator	Code Value	Code Meaning
IBSI	RNU0	Volume of Mesh
IBSI	YEKZ	Volume from Voxel Summation
IBSI	C0JK	Surface Area of Mesh
IBSI	2PR5	Surface to Volume Ratio
IBSI	SKGS	Compactness 1
IBSI	BQWJ	Compactness 2
IBSI	KRCK	Spherical Disproportion
IBSI	QCFX	Sphericity
IBSI	25C7	Asphericity
IBSI	KLMA	Centre of Mass Shift
IBSI	L0JK	Maximum 3D Diameter of a Mesh
IBSI	TDIC	Major Axis in 3D Length
IBSI	P9VJ	Minor Axis in 3D Length
IBSI	7J51	Least Axis in 3D Length
IBSI	Q3CK	Elongation
IBSI	N17B	Flatness
IBSI	PBX1	Volume Density in Frame of Reference Axis Aligned Bounding Box
IBSI	R59B	Area Density in Frame of Reference Axis Aligned Bounding Box
IBSI	ZH1A	Volume Density in Oriented Minimum Bounding Box
IBSI	IQYR	Area Density in Oriented Minimum Bounding Box
IBSI	6BDE	Volume Density in Approximate Enclosing Ellipsoid
IBSI	RDD2	Area Density in Approximate Enclosing Ellipsoid

Coding Scheme Designator	Code Value	Code Meaning
IBSI	SWZ1	Volume Density in Minimum Volume Enclosing Ellipsoid
IBSI	BRI8	Area Density in Minimum Volume Enclosing Ellipsoid
IBSI	R3ER	Volume Density in Convex Hull
IBSI	7T7F	Area Density in Convex Hull
IBSI	99N0	Integrated Intensity
IBSI	N365	Moran's I Index
IBSI	NPT7	Geary's C Measure

CID 7478 Intensity Histogram Features

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20190121

UID: 1.2.840.10008.6.1.1271

Table CID 7478. Intensity Histogram Features

Coding Scheme Designator	Code Value	Code Meaning
IBSI	X6K6	Intensity Histogram Mean
IBSI	CH89	Intensity Histogram Variance
IBSI	88K1	Intensity Histogram Skewness
IBSI	C3I7	Intensity Histogram Kurtosis
IBSI	WIFQ	Intensity Histogram Median
IBSI	1PR8	Intensity Histogram Minimum Gray Level
IBSI	GPMT	Intensity Histogram 10th Percentile
IBSI	OZ0C	Intensity Histogram 90th Percentile
IBSI	3NCY	Intensity Histogram Maximum Gray Level
IBSI	AMMC	Intensity Histogram Mode
IBSI	WR0O	Intensity Histogram Interquartile Range
IBSI	5Z3W	Intensity Histogram Range
IBSI	D2ZX	Intensity Histogram Mean Absolute Deviation
IBSI	WRZB	Intensity Histogram Robust Mean Absolute Deviation
IBSI	4RNL	Intensity Histogram Median Absolute Deviation
IBSI	CWYJ	Intensity Histogram Coefficient of Variation
IBSI	SLWD	Intensity Histogram Quartile Coefficient of Dispersion
IBSI	TLU2	Intensity Histogram Entropy
IBSI	BJ5W	Intensity Histogram Uniformity
IBSI	12CE	Intensity Histogram Maximum Gradient
IBSI	8E6O	Intensity Histogram Maximum Gradient Gray Level
IBSI	VQB3	Intensity Histogram Minimum Gradient
IBSI	RHQZ	Intensity Histogram Minimum Gradient Gray Level

CID 7479 Grey Level Distance Zone Based Features

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20190121
 UID: 1.2.840.10008.6.1.1272

Table CID 7479. Grey Level Distance Zone Based Features

Coding Scheme Designator	Code Value	Code Meaning
IBSI	0GBI	Small Distance Emphasis
IBSI	MB4I	Large Distance Emphasis
IBSI	S1RA	Low Grey Level Zone Emphasis
IBSI	K26C	High Grey Level Zone Emphasis
IBSI	RUVG	Small Distance Low Grey Level Emphasis
IBSI	DKNJ	Small Distance High Grey Level Emphasis
IBSI	A7WM	Large Distance Low Grey Level Emphasis
IBSI	KLTH	Large Distance High Grey Level Emphasis
IBSI	VFT7	Grey Level Non-uniformity of Distance Zone Counts
IBSI	7HP3	Normalized Grey Level Non-uniformity of Distance Zone Counts
IBSI	V294	Zone Distance Non-uniformity
IBSI	IATH	Normalized Zone Distance Non-uniformity
IBSI	VIWW	Distance Zone Percentage
IBSI	QK93	Grey Level Variance in Distance Zones
IBSI	7WT1	Zone Distance Variance
IBSI	GBDU	Zone Distance Entropy

CID 7480 Breed

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.529

Table CID 7480. Breed

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
Include CID 7486 "Mixed Breeds"				
SRTSCT	L-80139125074003	Hereford cattle superbreed	125074003L-80139	C0324066
SRTSCT	L-8C338125101009	Merino sheep superbreed	125101009L-8C338	C1265459
SRTSCT	L-80121131426006	Africander cattle breed	131426006L-80121	C1269178
SRTSCT	L-80122131427002	Ankole cattle breed	131427002L-80122	C1295943
SRTSCT	L-80123131428007	Ankole-Watusi cattle breed	131428007L-80123	C1295944
SRTSCT	L-80124131429004	Baladicattle cattle breed	131429004L-80124	C1295945
SRTSCT	L-80125131430009	Belmont Red cattle breed	131430009L-80125	C1295946
SRTSCT	L-80126131431008	Bonsmara cattle breed	131431008L-80126	C1295947
SRTSCT	L-80127131432001	Damietta cattle breed	131432001L-80127	C1295948
SRTSCT	L-80128131433006	Horro cattle breed	131433006L-80128	C1295949
SRTSCT	L-80129131434000	Kuri cattle breed	131434000L-80129	C1295950
SRTSCT	L-8012A131435004	Nguni cattle breed	131435004L-8012A	C1295951

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8012B131436003	Philippine Native cattle breed	131436003L-8012B	C1269179
SRTSCT	L-8012C131437007	Romagnola cattle breed	131437007L-8012C	C1295952
SRTSCT	L-8012E131438002	Sanhe cattle breed	131438002L-8012E	C1295953
SRTSCT	L-8012F131439005	Tswana cattle breed	131439005L-8012F	C1295954
SRTSCT	L-80138131440007	Tuli cattle breed	131440007L-80138	C1295955
SRTSCT	L-8013A131441006	Aliab Dinka cattle breed	131441006L-8013A	C1295956
SRTSCT	L-8013B131442004	Alur cattle breed	131442004L-8013B	C1295957
SRTSCT	L-8013C131443009	Ankina cattle breed	131443009L-8013C	C1295958
SRTSCT	L-8013D131444003	Apulian Podolian cattle breed	131444003L-8013D	C1295959
SRTSCT	L-8013E131445002	Arado cattle breed	131445002L-8013E	C1269180
SRTSCT	L-8013F131446001	Aweil Dinka cattle breed	131446001L-8013F	C1295960
SRTSCT	L-8014C131447005	Bahima cattle breed	131447005L-8014C	C1295961
SRTSCT	L-8014D131448000	Bapedi cattle breed	131448000L-8014D	C1295962
SRTSCT	L-8014E131449008	Baria (Vietnam/Madagascar) cattle breed	131449008L-8014E	C1295963
SRTSCT	L-8014F131450008	Barotse cattle breed	131450008L-8014F	C1295964
SRTSCT	L-8015A131451007	Barra do Cuanzo cattle breed	131451007L-8015A	C1295965
SRTSCT	L-8015B131452000	Bashi cattle breed	131452000L-8015B	C1295966
SRTSCT	L-8015C131453005	Basuto cattle breed	131453005L-8015C	C1295967
SRTSCT	L-8015D131454004	Batangas cattle breed	131454004L-8015D	C1295968
SRTSCT	L-8015E131455003	Bavenda cattle breed	131455003L-8015E	C1295969
SRTSCT	L-8015F131456002	Beja cattle breed	131456002L-8015F	C1295970
SRTSCT	L-80161131457006	Calabrian cattle breed	131457006L-80161	C1295971
SRTSCT	L-80162131458001	Blonde-du Cap Bon cattle breed	131458001L-80162	C1295972
SRTSCT	L-80163131459009	Cham-Doc cattle breed	131459009L-80163	C1295973
SRTSCT	L-80164131460004	Chernigov cattle breed	131460004L-80164	C1295974
SRTSCT	L-80165131461000	Chino Santandereano cattle breed	131461000L-80165	C1295975
SRTSCT	L-80166131462007	Cinisara cattle breed	131462007L-80166	C1295976
SRTSCT	L-80167131463002	Cuprem Hybrid cattle breed	131463002L-80167	C1295977
SRTSCT	L-80168131464008	Dabieshan cattle breed	131464008L-80168	C1295978
SRTSCT	L-80169131465009	Damara cattle breed	131465009L-80169	C1295979
SRTSCT	L-8016A131466005	Danakil cattle breed	131466005L-8016A	C1295980
SRTSCT	L-8016B131467001	Dnieper cattle breed	131467001L-8016B	C1295981
SRTSCT	L-8016C131468006	Doayo cattle breed	131468006L-8016C	C1295982
SRTSCT	L-8016D131469003	Eastern Nuer cattle breed	131469003L-8016D	C1269181
SRTSCT	L-8016E131470002	Egyptian cattle breed	131470002L-8016E	C1295983
SRTSCT	L-8016F131471003	Fogera cattle breed	131471003L-8016F	C1295984
SRTSCT	L-80177131472005	Garfagnina cattle breed	131472005L-80177	C1295985
SRTSCT	L-80178131473000	Grati cattle breed	131473000L-80178	C1295986
SRTSCT	L-80179131474006	Gaunling cattle breed	131474006L-80179	C1295987

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8017A131475007	Halhin Gol cattle breed	131475007L-8017A	C1295988
SRTSCT	L-8017B131476008	Holmonger cattle breed	131476008L-8017B	C1295989
SRTSCT	L-8017C131477004	Ilocos cattle breed	131477004L-8017C	C1295990
SRTSCT	L-8017D131478009	Iloilo cattle breed	131478009L-8017D	C1295991
SRTSCT	L-8017E131479001	Inkuku cattle breed	131479001L-8017E	C1295992
SRTSCT	L-8017F131480003	Iskar cattle breed	131480003L-8017F	C1295993
SRTSCT	L-80180131481004	Istrian cattle breed	131481004L-80180	C1295994
SRTSCT	L-80181131482006	Javanese Ongole cattle breed	131482006L-80181	C1269182
SRTSCT	L-80182131483001	Javanese Zebu cattle breed	131483001L-80182	C1269183
SRTSCT	L-80183131484007	Jinnan cattle breed	131484007L-80183	C1295995
SRTSCT	L-80184131485008	Kalmyk cattle breed	131485008L-80184	C1295996
SRTSCT	L-80185131486009	Kaokoveld cattle breed	131486009L-80185	C1295997
SRTSCT	L-80186131487000	Kazakh Whitehead cattle breed	131487000L-80186	C1295998
SRTSCT	L-80187131488005	Kedah-Kelantan cattle breed	131488005L-80187	C1295999
SRTSCT	L-80188131489002	Kigezi cattle breed	131489002L-80188	C1296000
SRTSCT	L-80189131490006	Kisantu cattle breed	131490006L-80189	C1296001
SRTSCT	L-8018A131491005	Kolubara cattle breed	131491005L-8018A	C1296002
SRTSCT	L-8018B131492003	Kurgan cattle breed	131492003L-8018B	C1296003
SRTSCT	L-8018C131493008	Kyoga cattle breed	131493008L-8018C	C1296004
SRTSCT	L-8018D131494002	Lucanian cattle breed	131494002L-8018D	C1296005
SRTSCT	L-8018E131495001	Maremma cattle breed	131495001L-8018E	C1296006
SRTSCT	L-8018F131496000	Marianas cattle breed	131496000L-8018F	C1296007
SRTSCT	L-80190131497009	Maryuti cattle breed	131497009L-80190	C1296008
SRTSCT	L-80191131498004	Mauritius Creole cattle breed	131498004L-80191	C1296009
SRTSCT	L-80192131499007	Menufi cattle breed	131499007L-80192	C1296010
SRTSCT	L-80193131500003	Mezzalina cattle breed	131500003L-80193	C1296011
SRTSCT	L-80194131501004	Modicana cattle breed	131501004L-80194	C1296012
SRTSCT	L-80195131502006	Moi cattle breed	131502006L-80195	C1296013
SRTSCT	L-80196131503001	Nama cattle breed	131503001L-80196	C1296014
SRTSCT	L-80197131504007	Nanyang cattle breed	131504007L-80197	C1296015
SRTSCT	L-80198131505008	N'Dama Sanga cattle breed	131505008L-80198	C1296016
SRTSCT	L-80199131506009	Nganda cattle breed	131506009L-80199	C1296017
SRTSCT	L-8019A131507000	Nilotic Sanga cattle breed	131507000L-8019A	C1296018
SRTSCT	L-8019B131508005	Nkone cattle breed	131508005L-8019B	C1296019
SRTSCT	L-8019C131509002	North Malawi Angoni cattle breed	131509002L-8019C	C1269184
SRTSCT	L-8019D131510007	Nuer cattle breed	131510007L-8019D	C1296020
SRTSCT	L-8019E131511006	Nuras cattle breed	131511006L-8019E	C1296021
SRTSCT	L-8019F131512004	Nyoro cattle breed	131512004L-8019F	C1296022
SRTSCT	L-801A0131513009	Ovambo cattle breed	131513009L-801A0	C1296023
SRTSCT	L-801A1131514003	Pantelleria cattle breed	131514003L-801A1	C1296024

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-801A2131515002	Pinzhou cattle breed	131515002L-801A2	C1296025
SRTSCT	L-801A3131516001	Porto Amboim cattle breed	131516001L-801A3	C1296026
SRTSCT	L-801A4131517005	Posavina cattle breed	131517005L-801A4	C1296027
SRTSCT	L-801A5131518000	Romanian Steppe cattle breed	131518000L-801A5	C1269185
SRTSCT	L-801A6131519008	Saidi cattle breed	131519008L-801A6	C1296028
SRTSCT	L-801A7131520002	Sardo-Modicana cattle breed	131520002L-801A7	C1296029
SRTSCT	L-801A8131521003	Sengologa cattle breed	131521003L-801A8	C1296030
SRTSCT	L-801A9131522005	Serere cattle breed	131522005L-801A9	C1296031
SRTSCT	L-801AA131523000	Seshaga cattle breed	131523000L-801AA	C1296032
SRTSCT	L-801AB131524006	Siberian Black Pied cattle breed	131524006L-801AB	C1269186
SRTSCT	L-801AC131525007	Socotra cattle breed	131525007L-801AC	C1296033
SRTSCT	L-801AD131526008	Southern Tswana cattle breed	131526008L-801AD	C1269187
SRTSCT	L-801AE131527004	Spreca cattle breed	131527004L-801AE	C1296034
SRTSCT	L-801AF131528009	Sunkuma cattle breed	131528009L-801AF	C1296035
SRTSCT	L-801B0131529001	Taiwan Zebu cattle breed	131529001L-801B0	C1269188
SRTSCT	L-801B1131530006	Thai cattle breed	131530006L-801B1	C1296036
SRTSCT	L-801B2131531005	Thailand Fighting Zebu cattle breed	131531005L-801B2	C1269189
SRTSCT	L-801B3131532003	Thanh-Hoa cattle breed	131532003L-801B3	C1296037
SRTSCT	L-801B4131533008	Tibetan cattle breed	131533008L-801B4	C1296038
SRTSCT	L-801B5131534002	Tonga cattle breed	131534002L-801B5	C1296039
SRTSCT	L-801B6131535001	Toro cattle breed	131535001L-801B6	C1269190
SRTSCT	L-801B7131536000	Tuni cattle breed	131536000L-801B7	C1296040
SRTSCT	L-801B8131537009	Turkish Gray Steppe cattle breed	131537009L-801B8	C1269191
SRTSCT	L-801B9131538004	Tuy-Hoa cattle breed	131538004L-801B9	C1296041
SRTSCT	L-801BA131539007	Ujumqin cattle breed	131539007L-801BA	C1296042
SRTSCT	L-801BB131540009	Abigar cattle breed	131540009L-801BB	C1296043
SRTSCT	L-801BC131541008	Africangnus cattle breed	131541008L-801BC	C1269101
SRTSCT	L-801BD131542001	Agerolese cattle breed	131542001L-801BD	C1269102
SRTSCT	L-801BE131543006	Albese cattle breed	131543006L-801BE	C1269103
SRTSCT	L-801BF131544000	Ukrainian Gray cattle breed	131544000L-801BF	C1269104
SRTSCT	L-801C0131545004	Vietnamese Yellow cattle breed	131545004L-801C0	C1269105
SRTSCT	L-801C1131546003	Watusi (USA) cattle breed	131546003L-801C1	C1296044
SRTSCT	L-801C2131547007	Wenshan cattle breed	131547007L-801C2	C1296045
SRTSCT	L-801C3131548002	Yakut cattle breed	131548002L-801C3	C1296046
SRTSCT	L-801C4131549005	Yunnan Zebu cattle breed	131549005L-801C4	C1269106
SRTSCT	L-801C5131550005	Zambia Angoni cattle breed	131550005L-801C5	C1269107
SRTSCT	L-801C6131551009	Drakensberger cattle breed	131551009L-801C6	C1296047
SRTSCT	L-801C7131552002	Modicana lowland cattle breed	131552002L-801C7	C1269108
SRTSCT	L-801C8131553007	Taiwan Yellow cattle breed	131553007L-801C8	C1269109

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-801C9 131554001	Menggu cattle breed	131554001 L-801C9	C1296048
SRTSCT	L-801CA 131555000	Albères cattlebreed	131555000 L-801CA	C1321436
SRTSCT	L-801CB 131556004	Alentejana cattlebreed	131556004 L-801CB	C1296049
SRTSCT	L-801CC 131557008	American White Park cattle breed	131557008 L-801CC	C1269110
SRTSCT	L-801CD 131558003	Amerifaxcattle breed	131558003 L-801CD	C1296050
SRTSCT	L-801CE 131559006	Anatolian Black cattle breed	131559006 L-801CE	C1269111
SRTSCT	L-801CF 131560001	Andalusian Black cattle breed	131560001 L-801CF	C1269112
SRTSCT	L-801D0 131561002	Andalusian Gray cattle breed	131561002 L-801D0	C1269113
SRTSCT	L-801D1 131562009	Angeln cattle breed	131562009 L-801D1	C1296051
SRTSCT	L-801D2 131563004	Asturian Mountain cattle breed	131563004 L-801D2	C1269114
SRTSCT	L-801D3 131564005	Asturian Valley cattle breed	131564005 L-801D3	C1269115
SRTSCT	L-801D4 131565006	Aubrac cattle breed	131565006 L-801D4	C1296052
SRTSCT	L-801D5 131566007	Aulie-Ata cattle breed	131566007 L-801D5	C1296053
SRTSCT	L-801D6 131567003	Australian Lowline cattle breed	131567003 L-801D6	C1269116
SRTSCT	L-801D7 131568008	Barzona cattle breed	131568008 L-801D7	C1296054
SRTSCT	L-801D8 131569000	Bazadais cattle breed	131569000 L-801D8	C1296055
SRTSCT	L-801D9 131570004	Beefmaker cattle breed	131570004 L-801D9	C1269117
SRTSCT	L-801DA 131571000	Belarus Red cattle breed	131571000 L-801DA	C1269118
SRTSCT	L-801DB 131572007	Belgian Blue cattle breed	131572007 L-801DB	C1269119
SRTSCT	L-801DC 131573002	Belgian Red cattle breed	131573002 L-801DC	C1269120
SRTSCT	L-801DD 131574008	Belmont Adaptaur cattle breed	131574008 L-801DD	C1269121
SRTSCT	L-801DE 131575009	Berrendas cattle breed	131575009 L-801DE	C1269122
SRTSCT	L-801DF 131576005	Blacksided Trondheim and Norland cattle breed	131576005 L-801DF	C1269123
SRTSCT	L-801E0 131577001	Blanco Orejinegro cattle breed	131577001 L-801E0	C1296056
SRTSCT	L-801E1 131578006	Braunvieh cattle breed	131578006 L-801E1	C1296057
SRTSCT	L-801E2 131579003	British White cattle breed	131579003 L-801E2	C1269124
SRTSCT	L-801E3 131580000	Cachena cattle breed	131580000 L-801E3	C1296058
SRTSCT	L-801E4 131581001	Canary Island cattle breed	131581001 L-801E4	C1269125
SRTSCT	L-801E5 131582008	Carinthian Blond cattle breed	131582008 L-801E5	C1269126
SRTSCT	L-801E6 131583003	Caucasian cattle breed	131583003 L-801E6	C1269127
SRTSCT	L-801E7 131584009	Charolais cattle breed	131584009 L-801E7	C1296059
SRTSCT	L-801EA 131585005	Chinese Black-and-White cattle breed	131585005 L-801EA	C1269128
SRTSCT	L-801EB 131586006	Corriente cattle breed	131586006 L-801EB	C1269129
SRTSCT	L-801EC 131587002	Costeño con Cuernos cattle breed	131587002 L-801EC	C1321437
SRTSCT	L-801ED 131588007	Damascus cattle breed	131588007 L-801ED	C1269130
SRTSCT	L-801EE 131589004	Danish Red cattle breed	131589004 L-801EE	C1269131
SRTSCT	L-801EF 131590008	Devon cattle breed	131590008 L-801EF	C0175926
SRTSCT	L-801F0 131591007	Dølafe cattle breed	131591007 L-801F0	C1321438

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-801F1131592000	Dutch Belted cattle breed	131592000L-801F1	C1269132
SRTSCT	L-801F2131593005	Dutch Friesian cattle breed	131593005L-801F2	C1269133
SRTSCT	L-801F3131594004	English Longhorn cattle breed	131594004L-801F3	C1269134
SRTSCT	L-801F4131595003	Estonian Red cattle breed	131595003L-801F4	C1269135
SRTSCT	L-801F5131596002	Evolène cattle breed	131596002L-801F5	C1321439
SRTSCT	L-801F6131597006	Fighting Bull cattle breed	131597006L-801F6	C1269136
SRTSCT	L-801F7131598001	Fjall cattle breed	131598001L-801F7	C1296060
SRTSCT	L-801F8131599009	Florida Cracker/Pineywoods cattle breed	131599009L-801F8	C1269137
SRTSCT	L-801F9131600007	Galician Blond cattle breed	131600007L-801F9	C1269138
SRTSCT	L-801FA131601006	Gascon cattle breed	131601006L-801FA	C1269139
SRTSCT	L-801FB131602004	German Red Pied cattle breed	131602004L-801FB	C1269140
SRTSCT	L-801FC131603009	Glan cattle breed	131603009L-801FC	C1296061
SRTSCT	L-801FD131604003	Gloucester cattle breed	131604003L-801FD	C1296062
SRTSCT	L-801FE131605002	Groningen Whiteheaded cattle breed	131605002L-801FE	C1296063
SRTSCT	L-801FF131606001	Hartón cattle breed	131606001L-801FF	C1321440
SRTSCT	L-8031A131699001	Bündner Oberland sheep breed	131699001L-8031A	C1321446
SRTSCT	L-8031B131700000	British Milk Sheep breed	131700000L-8031B	C1296127
SRTSCT	L-8031C131701001	Brillenschaf sheep breed	131701001L-8031C	C1296128
SRTSCT	L-8031D131702008	Brecknock Hill Cheviot sheep breed	131702008L-8031D	C1296129
SRTSCT	L-8031E131703003	Cholistani sheep breed	131703003L-8031E	C1296130
SRTSCT	L-8031F131704009	Bibrik sheep breed	131704009L-8031F	C1296131
SRTSCT	L-8032A131705005	Columbia sheep breed	131705005L-8032A	C1296132
SRTSCT	L-8032B131706006	Black Welsh Mountain Sheep breed	131706006L-8032B	C1269165
SRTSCT	L-8032C131707002	Blackhead Persian sheep breed	131707002L-8032C	C1269166
SRTSCT	L-8032D131708007	Bleu du Maine sheep breed	131708007L-8032D	C1296133
SRTSCT	L-8032E131709004	Bluefaced Leicester sheep breed	131709004L-8032E	C1269167
SRTSCT	L-8032F131710009	Bond sheep breed	131710009L-8032F	C1296134
SRTSCT	L-8033A131711008	Border Leicester sheep breed	131711008L-8033A	C1269168
SRTSCT	L-8033B131712001	Boreray sheep breed	131712001L-8033B	C1296135
SRTSCT	L-8033C131713006	Bovska sheep breed	131713006L-8033C	C1296136
SRTSCT	L-8033D131714000	Braunes Bergschaf sheep breed	131714000L-8033D	C1296137
SRTSCT	L-8033E131715004	Brazilian Somali sheep breed	131715004L-8033E	C1269169
SRTSCT	L-8033F131716003	Beulah Speckled-Face sheep breed	131716003L-8033F	C1269170
SRTSCT	L-8034A131717007	Dartmoor sheep breed	131717007L-8034A	C1296138
SRTSCT	L-8034B131718002	Fabrianese sheep breed	131718002L-8034B	C1269171

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8034C131719005	Exmoor Horn sheep breed	131719005L-8034C	C1296139
SRTSCT	L-8034D131720004	Elliottdale sheep breed	131720004L-8034D	C1296140
SRTSCT	L-8034E131721000	Drysdale sheep breed	131721000L-8034E	C1296141
SRTSCT	L-8034F131722007	Dorset Down sheep breed	131722007L-8034F	C1296142
SRTSCT	L-80351131723002	German Blackheaded Mutton sheep breed	131723002L-80351	C1296143
SRTSCT	L-80352131724008	Kooka sheep breed	131724008L-80352	C1296144
SRTSCT	L-80353131725009	Friesian Milk Sheep breed	131725009L-80353	C1296145
SRTSCT	L-80354131726005	Gansu Alpine Fine-wool sheep breed	131726005L-80354	C1296146
SRTSCT	L-80355131727001	German Whiteheaded Mutton sheep breed	131727001L-80355	C1296147
SRTSCT	L-80356131728006	Graue Gehoernte Heidschnucke sheep breed	131728006L-80356	C1296148
SRTSCT	L-80357131729003	Han sheep breed	131729003L-80357	C1296149
SRTSCT	L-80358131730008	Gromark sheep breed	131730008L-80358	C1296150
SRTSCT	L-80359131731007	Gulf Coast Native sheep breed	131731007L-80359	C1296151
SRTSCT	L-8035A131732000	Dorper sheep breed	131732000L-8035A	C1296152
SRTSCT	L-8035B131733005	Devon Closewool sheep breed	131733005L-8035B	C1296153
SRTSCT	L-8035C131734004	Deutsches Blaukoeftiges Fleischschaf sheep breed	131734004L-8035C	C1296154
SRTSCT	L-8035D131735003	Derbyshire Gritstone sheep breed	131735003L-8035D	C1296155
SRTSCT	L-8035E131736002	Coburger Fuchsschaf sheep breed	131736002L-8035E	C1296156
SRTSCT	L-8035F131737006	Danish Landrace sheep breed	131737006L-8035F	C1296157
SRTSCT	L-80360131738001	Gute sheep breed	131738001L-80360	C1296158
SRTSCT	L-80361131739009	Hampshire sheep breed	131739009L-80361	C1296159
SRTSCT	L-80362131740006	Gentile di Puglia sheep breed	131740006L-80362	C1296160
SRTSCT	L-80363131741005	German Mountain sheep breed	131741005L-80363	C1296161
SRTSCT	L-80364131742003	Luzein sheep breed	131742003L-80364	C1296162
SRTSCT	L-80365131743008	Katahdin sheep breed	131743008L-80365	C1296163
SRTSCT	L-80366131744002	Leineschaf sheep breed	131744002L-80366	C1296164
SRTSCT	L-80367131745001	Lincoln Longwool sheep breed	131745001L-80367	C1296165
SRTSCT	L-80368131746000	Llanwenog sheep breed	131746000L-80368	C1296166
SRTSCT	L-80369131747009	Lleyn sheep breed	131747009L-80369	C1296167
SRTSCT	L-8036A131748004	Damara sheep breed	131748004L-8036A	C1296168
SRTSCT	L-8036B131749007	Damani sheep breed	131749007L-8036B	C1296169
SRTSCT	L-8036C131750007	Dalesbred sheep breed	131750007L-8036C	C1296170
SRTSCT	L-8036D131751006	Dala sheep breed	131751006L-8036D	C1296171
SRTSCT	L-8036E131752004	Criollo sheep breed	131752004L-8036E	C1296172
SRTSCT	L-8036F131753009	Cormo sheep breed	131753009L-8036F	C1296173
SRTSCT	L-80370131754003	Lati sheep breed	131754003L-80370	C1296174

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80371 131755002	Lonk sheep breed	131755002L-80371	C1296175
SRTSCT	L-80372 131756001	Langhe sheep breed	131756001L-80372	C1296176
SRTSCT	L-80373 131757005	Manx Loaghtan sheep breed	131757005L-80373	C1296177
SRTSCT	L-80374 131758000	Masai sheep breed	131758000L-80374	C1296178
SRTSCT	L-80375 131759008	Merinolandschaf sheep breed	131759008L-80375	C1296179
SRTSCT	L-80376 131760003	Lohi sheep breed	131760003L-80376	C1296180
SRTSCT	L-80377 131761004	Ile-de-France sheep breed	131761004L-80377	C1296181
SRTSCT	L-80378 131762006	Hasht Nagri sheep breed	131762006L-80378	C1296182
SRTSCT	L-80379 131763001	Hazaragie sheep breed	131763001L-80379	C1296183
SRTSCT	L-8037A 131764007	Coopworth sheep breed	131764007L-8037A	C1296184
SRTSCT	L-8037B 131765008	Comisana sheep breed	131765008L-8037B	C1296185
SRTSCT	L-8037C 131766009	Comeback sheep breed	131766009L-8037C	C1296186
SRTSCT	L-8037D 131767000	Sicilian Barbary sheep breed	131767000L-8037D	C1296187
SRTSCT	L-8037E 131768005	Africana sheep breed	131768005L-8037E	C1296188
SRTSCT	L-8037F 131769002	Welsh Mountain Badger Faced sheep breed	131769002L-8037F	C1296189
SRTSCT	L-80380 131770001	Hebridean sheep breed	131770001L-80380	C1296190
SRTSCT	L-80381 131771002	Heidschnucke sheep breed	131771002L-80381	C1296191
SRTSCT	L-80382 131772009	Herdwick sheep breed	131772009L-80382	C1296192
SRTSCT	L-80383 131773004	Hill Radnor sheep breed	131773004L-80383	C1296193
SRTSCT	L-80384 131774005	Icelandic sheep breed	131774005L-80384	C1296194
SRTSCT	L-80385 131775006	Harnai sheep breed	131775006L-80385	C1296195
SRTSCT	L-80386 131776007	Istrian Pramenka sheep breed	131776007L-80386	C1296196
SRTSCT	L-80387 131777003	Jacob sheep breed	131777003L-80387	C1296197
SRTSCT	L-80388 131778008	Jezerkosolcavska sheep breed	131778008L-80388	C1296198
SRTSCT	L-80389 131779000	Kachhi sheep breed	131779000L-80389	C1296199
SRTSCT	L-8038A 131780002	Wensleydale sheep breed	131780002L-8038A	C1296200
SRTSCT	L-8038B 131781003	West African Dwarf sheep breed	131781003L-8038B	C1296201
SRTSCT	L-8038C 131782005	White Suffolk sheep breed	131782005L-8038C	C1296202
SRTSCT	L-8038D 131783000	Whiteface Dartmoor sheep breed	131783000L-8038D	C1296203
SRTSCT	L-8038E 131784006	Whiteface Woodland sheep breed	131784006L-8038E	C1296204
SRTSCT	L-8038F 131785007	Xinjiang Finewool sheep breed	131785007L-8038F	C1296205
SRTSCT	L-80390 131786008	Kajli sheep breed	131786008L-80390	C1296206
SRTSCT	L-80391 131787004	Hog Island Sheep breed	131787004L-80391	C1296207
SRTSCT	L-80392 131788009	Biellese sheep breed	131788009L-80392	C1296208
SRTSCT	L-80393 131789001	Chios sheep breed	131789001L-80393	C1296209
SRTSCT	L-80394 131790005	Santa Cruz sheep breed	131790005L-80394	C1296210
SRTSCT	L-80395 131791009	Charollais sheep breed	131791009L-80395	C1296211

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-80396 131792002	Castlemilk Moorit sheep breed	131792002 L-80396	C1296212
SRTSCT	L-80397 131793007	Campanian Barbary sheep breed	131793007 L-80397	C1296213
SRTSCT	L-80398 131794001	California Variegated Mutant sheep breed	131794001 L-80398	C1296214
SRTSCT	L-80399 131795000	California Red sheep breed	131795000 L-80399	C1296215
SRTSCT	L-8039A 131796004	Sopravissana sheep breed	131796004 L-8039A	C1296216
SRTSCT	L-8039B 131797008	Somali sheep breed	131797008 L-8039B	C1296217
SRTSCT	L-8039C 131798003	Welsh Hill Speckled Face sheep breed	131798003 L-8039C	C1296218
SRTSCT	L-8039D 131799006	Skudde sheep breed	131799006 L-8039D	C1296219
SRTSCT	L-8039E 131800005	Waziri sheep breed	131800005 L-8039E	C1296220
SRTSCT	L-8039F 131801009	Shetland sheep breed	131801009 L-8039F	C1296221
SRTSCT	L-80403 131802002	Cambridge sheep breed	131802002 L-80403	C1296222
SRTSCT	L-80404 131803007	Solognote sheep breed	131803007 L-80404	C1296223
SRTSCT	L-8040A 131804001	Colombian Criollo horse breed	131804001 L-8040A	C1296224
SRTSCT	L-8040B 131805000	Comtois horse breed	131805000 L-8040B	C1296225
SRTSCT	L-8040C 131806004	Corsican horse breed	131806004 L-8040C	C1296226
SRTSCT	L-8040D 131807008	Costa Rican Saddle Horse horse breed	131807008 L-8040D	C1296227
SRTSCT	L-8040E 131808003	Costeno horse breed	131808003 L-8040E	C1296228
SRTSCT	L-8040F 131809006	Cuban Paso horse breed	131809006 L-8040F	C1296229
SRTSCT	L-80420 131816007	Rough Fell sheep breed	131816007 L-80420	C1296236
SRTSCT	L-8042D 131819000	Danish Warmblood horse breed	131819000 L-8042D	C1296239
SRTSCT	L-80432 131822003	Swaledale sheep breed	131822003 L-80432	C1296242
SRTSCT	L-80434 131823008	Polypay sheep breed	131823008 L-80434	C1296243
SRTSCT	L-80441 131830002	Pagliarola sheep breed	131830002 L-80441	C1296250
SRTSCT	L-80442 131831003	Pomeranian Coarsewool sheep breed	131831003 L-80442	C1296251
SRTSCT	L-80443 131832005	Sheep, Breed Undetermined sheep breed	131832005 L-80443	C1296252
SRTSCT	L-80444 131833000	Orkney sheep breed	131833000 L-80444	C1296253
SRTSCT	L-80445 131834006	Old Norwegian sheep breed	131834006 L-80445	C1296254
SRTSCT	L-80446 131835007	Old Format Sheep breed	131835007 L-80446	C1296255
SRTSCT	L-80447 131836008	Norwegian Fur sheep breed	131836008 L-80447	C1296256
SRTSCT	L-80448 131837004	Norfolk Horn sheep breed	131837004 L-80448	C1296257
SRTSCT	L-80449 131838009	Navajo-Churro sheep breed	131838009 L-80449	C1296258
SRTSCT	L-80466 131851004	Racka sheep breed	131851004 L-80466	C1296270
SRTSCT	L-80467 131852006	Rasa Aragonesa sheep breed	131852006 L-80467	C1296271
SRTSCT	L-80468 131853001	Red Engadine sheep breed	131853001 L-80468	C1296272
SRTSCT	L-80469 131854007	Rhoenschaf sheep breed	131854007 L-80469	C1296273
SRTSCT	L-80470 131861006	Hucul horse breed	131861006 L-80470	C1296279

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80471131862004	AraAppaloosa horse breed	131862004L-80471	C1296280
SRTSCT	L-80472131863009	Argentine Criollo horse breed	131863009L-80472	C1296281
SRTSCT	L-80473131864003	Argentine Polo Pony horse breed	131864003L-80473	C1296282
SRTSCT	L-80474131865002	Australian Pony horse breed	131865002L-80474	C1296283
SRTSCT	L-80475131866001	Auxois horse breed	131866001L-80475	C1296284
SRTSCT	L-80476131867005	Avelignese horse breed	131867005L-80476	C1296285
SRTSCT	L-80477131868000	Azerbaijan horse breed	131868000L-80477	C1296286
SRTSCT	L-80478131869008	Azores horse breed	131869008L-80478	C1296287
SRTSCT	L-80479131870009	Bali horse breed	131870009L-80479	C1296288
SRTSCT	L-8047A131871008	Balikun horse breed	131871008L-8047A	C1296289
SRTSCT	L-8047B131872001	Waziri horse breed	131872001L-8047B	C1296290
SRTSCT	L-8047C131873006	Banker Horse horse breed	131873006L-8047C	C1296291
SRTSCT	L-8047D131874000	Bardigiano horse breed	131874000L-8047D	C1296292
SRTSCT	L-8047E131875004	Batak horse breed	131875004L-8047E	C1296293
SRTSCT	L-8047F131876003	Bavarian Warmblood horse breed	131876003L-8047F	C1296294
SRTSCT	L-80480131877007	Belgian Ardennais horse breed	131877007L-80480	C1296295
SRTSCT	L-80481131878002	Belgian Halfblood horse breed	131878002L-80481	C1296296
SRTSCT	L-80482131879005	Belgian Warmblood horse breed	131879005L-80482	C1296297
SRTSCT	L-80483131880008	Bhutia horse breed	131880008L-80483	C1296298
SRTSCT	L-80484131881007	Black Sea Horse horse breed	131881007L-80484	C1296299
SRTSCT	L-80485131882000	Bosnian horse breed	131882000L-80485	C1296300
SRTSCT	L-80486131883005	Boulonnais horse breed	131883005L-80486	C1296301
SRTSCT	L-80487131884004	Brandenburg horse breed	131884004L-80487	C1296302
SRTSCT	L-80488131885003	Brazilian Sport Horse horse breed	131885003L-80488	C1296303
SRTSCT	L-80489131886002	British Appaloosa horse breed	131886002L-80489	C1296304
SRTSCT	L-8048A131887006	British Riding Pony horse breed	131887006L-8048A	C1296305
SRTSCT	L-8048B131888001	British Spotted Pony horse breed	131888001L-8048B	C1296306
SRTSCT	L-8048C131889009	Buohai horse breed	131889009L-8048C	C1296307
SRTSCT	L-8048D131890000	Buryat horse breed	131890000L-8048D	C1296308
SRTSCT	L-8048E131891001	Calabrian horse breed	131891001L-8048E	C1296309
SRTSCT	L-8048F131892008	Camargue horse breed	131892008L-8048F	C1320152
SRTSCT	L-80490131893003	Canadian Cutting Horse horse breed	131893003L-80490	C1296310
SRTSCT	L-80491131894009	Canadian Rustic Pony horse breed	131894009L-80491	C1296311
SRTSCT	L-80492131895005	Canadian Sport Horse horse breed	131895005L-80492	C1296312

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80493131896006	Canik horse breed	131896006L-80493	C1296313
SRTSCT	L-80494131897002	Cape Horse horse breed	131897002L-80494	C1296314
SRTSCT	L-80496131898007	Cerbat horse breed	131898007L-80496	C1296315
SRTSCT	L-80497131899004	Chakouyi horse breed	131899004L-80497	C1296316
SRTSCT	L-80498131900009	Chara Horse horse breed	131900009L-80498	C1296317
SRTSCT	L-80499131901008	Chickasaw horse breed	131901008L-80499	C1296318
SRTSCT	L-8049A131902001	Chilote horse breed	131902001L-8049A	C1296319
SRTSCT	L-8049B131903006	Chinese Kazakh horse breed	131903006L-8049B	C1296320
SRTSCT	L-8049C131904000	Chinese Mongolian horse breed	131904000L-8049C	C1296321
SRTSCT	L-8049D131905004	Chumbivilcas horse breed	131905004L-8049D	C1296322
SRTSCT	L-8049E131906003	Chumysh horse breed	131906003L-8049E	C1296323
SRTSCT	L-8049F131907007	Cirit horse breed	131907007L-8049F	C1296324
SRTSCT	L-804A1131908002	Irish Draft horse breed	131908002L-804A1	C1296325
SRTSCT	L-804A2131909005	Irish Hunter horse breed	131909005L-804A2	C1296326
SRTSCT	L-804A3131910000	Cuban Trotter horse breed	131910000L-804A3	C1296327
SRTSCT	L-804A4131911001	Italian Heavy Draft horse breed	131911001L-804A4	C1296328
SRTSCT	L-804A5131912008	Jabe horse breed	131912008L-804A5	C1296329
SRTSCT	L-804A6131913003	Java horse breed	131913003L-804A6	C1296330
SRTSCT	L-804A7131914009	Vendéen sheep breed	131914009L-804A7	C1321447
SRTSCT	L-804A8131915005	Czech Warmblood horse breed	131915005L-804A8	C1296331
SRTSCT	L-804A9131916006	Jinhong horse breed	131916006L-804A9	C1296332
SRTSCT	L-804AA131917002	Jinzhou horse breed	131917002L-804AA	C1296333
SRTSCT	L-804AC131919004	Danubian horse breed	131919004L-804AC	C1296335
SRTSCT	L-804AD131920005	Karachai horse breed	131920005L-804AD	C1296336
SRTSCT	L-804AE131921009	Karakacan horse breed	131921009L-804AE	C1296337
SRTSCT	L-804AF131922002	Kathiawari horse breed	131922002L-804AF	C1296338
SRTSCT	L-804B1131923007	Ke-Er-Qin horse breed	131923007L-804B1	C1296339
SRTSCT	L-804B2131924001	Kirgiz horse breed	131924001L-804B2	C1296340
SRTSCT	L-804B3131925000	Kuznet horse breed	131925000L-804B3	C1296341
SRTSCT	L-804B4131926004	Landais horse breed	131926004L-804B4	C1296342
SRTSCT	L-804B5131927008	Lewitzer horse breed	131927008L-804B5	C1296343
SRTSCT	L-804B6131928003	Lichuan horse breed	131928003L-804B6	C1296344
SRTSCT	L-804B7131929006	Lijiang horse breed	131929006L-804B7	C1296345
SRTSCT	L-804B8131930001	Llanero horse breed	131930001L-804B8	C1296346
SRTSCT	L-804B9131931002	Lombok horse breed	131931002L-804B9	C1296347
SRTSCT	L-804BA131932009	Lundy Pony horse breed	131932009L-804BA	C1296348
SRTSCT	L-804BB131933004	Malakan horse breed	131933004L-804BB	C1296349
SRTSCT	L-804BC131934005	Malopolski horse breed	131934005L-804BC	C1296350
SRTSCT	L-804BD131935006	Datong horse breed	131935006L-804BD	C1296351

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	L-804BE131936007	Mangalarga Paulista horse breed	131936007L-804BE	C1296352
SRTSCT	L-804BF131937003	Dulmen Pony horse breed	131937003L-804BF	C1296353
SRTSCT	L-804C1131938008	Maremma horse breed	131938008L-804C1	C1296354
SRTSCT	L-804C2131939000	Marwari horse breed	131939000L-804C2	C1296355
SRTSCT	L-804C3131940003	Megezh horse breed	131940003L-804C3	C1296356
SRTSCT	L-804C4131941004	Megrel horse breed	131941004L-804C4	C1296357
SRTSCT	L-804C5131942006	Merens horse breed	131942006L-804C5	C1296358
SRTSCT	L-804C6131943001	Messara horse breed	131943001L-804C6	C1296359
SRTSCT	L-804C7131944007	Sumba horse breed	131944007L-804C7	C1296360
SRTSCT	L-804C8131945008	Sumbawa horse breed	131945008L-804C8	C1296361
SRTSCT	L-804C9131946009	Swedish Ardennes horse breed	131946009L-804C9	C1296362
SRTSCT	L-804CA131947000	Dutch Tuigpaard horse breed	131947000L-804CA	C1296363
SRTSCT	L-804CB131948005	East and Southeast Anadolu horse breed	131948005L-804CB	C1296364
SRTSCT	L-804CC131949002	Thai Pony horse breed	131949002L-804CC	C1296365
SRTSCT	L-804CD131950002	Thessalonian horse breed	131950002L-804CD	C1296366
SRTSCT	L-804CE131951003	Tibetan horse breed	131951003L-804CE	C1296367
SRTSCT	L-804CF131952005	Tieling horse breed	131952005L-804CF	C1296368
SRTSCT	L-804D1131953000	Timor horse breed	131953000L-804D1	C1296369
SRTSCT	L-804D2131954006	Trakya horse breed	131954006L-804D2	C1296370
SRTSCT	L-804D3131955007	Trote en Gallope horse breed	131955007L-804D3	C1296371
SRTSCT	L-804D4131956008	Turkoman horse breed	131956008L-804D4	C1296372
SRTSCT	L-804D5131957004	Tushin horse breed	131957004L-804D5	C1296373
SRTSCT	L-804D6131958009	Tuva horse breed	131958009L-804D6	C1296374
SRTSCT	L-804D7131959001	Uzunayla horse breed	131959001L-804D7	C1296375
SRTSCT	L-804D9131960006	Voronezh Coach Horse horse breed	131960006L-804D9	C1296376
SRTSCT	L-804DA131961005	Elegant Warmblood horse breed	131961005L-804DA	C1296377
SRTSCT	L-804DB131962003	Welsh Cob horse breed	131962003L-804DB	C1296378
SRTSCT	L-804DC131963008	Welsh Mountain Pony horse breed	131963008L-804DC	C1296379
SRTSCT	L-804DE131964002	English Hack horse breed	131964002L-804DE	C1296380
SRTSCT	L-804DF131965001	Wurttemberg horse breed	131965001L-804DF	C1296381
SRTSCT	L-804E1131966000	Xilingol horse breed	131966000L-804E1	C1296382
SRTSCT	L-804E2131967009	Yanqi horse breed	131967009L-804E2	C1296383
SRTSCT	L-804E3131968004	Yemeni Horses horse breed	131968004L-804E3	C1296384
SRTSCT	L-804E4131969007	Yili horse breed	131969007L-804E4	C1296385
SRTSCT	L-804E5131970008	Yiwu horse breed	131970008L-804E5	C1296386
SRTSCT	L-804E6131971007	Yunnan horse breed	131971007L-804E6	C1296387
SRTSCT	L-804E7131972000	German Riding Pony horse breed	131972000L-804E7	C1296388

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-804E8131973005	Guanzhong horse breed	131973005L-804E8	C1296389
SRTSCT	L-804E9131974004	Guizhou horse breed	131974004L-804E9	C1296390
SRTSCT	L-804EA131975003	Guoxia horse breed	131975003L-804EA	C1296391
SRTSCT	L-804EB131976002	Erlunchun horse breed	131976002L-804EB	C1296392
SRTSCT	L-804EC131977006	Half Saddlebred horse breed	131977006L-804EC	C1296393
SRTSCT	L-804ED131978001	Flores horse breed	131978001L-804ED	C1296394
SRTSCT	L-804EE131979009	Freiberg horse breed	131979009L-804EE	C1296395
SRTSCT	L-804EF131980007	Hessen horse breed	131980007L-804EF	C1296396
SRTSCT	L-804F1131981006	Hinis horse breed	131981006L-804F1	C1296397
SRTSCT	L-804F2131982004	Hirzai horse breed	131982004L-804F2	C1296398
SRTSCT	L-804F3131983009	Hungairan Coldblood horse breed	131983009L-804F3	C1296399
SRTSCT	L-804F4131984003	Hungarian Dun horse breed	131984003L-804F4	C1296400
SRTSCT	L-804F5131985002	Hungarian Sport Horse horse breed	131985002L-804F5	C1296401
SRTSCT	L-804F6131986001	International Striped Horse horse breed	131986001L-804F6	C1296402
SRTSCT	L-804F7131987005	Irish Cob horse breed	131987005L-804F7	C1296403
SRTSCT	L-804F8131988000	Mezen horse breed	131988000L-804F8	C1296404
SRTSCT	L-804F9131989008	Mezohegyes Sport Horse horse breed	131989008L-804F9	C1296405
SRTSCT	L-804FA131990004	French Cob horse breed	131990004L-804FA	C1296406
SRTSCT	L-804FB131991000	French Saddle pony horse breed	131991000L-804FB	C1296407
SRTSCT	L-804FC131992007	Murakoz horse breed	131992007L-804FC	C1296408
SRTSCT	L-804FE131993002	Finnhorse Draft horse breed	131993002L-804FE	C1296409
SRTSCT	L-804FF131994008	Mecklenburg horse breed	131994008L-804FF	C1296410
SRTSCT	L-80504131998006	Catalana chicken breed	131998006L-80504	C1296414
SRTSCT	L-80542132009005	Haiti Creole pig breed	132009005L-80542	C1296425
SRTSCT	L-80543132010000	Manor Hybrid pig breed	132010000L-80543	C1296426
SRTSCT	L-80544132011001	Hamline pig breed	132011001L-80544	C1296427
SRTSCT	L-80545132012008	Manor Ranger pig breed	132012008L-80545	C1296428
SRTSCT	L-80546132013003	Manor Meishan pig breed	132013003L-80546	C1296429
SRTSCT	L-80547132014009	Cotswold Gold pig breed	132014009L-80547	C1296430
SRTSCT	L-80548132015005	Cotswold Platinum pig breed	132015005L-80548	C1296431
SRTSCT	L-80549132016006	Cotswold 16 pig breed	132016006L-80549	C1296432
SRTSCT	L-8054A132017002	Cotswold 29 pig breed	132017002L-8054A	C1296433
SRTSCT	L-8054B132018007	Cotswold 90 pig breed	132018007L-8054B	C1296434
SRTSCT	L-8054C132019004	Hampen pig breed	132019004L-8054C	C1296435
SRTSCT	L-8054D132020005	SPM pig breed	132020005L-8054D	C1296436
SRTSCT	L-8054E132021009	High Conformation White pig breed	132021009L-8054E	C1296437
SRTSCT	L-8054F132022002	Line 32 pig breed	132022002L-8054F	C1296438

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80555132023007	Line 21 pig breed	132023007L-80555	C1296439
SRTSCT	L-80556132024001	Meatline pig breed	132024001L-80556	C1296440
SRTSCT	L-80557132025000	Hampline pig breed	132025000L-80557	C1296441
SRTSCT	L-80558132026004	Euroline pig breed	132026004L-80558	C1296442
SRTSCT	L-80559132027008	Norline pig breed	132027008L-80559	C1296443
SRTSCT	L-8055A132028003	Premier pig breed	132028003L-8055A	C1296444
SRTSCT	L-8055B132029006	Tribred pig breed	132029006L-8055B	C1296445
SRTSCT	L-8055C132030001	American Essex pig breed	132030001L-8055C	C1296446
SRTSCT	L-8055D132031002	Sino-Gascony pig breed	132031002L-8055D	C1296447
SRTSCT	L-8055E132032009	Guadeloupe Creole pig breed	132032009L-8055E	C1296448
SRTSCT	L-8055F132033004	Managra pig breed	132033004L-8055F	C1296449
SRTSCT	L-8056A132034005	Canadian Landrace pig breed	132034005L-8056A	C1296450
SRTSCT	L-8056B132035006	Canadian Yorkshire pig breed	132035006L-8056B	C1296451
SRTSCT	L-8056C132036007	Minnesota #4 pig breed	132036007L-8056C	C0324271
SRTSCT	L-8056D132037003	Pineywoods pig breed	132037003L-8056D	C1296453
SRTSCT	L-8056E132038008	Catalina Island pig breed	132038008L-8056E	C1296454
SRTSCT	L-8056F132039000	Ras-n-Lansa pig breed	132039000L-8056F	C1296455
SRTSCT	L-8057B132040003	Pitman-Moore Miniature pig breed	132040003L-8057B	C1296456
SRTSCT	L-8057C132041004	Vita Vet Lab Minipig pig breed	132041004L-8057C	C1296457
SRTSCT	L-8057D132042006	Hanford Miniature pig breed	132042006L-8057D	C1296458
SRTSCT	L-8057E132043001	Black Hampshire pig breed	132043001L-8057E	C1296459
SRTSCT	L-8057F132044007	Red Hamprace pig breed	132044007L-8057F	C1269195
SRTSCT	L-80583132045008	American Yorkshire pig breed	132045008L-80583	C1269196
SRTSCT	L-80584132046009	American Berkshire pig breed	132046009L-80584	C1269197
SRTSCT	L-80585132047000	Camborough Blue pig breed	132047000L-80585	C1269198
SRTSCT	L-80586132048005	Camborough 12 pig breed	132048005L-80586	C1296460
SRTSCT	L-80587132049002	Westrain pig breed	132049002L-80587	C1296461
SRTSCT	L-80588132050002	Dalland 030 pig breed	132050002L-80588	C1296462
SRTSCT	L-80589132051003	Razor-Back pig breed	132051003L-80589	C1296463
SRTSCT	L-8058A132052005	Macau pig breed	132052005L-8058A	C1296464
SRTSCT	L-8058B132053000	Moura pig breed	132053000L-8058B	C1296465
SRTSCT	L-8058C132054006	Canastra pig breed	132054006L-8058C	C1296466
SRTSCT	L-8058D132055007	Pirapetinga pig breed	132055007L-8058D	C1296467
SRTSCT	L-8058E132056008	Piau pig breed	132056008L-8058E	C1296468
SRTSCT	L-8058F132057004	Nilo-Canastra pig breed	132057004L-8058F	C1296469
SRTSCT	L-80595132058009	Canastrão pig breed	132058009L-80595	C1321448
SRTSCT	L-80596132059001	Canastrão, Junqueira pig breed	132059001L-80596	C1321449
SRTSCT	L-80597132060006	Canastrão, Capitão Chico pig breed	132060006L-80597	C1321450
SRTSCT	L-80598132061005	Canastrão, Zabumba pig breed	132061005L-80598	C1321451

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80599132062003	Canastrão, Cabano pig breed	132062003L-80599	C1321452
SRTSCT	L-8059A132063008	Canastrão, Vermelho pig breed	132063008L-8059A	C1321453
SRTSCT	L-8059B132064002	Piau, Caruncho Piau pig breed	132064002L-8059B	C1296470
SRTSCT	L-8059C132065001	Canastrinho pig breed	132065001L-8059C	C1296471
SRTSCT	L-8059D132066000	Honduras Switch-Tail pig breed	132066000L-8059D	C1269199
SRTSCT	L-8059E132067009	Mastergilt pig breed	132067009L-8059E	C1296472
SRTSCT	L-8059F132068004	Sovereign pig breed	132068004L-8059F	C1269200
SRTSCT	L-805A1132069007	Poltava pig breed	132069007L-805A1	C1296473
SRTSCT	L-805A2132070008	Lipetsk pig breed	132070008L-805A2	C1296474
SRTSCT	L-805A3132071007	Soviet Meat pig breed	132071007L-805A3	C1269201
SRTSCT	L-805A4132072000	Central Russian pig breed	132072000L-805A4	C1269202
SRTSCT	L-805A5132073005	Steppe Meat pig breed	132073005L-805A5	C1269203
SRTSCT	L-805A6132074004	Kharkov pig breed	132074004L-805A6	C1296475
SRTSCT	L-805A7132075003	Dnepropetrovsk pig breed	132075003L-805A7	C1296476
SRTSCT	L-805A8132076002	Russian Large White pig breed	132076002L-805A8	C1269204
SRTSCT	L-805A9132077006	Forest Mountain pig breed	132077006L-805A9	C1269205
SRTSCT	L-805AA132078001	Dnieper pig breed	132078001L-805AA	C1296477
SRTSCT	L-805AB132079009	Iberian pig breed	132079009L-805AB	C1296478
SRTSCT	L-805AC132080007	Iberian, Extremadura Red pig breed	132080007L-805AC	C1269206
SRTSCT	L-805AD132081006	Iberian, Jabugo Spotted pig breed	132081006L-805AD	C1269207
SRTSCT	L-805AE132082004	Iberian, Black Iberian pig breed	132082004L-805AE	C1269208
SRTSCT	L-805AF132083009	Philippine Native, Ilocos pig breed	132083009L-805AF	C1269209
SRTSCT	L-805B1132084003	Philippine Native, Jalajala pig breed	132084003L-805B1	C1269210
SRTSCT	L-805B2132085002	Mangalista pig breed	132085002L-805B2	C1269211
SRTSCT	L-805B3132086001	Alentejana pig breed	132086001L-805B3	C1269212
SRTSCT	L-805B4132087005	Belgian Landrace, BN pig breed	132087005L-805B4	C1269213
SRTSCT	L-805B5132088000	French Large White pig breed	132088000L-805B5	C1269214
SRTSCT	L-805B6132089008	Hyper Large White pig breed	132089008L-805B6	C1269215
SRTSCT	L-805B7132090004	Tia Meslan pig breed	132090004L-805B7	C1269216
SRTSCT	L-805B8132091000	Pen ar Lan 77 pig breed	132091000L-805B8	C1296479
SRTSCT	L-805B9132092007	Penshire pig breed	132092007L-805B9	C1296480
SRTSCT	L-805BA132093002	Laconie pig breed	132093002L-805BA	C1269217
SRTSCT	L-805BB132094008	Murcian pig breed	132094008L-805BB	C1269218
SRTSCT	L-805BC132095009	Cavallino pig breed	132095009L-805BC	C1269219
SRTSCT	L-805BD132096005	Calabrian pig breed	132096005L-805BD	C1296481
SRTSCT	L-805BE132097001	Apulian pig breed	132097001L-805BE	C1269220
SRTSCT	L-805BF132098006	Siena Belted pig breed	132098006L-805BF	C1269221

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	L-805C1132099003	Calascibetta pig breed	132099003L-805C1	C1269222
SRTSCT	L-805C2132100006	Güssing Forest Pig pig breed	132100006L-805C2	C1321454
SRTSCT	L-805C3132101005	Swiss Edelschwein pig breed	132101005L-805C3	C1269223
SRTSCT	L-805C4132102003	North Caucasus pig breed	132102003L-805C4	C1296482
SRTSCT	L-805C5132103008	Don pig breed	132103008L-805C5	C1269224
SRTSCT	L-805C6132104002	Rostov pig breed	132104002L-805C6	C1296483
SRTSCT	L-805C7132105001	Russian Long-Eared White pig breed	132105001L-805C7	C1269225
SRTSCT	L-805C8132106000	Russian Short-Eared White pig breed	132106000L-805C8	C1269226
SRTSCT	L-805C9132107009	Prisheksninsk pig breed	132107009L-805C9	C1296484
SRTSCT	L-805CA132108004	Breitov pig breed	132108004L-805CA	C1296485
SRTSCT	L-805CB132109007	Livny pig breed	132109007L-805CB	C1296486
SRTSCT	L-805CC132110002	Tsivilsk pig breed	132110002L-805CC	C1296487
SRTSCT	L-805CD132111003	Urzhum pig breed	132111003L-805CD	C1296488
SRTSCT	L-805CE132112005	Minisib pig breed	132112005L-805CE	C1296489
SRTSCT	L-805CF132113000	Sakhalin White pig breed	132113000L-805CF	C1269227
SRTSCT	L-805D0132114006	North Siberian pig breed	132114006L-805D0	C1296490
SRTSCT	L-805D1132115007	Siberian Black Pied pig breed	132115007L-805D1	C1269228
SRTSCT	L-805D2132116008	Kemerovo pig breed	132116008L-805D2	C1296491
SRTSCT	L-805D3132117004	KM-1 pig breed	132117004L-805D3	C1296492
SRTSCT	L-805D4132118009	Aksai Black Pied pig breed	132118009L-805D4	C1321455
SRTSCT	L-805D5132119001	Semirechensk pig breed	132119001L-805D5	C1296493
SRTSCT	L-805D6132120007	Min pig breed	132120007L-805D6	C1296494
SRTSCT	L-805D7132121006	Sanjiang White pig breed	132121006L-805D7	C1269229
SRTSCT	L-805D8132122004	Basque Black Pied pig breed	132122004L-805D8	C1269230
SRTSCT	L-805D9132123009	Corsican pig breed	132123009L-805D9	C1296495
SRTSCT	L-805DA132124003	Créole pig breed	132124003L-805DA	C1321456
SRTSCT	L-805DB132125002	Gascony pig breed	132125002L-805DB	C1296496
SRTSCT	L-805DC132126001	Limousin pig breed	132126001L-805DC	C1296497
SRTSCT	L-805DD132127005	Harbin White pig breed	132127005L-805DD	C1269231
SRTSCT	L-805DE132128000	Heilongjiang Spotted pig breed	132128000L-805DE	C1269232
SRTSCT	L-805DF132129008	Liaoning Black pig breed	132129008L-805DF	C1269233
SRTSCT	L-805E1132130003	Huang-Huai-Hai Black, Shenxian pig breed	132130003L-805E1	C1269234
SRTSCT	L-805E2132131004	Huang-Huai-Hai Black pig breed	132131004L-805E2	C1269235
SRTSCT	L-805E3132132006	Bamei pig breed	132132006L-805E3	C1296498
SRTSCT	L-805E4132133001	Hanjiang Black pig breed	132133001L-805E4	C1269236
SRTSCT	L-805E5132134007	Ding pig breed	132134007L-805E5	C1296499
SRTSCT	L-805E6132135008	Huai pig breed	132135008L-805E6	C1296500
SRTSCT	L-805E7132136009	New Huai pig breed	132136009L-805E7	C1296501

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-805E8132137000	Mashen pig breed	132137000 L-805E8	C1296502
SRTSCT	L-805E9132138005	Yimeng Black pig breed	132138005 L-805E9	C1269237
SRTSCT	L-805EB132139002	Hetao Lop-Ear pig breed	132139002 L-805EB	C1269238
SRTSCT	L-805EC132140000	Korean Native pig breed	132140000 L-805EC	C1269239
SRTSCT	L-805ED132141001	Korean Improved pig breed	132141001 L-805ED	C1269240
SRTSCT	L-805EE132142008	Penbuk pig breed	132142008 L-805EE	C1296503
SRTSCT	L-805EF132143003	Beijing Black pig breed	132143003 L-805EF	C1269241
SRTSCT	L-805F1132144009	Chenghua pig breed	132144009 L-805F1	C1296504
SRTSCT	L-805F2132145005	Taoyuan pig breed	132145005 L-805F2	C1296505
SRTSCT	L-805F3132146006	Taiwan Small Black pig breed	132146006 L-805F3	C1269242
SRTSCT	L-805F4132147002	Taiwan Small Red pig breed	132147002 L-805F4	C1269243
SRTSCT	L-805F5132148007	Guanling pig breed	132148007 L-805F5	C1296506
SRTSCT	L-805F6132149004	Huchuan Mountain pig breed	132149004 L-805F6	C1269244
SRTSCT	L-805F7132150004	Rongchang pig breed	132150004 L-805F7	C1296507
SRTSCT	L-805F8132151000	Wujin pig breed	132151000 L-805F8	C1296508
SRTSCT	L-805F9132152007	Dahe pig breed	132152007 L-805F9	C1296509
SRTSCT	L-805FA132153002	Yanan pig breed	132153002 L-805FA	C1296510
SRTSCT	L-805FB132154008	South Yunnan Short-Eared pig breed	132154008 L-805FB	C1269245
SRTSCT	L-805FC132155009	Hainan, Lingao pig breed	132155009 L-805FC	C1269246
SRTSCT	L-805FD132156005	Hainan, Tunchang pig breed	132156005 L-805FD	C1269247
SRTSCT	L-805FE132157001	Hainan, Wenchang pig breed	132157001 L-805FE	C1269248
SRTSCT	L-805FF132158006	Liang Guang Small Spotted pig breed	132158006 L-805FF	C1269249
SRTSCT	L-8060A132159003	German Pasture pig breed	132159003 L-8060A	C1296511
SRTSCT	L-8060B132160008	Piau, Sorocaba pig breed	132160008 L-8060B	C1269250
SRTSCT	L-8060C132161007	Nilo pig breed	132161007 L-8060C	C1296512
SRTSCT	L-8060D132162000	Bahia pig breed	132162000 L-8060D	C1296513
SRTSCT	L-8060E132163005	Perna-Curta pig breed	132163005 L-8060E	C1296514
SRTSCT	L-8060F132164004	Carunchinho pig breed	132164004 L-8060F	C1296515
SRTSCT	L-80613132165003	Mandi pig breed	132165003 L-80613	C1296516
SRTSCT	L-80614132166002	Orehla de Colher pig breed	132166002 L-80614	C1296517
SRTSCT	L-80615132167006	Venezuelan Black pig breed	132167006 L-80615	C1296518
SRTSCT	L-80616132168001	Bolivian pig breed	132168001 L-80616	C1296519
SRTSCT	L-80617132169009	Pelón pig breed	132169009 L-80617	C1321457
SRTSCT	L-80618132170005	Mexican Wattled pig breed	132170005 L-80618	C1269251
SRTSCT	L-80619132171009	Dalland 080 pig breed	132171009 L-80619	C1296520
SRTSCT	L-8061B132173007	Monarch pig breed	132173007 L-8061B	C1269252
SRTSCT	L-8061C132174001	Bisaro pig breed	132174001 L-8061C	C1296521
SRTSCT	L-8061D132175000	Black Hairless pig breed	132175000 L-8061D	C1269253
SRTSCT	L-8061E132176004	Black Mangalitsa pig breed	132176004 L-8061E	C1269254

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80623132178003	Borghigiana pig breed	132178003L-80623	C1296523
SRTSCT	L-80624132179006	Chianina pig breed	132179006L-80624	C1296524
SRTSCT	L-80625132180009	Cosentina pig breed	132180009L-80625	C1296525
SRTSCT	L-80626132181008	Cuino pig breed	132181008L-80626	C1296526
SRTSCT	L-80627132182001	Friuli Black pig breed	132182001L-80627	C1269255
SRTSCT	L-80628132183006	Fumati pig breed	132183006L-80628	C1296527
SRTSCT	L-80629132184000	Galician pig breed	132184000L-80629	C1296528
SRTSCT	L-8062A132185004	German Berkshire pig breed	132185004L-8062A	C1296529
SRTSCT	L-8062B132186003	Ghuri pig breed	132186003L-8062B	C1296530
SRTSCT	L-8062C132187007	Jianli pig breed	132187007L-8062C	C1296531
SRTSCT	L-8062D132188002	Lucanian pig breed	132188002L-8062D	C1269256
SRTSCT	L-8062E132189005	Maremmiana pig breed	132189005L-8062E	C1296532
SRTSCT	L-8062F132190001	Miami pig breed	132190001L-8062F	C1296533
SRTSCT	L-80634132191002	Montmorillon pig breed	132191002L-80634	C1296534
SRTSCT	L-80635132192009	Old Swedish Spotted pig breed	132192009L-80635	C1269257
SRTSCT	L-80636132193004	Oliventina pig breed	132193004L-80636	C1296535
SRTSCT	L-80637132194005	Parmense pig breed	132194005L-80637	C1296536
SRTSCT	L-80638132195006	Romagnola pig breed	132195006L-80638	C1296537
SRTSCT	L-80639132196007	Siberian pig breed	132196007L-80639	C1296538
SRTSCT	L-8063A132197003	Small White pig breed	132197003L-8063A	C1269258
SRTSCT	L-8063B132198008	Baltaret pig breed	132198008L-8063B	C1296539
SRTSCT	L-8063C132199000	Tungchang pig breed	132199000L-8063C	C1296540
SRTSCT	L-8063D132200002	Sterling pig breed	132200002L-8063D	C1296541
SRTSCT	L-8063E132201003	Vich pig breed	132201003L-8063E	C1296542
SRTSCT	L-8063F132202005	Vietnamese pig breed	132202005L-8063F	C1296543
SRTSCT	L-80645132203000	Vitoria pig breed	132203000L-80645	C1296544
SRTSCT	L-80646132204006	Wai Chow pig breed	132204006L-80646	C1296545
SRTSCT	L-80647132205007	Yorkshire Blue and White pig breed	132205007L-80647	C1269259
SRTSCT	L-80648132206008	Dalland 020 pig breed	132206008L-80648	C1296546
SRTSCT	L-80649132207004	Wiltshire pig breed	132207004L-80649	C1296547
SRTSCT	L-8064A132208009	Hamroc pig breed	132208009L-8064A	C1296548
SRTSCT	L-8064B132209001	DRU™ Terminals pig breed	132209001L-8064B	C1269260
SRTSCT	L-8064C132210006	Camborough 22 pig breed	132210006L-8064C	C1296549
SRTSCT	L-8064D132211005	Camborough 15 pig breed	132211005L-8064D	C1296550
SRTSCT	L-8064E132212003	PR 1050 pig breed	132212003L-8064E	C1296551
SRTSCT	L-8064F132213008	PR 1075 pig breed	132213008L-8064F	C1296552
SRTSCT	L-8065A132214002	Chryak PIC pig breed	132214002L-8065A	C1296553
SRTSCT	L-8065B132215001	Canadian Royal Blue pig breed	132215001L-8065B	C1269261
SRTSCT	L-8065C132216000	Line 500 Duroc pig breed	132216000L-8065C	C1269262
SRTSCT	L-8065D132217009	Bodmin 950 pig breed	132217009L-8065D	C1296554

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8065E132218004	Canadian Duroc pig breed	132218004L-8065E	C1296555
SRTSCT	L-8065F132219007	Canadian Hampshire pig breed	132219007L-8065F	C1296556
SRTSCT	L-80664132220001	Ba Xuyen pig breed	132220001L-80664	C1296557
SRTSCT	L-80665132221002	Arapawa Island pig breed	132221002L-80665	C1296558
SRTSCT	L-80666132222009	Wuzhishan pig breed	132222009L-80666	C1296559
SRTSCT	L-80667132223004	Philippine Native pig breed	132223004L-80667	C1269263
SRTSCT	L-80668132224005	Sinclair Miniature pig breed	132224005L-80668	C1269264
SRTSCT	L-80669132225006	Saddleback pig breed	132225006L-80669	C1296560
SRTSCT	L-8066A132226007	Yucatan Minature pig breed	132226007L-8066A	C1269265
SRTSCT	L-8066B132227003	Bantu pig breed	132227003L-8066B	C1296561
SRTSCT	L-8066C132228008	Tibetan pig breed	132228008L-8066C	C1296562
SRTSCT	L-8066D132229000	Turopolje pig breed	132229000L-8066D	C1296563
SRTSCT	L-8066E132230005	Vietnamese Pot-Bellied Pig pig breed	132230005L-8066E	C1296564
SRTSCT	L-8066F132231009	American Landrace pig breed	132231009L-8066F	C1269266
SRTSCT	L-80670132232002	Swallow Belied Mangalitza pig breed	132232002L-80670	C1269267
SRTSCT	L-80671132233007	Fengjing pig breed	132233007L-80671	C1296565
SRTSCT	L-80672132234001	Finnish Landrace pig breed	132234001L-80672	C1269268
SRTSCT	L-80673132235000	Guinea Hog pig breed	132235000L-80673	C1296566
SRTSCT	L-80674132236004	Hezuo pig breed	132236004L-80674	C1296567
SRTSCT	L-80675132237008	Ossabaw Island pig breed	132237008L-80675	C1296568
SRTSCT	L-80676132238003	Kele pig breed	132238003L-80676	C1296569
SRTSCT	L-80677132239006	Krskopolje pig breed	132239006L-80677	C1296570
SRTSCT	L-80678132240008	Kunekune pig breed	132240008L-80678	C1296571
SRTSCT	L-80679132241007	Large Black-White pig breed	132241007L-80679	C1269269
SRTSCT	L-8067A132242000	Lithuanian Native pig breed	132242000L-8067A	C1269270
SRTSCT	L-8067B132243005	Meishan pig breed	132243005L-8067B	C1296572
SRTSCT	L-8067C132244004	Jinhua pig breed	132244004L-8067C	C1296573
SRTSCT	L-8067D132245003	Ningxiang pig breed	132245003L-8067D	C1296574
SRTSCT	L-8067E132246002	Mora Romagnola pig breed	132246002L-8067E	C1296575
SRTSCT	L-8067F132247006	Mukota pig breed	132247006L-8067F	C1296576
SRTSCT	L-80680132248001	Minzhu pig breed	132248001L-80680	C1296577
SRTSCT	L-80681132249009	Neijiang pig breed	132249009L-80681	C1296578
SRTSCT	L-80682132250009	Mulefoot pig breed	132250009L-80682	C1269271
SRTSCT	L-80683132251008	Normand pig breed	132251008L-80683	C1296579
SRTSCT	L-80684132252001	Angeln Saddleback pig breed	132252001L-80684	C1269192
SRTSCT	L-80685132253006	Greek Local pig breed	132253006L-80685	C1269193
SRTSCT	L-80686132254000	Icelandic pig breed	132254000L-80686	C1296580
SRTSCT	L-80687132255004	Casertana pig breed	132255004L-80687	C1296581
SRTSCT	L-80688132256003	Madonie-Sicilian pig breed	132256003L-80688	C1269194

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80689132257007	Sardinian pig breed	132257007L-80689	C1296582
SRTSCT	L-8068A132258002	Sicilian pig breed	132258002L-8068A	C1296583
SRTSCT	L-8068B132259005	Zlotniki Spotted pig breed	132259005L-8068B	C1269272
SRTSCT	L-8068C132260000	Zlotniki White pig breed	132260000L-8068C	C1269273
SRTSCT	L-8068D132261001	Siska pig breed	132261001L-8068D	C1296584
SRTSCT	L-8068E132262008	Sumadija pig breed	132262008L-8068E	C1296585
SRTSCT	L-8068F132263003	Froxfield Pygmy pig breed	132263003L-8068F	C1269274
SRTSCT	L-80690132264009	Danish Large White pig breed	132264009L-80690	C1269275
SRTSCT	L-80691132265005	Danish Duroc pig breed	132265005L-80691	C1296586
SRTSCT	L-80692132266006	Danish Hampshire pig breed	132266006L-80692	C1296587
SRTSCT	L-80693132267002	Piggham pig breed	132267002L-80693	C1296588
SRTSCT	L-80694132268007	New York Red pig breed	132268007L-80694	C1269276
SRTSCT	L-80695132269004	Finnish Yorkshire pig breed	132269004L-80695	C1296589
SRTSCT	L-80696132270003	Dutch Yorkshire pig breed	132270003L-80696	C1296590
SRTSCT	L-80697132271004	Pulawy pig breed	132271004L-80697	C1296591
SRTSCT	L-80698132272006	Pomeranian pig breed	132272006L-80698	C1296592
SRTSCT	L-80699132273001	Polish Landrace pig breed	132273001L-80699	C1269277
SRTSCT	L-8069A132274007	Estonian Bacon pig breed	132274007L-8069A	C1269278
SRTSCT	L-8069B132275008	Latvian White pig breed	132275008L-8069B	C1269279
SRTSCT	L-8069C132276009	Lithuanian White pig breed	132276009L-8069C	C1269280
SRTSCT	L-8069D132277000	BKB-1 pig breed	132277000L-8069D	C1296593
SRTSCT	L-8069E132278005	Belorus Black Pied pig breed	132278005L-8069E	C1269281
SRTSCT	L-8069F132279002	Mirgorod pig breed	132279002L-8069F	C1296594
SRTSCT	L-806A1132280004	Liang Guang Small Spotted, Luchuan pig breed	132280004L-806A1	C1269282
SRTSCT	L-806A2132281000	Fujian Small pig breed	132281000L-806A2	C1269283
SRTSCT	L-806A3132282007	North Fujian Black-and-White pig breed	132282007L-806A3	C1269284
SRTSCT	L-806A4132283002	Fuan Spotted pig breed	132283002L-806A4	C1269285
SRTSCT	L-806A5132284008	Putian pig breed	132284008L-806A5	C1269286
SRTSCT	L-806A6132285009	Fuzhou Black pig breed	132285009L-806A6	C1269287
SRTSCT	L-806A7132286005	Minbei Spotted pig breed	132286005L-806A7	C1269288
SRTSCT	L-806A8132287001	Lantang pig breed	132287001L-806A8	C1296595
SRTSCT	L-806A9132288006	Liang Guang Small Spotted, Guangdong Small Ear pig breed	132288006L-806A9	C1269289
SRTSCT	L-806AA132289003	Longlin pig breed	132289003L-806AA	C1296596
SRTSCT	L-806AB132290007	Yuedong Black pig breed	132290007L-806AB	C1269290
SRTSCT	L-806AC132291006	Xiang pig breed	132291006L-806AC	C1296597
SRTSCT	L-806AD132292004	Cantonese pig breed	132292004L-806AD	C1296598
SRTSCT	L-806AE132293009	Jinhua, Dongyang pig breed	132293009L-806AE	C1269291
SRTSCT	L-806AF132294003	Jinhua, Yongkang pig breed	132294003L-806AF	C1269292

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-806B1132295002	Daweizi pig breed	132295002L-806B1	C1296599
SRTSCT	L-806B2132296001	Huazhong Two-End Black pig breed	132296001L-806B2	C1269293
SRTSCT	L-806B3132297005	Huazhong Two-End Black, Jianli pig breed	132297005L-806B3	C1269294
SRTSCT	L-806B4132298000	Huazhong Two-End Black, Tongcheng pig breed	132298000L-806B4	C1269295
SRTSCT	L-806B5132299008	Huazhong Two-End Black, Satzeling pig breed	132299008L-806B5	C1269296
SRTSCT	L-806B6132300000	Ganzhongnan Spotted pig breed	132300000L-806B6	C1269297
SRTSCT	L-806B7132301001	Hang pig breed	132301001L-806B7	C1296600
SRTSCT	L-806B8132302008	Leping pig breed	132302008L-806B8	C1296601
SRTSCT	L-806B9132303003	Longyou Black pig breed	132303003L-806B9	C1269298
SRTSCT	L-806BA132304009	Wuyi Black pig breed	132304009L-806BA	C1269299
SRTSCT	L-806BB132305005	Lee-Sung pig breed	132305005L-806BB	C1296602
SRTSCT	L-806BC132306006	Lan-Yu pig breed	132306006L-806BC	C1296603
SRTSCT	L-806BD132307002	Vietnamese Yorkshire pig breed	132307002L-806BD	C1296604
SRTSCT	L-806BE132308007	Yujiang pig breed	132308007L-806BE	C1296605
SRTSCT	L-806BF132309004	Wanzhe Spotted pig breed	132309004L-806BF	C1269300
SRTSCT	L-806C1132310009	Wanzhe Spotted, Chunan Spotted pig breed	132310009L-806C1	C1269301
SRTSCT	L-806C2132311008	Wanzhe Spotted, Wannan Spotted pig breed	132311008L-806C2	C1296606
SRTSCT	L-806C3132312001	Shengxian Spotted pig breed	132312001L-806C3	C1296607
SRTSCT	L-806C4132313006	Qingping pig breed	132313006L-806C4	C1296608
SRTSCT	L-806C5132314000	Xiangxi Black pig breed	132314000L-806C5	C1296609
SRTSCT	L-806C6132315004	Bamaxiang pig breed	132315004L-806C6	C1296610
SRTSCT	L-806C7132316003	Taihu pig breed	132316003L-806C7	C1296611
SRTSCT	L-806C8132317007	Erhulian pig breed	132317007L-806C8	C1296612
SRTSCT	L-806C9132318002	Jiaxing Black pig breed	132318002L-806C9	C1296613
SRTSCT	L-806CA132319005	Mi pig breed	132319005L-806CA	C1296614
SRTSCT	L-806CB132320004	Shahutou pig breed	132320004L-806CB	C1296615
SRTSCT	L-806CC132321000	Jiaoxi pig breed	132321000L-806CC	C1296616
SRTSCT	L-806CD132322007	Shanghai White pig breed	132322007L-806CD	C1296617
SRTSCT	L-806CE132323002	Hubei White pig breed	132323002L-806CE	C1296618
SRTSCT	L-806CF132324008	Xinjin pig breed	132324008L-806CF	C1296619
SRTSCT	L-806D1132325009	Xinjin, Jilin Black pig breed	132325009L-806D1	C1296620
SRTSCT	L-806D2132326005	Xinjin, Ning-an pig breed	132326005L-806D2	C1296621
SRTSCT	L-806D3132327001	I pig breed	132327001L-806D3	C1321458
SRTSCT	L-806D4132328006	DBI pig breed	132328006L-806D4	C1296622
SRTSCT	L-806D5132329003	Xinjin, Xinjin pig breed	132329003L-806D5	C1296623

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-806D6 132330008	Meixin pig breed	132330008 L-806D6	C1296624
SRTSCT	L-806D7 132331007	North East China Spotted pig breed	132331007 L-806D7	C1296625
SRTSCT	L-806D8 132332000	Fannong Spotted pig breed	132332000 L-806D8	C1296626
SRTSCT	L-806D9 132333005	Laoshan pig breed	132333005 L-806D9	C1296627
SRTSCT	L-806DA 132334004	Nanjing Black pig breed	132334004 L-806DA	C1296628
SRTSCT	L-806DB 132335003	Shanxi Black pig breed	132335003 L-806DB	C1296629
SRTSCT	L-806DC 132336002	Ganzhou White pig breed	132336002 L-806DC	C1296630
SRTSCT	L-806DD 132337006	Guangxi White pig breed	132337006 L-806DD	C1296631
SRTSCT	L-806DE 132338001	Hanzhong White pig breed	132338001 L-806DE	C1296632
SRTSCT	L-806DF 132339009	Lutai White pig breed	132339009 L-806DF	C1296633
SRTSCT	L-806E1 132340006	Yili White pig breed	132340006 L-806E1	C1296634
SRTSCT	L-806E2 132341005	Xinjiang White pig breed	132341005 L-806E2	C1296635
SRTSCT	L-806E3 132342003	BSI pig breed	132342003 L-806E3	C1296636
SRTSCT	L-806E4 132343008	Mong Cai pig breed	132343008 L-806E4	C1296637
SRTSCT	L-806E5 132344002	Lang Hong pig breed	132344002 L-806E5	C1296638
SRTSCT	L-806E6 132345001	Muong Khuong pig breed	132345001 L-806E6	C1296639
SRTSCT	L-806E7 132346000	Meo pig breed	132346000 L-806E7	C1296640
SRTSCT	L-806E8 132347009	Tong Con pig breed	132347009 L-806E8	C1296641
SRTSCT	L-806E9 132348004	Ha Bac pig breed	132348004 L-806E9	C1296642
SRTSCT	L-806EA 132349007	Thai Binh pig breed	132349007 L-806EA	C1296643
SRTSCT	L-806EB 132350007	Co pig breed	132350007 L-806EB	C1296644
SRTSCT	L-806EC 132351006	Swiss Improved Landrace pig breed	132351006 L-806EC	C1296645
SRTSCT	L-806ED 132352004	German Landrace B pig breed	132352004 L-806ED	C1296646
SRTSCT	L-806EE 132353009	Edelschwein pig breed	132353009 L-806EE	C1296647
SRTSCT	L-806EF 132354003	Swabian-Hall pig breed	132354003 L-806EF	C1296648
SRTSCT	L-806F1 132355002	Bentheim Black Pied pig breed	132355002 L-806F1	C1296649
SRTSCT	L-806F2 132356001	Baldinger Spotted pig breed	132356001 L-806F2	C1296650
SRTSCT	L-806F3 132357005	German Red Pied pig breed	132357005 L-806F3	C1296651
SRTSCT	L-806F4 132358000	German Cornwall pig breed	132358000 L-806F4	C1296652
SRTSCT	L-806F5 132359008	Göttingen Miniature pig breed	132359008 L-806F5	C1321459
SRTSCT	L-806F6 132360003	Munich Miniature pig breed	132360003 L-806F6	C1296653
SRTSCT	L-806F8 132361004	Leicoma pig breed	132361004 L-806F8	C1296654
SRTSCT	L-806F9 132362006	Schwerfurt Meat pig breed	132362006 L-806F9	C1296655
SRTSCT	L-806FA 132363001	Hungarian White pig breed	132363001 L-806FA	C1296656
SRTSCT	L-806FB 132364007	Hungahyb pig breed	132364007 L-806FB	C1296657
SRTSCT	L-806FC 132365008	Bulgarian Native pig breed	132365008 L-806FC	C1296658
SRTSCT	L-806FD 132366009	East Balkan pig breed	132366009 L-806FD	C1296659
SRTSCT	L-806FE 132367000	Kula pig breed	132367000 L-806FE	C1296660
SRTSCT	L-806FF 132368005	Nghia Binh pig breed	132368005 L-806FF	C1296661

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-807E2132371002	Bichon Teneriffe dog breed	132371002L-807E2	C1296664
SRTSCT	L-807E3132372009	Bizanian Hound dog breed	132372009L-807E3	C1296663
SRTSCT	L-807E4132373004	Bloodhound, St. Hubert dog breed	132373004L-807E4	C1296665
SRTSCT	L-807E5132374005	Bloodhound, Southern Hound dog breed	132374005L-807E5	C1296666
SRTSCT	L-808A3132389001	Bordeaux Dog breed	132389001L-808A3	C1296679
SRTSCT	L-807E7132376007	Brandlbracke dog breed	132376007L-807E7	C1296668
SRTSCT	L-807E8132377003	Braque d'Ariège dog breed	132377003L-807E8	C1321460
SRTSCT	L-807E9132378008	Portuguese Guard Dog breed	132378008L-807E9	C1296669
SRTSCT	L-807EA132379000	Great Münsterländer dog breed	132379000L-807EA	C1321461
SRTSCT	L-807EB132380002	Beagle, Smooth dog breed	132380002L-807EB	C1296670
SRTSCT	L-807EC132381003	Beagle, Rough dog breed	132381003L-807EC	C1296671
SRTSCT	L-807ED132382005	Belgian Griffon, Rough dog breed	132382005L-807ED	C1296672
SRTSCT	L-807EE132383000	Belgian Griffon, Smooth dog breed	132383000L-807EE	C1296673
SRTSCT	L-807EF132384006	Braque Belge dog breed	132384006L-807EF	C1296674
SRTSCT	L-807F1132385007	Belgian Street Dog breed	132385007L-807F1	C1296675
SRTSCT	L-807F2132386008	Bernese Hound dog breed	132386008L-807F2	C1296676
SRTSCT	L-808A1132387004	Eurasier dog breed	132387004L-808A1	C1296677
SRTSCT	L-808A2132388009	English Bulldog breed	132388009L-808A2	C1296678
SRTSCT	L-808A3132389001	Dogue de Bourdeaux dog breed	132389001L-808A3	C1296679
SRTSCT	L-808A4132390005	Kai Ken dog breed	132390005L-808A4	C1296680
SRTSCT	L-808A5132391009	Kui Milk dog breed	132391009L-808A5	C1296681
SRTSCT	L-808A6132392002	Argentine Dogo dog breed	132392002L-808A6	C1296682
SRTSCT	L-808A7132393007	Alentejo herder dog breed	132393007L-808A7	C1296683
SRTSCT	L-808A8132394001	Saint Bernard, Long-haired dog breed	132394001L-808A8	C1296684
SRTSCT	L-808A9132395000	Saint Bernard, Short-haired dog breed	132395000L-808A9	C1296685
SRTSCT	L-808AA132396004	West Siberian Laika dog breed	132396004L-808AA	C1296686
SRTSCT	L-808AB132397008	Basset Fauve de Bretagne dog breed	132397008L-808AB	C1296687
SRTSCT	L-808AC132398003	Japanese Retriever dog breed	132398003L-808AC	C1296688
SRTSCT	L-808AD132399006	Kai Dog breed	132399006L-808AD	C1296689
SRTSCT	L-808AE132400004	American Blue Gascon Hound dog breed	132400004L-808AE	C1296690
SRTSCT	L-808AF132401000	Beagle Harrier dog breed	132401000L-808AF	C1296691
SRTSCT	L-808B1132402007	Kangal Dog breed	132402007L-808B1	C1296692
SRTSCT	L-808B2132403002	Leopard Cur dog breed	132403002L-808B2	C1296693
SRTSCT	L-808B3132404008	Patterdale Terrier dog breed	132404008L-808B3	C1296694

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-808B4132405009	Petit Brabaçon dog breed	132405009L-808B4	C1296695
SRTSCT	L-808B5132406005	Aidi dog breed	132406005L-808B5	C1296696
SRTSCT	L-808B6132407001	American Indian Dog breed	132407001L-808B6	C1296697
SRTSCT	L-808B7132408006	Austrian Pinscher dog breed	132408006L-808B7	C1296698
SRTSCT	L-808B8132409003	American Eskimo, standard dog breed	132409003L-808B8	C1296699
SRTSCT	L-808B9132410008	American Eskimo, Miniature dog breed	132410008L-808B9	C1296700
SRTSCT	L-808BA132411007	American Eskimo, Toy dog breed	132411007L-808BA	C1296701
SRTSCT	L-808BB132412000	Basset Griffon Vendéen dog breed	132412000L-808BB	C1296702
SRTSCT	L-808BC132413005	Batard dog breed	132413005L-808BC	C1296703
SRTSCT	L-808BD132414004	Basset Bleu de Gascogne dog breed	132414004L-808BD	C1296704
SRTSCT	L-808BE132415003	Braque Dupuy dog breed	132415003L-808BE	C1296705
SRTSCT	L-808BF132416002	Bruno de Jura dog breed	132416002L-808BF	C1296706
SRTSCT	L-808C1132417006	Cão da Serra de Aires dog breed	132417006L-808C1	C1296707
SRTSCT	L-808C2132418001	Cão de Castro Laboreiro dog breed	132418001L-808C2	C1296708
SRTSCT	L-808C3132419009	Cão de Fila Miguel dog breed	132419009L-808C3	C1296709
SRTSCT	L-808C4132420003	Catalan Sheepdog breed	132420003L-808C4	C1296710
SRTSCT	L-808C5132421004	Caucasian Shepherd Dog breed	132421004L-808C5	C1296711
SRTSCT	L-808C6132422006	Cirneco dell'Etna dog breed	132422006L-808C6	C1296712
SRTSCT	L-808C7132423001	English Toy Terrier dog breed	132423001L-808C7	C1296713
SRTSCT	L-808C8132424007	German Spitz dog breed	132424007L-808C8	C1296714
SRTSCT	L-DA692709853007	Dingo dog breed	709853007L-DA692	C1296715
SRTSCT	L-808CA132426009	Fauve de Bretagne dog breed	132426009L-808CA	C1296716
SRTSCT	L-808CB132427000	Hellenic Hound dog breed	132427000L-808CB	C1296717
SRTSCT	L-808CC132428005	Holland Shepherd dog breed	132428005L-808CC	C1296718
SRTSCT	L-808CD132429002	Japanese Spitz dog breed	132429002L-808CD	C1296719
SRTSCT	L-808CE132430007	Jämthund dog breed	132430007L-808CE	C1296720
SRTSCT	L-808CF132431006	Jindo dog breed	132431006L-808CF	C1296721
SRTSCT	L-808D1132432004	Karelo-Finnish Laika dog breed	132432004L-808D1	C1296722
SRTSCT	L-808D2132433009	King Shepherd dog breed	132433009L-808D2	C1296723
SRTSCT	L-808D3132434003	Kishu dog breed	132434003L-808D3	C1296724
SRTSCT	L-808D4132435002	Kirhiz dog breed	132435002L-808D4	C1296725
SRTSCT	L-808D5132436001	Magyar Agár dog breed	132436001L-808D5	C1296726
SRTSCT	L-808D6132437005	Middle Asian Ovtcharka dog breed	132437005L-808D6	C1296727
SRTSCT	L-808D7132438000	Mi-Ki dog breed	132438000L-808D7	C1296728

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-808D8132439008	Miniature Australian Shepherd dog breed	132439008L-808D8	C1296729
SRTSCT	L-808D9132440005	Min-peï dog breed	132440005L-808D9	C1296730
SRTSCT	L-808DA132441009	Mountain Cur dog breed	132441009L-808DA	C1296731
SRTSCT	L-808DB132442002	Moscow Longhaired Toy Terrier dog breed	132442002L-808DB	C1296732
SRTSCT	L-808DC132443007	Perdigueiro Portuguese dog breed	132443007L-808DC	C1296733
SRTSCT	L-808DD132444001	Podengo Canario dog breed	132444001L-808DD	C1296734
SRTSCT	L-808DE132445000	Podengo Pequeno dog breed	132445000L-808DE	C1296735
SRTSCT	L-808DF132446004	Pressa Mallorquin dog breed	132446004L-808DF	C1296736
SRTSCT	L-808E1132447008	Pyrenean Mastiff dog breed	132447008L-808E1	C1296737
SRTSCT	L-808E2132448003	Rastreador Brasileiro dog breed	132448003L-808E2	C1296738
SRTSCT	L-808E3132449006	Sabuesos Españoles dog breed	132449006L-808E3	C1296739
SRTSCT	L-808E4132450006	Schiller Hound dog breed	132450006L-808E4	C1296740
SRTSCT	L-808E5132451005	South Russian Steppe Hound dog breed	132451005L-808E5	C1296741
SRTSCT	L-808E6132452003	Styrian Mountain dog breed	132452003L-808E6	C1296742
SRTSCT	L-808E7132453008	Berger du Languedoc dog breed	132453008L-808E7	C1296743
SRTSCT	L-808E8132454002	Teddy Roosevelt Terrier dog breed	132454002L-808E8	C1296744
SRTSCT	L-808E9132455001	Transylvanian Hound dog breed	132455001L-808E9	C1296745
SRTSCT	L-808EA132456000	Trigg Hound dog breed	132456000L-808EA	C1296746
SRTSCT	L-808EB132457009	Tyrolean Hound dog breed	132457009L-808EB	C1296747
SRTSCT	L-808EC132458004	White Shepherd dog breed	132458004L-808EC	C1296748
SRTSCT	L-808ED132459007	Wirehair Styrian mountain dog breed	132459007L-808ED	C1296749
SRTSCT	L-808EE132460002	Yugoslavian Hound dog breed	132460002L-808EE	C1296750
SRTSCT	L-808EF132461003	Old Farm Collie dog breed	132461003L-808EF	C1296751
SRTSCT	L-808F1132462005	Old German Shepherd dog breed	132462005L-808F1	C1296752
SRTSCT	L-808F2132463000	New Zealand Heading Dog breed	132463000L-808F2	C1296753
SRTSCT	L-808F3132464006	German Koolie dog breed	132464006L-808F3	C1296754
SRTSCT	L-808F4132465007	Smithfield dog breed	132465007L-808F4	C1296755
SRTSCT	L-808F5132466008	Spanish Greyhound dog breed	132466008L-808F5	C1296756
SRTSCT	L-808F6132467004	Armant dog breed	132467004L-808F6	C1296757
SRTSCT	L-808F8132468009	Australian Greyhound dog breed	132468009L-808F8	C1296758
SRTSCT	L-808F9132469001	Australian Terrier, rough-coated dog breed	132469001L-808F9	C1296759

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-808FA132470000	Australian Terrier, silky dog breed	132470000L-808FA	C1296760
SRTSCT	L-808FB132471001	Austrian Hound dog breed	132471001L-808FB	C1296761
SRTSCT	L-808FC132472008	Austrian Smooth-Haired Bracke dog breed	132472008L-808FC	C1296762
SRTSCT	L-808FD132473003	Balkan Hound dog breed	132473003L-808FD	C1296763
SRTSCT	L-808FE132474009	Banjara greyhound dog breed	132474009L-808FE	C1296764
SRTSCT	L-808FF132475005	Beagle, Standard dog breed	132475005L-808FF	C1296765
SRTSCT	L-80916132476006	Estrela Mountain Dog breed	132476006L-80916	C1296766
SRTSCT	L-80917132477002	Epagneul Picard dog breed	132477002L-80917	C1296767
SRTSCT	L-80918132478007	Epagneul Bleu de Picardie dog breed	132478007L-80918	C1296768
SRTSCT	L-80919132479004	Estonian Hound dog breed	132479004L-80919	C1296769
SRTSCT	L-80920132480001	Epagneul Pont-Audemer dog breed	132480001L-80920	C1296770
SRTSCT	L-80921132481002	Eurasian dog breed	132481002L-80921	C1296771
SRTSCT	L-80922132482009	Fell Terrier dog breed	132482009L-80922	C1296772
SRTSCT	L-80923132483004	Fila Brasileiro dog breed	132483004L-80923	C1296773
SRTSCT	L-80924132484005	Finnish Hound dog breed	132484005L-80924	C1296774
SRTSCT	L-80925132485006	Finnish Lapphund dog breed	132485006L-80925	C1296775
SRTSCT	L-80926132486007	Entlebucher dog breed	132486007L-80926	C1296776
SRTSCT	L-80927132487003	French Guard Dog breed	132487003L-80927	C1296777
SRTSCT	L-80928132488008	French Spaniel dog breed	132488008L-80928	C1296778
SRTSCT	L-80929132489000	Coton de Tuléar dog breed	132489000L-80929	C1296779
SRTSCT	L-80930132490009	Hamiltonstövare dog breed	132490009L-80930	C1296780
SRTSCT	L-80931132491008	Danish Broholmer dog breed	132491008L-80931	C1296781
SRTSCT	L-80932132492001	English Shepherd dog breed	132492001L-80932	C1296782
SRTSCT	L-80933132493006	Drentse Patrijshond dog breed	132493006L-80933	C1296783
SRTSCT	L-80934132494000	Dunker dog breed	132494000L-80934	C1296784
SRTSCT	L-80935132495004	Dutch Kooiker Dog breed	132495004L-80935	C1296785
SRTSCT	L-80936132496003	Dutch Shepherd dog breed	132496003L-80936	C1296786
SRTSCT	L-80937132497007	East Siberian Laika dog breed	132497007L-80937	C1296787
SRTSCT	L-80938132498002	Deutsche bracke dog breed	132498002L-80938	C1296788
SRTSCT	L-80939132499005	Hanoverian Hound dog breed	132499005L-80939	C1296789
SRTSCT	L-80940132500001	Hovawart dog breed	132500001L-80940	C1296790
SRTSCT	L-80941132501002	Icelandic Sheepdog breed	132501002L-80941	C1296791
SRTSCT	L-80942132502009	Inca Hairless Dog breed	132502009L-80942	C1296792
SRTSCT	L-80943132503004	Irish Red and White Setter dog breed	132503004L-80943	C1296793
SRTSCT	L-80944132504005	Jagdterrier dog breed	132504005L-80944	C1296794
SRTSCT	L-80945132505006	German Spaniel dog breed	132505006L-80945	C1296795
SRTSCT	L-80946132506007	Grand Anglo-Français dog breed	132506007L-80946	C1296796

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80947132507003	Grand Bassett Griffon Vendeen dog breed	132507003L-80947	C1296797
SRTSCT	L-80948132508008	Grand Bleu de Gascogne dog breed	132508008L-80948	C1296798
SRTSCT	L-80949132509000	Grand Gascon-Saintongeais dog breed	132509000L-80949	C1296799
SRTSCT	L-80950132510005	German Pinscher dog breed	132510005L-80950	C1296800
SRTSCT	L-80951132511009	Greater Swiss Mountain Dog breed	132511009L-80951	C1296801
SRTSCT	L-80952132512002	Greenland Dog breed	132512002L-80952	C1296802
SRTSCT	L-80953132513007	Griffon Fauve de Bretegne dog breed	132513007L-80953	C1296803
SRTSCT	L-80954132514001	Griffon Nivernais dog breed	132514001L-80954	C1296804
SRTSCT	L-80955132515000	Grand Griffon Vendeen dog breed	132515000L-80955	C1296805
SRTSCT	L-80956132516004	Ainu dog breed	132516004L-80956	C1296806
SRTSCT	L-80957132517008	Basset Artésien Normand dog breed	132517008L-80957	C1296807
SRTSCT	L-80958132518003	Bavarian Mountain Hound dog breed	132518003L-80958	C1296808
SRTSCT	L-80959132519006	Beauceron dog breed	132519006L-80959	C1296809
SRTSCT	L-80960132520000	Azawakh dog breed	132520000L-80960	C1296810
SRTSCT	L-80961132521001	Australian Shepherd dog breed	132521001L-80961	C1296811
SRTSCT	L-80962132522008	Belgian Wolfhound dog breed	132522008L-80962	C1296812
SRTSCT	L-80963132523003	Bergamasco dog breed	132523003L-80963	C1296813
SRTSCT	L-80964132524009	Berger de Picard dog breed	132524009L-80964	C1296814
SRTSCT	L-80965132525005	Berger de Pyrenees dog breed	132525005L-80965	C1296815
SRTSCT	L-80966132526006	Billy dog breed	132526006L-80966	C1296816
SRTSCT	L-80967132527002	Belgian Griffon dog breed	132527002L-80967	C0324378
SRTSCT	L-80968132528007	American Hairless Terrier dog breed	132528007L-80968	C1296817
SRTSCT	L-80969132529004	Beagle, Elizabethan dog breed	132529004L-80969	C1296818
SRTSCT	L-80970132530009	Japanese Pointer dog breed	132530009L-80970	C1296819
SRTSCT	L-80971132531008	Akbash dog breed	132531008L-80971	C1296820
SRTSCT	L-80972132532001	Alapaha blueblood bullDog breed	132532001L-80972	C1296821
SRTSCT	L-80973132533006	Barbet dog breed	132533006L-80973	C1296822
SRTSCT	L-80974132534000	American Bulldog breed	132534000L-80974	C1296823
SRTSCT	L-80975132535004	Black Russian Terrier dog breed	132535004L-80975	C1296824
SRTSCT	L-80976132536003	Anglo-Francais de moyen venerie dog breed	132536003L-80976	C1296825
SRTSCT	L-80977132537007	Anglo-Francais de petit venerie dog breed	132537007L-80977	C1296826

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80978132538002	Appenzeller dog breed	132538002L-80978	C1296827
SRTSCT	L-80979132539005	Ariègeois dog breed	132539005L-80979	C1321491
SRTSCT	L-80980132540007	Alano Español dog breed	132540007L-80980	C1321462
SRTSCT	L-80984132541006	Australian Kelpie dog breed	132541006L-80981	C1296828
SRTSCT	L-80982132542004	Alpine dachsbracke dog breed	132542004L-80982	C1296829
SRTSCT	L-80983132543009	Chien Français Blanc et Noir dog breed	132543009L-80983	C1321463
SRTSCT	L-80984132544003	Carolina Dog breed	132544003L-80984	C1296830
SRTSCT	L-80985132545002	Catahoula Leopard dog breed	132545002L-80985	C1296831
SRTSCT	L-80986132546001	Caucasian Mountain Dog breed	132546001L-80986	C1296832
SRTSCT	L-80987132547005	Cesky Fousek dog breed	132547005L-80987	C1296833
SRTSCT	L-80988132548000	Cesky Terrier dog breed	132548000L-80988	C1296834
SRTSCT	L-80989132549008	Chart Polski dog breed	132549008L-80989	C1296835
SRTSCT	L-80990132550008	Black Forest Hound dog breed	132550008L-80990	C1296836
SRTSCT	L-80991132551007	Chien d'Artois dog breed	132551007L-80991	C1296837
SRTSCT	L-80992132552000	Canaan dog breed	132552000L-80992	C1296838
SRTSCT	L-80993132553005	Chien Français Tricolore dog breed	132553005L-80993	C1321464
SRTSCT	L-80994132554004	Chinese Crested dog breed	132554004L-80994	C1296839
SRTSCT	L-80995132555003	Chinese Foo Dog breed	132555003L-80995	C1296840
SRTSCT	L-80996132556002	Chinese Imperial ch'in dog breed	132556002L-80996	C1296841
SRTSCT	L-80997132557006	Chinook dog breed	132557006L-80997	C1296842
SRTSCT	L-80998132558001	Chien Français Blanc et Orange dog breed	132558001L-80998	C1321465
SRTSCT	L-80999132559009	Braque Français de Grand Taille dog breed	132559009L-80999	C1296843
SRTSCT	L-809A1132560004	Bolognese dog breed	132560004L-809A1	C1296844
SRTSCT	L-809A2132561000	Border Collie dog breed	132561000L-809A2	C1296845
SRTSCT	L-809A3132562007	Bracco Italiano dog breed	132562007L-809A3	C1296846
SRTSCT	L-809A4132563002	Cane Corso dog breed	132563002L-809A4	C1296847
SRTSCT	L-809A5132564008	Braque du Bourbonnais dog breed	132564008L-809A5	C1296848
SRTSCT	L-809A6132565009	Braque Français de Petite Taille dog breed	132565009L-809A6	C1296849
SRTSCT	L-809A7132566005	Braque Saint-Germain dog breed	132566005L-809A7	C1296850
SRTSCT	L-809A8132567001	Briquet Basset Griffon Vendeen dog breed	132567001L-809A8	C1296851
SRTSCT	L-809A9132568006	Black Mouth Cur dog breed	132568006L-809A9	C1296852
SRTSCT	L-809AA132569003	Braque d'Auvergne dog breed	132569003L-809AA	C1296853
SRTSCT	L-809AB132570002	Schapendoes dog breed	132570002L-809AB	C1296854
SRTSCT	L-809AC132571003	Sarplaninac dog breed	132571003L-809AC	C1296855

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-809AD132572005	Russo-Laika dog breed	132572005L-809AD	C1296856
SRTSCT	L-809AE132573000	Bosnian Hound dog breed	132573000L-809AE	C1296857
SRTSCT	L-809AF132574006	Rat Terrier dog breed	132574006L-809AF	C1296858
SRTSCT	L-809B1132575007	Pumi dog breed	132575007L-809B1	C1296859
SRTSCT	L-809B2132576008	Presa Canario dog breed	132576008L-809B2	C1296860
SRTSCT	L-809B3132577004	Portuguese Pointer dog breed	132577004L-809B3	C1296861
SRTSCT	L-809B4132578009	Porcelaine dog breed	132578009L-809B4	C1296862
SRTSCT	L-809B5132579001	Shropshire Terrier dog breed	132579001L-809B5	C1296863
SRTSCT	L-809B6132580003	Boykin Spaniel dog breed	132580003L-809B6	C1296864
SRTSCT	L-809B7132581004	Southern Blackmouth Cur dog breed	132581004L-809B7	C1296865
SRTSCT	L-809B8132582006	South Russian Ovcharka dog breed	132582006L-809B8	C1296866
SRTSCT	L-809B9132583001	Small Spanish Hound dog breed	132583001L-809B9	C1296867
SRTSCT	L-809BA132584007	Small Münsterländer dog breed	132584007L-809BA	C1321466
SRTSCT	L-809BB132585008	Slovak Cuvak dog breed	132585008L-809BB	C1296868
SRTSCT	L-809BC132586009	Shiloh Shepherd dog breed	132586009L-809BC	C1296869
SRTSCT	L-809BD132587000	Shiba Inu dog breed	132587000L-809BD	C1296870
SRTSCT	L-809BE132588005	Welsh Sheepdog breed	132588005L-809BE	C1296871
SRTSCT	L-809BF132589002	Shar-pei dog breed	132589002L-809BF	C1296872
SRTSCT	L-809C1132590006	Sloughi dog breed	132590006L-809C1	C1296873
SRTSCT	L-809C2132591005	Owczarek Podhalanski dog breed	132591005L-809C2	C1296874
SRTSCT	L-809C3132592003	Norbottenspets dog breed	132592003L-809C3	C1296875
SRTSCT	L-809C4132593008	Norwegian Dunkerhound dog breed	132593008L-809C4	C1296876
SRTSCT	L-809C5132594002	Old Danish Bird Dog breed	132594002L-809C5	C1269305
SRTSCT	L-809C6132595001	Old Format Dachhund dog breed	132595001L-809C6	C1269306
SRTSCT	L-809C7132596000	Old Format Manchester Terrier dog breed	132596000L-809C7	C1269307
SRTSCT	L-809C8132597009	Old Format Min/Toy Poodle dog breed	132597009L-809C8	C1269308
SRTSCT	L-809C9132598004	Old Format Welsh Corgi dog breed	132598004L-809C9	C1269309
SRTSCT	L-809CA132599007	Neopolitan Mastiff dog breed	132599007L-809CA	C1269310
SRTSCT	L-809CB132600005	Perdiguero de Burgos dog breed	132600005L-809CB	C1296877
SRTSCT	L-809CC132601009	Perdiguero Navarro dog breed	132601009L-809CC	C1296878
SRTSCT	L-809CD132602002	Peruvian Inca Orchid dog breed	132602002L-809CD	C1269311
SRTSCT	L-809CE132603007	Petit Bleu de Gascogne dog breed	132603007L-809CE	C1296879

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-809CF 132604001	Petit Gascon-Saintongeois dog breed	132604001 L-809CF	C1296880
SRTSCT	L-809D1 132605000	Petit Griffon Bleu de Gascogne dog breed	132605000 L-809D1	C1296881
SRTSCT	L-809D2 132606004	Olde English Bulldogge dog breed	132606004 L-809D2	C1296882
SRTSCT	L-809D3 132607008	Löwchen dog breed	132607008 L-809D3	C1321467
SRTSCT	L-809D4 132608003	Polski Owczarek Nizinny dog breed	132608003 L-809D4	C1296883
SRTSCT	L-809D5 132609006	Polish Hound dog breed	132609006 L-809D5	C1296884
SRTSCT	L-809D6 132610001	Poitevin dog breed	132610001 L-809D6	C1296885
SRTSCT	L-809D7 132611002	Spanish Pointer dog breed	132611002 L-809D7	C1296886
SRTSCT	L-809D8 132612009	Kyi-Leo dog breed	132612009 L-809D8	C1296887
SRTSCT	L-809D9 132613004	Large Spanish Hound dog breed	132613004 L-809D9	C1269312
SRTSCT	L-809DA 132614005	Lundehund dog breed	132614005 L-809DA	C1296888
SRTSCT	L-809DB 132615006	Lurcher Hound dog breed	132615006 L-809DB	C1269313
SRTSCT	L-809DC 132616007	Maremma Sheepdogs dog breed	132616007 L-809DC	C1269314
SRTSCT	L-809DD 132617003	McNab dog breed	132617003 L-809DD	C1296889
SRTSCT	L-809DE 132618008	Miniature Bull Terrier dog breed	132618008 L-809DE	C1269315
SRTSCT	L-809E1 132620006	Mudi dog breed	132620006 L-809E1	C1296890
SRTSCT	L-809E2 132621005	Munster Lander Pointer dog breed	132621005 L-809E2	C1269317
SRTSCT	L-809E3 132622003	Loenberger dog breed	132622003 L-809E3	C1562740
SRTSCT	L-809E4 132623008	Chi Terrier dog breed	132623008 L-809E4	C1296892
SRTSCT	L-809E5 132624002	Krasky Ovar dog breed	132624002 L-809E5	C1296893
SRTSCT	L-809E6 132625001	Kromfohländer dog breed	132625001 L-809E6	C1321468
SRTSCT	L-809E7 132626000	Havanese dog breed	132626000 L-809E7	C1296894
SRTSCT	L-809E8 132627009	American lamalese dog breed	132627009 L-809E8	C1269318
SRTSCT	L-809EA 132629007	Norwegian Lundehund dog breed	132629007 L-809EA	C1269320
SRTSCT	L-809EB 132630002	North American Shepherd dog breed	132630002 L-809EB	C1296895
SRTSCT	L-809EC 132631003	Kyi Apso dog breed	132631003 L-809EC	C1296896
SRTSCT	L-809ED 132632005	Swedish Lapphund dog breed	132632005 L-809ED	C1269321
SRTSCT	L-809EE 132633000	Treeing Tennessee Brindle dog breed	132633000 L-809EE	C1296897
SRTSCT	L-809EF 132634006	Telomain dog breed	132634006 L-809EF	C1296898
SRTSCT	L-809F1 132635007	Swedish Vallhund dog breed	132635007 L-809F1	C1269322
SRTSCT	L-809F2 132636008	Stumpy Tail Cattle Dog breed	132636008 L-809F2	C1269323
SRTSCT	L-809F3 132637004	Stabyhoun dog breed	132637004 L-809F3	C1296899
SRTSCT	L-809F4 132638009	Spinone Italiano dog breed	132638009 L-809F4	C1296900

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-809F5132639001	Spanish Mastiff dog breed	132639001L-809F5	C1296901
SRTSCT	L-809F6132640004	Berger Shetland dog breed	132640004L-809F6	C1296902
SRTSCT	L-809F7132641000	Thai Ridgeback dog breed	132641000L-809F7	C1296903
SRTSCT	L-809F8132642007	Swiss Mountain Dog breed	132642007L-809F8	C1269324
SRTSCT	L-809F9132643002	Tibetan Mastiff dog breed	132643002L-809F9	C1296904
SRTSCT	L-809FA132644008	Glen of Imaal Terrier dog breed	132644008L-809FA	C1296905
SRTSCT	L-809FB132645009	Tosa Inu dog breed	132645009L-809FB	C1296906
SRTSCT	L-809FC132646005	Toy Havanese Terrier dog breed	132646005L-809FC	C1296907
SRTSCT	L-809FD132647001	Treeing Cur dog breed	132647001L-809FD	C1296908
SRTSCT	L-809FE132648006	Treeing Feist dog breed	132648006L-809FE	C1296909
SRTSCT	L-809FF132649003	Greater Swiss Mountain Hound dog breed	132649003L-809FF	C1269325
SRTSCT	L-80A70132650003	Harlequin cat breed	132650003L-80A70	C1269326
SRTSCT	L-80A71132651004	Manxamese cat breed	132651004L-80A71	C1296910
SRTSCT	L-80A73132652006	Maltese cat breed	132652006L-80A73	C1296911
SRTSCT	L-80A75132654007	Ragdoll cat breed	132654007L-80A75	C1296912
SRTSCT	L-80A76132655008	Turkish van cat breed	132655008L-80A76	C1269328
SRTSCT	L-80A77132656009	British Blue cat breed	132656009L-80A77	C1269329
SRTSCT	L-80A78132657000	American Bobtail Shorthair cat breed	132657000L-80A78	C1296913
SRTSCT	L-80A79132658005	American Bobtail Longhair cat breed	132658005L-80A79	C1296914
SRTSCT	L-80A80132659002	American Curl cat breed	132659002L-80A80	C1269330
SRTSCT	L-80A81132660007	Australian Mist cat breed	132660007L-80A81	C1269331
SRTSCT	L-80A83132661006	Bengal cat breed	132661006L-80A83	C1296915
SRTSCT	L-80A84132662004	Brazilian Shorthair cat breed	132662004L-80A84	C1296916
SRTSCT	L-80A85132663009	California Spangled cat breed	132663009L-80A85	C1269332
SRTSCT	L-80A86132664003	Chantilly/Tiffany cat breed	132664003L-80A86	C1296917
SRTSCT	L-80A87132665002	Shorthair cat breed	132665002L-80A87	C1296918
SRTSCT	L-80A88132666001	German Rex cat breed	132666001L-80A88	C1269333
SRTSCT	L-80A89132667005	LaPerm Shorthair cat breed	132667005L-80A89	C1296919
SRTSCT	L-80A90132668000	LaPerm Longhair cat breed	132668000L-80A90	C1296920
SRTSCT	L-80A91132669008	Munchkin Shorthair cat breed	132669008L-80A91	C1296921
SRTSCT	L-80A92132670009	Munchkin Longhair cat breed	132670009L-80A92	C1296922
SRTSCT	L-80A93132671008	Nebelung cat breed	132671008L-80A93	C1296923
SRTSCT	L-80A94132672001	Norwegian Forest cat breed	132672001L-80A94	C1269334
SRTSCT	L-80A95132673006	Oriental Longhair cat breed	132673006L-80A95	C1296924
SRTSCT	L-80A97132675004	Ragamuffin cat breed	132675004L-80A97	C1296926
SRTSCT	L-80A99132676003	Selkirk Rex cat breed	132676003L-80A99	C1296927
SRTSCT	L-80AA1132677007	Siberian cat breed	132677007L-80AA1	C1296928
SRTSCT	L-80AA2132678002	Snowshoe cat breed	132678002L-80AA2	C1269335

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80AA3132679005	Sokoke cat breed	132679005L-80AA3	C1296929
SRTSCT	L-80AA4132680008	Sphynx cat breed	132680008L-80AA4	C1269336
SRTSCT	L-80B01132681007	Bergamasca sheep breed	132681007L-80B01	C1296930
SRTSCT	L-80B02132682000	Portland sheep breed	132682000L-80B02	C1296931
SRTSCT	L-80B04132684004	Weisse Hornlose Heidschnucke sheep breed	132684004L-80B04	C1296932
SRTSCT	L-80B05132685003	Drents Heideschaap sheep breed	132685003L-80B05	C1296933
SRTSCT	L-80B06132686002	Kameroen sheep breed	132686002L-80B06	C1296934
SRTSCT	L-80B07132687006	Mergelland sheep breed	132687006L-80B07	C1296935
SRTSCT	L-80B08132688001	Ouessant sheep breed	132688001L-80B08	C1296936
SRTSCT	L-80B09132689009	Canadian Arcott sheep breed	132689009L-80B09	C1296937
SRTSCT	L-80B10132690000	Noordhollander sheep breed	132690000L-80B10	C1296938
SRTSCT	L-80B17132697002	Rijnlam-A sheep breed	132697002L-80B17	C1296940
SRTSCT	L-80B18132698007	Schoonebeker sheep breed	132698007L-80B18	C1296941
SRTSCT	L-80B19132699004	Wallis Blacknosed Sheep breed	132699004L-80B19	C1269341
SRTSCT	L-80B22132701004	Newfoundland sheep breed	132701004L-80B22	C1296943
SRTSCT	L-80B23132702006	Wallis Country Sheep breed	132702006L-80B23	C1269342
SRTSCT	L-80B24132703001	Rideau Arcott sheep breed	132703001L-80B24	C1296944
SRTSCT	L-80B25132704007	Tukidale sheep breed	132704007L-80B25	C1296945
SRTSCT	L-80B26132705008	Polwarth sheep breed	132705008L-80B26	C1296946
SRTSCT	L-80B27132706009	Ryeland sheep breed	132706009L-80B27	C1296947
SRTSCT	L-80B2A132707000	Thalli sheep breed	132707000L-80B2A	C1296948
SRTSCT	L-80B2B132708005	Tong sheep breed	132708005L-80B2B	C1296949
SRTSCT	L-80B2C132709002	Touabire sheep breed	132709002L-80B2C	C1296950
SRTSCT	L-80B2D132710007	Tunis sheep breed	132710007L-80B2D	C1296951
SRTSCT	L-80B2E132711006	Tyrol Mountain sheep breed	132711006L-80B2E	C1269343
SRTSCT	L-80B2F132712004	Uda sheep breed	132712004L-80B2F	C1296952
SRTSCT	L-80B33132716001	German Mutton Merino sheep breed	132716001L-80B33	C1296955
SRTSCT	L-80B34132717005	Medium-Wool Merino sheep breed	132717005L-80B34	C1269345
SRTSCT	L-80B35132718000	Fonthill Merino sheep breed	132718000L-80B35	C1296956
SRTSCT	L-80B36132719008	South African Mutton Merino sheep breed	132719008L-80B36	C1269346
SRTSCT	L-80B37132720002	Strong Wool Merino sheep breed	132720002L-80B37	C1269347
SRTSCT	L-80B38132721003	Poll Merino sheep breed	132721003L-80B38	C1296957
SRTSCT	L-80B39132722005	Fine Merino sheep breed	132722005L-80B39	C1296958
SRTSCT	L-80B3A132723000	South African Merino sheep breed	132723000L-80B3A	C1296959
SRTSCT	L-80B40132724006	Superfine Merino sheep breed	132724006L-80B40	C1296960

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80B47132731005	Baden Wurttemberg horse breed	132731005L-80B47	C1296962
SRTSCT	L-80B48132732003	British Warmblood horse breed	132732003L-80B48	C1296963
SRTSCT	L-80B49132733008	Israeli horse breed	132733008L-80B49	C1296964
SRTSCT	L-80B4A132734002	French Ardennais horse breed	132734002L-80B4A	C1296965
SRTSCT	L-80B4B132735001	Booroola Merino sheep breed	132735001L-80B4B	C1296966
SRTSCT	L-80B50132736000	Cukurova horse breed	132736000L-80B50	C1296967
SRTSCT	L-80B51132737009	Czech Coldblood horse breed	132737009L-80B51	C1296968
SRTSCT	L-80B52132738004	Czechoslovakian Small Riding Horse horse breed	132738004L-80B52	C1269353
SRTSCT	L-80B53132739007	Jianchang horse breed	132739007L-80B53	C1296969
SRTSCT	L-80B54132740009	Jielin horse breed	132740009L-80B54	C1296970
SRTSCT	L-80B55132741008	Wielkopolski horse breed	132741008L-80B55	C1296971
SRTSCT	L-80B56132742001	Eleia horse breed	132742001L-80B56	C1296972
SRTSCT	L-80B57132743006	English Cob horse breed	132743006L-80B57	C1269354
SRTSCT	L-80B58132744000	Welsh Pony horse breed	132744000L-80B58	C1296973
SRTSCT	L-80B59132745004	Welsh Pony of Cob Type horse breed	132745004L-80B59	C1269355
SRTSCT	L-80B5A132746003	English Hunter horse breed	132746003L-80B5A	C1269356
SRTSCT	L-80B5B132747007	Eriskay Pony horse breed	132747007L-80B5B	C1296974
SRTSCT	L-80B5C132748002	Hackney Pony horse breed	132748002L-80B5C	C1296975
SRTSCT	L-80B5D132749005	Estonian Draft horse breed	132749005L-80B5D	C1296976
SRTSCT	L-80B5E132750005	Heihe horse breed	132750005L-80B5E	C1296977
SRTSCT	L-80B5F132751009	Heilongkaing horse breed	132751009L-80B5F	C1296978
SRTSCT	L-80B65132757008	Danish Sport Pony horse breed	132757008L-80B65	C1269357
SRTSCT	L-80B66132758003	Kabarda horse breed	132758003L-80B66	C1296983
SRTSCT	L-80B67132759006	Kalmyk horse breed	132759006L-80B67	C1296984
SRTSCT	L-80B68132760001	Mangalarga Marchador horse breed	132760001L-80B68	C1296985
SRTSCT	L-80B69132761002	Don horse breed	132761002L-80B69	C1296986
SRTSCT	L-80B6A132762009	Manipuri horse breed	132762009L-80B6A	C1296987
SRTSCT	L-80B6B132763004	Swiss Warmblood horse breed	132763004L-80B6B	C1296988
SRTSCT	L-80B6C132764005	Tavda horse breed	132764005L-80B6C	C1296989
SRTSCT	L-80B6D132765006	East Bulgarian horse breed	132765006L-80B6D	C1269358
SRTSCT	L-80B6E132766007	East Friesian (Old Type) horse breed	132766007L-80B6E	C1269359
SRTSCT	L-80B6F132767003	East Friesian Warmblood (Modern Type) horse breed	132767003L-80B6F	C1269360
SRTSCT	L-80B70132768008	Kakhetian pig breed	132768008L-80B70	C1296990
SRTSCT	L-80B71132769000	West French White pig breed	132769000L-80B71	C1269361
SRTSCT	L-80B80132770004	Miniature Hereford cattle breed	132770004L-80B80	C1269362
SRTSCT	L-80B81132771000	Jem-Jem Zebu cattle breed	132771000L-80B81	C1296991
SRTSCT	L-80B82132772007	Minusin horse breed	132772007L-80B82	C1296992

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80B83132773002	Morochuco horse breed	132773002L-80B83	C1296993
SRTSCT	L-80B84132774008	French Trotter horse breed	132774008L-80B84	C1296994
SRTSCT	L-80B85132775009	Furioso horse breed	132775009L-80B85	C1296995
SRTSCT	L-80B86132776005	Murghese horse breed	132776005L-80B86	C1269363
SRTSCT	L-80B87132777001	Mytilene horse breed	132777001L-80B87	C1269364
SRTSCT	L-80B88132778006	Namib Desert Horse horse breed	132778006L-80B88	C1296996
SRTSCT	L-80B89132779003	Danish Oldenborg horse breed	132779003L-80B89	C1296997
SRTSCT	L-80B8A132780000	Volynsk cattle breed	132780000L-80B8A	C1296998
SRTSCT	L-80B8B132781001	Senepol cattle breed	132781001L-80B8B	C1296999
SRTSCT	L-80B8C132782008	Shilluk cattle breed	132782008L-80B8C	C1297000
SRTSCT	L-80B8D132783003	Sar Planina sheep breed	132783003L-80B8D	C1297001
SRTSCT	L-80B8E132784009	Santa Inês sheep breed	132784009L-80B8E	C1321470
SRTSCT	L-80B8F132785005	Sahel-type sheep breed	132785005L-80B8F	C1297002
SRTSCT	L-80B90132786006	Rygja sheep breed	132786006L-80B90	C1297003
SRTSCT	L-80B91132787002	Rya sheep breed	132787002L-80B91	C1297004
SRTSCT	L-80B92132788007	Moghani sheep breed	132788007L-80B92	C1297005
SRTSCT	L-80B93132789004	Rouge de l'Quest sheep breed	132789004L-80B93	C1297006
SRTSCT	L-80B94132790008	Soay sheep breed	132790008L-80B94	C1297007
SRTSCT	L-80B95132791007	South Suffolk sheep breed	132791007L-80B95	C1269365
SRTSCT	L-80B96132792000	South Wales Mountain sheep breed	132792000L-80B96	C1269366
SRTSCT	L-80B97132793005	Spælsau sheep breed	132793005L-80B97	C1321471
SRTSCT	L-80B98132794004	Spiegel sheep breed	132794004L-80B98	C1297008
SRTSCT	L-80B99132795003	St. Croix sheep breed	132795003L-80B99	C1297009
SRTSCT	L-80B9A132796002	Steigar sheep breed	132796002L-80B9A	C1297010
SRTSCT	L-80B9B132797006	Steinschaf sheep breed	132797006L-80B9B	C1297011
SRTSCT	L-80B9C132798001	Welsh Mountain sheep breed	132798001L-80B9C	C1269367
SRTSCT	L-80B9D132799009	Swedish Fur Sheep breed	132799009L-80B9D	C1269368
SRTSCT	L-80B9E132800008	Teeswater sheep breed	132800008L-80B9E	C1297012
SRTSCT	L-80B9F132801007	Texel sheep breed	132801007L-80B9F	C1297013
SRTSCT	L-80BA1132802000	Pelibüey sheep breed	132802000L-80BA1	C1321472
SRTSCT	L-80BA2132803005	Morada Nova sheep breed	132803005L-80BA2	C1297014
SRTSCT	L-80BA3132804004	Balkhi sheep breed	132804004L-80BA3	C1297015
SRTSCT	L-80BA4132805003	Bavarian Forest sheep breed	132805003L-80BA4	C1269369
SRTSCT	L-80BA5132806002	Barbados Blackbelly sheep breed	132806002L-80BA5	C1269370
SRTSCT	L-80BA6132807006	Romney sheep breed	132807006L-80BA6	C1297016
SRTSCT	L-80BA7132808001	Awassi sheep breed	132808001L-80BA7	C1297017
SRTSCT	L-80BA8132809009	Arapawa Island sheep breed	132809009L-80BA8	C1297018
SRTSCT	L-80BA9132810004	Arabi sheep breed	132810004L-80BA9	C1297019
SRTSCT	L-80BB1132811000	Apennine sheep breed	132811000L-80BB1	C1269371

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80BB2132812007	American Tunis sheep breed	132812007L-80BB2	C1269372
SRTSCT	L-80BB3132813002	Balwen Welsh Mountain sheep breed	132813002L-80BB3	C1269373
SRTSCT	L-80BB4132814008	Priangan sheep breed	132814008L-80BB4	C1269374
SRTSCT	L-80BB5132815009	Rabo Largo sheep breed	132815009L-80BB5	C1297020
SRTSCT	L-80BE6132843000	Muban pig breed	132843000L-80BE6	C1297039
SRTSCT	L-80BE7132844006	Iban pig breed	132844006L-80BE7	C1297040
SRTSCT	L-80BE8132845007	Altay sheep breed	132845007L-80BE8	C1297041
SRTSCT	L-80BE9132846008	Faeroes sheep breed	132846008L-80BE9	C1297042
SRTSCT	L-80BF6132849001	Pitt Island sheep breed	132849001L-80BF6	C1269382
SRTSCT	L-80BF8132851002	Pinzirita sheep breed	132851002L-80BF8	C1297044
SRTSCT	L-80BF9132852009	Sardinian sheep breed	132852009L-80BF9	C1297045
SRTSCT	L-80C01132853004	East Friesian sheep breed	132853004L-80C01	C1269384
SRTSCT	L-80C02132854005	Ujumqin sheep breed	132854005L-80C02	C1297046
SRTSCT	L-80C22132855006	DLS sheep breed	132855006L-80C22	C1297047
SRTSCT	L-80C23132856007	Walachenschaf sheep breed	132856007L-80C23	C1297048
SRTSCT	L-80C24132857003	Outaouais Arcott sheep breed	132857003L-80C24	C1297049
SRTSCT	L-80C25132858008	Ossimi sheep breed	132858008L-80C25	C1297050
SRTSCT	L-80C29132859000	Bentheimer Landschaf sheep breed	132859000L-80C29	C1297051
SRTSCT	L-80C30132860005	Barbado sheep breed	132860005L-80C30	C1297052
SRTSCT	L-80C31132861009	Baluchi sheep breed	132861009L-80C31	C1297053
SRTSCT	L-86B36132888004	Blanc de Bouscat rabbit breed	132888004L-86B36	C1297065
SRTSCT	L-8A111132951001	American Indian Horse horse breed	132951001L-8A111	C1297111
SRTSCT	L-8A112132952008	American Mustang horse breed	132952008L-8A112	C1297112
SRTSCT	L-8A113132953003	American Quarter Horse horse breed	132953003L-8A113	C1297113
SRTSCT	L-8A115132954009	American Shetland pony horse breed	132954009L-8A115	C1297114
SRTSCT	L-8A116132955005	Anadolu horse breed	132955005L-8A116	C1297115
SRTSCT	L-8A117132956006	Andean horse breed	132956006L-8A117	C1297116
SRTSCT	L-8A118132957002	Anglo-Kabarda horse breed	132957002L-8A118	C1297117
SRTSCT	L-8A125132960009	Narym horse breed	132960009L-8A125	C1297120
SRTSCT	L-8A126132961008	National Spotted Saddle Horse horse breed	132961008L-8A126	C1297121
SRTSCT	L-8A127132962001	Nigerian horse breed	132962001L-8A127	C1297122
SRTSCT	L-8A128132963006	North Swedish Trotter horse breed	132963006L-8A128	C1297123
SRTSCT	L-8A129132964000	Oriental Horse horse breed	132964000L-8A129	C1297124
SRTSCT	L-8A12A132965004	Rhineland Heavy Draft horse breed	132965004L-8A12A	C1297125

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8A12B132966003	Romanian Saddle Horse horse breed	132966003L-8A12B	C1297126
SRTSCT	L-8A12C132967007	Rottal horse breed	132967007L-8A12C	C1297127
SRTSCT	L-8A12D132968002	Royal Canadian Mounted Police Horse horse breed	132968002L-8A12D	C1297128
SRTSCT	L-8A12E132969005	Russian Saddle Horse horse breed	132969005L-8A12E	C1297129
SRTSCT	L-8A12F132970006	Sable Island Horse horse breed	132970006L-8A12F	C1297130
SRTSCT	L-8A130132971005	Panje horse breed	132971005L-8A130	C1297131
SRTSCT	L-8A131132972003	Patibarcina horse breed	132972003L-8A131	C1297132
SRTSCT	L-8A132132973008	Pechora horse breed	132973008L-8A132	C1297133
SRTSCT	L-8A133132974002	Peneia horse breed	132974002L-8A133	C1297134
SRTSCT	L-8A134132975001	Periangan horse breed	132975001L-8A134	C1297135
SRTSCT	L-8A135132976000	Persian Arab horse breed	132976000L-8A135	C1297136
SRTSCT	L-8A136132977009	Petiso Argentino horse breed	132977009L-8A136	C1297137
SRTSCT	L-8A137132978004	Polish Draft horse breed	132978004L-8A137	C1297138
SRTSCT	L-8A138132979007	Priob horse breed	132979007L-8A138	C1297139
SRTSCT	L-8A139132980005	Rahvan horse breed	132980005L-8A139	C1297140
SRTSCT	L-8A13A132981009	Salerno horse breed	132981009L-8A13A	C1297141
SRTSCT	L-8A13B132982002	Sandalwood horse breed	132982002L-8A13B	C1297142
SRTSCT	L-8A13C132983007	Sandan horse breed	132983007L-8A13C	C1297143
SRTSCT	L-8A13D132984001	Pindos horse breed	132984001L-8A13D	C1297144
SRTSCT	L-8A13E132985000	Piquira Pony horse breed	132985000L-8A13E	C1297145
SRTSCT	L-8A13F132986004	Pleven horse breed	132986004L-8A13F	C1297146
SRTSCT	L-8A14A132990002	Garrano tarpan horse X domestic horse breed	132990002L-8A14A	C1297150
SRTSCT	L-8A14B132991003	Konink tarpan horse X domestic horse breed	132991003L-8A14B	C1297151
SRTSCT	L-8A14C132992005	Asturian tarpan horse X domestic horse breed	132992005L-8A14C	C1297152
SRTSCT	L-8A14D132993000	Pottok tarpan horse X domestic horse breed	132993000L-8A14D	C1297153
SRTSCT	L-8A150132994006	Russian Trotter horse breed	132994006L-8A150	C1297154
SRTSCT	L-8A151132995007	West African Barb horse breed	132995007L-8A151	C1297155
SRTSCT	L-8A152132996008	Fell Pony horse breed	132996008L-8A152	C1297156
SRTSCT	L-8A153132997004	National Show Horse horse breed	132997004L-8A153	C1297157
SRTSCT	L-8A154132998009	Zhemaichu horse breed	132998009L-8A154	C1297158
SRTSCT	L-8A155132999001	Yonaguni horse breed	132999001L-8A155	C1297159
SRTSCT	L-8A156133000000	Yakut horse breed	133000000L-8A156	C1297160
SRTSCT	L-8A157133001001	Tawleed horse breed	133001001L-8A157	C1297161
SRTSCT	L-8A158133002008	Western Sudan Pony horse breed	133002008L-8A158	C1297162

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8A159 133003003	Welera Pony horse breed	133003003 L-8A159	C1297163
SRTSCT	L-8A15A 133004009	Vyatka horse breed	133004009 L-8A15A	C1297164
SRTSCT	L-8A15B 133005005	Vladimir Heavy Draft horse breed	133005005 L-8A15B	C1297165
SRTSCT	L-8A15C 133006006	Vlaamperd horse breed	133006006 L-8A15C	C1297166
SRTSCT	L-8A15D 133007002	Ukrainian Saddle Horse horse breed	133007002 L-8A15D	C1297167
SRTSCT	L-8A15E 133008007	Tori horse breed	133008007 L-8A15E	C1297168
SRTSCT	L-8A15F 133009004	Tokara horse breed	133009004 L-8A15F	C1297169
SRTSCT	L-8A160 133010009	New Kirgiz horse breed	133010009 L-8A160	C1297170
SRTSCT	L-8A161 133011008	Oldenburg horse breed	133011008 L-8A161	C1297171
SRTSCT	L-8A162 133012001	Misaki horse breed	133012001 L-8A162	C1297172
SRTSCT	L-8A163 133013006	Miyako horse breed	133013006 L-8A163	C1297173
SRTSCT	L-8A164 133014000	Mongolian horse breed	133014000 L-8A164	C1321685
SRTSCT	L-8A165 133015004	Waler horse breed	133015004 L-8A165	C1297174
SRTSCT	L-8A166 133016003	Dutch Draft horse breed	133016003 L-8A166	C1297175
SRTSCT	L-8A167 133017007	Egyptian horse breed	133017007 L-8A167	C1297176
SRTSCT	L-8A168 133018002	Estonian Native horse breed	133018002 L-8A168	C1297177
SRTSCT	L-8A169 133019005	Exmoor Pony horse breed	133019005 L-8A169	C1297178
SRTSCT	L-8A16A 133020004	Faeroes Island Horse horse breed	133020004 L-8A16A	C1297179
SRTSCT	L-8A16B 133021000	Falabella horse breed	133021000 L-8A16B	C1297180
SRTSCT	L-8A16C 133022007	Dutch Warmblood horse breed	133022007 L-8A16C	C1297181
SRTSCT	L-8A16D 133023002	Dongola horse breed	133023002 L-8A16D	C1297182
SRTSCT	L-8A16E 133024008	Døle horse breed	133024008 L-8A16E	C1321476
SRTSCT	L-8A16F 133025009	Djerma horse breed	133025009 L-8A16F	C1297183
SRTSCT	L-8A170 133026005	Deliboz horse breed	133026005 L-8A170	C1297184
SRTSCT	L-8A171 133027001	Dartmoor Pony horse breed	133027001 L-8A171	C1297185
SRTSCT	L-8A172 133028006	Crioulo horse breed	133028006 L-8A172	C1297186
SRTSCT	L-8A173 133029003	Finnhorse horse breed	133029003 L-8A173	C1297187
SRTSCT	L-8A174 133030008	Sanfratello horse breed	133030008 L-8A174	C1297188
SRTSCT	L-8A175 133031007	Morab horse breed	133031007 L-8A175	C1297189
SRTSCT	L-8A176 133032000	Moyle horse breed	133032000 L-8A176	C1297190
SRTSCT	L-8A177 133033005	Mustang horse breed	133033005 L-8A177	C1297191
SRTSCT	L-8A178 133034004	M'Bayar horse breed	133034004 L-8A178	C1297192
SRTSCT	L-8A179 133035003	Lusitano horse breed	133035003 L-8A179	C1297193
SRTSCT	L-8A17A 133036002	Newfoundland Pony horse breed	133036002 L-8A17A	C1297194
SRTSCT	L-8A17B 133037006	Noma horse breed	133037006 L-8A17B	C1297195
SRTSCT	L-8A17C 133038001	Nooitgedacht Pony horse breed	133038001 L-8A17C	C1297196
SRTSCT	L-8A17D 133039009	Nordland horse breed	133039009 L-8A17D	C1297197

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8A17E 133040006	Noric horse breed	133040006 L-8A17E	C1297198
SRTSCT	L-8A17F 133041005	North Swedish Horse horse breed	133041005 L-8A17F	C1297199
SRTSCT	L-8A180 133042003	Northeastern horse breed	133042003 L-8A180	C1297200
SRTSCT	L-8A181 133043008	Kisber Felver horse breed	133043008 L-8A181	C1297201
SRTSCT	L-8A182 133044002	Anglo-Arab horse breed	133044002 L-8A182	C1297202
SRTSCT	L-8A183 133045001	Nonius horse breed	133045001 L-8A183	C1297203
SRTSCT	L-8A184 133046000	Nooitgedacht horse breed	133046000 L-8A184	C1297204
SRTSCT	L-8A185 133047009	Iomud horse breed	133047009 L-8A185	C1297205
SRTSCT	L-8A186 133048004	Jutland horse breed	133048004 L-8A186	C1297206
SRTSCT	L-8A187 133049007	Karabair horse breed	133049007 L-8A187	C1297207
SRTSCT	L-8A188 133050007	Karabakh horse breed	133050007 L-8A188	C1297208
SRTSCT	L-8A189 133051006	Kazakh horse breed	133051006 L-8A189	C1297209
SRTSCT	L-8A18A 133052004	Mangalarga horse breed	133052004 L-8A18A	C1297210
SRTSCT	L-8A18B 133053009	Kirdi Pony horse breed	133053009 L-8A18B	C1297211
SRTSCT	L-8A18C 133054003	Kiso horse breed	133054003 L-8A18C	C1297212
SRTSCT	L-8A18D 133055002	Kladruby horse breed	133055002 L-8A18D	C1297213
SRTSCT	L-8A18E 133056001	Knabstrup horse breed	133056001 L-8A18E	C1297214
SRTSCT	L-8A18F 133057005	Kushum horse breed	133057005 L-8A18F	C1297215
SRTSCT	L-8A190 133058000	Kustanai horse breed	133058000 L-8A190	C1297216
SRTSCT	L-8A191 133059008	Latvian horse breed	133059008 L-8A191	C1297217
SRTSCT	L-8A192 133060003	Lithuanian Heavy Draft horse breed	133060003 L-8A192	C1297218
SRTSCT	L-8A193 133061004	Lokai horse breed	133061004 L-8A193	C1297219
SRTSCT	L-8A194 133062006	Kiger Mustang horse breed	133062006 L-8A194	C1297220
SRTSCT	L-8A195 133063001	Pony of the Americas horse breed	133063001 L-8A195	C1297221
SRTSCT	L-8A196 133064007	Pintabian horse breed	133064007 L-8A196	C1297222
SRTSCT	L-8A197 133065008	Pantaneiro horse breed	133065008 L-8A197	C1297223
SRTSCT	L-8A198 133066009	Orlov Trotter horse breed	133066009 L-8A198	C1297224
SRTSCT	L-8A199 133067000	Northern Ardennais horse breed	133067000 L-8A199	C1297225
SRTSCT	L-8A19A 133068005	Abtenauer horse breed	133068005 L-8A19A	C1297226
SRTSCT	L-8A19B 133069002	Adaev horse breed	133069002 L-8A19B	C1297227
SRTSCT	L-8A19C 133070001	Albanian horse breed	133070001 L-8A19C	C1297228
SRTSCT	L-8A19E 133071002	Alter Real horse breed	133071002 L-8A19E	C1297229
SRTSCT	L-8A19F 133072009	American Bashkir Curly horse breed	133072009 L-8A19F	C1297230
SRTSCT	L-8A1A1 133073004	Poitou Mule Producer horse breed	133073004 L-8A1A1	C1297231
SRTSCT	L-8A1A2 133074005	Polesian horse breed	133074005 L-8A1A2	C1297232
SRTSCT	L-8A1A3 133075006	Sardinian Anglo-Arab horse breed	133075006 L-8A1A3	C1297233

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8A1A4133076007	Sardinian Pony horse breed	133076007L-8A1A4	C1297234
SRTSCT	L-8A1A5133077003	Sarvar horse breed	133077003L-8A1A5	C1297235
SRTSCT	L-8A1A6133078008	Schleswig horse breed	133078008L-8A1A6	C1297236
SRTSCT	L-8A1A7133079000	Schwarzwälder Fuchse horse breed	133079000L-8A1A7	C1297237
SRTSCT	L-8A1A8133080002	Senne horse breed	133080002L-8A1A8	C1297238
SRTSCT	L-8A1A9133081003	Shan horse breed	133081003L-8A1A9	C1297239
SRTSCT	L-8A1AA133082005	Silesian horse breed	133082005L-8A1AA	C1297240
SRTSCT	L-8A1AB133083000	Sini horse breed	133083000L-8A1AB	C1297241
SRTSCT	L-8A1AC133084006	Skyros horse breed	133084006L-8A1AC	C1297242
SRTSCT	L-8A1AD133085007	Slovak Warmblood horse breed	133085007L-8A1AD	C1297243
SRTSCT	L-8A1AE133086008	Sokolka horse breed	133086008L-8A1AE	C1297244
SRTSCT	L-8A1AF133087004	South African Miniature horse breed	133087004L-8A1AF	C1297245
SRTSCT	L-8A1B1133088009	South German Coldblood horse breed	133088009L-8A1B1	C1297246
SRTSCT	L-8A1B2133089001	Southwest Spanish Mustang horse breed	133089001L-8A1B2	C1297247
SRTSCT	L-8A1B4133090005	Spanish-American Horse horse breed	133090005L-8A1B4	C1297248
SRTSCT	L-8A1B5133091009	Spanish Anglo-Arab horse breed	133091009L-8A1B5	C1297249
SRTSCT	L-8A1B6133092002	Spanish Colonial Horse horse breed	133092002L-8A1B6	C1297250
SRTSCT	L-8A1B7133093007	Spiti horse breed	133093007L-8A1B7	C1297251
SRTSCT	L-8A1B8133094001	Sulawesi horse breed	133094001L-8A1B8	C1297252
SRTSCT	L-8A1B9133095000	Criollo horse breed	133095000L-8A1B9	C1297253
SRTSCT	L-8A1BA133096004	Hequ horse breed	133096004L-8A1BA	C1297254
SRTSCT	L-8A1BB133097008	Connemara Pony horse breed	133097008L-8A1BB	C1297255
SRTSCT	L-8A1BC133098003	Colorado Ranger horse breed	133098003L-8A1BC	C1297256
SRTSCT	L-8A1BD133099006	Dales Pony horse breed	133099006L-8A1BD	C1297257
SRTSCT	L-8A1BE133100003	Gotland horse breed	133100003L-8A1BE	C1297258
SRTSCT	L-8A1BF133101004	Chincoteague Pony horse breed	133101004L-8A1BF	C1297259
SRTSCT	L-8A1C1133102006	Hokkaido horse breed	133102006L-8A1C1	C1297260
SRTSCT	L-8A1C2133103001	Highland Pony horse breed	133103001L-8A1C2	C1297261
SRTSCT	L-8A1C3133104007	Groningen horse breed	133104007L-8A1C3	C1297262
SRTSCT	L-8A1C4133105008	Cuban Pinto horse breed	133105008L-8A1C4	C1297263
SRTSCT	L-8A1C5133106009	Fleuve horse breed	133106009L-8A1C5	C1297264
SRTSCT	L-8A1C6133107000	Golden American Saddlebred horse breed	133107000L-8A1C6	C1297265
SRTSCT	L-8A1C7133108005	Gidran horse breed	133108005L-8A1C7	C1297266
SRTSCT	L-8A1C8133109002	Gelderland horse breed	133109002L-8A1C8	C1320153

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8A1C9133110007	Galician Pony horse breed	133110007L-8A1C9	C1297267
SRTSCT	L-8A1CA133111006	Friesian horse breed	133111006L-8A1CA	C1297268
SRTSCT	L-8A1CB133112004	Frederiksborg horse breed	133112004L-8A1CB	C1297269
SRTSCT	L-8A1CC133113009	Fouta horse breed	133113009L-8A1CC	C1297270
SRTSCT	L-8A1CD133114003	Florida Cracker horse breed	133114003L-8A1CD	C1297271
SRTSCT	L-8A1CE133115002	Guangxi horse breed	133115002L-8A1CE	C1297272
SRTSCT	L-8A1CF133116001	Ardennes horse breed	133116001L-8A1CF	C1297273
SRTSCT	L-8A1D1133117005	American Walking Pony horse breed	133117005L-8A1D1	C1297274
SRTSCT	L-8A1D2133118000	Azteca horse breed	133118000L-8A1D2	C1297275
SRTSCT	L-8A1D3133119008	American Cream Draft horse breed	133119008L-8A1D3	C1297276
SRTSCT	L-8A1D4133120002	Altai horse breed	133120002L-8A1D4	C1297277
SRTSCT	L-8A1D5133121003	Akhal-Teke horse breed	133121003L-8A1D5	C1297278
SRTSCT	L-8A1D6133122005	Abyssinian horse breed	133122005L-8A1D6	C1297279
SRTSCT	L-8A1D7133123000	Bhirum Pony horse breed	133123000L-8A1D7	C1297280
SRTSCT	L-8A1D8133124006	Cheju horse breed	133124006L-8A1D8	C1297281
SRTSCT	L-8A1D9133125007	Cayuse horse breed	133125007L-8A1D9	C1297282
SRTSCT	L-8A1DA133126008	Caspian horse breed	133126008L-8A1DA	C1297283
SRTSCT	L-8A1DB133127004	Carthusian horse breed	133127004L-8A1DB	C1297284
SRTSCT	L-8A1DC133128009	Campolina horse breed	133128009L-8A1DC	C1297285
SRTSCT	L-8A1DD133129001	Byelorussian Harness horse breed	133129001L-8A1DD	C1297286
SRTSCT	L-8A1DE133130006	Budyonny horse breed	133130006L-8A1DE	C1297287
SRTSCT	L-8A1DF133131005	Australian Brumby horse breed	133131005L-8A1DF	C1297288
SRTSCT	L-8A1E1133132003	Australian Stock Horse horse breed	133132003L-8A1E1	C1297289
SRTSCT	L-8A1E2133133008	Basuto Pony horse breed	133133008L-8A1E2	C1297290
SRTSCT	L-8A1E3133134002	Bashkir Curly horse breed	133134002L-8A1E3	C1297291
SRTSCT	L-8A1E4133135001	Bashkir horse breed	133135001L-8A1E4	C1297292
SRTSCT	L-8A1E5133136000	Barb horse breed	133136000L-8A1E5	C1297293
SRTSCT	L-8A1E6133137009	Ban-ei horse breed	133137009L-8A1E6	C1297294
SRTSCT	L-8A1E7133138004	Carpathian Pony horse breed	133138004L-8A1E7	C1297295
SRTSCT	L-8A1E8133139007	Baluchi horse breed	133139007L-8A1E8	C1297296
SRTSCT	L-8A1E9133140009	Balearic horse breed	133140009L-8A1E9	C1297297
SRTSCT	L-8A1EA133141008	Chilean Corralero horse breed	133141008L-8A1EA	C1297298
SRTSCT	L-8A1EB133142001	Breton horse breed	133142001L-8A1EB	C1297299
SRTSCT	L-8A1EC133143006	Taishuh horse breed	133143006L-8A1EC	C1297300
SRTSCT	L-8A1ED133144000	Swedish Warmblood horse breed	133144000L-8A1ED	C1297301
SRTSCT	L-8A1EE133145004	Sudan Country-Bred horse breed	133145004L-8A1EE	C1297302
SRTSCT	L-8A1EF133146003	Spanish-Norman horse breed	133146003L-8A1EF	C1297303

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8A1F1133147007	Spanish Barb horse breed	133147007L-8A1F1	C1297304
SRTSCT	L-8A1F2133148002	Soviet Heavy Draft horse breed	133148002L-8A1F2	C1297305
SRTSCT	L-8A1F3133149005	Sorraia horse breed	133149005L-8A1F3	C1297306
SRTSCT	L-8A1F4133150005	Somali Pony horse breed	133150005L-8A1F4	C1297307
SRTSCT	L-8A1F5133151009	Tersk horse breed	133151009L-8A1F5	C1297308
SRTSCT	L-8A1F6133152002	Shagya horse breed	133152002L-8A1F6	C1297309
SRTSCT	L-8A1F7133153007	Selle Francais horse breed	133153007L-8A1F7	C1297310
SRTSCT	L-8A1F8133154001	Sanhe horse breed	133154001L-8A1F8	C1297311
SRTSCT	L-8A1FA133155000	Russian Heavy Draft horse breed	133155000L-8A1FA	C1297312
SRTSCT	L-8A1FB133156004	Rocky Mountain Horse horse breed	133156004L-8A1FB	C1297313
SRTSCT	L-8A1FC133157008	Racking Horse horse breed	133157008L-8A1FC	C1297314
SRTSCT	L-8A1FD133158003	Quarter Pony horse breed	133158003L-8A1FD	C1297315
SRTSCT	L-8A1FE133159006	Quarab horse breed	133159006L-8A1FE	C1297316
SRTSCT	L-8A1FF133160001	Single-Footing Horse horse breed	133160001L-8A1FF	C1297317
SRTSCT	L-8B105133161002	Tuy Hoa Hairless pig breed	133161002L-8B105	C1297318
SRTSCT	L-8B106133162009	Hainan pig breed	133162009L-8B106	C1297319
SRTSCT	L-8B107133163004	Sino-Vietnamese pig breed	133163004L-8B107	C1297320
SRTSCT	L-8B108133164005	Bo Xu pig breed	133164005L-8B108	C1297321
SRTSCT	L-8B109133165006	Thuoc Nhieu pig breed	133165006L-8B109	C1297322
SRTSCT	L-8B111133166007	Burmese pig breed	133166007L-8B111	C1297323
SRTSCT	L-8B112133167003	Chin pig breed	133167003L-8B112	C1297324
SRTSCT	L-8B113133168008	Siamese pig breed	133168008L-8B113	C1297325
SRTSCT	L-8B114133169000	Hailum pig breed	133169000L-8B114	C1297326
SRTSCT	L-8B115133170004	Kwai pig breed	133170004L-8B115	C1297327
SRTSCT	L-8B116133171000	Raad pig breed	133171000L-8B116	C1297328
SRTSCT	L-8B117133172007	Akha pig breed	133172007L-8B117	C1297329
SRTSCT	L-8B118133173002	South China pig breed	133173002L-8B118	C1297330
SRTSCT	L-8B119133174008	South China Black pig breed	133174008L-8B119	C1297331
SRTSCT	L-8B121133175009	Balinese pig breed	133175009L-8B121	C1297332
SRTSCT	L-8B122133176005	Diani pig breed	133176005L-8B122	C1297333
SRTSCT	L-8B123133177001	Kaman pig breed	133177001L-8B123	C1297334
SRTSCT	L-8B124133178006	Ashanti Dwarf pig breed	133178006L-8B124	C1297335
SRTSCT	L-8B125133179003	Koronadal pig breed	133179003L-8B125	C1297336
SRTSCT	L-8B126133180000	Ohmini pig breed	133180000L-8B126	C1297337
SRTSCT	L-8B127133181001	Clawn pig breed	133181001L-8B127	C1297338
SRTSCT	L-8B128133182008	Inobuta (inter-species hybrid) pig breed	133182008L-8B128	C1297339
SRTSCT	L-8B129133183003	Kangaroo Island pig breed	133183003L-8B129	C1297340
SRTSCT	L-8B130133184009	Captain Cooker pig breed	133184009L-8B130	C1297341

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8B131 133185005	West African pig breed	133185005 L-8B131	C1297342
SRTSCT	L-8B132 133186006	Nigerian pig breed	133186006 L-8B132	C1297343
SRTSCT	L-8B133 133187002	Bakosi pig breed	133187002 L-8B133	C1297344
SRTSCT	L-8B134 133188007	Windsnyer pig breed	133188007 L-8B134	C1297345
SRTSCT	L-8B135 133189004	Kolbroek pig breed	133189004 L-8B135	C1297346
SRTSCT	L-8B136 133190008	South African Landrace pig breed	133190008 L-8B136	C1297347
SRTSCT	L-8B137 133191007	Bulgarian White pig breed	133191007 L-8B137	C1297348
SRTSCT	L-8B139 133192000	Bulgarian Landrace pig breed	133192000 L-8B139	C1297349
SRTSCT	L-8B140 133193005	Danube White pig breed	133193005 L-8B140	C1297350
SRTSCT	L-8B141 133194004	Dermantsi Pied pig breed	133194004 L-8B141	C1297351
SRTSCT	L-8B142 133195003	Romanian Native, Stocli pig breed	133195003 L-8B142	C1297352
SRTSCT	L-8B143 133196002	Romanian Native, Baltaret pig breed	133196002 L-8B143	C1297353
SRTSCT	L-8B144 133197006	Banat White pig breed	133197006 L-8B144	C1297354
SRTSCT	L-8B145 133198001	Bazna pig breed	133198001 L-8B145	C1297355
SRTSCT	L-8B146 133199009	Dobrogea Black pig breed	133199009 L-8B146	C1297356
SRTSCT	L-8B147 133200007	Strei pig breed	133200007 L-8B147	C1297357
SRTSCT	L-8B148 133201006	Romanian Large White pig breed	133201006 L-8B148	C1297358
SRTSCT	L-8B149 133202004	Romanian Meat Pig pig breed	133202004 L-8B149	C1297359
SRTSCT	L-8B150 133203009	Gurktal pig breed	133203009 L-8B150	C1297360
SRTSCT	L-8B151 133204003	Black Slavonian pig breed	133204003 L-8B151	C1296522
SRTSCT	L-8B152 133205002	Resava pig breed	133205002 L-8B152	C1297361
SRTSCT	L-8B153 133206001	Morava pig breed	133206001 L-8B153	C1297362
SRTSCT	L-8B155 133207005	Dzumalia pig breed	133207005 L-8B155	C1297363
SRTSCT	L-8B156 133208000	Macedonian pig breed	133208000 L-8B156	C1297364
SRTSCT	L-8B157 133209008	Albanian Native pig breed	133209008 L-8B157	C1297365
SRTSCT	L-8B158 133210003	Shkodra pig breed	133210003 L-8B158	C1297366
SRTSCT	L-8B159 133211004	Slovenian White pig breed	133211004 L-8B159	C1297367
SRTSCT	L-8B160 133212006	Subotica White pig breed	133212006 L-8B160	C1297368
SRTSCT	L-8B161 133213001	Prestice pig breed	133213001 L-8B161	C1297369
SRTSCT	L-8B162 133214007	Slovakian Black Pied pig breed	133214007 L-8B162	C1297370
SRTSCT	L-8B163 133215008	Czech Improved White pig breed	133215008 L-8B163	C1297371
SRTSCT	L-8B164 133216009	Moravian Large Yorkshire pig breed	133216009 L-8B164	C1297372
SRTSCT	L-8B165 133217000	Slovakian White pig breed	133217000 L-8B165	C1297373
SRTSCT	L-8B166 133218005	Slovhyb-1 pig breed	133218005 L-8B166	C1297374
SRTSCT	L-8B167 133219002	Nitra Hybrid pig breed	133219002 L-8B167	C1297375
SRTSCT	L-8B168 133220008	Synthetic SL98 pig breed	133220008 L-8B168	C1297376
SRTSCT	L-8B169 133221007	SL96 pig breed	133221007 L-8B169	C1297377

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8B170 133222000	Czech Meat pig breed	133222000 L-8B170	C1297378
SRTSCT	L-8B171 133223005	Czech Miniature pig breed	133223005 L-8B171	C1297379
SRTSCT	L-8B172 133224004	Small Polish Prick-Eared pig breed	133224004 L-8B172	C1297380
SRTSCT	L-8B173 133225003	Polesian pig breed	133225003 L-8B173	C1297381
SRTSCT	L-8B174 133226002	Nadbuzanska pig breed	133226002 L-8B174	C1297382
SRTSCT	L-8B175 133227006	Sarny pig breed	133227006 L-8B175	C1297383
SRTSCT	L-8B176 133228001	Krolevets pig breed	133228001 L-8B176	C1297384
SRTSCT	L-8B177 133229009	Polish Marsh pig breed	133229009 L-8B177	C1297385
SRTSCT	L-8B178 133230004	Large Polish Long-Eared pig breed	133230004 L-8B178	C1297386
SRTSCT	L-8B958 133231000	Herens cattle breed	133231000 L-8B958	C1297387
SRTSCT	L-8B959 133232007	Hinterwald cattle breed	133232007 L-8B959	C1297388
SRTSCT	L-8B95A 133233002	Hungarian Gray cattle breed	133233002 L-8B95A	C1297389
SRTSCT	L-8B95B 133234008	Icelandic cattle breed	133234008 L-8B95B	C1297390
SRTSCT	L-8B95C 133235009	Illawarra cattle breed	133235009 L-8B95C	C1297391
SRTSCT	L-8B95D 133236005	Irish Moiled cattle breed	133236005 L-8B95D	C1297392
SRTSCT	L-8B95E 133237001	Israeli Holstein cattle breed	133237001 L-8B95E	C1297393
SRTSCT	L-8B95F 133238006	Istoben cattle breed	133238006 L-8B95F	C1297394
SRTSCT	L-8B961 133239003	Jaulan cattle breed	133239003 L-8B961	C1297395
SRTSCT	L-8B962 133240001	Kazakh cattle breed	133240001 L-8B962	C1297396
SRTSCT	L-8B963 133241002	Kerry cattle breed	133241002 L-8B963	C1297397
SRTSCT	L-8B964 133242009	Kholmogory cattle breed	133242009 L-8B964	C1297398
SRTSCT	L-8B966 133243004	Latvian Brown cattle breed	133243004 L-8B966	C1297399
SRTSCT	L-8B967 133244005	Lincoln Red Shorthorn cattle breed	133244005 L-8B967	C1297400
SRTSCT	L-8B968 133245006	Lithuanian Red cattle breed	133245006 L-8B968	C1297401
SRTSCT	L-8B969 133246007	Mashona cattle breed	133246007 L-8B969	C1297402
SRTSCT	L-8B96A 133247003	Milking Devon cattle breed	133247003 L-8B96A	C1297403
SRTSCT	L-8B96B 133248008	Mirandesa cattle breed	133248008 L-8B96B	C1297404
SRTSCT	L-8B96C 133249000	Mixed dairy cattle breed	133249000 L-8B96C	C1297405
SRTSCT	L-8B96D 133250000	Mongolian cattle breed	133250000 L-8B96D	C1297406
SRTSCT	L-8B96E 133251001	Morucha cattle breed	133251001 L-8B96E	C1297407
SRTSCT	L-8B96F 133252008	Kurdi cattle breed	133252008 L-8B96F	C1297408
SRTSCT	L-8B971 133253003	N'dama cattle breed	133253003 L-8B971	C1297409
SRTSCT	L-8B972 133254009	Norwegian Red cattle breed	133254009 L-8B972	C1297410
SRTSCT	L-8B973 133255005	Parthenais cattle breed	133255005 L-8B973	C1297411
SRTSCT	L-8B974 133256006	Polish Red cattle breed	133256006 L-8B974	C1297412
SRTSCT	L-8B975 133257002	Rätien Gray cattle breed	133257002 L-8B975	C1321477
SRTSCT	L-8B976 133258007	Red and White cattle breed	133258007 L-8B976	C1297413
SRTSCT	L-8B977 133259004	Red Angus cattle breed	133259004 L-8B977	C1297414

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8B978133260009	Red Polled Østland cattle breed	133260009L-8B978	C1321478
SRTSCT	L-8B979133261008	Red Steppe cattle breed	133261008L-8B979	C1297415
SRTSCT	L-8B97A133262001	Reggiana cattle breed	133262001L-8B97A	C1297416
SRTSCT	L-8B97B133263006	Retinta cattle breed	133263006L-8B97B	C1297417
SRTSCT	L-8B97C133264000	Romosinuano cattle breed	133264000L-8B97C	C1297418
SRTSCT	L-8B97D133265004	Russian Black Pied cattle breed	133265004L-8B97D	C1297419
SRTSCT	L-8B97E133266003	RX3 cattle breed	133266003L-8B97E	C1297420
SRTSCT	L-8B97F133267007	Salorn cattle breed	133267007L-8B97F	C1297421
SRTSCT	L-8B983133268002	Murboden cattle breed	133268002L-8B983	C1297422
SRTSCT	L-8B984133269005	San Martinero cattle breed	133269005L-8B984	C1297423
SRTSCT	L-8B985133270006	Sarabi cattle breed	133270006L-8B985	C1297424
SRTSCT	L-8B987133271005	Sharabi cattle breed	133271005L-8B987	C1297425
SRTSCT	L-8B988133272003	Shetland cattle breed	133272003L-8B988	C1297426
SRTSCT	L-8B989133273008	Simbrah cattle breed	133273008L-8B989	C1297427
SRTSCT	L-8B98A133274002	South Devon cattle breed	133274002L-8B98A	C1297428
SRTSCT	L-8B98B133275001	Suffolk cattle breed	133275001L-8B98B	C1297429
SRTSCT	L-8B98C133276000	Sussex cattle breed	133276000L-8B98C	C1297430
SRTSCT	L-8B98D133277009	Swedish Red Polled cattle breed	133277009L-8B98D	C1297431
SRTSCT	L-8B98E133278004	Telemark cattle breed	133278004L-8B98E	C1297432
SRTSCT	L-8B98F133279007	Texas Longhorn cattle breed	133279007L-8B98F	C1297433
SRTSCT	L-8B990133280005	Texon cattle breed	133280005L-8B990	C1297434
SRTSCT	L-8B991133281009	Vestland Fjord cattle breed	133281009L-8B991	C1297435
SRTSCT	L-8B992133282002	Vestland Red Polled cattle breed	133282002L-8B992	C1297436
SRTSCT	L-8B993133283007	Wagyu cattle breed	133283007L-8B993	C1297437
SRTSCT	L-8B994133284001	White Cáceres cattle breed	133284001L-8B994	C1321479
SRTSCT	L-8B995133285000	Xinjiang Brown cattle breed	133285000L-8B995	C1297438
SRTSCT	L-8B996133286004	Yanbian cattle breed	133286004L-8B996	C1297439
SRTSCT	L-8B998133287008	ZaoBei cattle breed	133287008L-8B998	C1297440
SRTSCT	L-8B999133288003	Zavot cattle breed	133288003L-8B999	C1297441
SRTSCT	L-8B99A133289006	Znamensk cattle breed	133289006L-8B99A	C1297442
SRTSCT	L-8B99B133290002	Alistana-Sanabresa cattle breed	133290002L-8B99B	C1297443
SRTSCT	L-8B99C133291003	Andalusian Blond cattle breed	133291003L-8B99C	C1297444
SRTSCT	L-8B99D133292005	Aosta Black Pied cattle breed	133292005L-8B99D	C1297445
SRTSCT	L-8B99E133293000	Aosta Chestnut cattle breed	133293000L-8B99E	C1297446
SRTSCT	L-8B99F133294006	Aosta Red Pied cattle breed	133294006L-8B99F	C1297447
SRTSCT	L-8B9A0133295007	Aracena cattle breed	133295007L-8B9A0	C1297448
SRTSCT	L-8B9A1133296008	Argentine Friesian cattle breed	133296008L-8B9A1	C1297449

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8B9A2133297004	Armorican cattle breed	133297004L-8B9A2	C1297450
SRTSCT	L-8B9A3133298009	Arouquesa cattle breed	133298009L-8B9A3	C1297451
SRTSCT	L-8B9A4133299001	Aure et Saint-Girons cattle breed	133299001L-8B9A4	C1297452
SRTSCT	L-8B9A5133300009	Australian White cattle breed	133300009L-8B9A5	C1297453
SRTSCT	L-8B9A6133301008	Austrian Simmental cattle breed	133301008L-8B9A6	C1297454
SRTSCT	L-8B9A7133302001	Austrian Yellow cattle breed	133302001L-8B9A7	C1297455
SRTSCT	L-8B9A8133303006	Avetonou cattle breed	133303006L-8B9A8	C1297456
SRTSCT	L-8B9A9133304000	Avilena cattle breed	133304000L-8B9A9	C1297457
SRTSCT	L-8B9AA133305004	Avilena-Black Iberian cattle breed	133305004L-8B9AA	C1297458
SRTSCT	L-8B9AB133306003	Bakosi cattle breed	133306003L-8B9AB	C1297459
SRTSCT	L-8B9AC133307007	Bakwiri cattle breed	133307007L-8B9AC	C1297460
SRTSCT	L-8B9AD133308002	Baltic Black Pied cattle breed	133308002L-8B9AD	C1297461
SRTSCT	L-8B9AE133309005	Baoule cattle breed	133309005L-8B9AE	C1297462
SRTSCT	L-8B9AF133310000	Barrosa cattle breed	133310000L-8B9AF	C1297463
SRTSCT	L-8B9B0133311001	Barroso cattle breed	133311001L-8B9B0	C1297464
SRTSCT	L-8B9B1133312008	Bearnais cattle breed	133312008L-8B9B1	C1297465
SRTSCT	L-8B9B2133313003	Beef shorthorn cattle breed	133313003L-8B9B2	C1297466
SRTSCT	L-8B9B3133314009	Beef synthetic cattle breed	133314009L-8B9B3	C1297467
SRTSCT	L-8B9B4133315005	Beijing Black Pied cattle breed	133315005L-8B9B4	C1297468
SRTSCT	L-8B9B5133316006	Beiroa cattle breed	133316006L-8B9B5	C1297469
SRTSCT	L-8B9B6133317002	Belgian Black Pied Holstein cattle breed	133317002L-8B9B6	C1297470
SRTSCT	L-8B9B7133318007	Belgian Red Pied cattle breed	133318007L-8B9B7	C1297471
SRTSCT	L-8B9B8133319004	Belgian White and Red cattle breed	133319004L-8B9B8	C1297472
SRTSCT	L-8B9B9133320005	Belted Welsh cattle breed	133320005L-8B9B9	C1297473
SRTSCT	L-8B9BA133321009	Bestuzhev cattle breed	133321009L-8B9BA	C1297474
SRTSCT	L-8B9BB133322002	Betizuak cattle breed	133322002L-8B9BB	C1297475
SRTSCT	L-8B9BC133323007	Black Baldy cattle breed	133323007L-8B9BC	C1297476
SRTSCT	L-8B9BD133324001	Black Forrest cattle breed	133324001L-8B9BD	C1297477
SRTSCT	L-8B9BE133325000	Black Iberian cattle breed	133325000L-8B9BE	C1297478
SRTSCT	L-8B9BF133326004	Northern Blue cattle breed	133326004L-8B9BF	C1297479
SRTSCT	L-8B9C0133327008	Bragado do Sorraia cattle breed	133327008L-8B9C0	C1297480
SRTSCT	L-8B9C1133328003	Braganca cattle breed	133328003L-8B9C1	C1297481
SRTSCT	L-8B9C2133329006	Brandrood Ijselsee cattle breed	133329006L-8B9C2	C1297482
SRTSCT	L-8B9C3133330001	Brazilian Polled cattle breed	133330001L-8B9C3	C1297483
SRTSCT	L-8B9C4133331002	Breton Black Pied cattle breed	133331002L-8B9C4	C1297484
SRTSCT	L-8B9C5133332009	Brown Atlas cattle breed	133332009L-8B9C5	C1297485

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8B9C6133333004	Bulgarian Brown cattle breed	133333004L-8B9C6	C1297486
SRTSCT	L-8B9C7133334005	Bulgarian Red cattle breed	133334005L-8B9C7	C1297487
SRTSCT	L-8B9C8133335006	Burlina cattle breed	133335006L-8B9C8	C1297488
SRTSCT	L-8B9C9133336007	Burwash cattle breed	133336007L-8B9C9	C1297489
SRTSCT	L-8B9CA133337003	Byelorussian Red cattle breed	133337003L-8B9CA	C1297490
SRTSCT	L-8B9CB133338008	Byelorussian Synthetic cattle breed	133338008L-8B9CB	C1297491
SRTSCT	L-8B9CC133339000	Cabannina cattle breed	133339000L-8B9CC	C1297492
SRTSCT	L-8B9CD133340003	Caldeano cattle breed	133340003L-8B9CD	C1297493
SRTSCT	L-8B9CE133341004	Caldelana cattle breed	133341004L-8B9CE	C1297494
SRTSCT	L-8B9CF133342006	Calvana cattle breed	133342006L-8B9CF	C1297495
SRTSCT	L-8B9D0133343001	Camargue cattle breed	133343001L-8B9D0	C1297496
SRTSCT	L-8B9D1133344007	Cambodian cattle breed	133344007L-8B9D1	C1297497
SRTSCT	L-8B9D2133345008	Caracu cattle breed	133345008L-8B9D2	C1297498
SRTSCT	L-8B9D3133346009	Carpathian Brown cattle breed	133346009L-8B9D3	C1297499
SRTSCT	L-8B9D4133347000	Casanareno cattle breed	133347000L-8B9D4	C1297500
SRTSCT	L-8B9D5133348005	Central Russian Black Pied cattle breed	133348005L-8B9D5	C1297501
SRTSCT	L-8B9D6133349002	Chaouia cattle breed	133349002L-8B9D6	C1297502
SRTSCT	L-8B9D7133350002	Charollandais cattle breed	133350002L-8B9D7	C1297503
SRTSCT	L-8B9D8133351003	Char-swiss cattle breed	133351003L-8B9D8	C1297504
SRTSCT	L-8B9D9133352005	Korean Black cattle breed	133352005L-8B9D9	C1297505
SRTSCT	L-8B9DA133353000	Chesi cattle breed	133353000L-8B9DA	C1297506
SRTSCT	L-8B9DB133354006	Cheurfa cattle breed	133354006L-8B9DB	C1297507
SRTSCT	L-8B9DC133355007	Chiford cattle breed	133355007L-8B9DC	C1297508
SRTSCT	L-8B9DD133356008	Chimaine cattle breed	133356008L-8B9DD	C1297509
SRTSCT	L-8B9DE133357004	Chinampo cattle breed	133357004L-8B9DE	C1297510
SRTSCT	L-8B9DF133358009	Cildir cattle breed	133358009L-8B9DF	C1297511
SRTSCT	L-8B9E0133359001	COOPELSO 93 cattle breed	133359001L-8B9E0	C1297512
SRTSCT	L-8B9E1133360006	Thrace cattle breed	133360006L-8B9E1	C1297513
SRTSCT	L-8B9E2133361005	Corsican cattle breed	133361005L-8B9E2	C1297514
SRTSCT	L-8B9E3133362003	Cretan Lowland cattle breed	133362003L-8B9E3	C1297515
SRTSCT	L-8B9E4133363008	Cretan Mountain cattle breed	133363008L-8B9E4	C1297516
SRTSCT	L-8B9E5133364002	Croatian Red cattle breed	133364002L-8B9E5	C1297517
SRTSCT	L-8B9E6133365001	Cukurova cattle breed	133365001L-8B9E6	C1297518
SRTSCT	L-8B9E7133366000	Curraleiro cattle breed	133366000L-8B9E7	C1297519
SRTSCT	L-8B9E8133367009	Cyprus cattle breed	133367009L-8B9E8	C1297520
SRTSCT	L-8B9E9133368004	Czech Pied cattle breed	133368004L-8B9E9	C1297521
SRTSCT	L-8B9EA133369007	Dagestan Mountain cattle breed	133369007L-8B9EA	C1297522
SRTSCT	L-8B9EB133370008	Dairy Shorthorn cattle breed	133370008L-8B9EB	C1297523
SRTSCT	L-8B9EC133371007	Dairy Synthetic cattle breed	133371007L-8B9EC	C1297524

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8B9ED 133372000	Danish Red Pied cattle breed	133372000 L-8B9ED	C1297525
SRTSCT	L-8B9EE 133373005	Dengchuan cattle breed	133373005 L-8B9EE	C1297526
SRTSCT	L-8B9EF 133374004	Dexter-Kerry cattle breed	133374004 L-8B9EF	C1297527
SRTSCT	L-8B9F0 133375003	Doran cattle breed	133375003 L-8B9F0	C1297528
SRTSCT	L-8B9F1 133376002	Dorna cattle breed	133376002 L-8B9F1	C1297529
SRTSCT	L-8B9F2 133377006	Dortyol cattle breed	133377006 L-8B9F2	C1297530
SRTSCT	L-8B9F3 133378001	East Anatolian Red cattle breed	133378001 L-8B9F3	C1297531
SRTSCT	L-8B9F4 133379009	East Finnish cattle breed	133379009 L-8B9F4	C1297532
SRTSCT	L-8B9F5 133380007	East Macedonian cattle breed	133380007 L-8B9F5	C1297533
SRTSCT	L-8B9F6 133381006	Epirus cattle breed	133381006 L-8B9F6	C1297534
SRTSCT	L-8B9F7 133382004	Estonian Black Pied cattle breed	133382004 L-8B9F7	C1297535
SRTSCT	L-8B9FA 133383009	Ferrandais cattle breed	133383009 L-8B9FA	C1297536
SRTSCT	L-8B9FB 133384003	Finnish Ayrshire cattle breed	133384003 L-8B9FB	C1297537
SRTSCT	L-8B9FC 133385002	Flemish cattle breed	133385002 L-8B9FC	C1297538
SRTSCT	L-8B9FD 133386001	Red Flemish cattle breed	133386001 L-8B9FD	C1297539
SRTSCT	L-8B9FE 133387005	Fort Cross cattle breed	133387005 L-8B9FE	C1297540
SRTSCT	L-8B9FF 133388000	Frati cattle breed	133388000 L-8B9FF	C1297541
SRTSCT	L-8BA00 133389008	Estonian Native cattle breed	133389008 L-8BA00	C1297542
SRTSCT	L-8BA01 133390004	Faeroes cattle breed	133390004 L-8BA01	C1297543
SRTSCT	L-8BA02 133391000	French Brown cattle breed	133391000 L-8BA02	C1297544
SRTSCT	L-8BA03 133392007	Frijolillo cattle breed	133392007 L-8BA03	C1297545
SRTSCT	L-8BA04 133393002	FRS cattle breed	133393002 L-8BA04	C1297546
SRTSCT	L-8BA05 133394008	Gacko cattle breed	133394008 L-8BA05	C1297547
SRTSCT	L-8BA06 133395009	Gado da Terra cattle breed	133395009 L-8BA06	C1297548
SRTSCT	L-8BA07 133396005	Georgian Mountain cattle breed	133396005 L-8BA07	C1297549
SRTSCT	L-8BA08 133397001	German Black Pied cattle breed	133397001 L-8BA08	C1297550
SRTSCT	L-8BA09 133398006	German Black Pied Dairy cattle breed	133398006 L-8BA09	C1297551
SRTSCT	L-8BA0A 133399003	Pechora cattle breed	133399003 L-8BA0A	C1297552
SRTSCT	L-8BA0B 133400005	Pee Wee cattle breed	133400005 L-8BA0B	C1297553
SRTSCT	L-8BA0C 133401009	Peloponnesus cattle breed	133401009 L-8BA0C	C1297554
SRTSCT	L-8BA0D 133402002	Pester cattle breed	133402002 L-8BA0D	C1297555
SRTSCT	L-8BA0E 133403007	Pie Rouge de l'Est cattle breed	133403007 L-8BA0E	C1297556
SRTSCT	L-8BA0F 133404001	Pisana cattle breed	133404001 L-8BA0F	C1297557
SRTSCT	L-8BA10 133405000	German Brown cattle breed	133405000 L-8BA10	C1297558
SRTSCT	L-8BA11 133406004	German Shorthorn cattle breed	133406004 L-8BA11	C1297559
SRTSCT	L-8BA12 133407008	Ghana Shorthorn cattle breed	133407008 L-8BA12	C1297560
SRTSCT	L-8BA13 133408003	Glan-Donnersberg cattle breed	133408003 L-8BA13	C1297561
SRTSCT	L-8BA14 133409006	Gole cattle breed	133409006 L-8BA14	C1297562

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8BA15133410001	Golpayegani cattle breed	133410001L-8BA15	C1297563
SRTSCT	L-8BA16133411002	Gorbatov Red cattle breed	133411002L-8BA16	C1297564
SRTSCT	L-8BA17133412009	Goryn cattle breed	133412009L-8BA17	C1297565
SRTSCT	L-8BA19133413004	Greater Caucasus cattle breed	133413004L-8BA19	C1297566
SRTSCT	L-8BA1A133414005	Polish Black and White Lowland cattle breed	133414005L-8BA1A	C1297567
SRTSCT	L-8BA1B133415006	Polish Simmental cattle breed	133415006L-8BA1B	C1297568
SRTSCT	L-8BA1C133416007	Polled Jersey cattle breed	133416007L-8BA1C	C1297569
SRTSCT	L-8BA1D133417003	Polled Lincoln Red cattle breed	133417003L-8BA1D	C1297570
SRTSCT	L-8BA1E133418008	Polled Shorthorn (US) cattle breed	133418008L-8BA1E	C1297571
SRTSCT	L-8BA1F133419000	Polled Simmental cattle breed	133419000L-8BA1F	C1297572
SRTSCT	L-8BA20133420006	Greek Shorthorn cattle breed	133420006L-8BA20	C1297573
SRTSCT	L-8BA21133421005	Greek Steppe cattle breed	133421005L-8BA21	C1297574
SRTSCT	L-8BA22133422003	Gray Alpine cattle breed	133422003L-8BA22	C1297575
SRTSCT	L-8BA23133423008	Guadiana Spotted cattle breed	133423008L-8BA23	C1297576
SRTSCT	L-8BA24133424002	Guelma cattle breed	133424002L-8BA24	C1297577
SRTSCT	L-8BA25133425001	Harz Red cattle breed	133425001L-8BA25	C1297578
SRTSCT	L-8BA26133426000	Hawaiian wild cattle breed	133426000L-8BA26	C1297579
SRTSCT	L-8BA27133427009	Hereland cattle breed	133427009L-8BA27	C1297580
SRTSCT	L-8BA28133428004	Holgus cattle breed	133428004L-8BA28	C1297581
SRTSCT	L-8BA29133429007	Hrbinecky cattle breed	133429007L-8BA29	C1297582
SRTSCT	L-8BA2A133430002	Polled Sussex cattle breed	133430002L-8BA2A	C1297583
SRTSCT	L-8BA2B133431003	Polled Welsh Black cattle breed	133431003L-8BA2B	C1297584
SRTSCT	L-8BA2C133432005	Pontremolese cattle breed	133432005L-8BA2C	C1297585
SRTSCT	L-8BA2D133433000	Preta cattle breed	133433000L-8BA2D	C1297586
SRTSCT	L-8BA2E133434006	Puerto Rican Criollo cattle breed	133434006L-8BA2E	C1297587
SRTSCT	L-8BA2F133435007	Pyrenean cattle breed	133435007L-8BA2F	C1297588
SRTSCT	L-8BA30133436008	Huertana cattle breed	133436008L-8BA30	C1297589
SRTSCT	L-8BA31133437004	Hungarian Pied cattle breed	133437004L-8BA31	C1297590
SRTSCT	L-8BA32133438009	Hungarofries cattle breed	133438009L-8BA32	C1297591
SRTSCT	L-8BA33133439001	Improved Rodopi cattle breed	133439001L-8BA33	C1297592
SRTSCT	L-8BA34133440004	INRA 95 cattle breed	133440004L-8BA34	C1297593
SRTSCT	L-8BA35133441000	Italian Brown cattle breed	133441000L-8BA35	C1297594
SRTSCT	L-8BA36133442007	Italian Red Pied cattle breed	133442007L-8BA36	C1297595
SRTSCT	L-8BA37133443002	Japanese Black cattle breed	133443002L-8BA37	C1297596
SRTSCT	L-8BA38133444008	Japanese Brown cattle breed	133444008L-8BA38	C1297597
SRTSCT	L-8BA39133445009	Japanese Poll cattle breed	133445009L-8BA39	C1297598
SRTSCT	L-8BA3A133446005	Qinchuan cattle breed	133446005L-8BA3A	C1297599
SRTSCT	L-8BA3B133447001	Ramo Grande cattle breed	133447001L-8BA3B	C1297600

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8BA3C133448006	Randall Lineback cattle breed	133448006L-8BA3C	C1297601
SRTSCT	L-8BA3D133449003	Red Galloway cattle breed	133449003L-8BA3D	C1297602
SRTSCT	L-8BA3E133450003	Regus cattle breed	133450003L-8BA3E	C1297603
SRTSCT	L-8BA3F133451004	Rendena cattle breed	133451004L-8BA3F	C1297604
SRTSCT	L-8BA40133452006	Japanese Shorthorn cattle breed	133452006L-8BA40	C1297605
SRTSCT	L-8BA41133453001	Jarmelista cattle breed	133453001L-8BA41	C1297606
SRTSCT	L-8BA42133454007	Kabyle cattle breed	133454007L-8BA42	C1297607
SRTSCT	L-8BA43133455008	Kapsiki cattle breed	133455008L-8BA43	C1297608
SRTSCT	L-8BA44133456009	Katerini cattle breed	133456009L-8BA44	C1297609
SRTSCT	L-8BA45133457000	Kenran cattle breed	133457000L-8BA45	C1297610
SRTSCT	L-8BA46133458005	Khevsurian cattle breed	133458005L-8BA46	C1297611
SRTSCT	L-8BA47133459002	Kilis cattle breed	133459002L-8BA47	C1297612
SRTSCT	L-8BA48133460007	Kochi cattle breed	133460007L-8BA48	C1297613
SRTSCT	L-8BA49133461006	Korean Native cattle breed	133461006L-8BA49	C1297614
SRTSCT	L-8BA4A133462004	Rhaetian Gray cattle breed	133462004L-8BA4A	C1297615
SRTSCT	L-8BA4B133463009	Rio Limon Dairy Criollo cattle breed	133463009L-8BA4B	C1297616
SRTSCT	L-8BA4C133464003	Rodopi cattle breed	133464003L-8BA4C	C1297617
SRTSCT	L-8BA4D133465002	Romanian Red cattle breed	133465002L-8BA4D	C1297618
SRTSCT	L-8BA4E133466001	Romanian Brown cattle breed	133466001L-8BA4E	C1297619
SRTSCT	L-8BA4F133467005	Russian Brown cattle breed	133467005L-8BA4F	C1297620
SRTSCT	L-8BA50133468000	Kostroma cattle breed	133468000L-8BA50	C1297621
SRTSCT	L-8BA51133469008	Kravarsky cattle breed	133469008L-8BA51	C1297622
SRTSCT	L-8BA52133470009	Kuchinoshima cattle breed	133470009L-8BA52	C1297623
SRTSCT	L-8BA53133471008	Murray Gray cattle breed	133471008L-8BA53	C1297624
SRTSCT	L-8BA54133472001	Australian Shorthorn cattle breed	133472001L-8BA54	C1297625
SRTSCT	L-8BA55133473006	Kumamoto cattle breed	133473006L-8BA55	C1297626
SRTSCT	L-8BA56133474000	Lagune cattle breed	133474000L-8BA56	C1297627
SRTSCT	L-8BA57133475004	Lakenvelder cattle breed	133475004L-8BA57	C1297628
SRTSCT	L-8BA58133476003	Latvian Blue Roan cattle breed	133476003L-8BA58	C1297629
SRTSCT	L-8BA59133477007	La Velasquez cattle breed	133477007L-8BA59	C1297630
SRTSCT	L-8BA5A133478002	Sardinian cattle breed	133478002L-8BA5A	C1297631
SRTSCT	L-8BA5B133479005	Sardinian brown cattle breed	133479005L-8BA5B	C1297632
SRTSCT	L-8BA5C133480008	Savinja Gray cattle breed	133480008L-8BA5C	C1297633
SRTSCT	L-8BA5D133481007	Sayaguesa cattle breed	133481007L-8BA5D	C1297634
SRTSCT	L-8BA5E133482000	Seferihisar cattle breed	133482000L-8BA5E	C1297635
SRTSCT	L-8BA5F133483005	Shkodra Red cattle breed	133483005L-8BA5F	C1297636
SRTSCT	L-8BA60133484004	Lebanese cattle breed	133484004L-8BA60	C1297637
SRTSCT	L-8BA61133485003	Lebedin cattle breed	133485003L-8BA61	C1297638
SRTSCT	L-8BA62133486002	Lesser Caucasus cattle breed	133486002L-8BA62	C1297639

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8BA63133487006	Liberian Dwarf cattle breed	133487006L-8BA63	C1297640
SRTSCT	L-8BA64133488001	Libyan cattle breed	133488001L-8BA64	C1297641
SRTSCT	L-8BA65133489009	Lim cattle breed	133489009L-8BA65	C1297642
SRTSCT	L-8BA66133490000	Limiana cattle breed	133490000L-8BA66	C1297643
SRTSCT	L-8BA67133491001	Limpurger cattle breed	133491001L-8BA67	C1297644
SRTSCT	L-8BA68133492008	Lobi cattle breed	133492008L-8BA68	C1297645
SRTSCT	L-8BA69133493003	Lourdais cattle breed	133493003L-8BA69	C1297646
SRTSCT	L-8BA6A133494009	Slovakian Pied cattle breed	133494009L-8BA6A	C1297647
SRTSCT	L-8BA6B133495005	Slovakian Pinzgau cattle breed	133495005L-8BA6B	C1297648
SRTSCT	L-8BA6C133496006	Slovenian Brown cattle breed	133496006L-8BA6C	C1297649
SRTSCT	L-8BA6D133497002	Somba cattle breed	133497002L-8BA6D	C1297650
SRTSCT	L-8BA6E133498007	South African Brown Swiss cattle breed	133498007L-8BA6E	C1297651
SRTSCT	L-8BA6F133499004	South Anatolian Red cattle breed	133499004L-8BA6F	C1297652
SRTSCT	L-8BA70133500008	Lucerna cattle breed	133500008L-8BA70	C1297653
SRTSCT	L-8BA71133501007	Luxi cattle breed	133501007L-8BA71	C1297654
SRTSCT	L-8BA72133502000	Macedonian Busa cattle breed	133502000L-8BA72	C1297655
SRTSCT	L-8BA73133503005	Makaweli cattle breed	133503005L-8BA73	C1297656
SRTSCT	L-8BA74133504004	Marinhoa cattle breed	133504004L-8BA74	C1297657
SRTSCT	L-8BA75133505003	Maronesa cattle breed	133505003L-8BA75	C1297658
SRTSCT	L-8BA76133506002	Mazury cattle breed	133506002L-8BA76	C1297659
SRTSCT	L-8BA77133507006	Messaoria cattle breed	133507006L-8BA77	C1297660
SRTSCT	L-8BA78133508001	Metohija Red cattle breed	133508001L-8BA78	C1297661
SRTSCT	L-8BA79133509009	Mingrelian Red cattle breed	133509009L-8BA79	C1297662
SRTSCT	L-8BA7A133510004	Southern Ukranian cattle breed	133510004L-8BA7A	C1297663
SRTSCT	L-8BA7B133511000	Spanish Brown Alpine cattle breed	133511000L-8BA7B	C1297664
SRTSCT	L-8BA7C133512007	Suksun cattle breed	133512007L-8BA7C	C1297665
SRTSCT	L-8BA7D133513002	Swiss Black Pied cattle breed	133513002L-8BA7D	C1269477
SRTSCT	L-8BA7E133514008	Sychevka cattle breed	133514008L-8BA7E	C1297666
SRTSCT	L-8BA7F133515009	Sykia cattle breed	133515009L-8BA7F	C1297667
SRTSCT	L-8BA80133516005	Minhota cattle breed	133516005L-8BA80	C1297668
SRTSCT	L-8BA81133517001	Minorcan cattle breed	133517001L-8BA81	C1297669
SRTSCT	L-8BA82133518006	Mishima cattle breed	133518006L-8BA82	C1297670
SRTSCT	L-8BA83133519003	Modenese cattle breed	133519003L-8BA83	C1269478
SRTSCT	L-8BA84133520009	Monchina cattle breed	133520009L-8BA84	C1297671
SRTSCT	L-8BA85133521008	Montafon cattle breed	133521008L-8BA85	C1297672
SRTSCT	L-8BA86133522001	Montbeliard cattle breed	133522001L-8BA86	C1297673
SRTSCT	L-8BA87133523006	Morenas del Noroeste cattle breed	133523006L-8BA87	C1297674
SRTSCT	L-8BA88133524000	Murcian cattle breed	133524000L-8BA88	C1269479

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8BA89133525004	Murnau-Werdenfels cattle breed	133525004L-8BA89	C1297675
SRTSCT	L-8BA8A133526003	Tagil cattle breed	133526003L-8BA8A	C1297676
SRTSCT	L-8BA8B133527007	Tajma cattle breed	133527007L-8BA8B	C1297677
SRTSCT	L-8BA8C133528002	Tambov Red cattle breed	133528002L-8BA8C	C1269480
SRTSCT	L-8BA8D133529005	Tarina cattle breed	133529005L-8BA8D	C1297678
SRTSCT	L-8BA8E133530000	Thessaly cattle breed	133530000L-8BA8E	C1297679
SRTSCT	L-8BA8F133531001	Tinama cattle breed	133531001L-8BA8F	C1297680
SRTSCT	L-8BA90133532008	Nantais cattle breed	133532008L-8BA90	C1297681
SRTSCT	L-8BA91133533003	Nejdi cattle breed	133533003L-8BA91	C1297682
SRTSCT	L-8BA92133534009	N'Gabou cattle breed	133534009L-8BA92	C1297683
SRTSCT	L-8BA93133535005	North Finncattle cattle breed	133535005L-8BA93	C1269481
SRTSCT	L-8BA94133536006	Oropa cattle breed	133536006L-8BA94	C1297684
SRTSCT	L-8BA95133537002	Oulmes Blond cattle breed	133537002L-8BA95	C1269482
SRTSCT	L-8BA96133538007	Pajuna cattle breed	133538007L-8BA96	C1297685
SRTSCT	L-8BA97133539004	Palmera cattle breed	133539004L-8BA97	C1297686
SRTSCT	L-8BA98133540002	Pankota Red cattle breed	133540002L-8BA98	C1269483
SRTSCT	L-8BA99133541003	Paphos cattle breed	133541003L-8BA99	C1297687
SRTSCT	L-8BA9A133542005	Tinos cattle breed	133542005L-8BA9A	C1297688
SRTSCT	L-8BA9B133543000	Transylvanian Pinzgua cattle breed	133543000L-8BA9B	C1297689
SRTSCT	L-8BA9C133544006	Tropical Dairy Cattle cattle breed	133544006L-8BA9C	C1269484
SRTSCT	L-8BA9D133545007	Tropicana cattle breed	133545007L-8BA9D	C1297690
SRTSCT	L-8BA9E133546008	Tudanca cattle breed	133546008L-8BA9E	C1297691
SRTSCT	L-8BA9F133547004	Turino cattle breed	133547004L-8BA9F	C1297692
SRTSCT	L-8BAA0133548009	Turkish Brown cattle breed	133548009L-8BAA0	C1269485
SRTSCT	L-8BAA1133549001	Tux-Zillertal cattle breed	133549001L-8BAA1	C1297693
SRTSCT	L-8BAA2133550001	Tyrol Gray cattle breed	133550001L-8BAA2	C1269486
SRTSCT	L-8BAA3133551002	Abondance cattle breed	133551002L-8BAA3	C1297694
SRTSCT	L-8BAA4133552009	Ala-Tau cattle breed	133552009L-8BAA4	C1297695
SRTSCT	L-8BAA5133553004	Albanian Illyrian cattle breed	133553004L-8BAA5	C1269487
SRTSCT	L-8BAA6133554005	Albanian Dwarf cattle breed	133554005L-8BAA6	C1269488
SRTSCT	L-8BAA7133555006	Ukrainian Whiteheaded cattle breed	133555006L-8BAA7	C1269489
SRTSCT	L-8BAA8133556007	Ural Black Pied cattle breed	133556007L-8BAA8	C1269490
SRTSCT	L-8BAA9133557003	Valdres cattle breed	133557003L-8BAA9	C1297696
SRTSCT	L-8BAAA133558008	Vaynol cattle breed	133558008L-8BAAA	C1297697
SRTSCT	L-8BAAB133559000	Verinesa cattle breed	133559000L-8BAAB	C1297698
SRTSCT	L-8BAAC133560005	Vianesa cattle breed	133560005L-8BAAC	C1297699
SRTSCT	L-8BAAD133561009	Villard-de-Lans cattle breed	133561009L-8BAAD	C1297700
SRTSCT	L-8BAAE133562002	Vogelsberg cattle breed	133562002L-8BAAE	C1297701

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8BAAF133563007	Pie Rouge des Plaines cattle breed	133563007L-8BAAF	C1297702
SRTSCT	L-8BAB0133564001	Vorderwald cattle breed	133564001L-8BAB0	C1297703
SRTSCT	L-8BAB1133565000	West African Dwarf Shorthorn cattle breed	133565000L-8BAB1	C1269491
SRTSCT	L-8BAB2133566004	West Finnish cattle breed	133566004L-8BAB2	C1269492
SRTSCT	L-8BAB3133567008	West Macedonian cattle breed	133567008L-8BAB3	C1269493
SRTSCT	L-8BAB4133568003	Whitebred Shorthorn cattle breed	133568003L-8BAB4	C1269494
SRTSCT	L-8BAB5133569006	White Galloway cattle breed	133569006L-8BAB5	C1269495
SRTSCT	L-8BAB6133570007	White Welsh cattle breed	133570007L-8BAB6	C1269496
SRTSCT	L-8BAB7133571006	Witrik cattle breed	133571006L-8BAB7	C1297704
SRTSCT	L-8BAB8133572004	Yacumento cattle breed	133572004L-8BAB8	C1297705
SRTSCT	L-8BAB9133573009	Yaroslavl cattle breed	133573009L-8BAB9	C1297706
SRTSCT	L-8BABA133574003	Yurino cattle breed	133574003L-8BABA	C1297707
SRTSCT	L-8BABB133575002	Aleppo cattle breed	133575002L-8BABB	C1297708
SRTSCT	L-8BABC133576001	Schwyz cattle breed	133576001L-8BABC	C1297709
SRTSCT	L-8BABD133577005	Busa cattle breed	133577005L-8BABD	C1297710
SRTSCT	L-8BABE133578000	Chiangus cattle breed	133578000L-8BABE	C1297711
SRTSCT	L-8BABF133579008	Hallingdal cattle breed	133579008L-8BABF	C1297712
SRTSCT	L-8BAC0133580006	Danish Jersey cattle breed	133580006L-8BAC0	C1269497
SRTSCT	L-8BAC1133581005	Enderby Island cattle breed	133581005L-8BAC1	C1269498
SRTSCT	L-8BAC2133582003	German Angus cattle breed	133582003L-8BAC2	C1269499
SRTSCT	L-8BAC3133583008	Israeli Red cattle breed	133583008L-8BAC3	C1269500
SRTSCT	L-8BAC4133584002	Lineback cattle breed	133584002L-8BAC4	C1269501
SRTSCT	L-8BAC5133585001	Mertolenga cattle breed	133585001L-8BAC5	C1297713
SRTSCT	L-8BAC6133586000	Red Friesian cattle breed	133586000L-8BAC6	C1269502
SRTSCT	L-8BAC7133587009	Senegus cattle breed	133587009L-8BAC7	C1297714
SRTSCT	L-8BAC8133588004	Southern Crioulo cattle breed	133588004L-8BAC8	C1297715
SRTSCT	L-8BAC9133589007	Vosges cattle breed	133589007L-8BAC9	C1297716
SRTSCT	L-8BACA133590003	Montanara cattle breed	133590003L-8BACA	C1297717
SRTSCT	L-8BACB133591004	Almanzorena cattle breed	133591004L-8BACB	C1297718
SRTSCT	L-8BACC133592006	Lorquina cattle breed	133592006L-8BACC	C1297719
SRTSCT	L-8BACD133593001	Calasparrena cattle breed	133593001L-8BACD	C1297720
SRTSCT	L-8BACE133594007	Amrit Mahal zebu cattle breed	133594007L-8BACE	C1297721
SRTSCT	L-8BACF133595008	Bachaur cattle breed	133595008L-8BACF	C1297722
SRTSCT	L-8BAD0133596009	Barka zebu cattle breed	133596009L-8BAD0	C1297723
SRTSCT	L-8BAD1133597000	Bengali cattle breed	133597000L-8BAD1	C1297724
SRTSCT	L-8BAD2133598005	Bhagnari cattle breed	133598005L-8BAD2	C1297725
SRTSCT	L-8BAD3133599002	Boran cattle breed	133599002L-8BAD3	C1297726
SRTSCT	L-8BAD4133600004	Channi cattle breed	133600004L-8BAD4	C1297727
SRTSCT	L-8BAD5133601000	Cholistani cattle breed	133601000L-8BAD5	C1297728

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8BAD6133602007	Dajal cattle breed	133602007L-8BAD6	C1297729
SRTSCT	L-8BAD7133603002	Dangi cattle breed	133603002L-8BAD7	C1297730
SRTSCT	L-8BAD8133604008	Deoni cattle breed	133604008L-8BAD8	C1297731
SRTSCT	L-8BAD9133605009	Dhanni cattle breed	133605009L-8BAD9	C1297732
SRTSCT	L-8BADA133606005	Gaolao cattle breed	133606005L-8BADA	C1297733
SRTSCT	L-8BADB133607001	Hallikar cattle breed	133607001L-8BADB	C1297734
SRTSCT	L-8BADC133608006	Hariana cattle breed	133608006L-8BADC	C1297735
SRTSCT	L-8BADD133609003	Indo-Brazilian cattle breed	133609003L-8BADD	C1297736
SRTSCT	L-8BADE133610008	Kangayam cattle breed	133610008L-8BADE	C1297737
SRTSCT	L-8BADF133611007	Kankrej cattle breed	133611007L-8BADF	C1297738
SRTSCT	L-8BAE0133612000	Kenkatha cattle breed	133612000L-8BAE0	C1297739
SRTSCT	L-8BAE1133613005	Kherigarh cattle breed	133613005L-8BAE1	C1297740
SRTSCT	L-8BAE2133614004	Khillari cattle breed	133614004L-8BAE2	C1297741
SRTSCT	L-8BAE3133615003	Krishna Valley cattle breed	133615003L-8BAE3	C1269503
SRTSCT	L-8BAE4133616002	Lohani cattle breed	133616002L-8BAE4	C1297742
SRTSCT	L-8BAE5133617006	Malvi cattle breed	133617006L-8BAE5	C1297743
SRTSCT	L-8BAE6133618001	Mewati cattle breed	133618001L-8BAE6	C1297744
SRTSCT	L-8BAE7133619009	Nagori cattle breed	133619009L-8BAE7	C1297745
SRTSCT	L-8BAE9133620003	Nelore cattle breed	133620003L-8BAE9	C0324079
SRTSCT	L-8BAEA133621004	Nimari cattle breed	133621004L-8BAEA	C1297747
SRTSCT	L-8BAEB133622006	Ponwar cattle breed	133622006L-8BAEB	C1297748
SRTSCT	L-8BAEC133623001	Rath cattle breed	133623001L-8BAEC	C1297749
SRTSCT	L-8BAED133624007	Rathi cattle breed	133624007L-8BAED	C1297750
SRTSCT	L-8BAEE133625008	Red Sindhi cattle breed	133625008L-8BAEE	C1269504
SRTSCT	L-8BAEF133626009	Rojhan cattle breed	133626009L-8BAEF	C1297751
SRTSCT	L-8BAF0133627000	Sahiwal cattle breed	133627000L-8BAF0	C1297752
SRTSCT	L-8BAF1133628005	Siri zebu cattle breed	133628005L-8BAF1	C1297753
SRTSCT	L-8BAF2133629002	Tharparkar cattle breed	133629002L-8BAF2	C1297754
SRTSCT	L-8BAF3133630007	Zanzibar Zebu cattle breed	133630007L-8BAF3	C1297755
SRTSCT	L-8BAF4133631006	Arsi cattle breed	133631006L-8BAF4	C1297756
SRTSCT	L-8BAF5133632004	Atpadi Mahal cattle breed	133632004L-8BAF5	C1297757
SRTSCT	L-8BAF6133633009	Azaouak cattle breed	133633009L-8BAF6	C1297758
SRTSCT	L-8BAF7133634003	Azerbaijan Zebu cattle breed	133634003L-8BAF7	C1297759
SRTSCT	L-8BAF8133635002	Baggara cattle breed	133635002L-8BAF8	C1297760
SRTSCT	L-8BAF9133636001	Bambawa cattle breed	133636001L-8BAF9	C1297761
SRTSCT	L-8BAFA133637005	Bami cattle breed	133637005L-8BAFA	C1297762
SRTSCT	L-8BAFB133638000	Banyo cattle breed	133638000L-8BAFB	C1297763
SRTSCT	L-8BAFC133639008	Bargur cattle breed	133639008L-8BAFC	C1297764
SRTSCT	L-8BAFD133640005	Bari cattle breed	133640005L-8BAFD	C1297765
SRTSCT	L-8BAFE133641009	Bimal cattle breed	133641009L-8BAFE	C1297766
SRTSCT	L-8BAFF133642002	Borneo Zebu cattle breed	133642002L-8BAFF	C1297767

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8BB00133643007	Butana cattle breed	133643007L-8BB00	C1297768
SRTSCT	L-8BB01133644001	Chittagong Red cattle breed	133644001L-8BB01	C1269505
SRTSCT	L-8BB02133645000	Cutchi cattle breed	133645000L-8BB02	C1297769
SRTSCT	L-8BB03133646004	Dairy Zebu of Uberaba cattle breed	133646004L-8BB03	C1269506
SRTSCT	L-8BB04133647008	Dashtiari cattle breed	133647008L-8BB04	C1297770
SRTSCT	L-8BB05133648003	Diali cattle breed	133648003L-8BB05	C1297771
SRTSCT	L-8BB06133649006	Didinga cattle breed	133649006L-8BB06	C1297772
SRTSCT	L-8BB07133650006	Dongola cattle breed	133650006L-8BB07	C1297773
SRTSCT	L-8BB09133651005	Fellata cattle breed	133651005L-8BB09	C1297774
SRTSCT	L-8BB0A133652003	Turkmen zebu cattle breed	133652003L-8BB0A	C1269507
SRTSCT	L-8BB0B133653008	Abyssinian Highland Zebu cattle breed	133653008L-8BB0B	C1269508
SRTSCT	L-8BB0C133654002	Abyssinian Shorthorned Zebu cattle breed	133654002L-8BB0C	C1269509
SRTSCT	L-8BB0E133655001	Aceh cattle breed	133655001L-8BB0E	C1297775
SRTSCT	L-8BB0F133656000	Achham cattle breed	133656000L-8BB0F	C1297776
SRTSCT	L-8BB10133657009	Garre cattle breed	133657009L-8BB10	C1297777
SRTSCT	L-8BB11133658004	Gasara cattle breed	133658004L-8BB11	C1297778
SRTSCT	L-8BB12133659007	Gobra cattle breed	133659007L-8BB12	C1297779
SRTSCT	L-8BB13133660002	Goomsur cattle breed	133660002L-8BB13	C1297780
SRTSCT	L-8BB14133661003	Gujamavu cattle breed	133661003L-8BB14	C1297781
SRTSCT	L-8BB15133662005	Leiqiong cattle breed	133662005L-8BB15	C1297782
SRTSCT	L-8BB16133663000	Hissar cattle breed	133663000L-8BB16	C1297783
SRTSCT	L-8BB17133664006	Ingessana cattle breed	133664006L-8BB17	C1297784
SRTSCT	L-8BB18133665007	Jamaica Brahman cattle breed	133665007L-8BB18	C1276277
SRTSCT	L-8BB19133666008	Jellicut cattle breed	133666008L-8BB19	C1297785
SRTSCT	L-8BB1A133667004	Adamawa cattle breed	133667004L-8BB1A	C1297786
SRTSCT	L-8BB1B133668009	Aden Zebu cattle breed	133668009L-8BB1B	C1269510
SRTSCT	L-8BB1C133669001	Afghan cattle breed	133669001L-8BB1C	C1297787
SRTSCT	L-8BB1D133670000	Alambadi cattle breed	133670000L-8BB1D	C1297788
SRTSCT	L-8BB1E133671001	Umblachery cattle breed	133671001L-8BB1E	C1297789
SRTSCT	L-8BB1F133672008	Venezuelan Zebu cattle breed	133672008L-8BB1F	C1297790
SRTSCT	L-8BB20133673003	Pantaneiro cattle breed	133673003L-8BB20	C1297791
SRTSCT	L-8BB21133674009	Jenubi cattle breed	133674009L-8BB21	C1297792
SRTSCT	L-8BB22133675005	Jiddu cattle breed	133675005L-8BB22	C1297793
SRTSCT	L-8BB23133676006	Jijiga Zebu cattle breed	133676006L-8BB23	C1297794
SRTSCT	L-8BB24133677002	Kabota cattle breed	133677002L-8BB24	C1297795
SRTSCT	L-8BB25133678007	Kachcha Siri cattle breed	133678007L-8BB25	C1297796
SRTSCT	L-8BB26133679004	Kalakheri cattle breed	133679004L-8BB26	C1297797
SRTSCT	L-8BB27133680001	Kamdhino cattle breed	133680001L-8BB27	C1297798
SRTSCT	L-8BB28133681002	Kandahari cattle breed	133681002L-8BB28	C1297799

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8BB29133682009	Kaningan cattle breed	133682009L-8BB29	C1297800
SRTSCT	L-8BB2A133683004	Wakwa cattle breed	133683004L-8BB2A	C1297801
SRTSCT	L-8BB2B133684005	White Fulani cattle breed	133684005L-8BB2B	C1269511
SRTSCT	L-8BB2C133685006	Yemeni Zebu cattle breed	133685006L-8BB2C	C1297802
SRTSCT	L-8BB2D133686007	Iranian Zebu cattle breed	133686007L-8BB2D	C1297803
SRTSCT	L-8BB2E133687003	Khorsan cattle breed	133687003L-8BB2E	C1297804
SRTSCT	L-8BB2F133688008	Polled Gir cattle breed	133688008L-8BB2F	C1297805
SRTSCT	L-8BB30133689000	Kappiliyan cattle breed	133689000L-8BB30	C1297806
SRTSCT	L-8BB31133690009	Karamajong cattle breed	133690009L-8BB31	C1297807
SRTSCT	L-8BB32133691008	Kenana cattle breed	133691008L-8BB32	C1297808
SRTSCT	L-8BB33133692001	Kenya Boran cattle breed	133692001L-8BB33	C1269512
SRTSCT	L-8BB34133693006	Kenya Zebu cattle breed	133693006L-8BB34	C1269513
SRTSCT	L-8BB35133694000	Khamala cattle breed	133694000L-8BB35	C1297809
SRTSCT	L-8BB36133695004	Khurasani zebu cattle breed	133695004L-8BB36	C1297810
SRTSCT	L-8BB37133696003	Kilara cattle breed	133696003L-8BB37	C1297811
SRTSCT	L-8BB38133697007	Kinniya cattle breed	133697007L-8BB38	C1297812
SRTSCT	L-8BB39133698002	Konari cattle breed	133698002L-8BB39	C1297813
SRTSCT	L-8BB3A133699005	Guzerat cattle breed	133699005L-8BB3A	C1297814
SRTSCT	L-8BB3B133700006	Tadzhik zebu cattle breed	133700006L-8BB3B	C1297815
SRTSCT	L-8BB3C133701005	Deogir cattle breed	133701005L-8BB3C	C1297816
SRTSCT	L-8BB3D133702003	Gayal cattle breed	133702003L-8BB3D	C1297817
SRTSCT	L-8BB3E133703008	American bison X cattle breed	133703008L-8BB3E	C1269514
SRTSCT	L-8BB3F133704002	Australian Braford X zebu cattle breed	133704002L-8BB3F	C1269515
SRTSCT	L-8BB40133705001	Krishnagari cattle breed	133705001L-8BB40	C1297818
SRTSCT	L-8BB41133706000	Kumauni cattle breed	133706000L-8BB41	C1297819
SRTSCT	L-8BB42133707009	Ladakhi cattle breed	133707009L-8BB42	C1297820
SRTSCT	L-8BB43133708004	Latuka cattle breed	133708004L-8BB43	C1297821
SRTSCT	L-8BB44133709007	Lugware cattle breed	133709007L-8BB44	C1297822
SRTSCT	L-8BB45133710002	Madagascar Zebu cattle breed	133710002L-8BB45	C1297823
SRTSCT	L-8BB46133711003	Madaripur cattle breed	133711003L-8BB46	C1297824
SRTSCT	L-8BB47133712005	Magal cattle breed	133712005L-8BB47	C1297825
SRTSCT	L-8BB48133713000	Malawi Zebu cattle breed	133713000L-8BB48	C1297826
SRTSCT	L-8BB49133714006	Malnad Gidda cattle breed	133714006L-8BB49	C1297827
SRTSCT	L-8BB4A133715007	Australian Friesian Sahiwal X zebu cattle breed	133715007L-8BB4A	C1269410
SRTSCT	L-8BB4B133716008	Braford X zebu cattle breed	133716008L-8BB4B	C1269411
SRTSCT	L-8BB4C133717004	Brahmousin X zebu cattle breed	133717004L-8BB4C	C1269412
SRTSCT	L-8BB4D133718009	Canchim X zebu cattle breed	133718009L-8BB4D	C1269413
SRTSCT	L-8BB4E133719001	Charbray X zebu cattle breed	133719001L-8BB4E	C1269414

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8BB4F133720007	Droughtmaster X zebu cattle breed	133720007L-8BB4F	C1269415
SRTSCT	L-8BB50133721006	Mampati cattle breed	133721006L-8BB50	C1297828
SRTSCT	L-8BB51133722004	Manapari cattle breed	133722004L-8BB51	C1297829
SRTSCT	L-8BB52133723009	Maure cattle breed	133723009L-8BB52	C1297830
SRTSCT	L-8BB53133724003	Mazandarani cattle breed	133724003L-8BB53	C1297831
SRTSCT	L-8BB54133725002	Merauke cattle breed	133725002L-8BB54	C1297832
SRTSCT	L-8BB56133727005	Mhaswad cattle breed	133727005L-8BB56	C1297834
SRTSCT	L-8BB57133728000	Miniature Zebu cattle breed	133728000L-8BB57	C1269416
SRTSCT	L-8BB58133729008	Mongalla cattle breed	133729008L-8BB58	C1297835
SRTSCT	L-8BB59133730003	Morang cattle breed	133730003L-8BB59	C1297836
SRTSCT	L-8BB5A133731004	Gelbray X zebu cattle breed	133731004L-8BB5A	C1269417
SRTSCT	L-8BB5B133732006	Jamaica Black X zebu cattle breed	133732006L-8BB5B	C1269418
SRTSCT	L-8BB5C133733001	Jamaica Hope X zebu cattle breed	133733001L-8BB5C	C1269419
SRTSCT	L-8BB5D133734007	Jamaica Red X zebu cattle breed	133734007L-8BB5D	C1269420
SRTSCT	L-8BB5E133735008	Karan Fries X zebu cattle breed	133735008L-8BB5E	C1269421
SRTSCT	L-8BB5F133736009	Karan Swiss X zebu cattle breed	133736009L-8BB5F	C1269422
SRTSCT	L-8BB60133737000	Mozambique Angoni cattle breed	133737000L-8BB60	C1269423
SRTSCT	L-8BB61133738005	Mpwapwa cattle breed	133738005L-8BB61	C1269424
SRTSCT	L-8BB62133739002	Murle cattle breed	133739002L-8BB62	C1297837
SRTSCT	L-8BB63133740000	Nakali cattle breed	133740000L-8BB63	C1297838
SRTSCT	L-8BB64133741001	Nepalese Hill Zebu cattle breed	133741001L-8BB64	C1269425
SRTSCT	L-8BB65133742008	N'Gaoundere cattle breed	133742008L-8BB65	C1297839
SRTSCT	L-8BB66133743003	Nkedi cattle breed	133743003L-8BB66	C1297840
SRTSCT	L-8BB67133744009	North Bangladesh Gray cattle breed	133744009L-8BB67	C1269426
SRTSCT	L-8BB68133745005	North Somali Zebu cattle breed	133745005L-8BB68	C1269427
SRTSCT	L-8BB69133746006	Polled Guzerat cattle breed	133746006L-8BB69	C1297841
SRTSCT	L-8BB6A133747002	Mandalong X zebu cattle breed	133747002L-8BB6A	C1269428
SRTSCT	L-8BB6B133748007	Australian Milking Zebu X zebu cattle breed	133748007L-8BB6B	C1269429
SRTSCT	L-8BB6C133749004	Red Brangus X zebu cattle breed	133749004L-8BB6C	C1269430
SRTSCT	L-8BB6D133750004	Santa Cruz X zebu cattle breed	133750004L-8BB6D	C1269431
SRTSCT	L-8BB6E133751000	Siboney X zebu cattle breed	133751000L-8BB6E	C1269432
SRTSCT	L-8BB6F133752007	Bambara X zebu cattle breed	133752007L-8BB6F	C1269433
SRTSCT	L-8BB70133753002	Polled Nelore cattle breed	133753002L-8BB70	C1297842
SRTSCT	L-8BB71133754008	Prewakwa cattle breed	133754008L-8BB71	C1297843

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8BB72133755009	Pul-M'bor cattle breed	133755009L-8BB72	C1297844
SRTSCT	L-8BB73133756005	Punganur cattle breed	133756005L-8BB73	C1297845
SRTSCT	L-8BB74133757001	Ramgarhi cattle breed	133757001L-8BB74	C1297846
SRTSCT	L-8BB75133758006	Red Bororo cattle breed	133758006L-8BB75	C1269434
SRTSCT	L-8BB76133759003	Red Desert cattle breed	133759003L-8BB76	C1269435
SRTSCT	L-8BB77133760008	Red Kandhari cattle breed	133760008L-8BB77	C1269436
SRTSCT	L-8BB78133761007	Shakhansurri cattle breed	133761007L-8BB78	C1297847
SRTSCT	L-8BB79133762000	Sheko cattle breed	133762000L-8BB79	C1297848
SRTSCT	L-8BB7A133763005	Bambey X zebu cattle breed	133763005L-8BB7A	C1269437
SRTSCT	L-8BB7B133764004	Batanes Black X zebu cattle breed	133764004L-8BB7B	C1269438
SRTSCT	L-8BB7C133765003	Borgou X zebu cattle breed	133765003L-8BB7C	C1269439
SRTSCT	L-8BB7D133766002	Brahorn X zebu cattle breed	133766002L-8BB7D	C1269440
SRTSCT	L-8BB7E133767006	Bralers X zebu cattle breed	133767006L-8BB7E	C1269441
SRTSCT	L-8BB7F133768001	Bra-Maine X zebu cattle breed	133768001L-8BB7F	C1269442
SRTSCT	L-8BB80133769009	Shendi cattle breed	133769009L-8BB80	C1297849
SRTSCT	L-8BB81133770005	Shuwa cattle breed	133770005L-8BB81	C1297850
SRTSCT	L-8BB82133771009	Sinhala cattle breed	133771009L-8BB82	C1297851
SRTSCT	L-8BB83133772002	Sistani cattle breed	133772002L-8BB83	C1297852
SRTSCT	L-8BB84133773007	Small East African Zebu cattle breed	133773007L-8BB84	C1269443
SRTSCT	L-8BB85133774001	Sokoto Gudali cattle breed	133774001L-8BB85	C1297853
SRTSCT	L-8BB86133775000	Somali cattle breed	133775000L-8BB86	C1297854
SRTSCT	L-8BB87133776004	Sonkheri cattle breed	133776004L-8BB87	C1297855
SRTSCT	L-8BB88133777008	Son Valley cattle breed	133777008L-8BB88	C1269444
SRTSCT	L-8BB89133778003	South China Zebu cattle breed	133778003L-8BB89	C1269445
SRTSCT	L-8BB8A133779006	Bra-Swiss X zebu cattle breed	133779006L-8BB8A	C1269446
SRTSCT	L-8BB8B133780009	Bravon X zebu cattle breed	133780009L-8BB8B	C1269447
SRTSCT	L-8BB8C133781008	Brazilian Dairy Hybrid X zebu cattle breed	133781008L-8BB8C	C1269448
SRTSCT	L-8BB8D133782001	Burmese X zebu cattle breed	133782001L-8BB8D	C1269449
SRTSCT	L-8BB8E133783006	Bushuev X zebu cattle breed	133783006L-8BB8E	C1269450
SRTSCT	L-8BB8F133784000	Caiua X zebu cattle breed	133784000L-8BB8F	C1269451
SRTSCT	L-8BB90133785004	South Malawi Zebu cattle breed	133785004L-8BB90	C1297856
SRTSCT	L-8BB91133786003	Sudanese Fulani cattle breed	133786003L-8BB91	C1269452
SRTSCT	L-8BB92133787007	Tabapua cattle breed	133787007L-8BB92	C1297857
SRTSCT	L-8BB93133788002	Tamankaduwa cattle breed	133788002L-8BB93	C1297858
SRTSCT	L-8BB94133789005	Tanzanian Zebu cattle breed	133789005L-8BB94	C1297859
SRTSCT	L-8BB95133790001	Tarai cattle breed	133790001L-8BB95	C1297860
SRTSCT	L-8BB96133791002	Thillari cattle breed	133791002L-8BB96	C1297861
SRTSCT	L-8BB97133792009	Toposa cattle breed	133792009L-8BB97	C1297862

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8BB98133793004	Toronke cattle breed	133793004L-8BB98	C1297863
SRTSCT	L-8BB99133794005	Toupouri cattle breed	133794005L-8BB99	C1297864
SRTSCT	L-8BB9A133795006	Carazebu X zebu cattle breed	133795006L-8BB9A	C1269453
SRTSCT	L-8BB9B133796007	Central Asian Zebu X zebu cattle breed	133796007L-8BB9B	C1269454
SRTSCT	L-8BB9C133797003	Charford X zebu cattle breed	133797003L-8BB9C	C1269455
SRTSCT	L-8BB9D133798008	Cuban Criollo X zebu cattle breed	133798008L-8BB9D	C1269456
SRTSCT	L-8BB9E133799000	Cuban Zebu X zebu cattle breed	133799000L-8BB9E	C1269457
SRTSCT	L-8BB9F133800001	Dishty X zebu cattle breed	133800001L-8BB9F	C1269458
SRTSCT	L-8BC00133801002	Djakore X zebu cattle breed	133801002L-8BC00	C1269459
SRTSCT	L-8BC01133802009	Gambian N'Dama X zebu cattle breed	133802009L-8BC01	C1269460
SRTSCT	L-8BC03133803004	Ghana Sanga X zebu cattle breed	133803004L-8BC03	C1269461
SRTSCT	L-8BC04133804005	Girolando X zebu cattle breed	133804005L-8BC04	C1269462
SRTSCT	L-8BC05133805006	Guzerando X zebu cattle breed	133805006L-8BC05	C1269463
SRTSCT	L-8BC06133806007	Hatton X zebu cattle breed	133806007L-8BC06	C1269464
SRTSCT	L-8BC07133807003	Ibage X zebu cattle breed	133807003L-8BC07	C1269465
SRTSCT	L-8BC08133808008	Iraqi X zebu cattle breed	133808008L-8BC08	C1269466
SRTSCT	L-8BC09133809000	Jerdi X zebu cattle breed	133809000L-8BC09	C1269467
SRTSCT	L-8BC10133810005	Jersind X zebu cattle breed	133810005L-8BC10	C1269468
SRTSCT	L-8BC11133811009	Jotko X zebu cattle breed	133811009L-8BC11	C1269469
SRTSCT	L-8BC12133812002	Kanem X zebu cattle breed	133812002L-8BC12	C1269470
SRTSCT	L-8BC13133813007	Keteku X zebu cattle breed	133813007L-8BC13	C1269471
SRTSCT	L-8BC14133814001	Lavinia X zebu cattle breed	133814001L-8BC14	C1269472
SRTSCT	L-8BC15133815000	Local Indian Dairy X zebu cattle breed	133815000L-8BC15	C1269473
SRTSCT	L-8BC16133816004	Mantiqueira X zebu cattle breed	133816004L-8BC16	C1269474
SRTSCT	L-8BC17133817008	Ndagu X zebu cattle breed	133817008L-8BC17	C1269475
SRTSCT	L-8BC18133818003	Normanzu X zebu cattle breed	133818003L-8BC18	C1269476
SRTSCT	L-8BC19133819006	Nuba Mountain X zebu cattle breed	133819006L-8BC19	C1269516
SRTSCT	L-8BC20133820000	Pabna X zebu cattle breed	133820000L-8BC20	C1269517
SRTSCT	L-8BC21133821001	Mixed Perijanero X zebu cattle breed	133821001L-8BC21	C1269518
SRTSCT	L-8BC22133822008	Pitangueiras X zebu cattle breed	133822008L-8BC22	C1269519
SRTSCT	L-8BC23133823003	Quasah X zebu cattle breed	133823003L-8BC23	C1269520
SRTSCT	L-8BC24133824009	Rana X zebu cattle breed	133824009L-8BC24	C1269521
SRTSCT	L-8BC25133825005	Ranger X zebu cattle breed	133825005L-8BC25	C1269522
SRTSCT	L-8BC26133826006	Renitelo X zebu cattle breed	133826006L-8BC26	C1269523

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8BC27133827002	Riopardenze X zebu cattle breed	133827002L-8BC27	C1297865
SRTSCT	L-8BC28133828007	Rustaqi X zebu cattle breed	133828007L-8BC28	C1297866
SRTSCT	L-8BC29133829004	Sabre X zebu cattle breed	133829004L-8BC29	C1297867
SRTSCT	L-8BC30133830009	Sahford X zebu cattle breed	133830009L-8BC30	C1297868
SRTSCT	L-8BC31133831008	Schwyz-Zeboid X zebu cattle breed	133831008L-8BC31	C1297869
SRTSCT	L-8BC32133832001	Suia X zebu cattle breed	133832001L-8BC32	C1297870
SRTSCT	L-8BC33133833006	Suisbu X zebu cattle breed	133833006L-8BC33	C1297871
SRTSCT	L-8BC34133834000	Sunandini X zebu cattle breed	133834000L-8BC34	C1297872
SRTSCT	L-8BC35133835004	Taino X zebu cattle breed	133835004L-8BC35	C1297873
SRTSCT	L-8BC36133836003	Thibar X zebu cattle breed	133836003L-8BC36	C1297874
SRTSCT	L-8BC37133837007	Toubou X zebu cattle breed	133837007L-8BC37	C1297875
SRTSCT	L-8BC38133838002	Tropical X zebu cattle breed	133838002L-8BC38	C1297876
SRTSCT	L-8BC39133839005	TSSH-1 X zebu cattle breed	133839005L-8BC39	C1297877
SRTSCT	L-8BC40133840007	Victoria X zebu cattle breed	133840007L-8BC40	C1297878
SRTSCT	L-8BC41133841006	Wokalup X zebu cattle breed	133841006L-8BC41	C1297879
SRTSCT	L-8BC42133842004	Madura wild javan X zebu cattle breed	133842004L-8BC42	C1297880
SRTSCT	L-80A401809004	Rex cat breed	1809004L-80A40	C0324505
SRTSCT	L-807702062007	Dachshund superbreed of dog	2062007L-80770	C0324348
SRTSCT	L-8032025327001	Dorset sheep superbreed	25327001L-80320	C0324114
SRTSCT	L-80A4251692004	Devon rex cat breed	51692004L-80A42	C0324507
SRTSCT	L-80A4156917006	Cornish rex cat breed	56917006L-80A41	C0324506
SRTSCT	L-80A45396505009	Oregon rex cat breed	396505009L-80A45	C1300782
SRTSCT	L-80A0536074003	Abyssinian cat	36074003L-80A05	C0324484
SRTSCT	L-80A0669855002	American shorthair cat	69855002L-80A06	C0324485
SRTSCT	L-80A0721726001	American wirehaired cat	21726001L-80A07	C0324486
SRTSCT	L-80A083653002	Balinese cat	3653002L-80A08	C0324487
SRTSCT	L-80A0943219001	Birman cat	43219001L-80A09	C0324488
SRTSCT	L-80A1016528000	Bombay cat	16528000L-80A10	C0324489
SRTSCT	L-80A1170653001	British shorthaired cat	70653001L-80A11	C0324490
SRTSCT	L-80A1289065000	Burmese cat	89065000L-80A12	C0324491
SRTSCT	L-D981413653002	Cestrum parqui	13653002L-D9814	C0331192
SRTSCT	L-80A1343529009	Chartreux cat	43529009L-80A13	C0324492
SRTSCT	L-80A5161753003	Colourpoint shorthaired cat	61753003L-80A51	C0324511
SRTSCT	L-80A1973271003	Domestic leopard cat	73271003L-80A19	C0324498
SRTSCT	L-80A208419007	Domestic longhaired cat	8419007L-80A20	C0324499
SRTSCT	L-8880B409914009	Domestic medium-haired cat	409914009L-8880B	C1455846
SRTSCT	L-80A5215020009	Domestic shorthaired cat	15020009L-80A52	C0324512
SRTSCT	L-80A1421637005	Egyptian mau cat	21637005L-80A14	C0324493
SRTSCT	L-80A5326057009	Exotic shorthaired cat	26057009L-80A53	C0324513

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80A153354004	Havana brown cat	3354004L-80A15	C0324494
SRTSCT	L-80A1626382003	Japanese bobtail cat	26382003L-80A16	C0324495
SRTSCT	L-80A1710701001	Javanese cat	10701001L-80A17	C0324496
SRTSCT	L-80A1827125003	Korat cat	27125003L-80A18	C0324497
SRTSCT	L-80A3140547002	Longhaired manx	40547002L-80A31	C0324502
SRTSCT	L-80A2181866001	Maine coon cat	81866001L-80A21	C0324500
SRTSCT	L-80A303995008	Manx	3995008L-80A30	C0324501
SRTSCT	L-80A3263972001	Ocicat	63972001L-80A32	C0324503
SRTSCT	L-80A5424967003	Oriental shorthaired cat	24967003L-80A54	C0324514
SRTSCT	L-80A3368086001	Persian cat	68086001L-80A33	C0324504
SRTSCT	L-80A4384797007	Russian blue cat	84797007L-80A43	C0324508
SRTSCT	L-80A4473049001	Scottish fold cat	73049001L-80A44	C0324509
SRTSCT	L-80A87132665002	Shorthaired cat	132665002L-80A87	C1296918
SRTSCT	L-80A5565694005	Siamese cat	65694005L-80A55	C0324515
SRTSCT	L-80A5610136006	Singapura cat	10136006L-80A56	C0324516
SRTSCT	L-80A574042003	Somali cat	4042003L-80A57	C0324517
SRTSCT	L-80A5844855006	Tonkinese cat	44855006L-80A58	C0324518
SRTSCT	L-80A5950441005	Turkish angora cat	50441005L-80A59	C0324519
SRTSCT	L-8070552946002	Affenpinscher	52946002L-80705	C0324297
SRTSCT	L-8070677213006	Afghan hound	77213006L-80706	C0324298
SRTSCT	L-807073921008	Airedale terrier	3921008L-80707	C0324299
SRTSCT	L-8070884514002	Akita dog	84514002L-80708	C0324300
SRTSCT	L-8070953228008	Alaskan malamute	53228008L-80709	C0324301
SRTSCT	L-807A488779009	American foxhound	88779009L-807A4	C0324369
SRTSCT	L-8071111746005	Australian cattle dog	11746005L-80711	C0324303
SRTSCT	L-80710112491001	Australian terrier	112491001L-80710	C0324302
SRTSCT	L-8071247659007	Basenji	47659007L-80712	C0324304
SRTSCT	L-8071341320000	Basset hound	41320000L-80713	C0324305
SRTSCT	L-8071444696006	Beagle	44696006L-80714	C0324306
SRTSCT	L-807151514007	Bedlington terrier	1514007L-80715	C0324307
SRTSCT	L-8071674536009	Belgian groenendael dog	74536009L-80716	C0324308
SRTSCT	L-8071776554006	Belgian laeken dog	76554006L-80717	C0324309
SRTSCT	L-8071837116003	Belgian malinois dog	37116003L-80718	C0324310
SRTSCT	L-8071985144002	Belgian sheepdog	85144002L-80719	C0324311
SRTSCT	L-8072027444002	Belgian tervuren dog	27444002L-80720	C0324312
SRTSCT	L-8072133458006	Bernese mountain dog	33458006L-80721	C0324313
SRTSCT	L-8072241538003	Bichons frise dog	41538003L-80722	C0324314
SRTSCT	L-8072381529001	Bloodhound	81529001L-80723	C0324315
SRTSCT	L-8072469529009	Border terrier	69529009L-80724	C0324316
SRTSCT	L-80725112492008	Borzoi dog	112492008L-80725	C0324317
SRTSCT	L-8072679295007	Boston terrier	79295007L-80726	C0324318

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8072766712005	Bouvier des Flandres	66712005L-80727	C0324319
SRTSCT	L-8072842250008	Boxer dog	42250008L-80728	C0324320
SRTSCT	L-8072910369004	Briard dog	10369004L-80729	C0324321
SRTSCT	L-8073023995009	Bull terrier	23995009L-80730	C0324322
SRTSCT	L-8073538184008	Bulldog	38184008L-80735	C0324327
SRTSCT	L-8073671175006	Bullmastiff	71175006L-80736	C0324328
SRTSCT	L-8073787111007	Cairn terrier	87111007L-80737	C0324329
SRTSCT	L-8073866495005	Cavalier King Charles spaniel	66495005L-80738	C0324330
SRTSCT	L-8074428751008	Chow Chow	28751008L-80744	C0324335
SRTSCT	L-8075019078005	Collie	19078005L-80750	C0324336
SRTSCT	L-8076073319009	Coonhound	73319009L-80760	C0324341
SRTSCT	L-807775916008	Dalmatian dog	5916008L-80777	C0324355
SRTSCT	L-807783347005	Dandie dinmont terrier	3347005L-80778	C0324356
SRTSCT	L-8078047075006	Doberman pinscher	47075006L-80780	C0324358
SRTSCT	L-8078156984005	Drever dog	56984005L-80781	C0324359
SRTSCT	L-807A559975009	English foxhound	59975009L-807A5	C0324370
SRTSCT	L-8078267088002	English toy spaniel	67088002L-80782	C0324360
SRTSCT	L-8079089450005	Eskimo dog	89450005L-80790	C0324361
SRTSCT	L-8079383504004	Finnish spitz dog	83504004L-80793	C0324364
SRTSCT	L-807B090101001	Foxhound	90101001L-807B0	C0324371
SRTSCT	L-807B159643008	French bulldog	59643008L-807B1	C0324372
SRTSCT	L-807B242252000	German shepherd dog	42252000L-807B2	C0324373
SRTSCT	L-807B432670005	Great Pyrene dog	32670005L-807B4	C0324375
SRTSCT	L-807B327615007	Great dane dog	27615007L-807B3	C0324374
SRTSCT	L-807B5112494009	Greyhound	112494009L-807B5	C0324376
SRTSCT	L-807C055058007	Griffon dog	55058007L-807C0	C0324377
SRTSCT	L-807C376724004	Harrier dog	76724004L-807C3	C0324380
SRTSCT	L-8070225097001	Hound	25097001L-80702	C0324295
SRTSCT	L-807C410842007	Ibizan hound	10842007L-807C4	C0324381
SRTSCT	L-807C675494002	Irish terrier	75494002L-807C6	C0324383
SRTSCT	L-807C552952001	Irish wolfhound	52952001L-807C5	C0324382
SRTSCT	L-807C730347000	Italian greyhound	30347000L-807C7	C0324384
SRTSCT	L-807C86103004	Jack Russel terrier	6103004L-807C8	C0324385
SRTSCT	L-807C953922000	Japanese chin dog	53922000L-807C9	C0324387
SRTSCT	L-807D023159000	Japanese spaniel	23159000L-807D0	C0324387
SRTSCT	L-807D184660008	Karelian bear dog	84660008L-807D1	C0324388
SRTSCT	L-807D281607005	Keeshond	81607005L-807D2	C0324389
SRTSCT	L-807D332591006	Kerry blue terrier	32591006L-807D3	C0324390
SRTSCT	L-807D446239008	Komondor dog	46239008L-807D4	C0324391
SRTSCT	L-807D584548001	Kuvasz dog	84548001L-807D5	C0324392
SRTSCT	L-807D678214003	Lakeland terrier	78214003L-807D6	C0324393

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-807D736438004	Lhasa apso	36438004L-807D7	C0324394
SRTSCT	L-807D839348004	Maltese dog	39348004L-807D8	C0324395
SRTSCT	L-8080348524002	Mastiff dog	48524002L-80803	C0324399
SRTSCT	L-8080478246003	Mexican hairless dog	78246003L-80804	C0324400
SRTSCT	L-8080512131006	Miniature pinscher dog	12131006L-80805	C0324401
SRTSCT	L-8080652253003	Newfoundland dog	52253003L-80806	C0324402
SRTSCT	L-8080762790004	Norfolk terrier	62790004L-80807	C0324403
SRTSCT	L-8080876994004	Norwegian elkhound	76994004L-80808	C0324404
SRTSCT	L-8080926332008	Norwich terrier	26332008L-80809	C0324405
SRTSCT	L-8081087029004	Old English sheepdog	87029004L-80810	C0324406
SRTSCT	L-8081158116005	Otter hound	58116005L-80811	C0324407
SRTSCT	L-8081241263004	Papillon dog	41263004L-80812	C0324408
SRTSCT	L-8081367684001	Pekingese dog	67684001L-80813	C0324409
SRTSCT	L-8081447542005	Petit basset griffon vendeen dog	47542005L-80814	C0324410
SRTSCT	L-8081514876008	Pharaoh hound	14876008L-80815	C0324411
SRTSCT	L-8081640400008	Plott hound	40400008L-80816	C0324412
SRTSCT	L-8082073318001	Pointer	73318001L-80820	C0324413
SRTSCT	L-8082410040000	Pomeranian dog	10040000L-80824	C0324417
SRTSCT	L-8083463390008	Portuguese water dog	63390008L-80834	C0324422
SRTSCT	L-8083561286000	Pudelpointer	61286000L-80835	C0324423
SRTSCT	L-8083660252000	Pug dog	60252000L-80836	C0324424
SRTSCT	L-8083721039009	Puli dog	21039009L-80837	C0324425
SRTSCT	L-808401974006	Retriever	1974006L-80840	C0324426
SRTSCT	L-8084774173000	Rhodesian ridgeback dog	74173000L-80847	C0324433
SRTSCT	L-8084814245006	Rottweiler dog	14245006L-80848	C0324434
SRTSCT	L-8084959528003	Saluki dog	59528003L-80849	C0324435
SRTSCT	L-8085069474004	Samoyed dog	69474004L-80850	C0324436
SRTSCT	L-8085121150005	Schipperke dog	21150005L-80851	C0324437
SRTSCT	L-8077954858000	Scottish deerhound	54858000L-80779	C0324357
SRTSCT	L-8086461405001	Scottish terrier	61405001L-80864	C0324442
SRTSCT	L-8086534752004	Sealyham terrier	34752004L-80865	C0324443
SRTSCT	L-8087037453003	Setter	37453003L-80870	C0324444
SRTSCT	L-8087450125003	Shetland sheepdog	50125003L-80874	C0324448
SRTSCT	L-8087531077009	Shih tzu dog	31077009L-80875	C0324449
SRTSCT	L-808763674001	Siberian huskie	3674001L-80876	C0324450
SRTSCT	L-8087739882003	Silky terrier	39882003L-80877	C0324451
SRTSCT	L-8087824299002	Skye terrier	24299002L-80878	C0324452
SRTSCT	L-8087947699005	Soft-coated wheaten terrier	47699005L-80879	C0324453
SRTSCT	L-8088045625009	Spaniel	45625009L-80880	C0324454
SRTSCT	L-8089583236005	St. Bernard dog	83236005L-80895	C0324469

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-80801 9131007	Standard Manchester terrier	9131007 L-80801	C0324397
SRTSCT	L-80896 61320006	Tahltan bear dog	61320006 L-80896	C0324470
SRTSCT	L-80703 606003	Terrier	606003 L-80703	C0324296
SRTSCT	L-80897 87219003	Tibetan spaniel	87219003 L-80897	C0324471
SRTSCT	L-80898 17663009	Tibetan terrier	17663009 L-80898	C0324472
SRTSCT	L-80802 13942005	Toy Manchester terrier	13942005 L-80802	C0324398
SRTSCT	L-80903 69249004	Weimaraner	69249004 L-80903	C0324476
SRTSCT	L-80904 49421002	Welsh terrier	49421002 L-80904	C0324477
SRTSCT	L-80913 40727008	West Highland white terrier	40727008 L-80913	C0324481
SRTSCT	L-80914 76351004	Whippet dog	76351004 L-80914	C0324482
SRTSCT	L-807G2 33401005	Wirehaired pointing griffon dog	33401005 L-807C2	C0324379
SRTSCT	L-88120 82676003	Wolf	82676003 L-88120	C0325001
SRTSCT	L-80915 13284009	Yorkshire terrier	13284009 L-80915	C0324483
SRTSCT	L-80105 84923006	Aberdeen Angus cow breed	84923006 L-80105	C0324046
SRTSCT	L-80106 8989009	Ayrshire cow breed	8989009 L-80106	C0324047
SRTSCT	L-80108 409905004	Black Angus cow breed	409905004 L-80108	C1444147
SRTSCT	L-80112 62153005	Blonde d'Aquitaine cow breed	62153005 L-80112	C0324049
SRTSCT	L-80113 30384003	Brahma cow breed	30384003 L-80113	C0324050
SRTSCT	L-80115 44230005	Brown Swiss cow breed	44230005 L-80115	C0324052
SRTSCT	L-80116 21921002	Canadian cow breed	21921002 L-80116	C0324053
SRTSCT	L-80118 35229007	Chianina cow breed	35229007 L-80118	C0324055
SRTSCT	L-80119 83996001	Criollo cow breed	83996001 L-80119	C0324056
SRTSCT	L-80120 53031002	Dexter cow breed	53031002 L-80120	C0324057
SRTSCT	L-80130 66911005	Galloway cow breed	66911005 L-80130	C0324058
SRTSCT	L-80131 13544004	Belted Galloway cow breed	13544004 L-80131	C0324059
SRTSCT	L-80132 76497003	Gelbveih cow breed	76497003 L-80132	C0324060
SRTSCT	L-80133 67448000	German Fleck-Vieh cow breed	67448000 L-80133	C0324061
SRTSCT	L-80134 32938007	Gir cow breed	32938007 L-80134	C0324062
SRTSCT	L-80135 84839000	Guernsey cow breed	84839000 L-80135	C0324063
SRTSCT	L-80136 112485003	Gujarati cow breed	112485003 L-80136	C0324064
SRTSCT	L-80137 23629009	Hays converter cow breed	23629009 L-80137	C0324065
SRTSCT	L-80141 7843000	Horned Hereford cow breed	7843000 L-80141	C0324067
SRTSCT	L-80142 9277006	Polled Hereford cow breed	9277006 L-80142	C0324068
SRTSCT	L-80143 26105007	Holstein-Friesian cow breed	26105007 L-80143	C0324069
SRTSCT	L-80144 51937006	Jersey cow breed	51937006 L-80144	C0324070
SRTSCT	L-80145 48702000	Limousin cow breed	48702000 L-80145	C0324071
SRTSCT	L-80146 3216001	Lincoln red cow breed	3216001 L-80146	C0324072
SRTSCT	L-80147 66314009	Longhorn cow breed	66314009 L-80147	C0324073
SRTSCT	L-80148 21553004	Luing cow breed	21553004 L-80148	C0324074
SRTSCT	L-80149 45284002	Maine Anjou cow breed	45284002 L-80149	C0324075
SRTSCT	L-80150 65344003	Marchigiana cow breed	65344003 L-80150	C0324076

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-80151 6112002	Meusse-Rhine-Ijssel cow breed	6112002L-80151	C0324077
SRTSCT	L-80153 76604009	Nellore cow breed	76604009L-80153	C0324079
SRTSCT	L-80154 81267004	Normandie cow breed	81267004L-80154	C0324080
SRTSCT	L-80156 400003	Pinzgauer cow breed	400003L-80156	C0324082
SRTSCT	L-80157 88807001	Red Poll cow breed	88807001L-80157	C0324083
SRTSCT	L-80158 90612002	Salers cow breed	90612002L-80158	C0324084
SRTSCT	L-80160 83173002	Scottish Highland cow breed	83173002L-80160	C0324086
SRTSCT	L-80170 80835003	Shorthorn cow breed	80835003L-80170	C0324087
SRTSCT	L-80171 78541007	Milking Shorthorn cow breed	78541007L-80171	C1297523
SRTSCT	L-80172 28483003	Simmental cow breed	28483003L-80172	C0324089
SRTSCT	L-80173 50959000	Tarentaise cow breed	50959000L-80173	C0324090
SRTSCT	L-80174 28744004	Black Welsh cow breed	28744004L-80174	C0324091
SRTSCT	L-80175 944009	Brown Welsh cow breed	944009L-80175	C0324092
SRTSCT	L-80176 26525003	White Park cow breed	26525003L-80176	C0324093
SRTSCT	L-801E8 424705003	Bison bison X Simmental hybrid	424705003L-801E8	C1828053
SRTSCT	L-80205 70431006	Alpine goat breed	70431006L-80205	C0324094
SRTSCT	L-80206 5438004	French alpine goat breed	5438004L-80206	C0324095
SRTSCT	L-80207 74745008	Rock alpine goat breed	74745008L-80207	C0324096
SRTSCT	L-80208 64158000	Angora goat breed	64158000L-80208	C0324097
SRTSCT	L-80209 9230001	Camarron goat breed	9230001L-80209	C0324098
SRTSCT	L-80210 89708009	Chamoisee goat breed	89708009L-80210	C0324099
SRTSCT	L-80211 55530007	La Mancha goat breed	55530007L-80211	C0324100
SRTSCT	L-80212 16015002	Anglo nubian goat breed	16015002L-80212	C0324101
SRTSCT	L-80213 684003	Pygmy goat breed	684003L-80213	C0324102
SRTSCT	L-80214 21208000	Saanen goat breed	21208000L-80214	C0324103
SRTSCT	L-80215 28360002	Swiss alpine goat breed	28360002L-80215	C0324104
SRTSCT	L-80216 30089001	Toggenburg goat breed	30089001L-80216	C0324105
SRTSCT	L-80218 131608000	Australian goat breed	131608000L-80218	C1296065
SRTSCT	L-80219 131609008	Arapawa Island goat breed	131609008L-80219	C1296066
SRTSCT	L-8021A 131610003	Maltese goat breed	131610003L-8021A	C1296067
SRTSCT	L-8021B 131611004	Provençale goat breed	131611004L-8021B	C1321441
SRTSCT	L-8021C 131612006	Negra Serrana goat breed	131612006L-8021C	C1296068
SRTSCT	L-8021D 131613001	Orobica goat breed	131613001L-8021D	C1296069
SRTSCT	L-8021E 131614007	Roya-Vesubie goat breed	131614007L-8021E	C1296070
SRTSCT	L-8021F 131615008	Retinta Extremena goat breed	131615008L-8021F	C1296071
SRTSCT	L-80220 131616009	Appenzell goat breed	131616009L-80220	C1296072
SRTSCT	L-80221 131617000	American Cashmere goat breed	131617000L-80221	C1296073
SRTSCT	L-80222 131618005	Altai Mountain goat breed	131618005L-80222	C1269141
SRTSCT	L-80223 131619002	Pyrenean goat breed	131619002L-80223	C1269142

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-80224131620008	Bagot goat breed	131620008L-80224	C1296074
SRTSCT	L-80225131621007	Russian White goat breed	131621007L-80225	C1269143
SRTSCT	L-80226131622000	Moxotó goat breed	131622000L-80226	C1321442
SRTSCT	L-80227131623005	Myotonic goat breed	131623005L-80227	C1269144
SRTSCT	L-80228131624004	Nachi goat breed	131624004L-80228	C1296075
SRTSCT	L-80229131625003	Nigerian Dwarf goat breed	131625003L-80229	C1269145
SRTSCT	L-8022A131626002	Sarda goat breed	131626002L-8022A	C1296076
SRTSCT	L-8022B131627006	Serpentina goat breed	131627006L-8022B	C1296077
SRTSCT	L-8022C131628001	Serrana goat breed	131628001L-8022C	C1296078
SRTSCT	L-8022D131629009	Verata goat breed	131629009L-8022D	C1296079
SRTSCT	L-8022E131630004	Verzasca goat breed	131630004L-8022E	C1296080
SRTSCT	L-80230131631000	Norwegian goat breed	131631000L-80230	C1269146
SRTSCT	L-80231131632007	Oberhasli goat breed	131632007L-80231	C1296081
SRTSCT	L-80232131633002	Peacock goat breed	131633002L-80232	C1296082
SRTSCT	L-80233131634008	Philippine goat breed	131634008L-80233	C1296083
SRTSCT	L-80234131635009	Loashan goat breed	131635009L-80234	C1296084
SRTSCT	L-80235131636005	San Clemente goat breed	131636005L-80235	C1296085
SRTSCT	L-80236131637001	Somali goat breed	131637001L-80236	C1296086
SRTSCT	L-80237131638006	Spanish goat breed	131638006L-80237	C1296087
SRTSCT	L-80238131639003	Rove goat breed	131639003L-80238	C1296088
SRTSCT	L-80239131640001	SRD goat breed	131640001L-80239	C1296089
SRTSCT	L-80240131641002	Swedish Landrace goat breed	131641002L-80240	C1269147
SRTSCT	L-80241131642009	Thuringian goat breed	131642009L-80241	C1269148
SRTSCT	L-80242131643004	Uzbek Black goat breed	131643004L-80242	C1269149
SRTSCT	L-80243131644005	Zhongwei goat breed	131644005L-80243	C1296090
SRTSCT	L-80244131645006	Barbari goat breed	131645006L-80244	C1296091
SRTSCT	L-80245131646007	Poitou goat breed	131646007L-80245	C1296092
SRTSCT	L-80246131647003	Repartida goat breed	131647003L-80246	C1296093
SRTSCT	L-80247131648008	Booted goat breed	131648008L-80247	C1269150
SRTSCT	L-80248131649000	Corsican goat breed	131649000L-80248	C1269151
SRTSCT	L-80249131650000	Chapar goat breed	131650000L-80249	C1296094
SRTSCT	L-80250131651001	Canindé goat breed	131651001L-80250	C1321443
SRTSCT	L-80251131652008	Canary Island goat breed	131652008L-80251	C1296095
SRTSCT	L-80252131653003	Daera Din Panah goat breed	131653003L-80252	C1296096
SRTSCT	L-80253131654009	British Alpine goat breed	131654009L-80253	C1269152
SRTSCT	L-80254131655005	Bhuj goat breed	131655005L-80254	C1296097
SRTSCT	L-80255131656006	Boer goat breed	131656006L-80255	C1296098
SRTSCT	L-80256131657002	Benadir goat breed	131657002L-80256	C1296099
SRTSCT	L-80257131658007	Creole Antilles goat breed	131658007L-80257	C1269153
SRTSCT	L-80258131659004	Beetal goat breed	131659004L-80258	C1296100
SRTSCT	L-80259131660009	Golden Guernsey goat breed	131660009L-80259	C1296101

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-80260131661008	Danish Landrace goat breed	131661008L-80260	C1269154
SRTSCT	L-80261131662001	Kaghani goat breed	131662001L-80261	C1296102
SRTSCT	L-80263131663006	Irish goat breed	131663006L-80263	C1269155
SRTSCT	L-80265131664000	Grisons Striped goat breed	131664000L-80265	C1269156
SRTSCT	L-80266131665004	Jining Gray goat breed	131665004L-80266	C1269157
SRTSCT	L-80267131666003	Finnish Landrace goat breed	131666003L-80267	C1269158
SRTSCT	L-80268131667007	Erzgebirg goat breed	131667007L-80268	C1296103
SRTSCT	L-80269131668002	Kamori goat breed	131668002L-80269	C1296104
SRTSCT	L-80270131669005	Don goat breed	131669005L-80270	C1296105
SRTSCT	L-80271131670006	Kiko goat breed	131670006L-80271	C1296106
SRTSCT	L-80272131671005	Kinder goat breed	131671005L-80272	C1296107
SRTSCT	L-80273131672003	Pygora goat breed	131672003L-80273	C1296108
SRTSCT	L-80274131673008	Wooden Leg goat breed	131673008L-80274	C1269159
SRTSCT	L-80275131674002	Alpine Chamoisee goat breed	131674002L-80275	C1296109
SRTSCT	L-80276131675001	Massif Central goat breed	131675001L-80276	C1269160
SRTSCT	L-80277131676000	Malagueña goat breed	131676000L-80277	C1321444
SRTSCT	L-80278131677009	Algarvia goat breed	131677009L-80278	C1296110
SRTSCT	L-80279131678004	British Saanen goat breed	131678004L-80279	C1269161
SRTSCT	L-80280131679007	British Toggenburg goat breed	131679007L-80280	C1269162
SRTSCT	L-80281131680005	Bündner goat breed	131680005L-80281	C1321445
SRTSCT	L-80282131681009	Blanca Andaluza goat breed	131681009L-80282	C1296111
SRTSCT	L-80283131682002	Blanca Celtiberica goat breed	131682002L-80283	C1296112
SRTSCT	L-80284131683007	Bravia goat breed	131683007L-80284	C1296113
SRTSCT	L-80285131684001	Black Grisonne goat breed	131684001L-80285	C1269163
SRTSCT	L-80286131685000	Chamois of the Alps goat breed	131685000L-80286	C1296114
SRTSCT	L-80287131686004	Charnequeria goat breed	131686004L-80287	C1296115
SRTSCT	L-80288131687008	Carpathe goat breed	131687008L-80288	C1296116
SRTSCT	L-80289131688003	Col Noir du Valais goat breed	131688003L-80289	C1296117
SRTSCT	L-80290131689006	Damani goat breed	131689006L-80290	C1296118
SRTSCT	L-80291131690002	Des Fosses (Communes de l'Ouest) goat breed	131690002L-80291	C1296119
SRTSCT	L-80292131691003	English goat breed	131691003L-80292	C1296120
SRTSCT	L-80293131692005	English Guernsey goat breed	131692005L-80293	C1296121
SRTSCT	L-80294131693000	German colored goat breed	131693000L-80294	C1269164
SRTSCT	L-80295131694006	Guadarrama goat breed	131694006L-80295	C1296122
SRTSCT	L-80296131695007	Garganica goat breed	131695007L-80296	C1296123
SRTSCT	L-80297131696008	Girgentana goat breed	131696008L-80297	C1296124
SRTSCT	L-80298131697004	Jonica goat breed	131697004L-80298	C1296125
SRTSCT	L-80299131698009	Murciana-Granadina goat breed	131698009L-80299	C1296126
SRTSCT	L-8030625660007	Barbados sheep breed	25660007L-80306	C0324107

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8030765187008	Black faced Highland sheep breed	65187008L-80307	C0324108
SRTSCT	L-8030850717006	Cheviot sheep breed	50717006L-80308	C0324109
SRTSCT	L-8030948697009	Clun Forest sheep breed	48697009L-80309	C0324110
SRTSCT	L-8031067515002	Corriedale sheep breed	67515002L-80310	C0324111
SRTSCT	L-8031167414001	Cotswold sheep breed	67414001L-80311	C0324112
SRTSCT	L-8031244835005	Debouillet sheep breed	44835005L-80312	C0324113
SRTSCT	L-8032186920006	Horn dorset sheep breed	86920006L-80321	C0324115
SRTSCT	L-8032272329005	Finnish landrace sheep breed	72329005L-80322	C0324116
SRTSCT	L-8032364591001	Karakul sheep breed	64591001L-80323	C0324117
SRTSCT	L-8032411967001	Kerry Hill sheep breed	11967001L-80324	C0324118
SRTSCT	L-803256431001	Leicester sheep breed	6431001L-80325	C0324119
SRTSCT	L-8032665492002	Lincoln sheep breed	65492002L-80326	C0324120
SRTSCT	L-8032782440005	Hampshire Down sheep breed	82440005L-80327	C0324121
SRTSCT	L-8033173191001	American merino sheep breed	73191001L-80331	C0324123
SRTSCT	L-8033246392004	Delaine merino sheep breed	46392004L-80332	C0324124
SRTSCT	L-803335164003	Montdale sheep breed	5164003L-80333	C0324125
SRTSCT	L-8033445690005	Mouflon sheep breed	45690005L-80334	C0324126
SRTSCT	L-8033559210004	Navajo sheep breed	59210004L-80335	C0324127
SRTSCT	L-80336112486002	No-tail sheep breed	112486002L-80336	C0324128
SRTSCT	L-8033787962009	North County cheviot sheep breed	87962009L-80337	C0324129
SRTSCT	L-8033853360003	Oxford Down sheep breed	53360003L-80338	C0324130
SRTSCT	L-8033913934009	Panama sheep breed	13934009L-80339	C0324131
SRTSCT	L-8034041706005	Perendale sheep breed	41706005L-80340	C0324132
SRTSCT	L-803412124007	Rambouillet sheep breed	2124007L-80341	C0324133
SRTSCT	L-8034232145006	Romanov sheep breed	32145006L-80342	C0324134
SRTSCT	L-8034379603002	Romedale sheep breed	79603002L-80343	C0324135
SRTSCT	L-80344112487006	Romnelet sheep breed	112487006L-80344	C0324136
SRTSCT	L-803453099004	Romney marsh sheep breed	3099004L-80345	C0324137
SRTSCT	L-803464574003	Shropshire sheep breed	4574003L-80346	C0324138
SRTSCT	L-803473566006	Southdown sheep breed	3566006L-80347	C0324139
SRTSCT	L-8034872648002	Suffolk sheep breed	72648002L-80348	C0324140
SRTSCT	L-8034989665001	Targhee sheep breed	89665001L-80349	C0324141
SRTSCT	L-8035039855006	Wiltshire horn sheep breed	39855006L-80350	C0324142
SRTSCT	L-8040545790002	American Albino horse breed	45790002L-80405	C0324147
SRTSCT	L-8040690050009	American Buckskin horse breed	90050009L-80406	C0324148
SRTSCT	L-8040726837006	American cream horse breed	26837006L-80407	C0324149
SRTSCT	L-8040854699009	American miniature horse breed	54699009L-80408	C0324150
SRTSCT	L-804097623008	American paint horse breed	7623008L-80409	C0324151

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	L-80410 42724005	American saddlebred horse breed	42724005 L-80410	C0324152
SRTSCT	L-80411 26973000	American trotter horse breed	26973000 L-80411	C0324153
SRTSCT	L-80412 72394007	American tunis horse breed	72394007 L-80412	C0324154
SRTSCT	L-80413 80777007	Andalusian horse breed	80777007 L-80413	C0324155
SRTSCT	L-80414 55167009	Appaloosa horse breed	55167009 L-80414	C0324156
SRTSCT	L-80415 54098002	Arabian horse breed	54098002 L-80415	C0324157
SRTSCT	L-80416 22720009	Belgian horse breed	22720009 L-80416	C0324158
SRTSCT	L-80417 47842004	Canadian horse breed	47842004 L-80417	C0324159
SRTSCT	L-80418 41092008	Cleveland bay horse breed	41092008 L-80418	C0324160
SRTSCT	L-80419 1247002	Clydesdale horse breed	1247002 L-80419	C0324161
SRTSCT	L-80421 89648005	Fjord horse breed	89648005 L-80421	C0324162
SRTSCT	L-80422 6220006	Galiceno horse breed	6220006 L-80422	C0324163
SRTSCT	L-80423 112488001	Hackney horse breed	112488001 L-80423	C0324164
SRTSCT	L-80424 54447000	Haflinger horse breed	54447000 L-80424	C0324165
SRTSCT	L-80425 66168008	Hanoverian horse breed	66168008 L-80425	C0324166
SRTSCT	L-80426 25813002	Holsteiner horse breed	25813002 L-80426	C0324167
SRTSCT	L-80427 19356005	Hunter horse breed	19356005 L-80427	C0324168
SRTSCT	L-80428 70457009	Icelandic horse breed	70457009 L-80428	C0324169
SRTSCT	L-80429 41754002	Lipizzaner horse breed	41754002 L-80429	C0324170
SRTSCT	L-80430 12360007	Missouri fox trotting horse breed	12360007 L-80430	C0324171
SRTSCT	L-80431 21295007	Morgan horse breed	21295007 L-80431	C0324172
SRTSCT	L-80433 26699009	New Forest pony horse breed	26699009 L-80433	C0324173
SRTSCT	L-80435 39532001	Norman coach horse breed	39532001 L-80435	C0324174
SRTSCT	L-80436 41738000	Palomino horse breed	41738000 L-80436	C0324175
SRTSCT	L-80437 56086005	Paso Fino horse breed	56086005 L-80437	C0324176
SRTSCT	L-80438 1006005	Percheron horse breed	1006005 L-80438	C0324177
SRTSCT	L-80439 4960000	Peruvian Paso horse breed	4960000 L-80439	C0324178
SRTSCT	L-80440 58264006	Pinto horse breed	58264006 L-80440	C0324179
SRTSCT	L-80450 3997000	Pony horse breed	3997000 L-80450	C0324180
SRTSCT	L-80451 46408008	American pony horse breed	46408008 L-80451	C0324181
SRTSCT	L-80452 69067004	Shetland pony horse breed	69067004 L-80452	C0324182
SRTSCT	L-80453 396488006	Ariégeois pony horse breed	396488006 L-80453	C1321492
SRTSCT	L-80454 76467006	Quarter horse breed	76467006 L-80454	C0324183
SRTSCT	L-80455 13487004	Shire horse breed	13487004 L-80455	C0324184
SRTSCT	L-80456 76302002	Spanish mustang horse breed	76302002 L-80456	C0324185
SRTSCT	L-80457 34200004	Standardbred horse breed	34200004 L-80457	C0324186
SRTSCT	L-80458 53567001	Suffolk horse breed	53567001 L-80458	C0324187
SRTSCT	L-80459 51023000	Tennessee walking horse breed	51023000 L-80459	C0324188
SRTSCT	L-80461 1789009	Trakehner horse breed	1789009 L-80461	C0324190

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-804621118004	Viking horse breed	1118004L-80462	C0324191
SRTSCT	L-804638089006	Welsh walking horse breed	8089006L-80463	C0324192
SRTSCT	L-8046425369002	Westphalian horse breed	25369002L-80464	C0324193
SRTSCT	L-8046531633003	Yorkshire coach horse breed	31633003L-80465	C0324194
SRTSCT	L-80495425253007	Draft pony superbreed horse breed	425253007L-80495	C1827769
SRTSCT	L-804A0425118005	American draft pony horse breed	425118005L-804A0	C1827471
SRTSCT	L-804B0424111008	Pindos pony horse breed	424111008L-804B0	C1828122
SRTSCT	L-804C0423926000	Skyros pony horse breed	423926000L-804C0	C1827647
SRTSCT	L-8050548394005	Beltsville pig breed	48394005L-80505	C0324195
SRTSCT	L-80510112489009	Berkshire pig breed	112489009L-80510	C0324225
SRTSCT	L-8051133551003	Kentucky red berkshire pig breed	33551003L-80511	C0324199
SRTSCT	L-8052074899005	Boar power pig breed	74899005L-80520	C0324200
SRTSCT	L-8052176364003	Boar power pig 27 pig breed	76364003L-80521	C0324201
SRTSCT	L-8052232297006	Boar power pig 48 pig breed	32297006L-80522	C0324202
SRTSCT	L-8052353431006	Boar power pig 59 pig breed	53431006L-80523	C0324203
SRTSCT	L-8052418212001	Boar power pig 72 pig breed	18212001L-80524	C0324204
SRTSCT	L-8052530720007	Boar power pig 84 pig breed	30720007L-80525	C0324205
SRTSCT	L-8052668512002	Boar power pig 141 pig breed	68512002L-80526	C0324206
SRTSCT	L-8052774970001	Boar power pig 161 pig breed	74970001L-80527	C0324207
SRTSCT	L-8052887061000	Boar power pig 282 pig breed	87061000L-80528	C0324208
SRTSCT	L-8052956084008	Boar power pig 292 pig breed	56084008L-80529	C0324209
SRTSCT	L-8053024319000	Boar power pig 414 pig breed	24319000L-80530	C0324210
SRTSCT	L-8053143500007	Boar power pig 454 pig breed	43500007L-80531	C0324211
SRTSCT	L-8053284315000	Boar power pig 474 pig breed	84315000L-80532	C0324212
SRTSCT	L-8053361036003	Boar power pig 545 pig breed	61036003L-80533	C0324213
SRTSCT	L-8053429223008	Boar power pig 565 pig breed	29223008L-80534	C0324214
SRTSCT	L-8053533212007	Boar power pig 616 pig breed	33212007L-80535	C0324215
SRTSCT	L-8053648470006	Boar power pig 656 pig breed	48470006L-80536	C0324216
SRTSCT	L-8053784081007	Boar power pig 747 pig breed	84081007L-80537	C0324217
SRTSCT	L-8053834595003	Boar power pig 828 pig breed	34595003L-80538	C0324218
SRTSCT	L-8053925856007	Boar power pig 929 pig breed	25856007L-80539	C0324219
SRTSCT	L-8054022506004	British lop pig breed	22506004L-80540	C0324220
SRTSCT	L-8054115961007	British saddleback pig breed	15961007L-80541	C0324221
SRTSCT	L-8055024840008	CPF pig breed	24840008L-80550	C0324222
SRTSCT	L-8055369461005	Chester white pig breed	69461005L-80553	C0324225
SRTSCT	L-8055429881002	Connor prairie pig breed	29881002L-80554	C0324226
SRTSCT	L-8056074921000	DK pig breed	74921000L-80560	C0324227
SRTSCT	L-8056141561001	DK pig 30 pig breed	41561001L-80561	C0324228
SRTSCT	L-8056236570001	DK pig 31 pig breed	36570001L-80562	C0324229

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-805636053007	DK pig 33 pig breed	6053007L-80563	C0324230
SRTSCT	L-805648516002	DK pig 51 pig breed	8516002L-80564	C0324231
SRTSCT	L-8056561973002	DK pig 61 pig breed	61973002L-80565	C0324232
SRTSCT	L-80566112490000	DK pig 63 pig breed	112490000L-80566	C0324233
SRTSCT	L-8056711161001	DK pig 77 pig breed	11161001L-80567	C0324234
SRTSCT	L-805683260001	Duroc pig breed	3260001L-80568	C0324235
SRTSCT	L-8057089928000	FHC pig breed	89928000L-80570	C0324236
SRTSCT	L-8057145635003	FHC elite pig 1 pig breed	45635003L-80571	C0324237
SRTSCT	L-8057259667000	FHC elite pig 2 pig breed	59667000L-80572	C0324238
SRTSCT	L-8057324111007	FHC elite pig 3 pig breed	24111007L-80573	C0324239
SRTSCT	L-8057447795006	FHC elite pig 4 pig breed	47795006L-80574	C0324240
SRTSCT	L-8057567720004	FHC elite pig 5 pig breed	67720004L-80575	C0324241
SRTSCT	L-8057649462008	FHC elite pig 6 pig breed	49462008L-80576	C0324242
SRTSCT	L-8057732683006	FHC elite pig 7 pig breed	32683006L-80577	C0324243
SRTSCT	L-8057873005003	FHC elite pig 8 pig breed	73005003L-80578	C0324244
SRTSCT	L-8057914063001	FHC elite pig 9 pig breed	14063001L-80579	C0324245
SRTSCT	L-8057A90885005	Gloucester old spot pig breed	90885005L-8057A	C0324246
SRTSCT	L-8058020280002	Hampshire pig breed	20280002L-80580	C0324247
SRTSCT	L-8058119770007	Hereford pig breed	19770007L-80581	C0324248
SRTSCT	L-8058286694007	Hormel miniature pig breed	86694007L-80582	C0324249
SRTSCT	L-8059069602006	Kleen leen pig breed	69602006L-80590	C0324250
SRTSCT	L-8059136111002	Kleen leen black pig breed	36111002L-80591	C0324251
SRTSCT	L-8059284232003	Kleen leen red pig breed	84232003L-80592	C0324252
SRTSCT	L-8059357613003	Kleen leen white pig breed	57613003L-80593	C0324253
SRTSCT	L-8059430448006	Lacombe pig breed	30448006L-80594	C0324254
SRTSCT	L-8060080131009	Landrace pig breed	80131009L-80600	C0324255
SRTSCT	L-8060110261003	Belgium landrace pig breed	10261003L-80601	C0324256
SRTSCT	L-8060278994007	British landrace pig breed	78994007L-80602	C0324257
SRTSCT	L-8060384528008	Danish landrace pig breed	84528008L-80603	C0324258
SRTSCT	L-8060458311005	Dutch landrace pig breed	58311005L-80604	C0324259
SRTSCT	L-806058970009	French landrace pig breed	8970009L-80605	C0324260
SRTSCT	L-806068763002	German landrace pig breed	8763002L-80606	C0324261
SRTSCT	L-8060771923001	Italian landrace pig breed	71923001L-80607	C0324262
SRTSCT	L-8060842948007	Norwegian landrace pig breed	42948007L-80608	C0324263
SRTSCT	L-8060912407009	Swedish landrace pig breed	12407009L-80609	C0324264
SRTSCT	L-8061021021000	Large black pig breed	21021000L-80610	C0324265
SRTSCT	L-8061177236002	Large white pig breed	77236002L-80611	C0324266
SRTSCT	L-8061280084005	Lucie pig breed	80084005L-80612	C0324267
SRTSCT	L-8062060958006	Maryland pig breed	60958006L-80620	C0324268
SRTSCT	L-8062282909008	Middle white pig breed	82909008L-80622	C0324270
SRTSCT	L-8063061083001	Minnesota pig breed	61083001L-80630	C0324271

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8064074517004	Montana pig breed	74517004L-80640	C0324275
SRTSCT	L-806429135003	OIC pig breed	9135003L-80642	C0324277
SRTSCT	L-806435227002	Oxford sandy block pig breed	5227002L-80643	C0324278
SRTSCT	L-8064449240006	Palouse pig breed	49240006L-80644	C0324279
SRTSCT	L-8065075709004	Pic pig breed	75709004L-80650	C0324280
SRTSCT	L-8065117717005	Pic Cambourgh pig breed	17717005L-80651	C0324281
SRTSCT	L-8065286440008	Pic line pig 24 pig breed	86440008L-80652	C0324282
SRTSCT	L-8065329235007	Pic line pig 26 pig breed	29235007L-80653	C0324283
SRTSCT	L-8065420044005	Pietrain pig breed	20044005L-80654	C0324284
SRTSCT	L-8065579814001	Poland China pig breed	79814001L-80655	C0324285
SRTSCT	L-8065674568001	Red wattle pig breed	74568001L-80656	C0324286
SRTSCT	L-8065780979001	San Pierre pig breed	80979001L-80657	C0324287
SRTSCT	L-8065836187006	Spotted pig breed	36187006L-80658	C0324288
SRTSCT	L-8065930634003	Tamworth pig breed	30634003L-80659	C0324289
SRTSCT	L-8066054232006	Welsh pig breed	54232006L-80660	C0324290
SRTSCT	L-8066173648005	Wessex saddleback pig breed	73648005L-80661	C0324291
SRTSCT	L-8066285315007	Yorkshire pig breed	85315007L-80662	C0324292
SRTSCT	L-8066315443006	Yuca pig breed	15443006L-80663	C0324293
SRTSCT	L-8073112390000	American pit bull terrier dog breed	12390000L-80731	C0324323
SRTSCT	L-8073286593006	Colored bull terrier dog breed	86593006L-80732	C0324324
SRTSCT	L-8073383216009	Staffordshire bull terrier dog breed	83216009L-80733	C0324325
SRTSCT	L-8073442902003	White bull terrier dog breed	42902003L-80734	C0324326
SRTSCT	L-807409761009	Chihuahua superbreed dog breed	9761009L-80740	C0324331
SRTSCT	L-8074136611001	Long coat chihuahua dog breed	36611001L-80741	C0324332
SRTSCT	L-8074215966002	Short coat chihuahua dog breed	15966002L-80742	C0324333
SRTSCT	L-8074357349006	Long and short coat chihuahua dog breed	57349006L-80743	C0324334
SRTSCT	L-8075175911001	Bearded collie dog breed	75911001L-80751	C0324337
SRTSCT	L-8075231377001	Rough collie dog breed	31377001L-80752	C0324338
SRTSCT	L-8075358341007	Rough and smooth dog breed	58341007L-80753	C0324339
SRTSCT	L-8075410544000	Smooth collie dog breed	10544000L-80754	C0324340
SRTSCT	L-8076163269002	American coonhound dog breed	63269002L-80761	C0324342
SRTSCT	L-8076245561005	Black and tan coonhound dog breed	45561005L-80762	C0324343
SRTSCT	L-8076355959002	Blue tick coonhound dog breed	55959002L-80763	C0324344
SRTSCT	L-8076431281003	English coonhound dog breed	31281003L-80764	C0324345

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8076525171009	Redbone coonhound dog breed	25171009L-80765	C0324346
SRTSCT	L-8076657120006	Treeing walker coonhound dog breed	57120006L-80766	C0324347
SRTSCT	L-8077157429001	Longhaired miniature dachshund dog breed	57429001L-80771	C0324349
SRTSCT	L-80772112493003	Smooth miniature dachshund dog breed	112493003L-80772	C0324350
SRTSCT	L-8077356243001	Wirehaired miniature dachshund dog breed	56243001L-80773	C0324351
SRTSCT	L-8077459492009	Longhaired standard dachshund dog breed	59492009L-80774	C0324352
SRTSCT	L-8077569862006	Smooth standard dachshund dog breed	69862006L-80775	C0324353
SRTSCT	L-8077636274006	Wirehaired standard dachshund dog breed	36274006L-80776	C0324354
SRTSCT	L-8077A132369002	Dachshund, Miniature dog breed	132369002L-8077A	C1296662
SRTSCT	L-8077B416885007	Standard dachshund dog breed	416885007L-8077B	C1562201
SRTSCT	L-8079131392000	American eskimo dog breed	31392000L-80791	C0324362
SRTSCT	L-8079291553005	Canadian eskimo dog breed	91553005L-80792	C0324363
SRTSCT	L-807A035802007	Fox terrier superbreed dog breed	35802007L-807A0	C0324365
SRTSCT	L-807A18351009	Smooth fox terrier dog breed	8351009L-807A1	C0324366
SRTSCT	L-807A241584008	Wire fox terrier dog breed	41584008L-807A2	C0324367
SRTSCT	L-807A326639007	Toy fox terrier dog breed	26639007L-807A3	C0324368
SRTSCT	L-8080053060005	Manchester terrier superbreed dog breed	53060005L-80800	C0324396
SRTSCT	L-808211420005	German longhaired pointer dog breed	1420005L-80821	C0324414
SRTSCT	L-8082286767001	German shorthaired pointer dog breed	86767001L-80822	C0324415
SRTSCT	L-8082325264009	German wirehaired pointer dog breed	25264009L-80823	C0324416
SRTSCT	L-8083015171008	Poodle superbreed dog breed	15171008L-80830	C0324418
SRTSCT	L-8083125243005	Toy poodle dog breed	25243005L-80831	C0324419
SRTSCT	L-8083240121001	Miniature poodle dog breed	40121001L-80832	C0324420
SRTSCT	L-80833507002	Standard poodle dog breed	507002L-80833	C0324421
SRTSCT	L-8084113248002	Chesapeake Bay retriever dog breed	13248002L-80841	C0324427
SRTSCT	L-8084238449002	Curly-coated retriever dog breed	38449002L-80842	C0324428
SRTSCT	L-808439528004	Flat-coated retriever dog breed	9528004L-80843	C0324429
SRTSCT	L-8084458108001	Golden retriever dog breed	58108001L-80844	C0324430
SRTSCT	L-8084562137007	Labrador retriever dog breed	62137007L-80845	C0324431

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	L-8084626229008	Nova Scotia duck tolling retriever dog breed	26229008L-80846	C0324432
SRTSCT	L-8086091429002	Schnauzer superbreed dog breed	91429002L-80860	C0324438
SRTSCT	L-80861300004	Miniature schnauzer dog breed	300004L-80861	C0324439
SRTSCT	L-8086257947002	Giant schnauzer dog breed	57947002L-80862	C0324440
SRTSCT	L-8086369592005	Standard schnauzer dog breed	69592005L-80863	C0324441
SRTSCT	L-8087184367001	English setter dog breed	84367001L-80871	C0324445
SRTSCT	L-8087257849000	Gordon setter dog breed	57849000L-80872	C0324446
SRTSCT	L-8087311477006	Irish setter dog breed	11477006L-80873	C0324447
SRTSCT	L-8088131971008	American water spaniel dog breed	31971008L-80881	C0324455
SRTSCT	L-8088212091005	Brittany spaniel dog breed	12091005L-80882	C0324456
SRTSCT	L-8088367977006	Clumber spaniel dog breed	67977006L-80883	C0324457
SRTSCT	L-8088422697009	American cocker spaniel dog breed	22697009L-80884	C0324458
SRTSCT	L-8088582206008	Black cocker spaniel dog breed	82206008L-80885	C0324459
SRTSCT	L-8088630565000	A.S.C.O.B. cocker spaniel dog breed	30565000L-80886	C0324460
SRTSCT	L-8088758888001	Parti-color cocker spaniel dog breed	58888001L-80887	C0324461
SRTSCT	L-8088862228004	English Springer spaniel dog breed	62228004L-80888	C0324462
SRTSCT	L-8088927385008	Field spaniel dog breed	27385008L-80889	C0324463
SRTSCT	L-8089134870009	Irish water spaniel dog breed	34870009L-80891	C0324465
SRTSCT	L-8089280576000	Sussex spaniel dog breed	80576000L-80892	C0324466
SRTSCT	L-8089340898002	Welsh Springer spaniel dog breed	40898002L-80893	C0324467
SRTSCT	L-8089421418008	English cocker spaniel dog breed	21418008L-80894	C0324468
SRTSCT	L-8090052105008	Vizsla superbreed dog breed	52105008L-80900	C0324473
SRTSCT	L-8090190444005	Smooth haired vizsla dog breed	90444005L-80901	C0324474
SRTSCT	L-80902583000	Wirehaired vizsla dog breed	583000L-80902	C0324475
SRTSCT	L-8091037024005	Welsh corgi superbreed dog breed	37024005L-80910	C0324478
SRTSCT	L-8091160517007	Cardigan Welsh corgi dog breed	60517007L-80911	C0324479
SRTSCT	L-8091246725009	Pembroke Welsh corgi dog breed	46725009L-80912	C0324480
SRTSCT	L-88106406725008	Alaskan Klee Kai dog breed	406725008L-88106	C1318889
SRTSCT	L-88107409926004	Anatolian shepherd dog breed	409926004L-88107	C1444156
SRTSCT	L-88108416840006	Boerboel dog breed	416840006L-88108	C1562437
SRTSCT	L-8810A426571006	Victorian Bulldogge dog breed	426571006L-8810A	C1960598

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	L-8880C 413488005	American bobtail cat breed	413488005L-8880C	C1531503
SRTSCT	L-8880D 417277001	Pixie-bob cat breed	417277001L-8880D	C1563194
SRTSCT	L-8A105 407402001	Warmblood horse breed	407402001L-8A105	C1319938
SRTSCT	L-8A106 406711007	Brabant horse breed	406711007L-8A106	C1318886
SRTSCT	L-8A10B 125084002	Equus caballus gmelini horse breed	125084002L-8A10B	C1265528
SRTSCT	L-8A10C 406714004	Gypsy Vanner horse breed	406714004L-8A10C	C1320154
SRTSCT	L-8A10D 406715003	Murgese horse breed	406715003L-8A10D	C1320155
SRTSCT	L-8A114 427136006	Saddlebred horse superbreed horse breed	427136006L-8A114	C1960600
SRTSCT	L-8B102 406663005	Ukrainian steppe white pig breed	406663005L-8B102	C1320232
SRTSCT	L-8B943 125091004	Bos taurus indicus cow breed	125091004L-8B943	C1136004
SRTSCT	L-8B946 385474004	Bos taurus taurus subspecies domestic European cow breed	385474004L-8B946	C1272763
SRTSCT	L-8B948 409908002	Masai cow breed	409908002L-8B948	C1444150
SRTSCT	L-8B949 425181009	Bos taurus X Bison bison hybrid cow breed	425181009L-8B949	C3164484
SRTSCT	L-8C339 406660008	Galway sheep breed	406660008L-8C339	C1318989
SRTSCT	L-13290 100686B49	New Zealand rabbit breed	132901006L-86B49	C0324547

CID 7481 Breed Registry

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20060822
UID: 1.2.840.10008.6.1.530

Table CID 7481. Breed Registry

Coding Scheme Designator	Code Value	Code Meaning
DCM	109200	America Kennel Club
DCM	109201	America's Pet Registry Inc.
DCM	109202	American Canine Association
DCM	109203	American Purebred Registry
DCM	109204	American Rare Breed Association
DCM	109205	Animal Registry Unlimited
DCM	109206	Animal Research Foundation
DCM	109207	Canadian Border Collie Association
DCM	109208	Canadian Kennel Club
DCM	109209	Canadian Livestock Records Association
DCM	109210	Canine Federation of Canada
DCM	109211	Continental Kennel Club
DCM	109212	Dog Registry of America
DCM	109213	Federation of International Canines

Coding Scheme Designator	Code Value	Code Meaning
DCM	109214	International Progressive Dog Breeders' Alliance
DCM	109215	National Kennel Club
DCM	109216	North American Purebred Dog Registry
DCM	109217	United All Breed Registry
DCM	109218	United Kennel Club
DCM	109219	Universal Kennel Club International
DCM	109220	Working Canine Association of Canada
DCM	109221	World Kennel Club
DCM	109222	World Wide Kennel Club

Note

The contents of this table were derived from the information available at <http://www.canadasguidetodogs.com/breederinfo/breedregistries.htm>.

CID 7482 DX Anatomy Imaged for Animals

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090717
 UID: 1.2.840.10008.6.1.814

Table CID 7482. DX Anatomy Imaged for Animals

Coding Scheme Designator	Code Value	Code Meaning
Include CID 7483 "Common Anatomic Regions for Animals"		

CID 7483 Common Anatomic Regions for Animals

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.815

Table CID 7483. Common Anatomic Regions for Animals

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID	Notes
SRTSCT	T-D4000 113345001	Abdomen	113345001 T-D4000	C0000726	
SRTSCT	T-D8030 42694008	All legs	42694008 T-D8030	C0230331	
SRTSCT	T-15317 62555009	Atlantal-axial joint	62555009 T-15317	C0224585	
SRTSCT	T-15311 20292002	Atlanto-occipital joint	20292002 T-15311	C0004169	
SRTSCT	T-74000 89837001	Bladder	89837001 T-74000	C0005682	
SRTSCT	T-12771 82474009	Calcaneal tubercle	82474009 T-12771	C0223921	See Note 1.
SRTSCT	T-D8600 8205005	Carpus	8205005 T-D8600	C0043262	See Note 2.
SRTSCT	T-11501 122494005	Cervical spine	122494005 T-11501	C0728985	
SRTSCT	T-D00F7 297171002	Cervico-thoracic spine	297171002 T-D00F7	C0729373	
SRTSCT	T-D3000 51185008	Chest	51185008 T-D3000	C0817096	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Notes
SRTSCT	R-FAB55416550000	Chest and Abdomen	416550000R-FAB55	C1442171	
SRTSCT	T-11B0018149002	Coccygeal vertebrae	18149002T-11B00	C0223616	See Note 3.
SRTSCT	T-5930071854001	Colon	71854001T-59300	C0009368	
SRTSCT	T-D031082680008	Digit	82680008T-D0310	C0582802	
UMLS	C3669027	Distal phalanx		C3669027	
SRTSCT	T-1543016953009	Elbow joint	16953009T-15430	C0013770	
SRTSCT	T-D001038266002	Entire body	38266002T-D0010	C0229960	
SRTSCT	T-5600032849002	Esophagus	32849002T-56000	C0014876	
SRTSCT	T-1271071341001	Femur	71341001T-12710	C0015811	
SRTSCT	T-D864013190002	Fetlock of forelimb	13190002T-D8640	C0521445	
SRTSCT	T-D9540113351006	Fetlock of hindlimb	113351006T-D9540	C0521446	
SRTSCT	T-D04F2419176008	Forefoot	419176008T-D04F2	C1630649	
SRTSCT	T-2220055060009	Frontal sinus	55060009T-22200	C0016734	
SRTSCT	T-D9713416804009	Hindfoot	416804009T-D9713	C0230459	
SRTSCT	T-1571024136001	Hip joint	24136001T-15710	C0019558	
SRTSCT	T-1241085050009	Humerus	85050009T-12410	C0020164	
SRTSCT	T-11503122496007	Lumbar spine	122496007T-11503	C0024091	
SRTSCT	T-D00F9297173004	Lumbo-sacral spine	297173004T-D00F9	C0574025	
SRTSCT	T-1118091609006	Mandible	91609006T-11180	C0024687	
SRTSCT	T-5417088176008	Mandibular dental arch	88176008T-54170	C0227027	
SRTSCT	T-540EE442274007	Mandibular incisor teeth	442274007T-540EE	C2711599	
SRTSCT	T-5416039481002	Maxillary dental arch	39481002T-54160	C0227026	
SRTSCT	T-540ED442100006	Maxillary incisor teeth	442100006T-540ED	C2711204	
SRTSCT	T-1254036455000	Metacarpus	36455000T-12540	C0025526	
SRTSCT	T-12847280711000	Metatarsus	280711000T-12847	C0025590	
SRTSCT	T-220002095001	Nasal sinus	2095001T-22000	C0030471	
SRTSCT	T-1245030518006	Navicular of forefoot	30518006T-12450	C0223724	See Note 4.
SRTSCT	T-1280075772009	Navicular of hindfoot	75772009T-12800	C0223947	See Note 4.
SRTSCT	T-D14AE363654007	Orbital structure	363654007T-D14AE	C0029180	
SRTSCT	T-D865031329001	Pastern of forefoot	31329001T-D8650	C0230368	
SRTSCT	T-D955018525008	Pastern of hindfoot	18525008T-D9550	C0230455	
SRTSCT	T-1273064234005	Patella	64234005T-12730	C0030647	
SRTSCT	T-D600012921003	Pelvis	12921003T-D6000	C0030797	
SRTSCT	T-12403110535000	Radius and ulna	110535000T-12403	C1267080	
SRTSCT	T-11AD054735007	Sacrum	54735007T-11AD0	C0036037	
SRTSCT	T-D222016982005	Shoulder	16982005T-D2220	C0037004	
SRTSCT	T-1110089546000	Skull	89546000T-11100	C0037303	
SRTSCT	T-15728116010006	Stifle	116010006T-15728	C1456798	

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	Notes
SRT SCT	T-12761 108371006	Tarsus	108371006 T-12761	C0039316	See Note 5.
SRT SCT	T-11502 122495006	Thoracic spine	122495006 T-11502	C0581269	
SRT SCT	T-D00F8 297172009	Thoraco-lumbar spine	297172009 T-D00F8	C0729374	
SRT SCT	T-12701 110536004	Tibia and fibula	110536004 T-12701	C0224692	
SRT SCT	T-50110 62834003	Upper gastro-intestinal tract	62834003 T-50110	C3203348	
SRT SCT	T-75000 13648007	Urethra	13648007 T-75000	C0041967	
SRT SCT	T-7000C 431938005	Urinary tract	431938005 T-7000C	C2316969	
SRT SCT	T-D8040 53036007	Wing	53036007 T-D8040	C0043189	

Note

1. T-12771 is used in preference to (~~T-12770~~, ~~SRT~~80144004, ~~SCT~~, "Calcaneus").
2. T-D8600 is used in preference to carpal (wrist) joint.
3. T-11B00 is used in preference to (~~T-11BF0~~, ~~SRT~~64688005, ~~SCT~~, "coccyx") as used for humans, since the animal possess a tail.
4. T-12800 assumes correspondence between equine hindfoot and human navicular, and T-12450 the equine forefoot navicular and human scaphoid (distal sesamoid).
5. T-12761 is used for the hock joint.
6. In a prior version of this table, the code T-D8300 was used for T-15430. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 7484 DX View for Animals

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20090717
 UID: 1.2.840.10008.6.1.816

Table CID 7484. DX View for Animals

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	Equivalent per Smallwood et al (see Note 1)	View Posi (0018,5101 Note 2)
SRT SCT	R-40AC9 442604001	Caudodistal-cranioproximal oblique	442604001 R-40AC9	C2711875	CdDi-CrPrO	CDDI_CRI
DCM	123019	Caudal 10 degree distal-cranioproximal oblique			Cd10Di-CrPrO	CD10DI_CF
SRT SCT	R-10244 399196006	Caudocranial	399196006 R-10244	C1302249	CdCr	CDCR
SRT SCT	R-40AAC 441672003	Dorso-ventral	441672003 R-40AAC	C2711888	DV	DV
SRT SCT	R-40AE8 442657000	Dorsolateral-palmaromedial oblique	442657000 R-40AE8	C2711164	DL-PaMO	DL_PAM
SRT SCT	R-40AFC 442746003	Dorsal 35 degree lateral-palmaromedial oblique	442746003 R-40AFC	C2711306	D35L-PaMO	D35L_PA
SRT SCT	R-40AC2 442597009	Dorsal 45 degree lateral-palmaromedial oblique	442597009 R-40AC2	C2711375	D40L-PaMO	D40L_PA

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Equivalent per Smallwood et al (see Note 1)	View (0018,5 No
SRTSCT	R-40AE1442639001	Dorsal 60 degree lateral-palmaromedial oblique	442639001R-40AE1	C2711552	D60L-PaMO	D60L
SRTSCT	R-40AGF442610001	Dorsolateral-plantaromedial oblique	442610001R-40AGF	C2711357	DL-PIMO	DL
SRTSCT	R-40ACB442606004	Dorsal 35 degree lateral-plantaromedial oblique	442606004R-40ACB	C2711526	D35L-PIMO	D35L
SRTSCT	R-40AB6442585008	Dorsal 40 degree lateral-plantaromedial oblique	442585008R-40AB6	C2711113	D40L-PIMO	D40L
SRTSCT	R-40AE4442643002	Dorsal 45 degree lateral-plantaromedial oblique	442643002R-40AE4	C2711847	D45L-PIMO	D45L
SRTSCT	R-40AG6442601009	Dorsal 60 degree lateral-plantaromedial oblique	442601009R-40AG6	C2711458	D60L-PIMO	D60L
SRTSCT	R-40AF2442729001	Dorsomedial-palmarolateral	442729001R-40AF2	C2711331	DM-PaLO	DM
SRTSCT	R-40AB5442583001	Dorsal 35 degree medial-palmarolateral oblique	442583001R-40AB5	C2711696	D35M-PaLO	D35M
SRTSCT	R-40AD2442621005	Dorsal 40 degree medial-palmarolateral oblique	442621005R-40AD2	C2711285	D40M-PaLO	D40M
SRTSCT	R-40AD4442623008	Dorsal 45 degree medial-palmarolateral	442623008R-40AD4	C2711915	D45M-PaLO	D45M
SRTSCT	R-40AC7442602002	Dorsal 60 degree medial-palmarolateral oblique	442602002R-40AC7	C2711324	D60M-PaLO	D60M
SRTSCT	R-40AD0442611002	Dorsomedial-plantarolateral oblique	442611002R-40AD0	C2711889	DM-PILO	DM
SRTSCT	R-40ACD442608003	Dorsal 35 degree medial-plantarolateral oblique	442608003R-40ACD	C2711459	D35M-PILO	D35M
SRTSCT	R-40AD3442622003	Dorsal 40 degree medial-plantarolateral oblique	442622003R-40AD3	C2711796	D40M-PILO	D40M
SRTSCT	R-40AC5442600005	Dorsal 45 degree medial-plantarolateral oblique	442600005R-40AC5	C2711927	D45M-PILO	D45M
SRTSCT	R-40AE3442641000	Dorsal 60 degree medial-plantarolateral oblique	442641000R-40AE3	C2711111	D60M-PILO	D60M
SRTSCT	R-40AA9441505008	Dorsopalmar	441505008R-40AA9	C2711365	DPa	D
SRTSCT	R-102C4399335002	Dorsoplantar	399335002R-102C4	C1302328	DPI	D
SRTSCT	R-40AFA442744000	Dorsoproximal-palmarodistal oblique	442744000R-40AFA	C2711302	DPr-PaDiO	DPR
SRTSCT	R-40ACE442609006	Dorsal 65 degree proximal-palmarodistal oblique	442609006R-40ACE	C2711982	D65Pr-PaDiO	D65Pr
SRTSCT	R-40ABD442592003	Dorsoproximal-plantarodistal oblique	442592003R-40ABD	C2711493	DPr-PIDiO	DPR
SRTSCT	R-40AD5442624002	Dorsal 65 degree proximal-plantarodistal oblique	442624002R-40AD5	C2711492	D65Pr-PIDiO	D65Pr
SRTSCT	R-40AEA442659002	Dorsorostral-ventrocaudal oblique	442659002R-40AEA	C2711349	DR-VcdO	DR
SRTSCT	R-40AFB442745004	Dorsal 20 degree rostral-ventrocaudal oblique	442745004R-40AFB	C2711857	D20R-VcdO	D20R
SRTSCT	R-40ADB442630002	Laterodorsoproximal-mediopalmarodistal oblique	442630002R-40ADB	C2711603	LDPr-MpaDiO	LDPR
SRTSCT	R-40AB4442582006	Lateral 45 deg dorsal 50 deg proximal-mediopalmarodistal oblique	442582006R-40AB4	C2711607	L45D50Pr-MpaDiO	L45D50Pr
SRTSCT	R-40ADC442631003	Laterodorsoproximal-medioplantarodistal oblique	442631003R-40ADC	C2711280	LDPr-MplDiO	LDPR

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Equivalent per Smallwood et al (see Note 1)	View Position (0018,5101 Note 2)
SRTSCT	R-40AEG442661006	Lateral 45 deg dorsal 50 deg proximal-medioplatarodistal obliq	442661006R-40AEG	C2711341	L45D50Pr-MplDiO	L45D50PR_M
SRTSCT	R-10228399352003	Lateromedial	399352003R-10228	C1302336	LM	LM
SRTSCT	R-40AE0442638009	Left caudal-right rostral oblique	442638009R-40AE0	C2711676	LeCd-RtRO	LECD_RT
SRTSCT	R-40AC1442596000	Left 30 degree caudal-right rostral oblique	442596000R-40AC1	C2711191	Le30Cd-RtRO	LE30CD_R
SRTSCT	R-40AE5442644008	Left dorsal-right ventral oblique	442644008R-40AE5	C2711731	LeD-RtVO	LED_RT
SRTSCT	R-40AFE442748002	Left 20 degree dorsal-right ventral oblique	442748002R-40AFE	C2711090	Le20D-RtVO	LE20D_R
SRTSCT	R-40AC3442598004	Left 45 degree dorsal-right ventral oblique	442598004R-40AC3	C2711566	Le45D-RtVO	LE45D_R
SRTSCT	R-40AE6442645009	Left rostral-right caudal oblique	442645009R-40AE6	C2711712	LeR-RtCdO	LER_RTC
SRTSCT	R-40ADD442632005	Left 20 degree rostral-right caudal oblique	442632005R-40ADD	C2711611	Le20R-RtCdO	LE20R_RT
SRTSCT	R-40AF5442739007	Left ventral-right dorsal oblique	442739007R-40AF5	C2711567	LeV-RtDO	LEV_RT
SRTSCT	R-40ADE442636008	Left 20 degree ventral-right dorsal oblique	442636008R-40ADE	C2711048	Le20V-RtDO	LE20V_RT
SRTSCT	R-40AC4442599007	Left 45 degree ventral-right dorsal oblique	442599007R-40AC4	C2711214	Le45V-RtDO	LE45V_RT
SRTSCT	R-10232399198007	Left-right lateral	399198007R-10232	C0442202	LeRtL	LERTL
SRTSCT	R-10224399260004	Mediolateral	399260004R-10224	C1302283	ML	ML
SRTSCT	R-40AF8442742001	Palmaromedial-dorsolateral	442742001R-40AF8	C2711713	PaM-DLO	PAM_DL
SRTSCT	R-40AF6442740009	Palmar 45 degree medial-dorsolateral	442740009R-40AF6	C2711011	Pa45M-DLO	PA45M_D
SRTSCT	R-40AEE442674000	Palmaroproximal-dorsodistal oblique	442674000R-40AEE	C2711216	PaPr-DdiO	PAPR_DF
SRTSCT	R-40ABC442591005	Palmar 75 degree proximal-dorsodistal oblique	442591005R-40ABC	C2711901	Pa75Pr-DdiO	PA75PR_D
SRTSCT	R-40AE9442658005	Plantarolateral-dorsomedial oblique	442658005R-40AE9	C2711876	PIL-DMO	PLL_DM
SRTSCT	R-40AEF442675004	Plantar 60 degree lateral-dorsomedial oblique	442675004R-40AEF	C2711846	PI60L-DMO	PL60L_D
SRTSCT	R-40AD6442625001	Plantaroproximal-dorsodistal oblique	442625001R-40AD6	C2711623	PIPr-DdiO	PLPR_DF
SRTSCT	R-40AC8442603007	Plantar 75 degree proximal-dorsodistal oblique	442603007R-40AC8	C2711019	PI75Pr-DdiO	PL75PR_D
SRTSCT	R-40AD7442626000	Proximo-distal	442626000R-40AD7	C2711034	PrDi	PRDI
SRTSCT	R-40ADA442629007	Right caudal-left rostral oblique	442629007R-40ADA	C2711940	RtCd-LeRO	RTCD_LE
SRTSCT	R-40ACA442605000	Right 30 degree caudal-left rostral oblique	442605000R-40ACA	C2711100	Rt30Cd-LeRO	RT30CD_L
SRTSCT	R-40ACC442607008	Right dorsal-left ventral oblique	442607008R-40ACC	C2711018	RtD-LeVO	RTD_LE
SRTSCT	R-40AD8442627009	Right 20 degree dorsal-left ventral oblique	442627009R-40AD8	C2711553	Rt20D-LeVO	RT20D_L
SRTSCT	R-40AEB442660007	Right 45 degree dorsal-left ventral oblique	442660007R-40AEB	C2711527	Rt45D-LeVO	RT45D_L
SRTSCT	R-40AFD442747007	Right rostral-left caudal oblique	442747007R-40AFD	C2711062	RtR-LeCdO	RTR_LEC
SRTSCT	R-40AF9442743006	Right 20 degree rostral-left caudal oblique	442743006R-40AF9	C2711101	Rt20R-LeCdO	RT20R_LE
SRTSCT	R-40AC0442595001	Right ventral-left dorsal oblique	442595001R-40AC0	C2711096	RtV-LeDO	RTV_LE
SRTSCT	R-40AD1442612009	Right 20 degree ventral-left dorsal oblique	442612009R-40AD1	C2711475	Rt20V-LeDO	RT20V_L
SRTSCT	R-40AD9442628004	Right 45 degree ventral-left dorsal oblique	442628004R-40AD9	C2711108	Rt45V-LeDO	RT45V_L
SRTSCT	R-10236399173006	Right-left lateral	399173006R-10236	C0442198	RtLeL	RTLEL
SRTSCT	R-40AF0442690000	Rostrocaudal	442690000R-40AF0	C2711917	RCd	RCD
SRTSCT	R-40ADF442637004	Rostrodorsal-caudoventral oblique	442637004R-40ADF	C2711827	RD-CdVO	RD_CD
SRTSCT	R-40AF3442730006	Rostral 20 degree dorsal-caudoventral oblique	442730006R-40AF3	C2711131	R20D-CdVO	R20D_CD

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Equivalent per Smallwood et al (see Note 1)	View (0018,5 No
SRTSCT	R-40AB7442586009	Rostroventral-caudodorsal	442586009R-40AB7	C2711328	RV-CdDO	RV_
SRTSCT	R-40AB9442588005	Rostral 30 degree ventral-caudodorsal	442588005R-40AB9	C2711866	R30V-CdDO	R30V
SRTSCT	R-40ABB442590006	Ventral left-dorsal right oblique	442590006R-40ABB	C2711811	VLe-DrtO	VLE
SRTSCT	R-40ABA442589002	Ventral 30 degree left-dorsal right oblique	442589002R-40ABA	C2711892	V30Le-DrtO	V30L
SRTSCT	R-40AF4442738004	Ventral right-dorsal left oblique	442738004R-40AF4	C2711043	VRt-DleO	VRT
SRTSCT	R-40AB8442587000	Ventral 30 degree right-dorsal left oblique	442587000R-40AB8	C2711044	V30Rt-DleO	V30R
SRTSCT	R-40AB0442441009	Ventro-dorsal	442441009R-40AB0	C2711041	VD	
SRTSCT	R-40AF7442741008	Ventrorostral-dorsocaudal oblique	442741008R-40AF7	C2711233	VR-DCdO	VR_
SRTSCT	R-40AF1442721003	Ventral 20 degree rostral-dorsocaudal oblique	442721003R-40AF1	C2711179	V20R-DCdO	V20R

Note

- The Smallwood et al equivalent may also be used as the Code Meaning (0008,0104) (i.e., as a synonym) in place of the full text described here, and as the value for View Name (0008,2127), if sent.
- The Defined Terms for View Position are derived from the Smallwood et al equivalent by capitalizing and replacing hyphens with underscores.

CID 7486 Mixed Breeds

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080324
 UID: 1.2.840.10008.6.1.823

Table CID 7486. Mixed Breeds

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	L-80A74132653001	Mixed breed cat	132653001L-80A74	C1269327
SRTSCT	L-80217131607005	Mixed breed goat	131607005L-80217	C1296064
SRTSCT	L-809DF132619000	Mixed breed dog	132619000L-809DF	C1269316
SRTSCT	L-8A10F406721004	Mixed breed horse	406721004L-8A10F	C1320156
SRTSCT	L-8C33A406722006	Mixed breed sheep	406722006L-8C33A	C1320157
SRTSCT	L-93791406723001	Mixed breed chicken	406723001L-93791	C1320158
SRTSCT	L-8B947409906003	Mixed breed cattle	409906003L-8B947	C1444148
SRTSCT	L-8B103417012009	Mixed breed pig	417012009L-8B103	C1562822

CID 7490 Research Animal Source Registries

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20151110
 UID: 1.2.840.10008.6.1.1063

Table CID 7490. Research Animal Source Registries

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
DCM	126850	ILCR		

CID 7500 Neighbourhood Grey Tone Difference Based Features

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190121

UID: 1.2.840.10008.6.1.1273

Table CID 7500. Neighbourhood Grey Tone Difference Based Features

Coding Scheme Designator	Code Value	Code Meaning
IBSI	QCDE	Coarseness of NGTDM
IBSI	65HE	Contrast of NGTDM
IBSI	NQ30	Busyness of NGTDM
IBSI	HDEZ	Complexity of NGTDM
IBSI	1X9X	Strength of NGTDM

CID 7501 Neighbouring Grey Level Dependence Based Features

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20190121

UID: 1.2.840.10008.6.1.1274

Table CID 7501. Neighbouring Grey Level Dependence Based Features

Coding Scheme Designator	Code Value	Code Meaning
IBSI	SODN	Low dependence emphasis
IBSI	IMOQ	High dependence emphasis
IBSI	TL9H	Low grey level count emphasis
IBSI	OAE7	High grey level count emphasis
IBSI	EQ3F	Low dependence low grey level emphasis
IBSI	JA6D	Low dependence high grey level emphasis
IBSI	NBZI	High dependence low grey level emphasis
IBSI	9QMG	High dependence high grey level emphasis
IBSI	FP8K	Grey level non-uniformity of NGLDM
IBSI	5SPA	Normalized grey level non-uniformity of NGLDM
IBSI	Z87G	Dependence count non-uniformity
IBSI	OKJI	Dependence count non-uniformity normalized
IBSI	6XV8	Dependence count percentage
IBSI	1PFV	Grey level variance of NGLDM
IBSI	DNX2	Dependence count variance
IBSI	FCBV	Dependence count entropy
IBSI	CAS9	Dependence count energy

CID 7600 Lymph Node Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181110
 UID: 1.2.840.10008.6.1.1011

Table CID 7600. Lymph Node Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-C4400 8568009	abdominal lymph node	8568009T-C4400	C0588058
SRTSCT	T-C4130 25247006	anterior auricular lymph node	25247006T-C4130	C0229713
SRTSCT	T-C4240 5727003	anterior cervical lymph node	5727003T-C4240	C0229734
SRTSCT	T-C4361 5296000	anterior mediastinal lymph node	5296000T-C4361	C0229758
SRTSCT	T-C4866 303713004	anterior tibial lymph node	303713004T-C4866	C0229861
SRTSCT	T-C4480 35783009	aortic lymph node	35783009T-C4480	C0229789
SRTSCT	T-C4740 16051009	apical axillary lymph node	16051009T-C4740	C0229842
SRTSCT	T-C4592 46157003	appendicular lymph node	46157003T-C4592	C0229805
SRTSCT	T-C4710 68171009	axillary lymph node	68171009T-C4710	C0729594
SRTSCT	T-C471E 421624008	axillary vein lymph node	421624008T-C471E	C0447170
SRTSCT	T-C4155 143925009	buccinator lymph node	143925009T-C4155	C0229720
SRTSCT	T-C430A 371013005	cardiophrenic angle lymph node	371013005T-C430A	C1299596
SRTSCT	T-C4410 47985009	celiac lymph node	47985009T-C4410	C0229766
SRTSCT	T-C4730 283001	central axillary lymph node	283001T-C4730	C0229841
SRTSCT	T-C4200 81105003	cervical lymph node	81105003T-C4200	C0588054
SRTSCT	T-C4560 8356004	colic lymph node	8356004T-C4560	C0229800
SRTSCT	T-C4446 280639005	common duct lymph node	280639005T-C4446	C0229801
SRTSCT	T-C4770 34775006	cubital lymph node	34775006T-C4770	C0229846
SRTSCT	T-C4445 280556009	cystic lymph node	280556009T-C4445	C0229770
SRTSCT	T-C4019 168360002	deep anterior cervical lymph node	168360002T-C4019	C0229735
SRTSCT	T-C4202 279145002	deep cervical lymph node	279145002T-C4202	C0458298
SRTSCT	T-C4820 65266007	deep inguinal lymph node	65266007T-C4820	C0229850
SRTSCT	T-C4143 75040000	deep intraparotid lymph node	75040000T-C4143	C0229717
SRTSCT	T-C4018 167864002	deep lateral cervical lymph node	167864002T-C4018	C0229728
SRTSCT	T-C4002 60996007	deep lymph node	60996007T-C4002	C0229698
SRTSCT	T-C4146 279142004	deep parotid lymph node	279142004T-C4146	C0458295
SRTSCT	T-C4851 35721009	deep popliteal lymph node	35721009T-C4851	C0229857
SRTSCT	T-C4263 167664004	delphian lymph node	167664004T-C4263	C0229741
SRTSCT	T-C4309 196751009	diaphragmatic lymph node	196751009T-C4309	C0229762
SRTSCT	T-C4670 60965003	epigastric lymph node	60965003T-C4670	C0229829
SRTSCT	T-C4780 28870006	epitrochlear lymph node	28870006T-C4780	C0229847
SRTSCT	T-C4365 11899006	esophageal lymph node	11899006T-C4365	C0229760
SRTSCT	T-C4620 65349008	external iliac lymph node	65349008T-C4620	C0229815
SRTSCT	T-C471F 421988007	external mammary lymph node	421988007T-C471F	C0447171

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-28812363537007	extrapulmonary lymph node of lung	363537007T-28812	C1285483
SRTSCT	T-C415048918001	facial lymph node	48918001T-C4150	C0229719
SRTSCT	T-C463E314736006	female genital lymph node	314736006T-C463E	C1282339
SRTSCT	T-C486331171007	fibular lymph node	31171007T-C4863	C0229862
SRTSCT	T-C445883380007	gastro-omental lymph node	83380007T-C4458	C0229776
SRTSCT	T-C463180867000	gluteal lymph node	80867000T-C4631	C0229824
SRTSCT	T-C440472381005	gut-associated lymph node	72381005T-C4404	C0229765
SRTSCT	T-C307018457007	hemolymph node	18457007T-C3070	C0229690
SRTSCT	T-C444061492009	hepatic lymph node	61492009T-C4440	C0229769
SRTSCT	T-C43A1127926002	highest mediastinal lymph node	127926002T-C43A1	C1268042
SRTSCT	T-C432053074004	hilar lymph node	53074004T-C4320	C1305372
SRTSCT	T-C463069255009	hypogastric lymph node	69255009T-C4630	C0229823
SRTSCT	T-C4563281676003	ileocolic lymph node	281676003T-C4563	C0229796
SRTSCT	T-C461084219008	iliac lymph node	84219008T-C4610	C0229807
SRTSCT	T-C421D155237005	inferior auricular lymph node	155237005T-C421D	C0229714
SRTSCT	T-C463240684008	inferior gluteal lymph node	40684008T-C4632	C0229825
SRTSCT	T-C484385380009	inferior inguinal lymph node	85380009T-C4843	C0229855
SRTSCT	T-C4511113336002	inferior mesenteric lymph node	113336002T-C4511	C0229793
SRTSCT	T-C447D280915003	inferior pancreatic lymph node	280915003T-C447D	C0229787
SRTSCT	T-C447F281227003	inferior pancreaticoduodenal lymph node	281227003T-C447F	C0229785
SRTSCT	T-C42809659009	infraclavicular lymph node	9659009T-C4280	C0229743
SRTSCT	T-C48108928004	inguinal lymph node	8928004T-C4810	C0729596
SRTSCT	T-C4305196821008	innominate lymph node	196821008T-C4305	C0229763
SRTSCT	T-C437064038003	intercostal lymph node	64038003T-C4370	C0229761
SRTSCT	T-C4642279271008	interiliac lymph node	279271008T-C4642	C0229821
SRTSCT	T-C4311127919002	interlobar lymph node of the lung	127919002T-C4311	C1268034
SRTSCT	T-C461264556009	intermediate common iliac lymph node	64556009T-C4612	C0229809
SRTSCT	T-C462250193000	intermediate external iliac lymph node	50193000T-C4622	C0229817
SRTSCT	T-C4753420800007	interpectoral lymph node	420800007T-C4753	C0447172
SRTSCT	T-C450036251007	intestinal lymph node	36251007T-C4500	C0229791
SRTSCT	T-C4147143824007	intraglandular parotid lymph node	143824007T-C4147	C0229716
SRTSCT	T-C430B443808008	intramammary lymph node	443808008T-C430B	C2733350
SRTSCT	T-C4308196662004	intrapulmonary lymph node	196662004T-C4308	C0229749
SRTSCT	T-C423058130000	jugular lymph node	58130000T-C4230	C0229731
SRTSCT	T-C4423279609001	juxtaintestinal lymph node	279609001T-C4423	C0229768
SRTSCT	T-C4602360993001	lacunar lymph node	360993001T-C4602	C1283709
SRTSCT	T-C472033770006	lateral axillary lymph node	33770006T-C4720	C0229840

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-C4210 68915008	lateral cervical lymph node	68915008 T-C4210	C0229727
SRTSCT	T-C4613 41145006	lateral common iliac lymph node	41145006 T-C4613	C0229810
SRTSCT	T-C4623 40242007	lateral external iliac lymph node	40242007 T-C4623	C0229818
SRTSCT	T-C4238 168159002	lateral jugular lymph node	168159002 T-C4238	C0229733
SRTSCT	T-C4306 196587000	lateral pericardial lymph node	196587000 T-C4306	C0229748
SRTSCT	T-C4255 167464007	lateral retropharyngeal lymph node	167464007 T-C4255	C0229739
SRTSCT	T-C46AB 278672000	lateral vesicular lymph node	278672000 T-C46AB	C0229835
SRTSCT	T-C4312 127920008	lobar lymph node of the lung	127920008 T-C4312	C1268035
SRTSCT	T-C421A 285429007	lower deep cervical lymph node	285429007 T-C421A	C0563315
SRTSCT	T-C4237 245323006	lower jugular lymph node	245323006 T-C4237	C0447166
SRTSCT	T-C4800 4942000	lower limb lymph node	4942000 T-C4800	C0729767
SRTSCT	T-C43A7 127932007	lower paratracheal (including azygous) lymph node	127932007 T-C43A7	C1268048
SRTSCT	T-C4490 8334002	lumbar lymph node	8334002 T-C4490	C0229790
SRTSCT	T-28910 110550009	lung and tracheobronchial lymph nodes	110550009 T-28910	C1267244
SRTSCT	T-C4000 59441001	lymph node	59441001 T-C4000	C0024204
SRTSCT	T-C43AC 127937001	lymph node of aortic arch	127937001 T-C43AC	C1268053
SRTSCT	T-C43AD 127938006	lymph node of aortopulmonary window	127938006 T-C43AD	C1268054
SRTSCT	T-C4442 68878000	lymph node of epiploic foramen	68878000 T-C4442	C0229771
SRTSCT	T-C4456 76878005	lymph node of greater curvature of stomach	76878005 T-C4456	C0229774
SRTSCT	T-C4100 13482005	lymph node of head	13482005 T-C4100	C0229710
SRTSCT	T-C4004 312501005	lymph node of head and neck	312501005 T-C4004	C0729853
SRTSCT	T-C4452 279784003	lymph node of lesser curvature of stomach	279784003 T-C4452	C0229773
SRTSCT	T-C4005 312503008	lymph node of limb	312503008 T-C4005	C0729855
SRTSCT	T-C4401 279795009	lymph node of mesentery	279795009 T-C4401	C0229792
SRTSCT	T-C4414 314730000	lymph node of stomach	314730000 T-C4414	C1282334
SRTSCT	T-C43B3 127941002	lymph node of the pulmonary ligament	127941002 T-C43B3	C1268057
SRTSCT	T-C4300 47109002	lymph node of thorax	47109002 T-C4300	C0229745
SRTSCT	T-D200A 312502003	lymph node of trunk	312502003 T-D200A	C0729854
SRTSCT	T-C4453 279866008	lymph node ring of cardia of stomach	279866008 T-C4453	C0229775
SRTSCT	T-C4102 155338003	mandibular lymph node	155338003 T-C4102	C0229724
SRTSCT	T-C4154 279143009	mastoid lymph node	279143009 T-C4154	C0458296
SRTSCT	T-C4611 34625003	medial common iliac lymph node	34625003 T-C4611	C0229808
SRTSCT	T-C4621 42472007	medial external iliac lymph node	42472007 T-C4621	C0229816
SRTSCT	T-C4624 23198005	medial lacunar lymph node	23198005 T-C4624	C0229819

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-C4254167364008	median retropharyngeal lymph node	167364008T-C4254	C0229738
SRTSCT	T-C436062683002	mediastinal lymph node	62683002T-C4360	C0588055
SRTSCT	T-C4417299993000	mesenteric artery lymph node	299993000T-C4417	C0576734
SRTSCT	T-C4401279795009	mesenteric lymph node	279795009T-C4401	C0229792
SRTSCT	T-C4565282031000	midcolic lymph node	282031000T-C4565	C0229798
SRTSCT	T-C4219285427009	middle deep cervical lymph node	285427009T-C4219	C0563313
SRTSCT	T-C4236245322001	middle jugular lymph node	245322001T-C4236	C0447167
SRTSCT	T-C4156144026003	nasolabial lymph node	144026003T-C4156	C0229721
SRTSCT	T-C462636086000	obturator lymph node	36086000T-C4626	C0229822
SRTSCT	T-C41103916005	occipital lymph node	3916005T-C4110	C0229711
SRTSCT	T-C447477778009	pancreatic lymph node	77778009T-C4474	C0229783
SRTSCT	T-C447576659008	pancreaticoduodenal lymph node	76659008T-C4475	C0229784
SRTSCT	T-C447016050005	pancreaticosplenic lymph node	16050005T-C4470	C0229781
SRTSCT	T-C43AE127939003	para-aortic lymph node of the anterior mediastinum	127939003T-C43AE	C1268055
SRTSCT	T-C43B2127940001	paraesophageal lymph node below carina	127940001T-C43B2	C1268056
SRTSCT	T-C4752368550005	paramammary lymph node	368550005T-C4752	C0229845
SRTSCT	T-C46603243006	parametrial lymph node	3243006T-C4660	C0229828
SRTSCT	T-C46A521875007	pararectal lymph node	21875007T-C46A5	C0229837
SRTSCT	T-C435082365008	parasternal lymph node	82365008T-C4350	C0229755
SRTSCT	T-C434065690001	paratracheal lymph node	65690001T-C4340	C0229754
SRTSCT	T-C46A416228004	paravaginal lymph node	16228004T-C46A4	C0229836
SRTSCT	T-C46A01439000	paravesicular lymph node	1439000T-C46A0	C0229832
SRTSCT	T-C414010209003	parotid lymph node	10209003T-C4140	C0229715
SRTSCT	T-C475069691007	pectoral axillary lymph node	69691007T-C4750	C0229843
SRTSCT	T-C460054268001	pelvic lymph node	54268001T-C4600	C0729595
SRTSCT	T-C4411245344006	perigastric lymph node	245344006T-C4411	C0733937
SRTSCT	T-C447A245346008	peripancreatic lymph node	245346008T-C447A	C0733938
SRTSCT	T-C485047471008	popliteal lymph node	47471008T-C4850	C0588057
SRTSCT	T-C4217245328002	postauricular lymph node	245328002T-C4217	C0229712
SRTSCT	T-C412030793004	posterior auricular lymph node	30793004T-C4120	C0229712
SRTSCT	T-C436225447008	posterior mediastinal lymph node	25447008T-C4362	C0229759
SRTSCT	T-C4867303623000	posterior tibial lymph node	303623000T-C4867	C0229860
SRTSCT	T-C4216245324000	posterior triangle cervical lymph node	245324000T-C4216	C0447168
SRTSCT	T-C46AA278571002	postvesicular lymph node	278571002T-C46AA	C0229834
SRTSCT	T-C4522281765006	prececal lymph node	281765006T-C4522	C0229803
SRTSCT	T-C482248193007	prefemoral lymph node	48193007T-C4822	C0229851
SRTSCT	T-C426074203007	prelaryngeal lymph node	74203007T-C4260	C0229740

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-C437C 196516004	prepericardial lymph node	196516004T-C437C	C0229747
SRTSCT	T-C4680 6413002	presymphysial lymph node	6413002T-C4680	C0229830
SRTSCT	T-C4244 168460001	pretracheal lymph node	168460001T-C4244	C0229742
SRTSCT	T-C43A5 127930004	prevascular/retrotracheal lymph node	127930004T-C43A5	C1268046
SRTSCT	T-C4307 196446004	prevertebral lymph node	196446004T-C4307	C0229746
SRTSCT	T-C46A1 11740004	prevesicular lymph node	11740004T-C46A1	C0229833
SRTSCT	T-C4641 279189002	promontory common iliac lymph node	279189002T-C4641	C0229813
SRTSCT	T-C4460 24889003	pyloric lymph node	24889003T-C4460	C0229777
SRTSCT	T-C4003 312500006	regional lymph node	312500006T-C4003	C0729852
SRTSCT	T-C4582 249708006	renal hilar lymph node	249708006T-C4582	C0278453
SRTSCT	T-C4523 281847004	retrocecal lymph node	281847004T-C4523	C0229804
SRTSCT	T-C4580 91394001	retroperitoneal lymph node	91394001T-C4580	C0229802
SRTSCT	T-C4250 25683005	retropharyngeal lymph node	25683005T-C4250	C0229737
SRTSCT	T-C4467 280402004	retropyloric lymph node	280402004T-C4467	C0229780
SRTSCT	T-C43A6 127931000	retrotracheal lymph node (mediastinal)	127931000T-C43A6	C1268047
SRTSCT	T-C4650 79926007	sacral lymph node	79926007T-C4650	C0229827
SRTSCT	T-C4290 81132008	scalene lymph node	81132008T-C4290	C0229744
SRTSCT	T-C4313 127921007	segmental lymph node of the lung	127921007T-C4313	C1268036
SRTSCT	T-C4512 30024008	sigmoid lymph node	30024008T-C4512	C0229794
SRTSCT	T-C4473 280824006	splenic lymph node	280824006T-C4473	C0229782
SRTSCT	T-C4614 60227002	subaortic common iliac lymph node	60227002T-C4614	C1305374
SRTSCT	T-C4332 28330007	subcarinal lymph node	28330007T-C4332	C0229753
SRTSCT	T-C4722 421861001	subclavian lymph node	421861001T-C4722	C0447173
SRTSCT	T-C4616 113338001	subiliac lymph node	113338001T-C4616	C0229814
SRTSCT	T-C4160 59503006	submandibular lymph node	59503006T-C4160	C0229722
SRTSCT	T-C4157 144127009	submaxillary lymph node	144127009T-C4157	C0229725
SRTSCT	T-C4170 46055009	submental lymph node	46055009T-C4170	C0229723
SRTSCT	T-C4466 280314006	subpyloric lymph node	280314006T-C4466	C0229779
SRTSCT	T-C4760 12196003	subscapular axillary lymph node	12196003T-C4760	C1735587
SRTSCT	T-C4314 127922000	subsegmental lymph node of the lung	127922000T-C4314	C1268037
SRTSCT	T-C401A 168557005	superficial anterior cervical lymph node	168557005T-C401A	C0229736
SRTSCT	T-C4201 279144003	superficial cervical lymph node	279144003T-C4201	C0458297
SRTSCT	T-C4840 113340006	superficial inguinal lymph node	113340006T-C4840	C0229852
SRTSCT	T-C4144 68339009	superficial intraparotid lymph node	68339009T-C4144	C0229718

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-C421E 167965000	superficial lateral cervical lymph node	167965000 T-C421E	C0229729
SRTSCT	T-C4001 90606007	superficial lymph node	90606007 T-C4001	C0229697
SRTSCT	T-C4145 279141006	superficial parotid lymph node	279141006 T-C4145	C0458294
SRTSCT	T-C4852 12728001	superficial popliteal lymph node	12728001 T-C4852	C0229858
SRTSCT	T-C4633 76290003	superior gluteal lymph node	76290003 T-C4633	C0229826
SRTSCT	T-C4842 76704003	superior lateral inguinal lymph node	76704003 T-C4842	C0229854
SRTSCT	T-C4841 52554005	superior medial inguinal lymph node	52554005 T-C4841	C0229853
SRTSCT	T-C43A0 127925003	superior mediastinal lymph node	127925003 T-C43A0	C1268041
SRTSCT	T-C4420 49394004	superior mesenteric lymph node	49394004 T-C4420	C0229767
SRTSCT	T-C447E 280999005	superior pancreatic lymph node	280999005 T-C447E	C0229788
SRTSCT	T-C4481 281320004	superior pancreaticoduodenal lymph node	281320004 T-C4481	C0229786
SRTSCT	T-C4513 68881005	superior rectal lymph node	68881005 T-C4513	C0229795
SRTSCT	T-C4331 67941004	superior tracheobronchial lymph node	67941004 T-C4331	C0229752
SRTSCT	T-C4220 76838003	supraclavicular lymph node	76838003 T-C4220	C0229730
SRTSCT	T-C4352 62630005	supramammary lymph node	62630005 T-C4352	C0229756
SRTSCT	T-C4465 280216006	suprapyloric lymph node	280216006 T-C4465	C0229778
SRTSCT	T-C4860 80769008	tibial lymph node	80769008 T-C4860	C0229859
SRTSCT	T-C4379 245341003	tracheobronchial lymph node	245341003 T-C4379	C0229751
SRTSCT	T-C4330 89858007	tracheobronchial lymph node, located near carina	89858007 T-C4330	C0229751
SRTSCT	T-C4218 285425001	upper deep cervical lymph node	285425001 T-C4218	C0545582
SRTSCT	T-C4235 245321008	upper jugular lymph node	245321008 T-C4235	C0447165
SRTSCT	T-C4700 44914007	upper limb lymph node	44914007 T-C4700	C0729769
SRTSCT	T-C43A2 127927006	upper paratracheal lymph node (mediastinal)	127927006 T-C43A2	C1268043
SRTSCT	T-C4690 5394000	uterine paracervical lymph node	5394000 T-C4690	C0229831
SRTSCT	T-C4601 360992006	vesicular lymph node	360992006 T-C4601	C1283708

CID 7601 Head and Neck Cancer Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.1012

Table CID 7601. Head and Neck Cancer Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-53130 47975008	base of tongue	47975008 T-53130	C0226958
SRTSCT	T-51305 16811007	buccal mucosa	16811007 T-51305	C1578559

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-51200 36360002	floor of mouth	36360002T-51200	C0026638
SRTSCT	T-24440 1307006	glottis	1307006T-24440	C0017681
SRTSCT	T-55300 81502006	hypopharynx	81502006T-55300	C0020629
SRTSCT	T-24100 4596009	larynx	4596009T-24100	C0023078
SRTSCT	T-C5140 2048000	lingual tonsil	2048000T-C5140	C0229871
SRTSCT	T-52000 48477009	lip	48477009T-52000	C0023759
SRTSCT	T-D07CB 288546009	lower alveolar ridge	288546009T-D07CB	C0222755
SRTSCT	T-22100 15924003	maxillary sinus	15924003T-22100	C0024957
SRTSCT	T-21301 279549004	nasal cavity	279549004T-21301	C0027423
SRTSCT	T-23000 71836000	nasopharynx	71836000T-23000	C0027442
SRTSCT	T-51004 74262004	oral cavity	74262004T-51004	C0226896
SRTSCT	T-C5000 17861009	oropharyngeal tonsil (waldeyer's ring)	17861009T-C5000	C0459892
SRTSCT	T-55200 31389004	oropharynx	31389004T-55200	C0521367
SRTSCT	T-C5100 75573002	palatine tonsil	75573002T-C5100	C0040421
SRTSCT	T-51130 26140008	palatine uvula	26140008T-51130	C0042173
SRTSCT	T-22000 2095001	paranasal sinus	2095001T-22000	C0030471
SRTSCT	T-C5300 55940004	pharyngeal tonsil (adenoid)	55940004T-C5300	C0001428
SRTSCT	T-55320 6217003	pyriform sinus	6217003T-55320	C0227170
SRTSCT	T-51600 85816001	retromolar trigone	85816001T-51600	C0226920
SRTSCT	T-61007 385294005	salivary gland	385294005T-61007	C0036098
SRTSCT	T-24454 119255006	supraglottis	119255006T-24454	C0225574
SRTSCT	T-53000 21974007	tongue	21974007T-53000	C0040408
SRTSCT	T-C5001 303337002	tonsil and adenoid	303337002T-C5001	C0580788
SRTSCT	T-C5330 21058000	tubal tonsil	21058000T-C5330	C0229883
UMLS	C0221297	unknown primary neoplasia site		C0221297
SRTSCT	T-51130 26140008	uvula	26140008T-51130	C0042173

CID 7701 Fiber Tracts In Brainstem

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
 Type: Extensible
 Version: 20150106
 UID: 1.2.840.10008.6.1.1013

Table CID 7701. Fiber Tracts In Brainstem

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-A6620 11089000	superior cerebellar peduncle	11089000T-A6620	C0152391
SRTSCT	T-A6630 33723005	middle cerebellar peduncle	33723005T-A6630	C0152392
SRTSCT	T-A6640 67701001	inferior cerebellar peduncle	67701001T-A6640	C0152393
SRTSCT	T-D07EA 360568007	corticospinal tract in brainstem	360568007T-D07EA	C1283381

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRT SCT	T-A527130114003	medial lemniscus	30114003 T-A5271	C0228420
SRT SCT	T-A527286136007	lateral lemniscus	86136007 T-A5272	C0152375
SRT SCT	T-A525028390009	medial longitudinal fasciculus	28390009 T-A5250	C0152373

Note

Organized as described in Wakana, Setsu, Hangyi Jiang, Lidia M. Nagae-Poetscher, Peter C. M. van Zijl, and Susumu Mori. "Fiber Tract-based Atlas of Human White Matter Anatomy." Radiology 230, no. 1 (January 1, 2004): 77-87. doi:10.1148/radiol.2301021640.

CID 7702 Projection and Thalamic Fibers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.1014

Table CID 7702. Projection and Thalamic Fibers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
NEU	1319	corticobulbar tract		C1184617
NEU	1320	corticospinal tract		C0936236
SRT SCT	T- 85637007 A3700	internal capsule	85637007 T-A3700	C0152341
SRT SCT	T- 10517005 A3800	external capsule	10517005 T-A3800	C0228313
SRT SCT	T- 410726006 D0829	auditory radiation	410726006 T-D0829	C1455736
SRT SCT	T- 70105001 A2880	optic radiation	70105001 T-A2880	C0228277
NEU	1466	inferior optic radiation (Meyer's loop)		C3498430
NEU	3473	superior optic radiation (Baum's loop)		C4020527
NEU	1726	anterior thalamic radiation		C2338170
NEU	2081	superior thalamic radiation		C3498751
NEU	2082	inferior thalamic radiation		C2332665
NEU	2083	posterior thalamic radiation		C2336194

Note

- SNOMED has codes for the corticobulbar and corticospinal tracts and thalamic radiations in specific regions (e.g., internal capsule), but not generic codes independent of their regional location, so they are not used.
- (~~T-D0829~~, ~~SRT~~410726006, ~~SCT~~, "auditory radiation") is also known as the acoustic raditaion, or geniculotemporal tract.
- (~~T-A2880~~, ~~SRT~~70105001, ~~SCT~~, "optic radiation") is also known as the geniculo-calcarine tract, geniculostriate pathway or posterior thalamic radiation.

CID 7703 Association Fibers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150106
 UID: 1.2.840.10008.6.1.1015

Table CID 7703. Association Fibers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
NEU	2080	superior longitudinal fasciculus		C0228270
DCM	110703	superior longitudinal fasciculus I		
DCM	110704	superior longitudinal fasciculus II		
DCM	110705	superior longitudinal fasciculus III		
NEU	2063	arcuate fasciculus		C2329633
SRTSCT	T-A2850 55233005	inferior longitudinal fasciculus	55233005T-A2850	C0228273
SRTSCT	T-A2860 13958008	superior fronto-occipital fasciculus	13958008T-A2860	C0228274
SRTSCT	T-A2861 35664009	inferior fronto-occipital fasciculus	35664009T-A2861	C0228275
SRTSCT	T-A2830 26230003	uncinate fasciculus	26230003T-A2830	C0228271
SRTSCT	T-A2870 80434005	vertical occipital fasciculus	80434005T-A2870	C0228276
SRTSCT	T-A2861 35664009	inferior fronto-occipital fasciculus	35664009T-A2861	C0228275
SRTSCT	T-A2860 13958008	superior fronto-occipital fasciculus	13958008T-A2860	C0228274

Note

The SLF is distinguished from the AF (even though SNOMED and UMLS treat them as synonymous), per Makris N, et al. "Segmentation of Subcomponents within the Superior Longitudinal Fascicle in Humans: A Quantitative, In Vivo, DT-MRI Study." Cerebral Cortex 15, no. 6 (June 1, 2005): 854-69. doi:10.1093/cercor/bhh186. Hence the SNOMED concept for SLF/AF (T-A2820, 89202009, C0228270) is not used. NeuroNames does not describe the other subcomponents of the SLF than the AF, so DCM codes are assigned.

CID 7704 Limbic System Tracts

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20150106
UID: 1.2.840.10008.6.1.1016

Table CID 7704. Limbic System Tracts

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-A2840 37035000	cingulum	37035000T-A2840	C0228272
SRTSCT	T-A2970 87463005	fornix	87463005T-A2970	C0152334
NEU	286	stria terminalis		C0175243

CID 7705 Commissural Fibers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.1017

Table CID 7705. Commissural Fibers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-A2980 62872008	anterior commissure	62872008T-A2980	C0152335
SRTSCT	T-A2700 88442005	corpus callosum	88442005T-A2700	C0010090

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-A2730 70215001	genu of corpus callosum	70215001 T-A2730	C0152321
SRTSCT	T-A2710 23347006	splenium of corpus callosum	23347006 T-A2710	C0152319
SRTSCT	T-A2781 60105000	tapetum of corpus callosum	60105000 T-A2781	C1744614
SRTSCT	T-A2760 42932006	forceps minor	42932006 T-A2760	C0152325
SRTSCT	T-A2750 80049006	forceps major	80049006 T-A2750	C0809941
SRTSCT	T-A4904 279336005	posterior commissure	279336005 T-A4904	C0152327
SRTSCT	T-A4950 6866008	habenular commissure	6866008 T-A4950	C0152363

CID 7706 Cranial Nerves

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20150106

UID: 1.2.840.10008.6.1.1018

Table CID 7706. Cranial Nerves

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-A2920 3960005	olfactory tract	3960005 T-A2920	C0162435
SRTSCT	T-A8040 18234004	optic nerve	18234004 T-A8040	C0029130
SRTSCT	T-A8070 56193007	oculomotor nerve	56193007 T-A8070	C0028864
SRTSCT	T-A8110 39322007	trochlear nerve	39322007 T-A8110	C0041159
SRTSCT	T-A8150 27612005	trigeminal nerve	27612005 T-A8150	C0040996
SRTSCT	T-A8130 80622005	abducens nerve	80622005 T-A8130	C0000741
SRTSCT	T-A8410 56052001	facial nerve	56052001 T-A8410	C0015462
SRTSCT	T-A8500 8598002	vestibulocochlear nerve	8598002 T-A8500	C0001162
SRTSCT	T-A8570 21161002	glossopharyngeal nerve	21161002 T-A8570	C0017679
SRTSCT	T-A8640 88882009	vagus nerve	88882009 T-A8640	C0042276
SRTSCT	T-A8780 15119000	accessory nerve	15119000 T-A8780	C0000905
SRTSCT	T-A8820 37899009	hypoglossal nerve	37899009 T-A8820	C0020614

CID 7707 Spinal Cord Fibers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20150106

UID: 1.2.840.10008.6.1.1019

Table CID 7707. Spinal Cord Fibers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-A7081 59752008	dorsal funiculus	59752008 T-A7081	C0228576
SRTSCT	T-A7061 31701002	ventral funiculus	31701002 T-A7061	C0228570
SRTSCT	T-A7091 14892003	lateral funiculus	14892003 T-A7091	C0228583

CID 7710 Tractography Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150106
 UID: 1.2.840.10008.6.1.1020

Table CID 7710. Tractography Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
Include CID 7701 "Fiber Tracts In Brainstem"				
Include CID 7702 "Projection and Thalamic Fibers"				
Include CID 7703 "Association Fibers"				
Include CID 7704 "Limbic System Tracts"				
Include CID 7705 "Commissural Fibers"				
Include CID 7706 "Cranial Nerves"				
Include CID 7707 "Spinal Cord Fibers"				
SRTSCT	T-A608033060004	Cerebellar white matter	33060004T-A6080	C0152381
SRTSCT	T-A203068523003	Cerebral white matter	68523003T-A2030	C0152295
SRTSCT	T-A707027088001	Spinal cord white matter	27088001T-A7070	C0458457
SRTSCT	T-A0095389080008	White matter of brain and spinal cord	389080008T-A0095	C1300311
DCM	110706	Perilesional White Matter		
SRTSCT	T-A050084782009	Peripheral nerve	84782009T-A0500	C0031119
SRTSCT	T-D0684127954009	Skeletal muscle	127954009T-D0684	C0242692
SRTSCT	T-1300D122448007	Cardiac muscle	122448007T-1300D	C0027061
DCM	113681	Phantom		C0282611

CID 8101 Container Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080626
 UID: 1.2.840.10008.6.1.1043

Table CID 8101. Container Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	A-0101E434464009	Tissue cassette	434464009A-0101E	C0183953
SRTSCT	A-01022434708008	Tissue microarray cassette	434708008A-01022	C2315967
SRTSCT	A-01024434746001	Specimen vial	434746001A-01024	C2316421
SRTSCT	A-0101B433466003	Microscope slide	433466003A-0101B	C0026017
SRTSCT	A-01023434711009	Specimen container	434711009A-01023	C0183391
SRTSCT	A-01021434533009	Electron microscopy grid	434533009A-01021	C2316945
SRTSCT	A-01025434822004	Specimen well	434822004A-01025	C2316030

CID 8102 Container Component Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080626
 UID: 1.2.840.10008.6.1.1044

Table CID 8102. Container Component Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 8101 "Container Types"				
SRTSCT	A-0101D 433472003	Microscope slide cover slip	433472003 A-0101D	C0492717
SRTSCT	F-62219 430862008	Microscope slide mounting media	430862008 F-62219	C2316989
SRTSCT	A-0101F 434473001	Specimen container lid	434473001 A-0101F	C2316420

CID 8103 Anatomic Pathology Specimen Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080626
 UID: 1.2.840.10008.6.1.1045

Table CID 8103. Anatomic Pathology Specimen Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-D0010 38266002	Entire body	38266002 T-D0010	C0229960
SRTSCT	G-80A5 309050000	Body substance sample	309050000 G-80A5	C0586522
SRTSCT	G-80A6 309051001	Body fluid sample	309051001 G-80A6	C1292527
SRTSCT	G-8300 119376003	Tissue specimen	119376003 G-8300	C1292533
SRTSCT	G-843A 430861001	Gross specimen	430861001 G-843A	C2316367
SRTSCT	G-8439 430856003	Tissue section	430856003 G-8439	C2316368
SRTSCT	G-843B 430970004	Core sample of tissue block	430970004 G-843B	C2316369
SRTSCT	G-843C 431196006	Tissue spot	431196006 G-843C	C2316370
SRTSCT	G-81EA 258661006	Slide	258661006 G-81EA	C0444330
SRTSCT	G-803C 258433009	Smear sample	258433009 G-803C	C0444086
SRTSCT	T-1A404 430855004	Touch preparation cytologic material	430855004 T-1A404	C2316942
SRTSCT	T-1A403 430346005	Liquid based cytologic material	430346005 T-1A403	C2315942
SRTSCT	G-8003 119295008	Aspirate	119295008 G-8003	C0370199
SRTSCT	G-81A0 258562007	Genetic sample	258562007 G-81A0	C0444241
Include CID 8104 "Breast Tissue Specimen Types"				

CID 8104 Breast Tissue Specimen Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080626
 UID: 1.2.840.10008.6.1.1046

Table CID 8104. Breast Tissue Specimen Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-8346 309548003	breast duct sample	309548003 G-8346	C0587065
SRTSCT	G-8339 309059004	frozen section breast sample	309059004 G-8339	C0586532
SRTSCT	G-833D 309546004	lumpectomy breast sample	309546004 G-833D	C0587063
SRTSCT	G-8430 397199005	specimen from breast obtained by excision	397199005 G-8430	C1301275
SRTSCT	G-8311 122595009	specimen from breast obtained by total mastectomy	122595009 G-8311	C1292534
SRTSCT	G-833F 309547008	segmentectomy breast sample	309547008 G-833F	C0587064
SRTSCT	G-832D 309058007	breast tru-cut biopsy sample	309058007 G-832D	C0586531
SRTSCT	G-8318 122737001	specimen from breast obtained by core needle biopsy	122737001 G-8318	C1292540
SRTSCT	G-8319 122738006	specimen from breast, stereotactically guided core needle biopsy	122738006 G-8319	C1292541
SRTSCT	G-831B 122739003	specimen from breast by incisional biopsy of breast mass	122739003 G-831B	C1292543
SRTSCT	R-003AC 373102004	specimen from breast obtained by image guided core biopsy	373102004 R-003AC	C1269973

CID 8109 Specimen Collection Procedure

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20080626

UID: 1.2.840.10008.6.1.1047

Table CID 8109. Specimen Collection Procedure

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P1-03130 14766002	Aspiration	14766002 P1-03130	C0349707
SRTSCT	P1-03100 86273004	Biopsy	86273004 P1-03100	C0005558
SRTSCT	P1-03000 65801008	Excision	65801008 P1-03000	C0728940
SRTSCT	P1-03000 65801008	Resection	65801008 P1-03000	C0728940
SRTSCT	P1-0D300 53958007	Harvesting of tissue	53958007 P1-0D300	C0185110
SRTSCT	P1-03021 128538000	Removal of device	128538000 P1-03021	C0752250
SRTSCT	P1-38200 22778000	Venipuncture	22778000 P1-38200	C0600406
SRTSCT	P0-00593 285570007	Taking of swab	285570007 P0-00593	C0563454
SRTSCT	P3-02000 17636008	Specimen collection	17636008 P3-02000	C0200345
SRTSCT	P1-03154 56757003	Scraping	56757003 P1-03154	C0184933

CID 8110 Specimen Sampling Procedure

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.1048

Table CID 8110. Specimen Sampling Procedure

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P1-01003122459003	Dissection	122459003P1-01003	C0012737
DCM	111726	Dissection with entire specimen submission		
DCM	111727	Dissection with representative sections submission		
SRTSCT	P3-40011434479002	Core sampling	434479002P3-40011	C2316564
SRTSCT	P3-4000D434472006	Block sectioning	434472006P3-4000D	C2316371
SRTSCT	P3-40004433454009	Laser microdissection	433454009P3-40004	C2316567
SRTSCT	P3-4000E434474007	Block surface recut	434474007P3-4000E	C2316372
SRTSCT	P3-4000F434475008	Block step sectioning	434475008P3-4000F	C2316876
SRTSCT	P3-4500A430854000	Touch preparation (procedure)	430854000P3-4500A	C2316781
SRTSCT	P1-0329D448895004	Smear procedure	448895004P1-0329D	C3163984

CID 8111 Specimen Preparation Procedure

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20080626
UID: 1.2.840.10008.6.1.1049

Table CID 8111. Specimen Preparation Procedure

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	HL7 v3 ActClass equivalent
SRTSCT	P3-0200017636008	Specimen collection	17636008P3-02000	C0200345	SPECCOLLECT
SRTSCT	P3-05013428995007	Specimen receiving	428995007P3-05013	C1997702	CONTREG
SRTSCT	P3-4000A433465004	Sampling of tissue specimen	433465004P3-4000A	C2316400	PROC
SRTSCT	P3-00003127790008	Staining	127790008P3-00003	C0487602	SPCTRT
SRTSCT	P3-050009265001	Specimen processing	9265001P3-05000	C0037793	SPCTRT
DCM	111729	Specimen storage			STORE

CID 8112 Specimen Stains

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170914
UID: 1.2.840.10008.6.1.1050

Table CID 8112. Specimen Stains

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	C-22860406976001	acid fast stain	406976001C-22860	C1318720
SRTSCT	C-2280A255792001	acid phosphatase stain	255792001C-2280A	C0440036
SRTSCT	C-2280B255793006	Albert's stain	255793006C-2280B	C0440037
SRTSCT	C-229634656000	alcian blue 8GX stain	4656000C-22963	C0001933

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-2293247995002	alcohol soluble nigrosine stain	47995002C-22932	C0303908
SRTSCT	G-2286D406981005	aldehyde fuchsin stain	406981005C-2286D	C0491984
SRTSCT	G-2296154432009	alizarin blue S stain	54432009C-22961	C0303917
SRTSCT	G-2295921951008	alizarin cyanine green stain	21951008C-22959	C0303916
SRTSCT	G-2295365580004	alizarin red S stain	65580004C-22953	C0051165
SRTSCT	G-2281327016007	alizarin yellow GG stain	27016007C-22813	C0303861
SRTSCT	G-2281428622002	alizarin yellow R stain	28622002C-22814	C0619792
SRTSCT	G-2285B406971006	alkaline phosphatase stain	406971006C-2285B	C1318717
SRTSCT	G-2287E406990003	aniline blue stain	406990003C-2287E	C1321796
SRTSCT	G-2280C255794000	auramine stain	255794000C-2280C	C0440038
SRTSCT	G-2287385066006	azo black stain	85066006C-22873	C0058437
SRTSCT	G-2292976048000	azocarmine G (GX) stain	76048000C-22929	C0303907
SRTSCT	G-2284235609001	azophloxin stain	35609001C-22842	C0073022
SRTSCT	G-228312159007	azorubin S stain	2159007C-22831	C0002406
SRTSCT	G-2294516836001	azure A stain	16836001C-22945	C0052826
SRTSCT	G-229468926000	azure B stain	8926000C-22946	C0052827
SRTSCT	G-2294411069001	azure C stain	11069001C-22944	C0052828
SRTSCT	G-2286E406982003	bauer's chromic acid leucofuchsin stain	406982003C-2286E	C1318723
SRTSCT	G-2287227844007	benzo fast scarlet stain	27844007C-22872	C0303882
SRTSCT	G-2280D255795004	beta-glucuronidase stain	255795004C-2280D	C0440039
SRTSCT	G-2286676605005	biebrich scarlet stain	76605005C-22866	C0303878
SRTSCT	G-2284944488008	bismark brown R stain	44488008C-22849	C0303872
SRTSCT	G-2284885190005	bismark brown Y stain	85190005C-22848	C0303871
SRTSCT	G-229211346008	blue shade eosin stain	1346008C-22921	C0303904
SRTSCT	G-2296541750006	brazilin stain	41750006C-22965	C0054031
SRTSCT	G-229348342001	brilliant cresyl blue stain	8342001C-22934	C0054052
SRTSCT	G-2286986541009	brilliant crocein stain	86541009C-22869	C0303880
SRTSCT	G-228658429000	brilliant orange stain	8429000C-22865	C0303877
SRTSCT	G-2285757753006	brilliant yellow stain	57753006C-22857	C0058441
SRTSCT	G-2283C406955006	butyrate esterase stain	406955006C-2283C	C1321545
SRTSCT	G-2286B406978000	carbolfuchsin stain	406978000C-2286B	C0054697
SRTSCT	G-2297173892005	carmine stain	73892005C-22971	C0007250
SRTSCT	G-22972432003	carminic acid stain	432003C-22972	C0054801
SRTSCT	G-2282237575004	carmoisine A stain	37575004C-22822	C0052799
SRTSCT	G-2293638707008	celestine blue B stain	38707008C-22936	C0055019
SRTSCT	G-2280E255796003	chloroacetate esterase stain	255796003C-2280E	C0440040
SRTSCT	G-2287B406986000	chromic acid stain	406986000C-2287B	C1321562
SRTSCT	G-2283885981002	chromotrope 2R stain	85981002C-22838	C0109683
SRTSCT	G-2280610247008	chrysoidine R stain	10247008C-22806	C0109694

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-2280516943008	chrysoidine Y stain	16943008C-22805	C0055663
SRTSCT	G-2297391606004	cochineal stain	91606004C-22973	C0110382
SRTSCT	G-22837406952009	colloidal iron stain	406952009C-22837	C1318877
SRTSCT	G-2285145106005	Congo red stain	45106005C-22851	C0009742
SRTSCT	G-22847406960005	cresyl echt violet stain	406960005C-22847	C1318879
SRTSCT	G-22840406959000	cresyl violet stain	406959000C-22840	C0056484
SRTSCT	G-2283368459007	crystal ponceau stain	68459007C-22833	C0303867
SRTSCT	G-2296689028002	curcumin stain	89028002C-22966	C0010467
SRTSCT	G-2282672572003	diamond black stain	72572003C-22826	C0303866
SRTSCT	G-2287111780008	durazol red stain	11780008C-22871	C0303881
SRTSCT	G-2285240076005	erie garnet stain	40076005C-22852	C0303873
SRTSCT	G-2283958631000	eriochrome blue black SE stain	58631000C-22839	C0059526
SRTSCT	G-229247434003	erythrosin B stain	7434003C-22924	C0014824
SRTSCT	G-229235043000	erythrosin Y stain	5043000C-22923	C0303905
SRTSCT	G-2285422931006	Evans blue stain	22931006C-22854	C0015205
SRTSCT	G-2288334700000	fast blue B salt stain	34700000C-22883	C0303888
SRTSCT	G-2288191295002	fast blue BB salt stain	91295002C-22881	C0060085
SRTSCT	G-2287864112001	fast blue RR salt stain	64112001C-22878	C0303885
SRTSCT	G-2288289148006	fast garnet GBC salt stain	89148006C-22882	C0303887
SRTSCT	G-2288624167004	fast green FCF stain	24167004C-22886	C0060087
SRTSCT	G-2287640718007	fast red B salt stain	40718007C-22876	C0303883
SRTSCT	G-2287747486002	fast red ITR stain	47486002C-22877	C0303884
SRTSCT	G-2287576633005	fast red TR salt stain	76633005C-22875	C0950478
SRTSCT	G-2286788660000	fast sulfon black F stain	88660000C-22867	C0303879
SRTSCT	G-2287972371006	fast violet B salt stain	72371006C-22879	C0303886
SRTSCT	G-2285976439002	fat red 7B stain	76439002C-22859	C0117300
SRTSCT	G-2280F255797007	Feulgen reaction stain	255797007C-2280F	C0440041
SRTSCT	G-22810255798002	field's stain	255798002C-22810	C0440042
SRTSCT	G-22816255799005	Flagellar stain	255799005C-22816	C0440043
SRTSCT	G-22A0035352008	fluorescent stain	35352008C-22A00	C0303920
SRTSCT	G-2286C406980006	fouchet stain	406980006C-2286C	C1318722
SRTSCT	G-2290260920007	fuchsin acid stain	60920007C-22902	C0252873
SRTSCT	G-2288950062004	fuchsin basic stain	50062004C-22889	C0073578
SRTSCT	G-229358836009	gallocyanine stain	8836009C-22935	C0061013
SRTSCT	F-61968373646006	giemsa stain	373646006F-61968	C0017542
SRTSCT	G-22830385484003	gram stain	385484003C-22830	C0061856
SRTSCT	G-2286F406983008	hansel stain	406983008C-2286F	C1318724
SRTSCT	G-2296775956008	hematein stain	75956008C-22967	C0062204
SRTSCT	G-2296812710003	hematoxylin stain	12710003C-22968	C0018964
SRTSCT	G-22817255800009	immunofluorescent stain	255800009C-22817	C0183489

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-2285C406972004	India ink stain	406972004C-2285C	C0123471
SRTSCT	G-2296245475000	indigo carmine stain	45475000C-22962	C0021219
SRTSCT	G-2292711727009	indophenol from naphthol stain	11727009C-22927	C0303906
SRTSCT	G-2297447030008	insoluble berlin blue stain	47030008C-22974	C0303918
SRTSCT	G-2280468263003	janus green B stain	68263003C-22804	C0064136
SRTSCT	G-22818255801008	Jenner-Giemsa stain	255801008C-22818	C0440044
SRTSCT	G-2289929342009	kenacid blue R stain	29342009C-22899	C0303892
SRTSCT	G-2294235724001	lacmoid stain	35724001C-22942	C0303910
SRTSCT	G-22819255802001	Leishman stain	255802001C-22819	C0440052
SRTSCT	G-2288789139001	light green SF stain	89139001C-22887	C0064970
SRTSCT	G-228416701008	lissamine fast red B stain	6701008C-22841	C0303868
SRTSCT	G-2284325079009	lissamine fast yellow stain	25079009C-22843	C0303869
SRTSCT	G-2291438543004	lissamine green B stain	38543004C-22914	C0061890
SRTSCT	G-22917111102009	lissamine rhodamine stain	111102009C-22917	C0303900
SRTSCT	G-2283F406958008	luxol fast blue stain	406958008C-2283F	C0065274
SRTSCT	G-2289027120008	malachite green stain	27120008C-22890	C0065555
SRTSCT	G-2283A406953004	Mallory bleach stain	406953004C-2283A	C1318878
SRTSCT	G-2280246139004	martius yellow stain	46139004C-22802	C0303860
SRTSCT	G-2281A255803006	may-Grunwald giemsa stain	255803006C-2281A	C0065757
SRTSCT	G-2293724516006	meldola blue stain	24516006C-22937	C0065912
SRTSCT	G-2281154791001	metanil yellow stain	54791001C-22811	C0066052
SRTSCT	G-229079010006	methyl blue stain	9010006C-22907	C0303897
SRTSCT	G-2281B255804000	methyl green pyronin stain	255804000C-2281B	C0440045
SRTSCT	G-2280942248000	methyl orange stain	42248000C-22809	C0066274
SRTSCT	G-2280813744001	methyl red stain	13744001C-22808	C0066279
SRTSCT	F-61A76387239001	methyl violet stain	387239001F-61A76	C0017440
SRTSCT	G-229476725000	methylene blue stain	6725000C-22947	C0025746
SRTSCT	G-2284A406961009	methylene violet stain	406961009C-2284A	C0492805
SRTSCT	G-2295231260003	methylene violet stain (Bernthsen)	31260003C-22952	C0303911
SRTSCT	G-2287F406991004	modified trichrome stain	406991004C-2287F	C1318726
SRTSCT	G-2284B406964001	mucicarmine stain	406964001C-2284B	C0066912
SRTSCT	G-2281C255805004	myeloperoxidase stain	255805004C-2281C	C0440053
SRTSCT	G-2284616788000	naphthalene black 12B stain	16788000C-22846	C0303870
SRTSCT	G-2280114958002	naphthol green B stain	14958002C-22801	C0303859
SRTSCT	G-22803111101002	naphthol yellow S stain	111101002C-22803	C0068424
SRTSCT	G-2285D406973009	naphthol-AS-D-chloracetate esterase stain	406973009C-2285D	C1318718
SRTSCT	G-2292867956008	neutral red stain	67956008C-22928	C0027941
SRTSCT	G-2281D255806003	neutrophil alkaline phosphatase stain	255806003C-2281D	C0440046

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-2289131714001	new fuchsin stain	31714001C-22891	C0068661
SRTSCT	G-2284C406965000	night blue stain	406965000C-2284C	C0068751
SRTSCT	G-2294177073008	nile blue stain	77073008C-22941	C0068765
SRTSCT	G-2282386750008	nitrazine yellow stain	86750008C-22823	C0068806
SRTSCT	G-2281E255807007	nonspecific esterase stain	255807007C-2281E	C0440047
SRTSCT	G-2295578869007	nuclear fast red stain	78869007C-22955	C0303913
SRTSCT	G-2286340808006	oil red O stain	40808006C-22863	C0069388
SRTSCT	G-2283254221006	orange G stain	54221006C-22832	C0069591
SRTSCT	G-2282425941002	orange II stain	25941002C-22824	C0069592
SRTSCT	G-2284D406966004	orcein stain	406966004C-2284D	C0069596
SRTSCT	G-229015442001	page blue 83 stain	5442001C-22901	C0303893
SRTSCT	G-228982088005	page blue G-90 stain	2088005C-22898	C0056270
SRTSCT	G-2288548540004	patent blue V sodium salt stain	48540004C-22885	C0116465
SRTSCT	G-2281F255808002	periodic acid Schiff stain	255808002C-2281F	C0440048
SRTSCT	R-F748A333111009	permethrin stain	333111009R-F748A	C1446695
SRTSCT	G-2285E406974003	peroxidase stain	406974003C-2285E	C1318719
SRTSCT	G-2292271957009	phloxin B stain	71957009C-22922	C0031567
SRTSCT	G-2284E406967008	phosphotungstic acid-hematoxylin stain	406967008C-2284E	C0491956
SRTSCT	G-2282965730007	ponceau 3R stain	65730007C-22829	C0071718
SRTSCT	G-2286889856006	ponceau S stain	89856006C-22868	C0071720
SRTSCT	G-2282870520000	ponceau xyldine stain	70520000C-22828	C0950345
SRTSCT	G-2285589577003	pontamine sky blue 5BX stain	89577003C-22855	C0303874
SRTSCT	G-2285680305003	pontamine sky blue 6BX stain	80305003C-22856	C0303875
SRTSCT	G-22870406984002	potassium hydroxide stain	406984002C-22870	C1318725
SRTSCT	G-2295624900003	procion brilliant blue MRS stain	24900003C-22956	C0303914
SRTSCT	G-2288A406993001	protargol S stain	406993001C-2288A	C0492806
SRTSCT	G-22820255809005	Prussian blue stain	255809005C-22820	C0060234
SRTSCT	G-2284F406968003	quinacrine fluorescent stain	406968003C-2284F	C1318715
SRTSCT	G-2286A406977005	rhodamine stain	406977005C-2286A	C0600322
SRTSCT	G-2282A255810000	Romanowsky stain	255810000C-2282A	C0440055
SRTSCT	G-2292582411007	rose bengal stain	82411007C-22925	C0035857
SRTSCT	G-2290815529003	rosolic acid sodium salt stain	15529003C-22908	C0303898
SRTSCT	G-2296438271009	saffron stain	38271009C-22964	C0162753
SRTSCT	F-61DA5406988004	safranin stain	406988004F-61DA5	C0073949
SRTSCT	G-2287A406985001	silver nitrate stain	406985001C-2287A	C1321600
SRTSCT	G-22836406951002	silver stain	406951002C-22836	C1318876
SRTSCT	G-2287451567006	sirius red F3B stain	51567006C-22874	C0071047

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-2291243549000	solochrome azurine (BS) stain	43549000C-22912	C0303899
SRTSCT	G-2282111201005	solochrome black 6B stain	11201005C-22821	C0303864
SRTSCT	G-2290925091000	solochrome cyanine R stain	25091000C-22909	C0074807
SRTSCT	G-2282538902009	solochrome dark blue stain	38902009C-22825	C0054495
SRTSCT	G-2297564991008	soluble berlin blue stain	64991008C-22975	C0303919
SRTSCT	G-2290611645004	spirit soluble aniline blue stain	11645004C-22906	C1260876
SRTSCT	G-2292083600004	spirit soluble eosin stain	83600004C-22920	C0303903
SRTSCT	G-2282B255811001	spore stain	255811001C-2282B	C0440049
SRTSCT	G-2282D314900004	Sudan stain	314900004C-2282D	C1282434
SRTSCT	G-2282722968009	sunset yellow FCF stain	22968009C-22827	C0060120
SRTSCT	G-2284421592006	tartrazine stain	21592006C-22844	C0039329
SRTSCT	G-2285F406975002	terminal deoxynucleotidyl transferase stain	406975002C-2285F	C0687124
SRTSCT	G-2288D406995008	thioflavine S stain	406995008C-2288D	C0952039
SRTSCT	G-2292661068006	thioflavine T stain	61068006C-22926	C0076466
SRTSCT	G-22850406969006	thionin stain	406969006C-22850	C0076494
SRTSCT	G-2294312001002	thionine stain	12001002C-22943	C0076494
SRTSCT	G-2284584217005	titan yellow stain	84217005C-22845	C0076731
SRTSCT	G-2287D406989007	trichrome stain	406989007C-2287D	C0077066
SRTSCT	G-2281535094004	tropaeolin O stain	35094004C-22815	C0303863
SRTSCT	G-2281253511009	tropaeolin OO stain	53511009C-22812	C0077384
SRTSCT	G-2285360441008	trypan blue stain	60441008C-22853	C0041213
SRTSCT	G-2283E406957003	Van Gieson stain	406957003C-2283E	C0491963
SRTSCT	G-22880406992006	verhoeff's hematoxylin stain	406992006C-22880	C1319311
SRTSCT	G-2285820230008	vital new red stain	20230008C-22858	C0303876
SRTSCT	G-2290488625006	water soluble aniline blue stain	88625006C-22904	C1321796
SRTSCT	G-2295458755002	water soluble anthracene brown stain	58755002C-22954	C0303912
SRTSCT	G-2293312119009	water soluble nigrosine stain	12119009C-22933	C0303909
SRTSCT	G-2295760739006	waxoline blue stain	60739006C-22957	C0303915
SRTSCT	F-61E5A409549005	wayson stain	409549005F-61E5A	C1443889
SRTSCT	F-619B7373682001	wright stain	373682001F-619B7	C1261259
SRTSCT	G-2288855831004	xylene cyanol FF stain	55831004C-22888	C0303889
SRTSCT	G-2282G255813003	Ziehl-Neelsen stain	255813003C-2282C	C0440051
SRTSCT	G-22A0829252006	acridine orange stain	29252006C-22A08	C0001185
SRTSCT	G-22A0717693003	acriflavine stain	17693003C-22A07	C0001187
SRTSCT	G-22A0384656005	atebrin FS stain	84656005C-22A03	C0303922
SRTSCT	G-22A0273251007	auramine G stain	73251007C-22A02	C0303921
SRTSCT	G-22A0181397005	auramine O stain	81397005C-22A01	C0878260

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-22A1149687009	coriphosphine stain	49687009C-22A11	C0056341
SRTSCT	G-22A0585596006	fluorescein stain	85596006C-22A05	C0060520
SRTSCT	G-22AA1108880002	fluorexon stain	108880002C-22AA1	C0060549
SRTSCT	G-22A0427671009	rhodamine B stain	27671009C-22A04	C0073194
SRTSCT	G-22A0625351006	Fluorescein sodium stain	25351006C-22A06	C0147866
SRTSCT	G-2286436572009	Sudan black B stain	36572009C-22864	C0075489
SRTSCT	G-2282E310805002	Sudan black stain	310805002C-2282E	C0588374
SRTSCT	G-2295810740006	Sudan blue stain	10740006C-22958	C0075490
SRTSCT	G-2280712030009	Sudan II stain	12030009C-22807	C0075492
SRTSCT	G-2286139777001	Sudan III stain	39777001C-22861	C0075491
SRTSCT	G-2286269133007	Sudan IV stain	69133007C-22862	C0074127
SRTSCT	G-2290376925007	alkali blue 5B (4B) stain	76925007C-22903	C0303894
SRTSCT	G-2290563929007	alkali blue 6B stain	63929007C-22905	C0303895
SRTSCT	G-2291134128002	chrome azurol S stain	34128002C-22911	C0055614
SRTSCT	G-2291817172002	dibromofluorescein stain	17172002C-22918	C0303901
SRTSCT	G-2289765445001	ethyl violet stain	65445001C-22897	C0059784
SRTSCT	G-2289622021002	methyl green stain	22021002C-22896	C0025701
SRTSCT	G-2289215896008	methyl violet 2B stain	15896008C-22892	C0303890
SRTSCT	G-2289414544006	methyl violet 6B stain	14544006C-22894	C0303891
SRTSCT	G-2291676001002	pyronine B stain	76001002C-22916	C0072769
SRTSCT	G-2291543106008	pyronine G stain	43106008C-22915	C0034316
SRTSCT	G-2295129522004	toluidine blue stain	29522004C-22951	C0040380
SRTSCT	G-2289582682000	victoria blue 4R stain	82682000C-22895	C0078233
SRTSCT	G-2291322749001	victoria blue B stain	22749001C-22913	C0078234
SRTSCT	G-2291936879007	water soluble eosin stain	36879007C-22919	C0303902

CID 8113 Specimen Preparation Steps

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20080626
UID: 1.2.840.10008.6.1.1051

Table CID 8113. Specimen Preparation Steps

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	P3-40005433455005	Specimen microwave heating	433455005P3-40005	C2317595
SRTSCT	P3-40009433457002	Specimen steam heating	433457002P3-40009	C2316565
SRTSCT	P3-40006433456006	Protease digestion of tissue specimen	433456006P3-40006	C2316566
SRTSCT	P3-4000B433470006	Specimen dehydration	433470006P3-4000B	C2317330
SRTSCT	P3-0505027872000	Specimen freezing	27872000P3-05050	C0200367
SRTSCT	P3-40003433452008	Specimen clearing	433452008P3-40003	C2316366

CID 8114 Specimen Fixatives

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20190124
 UID: 1.2.840.10008.6.1.1052

Table CID 8114. Specimen Fixatives

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-2141C 434162003	Neutral Buffered Formalin	434162003C-2141C	C0492002
SRTSCT	F-62235 433474002	Bouin's fluid	433474002F-62235	C0053963
SRTSCT	G-2141B 431510009	Formalin	431510009C-2141B	C0949307
SRTSCT	F-62231 433338005	Carnoy's fluid	433338005F-62231	C2317379
SRTSCT	F-62238 434295000	Formol sublimate	434295000F-62238	C0621539
SRTSCT	F-62233 433471005	Helly's fluid	433471005F-62233	C2317380
SRTSCT	F-6220F 430028007	Michel's medium	430028007F-6220F	C1550080
SRTSCT	F-62234 433473008	Zenker's fluid	433473008F-62234	C2317478
SRTSCT	G-21403 52836003	Paraformaldehyde	52836003C-21403	C0070066
SRTSCT	G-21624 2869004	Acetic acid	2869004C-21624	C0000983
SRTSCT	G-20830 259153006	Chloroform	259153006C-20830	C0008238
SRTSCT	G-12916 430821002	Chromium trioxide	430821002C-12916	C0055630
SRTSCT	G-21047 419442005	Ethanol	419442005C-21047	C0001962
SRTSCT	G-21402 111095003	Formaldehyde	111095003C-21402	C0016564
SRTSCT	G-13321 11496005	Mercuric chloride	11496005C-13321	C0025417
SRTSCT	G-2102B 259221006	Methanol	259221006C-2102B	C0001963
SRTSCT	G-15211 13931001	Osmium tetroxide	13931001C-15211	C0029385
SRTSCT	G-21919 24215009	Picric acid	24215009C-21919	C0071044
SRTSCT	G-13518 19893005	Potassium dichromate	19893005C-13518	C0032829

CID 8115 Specimen Embedding Media

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080626
 UID: 1.2.840.10008.6.1.1053

Table CID 8115. Specimen Embedding Media

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-616D8 311731000	Paraffin wax	311731000F-616D8	C0030415
SRTSCT	F-62232 433469005	Tissue freezing medium	433469005F-62232	C2315537
SRTSCT	G-2A000 61088005	Plastic	61088005C-2A000	C0032167
SRTSCT	G-84085 10249006	Agar	10249006C-84085	C0001771
SRTSCT	G-2A400 65345002	Epoxy resin	65345002C-2A400	C0014631

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT - Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-100EA261712009	Acrylic resin	261712009C-100EA	C0444831

CID 8120 WSI Referenced Image Purposes of Reference

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100824
 UID: 1.2.840.10008.6.1.897

Table CID 8120. WSI Referenced Image Purposes of Reference

Coding Scheme Designator	Code Value	Code Meaning
DCM	121311	Localizer
DCM	121350	Same acquisition at lower resolution
DCM	121351	Same acquisition at higher resolution
DCM	121352	Same acquisition at different focal depth
DCM	121353	Same acquisition at different spectral band
DCM	121354	Imaged container label

CID 8121 Microscopy Lens Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100824
 UID: 1.2.840.10008.6.1.898

Table CID 8121. Microscopy Lens Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT - Concept RT ID	UMLS Concept Unique ID
SRTSCT	A-0011A445621001	High power non-immersion lens	445621001A-0011A	C2919938
SRTSCT	A-0011B445622008	Oil immersion lens	445622008A-0011B	C2919939
SRTSCT	A-00118445601002	Slide overview lens	445601002A-00118	C2919940

CID 8122 Microscopy Illuminator and Sensor Color

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100824
 UID: 1.2.840.10008.6.1.899

Table CID 8122. Microscopy Illuminator and Sensor Color

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT - Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-102C0414298005	Full Spectrum	414298005R-102C0	C1532530
SRTSCT	R-102BE414497003	Infrared	414497003R-102BE	C1532326
SRTSCT	G-A11A371240000	Red	371240000G-A11A	C1260956
SRTSCT	G-A11E371246006	Green	371246006G-A11E	C0332583
SRTSCT	G-A12F405738005	Blue	405738005G-A12F	C1260957

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	R-102BF 415770004	Ultraviolet	415770004 R-102BF	C1532472

CID 8123 Microscopy Illumination Method

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20100824

UID: 1.2.840.10008.6.1.900

Table CID 8123. Microscopy Illumination Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	111741	Transmission illumination
DCM	111742	Reflection illumination
DCM	111743	Epifluorescence illumination
DCM	111744	Brightfield illumination
DCM	111745	Darkfield illumination
DCM	111746	Oblique illumination
DCM	111747	Phase contrast illumination
DCM	111748	Differential interference contrast
DCM	111749	Total internal reflection fluorescence

CID 8124 Microscopy Filter

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20100824

UID: 1.2.840.10008.6.1.901

Table CID 8124. Microscopy Filter

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	A-010E2 445465004	Green optical filter	445465004 A-010E2	C2919396
SRT SCT	A-010DF 445279009	Red optical filter	445279009 A-010DF	C2919397
SRT SCT	A-010DA 445084008	Blue optical filter	445084008 A-010DA	C2919751
SRT SCT	A-010DC 445169002	Infrared optical filter	445169002 A-010DC	C2919637
SRT SCT	A-010E1 445391002	Polarizing optical filter	445391002 A-010E1	C2919554
SRT SCT	A-010DE 445278001	Violet optical filter	445278001 A-010DE	C2919567
SRT SCT	A-010DD 445254006	Ultraviolet optical filter	445254006 A-010DD	C2919555
SRT SCT	A-0010F 445316008	Dichroic beamsplitter	445316008 A-0010F	C2919671
SRT SCT	A-00121 445635004	Hoffman modulator	445635004 A-00121	C2919672
SRT SCT	A-0011D 445624009	Darkfield stop	445624009 A-0011D	C2919815
SRT SCT	A-0011C 445623003	Rheinberg filter	445623003 A-0011C	C2919816
SRT SCT	A-0011E 445625005	Phase contrast plate	445625005 A-0011E	C2919530
SRT SCT	A-00120 445634000	Condenser annulus	445634000 A-00120	C2919531
SRT SCT	A-0011F 445633006	Nomarski prism	445633006 A-0011F	C2919532

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	A-00123 445663002	de Sénarmont compensator	445663002 A-00123	C2919789
DCM	111609	No filter		

CID 8125 Microscopy Illuminator Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100824
 UID: 1.2.840.10008.6.1.902

Table CID 8125. Microscopy Illuminator Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	A-00125 445679001	Tungsten halogen lamp	445679001 A-00125	C2919726
SRT SCT	A-00127 445685008	Mercury arc lamp	445685008 A-00127	C2919809
SRT SCT	A-00124 445671003	Xenon arc lamp	445671003 A-00124	C2919810
SRT SCT	A-00126 445683001	Light emitting diode	445683001 A-00126	C2919811
SRT SCT	A-23000 122456005	Laser	122456005 A-23000	C0023089

CID 8130 Staining Protocols

This Context Group is intended for use in the Scheduled Protocol Code Sequence (0040,0008) and the Performed Protocol Code Sequence (0040,0260) attributes for an automated slide stainer. When so used, an Item with value (~~P3-00003~~, ~~SRT~~127790008, ~~SCT~~, "Staining") will also include a Protocol Context Sequence (0040,0440) using TID 8003 "Specimen Staining" to identify the specific stain substance.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20111028
 UID: 1.2.840.10008.6.1.944

Table CID 8130. Staining Protocols

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	P3-00003 127790008	Staining	127790008 P3-00003	C0487602
SRT SCT	P3-50495 104210008	Hematoxylin and eosin stain method	104210008 P3-50495	C0523207

CID 8131 Pathology Imaging Protocols

This Context Group is intended for use in the Scheduled Protocol Code Sequence (0040,0008) and the Performed Protocol Code Sequence (0040,0260). When so used, an Item with value (112703, DCM, "Whole Slide Imaging") may also include a Protocol Context Sequence (0040,0440) using TID 8010 "Slide Imaging Parameters".

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20120605
 UID: 1.2.840.10008.6.1.948

Table CID 8131. Pathology Imaging Protocols

Coding Scheme Designator	Code Value	Code Meaning
DCM	112700	Peri-operative Photographic Imaging
DCM	112701	Gross Specimen Imaging
DCM	112702	Slide Microscopy
DCM	112703	Whole Slide Imaging
DCM	112704	WSI 20X RGB
DCM	112705	WSI 40X RGB

CID 8132 Magnification Selection

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20120605
UID: 1.2.840.10008.6.1.949

Table CID 8132. Magnification Selection

Coding Scheme Designator	Code Value	Code Meaning
DCM	112715	5X
DCM	112716	10X
DCM	112717	20X
DCM	112718	40X

CID 8133 Tissue Selection

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20120605
UID: 1.2.840.10008.6.1.950

Table CID 8133. Tissue Selection

Coding Scheme Designator	Code Value	Code Meaning
DCM	112719	Nominal empty tile suppression
DCM	112720	High threshold empty tile suppression
DCM	112721	No empty tile suppression

CID 8201 Surface Scan Acquisition Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20121129
UID: 1.2.840.10008.6.1.953

Table CID 8201. Surface Scan Acquisition Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	114201	Time of flight
DCM	114202	Interferometry
DCM	114203	Laser scanning
DCM	114204	Pattern projection

Coding Scheme Designator	Code Value	Code Meaning
DCM	114205	Shape from shading
DCM	114206	Shape from motion
DCM	114207	Confocal imaging
DCM	114208	Point Cloud Algorithmic

CID 8202 Surface Scan Mode Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20121129
UID: 1.2.840.10008.6.1.954

Table CID 8202. Surface Scan Mode Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	114209	Turntable Scan Method
DCM	114210	High resolution
DCM	114211	Fast mode
DCM	114216	Checkerboard

CID 8203 Surface Scan Registration Method Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20121129
UID: 1.2.840.10008.6.1.956

Table CID 8203. Surface Scan Registration Method Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	114213	Iterative Closest Point
DCM	125022	Fiducial Alignment
DCM	114215	Freehand

CID 8300 Visual Evaluation Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20140331
UID: 1.2.840.10008.6.1.980

Table CID 8300. Visual Evaluation Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	109701	Overall image quality evaluation
DCM	109702	Grayscale resolution evaluation
DCM	109703	Luminance response evaluation
DCM	109704	Luminance uniformity evaluation
DCM	109705	Chromaticity evaluation
DCM	109706	Pixel faults evaluation
DCM	109707	Veiling glare evaluation

Coding Scheme Designator	Code Value	Code Meaning
DCM	109708	Geometrical image evaluation
DCM	109709	Angular viewing evaluation
DCM	109710	Clinical evaluation

CID 8301 Test Pattern Codes

Test patterns for display calibration jobs.

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: **Extensible**
Version: **20140331**
UID: **1.2.840.10008.6.1.981**

Table CID 8301. Test Pattern Codes

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
DCM	109801	TG18-QC Pattern	
DCM	109802	TG18-BR Pattern	
DCM	109803	TG18-PQC Pattern	
DCM	109804	TG18-CT Pattern	
DCM	109805	TG18-LN8-01 Pattern	
DCM	109806	TG18-LN8-02 Pattern	
DCM	109807	TG18-LN8-03 Pattern	
DCM	109808	TG18-LN8-04 Pattern	
DCM	109809	TG18-LN8-05 Pattern	
DCM	109810	TG18-LN8-06 Pattern	
DCM	109811	TG18-LN8-07 Pattern	
DCM	109812	TG18-LN8-08 Pattern	
DCM	109813	TG18-LN8-09 Pattern	
DCM	109814	TG18-LN8-10 Pattern	
DCM	109815	TG18-LN8-11 Pattern	
DCM	109816	TG18-LN8-12 Pattern	
DCM	109817	TG18-LN8-13 Pattern	
DCM	109818	TG18-LN8-14 Pattern	
DCM	109819	TG18-LN8-15 Pattern	
DCM	109820	TG18-LN8-16 Pattern	
DCM	109821	TG18-LN8-17 Pattern	
DCM	109822	TG18-LN8-18 Pattern	
DCM	109823	TG18-LN12-01 Pattern	
DCM	109824	TG18-LN12-02 Pattern	
DCM	109825	TG18-LN12-03 Pattern	
DCM	109826	TG18-LN12-04 Pattern	
DCM	109827	TG18-LN12-05 Pattern	
DCM	109828	TG18-LN12-06 Pattern	

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
DCM	109829	TG18-LN12-07 Pattern	
DCM	109830	TG18-LN12-08 Pattern	
DCM	109831	TG18-LN12-09 Pattern	
DCM	109832	TG18-LN12-10 Pattern	
DCM	109833	TG18-LN12-11 Pattern	
DCM	109834	TG18-LN12-12 Pattern	
DCM	109835	TG18-LN12-13 Pattern	
DCM	109836	TG18-LN12-14 Pattern	
DCM	109837	TG18-LN12-15 Pattern	
DCM	109838	TG18-LN12-16 Pattern	
DCM	109839	TG18-LN12-17 Pattern	
DCM	109840	TG18-LN12-18 Pattern	
DCM	109841	TG18-UN10 Pattern	
DCM	109842	TG18-UN80 Pattern	
DCM	109843	TG18-UNL10 Pattern	
DCM	109844	TG18-UNL80 Pattern	
DCM	109845	TG18-AD Pattern	
DCM	109846	TG18-MP Pattern	
DCM	109847	TG18-RH10 Pattern	
DCM	109848	TG18-RH50 Pattern	
DCM	109849	TG18-RH89 Pattern	
DCM	109850	TG18-RV10 Pattern	
DCM	109851	TG18-RV50 Pattern	
DCM	109852	TG18-RV89 Pattern	
DCM	109853	TG18-PX Pattern	
DCM	109854	TG18-CX Pattern	
DCM	109855	TG18-LPH10 Pattern	
DCM	109856	TG18-LPH50 Pattern	
DCM	109857	TG18-LPH89 Pattern	
DCM	109858	TG18-LPV10 Pattern	
DCM	109859	TG18-LPV50 Pattern	
DCM	109860	TG18-LPV89 Pattern	
DCM	109861	TG18-AFC Pattern	
DCM	109862	TG18-NS10 Pattern	
DCM	109863	TG18-NS50 Pattern	
DCM	109864	TG18-NS89 Pattern	
DCM	109865	TG18-GV Pattern	
DCM	109866	TG18-GVN Pattern	
DCM	109867	TG18-GQ Pattern	
DCM	109868	TG18-GQN Pattern	

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
DCM	109869	TG18-GQB Pattern	
DCM	109870	TG18-GA03 Pattern	
DCM	109871	TG18-GA05 Pattern	
DCM	109872	TG18-GA08 Pattern	
DCM	109873	TG18-GA10 Pattern	
DCM	109874	TG18-GA15 Pattern	
DCM	109875	TG18-GA20 Pattern	
DCM	109876	TG18-GA25 Pattern	
DCM	109877	TG18-GA30 Pattern	
DCM	109878	TG18-CH Image	
DCM	109879	TG18-KN Image	
DCM	109880	TG18-MM1 Image	
DCM	109881	TG18-MM2 Image	
DCM	109901	OIQ Pattern	
DCM	109902	ANG Pattern	
DCM	109903	GD Pattern	
DCM	109904	BN01 Pattern	
DCM	109905	BN02 Pattern	
DCM	109906	BN03 Pattern	
DCM	109907	BN04 Pattern	
DCM	109908	BN05 Pattern	
DCM	109909	BN06 Pattern	
DCM	109910	BN07 Pattern	
DCM	109911	BN08 Pattern	
DCM	109912	BN09 Pattern	
DCM	109913	BN10 Pattern	
DCM	109914	BN11 Pattern	
DCM	109915	BN12 Pattern	
DCM	109916	BN13 Pattern	
DCM	109917	BN14 Pattern	
DCM	109918	BN15 Pattern	
DCM	109919	BN16 Pattern	
DCM	109920	BN17 Pattern	
DCM	109921	BN18 Pattern	
DCM	109931	DIN Geometry Pattern	
DCM	109932	DIN Grayscale Pattern	
DCM	109933	DIN Resolution Pattern	
DCM	109941	White Pattern	
DCM	109943	SMPTE Pattern	

CID 8302 Measurement Pattern Codes

Test pattern images that define measurement points for display calibration jobs.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20140331
UID: 1.2.840.10008.6.1.982

Table CID 8302. Measurement Pattern Codes

Coding Scheme Designator	Code Value	Code Meaning
DCM	109843	TG18-UNL10 Pattern
DCM	109844	TG18-UNL80 Pattern

CID 8303 Display Device Type

The type of image display device.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170417
UID: 1.2.840.10008.6.1.983

Table CID 8303. Display Device Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	109991	CRT Display
DCM	109992	Liquid Crystal Display
DCM	109993	Plasma Display
DCM	109994	OLED
DCM	109995	DLP Rear Projection System
DCM	109996	DLP Front Projection System
DCM	109997	CRT Rear Projection System
DCM	109998	CRT Front Projection System

CID 9000 Physical Quantity Descriptors

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: ~~20141110~~20190326
UID: 1.2.840.10008.6.1.1010

Table CID 9000. Physical Quantity Descriptors

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	G-C1C6 246205007	Quantity	246205007 G-C1C6	C1265611
DCM	121401	Derivation		
SRT SCT	G-C036 370129005	Measurement Method	370129005 G-C036	C1299991
SCT	363698007	Finding Site	G-C0E3	C1285538
DCM	121071	Finding		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
NCIt	C94970	Reference Region		C2986814
DCM	113241	Model fitting method		
DCM	113240	Source image diffusion b-value		
DCM	121050	Equivalent Meaning of Concept Name		

Note

The concept (~~G-C1G6~~, ~~SRT~~246205007, SCT, "Quantity"), lacking a formal definition in SNOMED, is assumed in this usage to be synonymous with the concept defined for "quantity" in Joint Committee for Guides in Metrology (JCGM), *International Vocabulary of Metrology, Basic and General Concepts and Associated Terms* (http://www.bipm.org/utis/common/documents/jcgm/JCGM_200_2012.pdf); the definition is "property of a phenomenon, body, or substance, where the property has a magnitude that can be expressed as a number and a reference". That document further distinguishes a "physical quantity", "chemical quantity", and "biological quantity", though no such distinction is implied here, and "quantity" is assumed to be all inclusive.

CID 9231 Workitem Definition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160601
UID: 1.2.840.10008.6.1.531

Table CID 9231. Workitem Definition

Coding Scheme Designator	Code Value	Code Meaning
DCM	110001	Image Processing
DCM	110002	Quality Control
DCM	110003	Computer Aided Diagnosis
DCM	110004	Computer Aided Detection
DCM	110005	Interpretation
DCM	110006	Transcription
DCM	110007	Report Verification
DCM	128001	Add Addendum to Report
DCM	110008	Print
DCM	110009	No subsequent Workitems
DCM	110013	Media Import

CID 9232 Non-DICOM Output Types (Retired)

See PS3.16-2011.

CID 9233 Requested Report Types

This content group describes types of reports that may be requested as the output of a diagnostic imaging reporting task.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160601
UID: 1.2.840.10008.6.1.1120

Table CID 9233. Requested Report Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	121362	Preliminary Report
DCM	128005	Final Report

CID 9241 Radiotherapy General Workitem Definition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20151110
UID: 1.2.840.10008.6.1.931

Table CID 9241. Radiotherapy General Workitem Definition

Coding Scheme Designator	Code Value	Code Meaning
DCM	121701	RT Patient Setup
DCM	121722	RT Patient Position Adjustment
DCM	121723	RT Patient Position In-treatment-session Review
DCM	121724	RT Treatment Simulation with Internal Verification
DCM	121725	RT Treatment Simulation with External Verification
DCM	121726	RT Treatment with Internal Verification
DCM	121727	RT Treatment with External Verification
DCM	121728	RT Treatment QA with Internal Verification
DCM	121729	RT Treatment QA with External Verification
DCM	121730	RT Machine QA
DCM	121731	RT Treatment QA by RT Plan Dose Check
DCM	121732	RT Treatment QA by RT Plan Difference Check
DCM	121733	RT Treatment QA by RT Ion Plan Dose Check
DCM	121734	RT Treatment QA by RT Ion Plan Difference Check
DCM	121735	RT Brachy Treatment

CID 9242 Radiotherapy Acquisition Workitem Definition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110406
UID: 1.2.840.10008.6.1.932

Table CID 9242. Radiotherapy Acquisition Workitem Definition

Coding Scheme Designator	Code Value	Code Meaning
DCM	121702	RT Patient Position Acquisition, single plane MV
DCM	121703	RT Patient Position Acquisition, dual plane MV
DCM	121704	RT Patient Position Acquisition, single plane kV
DCM	121705	RT Patient Position Acquisition, dual plane kV
DCM	121706	RT Patient Position Acquisition, dual plane kV/MV
DCM	121707	RT Patient Position Acquisition, CT kV
DCM	121708	RT Patient Position Acquisition, CT MV

Coding Scheme Designator	Code Value	Code Meaning
DCM	121709	RT Patient Position Acquisition, Optical
DCM	121710	RT Patient Position Acquisition, Ultrasound
DCM	121711	RT Patient Position Acquisition, Spatial Fiducials

CID 9243 Radiotherapy Registration Workitem Definition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110406
UID: 1.2.840.10008.6.1.933

Table CID 9243. Radiotherapy Registration Workitem Definition

Coding Scheme Designator	Code Value	Code Meaning
DCM	121712	RT Patient Position Registration, single plane
DCM	121713	RT Patient Position Registration, dual plane
DCM	121714	RT Patient Position Registration, 3D CT general
DCM	121715	RT Patient Position Registration, 3D CT marker-based
DCM	121716	RT Patient Position Registration, 3D CT volume-based
DCM	121717	RT Patient Position Registration, 3D on 2D reference
DCM	121718	RT Patient Position Registration, 2D on 3D reference
DCM	121719	RT Patient Position Registration, Optical
DCM	121720	RT Patient Position Registration, Ultrasound
DCM	121721	RT Patient Position Registration, Spatial Fiducials

CID 9250 Scheduled Processing Parameter Concept Codes for RT Treatment

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170413
UID: 1.2.840.10008.6.1.971

Table CID 9250. Scheduled Processing Parameter Concept Codes for RT Treatment

Coding Scheme Designator	Code Value	Code Meaning
DCM	121740	Treatment Delivery Type

CID 9300 Procedure Discontinuation Reasons

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181115
UID: 1.2.840.10008.6.1.533

Table CID 9300. Procedure Discontinuation Reasons

Coding Scheme Designator	Code Value	Code Meaning
DCM	110526	Resource pre-empted
DCM	110527	Resource inadequate
DCM	110533	Workitem expired
DCM	110528	Discontinued Procedure Step rescheduled

Coding Scheme Designator	Code Value	Code Meaning
DCM	110529	Discontinued Procedure Step rescheduling recommended
DCM	110530	Workitem assignment rejected by assigned resource
Include CID 9301 "Modality PPS Discontinuation Reasons"		
Include CID 9302 "Media Import PPS Discontinuation Reasons"		
Include CID 60 "Imaging Agent Administration Adverse Events"		

CID 9301 Modality PPS Discontinuation Reasons

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20140419
UID: 1.2.840.10008.6.1.812

Table CID 9301. Modality PPS Discontinuation Reasons

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	110500	Doctor canceled procedure		
DCM	110501	Equipment failure		
DCM	110502	Incorrect procedure ordered		
DCM	110503	Patient allergic to media/contrast		
DCM	110504	Patient died		
DCM	110505	Patient refused to continue procedure		
DCM	110506	Patient taken for treatment or surgery		
DCM	110507	Patient did not arrive		
DCM	110508	Patient pregnant		
DCM	110509	Change of procedure for correct charging		
DCM	110510	Duplicate order		
DCM	110511	Nursing unit cancel		
DCM	110512	Incorrect side ordered		
DCM	110513	Discontinued for unspecified reason		
DCM	110514	Incorrect worklist entry selected		
DCM	110515	Patient condition prevented continuing		
DCM	110516	Equipment change		
SRT SCT	D0-B0330 95384003	Injection Site Extravasation	95384003 D0-B0330	C0521500
SRT SCT	DF-10780 292094009	Radiopharmaceutical Adverse Reaction	292094009 DF-10780	C0569412

CID 9302 Media Import PPS Discontinuation Reasons

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20090616
UID: 1.2.840.10008.6.1.813

Table CID 9302. Media Import PPS Discontinuation Reasons

Coding Scheme Designator	Code Value	Code Meaning
DCM	110521	Objects incorrectly formatted
DCM	110522	Object Types not supported
DCM	110523	Object Set incomplete
DCM	110524	Media Failure
DCM	110501	Equipment failure
DCM	110510	Duplicate order
DCM	110513	Discontinued for unspecified reason
DCM	110514	Incorrect worklist entry selected

CID 9303 Interpretation Request Discontinuation Reasons

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20171122

UID: 1.2.840.10008.6.1.1198

Table CID 9303. Interpretation Request Discontinuation Reasons

Coding Scheme Designator	Code Value	Code Meaning	
DCM	110526	Resource pre-empted	
DCM	110500	Doctor canceled procedure	
DCM	110502	Incorrect procedure ordered	
DCM	110504	Patient died	
DCM	110509	Change of procedure for correct charging	
DCM	110510	Duplicate order	
DCM	110513	Discontinued for unspecified reason	
DCM	110530	Workitem assignment rejected by assigned resource	
DCM	110523	Object Set incomplete	
DCM	110531	Insufficient quality for interpretation	
DCM	110532	Interpretation requires specialist expertise	

CID 9401 IEC61217 Device Position Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20130518

UID: 1.2.840.10008.6.1.1023

Table CID 9401. IEC61217 Device Position Parameters

Coding Scheme Designator	Code Value	Code Meaning
Include CID 9402 "IEC61217 Gantry Position Parameters"		
Include CID 9403 "IEC61217 Patient Support Position Parameters"		

CID 9402 IEC61217 Gantry Position Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20130518
UID: 1.2.840.10008.6.1.1024

Table CID 9402. IEC61217 Gantry Position Parameters

Coding Scheme Designator	Code Value	Code Meaning
DCM	126809	IEC61217 Gantry Continuous Roll Angle
DCM	126810	IEC61217 Gantry Continuous Pitch Angle
DCM	126811	IEC61217 Gantry Continuous Yaw Angle

CID 9403 IEC61217 Patient Support Position Parameters

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20130518
UID: 1.2.840.10008.6.1.1025

Table CID 9403. IEC61217 Patient Support Position Parameters

Coding Scheme Designator	Code Value	Code Meaning
DCM	126801	IEC61217 Patient Support Continuous Angle
DCM	126802	IEC61217 Table Top Continuous Pitch Angle
DCM	126803	IEC61217 Table Top Continuous Roll Angle
DCM	126804	IEC61217 Table Top Eccentric Axis Distance
DCM	126805	IEC61217 Table Top Continuous Eccentric Angle
DCM	126806	IEC61217 Table Top Lateral Position
DCM	126807	IEC61217 Table Top Longitudinal Position
DCM	126808	IEC61217 Table Top Vertical Position

CID 9500 Dosimetric Objective Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1210

Table CID 9500. Dosimetric Objective Types

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 9532 "No-Parameter Dosimetric Objectives"</i>		
<i>Include CID 9529 "Single Dose Dosimetric Objectives"</i>		
<i>Include CID 9530 "Percentage and Dose Dosimetric Objectives"</i>		
<i>Include CID 9531 "Volume and Dose Dosimetric Objectives"</i>		
DCM	130074	Specified Conformity Index
DCM	130075	Specified Healthy Tissue Conformity Index
DCM	130076	Specified Conformation Number
DCM	130077	Specified Homogeneity Index

CID 9501 Prescription Anatomy Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1211

Table CID 9501. Prescription Anatomy Categories

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-D000A91723000	Anatomical Structure	91723000T-D000A	C1268086
DCM	130047	External Body Model		
SRTSCT	A-00004260787004	Physical object	260787004A-00004	C0085089
DCM	130046	Non-specific Volume		

CID 9502 RT Segment Annotation Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1212

Table CID 9502. RT Segment Annotation Categories

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	130041	RT Target		
DCM	130042	RT Dose Calculation Structure		
DCM	130043	RT Geometric Information		
DCM	130047	External Body Model		
DCM	130044	Fixation or Positioning Device		
DCM	130045	Brachytherapy Device		
SRTSCT	A-00004260787004	Physical object	260787004A-00004	C0085089
DCM	130046	Non-specific Volume		

CID 9503 Radiotherapy Therapeutic Role Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1213

Table CID 9503. Radiotherapy Therapeutic Role Categories

Coding Scheme Designator	Code Value	Code Meaning
DCM	130041	RT Target
DCM	130042	RT Dose Calculation Structure

CID 9504 RT Geometric Information

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1214

Table CID 9504. RT Geometric Information

Coding Scheme Designator	Code Value	Code Meaning
DCM	130069	Patient Setup Point
DCM	130070	Room Laser Patient Setup Point
DCM	130071	Moveable Laser Patient Setup Point
DCM	130072	Reference Acquisition Point
DCM	130073	Isocentric Treatment Location Point

CID 9505 Fixation or Positioning Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1215

Table CID 9505. Fixation or Positioning Devices

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 9513 "Fixation Devices"</i>		
<i>Include CID 9515 "RT Patient Support Devices"</i>		

CID 9506 Brachytherapy Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1216

Table CID 9506. Brachytherapy Devices

Coding Scheme Designator	Code Value	Code Meaning
DCM	130078	Brachytherapy source applicator
DCM	130079	Brachytherapy channel shield
DCM	130080	Brachytherapy channel

CID 9507 External Body Models

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1217

Table CID 9507. External Body Models

Coding Scheme Designator	Code Value	Code Meaning
DCM	130067	Patient Anatomy Model
DCM	130068	Extended Patient Anatomy Model

CID 9508 Non-specific Volumes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1218

Table CID 9508. Nonspecific Volumes

Coding Scheme Designator	Code Value	Code Meaning
DCM	130048	Unclassified Volume
DCM	130081	Unclassified Combination

CID 9509 Purpose of Reference For RT Physician Intent Input

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1219

Table CID 9509. Purpose of Reference for RT Physician Intent Input

Coding Scheme Designator	Code Value	Code Meaning
DCM	130135	Historical RT Prescription
DCM	128181	Diagnostic Source Images
DCM	128182	Segmentation Result
DCM	128183	Registration Result
DCM	130136	RT Prescription Input Images
LN	30954-2	Relevant Diagnostic Tests and/or Laboratory Data

CID 9510 Purpose of Reference For RT Treatment Planning Input

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1220

Table CID 9510. Purpose of Reference for RT Treatment Planning Input

Coding Scheme Designator	Code Value	Code Meaning
DCM	128181	Diagnostic Source Images
DCM	128182	Segmentation Result
DCM	128183	Registration Result
DCM	128186	RT Prescription Result
DCM	130137	RT Treatment Planning Input Images

CID 9511 General External Radiotherapy Procedure Techniques

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1221

Table CID 9511. General External Radiotherapy Procedure Techniques

Coding Scheme Designator	Code Value	Code Meaning
DCM	130102	Static Beam
DCM	130103	Arc Beam
DCM	130104	Conformal Arc Beam
DCM	130105	Step and Shoot Beam

Coding Scheme Designator	Code Value	Code Meaning
DCM	130106	Sliding Window Beam
DCM	130107	VMAT

CID 9512 Tomotherapeutic Radiotherapy Procedure Techniques

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1222

Table CID 9512. Tomotherapeutic Radiotherapy Procedure Techniques

Coding Scheme Designator	Code Value	Code Meaning
DCM	130108	Helical Beam
DCM	130109	Topographic Beam

CID 9513 Fixation Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181116
 UID: 1.2.840.10008.6.1.1223

Table CID 9513. Fixation Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	A-01105 228745001	Bite block	228745001A-01105	C0179321
DCM	130110	Headframe		
DCM	130111	Head Mask		
DCM	130112	Head and Neck Mask		
DCM	130113	Mold		
DCM	130114	Cast		
SRT SCT	R-FEEC3 706683002	Headrest	706683002R-FEEC3	C0181130
DCM	130116	Breast Board		
DCM	130117	Body Frame		
DCM	130118	Vacuum Mold		
DCM	130119	Whole Body Pod		
DCM	130120	Rectal Balloon		
DCM	130121	Vaginal Cylinder		

CID 9514 Anatomical Structures For Radiotherapy

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1224

Table CID 9514. Anatomical Structures for Radiotherapy

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 4031 "Common Anatomic Regions"				
Include CID 7192 "Anatomical Structure Segmentation Property Types"				

CID 9515 RT Patient Support Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181116
 UID: 1.2.840.10008.6.1.1225

Table CID 9515. RT Patient Support Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	A-17350 86407004	Table	86407004 A-17350	C0039224
SRT SCT	R-FE814 706699008	Chair	706699008 R-FE814	C0179847

CID 9516 Radiotherapy Bolus Device Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1226

Table CID 9516. Radiotherapy Bolus Device Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	A-010FB 228736002	Surface Bolus	228736002 A-010FB	C0454145

CID 9517 Radiotherapy Block Device Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1227

Table CID 9517. Radiotherapy Block Device Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	A-010FE 228739009	Shielding Block	228739009 A-010FE	C0454148
DCM	130123	Aperture Block		

CID 9518 Radiotherapy Accessory No-slot Holder Device Types

Codes for Radiotherapy devices holding other accessories without using slots.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1228

Table CID 9518. Radiotherapy Accessory No-Slot Holder Device Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	130124	Accessory Tray

CID 9519 Radiotherapy Accessory Slot Holder Device Types

Codes for Radiotherapy devices holding other accessories using slots.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1229

Table CID 9519. Radiotherapy Accessory Slot Holder Device Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	130125	Radiotherapy Applicator

CID 9520 Segmented RT Accessory Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1230

Table CID 9520. Segmented RT Accessory Devices

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 9513 "Fixation Devices"</i>		
<i>Include CID 9506 "Brachytherapy Devices"</i>		
<i>Include CID 9515 "RT Patient Support Devices"</i>		
<i>Include CID 9516 "Radiotherapy Bolus Device Types"</i>		
<i>Include CID 9517 "Radiotherapy Block Device Types"</i>		
<i>Include CID 9518 "Radiotherapy Accessory No-slot Holder Device Types"</i>		
<i>Include CID 9519 "Radiotherapy Accessory Slot Holder Device Types"</i>		

CID 9521 Radiotherapy Treatment Energy Unit

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20181112
UID: 1.2.840.10008.6.1.1231

Table CID 9521. Radiotherapy Treatment Energy Unit

Coding Scheme Designator	Code Value	Code Meaning
UCUM	MV	Megavolt
UCUM	MeV	Megaelectronvolt
UCUM	kV	Kilovolt

CID 9522 Multi-source Radiotherapy Procedure Techniques

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible

Version: 20181112
 UID: 1.2.840.10008.6.1.1232

Table CID 9522. Multi-Source Radiotherapy Procedure Techniques

Coding Scheme Designator	Code Value	Code Meaning
DCM	130138	Multiple Fixed Sources

CID 9523 Robotic Radiotherapy Procedure Techniques

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1233

Table CID 9523. Robotic Radiotherapy Procedure Techniques

Coding Scheme Designator	Code Value	Code Meaning
DCM	130139	Synchronized Robotic Treatment
DCM	130140	Non-Synchronized Robotic Treatment

CID 9524 Radiotherapy Procedure Techniques

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1234

Table CID 9524. Radiotherapy Procedure Techniques

Coding Scheme Designator	Code Value	Code Meaning
Include CID 9511 "General External Radiotherapy Procedure Techniques"		
Include CID 9512 "Tomotherapeutic Radiotherapy Procedure Techniques"		
Include CID 9522 "Multi-source Radiotherapy Procedure Techniques"		
Include CID 9523 "Robotic Radiotherapy Procedure Techniques"		

CID 9525 Radiation Therapy Particle

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1235

Table CID 9525. Radiation Therapy Particle

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	F-61790290006006	Photon	290006006F-61790	C0086805
SRTSCT	G-1000446602004	Electron	46602004C-10004	C0013852

CID 9526 Ion Therapy Particle

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20181122
 UID: 1.2.840.10008.6.1.1236

Table CID 9526. Ion Therapy Particle

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-10001 48006008	Electron	48006008C-10001	C0022023
SRTSCT	G-10005 89177007	Proton	89177007C-10005	C0033727
DCM	130141	³ Helium nucleus		
DCM	130142	⁴ Helium nucleus		
DCM	130143	¹² Carbon nucleus		
DCM	130144	¹⁶ Oxygen nucleus		

CID 9527 Teletherapy Isotope

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1237

Table CID 9527. Teletherapy Isotope

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-144A6 5405008	⁶⁰ Cobalt	5405008C-144A6	C0303395

CID 9528 Brachytherapy Isotope

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1238

Table CID 9528. Brachytherapy Isotope

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-142B2 55117002	¹³⁷ Cesium	55117002C-142B2	C0303379
SRTSCT	G-142A5 13237009	¹³¹ Cesium	13237009C-142A5	C0303373
SRTSCT	G-151B2 48341001	¹⁹² Iridium	48341001C-151B2	C0303472
SRTSCT	G-114A6 68630002	¹²⁵ Iodine	68630002C-114A6	C0796396
SRTSCT	G-160A3 9351000	¹⁰³ Palladium	9351000C-160A3	C0303566
SRTSCT	G-124B4 35978008	²⁵² Californium	35978008C-124B4	C0303150
SRTSCT	G-144A6 5405008	⁶⁰ Cobalt	5405008C-144A6	C0303395
SRTSCT	G-136A5 28243009	²²⁶ Radium	28243009C-136A5	C0303284
SRTSCT	G-162A7 14691008	⁹⁰ Yttrium	14691008C-162A7	C0303596
SRTSCT	G-146A9 24301009	¹⁹⁸ Gold	24301009C-146A9	C0303420
SRTSCT	G-106A1 32505007	³² Phosphorus	32505007C-106A1	C0851287
SRTSCT	G-136B6 51800004	²²² Radon	51800004C-136B6	C0303292
SRTSCT	G-158A7 14071002	⁹⁰ Strontium	14071002C-158A7	C0303547
SRTSCT	G-180A5 8227001	¹⁰⁶ Ruthenium	8227001C-180A5	C0303733
SRTSCT	G-181A3 41758004	¹⁶⁹ Ytterbium	41758004C-181A3	C0303739

CID 9529 Single Dose Dosimetric Objectives

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1239

Table CID 9529. Single Dose Dosimetric Objectives

Coding Scheme Designator	Code Value	Code Meaning
DCM	130001	Minimum Surface Radiation Dose
DCM	130002	Maximum Surface Radiation Dose
DCM	130003	Minimum Radiation Dose
DCM	130004	Maximum Radiation Dose
DCM	130005	Minimum Mean Radiation Dose
DCM	130006	Maximum Mean Radiation Dose
DCM	130007	Minimum Equivalent Uniform Dose
DCM	130008	Maximum Equivalent Uniform Dose
DCM	130009	Prescription Radiation Dose

CID 9530 Percentage and Dose Dosimetric Objectives

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1240

Table CID 9530. Percentage and Dose Dosimetric Objectives

Coding Scheme Designator	Code Value	Code Meaning
DCM	130014	Minimum Percent Volume at Radiation Dose
DCM	130015	Maximum Percent Volume at Radiation Dose

CID 9531 Volume and Dose Dosimetric Objectives

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1241

Table CID 9531. Volume and Dose Dosimetric Objectives

Coding Scheme Designator	Code Value	Code Meaning
DCM	130016	Minimum Absolute Volume at Radiation Dose
DCM	130017	Maximum Absolute Volume at Radiation Dose

CID 9532 No-Parameter Dosimetric Objectives

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1242

Table CID 9532. No-Parameter Dosimetric Objectives

Coding Scheme Designator	Code Value	Code Meaning
DCM	130018	Minimize Meterset

CID 9533 Delivery Time Structure

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1243

Table CID 9533. Delivery Time Structure

Coding Scheme Designator	Code Value	Code Meaning
DCM	130096	Single Fraction
DCM	130097	Standard Fractionation
DCM	130098	Hypo-fractionation
DCM	130099	Hyper-fractionation
DCM	130100	Continuous Temporary
DCM	130101	Continuous Permanent

CID 9534 Radiotherapy Targets

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1244

Table CID 9534. Radiotherapy Targets

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	130049	CTV Nodal		
DCM	130050	CTV Primary		
SRTSCT	R-429EB228792002	CTV	228792002R-429EB	C0454198
DCM	130051	GTV Nodal		
DCM	130052	GTV Primary		
SRTSCT	R-429E0228791009	GTV	228791009R-429E0	C0475645
DCM	130053	PTV Nodal		
DCM	130054	PTV Primary		
SRTSCT	R-429EG228793007	PTV	228793007R-429EC	C0454199
DCM	130056	ITV		
DCM	130059	Treated Volume		
SRTSCT	R-429DF228790005	Irradiated Volume	228790005R-429DF	C0454197
DCM	130055	Entire Body Target Volume		
DCM	130063	Radiation Dose Normalization Point		
DCM	130064	Radiation Dose Reference Point		

CID 9535 Radiotherapy Dose Calculation Roles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1245

Table CID 9535. Radiotherapy Dose Calculation Roles

Coding Scheme Designator	Code Value	Code Meaning
DCM	130057	Planning Organ At Risk Volume
DCM	130058	Avoidance Volume
DCM	130060	Organ At Risk
DCM	130061	Radiation Dose Shaping Volume
DCM	130062	Conformality Shell
DCM	130065	Dose Calculation Bounding Volume
DCM	130066	Radiation Interaction Volume

CID 9536 Radiotherapy Prescribing and Segmenting Person Roles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1246

Table CID 9536. Radiotherapy Prescribing and Segmenting Person Roles

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	J-0016E158965000	Medical Practitioner	158965000J-0016E	C1306754
SRTSCT	J-004E8309343006	Physician	309343006J-004E8	C0031831
SRTSCT	J-00187159016003	Radiologic Technologist	159016003J-00187	C0402007
DCM	128674	Lead Radiologic Technologist		
SRTSCT	J-061733430008	Radiation Therapist	3430008J-06173	C0278604
SRTSCT	J-00187159016003	Radiographer	159016003J-00187	C0402007
SRTSCT	J-005E6405277009	Resident	405277009J-005E6	C1320928
UMLS	C1441532	Consulting Physician		C1441532
UMLS	C2985483	Radiation Physicist		C2985483
UMLS	C1708969	Medical Physicist		C1708969

CID 9537 Effective Dose Calculation Method Categories

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1247

Table CID 9537. Effective Dose Calculation Method Categories

Coding Scheme Designator	Code Value	Code Meaning
DCM	130126	Radiation transport-based methods
DCM	130127	Fractionation-based or temporally-based methods

CID 9538 Radiation Transport-based Effective Dose Method Modifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1248

Table CID 9538. Radiation Transport-Based Effective Dose Method Modifiers

Coding Scheme Designator	Code Value	Code Meaning
DCM	130128	Local Effect Model
DCM	130129	Microdosimetric Kinetic Model

CID 9539 Fractionation-based Effective Dose Method Modifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20181112
 UID: 1.2.840.10008.6.1.1249

Table CID 9539. Fractionation-Based Effective Dose Method Modifiers

Coding Scheme Designator	Code Value	Code Meaning
DCM	130130	Equivalent 2-Gray Fractions Model
DCM	130131	Linear-Quadratic Model
DCM	130132	Linear-Quadratic Model with Time Factor
DCM	130133	Linear-Quadratic-Linear Model
DCM	130134	Linear-Quadratic Model for Low-Dose Rate Brachytherapy

CID 10000 Scope of Accumulation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20131010
 UID: 1.2.840.10008.6.1.534

Table CID 10000. Scope of Accumulation

Coding Scheme Designator	Code Value	Code Meaning
DCM	113014	Study
DCM	113015	Series
DCM	113016	Performed Procedure Step
DCM	113970	Procedure Step To This Point
DCM	113852	Irradiation Event

CID 10001 UID Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: ~~20081028~~20190327
 UID: 1.2.840.10008.6.1.535

Table CID 10001. UID Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	110180	Study Instance UID
DCM	112002	Series Instance UID
DCM	121126	Performed Procedure Step SOP Instance UID
DCM	413853113769	Irradiation Event UID

CID 10002 Irradiation Event Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051101

UID: 1.2.840.10008.6.1.536

Table CID 10002. Irradiation Event Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P5-0600044491008	Fluoroscopy	44491008P5-06000	C0016356
DCM	113611	Stationary Acquisition		
DCM	113612	Stepping Acquisition		
DCM	113613	Rotational Acquisition		

CID 10003 Equipment Plane Identification

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20081028

UID: 1.2.840.10008.6.1.537

Table CID 10003. Equipment Plane Identification

Coding Scheme Designator	Code Value	Code Meaning
DCM	113620	Plane A
DCM	113621	Plane B
DCM	113622	Single Plane
DCM	113890	All Planes

CID 10004 Fluoro Modes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20051101

UID: 1.2.840.10008.6.1.538

Table CID 10004. Fluoro Modes

Coding Scheme Designator	Code Value	Code Meaning
DCM	113630	Continuous
DCM	113631	Pulsed

CID 10006 X-Ray Filter Materials

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.539

Table CID 10006. X-Ray Filter Materials

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-150F9105860002	Molybdenum or Molybdenum compound	105860002C-150F9	C0303452
SRTSCT	G-120F9105830007	Aluminum or Aluminum compound	105830007C-120F9	C0002369
SRTSCT	G-127F9105837005	Copper or Copper compound	105837005C-127F9	C0303182
SRTSCT	G-167F9105877002	Rhodium or Rhodium compound	105877002C-167F9	C0303636
SRTSCT	G-1190E429310004	Niobium or Niobium compound	429310004C-1190E	C1998130
SRTSCT	G-1190F429591003	Europium or Europium compound	429591003C-1190F	C1997243
SRTSCT	G-132F9105842002	Lead or Lead compound	105842002C-132F9	C0439863
SRTSCT	G-156F9105866008	Tantalum or Tantalum compound	105866008C-156F9	C0303513
SRTSCT	G-137F9105847008	Silver or Silver compound	105847008C-137F9	C0037126
SRTSCT	G-139F9105849006	Tin or Tin compound	105849006C-139F9	C0303330

CID 10007 X-Ray Filter Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20131010
 UID: 1.2.840.10008.6.1.540

Table CID 10007. X-Ray Filter Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	113650	Strip filter
DCM	113651	Wedge filter
DCM	113652	Butterfly filter
DCM	113653	Flat filter
DCM	111609	No Filter

CID 10008 Dose Related Distance Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.541

Table CID 10008. Dose Related Distance Measurements

Coding Scheme Designator	Code Value	Code Meaning
DCM	113748	Distance Source to Isocenter

Coding Scheme Designator	Code Value	Code Meaning
DCM	113737	Distance Source to Reference Point
DCM	113750	Distance Source to Detector
DCM	113751	Table Longitudinal Position
DCM	113752	Table Lateral Position
DCM	113753	Table Height Position
DCM	113792	Distance Source to Table Plane
DCM	113759	Table Longitudinal End Position
DCM	113760	Table Lateral End Position
DCM	113761	Table Height End Position
DCM	128766	Table X Position to Isocenter
DCM	128767	Table Y Position to Isocenter
DCM	128768	Table Z Position to Isocenter
DCM	128769	Table X End Position to Isocenter
DCM	128770	Table Y End Position to Isocenter
DCM	128771	Table Z End Position to Isocenter

CID 10009 Measured/Calculated

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051101
 UID: 1.2.840.10008.6.1.542

Table CID 10009. Measured/Calculated

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	R-41D41258104002	Measured	258104002R-41D41	C0444706
SRTSCT	R-41D2D258090004	Calculated	258090004R-41D2D	C0444686
SRTSCT	R-10260414135002	Estimated	414135002R-10260	C0750572

CID 10010 Dose Measurement Devices

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20051101
 UID: 1.2.840.10008.6.1.543

Table CID 10010. Dose Measurement Devices

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	A-2C09015869005	Dosimeter	15869005A-2C090	C0180488

CID 10011 Effective Dose Evaluation Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20071031
 UID: 1.2.840.10008.6.1.544

Table CID 10011. Effective Dose Evaluation Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	113800	DLP to E conversion via MC computation
DCM	113801	CTDIfreeair to E conversion via MC computation
DCM	113802	DLP to E conversion via measurement
DCM	113803	CTDIfreeair to E conversion via measurement

CID 10013 CT Acquisition Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.545

Table CID 10013. CT Acquisition Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	113804	Sequenced Acquisition		
SRT SCT	P5-08001 116152004	Spiral Acquisition	116152004 P5-08001	C0860888
DCM	113805	Constant Angle Acquisition		
DCM	113806	Stationary Acquisition		
DCM	113807	Free Acquisition		
SRT SCT	R-FB8F1 702569007	Cone Beam Acquisition	702569007 R-FB8F1	C3839509

CID 10014 Contrast Imaging Technique

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20071031

UID: 1.2.840.10008.6.1.546

Table CID 10014. Contrast Imaging Technique

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	P5-00100 27483000	Diagnostic radiography with contrast media	27483000 P5-00100	C0542435
SRT SCT	P5-0808E 399331006	CT without contrast	399331006 P5-0808E	C1275400

CID 10015 CT Dose Reference Authorities

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20081027

UID: 1.2.840.10008.6.1.547

Table CID 10015. CT Dose Reference Authorities

Coding Scheme Designator	Code Value	Code Meaning
DCM	113808	ICRP Pub 60
DCM	113841	ICRP Pub 103

CID 10016 Anode Target Material

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.548

Table CID 10016. Anode Target Material

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-150F9 105860002	Molybdenum or Molybdenum compound	105860002 C-150F9	C0303452
SRTSCT	G-167F9 105877002	Rhodium or Rhodium compound	105877002 C-167F9	C0303636
SRTSCT	G-164F9 105874009	Tungsten or Tungsten compound	105874009 C-164F9	C0041384

CID 10017 X-Ray Grid

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20070827
 UID: 1.2.840.10008.6.1.549

Table CID 10017. X-Ray Grid

Coding Scheme Designator	Code Value	Code Meaning
DCM	111641	Fixed grid
DCM	111642	Focused grid
DCM	111643	Reciprocating grid
DCM	111644	Parallel grid
DCM	111645	Crossed grid
DCM	111646	No grid

CID 10020 Source of Projection X-Ray Dose Information

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20120406
 UID: 1.2.840.10008.6.1.1054

Table CID 10020. Source of Projection X-Ray Dose Information

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	113856	Automated Data Collection		
DCM	113857	Manual Entry		
DCM	113858	MPPS Content		
SRTSCT	A-2C090 15869005	Dosimeter	15869005 A-2C090	C0180488
DCM	113866	Copied From Image Attributes		
DCM	113867	Computed From Image Attributes		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
DCM	113868	Derived From Human-Readable Reports		
DCM	113940	System Calculated		

CID 10021 Source of CT Dose Information

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20081028
UID: 1.2.840.10008.6.1.1055

Table CID 10021. Source of CT Dose Information

Coding Scheme Designator	Code Value	Code Meaning
DCM	113856	Automated Data Collection
DCM	113857	Manual Entry
DCM	113866	Copied From Image Attributes
DCM	113867	Computed From Image Attributes
DCM	113868	Derived From Human-Readable Reports

CID 10022 Label Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20110816
UID: 1.2.840.10008.6.1.935

Table CID 10022. Label Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	113607	Series Number
DCM	113608	Acquisition Number
DCM	113609	Instance Number

CID 10023 Size Specific Dose Estimation Method for CT

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160314
UID: 1.2.840.10008.6.1.947

Table CID 10023. Size Specific Dose Estimation Method for CT

Coding Scheme Designator	Code Value	Code Meaning
DCM	113934	AAPM 204 Lateral Dimension
DCM	113935	AAPM 204 AP Dimension
DCM	113936	AAPM 204 Sum of Lateral and AP Dimension
DCM	113937	AAPM 204 Effective Diameter Estimated From Patient Age
DCM	113981	Water Equivalent Diameter Representative Value
DCM	113982	Water Equivalent Diameter Integrated Across Scan Range

Coding Scheme Designator	Code Value	Code Meaning
DCM	113983	Water Equivalent Diameter From Raw Data
DCM	113984	Water Equivalent Diameter From Localizer

CID 10024 Water Equivalent Diameter Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.1114

Table CID 10024. Water Equivalent Diameter Method

Coding Scheme Designator	Code Value	Code Meaning
DCM	113987	AAPM 220

CID 10025 Radiation Dose Reference Points

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170416
 UID: 1.2.840.10008.6.1.1056

Table CID 10025. Radiation Dose Reference Points

Coding Scheme Designator	Code Value	Code Meaning
DCM	113860	15cm from Isocenter toward Source
DCM	113861	30cm in Front of Image Input Surface
DCM	113862	1cm above Tabletop
DCM	113863	30cm above Tabletop
DCM	113864	15cm from Table Centerline
DCM	113865	Entrance exposure to a 4.2 cm breast thickness
DCM	113941	In Detector Plane
DCM	113964	At Surface of Patient

CID 10030 Detector Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20120406
 UID: 1.2.840.10008.6.1.959

Table CID 10030. Detector Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	113948	Direct Detector
DCM	113949	Indirect Detector
DCM	113950	Storage Detector
DCM	113951	Film

CID 10031 CR/DR Mechanical Configuration

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
Version: 20120406
UID: 1.2.840.10008.6.1.960

Table CID 10031. CR/DR Mechanical Configuration

Coding Scheme Designator	Code Value	Code Meaning
DCM	113953	Unmounted Detector
DCM	113952	Table Mount
DCM	113954	Upright Stand Mount
DCM	113955	C-Arm Mount

CID 10032 Projection X-Ray Acquisition Device Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20120406
UID: 1.2.840.10008.6.1.961

Table CID 10032. Projection X-Ray Acquisition Device Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	113957	Fluoroscopy-Guided Projection Radiography System
DCM	113958	Integrated Projection Radiography System
DCM	113959	Cassette-based Projection Radiography System

CID 10033 CT Reconstruction Algorithm

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20130207
UID: 1.2.840.10008.6.1.958

Table CID 10033. CT Reconstruction Algorithm

Coding Scheme Designator	Code Value	Code Meaning
DCM	113962	Filtered Back Projection
DCM	113963	Iterative Reconstruction

Note

The values in this Context Group correspond to the Defined Terms for Reconstruction Algorithm (0018,9315) used in the CT Reconstruction Functional Group Macro in PS3.3.

CID 10034 Reason for Repeating Acquisition

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170418
UID: 1.2.840.10008.6.1.1175

Table CID 10034. Reason for Repeating Acquisition

Coding Scheme Designator	Code Value	Code Meaning
DCM	128553	Patient motion

Coding Scheme Designator	Code Value	Code Meaning
DCM	128554	Suboptimal contrast timing

CID 10040 Radiopharmaceutical Organ Dose Reference Authority

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20140419
 UID: 1.2.840.10008.6.1.972

Table CID 10040. Radiopharmaceutical Organ Dose Reference Authority

Coding Scheme Designator	Code Value	Code Meaning
DCM	113520	MIRD Pamphlet 1
DCM	113521	ICRP Publication 53
DCM	113526	MIRDOSE
DCM	113527	OLINDA-EXM
DCM	113528	Package Insert
DCM	113529	Institutionally Approved Estimates
DCM	113530	Investigational New Drug
DCM	113522	ICRP Publication 80
DCM	113523	ICRP Publication 106

CID 10041 Source of Radioisotope Activity Information

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20140419
 UID: 1.2.840.10008.6.1.973

Table CID 10041. Source of Radioisotope Activity Information

Coding Scheme Designator	Code Value	Code Meaning
DCM	113541	Dose Calibrator
DCM	113542	Infusion System
DCM	113543	Radioisotope Generator

CID 10043 Intravenous Extravasation Symptoms

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20140419
 UID: 1.2.840.10008.6.1.975

Table CID 10043. Intravenous Extravasation Symptoms

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	D0-B032495382004	Injection site abscess	95382004D0-B0324	C0151464
SRTSCT	D0-B038095398006	Injection site anesthesia	95398006D0-B0380	C0234944
SRTSCT	D0-B03A495404001	Injection site atrophy	95404001D0-B03A4	C0151512
SRTSCT	D0-B039495401009	Injection site bruising	95401009D0-B0394	C0521508

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D0-B034295389008	Injection site burning	95389008D0-B0342	C0521503
SRTSCT	D0-B036495396005	Injection site cyst	95396005D0-B0364	C0151584
SRTSCT	D0-B035495393002	Injection site dermatitis	95393002D0-B0354	C0521505
SRTSCT	D0-B030095376002	Injection site disorder	95376002D0-B0300	C0521497
SRTSCT	D0-B035295392007	Injection site edema	95392007D0-B0352	C0151605
SRTSCT	D0-B03A295403007	Injection site fibrosis	95403007D0-B03A2	C0151649
SRTSCT	M-4415024389009	Injection site granuloma	24389009M-44150	C0085654
SRTSCT	D0-B033495385002	Injection site hemorrhage	95385002D0-B0334	C0151698
SRTSCT	D0-B031195378001	Injection site hypersensitivity	95378001D0-B0311	C0151726
SRTSCT	D0-B03A095402002	Injection site induration	95402002D0-B03A0	C0521509
SRTSCT	D0-B032095381006	Injection site infection	95381006D0-B0320	C0221714
SRTSCT	D0-B035095391000	Injection site inflammation	95391000D0-B0350	C0151734
SRTSCT	D0-B031295379009	Injection site irritation	95379009D0-B0312	C0521498
SRTSCT	D0-B033995387005	Injection site malabsorption	95387005D0-B0339	C0521502
SRTSCT	D0-B036095395009	Injection site mass	95395009D0-B0360	C0151775
SRTSCT	D0-B037095397001	Injection site necrosis	95397001D0-B0370	C0151795
SRTSCT	D0-B034695390004	Injection site nerve damage	95390004D0-B0346	C0521504
SRTSCT	D0-B034095388000	Injection site pain	95388000D0-B0340	C0151828
SRTSCT	D0-B038295399003	Injection site paresthesia	95399003D0-B0382	C0521506
SRTSCT	D0-B031495380007	Injection site pigmentation change	95380007D0-B0314	C0521499
SRTSCT	D0-B031095377006	Injection site reaction	95377006D0-B0310	C0151735
SRTSCT	M-78066111017005	Injection site scar	111017005M-78066	C1142162
SRTSCT	D0-B032695383009	Injection site sterile abscess	95383009D0-B0326	C0234938
SRTSCT	D0-B033895386001	Injection site thrombosis	95386001D0-B0338	C0521501
SRTSCT	D0-B039095400005	Injection site ulcer	95400005D0-B0390	C0521507
SRTSCT	D0-B035695394008	Injection site urticaria	95394008D0-B0356	C0392196
DCM	113568	Extravasation visible in image		

CID 10044 Radiosensitive Organs

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.976

Table CID 10044. Radiosensitive Organs

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-B300023451007	Adrenal gland	23451007T-B3000	C0001625
SRTSCT	T-7400089837001	Bladder	89837001T-74000	C0005682
SRTSCT	T-A010012738006	Brain	12738006T-A0100	C0006104
SRTSCT	T-0400076752008	Breast	76752008T-04000	C0006141

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-C1000 14016003	Bone Marrow	14016003 T-C1000	C0005953
SRTSCT	T-D0859 425647002	Bone Surface	425647002 T-D0859	C1960754
SRTSCT	T-59300 71854001	Colon	71854001 T-59300	C0009368
SRTSCT	T-56000 32849002	Esophagus	32849002 T-56000	C0014876
SRTSCT	T-AA700 78076003	Eye lenses	78076003 T-AA700	C0023317
SRTSCT	T-63000 28231008	Gallbladder	28231008 T-63000	C0016976
SRTSCT	T-32000 80891009	Heart	80891009 T-32000	C0018787
SRTSCT	T-71000 64033007	Kidney	64033007 T-71000	C0022646
SRTSCT	T-62000 10200004	Liver	10200004 T-62000	C0023884
SRTSCT	T-28000 39607008	Lung	39607008 T-28000	C0024109
SRTSCT	T-C4000 59441001	Lymph node	59441001 T-C4000	C0024204
SRTSCT	T-13001 71616004	Muscle	71616004 T-13001	C0026845
SRTSCT	T-51300 113277000	Oral mucosa	113277000 T-51300	C0026639
SRTSCT	T-87000 15497006	Ovary	15497006 T-87000	C0029939
SRTSCT	T-65000 15776009	Pancreas	15776009 T-65000	C0030274
SRTSCT	T-92000 41216001	Prostate	41216001 T-92000	C0033572
SRTSCT	T-61007 385294005	Salivary Glands	385294005 T-61007	C0036098
SRTSCT	T-01000 39937001	Skin	39937001 T-01000	C1123023
SRTSCT	T-58000 30315005	Small intestine	30315005 T-58000	C0021852
SRTSCT	T-C3000 78961009	Spleen	78961009 T-C3000	C0037993
SRTSCT	T-57000 69695003	Stomach	69695003 T-57000	C0038351
SRTSCT	T-94000 40689003	Testis	40689003 T-94000	C0039597
SRTSCT	T-C8000 9875009	Thymus	9875009 T-C8000	C0040113
SRTSCT	T-B6000 69748006	Thyroid	69748006 T-B6000	C0040132
SRTSCT	T-83000 35039007	Uterus	35039007 T-83000	C0042149

CID 10045 Radiopharmaceutical Patient State

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20140419

UID: 1.2.840.10008.6.1.977

Table CID 10045. Radiopharmaceutical Patient State

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 3102 "Rest-Stress"				
SRTSCT	F-70102 39539005	Abnormal Renal Function	39539005 F-70102	C0151746
DCM	113560	Acute unilateral renal blockage		
DCM	113561	Low Thyroid Uptake		
DCM	113562	High Thyroid Uptake		
DCM	113563	Severely Jaundiced		

CID 10046 GFR Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20140419
 UID: 1.2.840.10008.6.1.978

Table CID 10046. GFR Measurements

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	33914-3	Glomerular Filtration Rate (MDRD)	C1316377
LN	48642-3	Glomerular Filtration Rate non-black (MDRD)	C1954228
LN	48643-1	Glomerular Filtration Rate black (MDRD)	C1954230
LN	50044-7	Glomerular Filtration Rate female (MDRD)	C1976998
LN	50210-4	Glomerular Filtration Rate Cystatin-based formula	C1978041
LN	50384-7	Glomerular Filtration Rate Creatinine-based formula (Schwartz)	C1978244
LN	35591-7	Cockcroft-Gault Formula estimation of GFR	C1507751
LN	62238-1	CKD-EPI Formula estimation of GFR	C2973160

CID 10047 GFR Measurement Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20140419
 UID: 1.2.840.10008.6.1.979

Table CID 10047. GFR Measurement Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	113570	Cockcroft-Gault Formula estimation of GFR
DCM	113571	CKD-EPI Formula estimation of GFR
DCM	113572	Glomerular Filtration Rate (MDRD)
DCM	113573	Glomerular Filtration Rate non-black (MDRD)
DCM	113574	Glomerular Filtration Rate black (MDRD)
DCM	113575	Glomerular Filtration Rate female (MDRD)
DCM	113576	Glomerular Filtration Rate Cystatin-based formula
DCM	113577	Glomerular Filtration Rate Creatinine-based formula (Schwartz)

CID 10050 Summary Radiation Exposure Quantities

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20150324
 UID: 1.2.840.10008.6.1.1028

Table CID 10050. Summary Radiation Exposure Quantities

Coding Scheme Designator	Code Value	Code Meaning
DCM	111636	Entrance Exposure at RP
DCM	111637	Accumulated Average Glandular Dose (mammo)

Coding Scheme Designator	Code Value	Code Meaning
DCM	113722	Dose Area Product Total
DCM	113726	Fluoro Dose Area Product Total
DCM	113727	Acquisition Dose Area Product Total
DCM	113730	Total Fluoro Time
DCM	113731	Total Number of Radiographic Frames
DCM	113507	Administered activity
DCM	113813	CT Dose Length Product Total
DCM	113830	Mean CTDIvol
DCM	113839	Effective Dose

Instruction to Editor: No change to the following Context Groups

CID 10060 Organs for Radiation Dose Estimates

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.1154

Table CID 10060. Organs for Radiation Dose Estimates

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
Include CID 10044 "Radiosensitive Organs"				
SRT SCT	T-D0010 38266002	Entire body	38266002T-D0010	C0229960
DCM	113681	Phantom		

CID 10061 Absorbed Radiation Dose Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.1155

Table CID 10061. Absorbed Radiation Dose Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	128531	Maximum Absorbed Radiation Dose
DCM	128532	Minimum Absorbed Radiation Dose
DCM	128533	Mean Absorbed Radiation Dose
DCM	128534	Mode Absorbed Radiation Dose
DCM	128539	Median Absorbed Radiation Dose

CID 10062 Equivalent Radiation Dose Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.1156

Table CID 10062. Equivalent Radiation Dose Types

Coding Scheme Designator	Code Value	Code Meaning
DCM	128535	Maximum Equivalent Radiation Dose
DCM	128536	Minimum Equivalent Radiation Dose
DCM	128537	Mean Equivalent Radiation Dose
DCM	128538	Mode Equivalent Radiation Dose
DCM	128540	Median Equivalent Radiation Dose

CID 10063 Radiation Dose Estimate Distribution Representation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170405
UID: 1.2.840.10008.6.1.1157

Table CID 10063. Radiation Dose Estimate Distribution Representation

Coding Scheme Designator	Code Value	Code Meaning
DCM	128484	Isodose
DCM	128485	Skin Dose Map
DCM	128487	3D Dose Map
DCM	128488	Dose Gradient
DCM	128496	Dose Point Cloud
DCM	121342	Dose Image

CID 10064 Patient Model Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170405
UID: 1.2.840.10008.6.1.1158

Table CID 10064. Patient Model Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	128418	Simple Object Model
DCM	128404	Anthropomorphic Model
DCM	128494	Patient Segmented Model

CID 10065 Radiation Transport Model Type

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170405
UID: 1.2.840.10008.6.1.1159

Table CID 10065. Radiation Transport Model Type

Coding Scheme Designator	Code Value	Code Meaning
DCM	128421	Geometric Radiation Transport Model
DCM	128422	Voxelized Radiation Transport Model
DCM	128423	Mesh Radiation Transport Model

Coding Scheme Designator	Code Value	Code Meaning
DCM	128424	NURBS Radiation Transport Model
DCM	128497	Measured Radiation Dose
DCM	128406	BREP Radiation Transport Model

CID 10066 Attenuator Category

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.1160

Table CID 10066. Attenuator Category

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	128459	Table		
DCM	128460	Table Core		
DCM	128461	Table Outer Liner		
DCM	128462	Table Pad		
SRT SCT	A-2C152 65577000	X-Ray shield	65577000 A-2C152	C0183263
DCM	128431	Beam Block		
SRT SCT	A-010FE 228739009	Shielding Block	228739009 A-010FE	C0454148
DCM	128492	Patient Support		
DCM	113771	X-Ray Filters		

CID 10067 Radiation Attenuator Materials

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.1161

Table CID 10067. Radiation Attenuator Materials

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 10006 "X-Ray Filter Materials"				
SRT SCT	F-61202 256501007	Carbon Fiber	256501007 F-61202	C0108411

CID 10068 Estimate Method Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170405
 UID: 1.2.840.10008.6.1.1162

Table CID 10068. Estimate Method Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
MSH	D009010	Monte Carlo Method		C0026507
DCM	128479	Tabular Data Algorithm		

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	128480	Analytical Algorithm		
DCM	128481	Empirical Algorithm		

CID 10069 Radiation Dose Estimation Parameter

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170405
UID: 1.2.840.10008.6.1.1163

Table CID 10069. Radiation Dose Estimation Parameter

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	128405	Breast Thickness		
DCM	111634	Half Value Layer		
DCM	111046	Percent Fibroglandular Tissue		
DCM	128407	DgN		
DCM	128408	Patient AP Dimension		
DCM	128409	Patient Lateral Dimension		
DCM	128410	SSDE Conversion Factor		
DCM	128411	Backscatter		
DCM	113981	Water Equivalent Diameter Representative Value		
DCM	113982	Water Equivalent Diameter Integrated Across Scan Range		
DCM	113983	Water Equivalent Diameter From Raw Data		
DCM	113984	Water Equivalent Diameter From Localizer		
DCM	128433	Tissue Air Ratio		
DCM	128452	Correction Factor		
DCM	128453	Curve Fit Parameter		
DCM	128455	Homogeneity Factor		
DCM	128522	Normalization Factor		
DCM	128523	Offset Factor		
DCM	112031	Attenuation Coefficient		
DCM	128526	Tissue Fraction		
DCM	128527	Distance Correction		
NCIt	C70774	Unit Conversion Factor		C2349023
DCM	121206	Distance		

CID 10070 Radiation Dose Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20170405
UID: 1.2.840.10008.6.1.1164

Table CID 10070. Radiation Dose Types

Coding Scheme Designator	Code Value	Code Meaning	Units
DCM	128513	Absorbed Dose	>DCID 10071 "Radiation Dose Units"
DCM	128512	Equivalent Dose	>DCID 10071 "Radiation Dose Units"

CID 10071 Radiation Dose Units

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20180605
 UID: 1.2.840.10008.6.1.1206

Table CID 10071. Radiation Dose Units

Coding Scheme Designator	Code Value	Code Meaning
UCUM	Gy	Gy
UCUM	Sv	Sv

CID 12001 Ultrasound Protocol Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20081027
 UID: 1.2.840.10008.6.1.550

Table CID 12001. Ultrasound Protocol Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRT SCT	P5-B3000 40701008	Echocardiography	40701008 P5-B3000	C0013516
SRT SCT	P5-B3002 105376000	Transesophageal echocardiography	105376000 P5-B3002	C0206054
SRT SCT	P5-B3012 433236007	Transthoracic echocardiography	433236007 P5-B3012	C0430462
SRT SCT	P0-05F95 433232009	Epicardial echocardiography	433232009 P0-05F95	C0430465
SRT SCT	P5-B3005 252420009	Intravascular echocardiography	252420009 P5-B3005	C0430463
SRT SCT	P5-B3006 252421008	Intracardiac echocardiography	252421008 P5-B3006	C0430464
SRT SCT	P5-B3050 433233004	Exercise stress echocardiography	433233004 P5-B3050	C0430466
SRT SCT	P5-B300F 431852008	Pediatric echocardiography	431852008 P5-B300F	C2316452
SRT SCT	P5-B300C 429884006	Intraoperative echocardiography	429884006 P5-B300C	C2317581
SRT SCT	P5-B3090 433231002	Contrast echocardiography	433231002 P5-B3090	C0013518
SRT SCT	P5-B8215 433235006	Fetal echocardiography	433235006 P5-B8215	C0412564
Include CID 3261 "Stress Protocols"				

Note

In a prior version of this context group, Transthoracic echocardiography was assigned the code P5-B3003 and Epicardial echocardiography was assigned the code P5-B3004; these codes conflict with other SNOMED code assignments. In addition, the prior version used many codes that are not actually in SNOMED. Receiving applications should be aware of this change, and the possibility of misinterpretation of SOP Instances that may include the deprecated codes; see Annex J.

CID 12002 Ultrasound Protocol Stage Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20081027
 UID: 1.2.840.10008.6.1.551

Table CID 12002. Ultrasound Protocol Stage Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
Include CID 3207 "Stress Test Procedure Phases"				
Include CID 12102 "Temporal Periods Relating to Procedure or Therapy"				
SRT SCT	P2-35000 18590009	Cardiac pacing	18590009 P2-35000	C0199640
SRT SCT	P2-71306 128965002	Hand grip	128965002 P2-71306	C1293900
SRT SCT	R-40928 261039008	Valsalva maneuver	261039008 R-40928	C0042293

Note

A prior version of this context group used many codes that are not actually in SNOMED. Although there is minimal possibility of misinterpretation with SOP Instances that may include the deprecated use, receiving applications should be aware of this change; see Annex J.

CID 12003 OB-GYN Dates

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030130
 UID: 1.2.840.10008.6.1.552

Table CID 12003. OB-GYN Dates

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11778-8	EDD	C0596000
LN	11779-6	EDD from LMP	C0596001
LN	11781-2	EDD from average ultrasound age	C0551898
LN	11780-4	EDD from ovulation date	C0551897
LN	11955-2	LMP	C0552072
LN	33066-2	Estimated LMP by EDD	C1315537
LN	11976-8	Ovulation date	C0552093
LN	33067-0	Conception Date	C1315538

CID 12004 Fetal Biometry Ratios

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030130
 UID: 1.2.840.10008.6.1.553

Table CID 12004. Fetal Biometry Ratios

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11947-9	HC/AC	C0552064
LN	11871-1	FL/AC	C0551988
LN	11872-9	FL/BPD	C0551989
LN	11823-2	Cephalic Index	C0551940
LN	11873-7	FL/HC	C0551990

CID 12005 Fetal Biometry Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030130
UID: 1.2.840.10008.6.1.554

Table CID 12005. Fetal Biometry Measurements

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11979-2	Abdominal Circumference	C0552095
LN	11818-2	Anterior-Posterior Abdominal Diameter	C0551935
LN	11819-0	Anterior-Posterior Trunk Diameter	C0551936
LN	11820-8	Biparietal Diameter	C0551937
LN	11824-0	BPD area corrected	C0551941
LN	11860-4	Cisterna Magna	C0551977
LN	11963-6	Femur Length	C0552080
LN	11965-1	Foot length	C0552082
LN	11984-2	Head Circumference	C0552100
LN	11851-3	Occipital-Frontal Diameter	C0551968
LN	11988-3	Thoracic Circumference	C0552104
LN	33068-8	Thoracic Area	C1315539
LN	11862-0	Transverse Abdominal Diameter	C0551979
LN	11863-8	Trans Cerebellar Diameter	C0551980
LN	11864-6	Transverse Thoracic Diameter	C0551981
LN	11853-9	Left Kidney thickness	C0551970
LN	11834-9	Left Kidney length	C0551951
LN	11825-7	Left Kidney width	C0551942
LN	11855-4	Right Kidney thickness	C0551972
LN	11836-4	Right Kidney length	C0551953
LN	11827-3	Right Kidney width	C0551944
LN	33191-8	APAD * TAD	C1315662

CID 12006 Fetal Long Bones Biometry Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030130

UID: 1.2.840.10008.6.1.555

Table CID 12006. Fetal Long Bones Biometry Measurements

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11966-9	Humerus length	C0552083
LN	11967-7	Radius length	C0552084
LN	11969-3	Ulna length	C0552086
LN	11968-5	Tibia length	C0552085
LN	11964-4	Fibula length	C0552081
LN	11962-8	Clavicle length	C0552079
LN	11963-6	Femur Length	C0552080

CID 12007 Fetal Cranium

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030130

UID: 1.2.840.10008.6.1.556

Table CID 12007. Fetal Cranium

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	12171-5	Lateral Ventricle width	C0552284
LN	11860-4	Cisterna Magna length	C0551977
LN	12146-7	Nuchal Fold thickness	C0552259
LN	33070-4	Inner Orbital Diameter	C1315541
LN	11629-3	Outer Orbital Diameter	C0551748
LN	11863-8	Trans Cerebellar Diameter	C0551980
LN	33069-6	Nuchal Translucency	C1315540
LN	33197-5	Anterior Horn Lateral ventricular width	C1315668
LN	33196-7	Posterior Horn Lateral ventricular width	C1315667
LN	12170-7	Width of Hemisphere	C0552283

CID 12008 OB-GYN Amniotic Sac

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030130

UID: 1.2.840.10008.6.1.557

Table CID 12008. OB-GYN Amniotic Sac

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
LN	11624-4	First Quadrant Diameter		C0551743
LN	11626-9	Second Quadrant Diameter		C0551745
LN	11625-1	Third Quadrant Diameter		C0551744
LN	11623-6	Fourth Quadrant Diameter		C0551742

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	M-0255081827009	Diameter	81827009M-02550	C1301886

CID 12009 Early Gestation Biometry Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030130
 UID: 1.2.840.10008.6.1.558

Table CID 12009. Early Gestation Biometry Measurements

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11957-8	Crown Rump Length	C0552074
LN	11850-5	Gestational Sac Diameter	C0551967
LN	33071-2	Spine Length	C1315542
LN	11816-6	Yolk Sac length	C0551933
LN	33069-6	Nuchal Translucency	C1315540

CID 12011 Ultrasound Pelvis and Uterus

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030130
 UID: 1.2.840.10008.6.1.559

Table CID 12011. Ultrasound Pelvis and Uterus

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11961-0	Cervix Length	C0552078
LN	12145-9	Endometrium Thickness	C0552258

CID 12012 OB Equations and Tables

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030130
 UID: 1.2.840.10008.6.1.560

Table CID 12012. OB Equations and Tables

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12013 "Gestational Age Equations and Tables"		
Include CID 12014 "OB Fetal Body Weight Equations and Tables"		
Include CID 12015 "Fetal Growth Equations and Tables"		
Include CID 12016 "Estimated Fetal Weight Percentile Equations and Tables"		

CID 12013 Gestational Age Equations and Tables

These terms define a functional relationship of the gestational age from a biometric measurement.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible

Version: 20061024
 UID: 1.2.840.10008.6.1.561

Table CID 12013. Gestational Age Equations and Tables

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11885-1	Gestational Age by LMP	C0552002
LN	11884-4	Average Ultrasound Age	C0552001
LN	33072-0	AC, ASUM 2000	C1315543
LN	11889-3	AC, Campbell 1975	C0552006
LN	11892-7	AC, Hadlock 1984	C0552009
LN	33073-8	AC, Hansmann1985	C1315544
LN	33537-2	AC, Jeanty 1982	C1316006
LN	11893-5	AC, Jeanty 1984	C0552010
LN	33074-6	AC, Lessoway 1998	C1315545
LN	33075-3	AC, Mertz 1988	C1315546
LN	33076-1	AC, Shinozuka 1996	C1315547
LN	33077-9	A-P Abdominal Diameter, Lessoway 1998	C1315548
LN	33078-7	AxT, Shinozuka 1996	C1315549
LN	33079-5	BPD, ASUM 1989	C1315550
LN	11900-8	BPD, Doubilet 1993	C0552017
LN	11902-4	BPD, Hadlock 1984	C0552019
LN	11903-2	BPD, Hansmann 1985	C0552020
LN	33538-0	BPD, Hansmann 1986	C1316007
LN	33539-8	BPD, Jeanty 1982	C1316008
LN	11905-7	BPD, Jeanty 1984	C0552022
LN	11906-5	BPD, Kurtz 1980	C0552023
LN	33080-3	BPD, Lessoway 1998	C1315551
LN	33081-1	BPD, Mertz 1988	C1315552
LN	33082-9	BPD, Osaka 1989	C1315553
LN	33083-7	BPD, Rempen 1991	C1315554
LN	11907-3	BPD, Sabbagha 1978	C0552024
LN	33084-5	BPD, Shinozuka 1996	C1315555
LN	33085-2	BPD, Tokyo 1986	C1315556
LN	11901-6	BPDa, Hadlock 1982	C0552018
LN	33086-0	BPD-oi, Chitty 1997	C1315557
LN	33087-8	BPD-oo, Chitty 1997	C1315558
LN	33088-6	Clavicle length, Yarkoni 1985	C1315559
LN	33089-4	CRL, ASUM 1991	C1315560
LN	33090-2	CRL, ASUM 2000	C1315561
LN	33091-0	CRL, Daya 1993	C1315562
LN	11910-7	CRL, Hadlock 1992	C0552027
LN	11911-5	CRL, Hansmann 1985	C0552028

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	33540-6	CRL, Hansmann 1986	C1316009
LN	33092-8	CRL, Jeanty 1982	C1315563
LN	11917-2	CRL, Jeanty 1984	C0552034
LN	11913-1	CRL, Nelson 1981	C0552030
LN	33093-6	CRL, Osaka 1989	C1315564
LN	33094-4	CRL, Rempen 1991	C1315565
LN	11914-9	CRL, Robinson 1975	C0552031
LN	33095-1	CRL, Shinozuka 1996	C1315566
LN	33096-9	CRL, Tokyo 1986	C1315567
LN	33097-7	Fibula, Jeanty 1983	C1315568
LN	11918-0	Fibula, Merz 1987	C0552035
LN	33098-5	FL, Chitty 1997	C1315569
LN	11920-6	FL, Hadlock 1984	C0552037
LN	11921-4	FL, Hansmann 1985	C0552038
LN	33541-4	FL, Hansmann 1986	C1316010
LN	11922-2	FL, Hohler 1982	C0552039
LN	33099-3	FL, Jeanty 1982	C1315570
LN	11923-0	FL, Jeanty 1984	C0552040
LN	33100-9	FL, Lessoway 1998	C1315571
LN	11924-8	FL, Merz 1987	C0552042
LN	33542-2	FL, Merz 1988	C1316011
LN	33101-7	FL, Osaka 1989	C1315572
LN	33102-5	FL, Shinozuka 1996	C1315573
LN	33103-3	FL, Tokyo 1986	C1315574
LN	11926-3	Foot Length, Mercer 1987	C0552041
LN	33104-1	GS, Daya 1991	C1315575
LN	33105-8	GS, Hansmann 1979	C1315576
LN	33106-6	GS, Hansmann 1982	C1315577
LN	11928-9	GS, Hellman 1969	C0552045
LN	33107-4	GS, Nyberg 1992	C1315578
LN	11929-7	GS, Rempen 1991	C0552046
LN	33108-2	GS, Tokyo 1986	C1315579
LN	33109-0	HC, ASUM 2000	C1315580
LN	33110-8	HC measured, Chitty 1997	C1315581
LN	33111-6	HC derived, Chitty 1997	C1315582
LN	11932-1	HC, Hadlock 1984	C0552049
LN	33112-4	HC, Hansmann 1985	C1315583
LN	33543-0	HC, Hansmann 1986	C1316012
LN	33113-2	HC, Jeanty 1982	C1315584
LN	11934-7	HC, Jeanty 1984	C0552051
LN	33114-0	HC, Lessoway 1998	C1315585

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	33115-7	HC Merz, 1988	C1315586
LN	33116-5	Humerus Length, ASUM 2000	C1315587
LN	11936-2	Humerus, Jeanty 1984	C0552053
LN	11937-0	Humerus, Merz 1987	C0552054
LN	33117-3	Humerus Length, Osaka 1989	C1315588
LN	33118-1	Length of Vertebra, Tokyo 1986	C1315589
LN	33119-9	OFD, ASUM 2000	C1315590
LN	33544-8	OFD, Hansmann 1985	C1316013
LN	33120-7	OFD, Hansmann 1986	C1315591
LN	33121-5	OFD, Lessoway 1998	C1315592
LN	33122-3	IOD, Mayden 1982	C1315593
LN	33123-1	IOD, Trout 1994	C1315594
LN	33545-5	BD, Jeanty 1982	C1316014
LN	33124-9	OOD, Mayden, 1982	C1315595
LN	33125-6	OOD, Trout 1994	C1315596
LN	33126-4	Radius, Jeanty 1983	C1315597
LN	11939-6	Radius, Merz 1987	C0552056
LN	33127-2	Spine Length, Tokyo, 1989	C1315598
LN	11941-2	Tibia, Jeanty 1984	C0552058
LN	33128-0	TAD, Eriksen 1985	C1315599
LN	33129-8	TAD Hansmann, 1979	C1315600
LN	33130-6	TAD, Tokyo 1986	C1315601
LN	33131-4	ThC, Chitkara 1987	C1315602
LN	33132-2	TCD, Chitty 1994	C1315603
LN	33133-0	TCD, Goldstein 1987	C1315604
LN	33134-8	TCD, Hill 1990	C1315605
LN	33135-5	TCD, Nimrod 1986	C1315606
LN	33136-3	Transverse Thoracic Diameter, Hansmann 1985	C1315607
LN	33137-1	Transverse Thoracic Diameter, Lessoway 1998	C1315608
LN	33138-9	Fetal Trunk Cross-Sectional Area, Osaka 1989	C1315609
LN	11944-6	Ulna, Jeanty 1984	C0552061
LN	11945-3	Ulna, Merz 1987	C0552062

CID 12014 OB Fetal Body Weight Equations and Tables

These terms define a functional relationship to estimated fetal body mass from a biometric measurement.

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20030130
UID: 1.2.840.10008.6.1.562

Table CID 12014. OB Fetal Body Weight Equations and Tables

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11756-4	EFW by AC, Campbell 1975	C0551875
LN	11738-2	EFW by AC, BPD, Hadlock 1984	C0551857
LN	11734-1	EFW by AC, BPD, FL, Hadlock 1984	C0551853
LN	11735-8	EFW by AC, BPD, FL, Hadlock 1985	C0551854
LN	11732-5	EFW by AC, BPD, FL, HC, Hadlock 1985	C0551851
LN	11750-7	EFW by AC, FL, Hadlock 1984	C0551869
LN	11751-5	EFW by AC, FL, Hadlock 1985	C0551870
LN	11746-5	EFW by AC, FL, HC, Hadlock 1985	C0551865
LN	11754-9	EFW by AC, HC Hadlock 1984	C0551873
LN	33139-7	EFW by BPD, TTD, Hansmann 1986	C1315610
LN	11739-0	EFW by AC and BPD, Shepard 1982	C0551858
LN	33140-5	EFW by BPD, FTA, FL, Osaka 1990	C1315611
LN	33141-3	EFW1 by Shinozuka 1996	C1315612
LN	33142-1	EFW2 by Shinozuka 1996	C1315613
LN	33143-9	EFW3 by Shinozuka 1996	C1315614
LN	33144-7	EFW by BPD, APAD, TAD, FL, Tokyo 1987	C1315615

CID 12015 Fetal Growth Equations and Tables

These terms specify biometric growth parameter of a population distribution as a function of gestational age. The term may also specify the population's distribution, and so enable calculating a percentile rank or Z-score relative to the distribution.

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)

Type: Extensible

Version: 20030130

UID: 1.2.840.10008.6.1.563

Table CID 12015. Fetal Growth Equations and Tables

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	33145-4	AC by GA, ASUM 2000	C1315616
LN	33146-2	AC by GA, Hadlock 1984	C1315617
LN	33147-0	AC (measured) by GA, Chitty 1994	C1315618
LN	33546-3	AC (derived) by GA, Chitty 1994	C1316015
LN	33148-8	AC by GA, Merz 1988	C1315619
LN	33149-6	AC by GA, Shinozuka 1996	C1315620
LN	33150-4	AxT by GA, Shinozuka 1996	C1315621
LN	33151-2	BPD by GA, ASUM 2000	C1315622
LN	33198-3	BPD by GA, Hadlock 1984	C1315669
LN	33556-2	BPD outer-inner by GA, Chitty 1994	C1316025
LN	33152-0	BPD outer-outer by GA, Chitty 1994	C1315623
LN	33153-8	BPD by GA, Jeanty 1982	C1315624
LN	33154-6	BPD by GA, Merz 1988	C1315625

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	33155-3	BPD by GA, Rempen 1991	C1315626
LN	33156-1	BPD by GA, Shinozuka 1996	C1315627
LN	33157-9	Cephalic Index by GA, Chitty 1994	C1315628
LN	33158-7	Cephalic Index by GA, Hadlock 1981	C1315629
LN	33159-5	CRL by GA ASUM 2000	C1315630
LN	33160-3	CRL by GA, Rempen1991	C1315631
LN	33161-1	CRL by GA, Shinozuka 1996	C1315632
LN	33162-9	EFW by GA, Hadlock 1991	C1315633
LN	33163-7	EFW by GA, Hansmann 1986	C1315634
LN	33164-5	Fibula by GA, Jeanty 1983	C1315635
LN	33165-2	FL by GA, ASUM 2000	C1315636
LN	33166-0	FL by GA, Hadlock 1984	C1315637
LN	33167-8	FL by GA, Chitty 1994	C1315638
LN	33168-6	FL by GA, Jeanty 1982	C1315639
LN	33169-4	FL by GA, Merz 1988	C1315640
LN	33170-2	FL by GA, Shinozuka 1996	C1315641
LN	33171-0	GS by GA, Rempen 1991	C1315642
LN	33172-8	HC by GA, ASUM 2000	C1315643
LN	33173-6	HC by GA, Hadlock 1984	C1315644
LN	33174-4	HC derived by GA, Chitty 1994	C1315645
LN	33175-1	HC by GA, Jeanty 1982	C1315646
LN	33176-9	HC by GA, Merz 1988	C1315647
LN	33177-7	Humerus Length by GA, ASUM 2000	C1315648
LN	33178-5	OFD by GA, ASUM 2000	C1315649
LN	33179-3	OFD by GA, Chitty 1994	C1315650
LN	33180-1	Radius by GA, Jeanty 1983	C1315651
LN	33181-9	TCD by GA Goldstein 1987	C1315652
LN	33182-7	HC/AC by GA, Campbell 1977	C1315653

CID 12016 Estimated Fetal Weight Percentile Equations and Tables

These terms specify the population distribution for use in Z-score and percentile rank.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20160525
UID: 1.2.840.10008.6.1.564

Table CID 12016. Estimated Fetal Weight Percentile Equations and Tables

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
DCM	128040	FWP by GA, Campbell, 1991	
DCM	128041	FWP by GA, Hadlock, 1991	
LN	33184-3	FWP by GA, Williams, 1982	C1315655

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	33185-0	FWP by GA, Alexander, 1996	C1315656
LN	33186-8	Male Singleton BWP by GA, Arbuckle 1993	C1315657
LN	33187-6	Female Singleton BWP by GA, Arbuckle 1993	C1315658
LN	33199-1	Male Twins BWP by GA, Arbuckle 1993	C1315670
LN	33188-4	Female Twins BWP by GA, Arbuckle 1993	C1315659
LN	33189-2	FWP by GA, Brenner 1976	C1315660
LN	33190-0	FWP by GA, Hadlock 1985	C1315661

Note

LN:33183-5 was previously included in this context group with a Code Meaning of "FWP by GA, Hadlock 1991", but is described in LOINC as "Fetal body weight growth percentile estimated from gestational age by method of Campbell 1991 (US)". Devices receiving LN:33183-5 may need to consult the Code Meaning value to determine whether the sender meant Hadlock 1991 or Campbell 1991. New codes have been defined to replace LN:33183-5 to resolve the potential ambiguity.

CID 12017 Growth Distribution Rank

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20030130
UID: 1.2.840.10008.6.1.565

Table CID 12017. Growth Distribution Rank

Coding Scheme Designator	Code Value	Code Meaning
DCM	125012	Growth Percentile Rank
DCM	125013	Growth Z-score

CID 12018 OB-GYN Summary

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20030130
UID: 1.2.840.10008.6.1.566

Table CID 12018. OB-GYN Summary

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11878-6	Number of Fetuses by US	C0551995
LN	11886-9	Gestational Age by ovulation date	C0552003

CID 12019 OB-GYN Fetus Summary

Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
Type: Extensible
Version: 20030130
UID: 1.2.840.10008.6.1.567

Table CID 12019. OB-GYN Fetus Summary

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	18185-9	Gestational Age	C1148461
LN	11888-5	Composite Ultrasound Age	C0552005
LN	11885-1	Gestational Age by LMP	C0552002
LN	11727-5	Estimated Weight	C0551846
LN	11767-1	EFW percentile rank	C0551886
LN	11948-7	Fetal Heart Rate	C0552065

CID 12020 Fetal Biometry Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.1005

Table CID 12020. Fetal Biometry Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-D4000 113345001	Abdomen	113345001 T-D4000	C0000726
SRTSCT	T-A6000 113305005	Cerebellum	113305005 T-A6000	C0007765
SRTSCT	T-A1520 54165005	Cisterna Magna	54165005 T-A1520	C0008841
SRTSCT	T-12710 71341001	Femur	71341001 T-12710	C0015811
SRTSCT	T-D9700 56459004	Foot	56459004 T-D9700	C0016504
SRTSCT	T-71000 64033007	Kidney	64033007 T-71000	C0022646
SRTSCT	T-11100 89546000	Skull	89546000 T-11100	C0037303
SRTSCT	T-D3000 51185008	Thorax	51185008 T-D3000	C0817096
SRTSCT	T-D2000 22943007	Trunk	22943007 T-D2000	C0460005

CID 12021 Fetal Long Bone Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.1006

Table CID 12021. Fetal Long Bone Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-12310 51299004	Clavicle	51299004 T-12310	C0008913
SRTSCT	T-12710 71341001	Femur	71341001 T-12710	C0015811
SRTSCT	T-12750 87342007	Fibula	87342007 T-12750	C0016068
SRTSCT	T-12420 62413002	Radius	62413002 T-12420	C0034627
SRTSCT	T-12740 12611008	Tibia	12611008 T-12740	C0040184
SRTSCT	T-12430 23416004	Ulna	23416004 T-12430	C0041600

CID 12022 Fetal Cranium Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.1007

Table CID 12022. Fetal Cranium Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-A1700 30399003	Anterior Horn Lateral Ventricle	30399003 T-A1700	C0152281
SRTSCT	T-A6000 113305005	Cerebellum	113305005 T-A6000	C0007765
SRTSCT	T-A010F 372073000	Cerebral hemisphere	372073000 T-A010F	C0228174
SRTSCT	T-A1520 54165005	Cisterna magna	54165005 T-A1520	C0008841
SRTSCT	T-A1650 66720007	Lateral Ventricle	66720007 T-A1650	C0152279
SRTSCT	R-FB565 700032006	Occipital region of scalp	700032006 R-FB565	C3697080
SRTSCT	T-D14AE 363654007	Orbit	363654007 T-D14AE	C0029180
SRTSCT	T-A1710 52943005	Posterior Horn Lateral Ventricle	52943005 T-A1710	C0152282

CID 12023 Pelvis and Uterus Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20141110
 UID: 1.2.840.10008.6.1.1008

Table CID 12023. Pelvis and Uterus Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-83200 71252005	Cervix	71252005 T-83200	C0007874
SRTSCT	T-83400 2739003	Endometrium	2739003 T-83400	C0014180
SRTSCT	T-83000 35039007	Uterus	35039007 T-83000	C0042149

CID 12030 Ultrasound Contrast/Bolus Agents

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160605
 UID: 1.2.840.10008.6.1.805

Table CID 12030. Ultrasound Contrast/Bolus Agents

Coding Scheme Designator	Code Value	Code Meaning
DCM	125901	CARDIOsphere
NDC	11994-011-04	Definity
DCM	125902	Echovist
DCM	125903	Imagify
DCM	125904	Levovist
NDC	0407-2707-03	Optison

Coding Scheme Designator	Code Value	Code Meaning
DCM	125905	Sonazoid
DCM	125906	SonoVue
DCM	125907	Targestar-B
DCM	125908	Targestar-P

Note

1. See Controlled Terminology descriptions in Annex D for manufacturer references.
2. The generic formulation is not used for Code Meaning (0008,0104) because for ultrasonic contrast agents the physical properties of the agent are more significant than chemical formula in determining its acoustic properties.

CID 12031 Protocol Interval Events

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20090409
UID: 1.2.840.10008.6.1.806

Table CID 12031. Protocol Interval Events

Coding Scheme Designator	Code Value	Code Meaning
DCM	125233	Start of drug dose administration
DCM	125234	Start of contrast agent administration
DCM	125235	Destruction of microbubbles
DCM	125236	Onset of exercise
DCM	125237	Cessation of exercise
DCM	125238	Onset of stimulation
DCM	125239	Cessation of stimulation

CID 12032 Transducer Scan Pattern

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20090409
UID: 1.2.840.10008.6.1.807

Table CID 12032. Transducer Scan Pattern

Coding Scheme Designator	Code Value	Code Meaning
DCM	125240	Line scan pattern
DCM	125241	Plane scan pattern
DCM	125242	Volume scan pattern

CID 12033 Ultrasound Transducer Geometry

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20090409
UID: 1.2.840.10008.6.1.808

Table CID 12033. Ultrasound Transducer Geometry

Coding Scheme Designator	Code Value	Code Meaning
DCM	125251	Non-imaging Doppler ultrasound transducer geometry
DCM	125252	Linear ultrasound transducer geometry
DCM	125253	Curved linear ultrasound transducer geometry
DCM	125254	Sector ultrasound transducer geometry
DCM	125255	Radial ultrasound transducer geometry
DCM	125256	Ring ultrasound transducer geometry

CID 12034 Ultrasound Transducer Beam Steering

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20090409
UID: 1.2.840.10008.6.1.809

Table CID 12034. Ultrasound Transducer Beam Steering

Coding Scheme Designator	Code Value	Code Meaning
DCM	125257	Fixed beam direction
DCM	125258	Mechanical beam steering
DCM	125259	Phased beam steering

CID 12035 Ultrasound Transducer Application

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20090409
UID: 1.2.840.10008.6.1.810

Table CID 12035. Ultrasound Transducer Application

Coding Scheme Designator	Code Value	Code Meaning
DCM	125261	External Transducer
DCM	125262	Transesophageal Transducer
DCM	125263	Endovaginal Transducer
DCM	125264	Endorectal Transducer
DCM	125265	Intravascular Transducer

CID 12101 Vascular Summary

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030327
UID: 1.2.840.10008.6.1.568

Table CID 12101. Vascular Summary

Coding Scheme Designator	Code Value	Code Meaning
DCM	121106	Comment

CID 12102 Temporal Periods Relating to Procedure or Therapy

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.569

Table CID 12102. Temporal Periods Relating to Procedure or Therapy

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-422A4303110006	After Procedure	303140006R-422A4	C0580203
SRTSCT	R-40FBA307154001	During Procedure	307154001R-40FBA	C0585033
SRTSCT	R-40FB9307153007	Before Procedure	307153007R-40FB9	C0585032

CID 12103 Vascular Ultrasound Anatomic Location

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.570

Table CID 12103. Vascular Ultrasound Anatomic Location

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12104 "Extracranial Arteries"		
Include CID 12105 "Intracranial Cerebral Vessels"		
Include CID 12106 "Intracranial Cerebral Vessels (Unilateral)"		
Include CID 12107 "Upper Extremity Arteries"		
Include CID 12108 "Upper Extremity Veins"		
Include CID 12109 "Lower Extremity Arteries"		
Include CID 12110 "Lower Extremity Veins"		
Include CID 12111 "Abdominal Arteries (Lateral)"		
Include CID 12112 "Abdominal Arteries (Unilateral)"		
Include CID 12113 "Abdominal Veins (Lateral)"		
Include CID 12114 "Abdominal Veins (Unilateral)"		
Include CID 12115 "Renal Vessels"		

CID 12104 Extracranial Arteries

This context group specifies the anatomic location for vascular observations

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.571

Table CID 12104. Extracranial Arteries

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-4516080272002	Carotid Bifurcation	80272002T-45160	C0226088
SRTSCT	T-4517021479005	Carotid Bulb	21479005T-45170	C0007281

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-45100 32062004	Common Carotid Artery	32062004 T-45100	C0162859
SRTSCT	T-45200 22286001	External Carotid Artery	22286001 T-45200	C0007275
SRTSCT	T-45300 86117002	Internal Carotid Artery	86117002 T-45300	C0007276
SRTSCT	T-46100 36765005	Subclavian Artery	36765005 T-46100	C0038530
SRTSCT	T-45700 85234005	Vertebral Artery	85234005 T-45700	C0042559

CID 12105 Intracranial Cerebral Vessels

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.572

Table CID 12105. Intracranial Cerebral Vessels

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-45540 60176003	Anterior Cerebral Artery	60176003 T-45540	C0149561
SRTSCT	T-45530 8012006	Anterior Communicating Artery	8012006 T-45530	C0149562
SRTSCT	G-0368397418009	Anterior-Middle Cerebral Artery Bifurcation	397418009G-0368	C1301412
SRTSCT	G-0369397419001	Anterior-Posterior Cerebral Artery Bifurcation	397419001G-0369	C1301413
SRTSCT	T-45308 54409005	Carotid Siphon	54409005 T-45308	C0226162
SRTSCT	T-45430 76117006	Central Retinal Artery	76117006 T-45430	C0035301
SRTSCT	T-48286 62869001	Central Retinal Vein	62869001 T-48286	C0035327
SRTSCT	T-45300 86117002	Internal Carotid Artery	86117002 T-45300	C0007276
SRTSCT	R-102BB415637004	Internal Carotid Artery C5 segment	415637004R-102BB	C1532941
SRTSCT	R-FAED1698348000	Internal Carotid Artery C6 segment	698348000R-FAED1	C3697273
SRTSCT	R-102BD415646005	Terminal internal carotid artery	415646005R-102BD	C1533000
SRTSCT	T-45600 17232002	Middle Cerebral Artery	17232002 T-45600	C0149566
SRTSCT	R-1024F414722000	Middle Cerebral Artery M1 Segment	414722000R-1024F	C0923620
SRTSCT	R-10251414723005	Middle Cerebral Artery M2 Segment	414723005R-10251	C0923622
SRTSCT	T-45400 53549008	Ophthalmic Artery	53549008 T-45400	C0029078
SRTSCT	T-45900 70382005	Posterior Cerebral Artery	70382005 T-45900	C0149576
SRTSCT	R-10253415144009	Posterior Cerebral Artery P1 Segment	415144009R-10253	C0923795
SRTSCT	R-10255415145005	Posterior Cerebral Artery P2 Segment	415145005R-10255	C0923796
SRTSCT	T-45320 43119007	Posterior Communicating Artery	43119007 T-45320	C0149559

CID 12106 Intracranial Cerebral Vessels (Unilateral)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.573

Table CID 12106. Intracranial Cerebral Vessels (Unilateral)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-45800 59011009	Basilar Artery	59011009T-45800	C0004811

CID 12107 Upper Extremity Arteries

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.574

Table CID 12107. Upper Extremity Arteries

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-47100 67937003	Axillary Artery	67937003T-47100	C0004455
SRTSCT	T-47160 17137000	Brachial Artery	17137000T-47160	C0006087
SRTSCT	T-47340 10119003	Deep Palmar Arch of Radial Artery	10119003T-47340	C0226441
SRTSCT	T-46010 12691009	Innominate Artery	12691009T-46010	C0006094
SRTSCT	T-47300 45631007	Radial Artery	45631007T-47300	C0162857
SRTSCT	T-46100 36765005	Subclavian Artery	36765005T-46100	C0038530
SRTSCT	T-47240 26818002	Superficial Palmar Arch	26818002T-47240	C0226433
SRTSCT	T-47200 44984001	Ulnar Artery	44984001T-47200	C0162858
SRTSCT	T-47260 40254007	Digital artery of hand	40254007T-47260	C0226435

CID 12108 Upper Extremity Veins

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.575

Table CID 12108. Upper Extremity Veins

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-49110 68705008	Axillary vein	68705008T-49110	C0004456
SRTSCT	T-49230 19715009	Basilic vein	19715009T-49230	C0226801
SRTSCT	T-49350 20115005	Brachial vein	20115005T-49350	C0226812
SRTSCT	T-49240 20699002	Cephalic vein	20699002T-49240	C0226802
SRTSCT	T-48620 8887007	Innominate vein	8887007T-48620	C0006095
SRTSCT	T-48170 12123001	Internal Jugular vein	12123001T-48170	C0226550
SRTSCT	T-49250 49852007	Median Cubital vein	49852007T-49250	C0226805
SRTSCT	T-49340 52359001	Radial vein	52359001T-49340	C0226811
SRTSCT	T-48330 9454009	Subclavian vein	9454009T-48330	C0038532

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-49330 17623008	Ulnar vein	17623008 T-49330	C0226810
SRTSCT	T-48610 48345005	Superior Vena Cava	48345005 T-48610	C0042459
SRTSCT	T-49218 368481004	Deep Palmar Venous Arch	368481004 T-49218	C0226798
SRTSCT	T-49217 368479001	Superficial Palmar Venous Arch	368479001 T-49217	C0226796

CID 12109 Lower Extremity Arteries

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20180605

UID: 1.2.840.10008.6.1.576

Table CID 12109. Lower Extremity Arteries

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-46710 73634005	Common Iliac Artery	73634005 T-46710	C1261084
SRTSCT	R-10258 413896006	Common Iliac Artery Bifurcation	413896006 R-10258	C1531837
SRTSCT	T-47700 68053000	Anterior Tibial Artery	68053000 T-47700	C0085816
SRTSCT	T-47402 181347005	Common Femoral Artery	181347005 T-47402	C0447105
SRTSCT	T-47740 86547008	Dorsalis Pedis Artery	86547008 T-47740	C0226492
SRTSCT	T-46910 113269004	External Iliac Artery	113269004 T-46910	C0226398
SRTSCT	T-46740 90024005	Internal Iliac Artery	90024005 T-46740	C0226364
SRTSCT	T-47630 8821006	Peroneal Artery	8821006 T-47630	C0226476
SRTSCT	T-47690 83018002	Plantar Arterial Arch	83018002 T-47690	C0226482
SRTSCT	T-47500 43899006	Popliteal Artery	43899006 T-47500	C0032649
SRTSCT	T-47600 13363002	Posterior Tibial Artery	13363002 T-47600	C0086835
SRTSCT	T-47440 31677005	Profunda Femoris Artery	31677005 T-47440	C0226455
SRTSCT	T-47403 181349008	Superficial Femoral Artery	181349008 T-47403	C0447106

CID 12110 Lower Extremity Veins

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20180605

UID: 1.2.840.10008.6.1.577

Table CID 12110. Lower Extremity Veins

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-49630 26703007	Anterior Tibial Vein	26703007 T-49630	C0226833
SRTSCT	T-F6724 714754004	Lateral calf perforator	714754004 T-F6724	C4075130
SRTSCT	G-035B 397363009	Common Femoral Vein	397363009 G-035B	C1275667
SRTSCT	T-48920 46027005	Common Iliac Vein	46027005 T-48920	C0226758
SRTSCT	T-48930 63507001	External Iliac Vein	63507001 T-48930	C0226761

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-4942D 264481007	Gastrocnemius vein	264481007 T-4942D	C0450291
SRTSCT	G-036F 397437000	Giacomini vein	397437000 G-036F	C1301429
SRTSCT	T-49530 60734001	Great Saphenous Vein	60734001 T-49530	C0392907
SRTSCT	R-10259 414369008	Great Saphenous Vein of Thigh	414369008 R-10259	C1531999
SRTSCT	R-1025A 414368000	Great Saphenous Vein of Calf	414368000 R-1025A	C1531998
SRTSCT	T-49550 26805005	Lesser Saphenous Vein	26805005 T-49550	C0226827
SRTSCT	T-49640 71758008	Peroneal Vein	71758008 T-49640	C0226836
SRTSCT	T-49650 56849005	Popliteal Vein	56849005 T-49650	C0032652
SRTSCT	G-036E 397435008	Posterior arch vein	397435008 G-036E	C1301427
SRTSCT	T-49620 4258007	Posterior Tibial Vein	4258007 T-49620	C0226832
SRTSCT	T-49660 23438002	Profunda Femoris Vein	23438002 T-49660	C0226841
SRTSCT	T-D930A 128587003	Saphenofemoral Junction	128587003 T-D930A	C0447132
SRTSCT	T-4940B 362072009	Saphenous vein	362072009 T-4940B	C0036186
SRTSCT	G-036B 397427005	Soleal vein	397427005 G-036B	C1301420
SRTSCT	G-035A 397364003	Superficial Femoral Vein	397364003 G-035A	C1301369
SRTSCT	T-F6713 714759009	Thigh perforator	714759009 T-F6713	C4075125
SRTSCT	T-48940 40300007	Internal iliac vein	40300007 T-48940	C0226764
SRTSCT	T-4941A 244415001	Saphenopopliteal junction	244415001 T-4941A	C0447131
SRTSCT	T-4942A 128560002	Hunterian perforating vein	128560002 T-4942A	C1267526
SRTSCT	T-49426 128549006	Cockett's perforating vein	128549006 T-49426	C1267523
SRTSCT	T-49424 128548003	Boyd's perforating vein	128548003 T-49424	C1267522

CID 12111 Abdominal Arteries (Lateral)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050110
UID: 1.2.840.10008.6.1.578

Table CID 12111. Abdominal Arteries (Lateral)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-46640 85383006	Accessory Renal Artery	85383006 T-46640	C0226335
SRTSCT	T-46410 23771002	Gastric Artery	23771002 T-46410	C0226299
SRTSCT	T-46980 12052000	Ovarian Artery	12052000 T-46980	C0226411
SRTSCT	T-46970 27175001	Testicular Artery	27175001 T-46970	C0226409
SRTSCT	T-F1810 50536004	Umbilical Artery	50536004 T-F1810	C0041632
SRTSCT	T-46820 91079009	Uterine Artery	91079009 T-46820	C0226378

CID 12112 Abdominal Arteries (Unilateral)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20050110

UID: 1.2.840.10008.6.1.579

Table CID 12112. Abdominal Arteries (Unilateral)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-42000 15825003	Aorta	15825003 T-42000	C0003483
SRTSCT	T-42520 28205006	Infra-renal Aorta	28205006 T-42520	C0226025
SRTSCT	T-42510 1918003	Supra-renal Aorta	1918003 T-42510	C0226024
SRTSCT	T-46400 57850000	Celiac Axis	57850000 T-46400	C0007569
SRTSCT	T-46421 66559000	Common Hepatic Artery	66559000 T-46421	C0226300
SRTSCT	T-46710 73634005	Common Iliac Artery	73634005 T-46710	C1261084
SRTSCT	T-46440 37274004	Gastroduodenal Artery	37274004 T-46440	C0226311
SRTSCT	T-46520 33795007	Inferior Mesenteric Artery	33795007 T-46520	C0162860
SRTSCT	T-46960 34635009	Lumbar Artery	34635009 T-46960	C0226408
SRTSCT	T-46422 18112008	Proper Hepatic Artery	18112008 T-46422	C0226301
SRTSCT	T-46423 69421009	Right Branch of Hepatic Artery	69421009 T-46423	C0226302
SRTSCT	T-46427 21807003	Left Branch of Hepatic Artery	21807003 T-46427	C0226306
SRTSCT	T-46460 22083002	Splenic Artery	22083002 T-46460	C0037996
SRTSCT	T-46510 42258001	Superior Mesenteric Artery	42258001 T-46510	C0162861

CID 12113 Abdominal Veins (Lateral)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.580

Table CID 12113. Abdominal Veins (Lateral)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-48920 46027005	Common iliac vein	46027005 T-48920	C0226758
SRTSCT	T-48820 110568007	Gastric vein	110568007 T-48820	C0750610
SRTSCT	G-0370 397439002	Ileal vein	397439002 G-0370	C1301431
SRTSCT	T-48780 976004	Ovarian vein	976004 T-48780	C0226720
SRTSCT	T-48770 31688004	Testicular Vein	31688004 T-48770	C0226718
SRTSCT	G-035E 397407009	First Lumbar Artery	397407009 G-035E	C1301402
SRTSCT	G-035F 397408004	Second Lumbar Artery	397408004 G-035F	C1301403
SRTSCT	G-0360 397409007	Third Lumbar Artery	397409007 G-0360	C1301404
SRTSCT	G-0361 397410002	Fourth Lumbar Artery	397410002 G-0361	C1301405
SRTSCT	G-0362 397411003	Fifth Lumbar Artery	397411003 G-0362	C1301406
SRTSCT	G-0363 397412005	Sixth Lumbar Artery	397412005 G-0363	C1301407

CID 12114 Abdominal Veins (Unilateral)

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914

UID: 1.2.840.10008.6.1.581

Table CID 12114. Abdominal Veins (Unilateral)

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-48720 8993003	Hepatic Vein	8993003 T-48720	C0019155
SRTSCT	G-036D 397425002	Inferior Right Hepatic Vein	397425002 G-036D	C1301418
SRTSCT	T-48727 273202007	Left Hepatic Vein	273202007 T-48727	C0226708
SRTSCT	T-48726 273099000	Middle Hepatic Vein	273099000 T-48726	C0226707
SRTSCT	T-48725 272998002	Right Hepatic Vein	272998002 T-48725	C0226706
SRTSCT	T-48810 32764006	Portal Vein	32764006 T-48810	C0032718
SRTSCT	T-48814 70253006	Left Main Branch of Portal Vein	70253006 T-48814	C0933785
SRTSCT	T-48813 73931004	Right Main Branch of Portal Vein	73931004 T-48813	C0226730
SRTSCT	T-48910 32859001	Inferior Mesenteric Vein	32859001 T-48910	C0226754
SRTSCT	T-48710 64131007	Inferior Vena Cava	64131007 T-48710	C0042458
SRTSCT	T-48890 35819009	Splenic Vein	35819009 T-48890	C0038001
SRTSCT	T-48840 90771006	Superior Mesenteric Vein	90771006 T-48840	C0226742
SRTSCT	G-036C 397423009	Transjugular Intrahepatic Portosystemic Shunt	397423009 G-036C	C1301416
SRTSCT	T-48832 284639000	Umbilical Vein	284639000 T-48832	C0226734

CID 12115 Renal Vessels

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.582

Table CID 12115. Renal Vessels

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-46600 2841007	Renal Artery	2841007 T-46600	C0035065
SRTSCT	G-035C 397405001	Hilar Artery	397405001 G-035C	C1275669
SRTSCT	T-46659 120234003	Segmental Artery	120234003 T-46659	C1267338
SRTSCT	T-4667C 274060004	Lobar Artery	274060004 T-4667C	C0226346
SRTSCT	T-4668A 274231001	Arcuate Artery of the Kidney	274231001 T-4668A	C0226348
SRTSCT	T-4667D 274143007	Interlobar Artery of Kidney	274143007 T-4667D	C0226347
SRTSCT	T-46640 85383006	Accessory Renal Artery	85383006 T-46640	C0226335
SRTSCT	T-46668 15763003	Perforating Artery of Kidney	15763003 T-46668	C0226344
SRTSCT	T-48740 56400007	Renal Vein	56400007 T-48740	C0035092

CID 12116 Vessel Segment Modifiers

This context group is the set of modifiers that specify the position along a vessel segment.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.583

Table CID 12116. Vessel Segment Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A11946053002	Distal	46053002G-A119	C0205108
SRTSCT	G-A188103342007	Mid-longitudinal	103342007G-A188	C0522490
SRTSCT	G-036A397421006	Origin of vessel	397421006G-036A	C1301415
SRTSCT	G-A11840415009	Proximal	40415009G-A118	C0205107
SRTSCT	R-1025B413996005	Dilated portion of segment	413996005R-1025B	C1531687

CID 12117 Vessel Branch Modifiers

This context group is the set of modifiers to specify a particular vessel segment or branch.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.584

Table CID 12117. Vessel Branch Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-035D397406000	Collateral branch of vessel	397406000G-035D	C1275670
SRTSCT	R-4094A261089000	Inferior	261089000R-4094A	C0542339
SRTSCT	G-A10449370004	Lateral	49370004G-A104	C0205093
SRTSCT	G-A1017771000	Left	7771000G-A101	C0205091
SRTSCT	G-A33263161005	Main	63161005G-A332	C0205225
SRTSCT	R-404D5255561001	Medial	255561001R-404D5	C0205098
SRTSCT	G-A10024028007	Right	24028007G-A100	C0205090
SRTSCT	R-42191264217000	Superior	264217000R-42191	C1282910

CID 12118 Measurement Orientation

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110125
 UID: 1.2.840.10008.6.1.926

Table CID 12118. Measurement Orientation

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
DCM	122675	Anterior-Posterior		
SRTSCT	G-A11762824007	Transverse	62824007G-A117	C0205106
SRTSCT	G-A14338717003	Longitudinal	38717003G-A143	C0205127

CID 12119 Vascular Ultrasound Property

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.585

Table CID 12119. Vascular Ultrasound Property

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12120 "Blood Velocity Measurements by Ultrasound"		
Include CID 12121 "Vascular Indices and Ratios"		
Include CID 12122 "Other Vascular Properties"		

CID 12120 Blood Velocity Measurements by Ultrasound

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.586

Table CID 12120. Blood Velocity Measurements by Ultrasound

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	11653-3	End Diastolic Velocity	C0551772
LN	11665-7	Minimum Diastolic Velocity	C0551784
LN	11726-7	Peak Systolic Velocity	C0551845
LN	20352-1	Time averaged mean velocity	C0803167
LN	11692-1	Time averaged peak velocity	C0551811

CID 12121 Vascular Indices and Ratios

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.587

Table CID 12121. Vascular Indices and Ratios

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
LN	20167-3	Acceleration Index		C0802982
SRTSCT	R-101BA408714007	Lumen Area Stenosis	408714007R-101BA	C1443264
SRTSCT	R-101BB408715008	Lumen Diameter Stenosis	408715008R-101BB	C1443265
LN	12008-9	Pulsatility Index		C0552113
LN	12023-8	Resistivity Index		C0552128
LN	12144-2	Systolic to Diastolic Velocity Ratio		C0552246
LN	33867-3	Velocity ratio		C1316330

Note

This Context Group formerly included SNOMED codes G-0371 and G-0372, which have been replaced by R-101BA and R-101BB, respectively. See Annex J.

CID 12122 Other Vascular Properties

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20050110
 UID: 1.2.840.10008.6.1.588

Table CID 12122. Other Vascular Properties

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
LN	20168-1	Acceleration Time		C0802983
LN	20217-6	Deceleration Time		C0803032
SRTSCT	G-0364397413000	Vessel lumen diameter	397413000G-0364	C1301408
SRTSCT	R-1025G415815009	Vessel Intimal Diameter	415815009R-1025C	C1532860
SRTSCT	R-1025D415814008	Vessel Intimal Cross-Sectional Area	415814008R-1025D	C1532859
SRTSCT	G-0365397414006	Vessel outside diameter	397414006G-0365	C1301409
SRTSCT	G-0366397415007	Vessel lumen cross-sectional area	397415007G-0366	C1301410
LN	33878-0	Volume flow		C1316341
SRTSCT	R-1025E413975003	Vessel depth from surface	413975003R-1025E	C1531671
LN	20247-3	Peak Gradient		C0803062
LN	20256-4	Mean Gradient		C0803071
SRTSCT	R-1025F414599003	Length of Segment	414599003R-1025F	C1532132

CID 12123 Carotid Ratios

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.589

Table CID 12123. Carotid Ratios

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	33868-1	ICA/CCA velocity ratio	C1316331

CID 12124 Renal Ratios

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030327
 UID: 1.2.840.10008.6.1.590

Table CID 12124. Renal Ratios

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	33869-9	Renal Artery/Aorta velocity ratio	C1316332

CID 12140 Pelvic Vasculature Anatomical Location

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040322
 UID: 1.2.840.10008.6.1.591

Table CID 12140. Pelvic Vasculature Anatomical Location

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-F1810 50536004	Umbilical Artery	50536004 T-F1810	C0041632
SRTSCT	T-F1820 13576009	Umbilical Vein	13576009 T-F1820	C0041637
SRTSCT	T-46980 12052000	Ovarian Artery	12052000 T-46980	C0226411
SRTSCT	T-48780 976004	Ovarian Vein	976004 T-48780	C0226720
SRTSCT	T-46820 91079009	Uterine Artery	91079009 T-46820	C0226378
SRTSCT	T-49010 60028002	Uterine Vein	60028002 T-49010	C0226787
SRTSCT	T-F1412 256779006	Vitelline Artery of Placenta	256779006 T-F1412	C0230979
SRTSCT	T-F1413 256875007	Vitelline Vein of Placenta	256875007 T-F1413	C0230980
SRTSCT	T-46710 73634005	Common Iliac Artery	73634005 T-46710	C1261084

CID 12141 Fetal Vasculature Anatomical Location

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040322
 UID: 1.2.840.10008.6.1.592

Table CID 12141. Fetal Vasculature Anatomical Location

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-42000 15825003	Aorta	15825003 T-42000	C0003483
SRTSCT	T-D0765 281130003	Descending Aorta	281130003 T-D0765	C0011666
SRTSCT	T-45600 17232002	Middle Cerebral Artery	17232002 T-45600	C0149566
SRTSCT	T-48581 122972007	Pulmonary Vein	122972007 T-48581	C0034090
SRTSCT	T-44000 81040000	Pulmonary Artery	81040000 T-44000	C0034052

CID 12200 Echocardiography Left Ventricle

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.593

Table CID 12200. Echocardiography Left Ventricle

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12220 "Echocardiography Common Measurements"		
Include CID 12201 "Left Ventricle Linear"		
Include CID 12240 "Left Ventricle Area"		
Include CID 12202 "Left Ventricle Volume"		

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12222 "Orifice Flow Properties"		
Include CID 12203 "Left Ventricle Other"		
Include CID 12239 "Cardiac Output Properties"		

CID 12201 Left Ventricle Linear

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030918
UID: 1.2.840.10008.6.1.594

Table CID 12201. Left Ventricle Linear

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
LN	29436-3	Left Ventricle Internal End Diastolic Dimension		C0944887
LN	29438-9	Left Ventricle Internal Systolic Dimension		C0944889
LN	18051-3	Left Ventricular Fractional Shortening		C0801100
LN	18154-5	Interventricular Septum Diastolic Thickness		C0801203
LN	18155-2	Interventricular Septum to Posterior Wall Thickness Ratio		C0801204
LN	18054-7	Interventricular Septum % Thickening		C0801103
LN	18158-6	Interventricular Septum Systolic Thickness		C0801207
LN	18053-9	Left Ventricle Posterior Wall % Thickening		C0801102
LN	18077-8	Left Ventricle diastolic major axis		C0801126
LN	18076-0	Left Ventricle systolic major axis		C0801125
LN	18156-0	Left Ventricle Posterior Wall Systolic Thickness		C0801205
LN	18152-9	Left Ventricle Posterior Wall Diastolic Thickness		C0801201
SRT SCT	G-0377 399063007	Left Ventricle Semi-major Axis Diastolic Dimension	399063007 G-0377	C1302188
SRT SCT	G-0378 399309003	Left Ventricle Truncated Semi-major Axis Diastolic Dimension	399309003 G-0378	C1302315

CID 12202 Left Ventricle Volume

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030918
UID: 1.2.840.10008.6.1.595

Table CID 12202. Left Ventricle Volume

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	18026-5	Left Ventricular End Diastolic Volume	C0801075
LN	18148-7	Left Ventricular End Systolic Volume	C0801197
LN	18043-0	Left Ventricular Ejection Fraction by US	C0801092

CID 12203 Left Ventricle Other

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.596

Table CID 12203. Left Ventricle Other

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
LN	18087-7	Left Ventricle Mass		C0801136
LN	18071-1	Left Ventricular Isovolumic Relaxation Time		C0801120
SRT SCT	G-037E 399051002	Left Ventricular Isovolumic Contraction Time	399051002 G-037E	C1302184
SRT SCT	G-037A 399133000	Left Ventricular Peak Early Diastolic Tissue Velocity	399133000 G-037A	C1302218
SRT SCT	G-037B 399140004	Ratio of MV Peak Velocity to LV Peak Tissue Velocity E-Wave	399140004 G-037B	C1275825
SRT SCT	G-037C 399007006	LV Peak Diastolic Tissue Velocity During Atrial Systole	399007006 G-037C	C1275803
SRT SCT	G-037D 399167005	Left Ventricular Peak Systolic Tissue Velocity	399167005 G-037D	C1302235
SRT SCT	G-037F 399266005	Left Ventricular Index of Myocardial Performance	399266005 G-037F	C1302287

CID 12204 Echocardiography Right Ventricle

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20080623
 UID: 1.2.840.10008.6.1.597

Table CID 12204. Echocardiography Right Ventricle

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				
SRT SCT	F-04FD8 429483009	RV Stroke Volume	429483009 F-04FD8	C1998360
SRT SCT	F-04FA5 428628004	RV Cardiac Output	428628004 F-04FA5	C1998060
SRT SCT	F-04F84 427990004	RV Cardiac Index	427990004 F-04F84	C1998235
SRT SCT	F-04FE5 429619008	RV Stroke Index	429619008 F-04FE5	C1997465
LN	20304-2	Right Ventricular Internal Diastolic Dimension		C0803119
LN	20305-9	Right Ventricular Internal Systolic Dimension		C0803120
SRT SCT	G-0381 399154007	Right Ventricular Index of Myocardial Performance	399154007 G-0381	C1302228
SRT SCT	G-0380 399023006	Right Ventricular Peak Systolic Pressure	399023006 G-0380	C1302173

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
LN	18153-7	Right Ventricular Anterior Wall Diastolic Thickness		C0801202
LN	18157-8	Right Ventricular Anterior Wall Systolic Thickness		C0801206

CID 12205 Echocardiography Left Atrium

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.598

Table CID 12205. Echocardiography Left Atrium

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
LN	29469-4	Left Atrium Antero-posterior Systolic Dimension		C0944917
LN	17985-3	Left Atrium to Aortic Root Ratio		C0801035
LN	29486-8	Left Atrial Appendage Peak Velocity		C0945756
LN	17977-0	Left Atrium Area A4C view		C0801027
SRTSCT	G-0383399235004	Left Atrium Systolic Volume	399235004G-0383	C1302269

CID 12206 Echocardiography Right Atrium

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.599

Table CID 12206. Echocardiography Right Atrium

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
LN	18070-3	Right Atrium Systolic Pressure	C0801119
LN	17988-7	Right Atrium Area A4C view	C0801038

CID 12207 Echocardiography Mitral Valve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.600

Table CID 12207. Echocardiography Mitral Valve

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 12239 "Cardiac Output Properties"				
LN	17978-8	Mitral Valve A-Wave Peak Velocity		C0801028
LN	18037-2	Mitral Valve E-Wave Peak Velocity		C0801086
LN	18038-0	Mitral Valve E to A Ratio		C0801087
SRTSCT	G-0386399062002	Mitral Valve AT/DT Ratio	399062002G-0386	C1275813
SRTSCT	G-0384399354002	Mitral Valve E-Wave Deceleration Time	399354002G-0384	C1302337
LN	18040-6	Mitral Valve E-F Slope by M-Mode		C0801089
LN	18036-4	Mitral Valve EPSS, E wave		C0801085
SRTSCT	G-0385399229004	Mitral Valve A-Wave Duration	399229004G-0385	C1302265
LN	18057-0	Mitral Valve Diastolic Peak Instantaneous Gradient		C0801106
SRTSCT	G-0387399104001	Mitral Valve Closure to Opening Time	399104001G-0387	C1302204
LN	18035-6	Mitral Regurgitation dP/dt derived from Mitral Reg. velocity		C0801084

Note

This Context Group includes measurements of the left ventricle only. For right ventricle measurements, see CID 12204 "Echocardiography Right Ventricle".

CID 12208 Echocardiography Tricuspid Valve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.601

Table CID 12208. Echocardiography Tricuspid Valve

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				
LN	18031-5	Tricuspid Valve E Wave Peak Velocity		C0801080
LN	18030-7	Tricuspid Valve A Wave Peak Velocity		C0801079
LN	18039-8	Tricuspid Valve E to A Ratio		C0801088
LN	20296-0	Time from Q wave to Tricuspid Valve Opens		C0803111
SRTSCT	G-0389399282006	Tricuspid Valve Closure to Opening Time	399282006G-0389	C1302297
LN	18034-9	Tricuspid Regurgitation dP/dt		C0801083

CID 12209 Echocardiography Pulmonic Valve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.602

Table CID 12209. Echocardiography Pulmonic Valve

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				
LN	18096-8	Pulmonic Valve Area by continuity		C0801145
LN	18042-2	Pulmonic Valve Ejection Time		C0801091
SRT SCT	G-0388 399238002	Ratio of Pulmonic Valve Acceleration Time to Ejection Time	399238002 G-0388	C1275839
LN	20295-2	Time from Q wave to Pulmonic Valve Closes		C0803110

CID 12210 Echocardiography Pulmonary Artery

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030918

UID: 1.2.840.10008.6.1.603

Table CID 12210. Echocardiography Pulmonary Artery

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
LN	18020-8	Main Pulmonary Artery Diameter		C0801070
LN	18021-6	Right Pulmonary Artery Diameter		C0801071
LN	18019-0	Left Pulmonary Artery Diameter		C0801069
SRT SCT	G-038A 399048009	Main Pulmonary Artery Peak Velocity	399048009 G-038A	C1302183

CID 12211 Echocardiography Aortic Valve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030918

UID: 1.2.840.10008.6.1.604

Table CID 12211. Echocardiography Aortic Valve

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				
LN	17996-0	Aortic Valve Cusp Separation		C0801046
LN	18041-4	Aortic Valve Ejection Time		C0801090
SRT SCT	G-0382 399058008	Ratio of Aortic Valve Acceleration Time to Ejection Time	399058008 G-0382	C1275811

CID 12212 Echocardiography Aorta

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030918
 UID: 1.2.840.10008.6.1.605

Table CID 12212. Echocardiography Aorta

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
LN	18015-8	Aortic Root Diameter	C0801065
LN	18011-7	Aortic Arch Diameter	C0801061
LN	18012-5	Ascending Aortic Diameter	C0801062
LN	18014-1	Aortic Isthmus Diameter	C0801064
LN	18013-3	Descending Aortic Diameter	C0801063
LN	17995-2	Thoracic Aorta Coarctation Systolic Peak Instantaneous Gradient	C0801045
LN	29460-3	Thoracic Aorta Coarctation Systolic Peak Velocity	C0944908

CID 12214 Echocardiography Pulmonary Veins

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.606

Table CID 12214. Echocardiography Pulmonary Veins

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
LN	29450-4	Pulmonary Vein Systolic Peak Velocity		C0945752
LN	29451-2	Pulmonary Vein Diastolic Peak Velocity		C0944900
LN	29452-0	Pulmonary Vein Systolic to Diastolic Ratio		C0944901
LN	29453-8	Pulmonary Vein Atrial Contraction Reversal Peak Velocity		C0944902
SRTSCT	G-038B399070007	Pulmonary Vein A-Wave Duration	399070007G-038B	C1302191
SRTSCT	G-038B399039004	Pulmonary Vein D-Wave Velocity Time Integral	399039004G-038D	C1302180
SRTSCT	G-038C399267001	Pulmonary Vein S-Wave Velocity Time Integral	399267001G-038C	C1302288

CID 12215 Echocardiography Vena Cavae

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.607

Table CID 12215. Echocardiography Vena Cavae

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	18006-7	Inferior Vena Cava Diameter	C0801056
LN	18050-5	Inferior Vena Cava % Collapse	C0801099

CID 12216 Echocardiography Hepatic Veins

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030918
UID: 1.2.840.10008.6.1.608

Table CID 12216. Echocardiography Hepatic Veins

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
LN	29471-0	Hepatic Vein Systolic Peak Velocity	C0944919
LN	29472-8	Hepatic Vein Diastolic Peak Velocity	C0944920
LN	29473-6	Hepatic Vein Systolic to Diastolic Ratio	C0944921
LN	29474-4	Hepatic Vein Atrial Contraction Reversal Peak Velocity	C0944922

CID 12217 Echocardiography Cardiac Shunt

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030918
UID: 1.2.840.10008.6.1.609

Table CID 12217. Echocardiography Cardiac Shunt

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
LN	29462-9	Pulmonary-to-Systemic Shunt Flow Ratio	C0944910

CID 12218 Echocardiography Congenital

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.610

Table CID 12218. Echocardiography Congenital

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12220 "Echocardiography Common Measurements"		
Include CID 12222 "Orifice Flow Properties"		
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"		

CID 12219 Pulmonary Vein Modifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible

Version: 20030918
 UID: 1.2.840.10008.6.1.611

Table CID 12219. Pulmonary Vein Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-404A0255499006	Right Upper Segment	255499006R-404A0	C0442064
SRTSCT	R-4049E255496004	Right Lower Segment	255496004R-4049E	C0442067
SRTSCT	R-40491255482005	Left Upper Segment	255482005R-40491	C0442065
SRTSCT	R-4214B264068005	Left Lower Segment	264068005R-4214B	C0442068

CID 12220 Echocardiography Common Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.612

Table CID 12220. Echocardiography Common Measurements

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	8867-4	Heart rate	C0488794

CID 12221 Flow Direction

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.613

Table CID 12221. Flow Direction

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-42047263677008	Antegrade Flow	263677008R-42047	C0589502
SRTSCT	R-42E61312004007	Retrograde Flow	312004007R-42E61	C0439784
SRTSCT	G-0367397417004	Regurgitant Flow	397417004G-0367	C1301411
SRTSCT	F-3233066130006	Left to right cardiovascular shunt	66130006F-32330	C0428870
SRTSCT	F-3234079692001	Right to left cardiovascular shunt	79692001F-32340	C0428871

Note

In a prior version of this Context Group, the code R-42E61 was specified for Regurgitant Flow. This has been corrected to be Retrograde Flow. Some applications might continue to send codeR-42E61 instead ofG-0367 for Regurgitant Flow.

CID 12222 Orifice Flow Properties

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.614

Table CID 12222. Orifice Flow Properties

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
LN	33878-0	Volume Flow		C1316341
LN	34141-2	Peak Instantaneous Flow Rate		C1316604
SRTSCT	G-038E399367004	Cardiovascular Orifice Area	399367004G-038E	C1302344
SRTSCT	G-038F399027007	Cardiovascular Orifice Diameter	399027007G-038F	C1302176
SRTSCT	G-0390399301000	Regurgitant Fraction	399301000G-0390	C1302309
LN	11653-3	End Diastolic Velocity		C0551772
LN	11726-7	Peak Systolic Velocity		C0551845
LN	20352-1	Time Averaged Mean Velocity		C0803167
LN	11692-1	Time Averaged Peak Velocity		C0551811
LN	20247-3	Peak Gradient		C0803062
LN	20256-4	Mean Gradient		C0803071
LN	20354-7	Velocity Time Integral		C0803169
LN	20280-4	Pressure Half-Time		C0803095
LN	20168-1	Acceleration Time		C0802983
LN	20217-6	Deceleration Time		C0803032
LN	20216-8	Deceleration Slope		C0803031
LN	12144-2	Systolic to Diastolic Velocity Ratio		C0552246
LN	59102-4	Flow Radius		C2923437
LN	59130-5	Alias velocity		C2923486
LN	20167-3	Acceleration Slope		C0802982
LN	59127-1	D-E Slope		C2923482
LN	59128-9	E-F Slope		C2923484
LN	59103-2	A-C Interval		C2923439
LN	59104-0	Peak E wave/Peak A wave by US		C2923440
LN	59106-5	Stenosis Peak Gradient		C2923443
LN	59107-3	Stenosis Peak Velocity		C2923444
LN	59079-4	Peak Reversal Velocity during Atrial Contraction		C2923402
LN	59080-2	E-Wave Peak Velocity		C2923404
LN	59081-0	A-Wave Peak Velocity		C2923405
LN	59111-5	E Velocity to Annulus E Velocity Ratio		C2923452
LN	59115-6	Velocity of Flow Propagation		C2923460

Note

1. In a prior version of this Context Group, the code 11726-7 was specified for Peak Velocity. This has been corrected to be Peak Systolic Velocity. Some applications might continue to send code 11726-7 instead of 20351-3 for Peak Velocity.
2. In a prior version of this Context Group, the code 20352-1 was specified for Mean Velocity. This has been corrected to be Time Averaged Mean Velocity. Some applications might continue to send code 20352-1 instead of 11692-1 for Time Averaged Peak Velocity.

CID 12223 Echocardiography Stroke Volume Origin

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.615

Table CID 12223. Echocardiography Stroke Volume Origin

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-32600 87878005	Left Ventricle	87878005 T-32600	C0225897
SRTSCT	T-32650 13418002	Left Ventricle Outflow Tract	13418002 T-32650	C0225912
SRTSCT	T-32550 44627009	Right Ventricle Outflow Tract	44627009 T-32550	C0225892
SRTSCT	T-35300 91134007	Mitral Valve	91134007 T-35300	C0026264
SRTSCT	T-42000 15825003	Aorta	15825003 T-42000	C0003483

CID 12224 Ultrasound Image Modes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.616

Table CID 12224. Ultrasound Image Modes

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-03A2 399064001	2D mode	399064001 G-03A2	C1302189
SRTSCT	R-409E2 261197005	Doppler Color Flow	261197005 R-409E2	C0475380
SRTSCT	G-0394 399155008	M mode	399155008 G-0394	C1302229
SRTSCT	R-409E4 261199008	Doppler Pulsed	261199008 R-409E4	C0242846
SRTSCT	R-409E3 261198000	Doppler Continuous Wave	261198000 R-409E3	C0444723
SRTSCT	P0-02241 425704008	Power Doppler	425704008 P0-02241	C1960437
SRTSCT	P0-02242 426865009	3D mode	426865009 P0-02242	C1960438
SRTSCT	P5-B0128 439858009	Tissue Doppler Imaging	439858009 P5-B0128	C2585212

CID 12226 Echocardiography Image View

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.617

Table CID 12226. Echocardiography Image View

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-A19B 399232001	Apical two chamber	399232001 G-A19B	C1302267
SRTSCT	G-A19C 399214001	Apical four chamber	399214001 G-A19C	C1302256

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept ID	UMLS Concept Unique ID
SRTSCT	G-0395399339008	Apical long axis	399339008G-0395	C1302329
SRTSCT	G-0396399139001	Parasternal long axis	399139001G-0396	C1302222
SRTSCT	G-0577443082005	Parasternal long axis view of the RV inflow tract	443082005G-0577	C2733536
SRTSCT	G-0578443083000	Parasternal long axis view of the RV outflow tract	443083000G-0578	C2733537
SRTSCT	G-0397399306005	Parasternal short axis	399306005G-0397	C1302312
SRTSCT	G-0398399239005	Parasternal short axis at the aortic valve level	399239005G-0398	C1302271
SRTSCT	G-0399399371001	Parasternal short axis at the level of the mitral chords	399371001G-0399	C1302348
SRTSCT	G-039A399036006	Parasternal short axis at the Mitral Valve level	399036006G-039A	C1302178
SRTSCT	G-039B399271003	Parasternal short axis at the Papillary Muscle level	399271003G-039B	C1302289
SRTSCT	G-039C398998003	Right Ventricular Inflow Tract View	398998003G-039C	C1275800
SRTSCT	G-039D399195005	Right Ventricular Outflow Tract View	399195005G-039D	C1275831
SRTSCT	G-039E399310008	Subcostal long axis	399310008G-039E	C1302316
SRTSCT	G-039F399200001	Subcostal short axis	399200001G-039F	C1302251
SRTSCT	G-03A0399106004	Suprasternal long axis	399106004G-03A0	C1302206
SRTSCT	G-03A1399145009	Suprasternal short axis	399145009G-03A1	C1302224
SRTSCT	R-40B0E443698002	Transesophageal short axis view	443698002R-40B0E	C2733008
SRTSCT	R-40AFF443100003	Subcostal view of cardiac outlets directed anteriorly	443100003R-40AFF	C2732944
SRTSCT	G-0579443160001	Subcostal short axis view at papillary muscle level	443160001G-0579	C2732745
SRTSCT	G-057B443499004	Subcostal short axis view at mitral valve level	443499004G-057B	C2732947
SRTSCT	G-057E443609003	Subcostal short axis view at aortic valve level	443609003G-057E	C2733524
SRTSCT	G-057C443500008	Subcostal short axis view at venous inflow level	443500008G-057C	C2733525
SRTSCT	R-40B0A443640005	Subcostal oblique coronal view	443640005R-40B0A	C2733526
SRTSCT	R-40B00443162009	Suprasternal coronal view	443162009R-40B00	C2733098
SRTSCT	R-40B01443163004	Suprasternal sagittal view	443163004R-40B01	C2733099
SRTSCT	G-057D443562002	Suprasternal long axis view of aortic arch	443562002G-057D	C2732456

CID 12227 Echocardiography Measurement Method

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20161109
UID: 1.2.840.10008.6.1.618

Table CID 12227. Echocardiography Measurement Method

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 12228 "Echocardiography Volume Methods"</i>		
<i>Include CID 12229 "Echocardiography Area Methods"</i>		
<i>Include CID 12230 "Gradient Methods"</i>		
<i>Include CID 12231 "Volume Flow Methods"</i>		
<i>Include CID 12232 "Myocardium Mass Methods"</i>		
DCM	125316	Directly measured

CID 12228 Echocardiography Volume Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.619

Table CID 12228. Echocardiography Volume Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	125204	Area-Length Biplane
DCM	125205	Area-Length Single Plane
DCM	125211	Biplane Ellipse
DCM	125226	Single Plane Ellipse
DCM	125206	Cube Method
DCM	125207	Method of Disks, Biplane
DCM	125208	Method of Disks, Single Plane
DCM	125209	Teichholz
DCM	125227	Modified Simpson
DCM	125228	Bullet Method

CID 12229 Echocardiography Area Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20030918
UID: 1.2.840.10008.6.1.620

Table CID 12229. Echocardiography Area Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	125210	Area by Pressure Half-Time
DCM	125212	Continuity Equation
DCM	125213	Continuity Equation by Mean Velocity
DCM	125214	Continuity Equation by Peak Velocity
DCM	125215	Continuity Equation by Velocity Time Integral
DCM	125216	Proximal Isovelocity Surface Area
DCM	125220	Planimetry

CID 12230 Gradient Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.621

Table CID 12230. Gradient Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	125217	Full Bernoulli
DCM	125218	Simplified Bernoulli

CID 12231 Volume Flow Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.622

Table CID 12231. Volume Flow Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	125219	Doppler Volume Flow
DCM	125216	Proximal Isovelocity Surface Area

CID 12232 Myocardium Mass Methods

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.623

Table CID 12232. Myocardium Mass Methods

Coding Scheme Designator	Code Value	Code Meaning
DCM	125221	Left Ventricle Mass by M-mode
DCM	125222	Left Ventricle Mass by Truncated Ellipse
DCM	125270	Left Ventricle Mass by Area Length
DCM	125271	Left Ventricle Mass by M-mode - adjusted by Height
DCM	125272	Left Ventricle Mass by Truncated Ellipse - adjusted by Height
DCM	125273	Left Ventricle Mass by Area Length - adjusted by Height

CID 12233 Cardiac Phase

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.624

Table CID 12233. Cardiac Phase

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRT SCT	F-32020 111973004	Systole	111973004 F-32020	C0039155

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-32010 90892000	Diastole	90892000 F-32010	C0012000
SRTSCT	R-FAB5C 416190007	End Diastole	416190007 R-FAB5C	C1562146
SRTSCT	R-FAB5B 416430001	End Systole	416430001 R-FAB5B	C1563001
SRTSCT	R-40B1B 444389002	Early Diastole	444389002 R-40B1B	C2732387
SRTSCT	F-32021 255236000	Peak Systolic	255236000 F-32021	C0442710
SRTSCT	F-32030 59972007	Atrial Systole	59972007 F-32030	C0520865
SRTSCT	F-32040 8997002	Ventricular Systole	8997002 F-32040	C0520866
SRTSCT	R-40B12 444379001	Ventricular Isovolumic Contraction	444379001 R-40B12	C2732703
SRTSCT	R-40B11 444371003	Ventricular Ejection	444371003 R-40B11	C2733340
SRTSCT	R-40B10 444361000	Ventricular Isovolumic Relaxation	444361000 R-40B10	C2733323
SRTSCT	R-40B1C 444392003	Diastolic Rapid Inflow	444392003 R-40B1C	C2732785
SRTSCT	R-40B21 444469002	Diastasis	444469002 R-40B21	C2733177

CID 12234 Respiration State

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.625

Table CID 12234. Respiration State

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-20010 14910006	Inspiration	14910006 F-20010	C0004048
SRTSCT	F-20020 58322009	Expiration	58322009 F-20020	C0231800

CID 12235 Mitral Valve Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.626

Table CID 12235. Mitral Valve Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-0391 399093001	Medial Mitral Annulus	399093001 G-0391	C1302199
SRTSCT	G-0392 399086000	Lateral Mitral Annulus	399086000 G-0392	C1302198
SRTSCT	T-35310 65197004	Mitral Annulus	65197004 T-35310	C0225947

CID 12236 Echo Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20110818
 UID: 1.2.840.10008.6.1.627

Table CID 12236. Echo Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 12235 "Mitral Valve Anatomic Sites"				
Include CID 12223 "Echocardiography Stroke Volume Origin"				
Include CID 12241 "Tricuspid Valve Finding Sites"				
Include CID 12242 "Aortic Valve Finding Sites"				
Include CID 12243 "Left Ventricle Finding Sites"				
Include CID 12244 "Congenital Finding Sites"				
SRTSCT	D4-32030253678000	Thoracic Aortic Coarctation	253678000D4-32030	C0345086
SRTSCT	D3-90008373945007	Pericardial effusion	373945007D3-90008	C0031039

CID 12237 Echocardiography Anatomic Site Modifiers

Type: Extensible Version: 20030918

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030918

UID: 1.2.840.10008.6.1.628

Table CID 12237. Echocardiography Anatomic Site Modifiers

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12219 "Pulmonary Vein Modifiers"		

CID 12238 Wall Motion Scoring Schemes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20050321

UID: 1.2.840.10008.6.1.629

Table CID 12238. Wall Motion Scoring Schemes

Coding Scheme Designator	Code Value	Code Meaning
DCM	125223	4 Point Segment Finding Scale
DCM	125224	5 Point Segment Finding Scale
DCM	125225	5 Point Segment Finding Scale With Graded Hypokinesia

CID 12239 Cardiac Output Properties

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20030918

UID: 1.2.840.10008.6.1.630

Table CID 12239. Cardiac Output Properties

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Equivalent LOINC Code Value
SRTSCT	F-3242090096001	Stroke Volume	90096001F-32120	C0038455	20562-5

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	Equivalent LOINC Code Value
SRTSCT	F-32100 82799009	Cardiac Output	82799009 F-32100	C0007165	8741-1
SRTSCT	F-32110 54993008	Cardiac Index	54993008 F-32110	C0428776	
SRTSCT	F-00078 277381004	Stroke Index	277381004 F-00078	C0456712	

CID 12240 Left Ventricle Area

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20030918
 UID: 1.2.840.10008.6.1.631

Table CID 12240. Left Ventricle Area

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	G-0374 399030000	Left Ventricular Systolic Area	399030000 G-0374	C1275805
SRTSCT	G-0375 399109006	Left Ventricular Diastolic Area	399109006 G-0375	C1275819
SRTSCT	G-0376 399287000	Left Ventricular Fractional Area Change	399287000 G-0376	C1302301
SRTSCT	G-0379 399293008	Left Ventricle Epicardial Diastolic Area, psax pap view	399293008 G-0379	C1302305

CID 12241 Tricuspid Valve Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.632

Table CID 12241. Tricuspid Valve Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-35110 113259005	Tricuspid Annulus	113259005 T-35110	C0225926

CID 12242 Aortic Valve Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.633

Table CID 12242. Aortic Valve Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-35410 77583004	Aortic Valve Ring	77583004 T-35410	C0225957

CID 12243 Left Ventricle Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614

UID: 1.2.840.10008.6.1.634

Table CID 12243. Left Ventricle Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-32650 13418002	Left Ventricle Outflow Tract	13418002 T-32650	C0225912

CID 12244 Congenital Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20040614
 UID: 1.2.840.10008.6.1.635

Table CID 12244. Congenital Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	D4-31150 30288003	Ventricular Septal Defect	30288003 D4-31150	C0018818
SRTSCT	D4-31220 70142008	Atrial Septal Defect	70142008 D4-31220	C0018817

CID 12245 Cardiac Ultrasound Report Titles

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.826

Table CID 12245. Cardiac Ultrasound Report Titles

Coding Scheme Designator	Code Value	Code Meaning
DCM	125195	Pediatric Cardiac Ultrasound Report
DCM	125196	Fetal Cardiac Ultrasound Report
DCM	125197	Adult Congenital Cardiac Ultrasound Report

CID 12246 Cardiac Ultrasound Indication for Study

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.827

Table CID 12246. Cardiac Ultrasound Indication for Study

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	F-0A44A 386661006	Fever	386661006 F-0A44A	C0015967
SRTSCT	F-24210 66857006	Hemoptysis	66857006 F-24210	C0019079
SRTSCT	R-00302 373112006	Murmur	373112006 R-00302	C1298804
SRTSCT	D4-31000 13213009	Congenital heart disease	13213009 D4-31000	C0152021
SRTSCT	F-37000 29857009	Chest Pain	29857009 F-37000	C0008031
SRTSCT	D3-13040 53741008	Coronary Artery Disease	53741008 D3-13040	C0010054

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-03C97171224000	Heart disease risk factors	171224000F-03C97	C0420044
SRTSCT	F-201B3267036007	Dyspnea	267036007F-201B3	C0013404
SRTSCT	F-38002102594003	Abnormal ECG	102594003F-38002	C0522055
SRTSCT	D3-3000044808001	Arrhythmia	44808001D3-30000	C0264886
SRTSCT	D3-13012194828000	Angina pectoris	194828000D3-13012	C0002962
SRTSCT	D3-0200038341003	Hypertension	38341003D3-02000	C0020538
SRTSCT	F-3715080313002	Palpitations	80313002F-37150	C0030252
SRTSCT	D3-312906456007	Supraventricular tachycardia	6456007D3-31290	C0039240
SRTSCT	D3-00006271594007	Syncope	271594007D3-00006	C0039070
SRTSCT	D3-3312063467002	Left bundle branch block	63467002D3-33120	C0023211
SRTSCT	D3-10800368009	Valvular heart disease	368009D3-10800	C0018824
SRTSCT	P0-05DA0413815006	Imaging guidance	413815006P0-05DA0	C1531652

CID 12247 Pediatric, Fetal and Congenital Cardiac Surgical Interventions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.828

Table CID 12247. Pediatric, Fetal and Congenital Cardiac Surgical Interventions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	P1-31919174826008	Arterial switch operation	174826008P1-31919	C0397344
SRTSCT	P1-31018245544005	Implantation of baffle, atrial or interatrial	245544005P1-31018	C2939161
SRTSCT	P1-31872112811009	Atrial septal defect repair	112811009P1-31872	C0189965
SRTSCT	P1-3184630123000	Percutaneous prosthetic closure of atrial septal defect	30123000P1-31846	C0456837
SRTSCT	P1-31037174836000	Repair of defect of the atrioventricular septum	174836000P1-31037	C0397243
SRTSCT	P1-3695713662000	Blalock-Taussig shunt, pulmonary-subclavian artery anastomosis	13662000P1-36957	C0397560
SRTSCT	P1-36956233224003	Central aortopulmonary shunt operation	233224003P1-36956	C0397538
SRTSCT	P1-34001274022008	Repair of coarctation of aorta	274022008P1-34001	C0558326
SRTSCT	P5-39106308696000	Coarctation of the Aorta Balloon Angioplasty	308696000P5-39106	C0553938
SRTSCT	P0-06135443829004	Coarctation of the Aorta Angioplasty with Implant of Stent	443829004P0-06135	C2732719
SRTSCT	P1-31088233134001	Damus-Stansel-Kaye operation	233134001P1-31088	C0397356
SRTSCT	P1-31028233022006	Creation of conduit right atrium to pulmonary trunk	233022006P1-31028	C0397204
SRTSCT	P1-36993427886002	Lateral-Caval Fontan procedure	427886002P1-36993	C1997148

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	P1-3696A 233230003	Hemi-Fontan operation	233230003 P1-3696A	C0600403
SRTSCT	P1-36997 444178004	Left Glenn shunt procedure	444178004 P1-36997	C2732994
SRTSCT	P1-36994 443989003	Left-sided bidirectional Glenn shunt procedure	443989003 P1-36994	C2732993
SRTSCT	P1-31917 40250003	Mustard operation	40250003 P1-31917	C1306542
SRTSCT	P1-31089 233139006	Norwood type operation	233139006 P1-31089	C0397362
SRTSCT	P0-057E8 233199008	Closure of ductus arteriosus with clip	233199008 P0-057E8	C0397497
SRTSCT	P0-00E0B 441676000	Patent ductus arteriosus coil or device closure	441676000 P0-00E0B	C2711684
SRTSCT	P1-38803 174900004	Partial anomalous pulmonary venous connection operation	174900004 P1-38803	C0397156
SRTSCT	P1-31920 44777001	Rastelli operation	44777001 P1-31920	C0339891
SRTSCT	P1-36995 444001009	Right Glenn shunt procedure	444001009 P1-36995	C2732324
SRTSCT	P1-36996 444034006	Right-sided bidirectional Glenn shunt procedure	444034006 P1-36996	C2733094
SRTSCT	P0-00C6B 429620002	Construction of LV to aorta tunnel w RV to PA valved conduit	429620002 P0-00C6B	C1996934
SRTSCT	P1-30A31 429616001	Radical aortopulmonary reconstruct w RV to PA valveless conduit	429616001 P1-30A31	C1997834
SRTSCT	P1-3180D 442123009	Sano procedure	442123009 P1-3180D	C2711052
SRTSCT	P1-31003 174822005	Atrial inversion operation using atrial wall	174822005 P1-31003	C0339890
SRTSCT	P0-0530F 174830006	Repair of total anomalous pulmonary venous connection	174830006 P0-0530F	C0397150
SRTSCT	P1-32504 47432005	Implantation of heart valve prosthesis or synthetic device	47432005 P1-32504	C0190100
SRTSCT	P1-32502 37153009	Implantation of heart valve with tissue graft	37153009 P1-32502	C0190099
SRTSCT	P1-31876 76025005	Correction of ventricular septal defect	76025005 P1-31876	C0189969
SRTSCT	P1-31850 89814007	Ventricular septal defect device closure	89814007 P1-31850	C0397314

CID 12248 Cardiac Ultrasound Summary Codes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.829

Table CID 12248. Cardiac Ultrasound Summary Codes

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	D4-31810 18546004	Congenital stenosis of aortic valve	18546004 D4-31810	C0152417
SRTSCT	D4-31220 70142008	Atrial Septal Defect	70142008 D4-31220	C0018817
SRTSCT	D3-29022 60234000	Aortic regurgitation	60234000 D3-29022	C0003504

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	D3-29021 60573004	Aortic stenosis	60573004 D3-29021	C0003507
SRTSCT	D3-10008 287272002	Cardiomegaly	287272002 D3-10008	C0564976
SRTSCT	D4-32014 7305005	Coarctation of the Aorta	7305005 D4-32014	C0003492
SRTSCT	D4-31303 360481003	Common atrioventricular canal	360481003 D4-31303	C0221215
SRTSCT	D4-31010 26146002	Complete transposition of great vessels	26146002 D4-31010	C0040761
SRTSCT	M-04100 3415004	Cyanosis	3415004 M-04100	C0010520
SRTSCT	D4-31B16 27637000	Dextrocardia	27637000 D4-31B16	C0011813
SRTSCT	D3-83001 218728005	Interrupted Aortic Arch	218728005 D3-83001	C0152419
SRTSCT	D4-31B24 16567006	Mesocardia	16567006 D4-31B24	C0265865
SRTSCT	D3-81660 75053002	Acute febrile mucocutaneous lymph node syndrome	75053002 D3-81660	C0026691
SRTSCT	D3-1081C 409712001	Mitral valve prolapse	409712001 D3-1081C	C0026267
SRTSCT	D3-29012 48724000	Mitral regurgitation	48724000 D3-29012	C0026266
SRTSCT	D3-29011 79619009	Mitral stenosis	79619009 D3-29011	C0026269
SRTSCT	D4-33622 68237008	Partial anomalous pulmonary venous connection	68237008 D4-33622	C0158634
SRTSCT	D4-31310 60732002	Atrial septal defect with endocardial cushion defect, partial	60732002 D4-31310	C0265814
SRTSCT	D3-29051 56786000	Pulmonic valve stenosis	56786000 D3-29051	C0034089
SRTSCT	D3-17100 58718002	Rheumatic Fever	58718002 D3-17100	C0035436
SRTSCT	D4-31110 86299006	Tetralogy of Fallot	86299006 D4-31110	C0039685
SRTSCT	D4-31150 30288003	Ventricular Septal Defect	30288003 D4-31150	C0018818
SRTSCT	D4-31040 83799000	Corrected transposition of great vessels	83799000 D4-31040	C0344616
SRTSCT	D3-29082 253590009	Pulmonary atresia with intact ventricular septum	253590009 D3-29082	C0344975
SRTSCT	D4-31611 253591008	Pulmonary atresia with ventricular septal defect	253591008 D4-31611	C0344976
SRTSCT	D4-31A00 62067003	Hypoplastic left heart syndrome	62067003 D4-31A00	C0152101
SRTSCT	D4-31125 443379009	Functional Single Ventricle	443379009 D4-31125	C2732741

CID 12249 Cardiac Ultrasound Fetal Summary Codes

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.830

Table CID 12249. Cardiac Ultrasound Fetal Summary Codes

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
Include CID 12248 "Cardiac Ultrasound Summary Codes"				
SRTSCT	F-0518A 443168008	Edema of fetal scalp	443168008 F-0518A	C2732384

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-8612F443115002	Edema of fetal chest wall	443115002F-8612F	C2733165

CID 12250 Cardiac Ultrasound Common Linear Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160314
 UID: 1.2.840.10008.6.1.831

Table CID 12250. Cardiac Ultrasound Common Linear Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-D7FE410668003	Length	410668003G-D7FE	C1444754
SRTSCT	M-0255081827009	Diameter	81827009M-02550	C1301886
SRTSCT	G-A193131187009	Major Axis	131187009G-A193	C1295723
SRTSCT	G-A194131188004	Minor Axis	131188004G-A194	C1295724
SRTSCT	M-0256074551000	Circumference	74551000M-02560	C0332520
SRTSCT	G-A196131190003	Radius	131190003G-A196	C1306504
LN	59089-3	ROI Thickness by US		C2923416
LN	59090-1	ROI Internal Dimension by US		C2923417

CID 12251 Cardiac Ultrasound Linear Valve Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.832

Table CID 12251. Cardiac Ultrasound Linear Valve Measurements

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"			
LN	59091-9	D-E Excursion	C2923419
LN	59109-9	Leaflet Separation	C2923448
LN	59110-7	Leaflet Thickness	C2923450
LN	59122-2	C-E Distance	C2923472

CID 12252 Cardiac Ultrasound Cardiac Function

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.833

Table CID 12252. Cardiac Ultrasound Cardiac Function

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	F-3207070822001	Cardiac ejection fraction	70822001F-32070	C0232174

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
LN	59117-2	Mean Velocity of Circumferential Fiber Shortening (Mean VcFv)		C2923464
LN	59118-0	HR-Corrected Mean Velocity of Circumferential Fiber Shortening		C2923466
LN	59092-7	% Thickening		C2923420
LN	59132-1	Fractional Shortening		C2923490

CID 12253 Cardiac Ultrasound Area Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100317

UID: 1.2.840.10008.6.1.834

Table CID 12253. Cardiac Ultrasound Area Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
LN	20226-7	Flow Area		C0803041
SRT SCT	G-A166 42798000	Area	42798000 G-A166	C0205146
LN	59123-0	Jet Area		C2923474

CID 12254 Cardiac Ultrasound Hemodynamic Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100317

UID: 1.2.840.10008.6.1.835

Table CID 12254. Cardiac Ultrasound Hemodynamic Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	122182	R-R interval		
DCM	109072	Tau		
DCM	109071	Indicator mean transit time		
LN	59082-8	Closure to Opening Time		C2923406
LN	59083-6	Isovolumic Relaxation Time		C2923408
LN	59084-4	Isovolumic Contraction Time		C2923409
LN	20222-6	Ejection Time		C0803037
LN	59085-1	Pre-Ejection Period		C2923411
LN	59119-8	Filling Time		C2923467
SRT SCT	F-31000 75367002	Blood Pressure	75367002 F-31000	C0005823
LN	59086-9	Heart Rate-Corrected Ejection Time		C2923412
LN	59087-7	Heart Rate-Corrected Pre-Ejection Period		C2923413
LN	59105-7	A-Wave Duration		C2923441
LN	59088-5	Pre-Ejection Period/Ejection Time Ratio		C2923414

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
LN	59108-1	Envelope Duration		C2923446
LN	59121-4	Time to Peak by US		C2923470
LN	59120-6	dP/dt by US		C2923468

CID 12255 Cardiac Ultrasound Myocardium Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.836

Table CID 12255. Cardiac Ultrasound Myocardium Measurements

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
DCM	122447	Wall Mass	
LN	59099-2	Myocardial Performance Index (Tei)	C2923433
LN	59094-3	Endocardial Area	C2923423
LN	59093-5	Epicardial Area	C2923421

CID 12257 Cardiac Ultrasound Left Ventricle

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.838

Table CID 12257. Cardiac Ultrasound Left Ventricle

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				
Include CID 12239 "Cardiac Output Properties"				
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"				
Include CID 12252 "Cardiac Ultrasound Cardiac Function"				
Include CID 12253 "Cardiac Ultrasound Area Measurements"				
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"				
Include CID 12255 "Cardiac Ultrasound Myocardium Measurements"				
SRT SCT	G-D705 118565006	Volume	118565006 G-D705	C0449468
LN	18155-2	Interventricular Septum to Posterior Wall Thickness Ratio		C0801204
SRT SCT	G-037B 399140004	Ratio of MV Peak Velocity to LV Peak Tissue Velocity E-Wave	399140004 G-037B	C1275825
LN	59097-6	Left Ventricle Meridional Wall Stress		C2923429
LN	59095-0	Time to Left Ventricle S Tissue Velocity		C2923425
LN	59096-8	Time to Left Ventricle E Tissue Velocity		C2923427

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
LN	59124-8	Tissue Velocity Time Integral (VTI) for the area under Left Ventricle E wave		C2923476
LN	59125-5	Tissue Velocity Time Integral (VTI) for the area under Left Ventricle A wave		C2923478
LN	59129-7	Left Ventricle E to A Tissue Velocity Ratio		C2923485
LN	59133-9	Peak Tissue Velocity		C2923492

CID 12258 Cardiac Ultrasound Right Ventricle

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.839

Table CID 12258. Cardiac Ultrasound Right Ventricle

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"				
Include CID 12253 "Cardiac Ultrasound Area Measurements"				
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"				
Include CID 12255 "Cardiac Ultrasound Myocardium Measurements"				
SRT SCT	G-D705 118565006	Volume	118565006 G-D705	C0449468

CID 12259 Cardiac Ultrasound Ventricles Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.840

Table CID 12259. Cardiac Ultrasound Ventricles Measurements

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12257 "Cardiac Ultrasound Left Ventricle"		
Include CID 12258 "Cardiac Ultrasound Right Ventricle"		

CID 12260 Cardiac Ultrasound Pulmonary Artery

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.841

Table CID 12260. Cardiac Ultrasound Pulmonary Artery

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12220 "Echocardiography Common Measurements"		

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12222 "Orifice Flow Properties"		
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"		
Include CID 12253 "Cardiac Ultrasound Area Measurements"		
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"		

CID 12261 Cardiac Ultrasound Pulmonary Vein

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100317

UID: 1.2.840.10008.6.1.842

Table CID 12261. Cardiac Ultrasound Pulmonary Vein

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
Include CID 12222 "Orifice Flow Properties"			
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"			
Include CID 3612 "Blood Velocity Measurements"			
LN	59112-3	Pulmonary Vein A Duration Mitral Valve A Duration Ratio	C2923454
LN	59113-1	Pulmonary Vein A VTI to Mitral Valve VTI Ratio	C2923456
LN	59114-9	Pulm Vein A duration to MV A duration difference	C2923458

CID 12262 Cardiac Ultrasound Pulmonary Valve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100317

UID: 1.2.840.10008.6.1.843

Table CID 12262. Cardiac Ultrasound Pulmonary Valve

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
Include CID 12222 "Orifice Flow Properties"			
Include CID 12239 "Cardiac Output Properties"			
Include CID 12251 "Cardiac Ultrasound Linear Valve Measurements"			
Include CID 12252 "Cardiac Ultrasound Cardiac Function"			
Include CID 12253 "Cardiac Ultrasound Area Measurements"			
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"			
LN	59101-6	Pulmonary Artery Pressure using Accel Time	C2923436
LN	20295-2	Time from Q wave to Pulmonic Valve Closes	C0803110
LN	59100-8	A-Wave Amplitude	C2923435

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	59126-3	B-C Slope	C2923480

CID 12263 Cardiac Ultrasound Venous Return Pulmonary Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.844

Table CID 12263. Cardiac Ultrasound Venous Return Pulmonary Measurements

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12261 "Cardiac Ultrasound Pulmonary Vein"		
Include CID 12262 "Cardiac Ultrasound Pulmonary Valve"		

CID 12264 Cardiac Ultrasound Venous Return Systemic Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.845

Table CID 12264. Cardiac Ultrasound Venous Return Systemic Measurements

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12220 "Echocardiography Common Measurements"		
Include CID 12222 "Orifice Flow Properties"		
Include CID 12239 "Cardiac Output Properties"		
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"		
Include CID 12252 "Cardiac Ultrasound Cardiac Function"		
Include CID 12253 "Cardiac Ultrasound Area Measurements"		
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"		
Include CID 3612 "Blood Velocity Measurements"		

CID 12265 Cardiac Ultrasound Atria and Atrial Septum Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.846

Table CID 12265. Cardiac Ultrasound Atria and Atrial Septum Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"				
Include CID 12253 "Cardiac Ultrasound Area Measurements"				
Include CID 12255 "Cardiac Ultrasound Myocardium Measurements"				

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-D705118565006	Volume	118565006G-D705	C0449468
LN	17985-3	Left Atrium to Aortic Root Ratio		C0801035
LN	59131-3	Left Atrium Volume to Right Atrium Volume Ratio		C2923488

CID 12266 Cardiac Ultrasound Mitral Valve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.847

Table CID 12266. Cardiac Ultrasound Mitral Valve

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
Include CID 12222 "Orifice Flow Properties"			
Include CID 12239 "Cardiac Output Properties"			
Include CID 12251 "Cardiac Ultrasound Linear Valve Measurements"			
Include CID 12252 "Cardiac Ultrasound Cardiac Function"			
Include CID 12253 "Cardiac Ultrasound Area Measurements"			
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"			
Include CID 3612 "Blood Velocity Measurements"			
LN	18035-6	Mitral Regurgitation dP/dt derived from Mitral Reg. velocity	C0801084
LN	59098-4	Mitral Valve E-septal Separation	C2923431
LN	18036-4	Mitral Valve EPSS, E wave	C0801085

CID 12267 Cardiac Ultrasound Tricuspid Valve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.848

Table CID 12267. Cardiac Ultrasound Tricuspid Valve

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"				
Include CID 12222 "Orifice Flow Properties"				
Include CID 12239 "Cardiac Output Properties"				
Include CID 12251 "Cardiac Ultrasound Linear Valve Measurements"				
Include CID 12252 "Cardiac Ultrasound Cardiac Function"				
Include CID 12253 "Cardiac Ultrasound Area Measurements"				
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"				
Include CID 3612 "Blood Velocity Measurements"				

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-003A9371847009	Tricuspid Diastolic Filling Period (DFPt)	371847009R-003A9	C1299324
LN	20296-0	Time from Q wave to Tricuspid Valve Opens		C0803111

CID 12268 Cardiac Ultrasound Atrioventricular Valves Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.849

Table CID 12268. Cardiac Ultrasound Atrioventricular Valves Measurements

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12266 "Cardiac Ultrasound Mitral Valve"		
Include CID 12267 "Cardiac Ultrasound Tricuspid Valve"		

CID 12269 Cardiac Ultrasound Interventricular Septum Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.850

Table CID 12269. Cardiac Ultrasound Interventricular Septum Measurements

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12220 "Echocardiography Common Measurements"		
Include CID 12222 "Orifice Flow Properties"		
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"		
Include CID 12253 "Cardiac Ultrasound Area Measurements"		

CID 12270 Cardiac Ultrasound Aortic Valve

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.851

Table CID 12270. Cardiac Ultrasound Aortic Valve

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
Include CID 12222 "Orifice Flow Properties"			
Include CID 12239 "Cardiac Output Properties"			
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"			
Include CID 12252 "Cardiac Ultrasound Cardiac Function"			
Include CID 12253 "Cardiac Ultrasound Area Measurements"			
Include CID 12254 "Cardiac Ultrasound Hemodynamic Measurements"			

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
LN	17996-0	Aortic Valve Cusp Separation	C0801046

CID 12271 Cardiac Ultrasound Outflow Tracts Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.852

Table CID 12271. Cardiac Ultrasound Outflow Tracts Measurements

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12257 "Cardiac Ultrasound Left Ventricle"		
Include CID 12258 "Cardiac Ultrasound Right Ventricle"		
Include CID 12262 "Cardiac Ultrasound Pulmonary Valve"		
Include CID 12270 "Cardiac Ultrasound Aortic Valve"		

CID 12272 Cardiac Ultrasound Semilunar Valves, Annulate and Sinuses Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.853

Table CID 12272. Cardiac Ultrasound Semilunar Valves, Annulate and Sinuses Measurements

Coding Scheme Designator	Code Value	Code Meaning
Include CID 12262 "Cardiac Ultrasound Pulmonary Valve"		
Include CID 12270 "Cardiac Ultrasound Aortic Valve"		

CID 12273 Cardiac Ultrasound Aortic Sinotubular Junction

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.854

Table CID 12273. Cardiac Ultrasound Aortic Sinotubular Junction

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
Include CID 12220 "Echocardiography Common Measurements"			
Include CID 12222 "Orifice Flow Properties"			
Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"			
LN	59116-4	Aortic Sinotubular Junction to Aortic Root Ratio	C2923462

CID 12274 Cardiac Ultrasound Aorta Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible

Version: 20100317
UID: 1.2.840.10008.6.1.855

Table CID 12274. Cardiac Ultrasound Aorta Measurements

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 12220 "Echocardiography Common Measurements"</i>		
<i>Include CID 12222 "Orifice Flow Properties"</i>		
<i>Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"</i>		
<i>Include CID 12270 "Cardiac Ultrasound Aortic Valve"</i>		
<i>Include CID 12273 "Cardiac Ultrasound Aortic Sinotubular Junction"</i>		

CID 12275 Cardiac Ultrasound Coronary Arteries Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.856

Table CID 12275. Cardiac Ultrasound Coronary Arteries Measurements

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 12220 "Echocardiography Common Measurements"</i>		
<i>Include CID 12222 "Orifice Flow Properties"</i>		
<i>Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"</i>		

CID 12276 Cardiac Ultrasound Aorto Pulmonary Connections Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.857

Table CID 12276. Cardiac Ultrasound Aorto Pulmonary Connections Measurements

Coding Scheme Designator	Code Value	Code Meaning	UMLS Concept Unique ID
<i>Include CID 12220 "Echocardiography Common Measurements"</i>			
<i>Include CID 12222 "Orifice Flow Properties"</i>			
<i>Include CID 3612 "Blood Velocity Measurements"</i>			
LN	29462-9	Pulmonary-to-Systemic Shunt Flow Ratio	C0944910

CID 12277 Cardiac Ultrasound Pericardium and Pleura Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20100317
UID: 1.2.840.10008.6.1.858

Table CID 12277. Cardiac Ultrasound Pericardium and Pleura Measurements

Coding Scheme Designator	Code Value	Code Meaning
<i>Include CID 12250 "Cardiac Ultrasound Common Linear Measurements"</i>		

CID 12279 Cardiac Ultrasound Fetal General Measurements

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.859

Table CID 12279. Cardiac Ultrasound Fetal General Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID
Include CID 12004 "Fetal Biometry Ratios"				
LN	11988-3	Thoracic Circumference		C0552104
LN	33068-8	Thoracic Area		C1315539
LN	59073-7	Cardiac Circumference, transverse by US		C2923390
LN	59074-5	Cardiothoracic Circumference Ratio		C2923392
LN	59075-2	Cardiac Cross-sectional Area, transverse by US		C2923394
LN	59076-0	Cardiothoracic Area Ratio		C2923396
LN	11820-8	Biparietal Diameter		C0551937
LN	33069-6	Nuchal Translucency		C1315540
LN	11963-6	Femur Length		C0552080
LN	11979-2	Abdominal Circumference		C0552095
LN	11818-2	Anterior-Posterior Abdominal Diameter		C0551935
LN	11819-0	Anterior-Posterior Trunk Diameter		C0551936
LN	11824-0	BPD area corrected		C0551941
LN	11860-4	Cisterna Magna		C0551977
LN	11984-2	Head Circumference		C0552100
LN	11851-3	Occipital-Frontal Diameter		C0551968
LN	11862-0	Transverse Abdominal Diameter		C0551979
LN	11863-8	Trans Cerebellar Diameter		C0551980
LN	11864-6	Transverse Thoracic Diameter		C0551981
LN	59077-8	Foramen Ovale Diameter/Aortic Root Diameter		C2923398
LN	59078-6	Left Ventricle/Right Ventricle Diameter Ratio		C2923400
SRTSCT	F-00AA0249192005	Number of umbilical arteries	249192005F-00AA0	C0426250

CID 12280 Cardiac Ultrasound Target Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.860

Table CID 12280. Cardiac Ultrasound Target Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	R-4210B263943000	Anterior Wall	263943000R-4210B	C0442070
SRTSCT	R-42175264159006	Posterior Wall	264159006R-42175	C0442071
SRTSCT	T-3500E305437000	Cardiac valve annulus	305437000T-3500E	C0583326
SRTSCT	T-4234075397005	Preductal region of aortic arch	75397005T-42340	C0226020
SRTSCT	T-4235060835009	Postductal region of aortic arch	60835009T-42350	C0226021
SRTSCT	R-421AA443501007	Vena Contracta	443501007R-421AA	C2732913
SRTSCT	T-42304443281009	Transverse Aortic Arch	443281009T-42304	C2733296
SRTSCT	M-3670041699000	Effusion	41699000M-36700	C0013687
SRTSCT	T-350026530003	Cardiac Valve Leaflet	6530003T-35002	C0225922
SRTSCT	T-4420078480002	Right Pulmonary Artery	78480002T-44200	C0226054
SRTSCT	T-4440050408007	Left Pulmonary Artery	50408007T-44400	C0226069
SRTSCT	T-3255044627009	Right Ventricle Outflow Tract	44627009T-32550	C0225892
SRTSCT	T-3265013418002	Left Ventricle Outflow Tract	13418002T-32650	C0225912
SRTSCT	T-485108629005	Right Superior Pulmonary Vein	8629005T-48510	C0226671
SRTSCT	T-48520113273001	Right Inferior Pulmonary Vein	113273001T-48520	C0226676
SRTSCT	T-4853043863001	Left Superior Pulmonary Vein	43863001T-48530	C0226682
SRTSCT	T-4854051249003	Left Inferior Pulmonary Vein	51249003T-48540	C0226686
SRTSCT	T-48505443714006	Pulmonary Vein Right Middle Segment	443714006T-48505	C2732734
SRTSCT	T-F6859443705001	Pulmonary Vein Common Left Segment	443705001T-F6859	C2732450
SRTSCT	T-F6858443591004	Pulmonary Vein Common Right Segment	443591004T-F6858	C2733538
SRTSCT	M-2460C443208000	Pulmonary Vein confluence to Atrium Connection	443208000M-2460C	C2733176

CID 12281 Cardiac Ultrasound Target Site Modifiers

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20160405
 UID: 1.2.840.10008.6.1.861

Table CID 12281. Cardiac Ultrasound Target Site Modifiers

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	G-A10449370004	Lateral	49370004G-A104	C0205093
SRTSCT	R-404D5255561001	Medial	255561001R-404D5	C0205098
SRTSCT	R-4081A260528009	Middle	260528009R-4081A	C2939193
SRTSCT	R-404CC255549009	Anterior	255549009R-404CC	C1704448
SRTSCT	R-404CE255551008	Posterior	255551008R-404CE	C0205095
SRTSCT	R-4094A261089000	Inferior	261089000R-4094A	C0542339
SRTSCT	G-A11946053002	Distal	46053002G-A119	C0205108

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	G-A11840415009	Proximal	40415009G-A118	C0205107

CID 12282 Cardiac Ultrasound Venous Return Systemic Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100317

UID: 1.2.840.10008.6.1.862

Table CID 12282. Cardiac Ultrasound Venous Return Systemic Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-4861048345005	Superior Vena Cava	48345005T-48610	C0042459
SRTSCT	M-2460D443444008	Right Superior Vena Cava	443444008M-2460D	C2733597
SRTSCT	T-486119642004	Left Superior Vena Cava	9642004T-48611	C0226694
SRTSCT	T-4871064131007	Inferior Vena Cava	64131007T-48710	C0042458
SRTSCT	T-487208993003	Hepatic Vein	8993003T-48720	C0019155
SRTSCT	T-D087E443327008	Hemi-Fontan Pathway	443327008T-D087E	C2732261
SRTSCT	T-D0884443789005	Glenn Pathway	443789005T-D0884	C2732228
SRTSCT	T-D087C443298009	Fontan Pathway	443298009T-D087C	C2732260
SRTSCT	T-D087D443326004	Fontan Inferior Vena Cava Pathway	443326004T-D087D	C2733297
SRTSCT	T-D0882443724003	Fontan Fenestration	443724003T-D0882	C2732467
SRTSCT	T-D0880443625008	Fontan Pulmonary Artery Connection	443625008T-D0880	C2732967
SRTSCT	DD-66228443461006	Fontan Baffle Leak	443461006DD-66228	C2733533
SRTSCT	T-D0887444177009	Mustard or Senning Superior Vena Cava Pathway	444177009T-D0887	C2732998
SRTSCT	T-D0888444329004	Mustard or Senning Inferior Vena Cava Pathway	444329004T-D0888	C2732999
SRTSCT	T-D0885443809000	Mustard or Senning Common Systemic Venous Pathway	443809000T-D0885	C2732609

CID 12283 Cardiac Ultrasound Venous Return Pulmonary Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100317

UID: 1.2.840.10008.6.1.863

Table CID 12283. Cardiac Ultrasound Venous Return Pulmonary Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-48581122972007	Pulmonary Vein	122972007T-48581	C0034090
SRTSCT	T-4858F430757002	Pulmonary Vein Great Vessel	430757002T-4858F	C2317442
SRTSCT	M-20103443445009	Cor Triatriatum Orifice	443445009M-20103	C2733324

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-D087B 443297004	Pulmonary Vein to Atrium Connection	443297004 T-D087B	C2732968
SRTSCT	T-D0886 443907004	Mustard or Senning Pulmonary Venous Pathway	443907004 T-D0886	C2732659

CID 12284 Cardiac Ultrasound Atria and Atrial Septum Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.864

Table CID 12284. Cardiac Ultrasound Atria and Atrial Septum Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-32200 73829009	Right Atrium	73829009 T-32200	C0225844
SRTSCT	T-32300 82471001	Left Atrium	82471001 T-32300	C0225860
SRTSCT	D4-31005 253276007	Common Atrium	253276007 D4-31005	C0392482
SRTSCT	T-32310 33626005	Left Auricular Appendage	33626005 T-32310	C0225861
SRTSCT	T-32210 68300000	Right Auricular Appendage	68300000 T-32210	C0225845
SRTSCT	T-32150 58095006	Interatrial Septum Structure	58095006 T-32150	C0225836
SRTSCT	D4-31220 70142008	Atrial Septal Defect	70142008 D4-31220	C0018817
SRTSCT	T-32156 84712000	Limbus of Fossa Ovalis	84712000 T-32156	C0225842
SRTSCT	D4-31012 204317008	Patent Foramen Ovale	204317008 D4-31012	C0016522
SRTSCT	T-D0882 443724003	Fontan Fenestration	443724003 T-D0882	C2732467
SRTSCT	DD-66228 443461006	Fontan Baffle Leak	443461006 DD-66228	C2733533

CID 12285 Cardiac Ultrasound Atrioventricular Valves Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20160314

UID: 1.2.840.10008.6.1.865

Table CID 12285. Cardiac Ultrasound Atrioventricular Valves Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-35300 91134007	Mitral Valve	91134007 T-35300	C0026264
SRTSCT	T-35100 46030003	Tricuspid Valve	46030003 T-35100	C0040960
SRTSCT	T-35008 312522004	Common non-mitral non-tricuspid Atrioventricular Valve Structure	312522004 T-35008	C0729875

CID 12286 Cardiac Ultrasound Interventricular Septum Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100317

UID: 1.2.840.10008.6.1.866

Table CID 12286. Cardiac Ultrasound Interventricular Septum Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-32410589001	Interventricular Septum	589001T-32410	C0225870
SRTSCT	D4-3115030288003	Ventricular Septal Defect	30288003D4-31150	C0018818
SRTSCT	M-20102443329006	Bulboventricular Foramen	443329006M-20102	C2732784

CID 12287 Cardiac Ultrasound Ventricles Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.867

Table CID 12287. Cardiac Ultrasound Ventricles Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-3260087878005	Left Ventricle	87878005T-32600	C0225897
SRTSCT	T-3250053085002	Right Ventricle	53085002T-32500	C0225883
SRTSCT	D4-3112045503006	Common Ventricle	45503006D4-31120	C0152424

CID 12288 Cardiac Ultrasound Outflow Tracts Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.868

Table CID 12288. Cardiac Ultrasound Outflow Tracts Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID
SRTSCT	T-3260087878005	Left Ventricle	87878005T-32600	C0225897
SRTSCT	T-3250053085002	Right Ventricle	53085002T-32500	C0225883
SRTSCT	T-D0879443260009	Rastelli Interventricular Tunnel	443260009T-D0879	C2733139
SRTSCT	T-D087F443328003	Right Ventricle to Pulmonary Artery Conduit Anastomosis	443328003T-D087F	C2733003
SRTSCT	T-D0881443696003	Left Ventricle to Pulmonary Artery Conduit Anastomosis	443696003T-D0881	C2732878
SRTSCT	T-3540034202007	Aortic Valve	34202007T-35400	C0003501
SRTSCT	T-3520039057004	Pulmonic Valve	39057004T-35200	C0034086

CID 12289 Cardiac Ultrasound Semilunar Valves, Annulus and Sinuses Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.869

Table CID 12289. Cardiac Ultrasound Semilunar Valves, Annulus and Sinuses Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-35400 34202007	Aortic Valve	34202007 T-35400	C0003501
SRTSCT	T-42110 8128003	Root of Aorta	8128003 T-42110	C0549113
SRTSCT	T-35200 39057004	Pulmonic Valve	39057004 T-35200	C0034086
SRTSCT	T-35014 279317000	Truncal Valve Structure	279317000 T-35014	C0458377
SRTSCT	T-D087A 443283007	Neo-aortic Valve	443283007 T-D087A	C2733223
SRTSCT	T-D0883 443726001	Neo-aortic Root	443726001 T-D0883	C2733222

CID 12290 Cardiac Ultrasound Pulmonary Arteries Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.870

Table CID 12290. Cardiac Ultrasound Pulmonary Arteries Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-44100 45341000	Pulmonary Trunk	45341000 T-44100	C0034052
SRTSCT	T-44000 81040000	Pulmonary Artery	81040000 T-44000	C0034052
SRTSCT	T-D0877 443096004	Aorta to Pulmonary Artery Connection	443096004 T-D0877	C2732457

CID 12291 Cardiac Ultrasound Aorta Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20170914
 UID: 1.2.840.10008.6.1.871

Table CID 12291. Cardiac Ultrasound Aorta Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
SRTSCT	T-42110 8128003	Root of Aorta	8128003 T-42110	C0549113
SRTSCT	T-42200 81128002	Structure Sinus of Valsalva	81128002 T-42200	C0037197
SRTSCT	T-42220 36371001	Left Sinus of Valsalva	36371001 T-42220	C0226017
SRTSCT	T-42210 89093001	Right Sinus of Valsalva	89093001 T-42210	C0226016
SRTSCT	T-42230 24865005	Non-coronary Sinus	24865005 T-42230	C0226018
SRTSCT	T-42102 443167003	Aortic Sinotubular Junction	443167003 T-42102	C2733424
SRTSCT	T-42100 54247002	Ascending Aorta	54247002 T-42100	C0003956
SRTSCT	T-42300 57034009	Aortic Arch	57034009 T-42300	C0003489
SRTSCT	T-42310 88593004	Aortic Isthmus	88593004 T-42310	C0226019
SRTSCT	D4-32014 7305005	Coarctation of Aorta	7305005 D4-32014	C0003492
SRTSCT	T-42070 113262008	Thoracic Aorta	113262008 T-42070	C1522460
SRTSCT	T-42500 7832008	Abdominal Aorta	7832008 T-42500	C0003484
SRTSCT	T-42510 1918003	Supra Renal Aorta	1918003 T-42510	C0226024

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-42520 28205006	Infra-Renal Aorta	28205006 T-42520	C0226025
SRTSCT	T-46010 12691009	Innominate Artery	12691009 T-46010	C0006094
SRTSCT	T-45110 65355003	Right Common Carotid Artery	65355003 T-45110	C0226086
SRTSCT	T-46110 29700009	Right Subclavian Artery	29700009 T-46110	C0226261
SRTSCT	T-45120 113263003	Left Common Carotid Artery	113263003 T-45120	C0226087
SRTSCT	T-46120 85235006	Left Subclavian Artery	85235006 T-46120	C0226262

CID 12292 Cardiac Ultrasound Coronary Arteries Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20170914

UID: 1.2.840.10008.6.1.872

Table CID 12292. Cardiac Ultrasound Coronary Arteries Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-43107 3227004	Left Main Coronary Artery	3227004 T-43107	C0226031
SRTSCT	T-43120 57396003	Circumflex Coronary Artery	57396003 T-43120	C0226037
SRTSCT	T-43121 52433000	Proximal Circumflex Coronary Artery	52433000 T-43121	C0226038
SRTSCT	T-43127 91753007	Mid Circumflex Coronary Artery	91753007 T-43127	C0524433
SRTSCT	T-43122 6511003	Distal Circumflex Coronary Artery	6511003 T-43122	C0226039
SRTSCT	T-43110 59438005	Anterior Descending Branch of Left Coronary Artery	59438005 T-43110	C0226032
SRTSCT	T-43002 244251006	Septal Artery	244251006 T-43002	C0447058
SRTSCT	T-43200 13647002	Right Coronary Artery	13647002 T-43200	C1261316
SRTSCT	T-D0878 443113009	Posterior Descending Coronary Artery	443113009 T-D0878	C2732720

CID 12293 Cardiac Ultrasound Aortopulmonary Connections Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML

Type: Extensible

Version: 20100317

UID: 1.2.840.10008.6.1.873

Table CID 12293. Cardiac Ultrasound Aortopulmonary Connections Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	D4-32012 83330001	Patent Ductus Arteriosus	83330001 D4-32012	C0013274
SRTSCT	T-D0877 443096004	Aorta to Pulmonary Artery Connection	443096004 T-D0877	C2732457
SRTSCT	D1-50666 439470001	Arteriovenous Fistula	439470001 D1-50666	C0003855

CID 12294 Cardiac Ultrasound Pericardium and Pleura Finding Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20100317
 UID: 1.2.840.10008.6.1.874

Table CID 12294. Cardiac Ultrasound Pericardium and Pleura Finding Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-39000 76848001	Pericardium	76848001 T-39000	C0031050
SRTSCT	T-29000 3120008	Pleura	3120008 T-29000	C0032225
SRTSCT	T-29200 53727004	Left Pleura	53727004 T-29200	C0225784
SRTSCT	T-29100 44788007	Right Pleura	44788007 T-29100	C0225779

CID 12300 Core Echo Measurements

This codeset is populated mostly based on measurements identified in best practice articles published by the American Society of Echocardiography (ASE). The LOINC codes were introduced after fully modelling the underlying semantics of the measurement. The Units column contains the proper UCUM representation of the recommended units for the measured property.

Note

The Code Meaning shown here reflects the colloquial style by which the measurements were identified in the ASE articles and would likely be appropriate for displaying to users. However, implementers of clinical applications and databases will need to review the definitions of these measurements to correctly understand the full pre-coordinated semantics of the codes. Similarly, reuse of the codes based on the Code Meaning text without reviewing and confirming the applicability of the full semantics found in the code definitions is discouraged.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20161109
 UID: 1.2.840.10008.6.1.1149

Table CID 12300. Core Echo Measurements

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID	Units
LN	79940-3	Aortic annulus diameter		C4070180	(cm, UCUM, "cm")
LN	79941-1	Aortic regurgitant flow		C4071396	(ml/s, UCUM, "ml/s")
LN	79942-9	Aortic regurgitant fraction		C4071395	(%, UCUM, "%")
LN	79943-7	Aortic regurgitant jet area/LVOT area %		C4069758	(%, UCUM, "%")
LN	79944-5	Aortic regurgitant jet width/LVOT width %		C4069757	(%, UCUM, "%")
LN	79945-2	Aortic regurgitation PISA radius		C4069756	(cm, UCUM, "cm")
LN	79946-0	Aortic regurgitation PISA velocity		C4069755	(cm/s, UCUM, "cm/s")
LN	79947-8	Aortic regurgitation pressure half-time		C4069754	(ms, UCUM, "ms")
LN	79948-6	Aortic regurgitation vena contracta width		C4069753	(cm, UCUM, "cm")
LN	79949-4	Aortic regurgitation Vmax		C4069752	(cm/s, UCUM, "cm/s")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
LN	79950-2	Aortic regurgitation volume (Continuity VTI)		C4070676	(ml, UCUM, "ml")
LN	79951-0	Aortic regurgitation volume (PISA)		C4070675	(ml, UCUM, "ml")
LN	79952-8	Aortic regurgitation VTI		C4070674	(cm, UCUM, "cm")
LN	79953-6	Aortic root diameter		C4070673	(cm, UCUM, "cm")
LN	79954-4	Aortic root diameter / BSA		C4069751	(cm/m2, UCUM, "cm/m2")
LN	79955-1	Aortic sinotubular junction dimension		C4069750	(cm, UCUM, "cm")
LN	79956-9	Aortic valve area (Continuity Vmax)		C4069749	(cm2, UCUM, "cm2")
LN	79957-7	Aortic valve area (Continuity Vmax) / BSA		C4069748	(cm2/m2, UCUM, "cm2/m2")
LN	79958-5	Aortic valve area (Continuity VTI)		C4069747	(cm2, UCUM, "cm2")
LN	79959-3	Aortic valve area (Continuity VTI) / BSA		C4069746	(cm2/m2, UCUM, "cm2/m2")
LN	79960-1	Aortic valve effective regurgitant orifice area		C4069745	(cm2, UCUM, "cm2")
LN	79961-9	Aortic valve mean blood velocity		C4069744	(cm/s, UCUM, "cm/s")
LN	79962-7	Aortic valve mean gradient		C4050483	(mm[Hg], UCUM, "mmHg")
LN	79963-5	Aortic valve peak instantaneous gradient		C4050482	(mm[Hg], UCUM, "mmHg")
LN	79964-3	Aortic valve Vmax		C4069743	(cm/s, UCUM, "cm/s")
LN	79965-0	Aortic valve VTI		C4069742	(cm, UCUM, "cm")
LN	79966-8	Ascending Aorta Dimension		C4069741	(cm, UCUM, "cm")
LN	79967-6	Inferior vena cava diameter		C4069740	(cm, UCUM, "cm")
LN	79968-4	Interventricular septum diastolic dimension MM		C4069739	(cm, UCUM, "cm")
LN	79969-2	Interventricular septum diastolic dimension 2D		C4069738	(cm, UCUM, "cm")
LN	79970-0	Interventricular septum systolic dimension MM		C4069737	(cm, UCUM, "cm")
LN	79971-8	Interventricular septum systolic dimension 2D		C4069736	(cm, UCUM, "cm")
LN	79972-6	Interventricular septum time to peak displacement		C4069735	(ms, UCUM, "ms")
LN	79973-4	Left atrial end systolic area 2C		C4069734	(cm2, UCUM, "cm2")
LN	79974-2	Left atrial end systolic area 4C		C4069733	(cm2, UCUM, "cm2")
LN	79975-9	Left atrial end systolic diameter (AP) 2D		C4069732	(cm, UCUM, "cm")
LN	79976-7	Left atrial end systolic diameter (AP) 2D / BSA		C4069731	(cm/m2, UCUM, "cm/m2")
LN	79977-5	Left atrial end systolic diameter (AP) MM		C4069730	(cm, UCUM, "cm")
LN	79978-3	Left atrial end systolic diameter (AP) MM / BSA		C4069729	(cm/m2, UCUM, "cm/m2")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
LN	79979-1	Left atrial end systolic length 2C		C4069728	(cm, UCUM, "cm")
LN	79980-9	Left atrial end systolic length 4C		C4069727	(cm, UCUM, "cm")
LN	79981-7	Left atrial end systolic volume biplane (area-length)		C4069726	(ml, UCUM, "ml")
LN	79982-5	Left atrial end systolic volume biplane (area-length) / BSA		C4069725	(ml/m2, UCUM, "ml/m2")
LN	79983-3	Left atrial end systolic volume biplane (MOD)		C4069724	(ml, UCUM, "ml")
LN	79984-1	Left atrial end systolic volume biplane (MOD) / BSA		C4069723	(ml/m2, UCUM, "ml/m2")
LN	79985-8	Left atrial end systolic volume single plane 2C (MOD)		C4069722	(ml, UCUM, "ml")
LN	79986-6	Left atrial end systolic volume single plane 4C (MOD)		C4069721	(ml, UCUM, "ml")
LN	79987-4	Left pulmonary artery diameter		C4069720	(cm, UCUM, "cm")
LN	79988-2	Left ventricular posterior wall time to peak displacement		C4069719	(ms, UCUM, "ms")
LN	79989-0	Left ventricular pre-ejection period		C4050481	(ms, UCUM, "ms")
LN	77891-0	Left ventricular ejection fraction (Teichholz) 2D		C4036567	(%, UCUM, "%")
LN	18049-7	Left ventricular ejection fraction (Teichholz) MM		C0801098	(%, UCUM, "%")
LN	79990-8	Left ventricular ejection fraction 3D		C4069718	(%, UCUM, "%")
LN	79991-6	Left ventricular ejection fraction biplane (MOD)		C4069717	(%, UCUM, "%")
LN	79992-4	Left ventricular ejection fraction single plane 2C (MOD)		C4069716	(%, UCUM, "%")
LN	79993-2	Left ventricular ejection fraction single plane 4C (MOD)		C4069715	(%, UCUM, "%")
LN	79994-0	Left ventricular end diastolic length 4C		C4069714	(cm, UCUM, "cm")
LN	79995-7	Left ventricular end diastolic volume (3D)		C4069713	(ml, UCUM, "ml")
LN	79996-5	Left ventricular end diastolic volume biplane (MOD)		C4069712	(ml, UCUM, "ml")
LN	79997-3	Left ventricular end diastolic volume biplane (MOD) / BSA		C4069711	(ml/m2, UCUM, "ml/m2")
LN	79998-1	Left ventricular end diastolic volume single plane 2C (MOD)		C4069710	(ml, UCUM, "ml")
LN	79999-9	Left ventricular end diastolic volume single plane 4C (MOD)		C4069700	(ml, UCUM, "ml")
LN	80000-3	Left ventricular end systolic volume (3D)		C4069699	(ml, UCUM, "ml")
LN	80001-1	Left ventricular end systolic volume biplane (MOD)		C4069698	(ml, UCUM, "ml")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
LN	80002-9	Left ventricular end systolic volume biplane (MOD) / BSA		C4069697	(ml/m2, UCUM, "ml/m2")
LN	80003-7	Left ventricular end systolic volume single plane 2C (MOD)		C4069696	(ml, UCUM, "ml")
LN	80004-5	Left ventricular end systolic volume single plane 4C (MOD)		C4069695	(ml, UCUM, "ml")
LN	80005-2	Left ventricular endocardial area SAX PM level		C4069694	(cm2, UCUM, "cm2")
LN	80006-0	Left ventricular epicardial area SAX PM level		C4069693	(cm2, UCUM, "cm2")
LN	29434-8	Left ventricular fractional shortening (of minor axis) (2D)		C0945750	(%, UCUM, "%")
LN	29435-5	Left ventricular fractional shortening (of minor axis) (MM)		C0944886	(%, UCUM, "%")
LN	80007-8	Left ventricular internal diastolic dimension - 2D		C4069692	(cm, UCUM, "cm")
LN	80008-6	Left ventricular internal diastolic dimension - MM		C4069691	(cm, UCUM, "cm")
LN	80009-4	Left ventricular internal diastolic dimension / BSA		C4069690	(cm/m2, UCUM, "cm/m2")
LN	80010-2	Left ventricular internal diastolic dimension / BSA		C4069689	(cm/m2, UCUM, "cm/m2")
LN	80011-0	Left ventricular internal systolic dimension - 2D		C4069688	(cm, UCUM, "cm")
LN	80012-8	Left ventricular internal systolic dimension - MM		C4069687	(cm, UCUM, "cm")
LN	80013-6	Left ventricular internal systolic dimension / BSA		C4069686	(cm/m2, UCUM, "cm/m2")
LN	80014-4	Left ventricular internal systolic dimension / BSA		C4069685	(cm/m2, UCUM, "cm/m2")
LN	18071-1	Left ventricular isovolumic relaxation time by Doppler		C0801120	(ms, UCUM, "ms")
LN	80015-1	Left ventricular isovolumic relaxation time by TDI		C4069684	(ms, UCUM, "ms")
LN	80016-9	Left ventricular mass (area-length)		C4069683	(g, UCUM, "g")
LN	80017-7	Left ventricular mass (area-length) / BSA		C4069682	(g/m2, UCUM, "g/m2")
LN	80018-5	Left ventricular mass (area-length) / height ^{2.7}		C4069681	(g/m2.7, UCUM, "g/m2.7")
LN	80019-3	Left ventricular mass (dimension method) 2D		C4069680	(g, UCUM, "g")
LN	80020-1	Left ventricular mass (dimension method) 2D / BSA		C4069679	(g/m2, UCUM, "g/m2")
LN	80021-9	Left ventricular mass (dimension method) 2D / height ^{2.7}		C4069678	(g/m2.7, UCUM, "g/m2.7")
LN	80022-7	Left ventricular mass (dimension method) MM		C4266236	(g, UCUM, "g")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
LN	80023-5	Left ventricular mass (dimension method) MM / BSA		C4069671	(g/m2, UCUM, "g/m2")
LN	80024-3	Left ventricular mass (dimension method) MM / height ^{2.7}		C4069670	(g/m2.7, UCUM, "g/m2.7")
LN	80025-0	Left ventricular mass (truncated ellipse)		C4069669	(g, UCUM, "g")
LN	80026-8	Left ventricular mass (truncated ellipse) / BSA		C4069668	(g/m2, UCUM, "g/m2")
LN	80027-6	Left ventricular mass (truncated ellipse) / height ^{2.7}		C4069667	(g/m2.7, UCUM, "g/m2.7")
LN	80028-4	Left ventricular outflow tract dimension (2D)		C4069666	(cm, UCUM, "cm")
LN	80029-2	Left ventricular outflow tract Vmax		C4069665	(cm/s, UCUM, "cm/s")
LN	80030-0	Left ventricular outflow tract VTI		C4069664	(cm, UCUM, "cm")
LN	80031-8	Left ventricular posterior wall diastolic thickness		C4069663	(cm, UCUM, "cm")
LN	80032-6	Left ventricular posterior wall diastolic thickness		C4069662	(cm, UCUM, "cm")
LN	80033-4	Left ventricular posterior wall systolic thickness		C4069661	(cm, UCUM, "cm")
LN	80034-2	Left ventricular posterior wall systolic thickness		C4069660	(cm, UCUM, "cm")
LN	80035-9	Left ventricular stroke volume 3D		C4069659	(ml, UCUM, "ml")
LN	80036-7	LV basal anterior time to S Vmax (Ts-basal anterior)		C4069658	(ms, UCUM, "ms")
LN	80037-5	LV basal anteroseptal time to S Vmax (TS-basal anteroseptal)		C4069657	(ms, UCUM, "ms")
LN	80038-3	LV basal inferior time to S Vmax (Ts-basal inferior)		C4069656	(ms, UCUM, "ms")
LN	80039-1	LV basal lateral time to S Vmax (Ts-basal lateral)		C4069655	(ms, UCUM, "ms")
LN	80040-9	LV basal posterior time to S Vmax (Ts-basal posterior)		C4069654	(ms, UCUM, "ms")
LN	80041-7	LV basal septal time to S Vmax (Ts-basal septal)		C4069653	(ms, UCUM, "ms")
LN	80042-5	LV mid anterior time to S Vmax (Ts-mid anterior)		C4069652	(ms, UCUM, "ms")
LN	80043-3	LV mid anteroseptal time to S Vmax (Ts-mid anteroseptal)		C4069651	(ms, UCUM, "ms")
LN	80044-1	LV mid inferior time to S Vmax (Ts-mid inferior)		C4069650	(ms, UCUM, "ms")
LN	80045-8	LV mid lateral time to S Vmax (Ts-mid lateral)		C4069649	(ms, UCUM, "ms")
LN	80046-6	LV mid posterior time to S Vmax (Ts-mid posterior)		C4069648	(ms, UCUM, "ms")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
LN	80047-4	LV mid septal time to S Vmax (Ts-mid septal)		C4069647	(ms, UCUM, "ms")
LN	80048-2	LV Ts-SD (Dyssynchrony Index)		C4069646	(ms, UCUM, "ms")
LN	80049-0	Main pulmonary artery diameter		C4069645	(cm, UCUM, "cm")
LN		Main pulmonary artery Vmax			(cm/s, UCUM, "cm/s")
LN	80050-8	Mitral annulus diastolic diameter - A2C		C4069644	(cm, UCUM, "cm")
LN	80051-6	Mitral annulus diastolic diameter - A4C		C4069643	(cm, UCUM, "cm")
LN	80052-4	Mitral annulus diastolic diameter - PLAX		C4069642	(cm, UCUM, "cm")
LN	80053-2	Mitral annulus VTI		C4069641	(cm, UCUM, "cm")
LN	80054-0	Mitral lateral e-prime Vmax		C4069640	(cm/s, UCUM, "cm/s")
LN	80057-3	Mitral regurgitant flow (PISA)		C4069637	(ml/s, UCUM, "ml/s")
LN	80055-7	Mitral regurgitant fraction (Continuity VTI)		C4069639	(%, UCUM, "%")
LN	80056-5	Mitral regurgitant fraction (PISA)		C4069638	(%, UCUM, "%")
LN	80058-1	Mitral regurgitation peak gradient		C4069636	(mm[Hg], UCUM, "mmHg")
LN	80059-9	Mitral regurgitation PISA radius		C4069635	(cm, UCUM, "cm")
LN	80060-7	Mitral regurgitation PISA velocity		C4069634	(cm/s, UCUM, "cm/s")
LN	80061-5	Mitral regurgitation vena contracta width		C4069633	(cm, UCUM, "cm")
LN	80062-3	Mitral regurgitation Vmax		C4069632	(cm/s, UCUM, "cm/s")
LN	80063-1	Mitral regurgitation volume (Continuity VTI)		C4069631	(ml, UCUM, "ml")
LN	80064-9	Mitral regurgitation volume (PISA)		C4069630	(ml, UCUM, "ml")
LN	79911-4	Mitral septal e-prime Vmax		C4069780	(cm/s, UCUM, "cm/s")
LN	80067-2	Mitral valve area (PISA)		C4069709	(cm2, UCUM, "cm2")
LN	80068-0	Mitral valve area (Planimetry)		C4069708	(cm2, UCUM, "cm2")
LN	80069-8	Mitral valve area (Pressure Half-Time)		C4069707	(cm2, UCUM, "cm2")
LN	80065-6	Mitral valve A-wave duration		C4069629	(ms, UCUM, "ms")
LN	80066-4	Mitral valve A-wave Vmax		C4069628	(cm/s, UCUM, "cm/s")
LN	78191-4	Mitral valve deceleration time		C4071233	(ms, UCUM, "ms")
LN	80071-4	Mitral valve effective regurgitant orifice area (PISA)		C4069627	(cm2, UCUM, "cm2")
LN	18038-0	Mitral valve E-to-A ratio		C0801087	(1, UCUM, "no units")
LN	80070-6	Mitral valve E-wave Vmax		C4069706	(cm/s, UCUM, "cm/s")
LN	80072-2	Mitral valve flow propagation velocity (Vp)		C4069626	(cm/s, UCUM, "cm/s")
LN	80073-0	Mitral valve mean gradient		C4069625	(mm[Hg], UCUM, "mmHg")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-CT Concept ID	UMLS Concept Unique ID	Units
LN	80074-8	Mitral valve peak instantaneous gradient		C4069624	(mm[Hg], UCUM, "mmHg")
LN	79912-2	Mitral valve pressure half-time		C4069779	(ms, UCUM, "ms")
LN	79913-0	Mitral valve Vmax		C4069778	(cm/s, UCUM, "cm/s")
LN	79914-8	Mitral valve VTI		C4069777	(cm, UCUM, "cm")
LN	78184-9	Pulmonary vein A-wave duration		C4071240	(ms, UCUM, "ms")
LN	79915-5	Pulmonary vein A-wave Vmax		C4069776	(cm/s, UCUM, "cm/s")
LN	79916-3	Pulmonary vein D-wave Vmax		C4069775	(cm/s, UCUM, "cm/s")
LN	79917-1	Pulmonary vein S-wave Vmax		C4069774	(cm/s, UCUM, "cm/s")
LN	79909-8	Pulmonic annulus diameter		C4069782	(cm, UCUM, "cm")
LN	79934-6	Pulmonic regurgitation end diastolic peak gradient		C4071399	(mm[Hg], UCUM, "mmHg")
LN	79918-9	Pulmonic regurgitation end diastolic velocity		C4069773	(cm/s, UCUM, "cm/s")
LN	79919-7	Pulmonic regurgitation Vmax		C4069772	(cm/s, UCUM, "cm/s")
LN	79928-8	Pulmonic valve acceleration time		C4069763	(ms, UCUM, "ms")
LN	18042-2	Pulmonic valve ejection time		C0801091	(ms, UCUM, "ms")
LN	79935-3	Pulmonic valve peak gradient		C4071398	(mm[Hg], UCUM, "mmHg")
LN	79920-5	Pulmonic valve Vmax		C4069771	(cm/s, UCUM, "cm/s")
LN	79910-6	Pulmonic valve VTI		C4069781	(cm, UCUM, "cm")
LN	80075-5	Right atrial end systolic area 4C		C4069623	(cm ² , UCUM, "cm ² ")
LN	80076-3	Right atrial major axis dimension 4C		C4069622	(cm, UCUM, "cm")
LN	80077-1	Right atrial minor axis dimension 4C		C4069621	(cm, UCUM, "cm")
LN	80078-9	Right atrial minor axis dimension 4C / BSA		C4069620	(cm/m ² , UCUM, "cm/m ² ")
LN	80079-7	Right pulmonary artery diameter		C4069619	(cm, UCUM, "cm")
LN	80080-5	Right ventricular basal dimension 4C		C4069618	(cm, UCUM, "cm")
LN	79929-6	Right ventricular ejection time		C4069762	(ms, UCUM, "ms")
LN	80081-3	Right ventricular end diastolic area 4C		C4069617	(cm ² , UCUM, "cm ² ")
LN	80082-1	Right ventricular end systolic area 4C		C4069616	(cm ² , UCUM, "cm ² ")
LN	79936-1	Right ventricular fractional area change		C4071397	(%, UCUM, "%")
LN	80083-9	Right ventricular free wall thickness 2D		C4069615	(cm, UCUM, "cm")
LN	80084-7	Right ventricular free wall thickness MM		C4069614	(cm, UCUM, "cm")
LN	80085-4	Right ventricular mid-cavity dimension 4C		C4069613	(cm, UCUM, "cm")
LN	80086-2	Right ventricular myocardial performance index		C4069612	(1, UCUM, "no units")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
LN	80087-0	Right ventricular outflow tract diameter at pulmonic valve (RVOT-Distal)		C4069611	(cm, UCUM, "cm")
LN	80088-8	Right ventricular outflow tract diameter at subvalvular level (RVOT-Proximal)		C4069610	(cm, UCUM, "cm")
LN	80089-6	Right ventricular outflow tract VTI		C4069609	(cm, UCUM, "cm")
LN	80090-4	Right ventricular pre-ejection period		C4069608	(ms, UCUM, "ms")
LN	77903-3	Tricuspid Annular Plane Systolic Excursion (TAPSE)		C4036560	(cm, UCUM, "cm")
LN	80091-2	Tricuspid annulus diameter		C4069607	(cm, UCUM, "cm")
LN	79937-9	Tricuspid regurgitation peak gradient		C4070183	(mm[Hg], UCUM, "mmHg")
LN	79932-0	Tricuspid regurgitation PISA radius		C4069759	(cm, UCUM, "cm")
LN	79933-8	Tricuspid regurgitation vena contracta width		C4071400	(cm, UCUM, "cm")
LN	79921-3	Tricuspid regurgitation Vmax		C4069770	(cm/s, UCUM, "cm/s")
LN	79922-1	Tricuspid valve a-prime Vmax		C4069769	(cm/s, UCUM, "cm/s")
LN	79923-9	Tricuspid valve A-wave Vmax		C4069768	(cm/s, UCUM, "cm/s")
LN	79930-4	Tricuspid valve closure to opening time		C4069761	(ms, UCUM, "ms")
LN	79931-2	Tricuspid valve deceleration time		C4069760	(ms, UCUM, "ms")
LN	18175-0	Tricuspid valve diastolic VTI		C0801224	(cm, UCUM, "cm")
LN	79924-7	Tricuspid valve e-prime Vmax		C4069767	(cm/s, UCUM, "cm/s")
LN	79925-4	Tricuspid valve E-wave Vmax		C4069766	(cm/s, UCUM, "cm/s")
LN	79938-7	Tricuspid valve mean gradient		C4070182	(mm[Hg], UCUM, "mmHg")
LN	79939-5	Tricuspid valve peak gradient		C4070181	(mm[Hg], UCUM, "mmHg")
LN	18032-3	Tricuspid valve pressure half-time		C0801081	(ms, UCUM, "ms")
LN	79926-2	Tricuspid valve s-prime Vmax		C4069765	(cm/s, UCUM, "cm/s")
LN	79927-0	Tricuspid valve Vmax		C4069764	(cm/s, UCUM, "cm/s")

CID 12301 Measurement Selection Reasons

The codes in this Context Group describe the reason that a value was selected as the preferred value. E.g. (121411, DCM, "Most Recent Value Chosen") means that the value was selected as preferred because the value was the most recent value.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20161109
UID: 1.2.840.10008.6.1.1142

Table CID 12301. Measurement Selection Reasons

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRT SCT	G-A437 56851009	Maximum	56851009 G-A437	C0205289
SRT SCT	R-404FB 255605001	Minimum	255605001 R-404FB	C0547040
DCM	121410	User chosen value		
DCM	121411	Most recent value chosen		
DCM	121412	Mean value chosen		

CID 12302 Echo Finding Observation Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20161109
 UID: 1.2.840.10008.6.1.1143

Table CID 12302. Echo Finding Observation Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	125311	Structure of the Finding Site		
DCM	125312	Behavior of the Finding Site		
SRT SCT	PA-50030 44324008	Hemodynamic Measurements	44324008 PA-50030	C0204901

CID 12303 Echo Measurement Types

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Non-Extensible
 Version: 20161109
 UID: 1.2.840.10008.6.1.1144

Table CID 12303. Echo Measurement Types

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
DCM	125313	Indexed		
SRT SCT	G-D750 118586006	Ratio	118586006 G-D750	C0456603
DCM	125314	Fractional Change		
DCM	125315	Calculated		
DCM	113857	Manual Entry		
DCM	125316	Directly measured		

CID 12304 Echo Measured Properties

The Units column contains the proper UCUM representation of the recommended units for the measured property

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
 Type: Extensible
 Version: 20161109
 UID: 1.2.840.10008.6.1.1145

Table CID 12304. Echo Measured Properties

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT Concept RT ID	UMLS Concept Unique ID	Units
LN	20168-1	Acceleration Time		C0802983	(ms, UCUM, "ms")
LN	59130-5	Alias Velocity		C2923486	(m/s, UCUM, "m/s")
SRTSCT	G-A1601483009	Angle	1483009G-A160	C0205143	(deg, UCUM, "deg")
SRTSCT	G-A16642798000	Area	42798000G-A166	C0205146	(cm2, UCUM, "cm2")
SRTSCT	F-3100075367002	Blood Pressure	75367002F-31000	C0005823	(mm[Hg], UCUM, "mmHg")
SRTSCT	F-3207070822001	Cardiac Ejection Fraction	70822001F-32070	C0232174	(%, UCUM, "%")
LN	20217-6	Deceleration Time		C0803032	(ms, UCUM, "ms")
SRTSCT	M-0255081827009	Diameter	81827009M-02550	C1301886	(cm, UCUM, "cm")
LN	59120-6	dP/dt by US		C2923468	(mm[Hg]/s, UCUM, "mmHg/s")
SRTSCT	G-D217385673002	Interval	385673002G-D217	C1272706	(ms, UCUM, "ms")
DCM	125325	Dyssynchrony Index			(ms, UCUM, "ms")
DCM	125326	Effective Orifice Area			(cm2, UCUM, "cm2")
LN	59093-5	Epicardial Area		C2923421	(cm2, UCUM, "cm2")
DCM	125327	Excursion Distance			(cm, UCUM, "cm")
LN	59132-1	Fractional Shortening		C2923490	(%, UCUM, "%")
SRTSCT	G-D7FE410668003	Length	410668003G-D7FE	C1444754	(cm, UCUM, "cm")
SRTSCT	G-D701118538004	Mass	118538004G-D701	C1306372	(g, UCUM, "g")
DCM	125328	Maximum Orifice Area			(cm2, UCUM, "cm2")
SRTSCT	F-311506797001	Mean Blood Pressure	6797001F-31150	C0428886	(mm[Hg], UCUM, "mmHg")
LN	20256-4	Mean Gradient [Pressure] by Doppler		C0803071	(mm[Hg], UCUM, "mmHg")
LN	20352-1	Mean Blood Velocity		C0803167	(m/s, UCUM, "m/s")
SRTSCT	G-A194131188004	Minor Axis	131188004G-A194	C1295724	(cm, UCUM, "cm")
LN	59099-2	Myocardial Performance Index (Tei)		C2923433	(1, UCUM, "no units")
LN	20247-3	Peak Gradient [Pressure]		C0803062	(mm[Hg], UCUM, "mmHg")
LN	34141-2	Peak Instantaneous Flow Rate		C1316604	(ml/s, UCUM, "ml/s")
DCM	125329	Peak Blood Pressure			(mm[Hg], UCUM, "mmHg")
LN	11726-7	Peak Blood Velocity		C0551845	(m/s, UCUM, "m/s")
DCM	125330	Peak Tissue Velocity			(cm/s, UCUM, "cm/s")
DCM	125331	PISA Radius			(cm, UCUM, "cm")
LN	20280-4	Pressure Half Time		C0803095	(ms, UCUM, "ms")
SRTSCT	G-0390399301000	Regurgitant Fraction	399301000G-0390	C1302309	(%, UCUM, "%")
DCM	125332	Regurgitation Jet Area			(cm2, UCUM, "cm2")
DCM	125333	Regurgitation Jet Width			(cm, UCUM, "cm")
LN	59090-1	Internal Dimension		C2923417	(cm, UCUM, "cm")
LN	59089-3	Thickness		C2923416	(cm, UCUM, "cm")
SRTSCT	F-3212090096001	Stroke Volume	90096001F-32120	C0038455	(ml, UCUM, "ml")

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID	Units
SRTSCT	F-02692251271006	Vascular Resistance	251271006F-02692	C0429119	(dyn.s/cm5, UCUM, "dyn.s/cm5")
LN	20354-7	Velocity Time Integral		C0803169	(cm, UCUM, "cm")
DCM	125334	Vena Contracta Width			(cm, UCUM, "cm")
SRTSCT	G-D705118565006	Volume	118565006G-D705	C0449468	(ml, UCUM, "ml")
LN	33878-0	Volume Flow Rate		C1316341	(ml/s, UCUM, "ml/s")

CID 12305 Basic Echo Anatomic Sites

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20161109
UID: 1.2.840.10008.6.1.1146

Table CID 12305. Basic Echo Anatomic Sites

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	T-421108128003	Aortic Root	8128003T-42110	C0549113
SRTSCT	T-42102443167003	Aortic Sinotubular Junction	443167003T-42102	C2733424
SRTSCT	T-3540034202007	Aortic Valve	34202007T-35400	C0003501
SRTSCT	T-3541077583004	Aortic Valve Ring	77583004T-35410	C0225957
SRTSCT	T-4210054247002	Ascending Aorta	54247002T-42100	C0003956
SRTSCT	T-4871064131007	Inferior vena cava	64131007T-48710	C0042458
SRTSCT	T-32410589001	Interventricular septum	589001T-32410	C0225870
SRTSCT	G-0392399086000	Lateral Mitral Annulus	399086000G-0392	C1302198
SRTSCT	T-3230082471001	Left Atrium	82471001T-32300	C0225860
SRTSCT	T-4440050408007	Left Pulmonary Artery	50408007T-44400	C0226069
SRTSCT	T-3260087878005	Left Ventricle	87878005T-32600	C0225897
SRTSCT	T-32619264850008	Left ventricle basal anterior segment	264850008T-32619	C0555926
SRTSCT	R-1007A396654005	Left ventricle basal anterolateral segment	396654005R-1007A	C1300911
SRTSCT	R-10075396482007	Left ventricle basal anteroseptal segment	396482007R-10075	C1300766
SRTSCT	T-32615264846001	Left ventricle basal inferior segment	264846001T-32615	C0555929
SRTSCT	R-10079396652009	Left ventricle basal inferolateral segment	396652009R-10079	C1300909
SRTSCT	R-10076396646008	Left ventricle basal inferoseptal segment	396646008R-10076	C1300903
SRTSCT	T-32617264848000	Left ventricle mid anterior segment	264848000T-32617	C0555925
SRTSCT	R-1007C396656007	Left ventricle mid anterolateral segment	396656007R-1007C	C1300913

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-10077396647004	Left ventricle mid anteroseptal segment	396647004R-10077	C1300904
SRTSCT	T-32616264847005	Left ventricle mid inferior segment	264847005T-32616	C0555924
SRTSCT	R-1007B396655006	Left ventricle mid inferolateral segment	396655006R-1007B	C1300912
SRTSCT	R-10078396649001	Left ventricle mid inferoseptal segment	396649001R-10078	C1300906
SRTSCT	T-3262049848007	Left Ventricle Myocardium	49848007T-32620	C0225899
SRTSCT	T-3265013418002	Left Ventricle Outflow Tract	13418002T-32650	C0225912
SRTSCT	G-0391399093001	Medial Mitral Annulus	399093001G-0391	C1302199
SRTSCT	T-3531065197004	Mitral Annulus	65197004T-35310	C0225947
SRTSCT	T-3530091134007	Mitral Valve	91134007T-35300	C0026264
SRTSCT	T-4400081040000	Pulmonary Artery	81040000T-44000	C0034052
SRTSCT	T-4858F430757002	Pulmonary Vein	430757002T-4858F	C2317442
SRTSCT	T-3521090318009	Pulmonic Ring	90318009T-35210	C0225935
SRTSCT	T-3520039057004	Pulmonic Valve	39057004T-35200	C0034086
SRTSCT	T-3220073829009	Right Atrium	73829009T-32200	C0225844
SRTSCT	T-4420078480002	Right Pulmonary Artery	78480002T-44200	C0226054
SRTSCT	T-3250053085002	Right Ventricle	53085002T-32500	C0225883
DCM	125319	Right Ventricle Anterior Wall		
SRTSCT	T-32503277634007	Right Ventricle Midventricular Segment	277634007T-32503	C0456872
SRTSCT	T-3255044627009	Right Ventricle Outflow Tract	44627009T-32550	C0225892
DCM	125317	Right Ventricle Outflow Tract, Distal		
DCM	125318	Right Ventricle Outflow Tract, Proximal		
SRTSCT	T-32504277635008	Right Ventricle Basal Segment	277635008T-32504	C0456873
SRTSCT	T-35110113259005	Tricuspid Annulus	113259005T-35110	C0225926
SRTSCT	T-3510046030003	Tricuspid Valve	46030003T-35100	C0040960
SRTSCT	T-4410045341000	Trunk of pulmonary artery	45341000T-44100	C0034052

CID 12306 Echo Flow Directions

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Non-Extensible
Version: 20161109
UID: 1.2.840.10008.6.1.1147

Table CID 12306. Echo Flow Directions

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- GT ConceptRT ID	UMLS Concept Unique ID
SRTSCT	R-42047263677008	Antegrade Direction	263677008R-42047	C0589502
SRTSCT	R-42E61312004007	Retrograde Direction	312004007R-42E61	C0439784

CID 12307 Cardiac Phases and Time Points

The following codes are intended for use in a post-coordinated context. For example, the E-wave refers to the period of diastolic rapid inflow as experienced at the post-coordinated finding site, such as the mitral valve or the tricuspid valve.

The table is organized in time sequence based on the start of the coded period.

As indicated in Annex G, the e-prime period used for tissue velocity measurements is synonymous with the E-wave period used for blood velocity measurements.

Resources: HTML | FHIR JSON | FHIR XML | IHE SVS XML
Type: Extensible
Version: 20161109
UID: 1.2.840.10008.6.1.1148

Table CID 12307. Cardiac Phases and Time Points

Coding Scheme Designator	Code Value	Code Meaning	SNOMED- CT Concept ID	UMLS Concept Unique ID
DCM	125320	Electromechanical Delay		
DCM	125321	Pre-ejection Period		
SRTSCT	F-32020 111973004	Systole	111973004 F-32020	C0039155
SRTSCT	R-40B12 444379001	Ventricular Isovolumic Contraction	444379001 R-40B12	C2732703
SRTSCT	R-40B11 444371003	Ventricular Ejection (S-wave)	444371003 R-40B11	C2733340
SRTSCT	R-FAB5B 416430001	End Systole	416430001 R-FAB5B	C1563001
SRTSCT	F-32010 90892000	Diastole	90892000 F-32010	C0012000
SRTSCT	R-40B10 444361000	Ventricular Isovolumic Relaxation	444361000 R-40B10	C2733323
DCM	125322	Atrial Diastolic Filling (D-wave)		
SRTSCT	R-40B1C 444392003	Diastolic Rapid Inflow (E-wave)	444392003 R-40B1C	C2732785
SRTSCT	R-40B21 444469002	Diastasis	444469002 R-40B21	C2733177
SRTSCT	F-32030 59972007	Atrial Systole (A-wave)	59972007 F-32030	C0520865
DCM	125323	AR-wave		
SRTSCT	F-32011 255254001	End Diastole	255254001 F-32011	C0442709
DCM	125324	Full Cardiac Cycle		

C Acquisition Context Module, Protocol and Workflow Context Templates (Normative)

This Annex specifies the content of Templates for Acquisition, Protocol and Workflow Context required by DICOM IODs.

Templates for Acquisition, Protocol and Workflow Context

TID 3401 ECG Acquisition Context

Type: Extensible
Order: Non-Significant
Root: No

Table TID 3401. ECG Acquisition Context

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	CODE	DT (10:11345, MDC, "Lead System")	1	U		BCID 3263 "Electrode Placement Values"
2	CODE	DT (109054, DCM, "Patient State")	1	U		BCID 3262 "ECG Patient State Values"
3	NUMERIC	DT (109055, DCM, "Protocol Stage")	1	U		UNITS = EV ({stage}, UCUM, "stage")
4	CODE	DT (109056, DCM, "Stress Protocol")	1	U		BCID 3261 "Stress Protocols"
5	NUMERIC	DCID 3690 "ECG Control Variables Numeric"	1-n	U		
6	TEXT	DCID 3691 "ECG Control Variables Text"	1-n	U		

TID 3403 Catheterization Acquisition Context

Type: Extensible
Order: Non-Significant
Root: No

Table TID 3403. Catheterization Acquisition Context

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	CODE	EV (G-72BB , SRT 129085009, SCT, "Catheterization Procedure Phase")	1	U		BCID 3250 "Catheterization Procedure Phase"
2	CODE	EV (109058, DCM, "Contrast Phase")	1	U		BCID 3600 "Relative Times"
3	CODE	EV (109059, DCM, "Physiological challenges")	1	U		BCID 3271 "Hemodynamic Physiological Challenges"
4	NUMERIC	EV (109060, DCM, "Procedure Step Number")	1	U		UNITS = EV ({step}, UCUM, "step")
5	TEXT	EV (121124, DCM, "Procedure Action ID")	1	U		

Note

See TID 3100 "Procedure Action" in Annex A for description of Procedure Action ID used in Row 5.

TID 3450 Cardiac Electrophysiology Acquisition Context

Type: Extensible
Order: Non-Significant
Root: No

Table TID 3450. Cardiac Electrophysiology Acquisition Context

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	CODE	EV (109061, DCM, "EP Procedure Phase")	1	U		BCID 3254 "Electrophysiology Procedure Phase"
2	NUM	EV (109060, DCM, "Procedure Step Number")	1	U		UNITS = EV ({step}, UCUM, "step")
3	TEXT	EV (109063, DCM, "Pulse train definition")	1	U		

TID 3460 Projection Radiography Acquisition Context

Type: Extensible
Order: Non-Significant
Root: No

Table TID 3460. Projection Radiography Acquisition Context

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	CODE	DT (F-047E7, SRT364644000, SCT, "Functional observable")	1-n	U		BCID 91 "Functional Condition Present During Acquisition"
2	CODE	DT (F-043E6, SRT364062005, SCT, "Respiration Observable")	1	U		BCID 3823 "Respiratory Status"
3	CODE	DT (F-13006, SRT276334009, SCT, "Joint position")	1	U		BCID 92 "Joint Position During Acquisition"
4	CODE	DT (109132, DCM, "Joint positioning method")	1	U		BCID 93 "Joint Positioning Method"
5	CODE	DT (109133, DCM, "Physical force")	1-n	U		BCID 94 "Physical Force Applied During Acquisition"

TID 3470 NM/PET Acquisition Context

Type: Extensible
Order: Non-Significant
Root: No

Table TID 3470. NM/PET Acquisition Context

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	CODE	DT (109054, DCM, "Patient State")	1	M		DCID 3101 "Cardiac Procedural State Values"
2	INCLUDE	BTID 3471 "PET Covariates Acquisition Context"	1	U		

TID 3471 PET Covariates Acquisition Context

Type: Extensible
Order: Non-Significant
Root: No

Table TID 3471. PET Covariates Acquisition Context

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	NUMERIC	(14749-6, LN, "Glucose")	1	U		UNITS = EV (mmol/l, UCUM, "mmol/l")
2	DATE	(127857, DCM, "Glucose Measurement Date")	1	MC	IFF Row 1 is present and does not contain Observation DateTime (0040,A032)	
3	TIME	(127858, DCM, "Glucose Measurement Time")	1	MC	IFF Row 1 is present and does not contain Observation DateTime (0040,A032)	

Content Item Descriptions

Row 2	Glucose Measurement Date	In an earlier edition of the Standard, an incorrect DCM code was used for this concept, which was already assigned as (109081, DCM, "Prospective gating").
Row 3	Glucose Measurement Time	In an earlier edition of the Standard, an incorrect DCM code was used for this concept, which was already assigned as (109082, DCM, "Retrospective gating").

TID 8001 Specimen Preparation

This Template describes a single specimen preparation step.

Type: Extensible
Order: Significant
Root: No

Table TID 8001. Specimen Preparation

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	TEXT	EV (121041, DCM, "Specimen Identifier")	1	M		
2	TEXT	EV (111724, DCM, "Issuer of Specimen Identifier")	1	U		
3	CODE	EV (111701, DCM, "Processing type")	1	M		DCID 8111 "Specimen Preparation Procedure"
4	DATETIME	DT (111702, DCM, "DateTime of processing")	1	U		
5	TEXT	DT (111703, DCM, "Processing step description")	1	U		
6	CODE	DT (111703, DCM, "Processing step description")	1	U		DCID 8113 "Specimen Preparation Steps"
7	CODE	DT (P3-02000 , SRT 17636008, SCT, "Specimen Collection")	1	MC	IFF Row 3 Processing Type value is (P3-02000 , SRT 17636008, SCT, "Specimen Collection")	BCID 8109 "Specimen Collection Procedure"
8	INCLUDE	DTID 8002 "Specimen Sampling"	1	MC	IFF Row 3 Processing Type value is (P3-4000A , SRT 433465004, SCT, "Specimen Sampling")	

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
9	INCLUDE	DTID 8003 "Specimen Staining"	1	MC	IFF Row 3 Processing type value is (P3-00003; SRT127790008, SCT, "Staining")	
10	CODE	DT (F-6221B, SRT430864009, SCT, "Tissue Fixative")	1	U		BCID 8114 "Specimen Fixatives"
11	CODE	DT (F-6221A, SRT430863003, SCT, "Embedding medium")	1	U		BCID 8115 "Specimen Embedding Media"

Content Item Descriptions

Row 1	For sampling steps (which create a child specimen from a parent), the ID is that of the child specimen. For other preparation steps, the ID of a specimen does not change during the processing.
Rows 5, 6Row 2	The issuer shall be formatted in accordance with the HL7v2 Hierarchic Designator Data Type. That format is [Namespace ID][Universal ID^ Universal ID Type], where <i>Namespace ID</i> identifies an entity within the local namespace or domain, <i>Universal ID</i> is a universal or unique identifier for an entity, and <i>Universal ID Type</i> specifies the standard format of the Universal ID (see HL7 v2 Section 2.A.33).

TID 8002 Specimen Sampling

Type: Extensible
Order: Significant
Root: No

Table TID 8002. Specimen Sampling

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	CODE	DT (111704, DCM, "Sampling Method")	1	M		BCID 8110 "Specimen Sampling Procedure"
2	TEXT	DT (111705, DCM, "Parent Specimen Identifier")	1	M		
3	TEXT	DT (111706, DCM, "Issuer of Parent Specimen Identifier")	1	U		
4	CODE	DT (111707, DCM, "Parent specimen type")	1	M		BCID 8103 "Anatomic Pathology Specimen Types"
5	TEXT	DT (111708, DCM, "Position Frame of Reference")	1	U		
6	TEXT	DT (111709, DCM, "Location of sampling site")	1	U		
7	NUMERIC	DT (111710, DCM, "Location of sampling site X offset")	1	U		
8	NUMERIC	DT (111711, DCM, "Location of sampling site Y offset")	1	U		
9	NUMERIC	DT (111712, DCM, "Location of sampling site Z offset")	1	U		
10	IMAGE	DT (111709, DCM, "Location of sampling site")	1	U		

Content Item Descriptions

Rows 5-6 Row 3	The Issuer of Specimen Identifier shall be formatted in accordance with the HL7 v2 Hierarchic Designator data type (see HL7 v2.6 Section 2.A.33), i.e., [<i>Namespace ID</i>] ^ [<i>Universal ID</i> ^ <i>Universal ID Type</i>]
Row 5	Description of coordinate system and origin reference point on parent specimen or parent specimen container used for localizing the sampling site
Rows 7-9	The X, Y and Z locations are used as needed to describe the sampling site; not all may be needed. E.g., resection from 10 cm along the colon may be described as only a Y dimension location.
Row 10	Reference to image of parent specimen localizing the sampling site; may include referenced Presentation State object

TID 8003 Specimen Staining

Type: Extensible
Order: Significant
Root: No

Table TID 8003. Specimen Staining

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	CODE	DT (G-C350, SRT424361007, SCT, "Using substance")	1-n	MC	IF Row 2 not present	DCID 8112 "Specimen Stains"
2	TEXT	DT (G-C350, SRT424361007, SCT, "Using substance")	1	MC	IF Row 1 not present	

TID 8004 Specimen Localization

Type: Extensible
Order: Significant
Root: No

Table TID 8004. Specimen Localization

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	TEXT	DT (111708, DCM, "Position Frame of Reference")	1	U		
2	TEXT	DT (111718, DCM, "Location of Specimen")	1	U		
3	NUMERIC	DT (111719, DCM, "Location of Specimen X offset")	1	U		
4	NUMERIC	DT (111720, DCM, "Location of Specimen Y offset")	1	U		
5	NUMERIC	DT (111721, DCM, "Location of Specimen Z offset")	1	U		
6	IMAGE	DT (111718, DCM, "Location of Specimen")	1	U		
7	COMPOSITE	DT (111718, DCM, "Location of Specimen")	1	U		Presentation State SOP Instance reference
8	TEXT	DT (111723, DCM, "Visual Marking of Specimen")	1	U		

Content Item Descriptions

Row 1	Description of coordinate system and origin reference point used for localizing the Specimen. The value "CURRENT IMAGE " identifies the frame of reference as the pixel space of the Image SOP Instance in which this Content Item occurs.
-------	--

Row 2	Description of specimen location, either in absolute terms or relative to the Position Frame Reference of Row 1
Rows 3-5	Location of specimen (nominal center) relative to the Position Frame Reference of Row 1. The Content Items include the units of measurement (e.g., mm). If Row 1 value is "CURRENT IMAGE ", measurement shall be from the top left hand corner of the Pixel Data of the SOP Instance, using units of ({pixel}, UCUM, "Pixels").
Row 6	Reference to image of container localizing the specimen; may include referenced Presentation State object
Row 7	Reference to Presentation State object for this SOP Instance, with annotations localizing the specimen
Row 8	Description of visual distinguishing identifiers, e.g., ink, or a particular shape of the specimen

TID 8010 Slide Imaging Parameters

This Template describes protocol parameters for a Slide Imaging Procedure Step. As an extensible Template, additional items may be included using other concept names from standard or private coding schemes.

Type: Extensible
Order: Significant
Root: No

Table TID 8010. Slide Imaging Parameters

	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	CODE	EV (112706, DCM, "Illumination Method")	1-n	U		DCID 8123 "Microscopy Illumination Method"
2	NUMERIC	EV (112707, DCM, "Number of focal planes")	1	UC	XOR Row 3	UNITS = EV ({planes}, UCUM, "planes")
3	CODE	EV (112707, DCM, "Number of focal planes")	1	UC	XOR Row 2	DT (112714, DCM, "Multiple planes")
4	NUMERIC	EV (112708, DCM, "Focal plane Z offset")	1-n	U		UNITS = EV (um, UCUM, "um")
5	CODE	EV (112709, DCM, "Magnification selection")	1	U		DCID 8132 "Magnification Selection"
6	NUMERIC	EV (112710, DCM, "Illumination wavelength")	1-n	U		UNITS = EV (nm, UCUM, "nm")
7	CODE	EV (112711, DCM, "Illumination spectral band")	1-n	U		DCID 8122 "Microscopy Illuminator and Sensor Color"
8	CODE	EV (112712, DCM, "Optical filter type")	1-n	U		DCID 8124 "Microscopy Filter"
9	CODE	EV (112713, DCM, "Tissue selection method")	1	U		DCID 8133 "Tissue Selection"

TID 8200 Radiology Reading Task Parameters

This Template describes parameters for a radiology reading task.

Note

Specialty to Read is nested inside Modality to Read in order to facilitate C-FIND matching against both Modality and Specialty.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 8200. Radiology Reading Task Parameters

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CODE	EV (128002, DCM, "Modality to Read")	1	U		DCID 29 "Acquisition Modality"
2	>	CODE	EV (128003, DCM, "Reader Specialty")	1	U		DCID 7449 "Reader Specialty"
3		CODE	EV (128004, DCM, "Modality to Read")	1-n	U		DCID 9233 "Requested Report Types"

TID 15100 Contrast Agent/Pre-Medication Protocol Context

This Template specifies medications to be administered prior to a diagnostic imaging protocol, imaging contrast agents to be used in the protocol, and/or bolus agents to be used in the protocol. Each medication or agent may be modified by a specified route of administration. The top level Content Items of this Template may appear in any order in the Protocol Context Sequence, hence the order in this Template is not significant. There may be significance in the order in which the Content Items are included in the Protocol Context Sequence, e.g., the requested order in which pre-medications are to be administered.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 15100. Contrast Agent/Pre-Medication Protocol Context

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CODE	EV (123011, DCM, "Contrast/Bolus Agent")	1-n	U		BCID 12 "Radiographic Contrast Agent"
2	>	CODE	EV (G-C340 , SRT 410675002, SCT , "Route of Administration")	1	U		BCID 11 "Route of Administration"
3		CODE	EV (123012, DCM, "Pre-Medication")	1-n	U		
4	>	CODE	EV (G-C340 , SRT 410675002, SCT , "Route of Administration")	1	U		BCID 11 "Route of Administration"

TID 15101 NM/PET Protocol Context

Type: Extensible
Order: Significant
Root: No

Table TID 15101. NM/PET Protocol Context

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CODE	EV (F-64FDB , SRT 417881006, SCT , "Radiopharmaceutical agent")	1	M		BCID 25 "Radiopharmaceuticals" BCID 4021 "PET Radiopharmaceutical"
2	>	CODE	EV (G-10072 , SRT 89457008, SCT , "Radionuclide")	1	U		BCID 18 "Isotopes in Radiopharmaceuticals" BCID 4020 "PET Radionuclide"
3	>	UIDREF	EV (113503, DCM, "Radiopharmaceutical Administration Event UID")	1	U		

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>	DATETIME	EV (123003, DCM, "Radiopharmaceutical Start DateTime")	1	U		
5	>	DATETIME	EV (123004, DCM, "Radiopharmaceutical Stop DateTime")	1	U		
6	>	NUMERIC	EV (123005, DCM, "Radiopharmaceutical Volume")	1	U		UNITS = DT (cm3, UCUM, "cm3")
7	>	NUMERIC	EV (123006, DCM, "Radionuclide Total Dose")	1	U		UNITS = DT (Bq, UCUM, "Bq")
8	>	NUMERIC	EV (123007, DCM, "Radiopharmaceutical Specific Activity")	1	U		UNITS = DT (Bq/mol, UCUM, "Bq/mol")
9	>	CODE	EV (G-C340, SRT 410675002, SCT, "Route of Administration")	1	U		BCID 11 "Route of Administration"
10	>	NUMERIC	EV (123009, DCM, "Radionuclide Syringe Counts")	1	U		UNITS = DT ({counts}/s, UCUM "counts/s")
11	>	NUMERIC	EV (123010, DCM, "Radionuclide Residual Syringe Counts")	1	U		UNITS = DT ({counts}/s, UCUM "counts/s")
12		NUMERIC	EV (14749-6, LN, "Glucose")	1	U		UNITS = EV (mmol/l, UCUM, "mmol/l")
13	>	DATE	EV (127857, DCM, "Glucose Measurement Date")	1	MC	IFF Row 12 is present and does not contain Observation DateTime (0040,A032)	
14	>	TIME	EV (127858, DCM, "Glucose Measurement Time")	1	MC	IFF Row 12 is present and does not contain Observation DateTime (0040,A032)	

Content Item Descriptions

Row 13	Glucose Measurement Date	In an earlier edition of the Standard, an incorrect DCM code was used for this concept, which was already assigned as (109081, DCM, "Prospective gating").
Row 14	Glucose Measurement Time	In an earlier edition of the Standard, an incorrect DCM code was used for this concept, which was already assigned as (109082, DCM, "Retrospective gating").

TID 15200 JJ1017 Protocol Context

This Template defines protocol context concepts to support the requirements of Japanese Guideline JJ1017. This is expected to be used with Scheduled or Performed Protocol Codes from Coding Scheme JJ1017-16M defined in Guideline JJ1017.

Type: Extensible
Order: Significant
Root: No

Table TID 15200. JJ1017 Protocol Context

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CODE	EV (123016, DCM, "Imaging Conditions")	1	M		Baseline terms from Coding Scheme JJ1017-16S of JJ1017 version 3.0

TID 15300 RT Prescription Annotation

The concepts in this TID are topics of advice or information provided by the prescribing physician for planning, preparation and delivery of treatment for a prescription.

Type: Extensible
Order: Non-Significant
Root: No

Table TID 15300. RT Prescription Annotation

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1	TEXT	EV (130022, DCM, "Radiation Characteristics Note")	1	U			
2	TEXT	EV (130023, DCM, "Beam Shaping Note")	1	U			
3	TEXT	EV (130024, DCM, "Treatment Planning Note")	1	U			
4	TEXT	EV (130025, DCM, "Special Procedure Note")	1	U			
5	TEXT	EV (130026, DCM, "Patient Positioning Note")	1	U			
6	TEXT	EV (130028, DCM, "Patient Setup Note")	1	U			
7	TEXT	EV (130029, DCM, "Previous Treatment Note")	1	U			
8	TEXT	EV (130030, DCM, "Planning Imaging Note")	1	U			
9	TEXT	EV (130031, DCM, "Delivery Verification Note")	1	U			
10	TEXT	EV (130032, DCM, "Simulation Note")	1	U			
11	CODE	DT (130033, DCM, "Radiation Therapy Particle")	1-n	U			BCID 9525 "Radiation Therapy Particle"
12	CODE	DT (130037, DCM, "Ion Therapy Particle")	1-n	U			BCID 9526 "Ion Therapy Particle"
13	CODE	DT (130038, DCM, "Brachytherapy Isotope")	1-n	U			BCID 9528 "Brachytherapy Isotope"
14	CODE	DT (130040, DCM, "Teletherapy Isotope")	1-n	U			BCID 9527 "Teletherapy Isotope"
15	NUMERIC	DT (130034, DCM, "RT Beam Energy")	1-n	U			UNITS=DCID 9521 "Radiotherapy Treatment Energy Unit"

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
16	CODE	DT (130035, DCM, "Patient Positioning Procedure Note")	1-n	U			BCID 9242 "Radiotherapy Acquisition Workitem Definition"
17	TEXT	EV (130036, DCM, "QA Process Note")	1	U			
18	TEXT	EV (130027, DCM, "4D Radiation Treatment Note")	1	U			
19	TEXT	EV (130039, DCM, "Adaptive Radiation Therapy Note")	1	U			

Content Item Content Item Descriptions Descriptions

Rows 11, 12, 13, 14	The source of radiation to be used for this RT treatment. More than one source indicates that the RT treatment may use any combination for treatment. There is no defined relationship between the entries in Row 11, 12, 13, 14 and entries in the Rows 15 and 16.
Row 15	Including several energies indicates that they may be used in any combination.
Row 16	The codes identify procedures supporting the patient positioning process prior to RT treatment. Including several procedures indicates that they may be used in any combination.

TID 15301 RT Segment Characteristics

Type: Extensible
Order: Non-Significant
Root: No

Table TID 15301. RT Segment Characteristics

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		NUMERIC	EV (130082, DCM, "Relative Mass Density")	1	U		Units = EV (ratio, UCUM, "ratio")
2		NUMERIC	EV (130083, DCM, "Relative Electron Density")	1	U		Units = EV (ratio, UCUM, "ratio")
3		NUMERIC	EV (130084, DCM, "Effective Z")	1	U		Units = EV (1, UCUM, "no units")
4		NUMERIC	EV (130085, DCM, "Effective Z per A")	1	U		Units = EV (/u, UCUM, "/u")
5		NUMERIC	EV (130086, DCM, "Relative Linear Stopping Power")	1	U		Units = EV (ratio, UCUM, "ratio")
6	>	NUMERIC	EV (130087, DCM, "Reference Energy")	1	M		Units = EV (MeV, UCUM, "Megaelectronvolt")
7		NUMERIC	EV (130088, DCM, "Linear Cell Kill Factor")	1	U		Units = EV (ratio, UCUM, "ratio")
8		NUMERIC	EV (130089, DCM, "Quadratic Cell Kill Factor")	1	U		Units = EV (ratio, UCUM, "ratio")
9		NUMERIC	EV (130090, DCM, "High Dose Fraction Linear Cell Kill Factor")	1	U		Units = EV (ratio, UCUM, "ratio")
10		NUMERIC	EV (130091, DCM, "Half-time for Tissue Repair ")	1	U		Units = EV (s, UCUM, "second")

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
11		NUMERIC	EV (130092, DCM, "High Dose Fraction Transition Dose")	1	U		Units = EV (Gy, UCUM, "Gray")
12		NUMERIC	EV (130093, DCM, "Atomic Number")	1-n	U		Units = EV (1, UCUM, "no units")
13	>	NUMERIC	EV (130094, DCM, "Elemental Composition Atomic Mass Fraction")	1	M		Units = EV (ratio, UCUM, "ratio")
14		NUMERIC	EV (130095, DCM, "alpha gEUD value")	1	U		Units = EV (ratio, UCUM, "ratio")

Content Item Content Item Descriptions Descriptions

Rows 12, 13	The value of (130094, DCM, "Elemental Composition Atomic Mass Fraction") annotates the fractional weight of the elements identified by the (130093, DCM, "Atomic Number") with respect to the total mass of the segment. The allowed value is in the range of [0, 1].
-------------	---

TID 15400 Real-World Quantity Definition

Type: Extensible
Order: Non-Significant
Root: No

Table TID 15400. Real-World Quantity Definition

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		CODE	EV (246205007, SCT, "Quantity")	1	M		BCID 7180 "Abstract Multi-dimensional Image Model Component Semantics"
2		CODE	BCID 9000 "Physical Quantity Descriptors"	1-n	U		

Content Item Descriptions

Row 1	This row uses a concept name that specifies the quantified characteristic. It is not required that (246205007, SCT, "Quantity") be used if there is a reason to use a similar concept.
Row 2	May be concept modifiers, such as (370129005, SCT, "Measurement Method").

TID 15401 Real-World Quantity Definition for X-Ray Attenuation Properties

Type: Extensible
Order: Non-Significant
Root: No

Table TID 15401. Real-World Quantity Definition for X-Ray Attenuation Properties

	NL	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
1		INCLUDE	DTID 15400 "Real-World Quantity Definition"	1	M		
2		NUMERIC	EV (DCM, 130087, "Reference Energy")	1	MC	IF TID 15400 Row 1 Quantity value is (130086, DCM, "Relative Linear Stopping Power")	UNITS = EV ("MeV", UCUM, "Megaelectronvolt")

D DICOM Controlled Terminology Definitions (Normative)

This Annex specifies the meanings of codes defined in DICOM, either explicitly or by reference to another part of DICOM or an external reference document or standard.

The contents of this table are available in OWL format at <ftp://medical.nema.org/medical/dicom/resources/ontology/dcm/dcm.owl> and in [Bioportal](#).

Table D-1. DICOM Controlled Terminology Definitions (Coding Scheme Designator "DCM" Coding Scheme Version "01")

Code Value	Code Meaning	Definition	Notes
AR	Autorefraction	An acquisition device, process or method that measures autorefraction.	
ARCHIVE	Archive	A device, process or method that stores images and other objects for a prolonged period of time.	
AR AS	Autorefraction Angioscopy	An acquisition device, process or method that records images during angioscopy. device, process or method that measures autorefraction.	Retired
ASMT AS	Content Angioscopy Assessment Result	A An acquisition device, process or method that records images during angioscopy. device, process or method that produces assessments of the content of other instances, e.g. for quality or suitability.	Retired
AU	Audio	An acquisition device, process or method that records audio.	
BDUS	Ultrasound Bone Densitometry	An acquisition device, process or method that performs ultrasound bone densitometry.	
BI	Biomagnetic imaging	An acquisition device, process or method that performs biomagnetic imaging.	
BMD	Bone Mineral Densitometry	An acquisition device, process or method that performs bone mineral densitometry by X-Ray, including dual-energy X-Ray absorptiometry (DXA) and morphometric X-Ray absorptiometry (MXA).	
CAD	Computer Assisted Detection/Diagnosis	An image processing device, process or method that performs computer assisted detection or diagnosis.	
CAPTURE	Image Capture	An acquisition device, process or method that performs image capture, includes video capture.	
CD	Color flow Doppler	An acquisition device, process or method that performs color flow Doppler.	Retired Replaced by (US, DCM, "Ultrasound")
CF	Cinefluorography	An acquisition device, process or method that performs cinefluorography.	Retired Replaced by (RF, DCM, "Radiofluoroscopy")
COMP	Computation Server	A device, process or method that performs computation as a service; includes radiotherapy planning.	
CP	Culposcopy	An acquisition device, process or method that records images during culposcopy.	Retired

Code Value	Code Meaning	Definition	Notes
CR	Computed Radiography	An acquisition device, process or method that performs computed radiography.	
CS	Cystoscopy	An acquisition device, process or method that records images during cystoscopy.	Retired
CT	Computed Tomography	An acquisition device, process or method that performs computed tomography.	
CTPROTOCOL	CT Protocol	A device, process or method that produces CT device acquisition protocols.	
DD	Duplex Doppler	An acquisition device, process or method that performs duplex Doppler.	Retired Replaced by (US, DCM, "Ultrasound")
DF	Digital fluoroscopy	An acquisition device, process or method that performs digital fluoroscopy.	Retired Replaced by (RF, DCM, "Radiofluoroscapy")
DG	Diaphanography	An acquisition device, process or method that performs diaphanography.	
DM	Digital microscopy	An acquisition device, process or method that performs digital microscopy.	Retired
DOC	Document	A device, process or method that produces documents. i.e., representations of documents as images, whether by scanning or other means.	
DOCD	Document Digitizer Equipment	A device, process or method that digitizes hardcopy documents and imports them.	
DS	Digital Subtraction Angiography	An acquisition device, process or method that performs digital subtraction angiography.	Retired Replaced by (XA, DCM, "X-Ray Angiography")
DSS	Department System Scheduler	A department-based information system (for instance, Radiology or Laboratory) that provides functions related to the management of orders received from external systems or through the department system's user interface. This definition matches that of the DSS/OF Actor in the IHE Scheduled Workflow (SWF) Profile.	
DX	Digital Radiography	An acquisition device, process or method that performs digital radiography.	
EC	Echocardiography	An acquisition device, process or method that performs echocardiography.	Retired Replaced by (US, DCM, "Ultrasound")
ECG	Electrocardiography	An acquisition device, process or method that performs electrocardiography.	
EPS	Cardiac Electrophysiology	An acquisition device, process or method that performs cardiac electrophysiology.	
ES	Endoscopy	An acquisition device, process or method that records images during endoscopy.	
F	Female	Female sex.	

Code Value	Code Meaning	Definition	Notes
FA	Fluorescein angiography	An acquisition device, process or method that performs fluorescein angiography.	Retired Replaced by (OP, DCM, "Ophthalmic photography")
FC	Female changed to Male	Female sex changed to Male sex.	
FID	Spatial Fiducials	A device, process or method that identifies features or landmarks used to establish spatial correlation between objects or frames of reference.	
FILMD	Film Digitizer	A device, process or method that performs film digitization.	
FP	Female Pseudohermaphrodite	Female Pseudohermaphrodite.	
FS	Fundoscopy	An acquisition device, process or method that records images during funduscopy.	Retired
GM	General Microscopy	An acquisition device, process or method that performs general microscopy.	
H	Hermaphrodite	Hermaphrodite.	
HC	Hard Copy	A device, process or method that creates images to be printed as hard copy.	
HD	Hemodynamic Waveform	An acquisition device, process or method that records hemodynamic waveforms.	
IO	Intra-oral Radiography	An acquisition device, process or method that performs intra-oral radiography.	
IOL	Intraocular Lens Calculation	A device, process or method that encodes calculations for an intraocular lens.	
IVOCT	Intravascular Optical Coherence Tomography	An acquisition device, process or method that performs intravascular optical coherence tomography	
IVUS	Intravascular Ultrasound	An acquisition device, process or method that performs intravascular ultrasound.	
KER	Keratometry	An acquisition device, process or method that performs keratometry.	
KO	Key Object Selection	A device, process or method that creates Key Object Selection objects.	
LEN	Lensometry	An acquisition device, process or method that performs lensometry.	
LOG	Procedure Logging	A device, process or method that performs procedure Logging; includes cath lab logging.	
LP	Laparoscopy	An acquisition device, process or method that records images during laparoscopy.	Retired
LS	Laser surface scan	An acquisition device, process or method that performs laser surface scanning.	
M	Male	Male sex.	
M3D	3D Manufacturing Modeling System	A device, process or method that produces data (models) for use in 3D manufacturing.	
MA	Magnetic resonance angiography	An acquisition device, process or method that performs magnetic resonance angiography.	Retired Replaced by (MR, DCM, "Magnetic resonance")
MC	Male changed to Female	Male sex changed to Female sex.	

Code Value	Code Meaning	Definition	Notes
M3D	3D-Manufacturing-Modeling System	A device, process or method that produces data (models) for use in 3D-manufacturing.	
MCD	Media Creation Device	A device, process or method that creates DICOM PS3.10 interchange media. E.g., a CD creator that is managed by the Media Creation Management Service Class.	
MEDIM	Portable Media Importer Equipment	A device, process or method that retrieves and imports objects from Interchange Media.	
MG	Mammography	An acquisition device, process or method that performs mammography.	
MP	Male Pseudohermaphrodite	Male Pseudohermaphrodite.	
MR	Magnetic Resonance	An acquisition device, process or method that performs magnetic resonance imaging.	
MS	<i>Magnetic resonance spectroscopy</i>	<i>An acquisition device, process or method that performs magnetic resonance spectroscopy.</i>	<i>Retired</i> <i>Replaced by (MR, DCM, "Magnetic resonance")</i>
NEARLINE	Nearline	Instances need to be retrieved from relatively slow media such as optical disk or tape.	
NM	Nuclear Medicine	An acquisition device, process or method that performs nuclear medicine imaging.	
OAM	Ophthalmic Axial Measurements	An acquisition device, process or method that measures the axial length of the eye.	
OCT	Optical Coherence Tomography	An acquisition device, process or method that uses an interferometric, non-invasive optical tomographic technique to image 2D slices and 3D volumes of tissue using visible and near visible frequencies.	
OFFLINE	Offline	Instances need to be retrieved by manual intervention.	
ONLINE	Online	Instances are immediately available.	
OP	Ophthalmic photography	An acquisition device, process or method that performs ophthalmic photography.	
OPM	Ophthalmic Mapping	An acquisition device, process or method that measures corneal topography, corneal or retinal thickness, and other similar parameters that are typically displayed as maps.	
OPR	Ophthalmic Refraction	An acquisition device, process or method that measures the refractive characteristics of the eye.	
OPT	Ophthalmic Tomography	An acquisition device, process or method that performs tomography of the eye that is based on light and optical principles. Tomography based on other principles, such as ultrasound, is excluded.	
OPTBSV	Ophthalmic Tomography B-scan Volume Analysis	An acquisition device, process or method that performs B-scan volume analysis of tomography images of the eye based on light and optical principles. Tomography based on other principles, such as ultrasound, is excluded.	
OPTENF	Ophthalmic Tomography En Face	An acquisition device, process or method that creates en face tomography images of the eye based on light and optical principles. Tomography based on other principles, such as ultrasound, is excluded.	

Code Value	Code Meaning	Definition	Notes
OPV	Ophthalmic Visual Field	An acquisition device, process or method that measures visual fields and perform visual perimetry.	
OSS	Optical Surface Scanner	An acquisition device, process or method that performs optical surface scanning.	
OT	Other Modality	Other Modality device.	
PLAN	Plan	A device, process or method that produces treatment plans, e.g. delivery instructions for RT.	
PR	Presentation State	A device, process or method that creates Presentation State objects.	
PRINT	Hard Copy Print Server	Hard Copy Print Server; includes printers with embedded DICOM print server.	
PT	Positron emission tomography	An acquisition device, process or method that performs positron emission tomography (PET).	
PX	Panoramic X-Ray	An acquisition device, process or method that performs panoramic X-Rays.	
REG	Registration	An image processing device, process or method that creates Registration objects.	
RESP	Respiratory Waveform	A device, process or method that produces waveforms of electrical signals from the patient's respiratory system.	
RF	Radiofluoroscopy	An acquisition device, process or method that performs radiofluoroscopy.	
RG	Radiographic imaging	An acquisition device, process or method that performs radiographic imaging (conventional film/screen).	
RT	Radiation Therapy Device	A device, process or method that delivers radiation therapy; includes linear accelerator, proton therapy.	
RTDOSE	Radiotherapy Dose	A device, process or method that records radiotherapy dose.	
RTIMAGE	Radiotherapy Image	An acquisition device, process or method that performs radiotherapy imaging; includes portal imaging.	
RTPLAN	Radiotherapy Plan	A device, process or method that produces radiotherapy plans.	
RTRECORD	Radiotherapy Treatment Record	A device, process or method that records radiotherapy treatment records.	
RTSTRUCT	Radiotherapy Structure Set	A device, process or method that produces Radiotherapy Structure Sets.	
RWV	Real World Value Map	A device, process or method that produces mappings between image pixel values and some real-world values.	
SEG	Segmentation	An image processing device, process or method that performs segmentation.	
SM	Slide Microscopy	An acquisition device, process or method that performs slide microscopy.	
SMR	Stereometric Relationship	A device, process or method that records relationships between stereometric image pairs.	
SR	Structured Report Document	A device, process or method that creates Structured Report documents.	
SRF	Subjective Refraction	An acquisition device, process or method that records subjective refraction.	

Code Value	Code Meaning	Definition	Notes
ST	Single-photon emission computed tomography	An acquisition device, process or method that performs single-photon emission computed tomography (SPECT).	Retired Replaced by (NM, DCM, "Nuclear Medicine")
STAIN	Automated Slide Stainer	A device, process or method that applies, in an automated manner, a stain, or reagent, to microscopy slides in preparation for imaging.	
TG	Thermography	An acquisition device, process or method that performs thermography.	
U	Unknown Sex	Unknown Sex.	
UNAVAILABLE	Unavailable	Instances cannot be retrieved.	
US	Ultrasound	An acquisition device, process or method that performs ultrasound.	
VA	Visual Acuity	An acquisition device, process or method that measures visual acuity.	
VF	Videofluorography	An acquisition device, process or method that measures videofluorography.	Retired Replaced by (RF, DCM, "Radiofluoroscapy")
VIDD	Video Tape Digitizer Equipment	A device, process or method that digitizes video tape and imports it.	
WSD	Workstation	A networked computer equipped with a display and software for performing specific types of work, generally intended to be operated by a single user.	
XA	X-Ray Angiography	An acquisition device, process or method that performs X-Ray angiography.	
XC	External-camera Photography	An acquisition device, process or method that performs photography with an external camera.	
109001	Digital timecode (NOS)	A signal transmitted for the purpose of interchange of the current time, not specific to any source or methodology.	
109002	ECG-based gating signal, processed	A signal that is generated for each detection of a heart beat.	
109003	IRIG-B timecode	A signal transmitted by the Inter-Range Instrumentation Group for the purpose of synchronizing time clocks.	
109004	X-Ray Fluoroscopy On Signal	A signal that indicates that X-Ray source has been activated for fluoroscopy use.	
109005	X-Ray On Trigger	A signal that indicated that the X-Ray source has been activated for image recording.	
109006	Differential signal	An electrical signal derived from two electrodes.	
109007	His bundle electrogram	An electrophysiological recording from the HIS nerve bundle.	
109008	Monopole signal	An electrical signal from one electrode relative to an indifferent potential.	
109009	Pacing (electrical) stimulus, voltage	The voltage stimulus during cardiac pacing.	
109010	Radio frequency ablation, power	The power injected during RF ablation procedure.	

Code Value	Code Meaning	Definition	Notes
109011	Voltage measurement by basket catheter	Electrophysiological signals acquired using a multi-splined catheter each equipped with multiple electrodes.	
109012	Voltage measurement by mapping catheter	Electrophysiological signals acquired using a steerable catheter.	
109013	Voltage measurement	A voltage measurement not otherwise specified.	
109014	35% of thermal CO	A signal point that is 35% of the peak thermal cardiac output signal.	
109015	70% of thermal CO	A signal point that is 70% of the peak thermal cardiac output signal.	
109016	A wave peak pressure	The peak pressure of each heart beat in the atrium caused by the atrial contraction.	
109017	A wave pressure, average	The average of several A wave pressure measurements.	
109018	Beat detected (accepted)	An identified cardiac beat used in the determination of a measurement.	
109019	Beat detected (rejected)	An identified cardiac beat not used in the determination of a measurement.	
109020	Diastolic pressure, average	The average of several diastolic pressure measurements	Retired. Replaced by (F-00E22, SRT314453003, SCT, "Average diastolic blood pressure")
109021	Diastolic pressure nadir	The lowest pressure value excluding any undershoot artifact.	Retired. Replaced by (F-00E1F, SRT314451001, SCT, "Minimum diastolic blood pressure")
109022	End diastole	The moment at the end of the diastolic phase of the cardiac cycle.	Retired. Replaced by (R-FAB5C, SRT416190007, SCT, "End diastole")
109023	End of expiration	The moment at the end of respiratory expiration.	
109024	End of inspiration	The moment at the end of respiratory inspiration.	
109025	Max dp/dt	The maximum positive rate of change of pressure.	
109026	Max neg dp/dt	The maximum negative rate of change of pressure.	
109027	Mean blood pressure	The average blood pressure value, generally over 2 or more seconds	Retired. Replaced by (F-31150, SRT6797001, SCT, "Mean blood pressure")
109028	Peak of thermal cardiac output bolus	The peak change in blood temperature during a thermal cardiac output measurement.	
109029	Start of expiration	The moment respiratory expiration begins.	
109030	Start of inspiration	The moment of respiratory inspiration begins.	
109031	Start of thermal cardiac output bolus	The first discernible blood temperature change following the injectate during a thermal cardiac output measurement.	
109032	Systolic pressure, average	The average of several systolic blood pressure measurements.	Retired. Replaced by (F-00E14, SRT314440001, SCT, "Average systolic blood pressure")

Code Value	Code Meaning	Definition	Notes
109033	Systolic peak pressure	The highest systolic blood pressure value excluding any overshoot artifact	Retired. Replaced by (F-00E11, SRT314439003, SCT, "Maximum systolic blood pressure")
109034	V wave peak pressure	The peak pressure of each heart beat in the atrium caused by the filling of the atrium.	
109035	V wave pressure, average	The average of several V wave pressure measurements.	
109036	Valve close	The moment at which a heart valve closes.	
109037	Valve open	The moment at which a heart valve opens.	
109038	Ablation off	The moment when RF ablation current is turned off.	
109039	Ablation on	The moment when RF ablation current is turned on.	
109040	HIS bundle wave	The moment in the cardiac cycle when the HIS bundle nerves depolarize.	
109041	P wave	The surface electrocardiogram of the atrial contraction.	
109042	Q wave	The first negative deflection of the electrocardiogram cause by ventricular depolarization.	
109043	R wave	The first positive deflection the electrocardiogram cause by ventricular depolarization.	
109044	S wave	The first negative deflection after the R wave.	
109045	Start of atrial contraction	The beginning of the atrial contraction.	
109046	Start of atrial contraction (subsequent)	The beginning of the second atrial contraction of two consecutive beats.	
109047	Stimulation at rate 1 interval	The stimulation interval during cardiac stimulation first used in a pacing train.	
109048	Stimulation at rate 2 interval	The stimulation interval different from the first stimulation interval used in a pacing train.	
109049	Stimulation at rate 3 interval	A stimulation interval different from and subsequent to the second interval in a pacing train.	
109050	Stimulation at rate 4 interval	Describes a stimulation interval different from and subsequent to the third interval in a pacing train.	
109051	T wave	The electrocardiogram deflection caused by ventricular repolarization.	
109052	V wave	The peak pressure of each heart beat monitored in the atrium caused by the filling of the atrium.	
109053	V wave of next beat	The second V wave measurement of two consecutive beats.	
109054	Patient State	A description of the physiological condition of the patient.	
109055	Protocol Stage	The exercise level during a progressive cardiac stress test.	
109056	Stress Protocol	A series of physiological challenges designed to progressively increase the work of the heart.	
109057	Catheterization Procedure Phase	A subpart of a cardiac catheterization procedure	Retired. Replaced by (G-72BB, SRT129085009, SCT, "Catheterization Procedure Phase")
109058	Contrast Phase	The subpart of a cardiac catheterization procedure in which a radio-opaque contrast medium is injected into the patient.	

Code Value	Code Meaning	Definition	Notes
109059	Physiological challenges	Physical changes administered to a patient in order to elicit an physiological response.	
109060	Procedure Step Number	Enumeration of a subpart of a catheterization procedure.	
109061	EP Procedure Phase	A subpart of an electrophysiological procedure.	
109063	Pulse train definition	A means of defining a series of cardiac stimulation pulses.	
109070	<i>End of systole</i>		<i>Retired. Replaced by (R-FAB5B, SRT416430001, SCT, "End systole")</i>
109071	Indicator mean transit time	Time for a median particle to travel from point of injection to point of detection.	
109072	Tau	The time constant of isovolumic pressure fall.	
109073	V max myocardial	Maximum velocity of myocardial contractility.	
109080	Real time acquisition	Total time for the acquisition is shorter than cardiac cycle, no gating is applied; see Cardiac Synchronization Technique (0018,9037).	
109081	Prospective gating	Certain thresholds have been set for a gating window that defines the acceptance of measurement data during the acquisition; see Cardiac Synchronization Technique (0018,9037).	
109082	Retrospective gating	Certain thresholds have been set for a gating window that defines the acceptance of measurement data after the acquisition; see Cardiac Synchronization Technique (0018,9037).	
109083	Paced	There is a constant RR interval, which makes thresholding not required; see Cardiac Synchronization Technique (0018,9037). E.g., Pacemaker.	
109091	<i>Cardiac Stress State</i>	<i>Imaging after injection of tracer during increased cardiac workload or increased myocardial blood flow, achieved by either exercise or pharmacologic means.</i>	<i>Retired. Replaced by (F-05019, SRT432655005, SCT, "Cardiac stress state").</i>
109092	Reinjection State	Imaging after injection of additional tracer under resting conditions.	
109093	Redistribution State	Imaging after allowing a moderate amount of time for tracer to move from its initial sites of uptake. Example: For Thallium imaging this would correspond to imaging 2-6 hours after injection.	
109094	Delayed Redistribution State	Imaging after allowing an extended amount of time for tracer to move from its initial sites of uptake. Example: For Thallium imaging this would correspond to imaging more than 6 hours after injection.	
109095	<i>Peak stress state</i>	<i>Peak Cardiac stress state</i>	<i>Retired. Replaced by (F-05028, SRT434161005, SCT, "Peak stress state")</i>
109096	<i>Recovery state</i>	<i>Recovery from cardiac stress</i>	<i>Retired. Replaced by (F-05018, SRT432554001, SCT, "Cardiac stress Recovery state")</i>

Code Value	Code Meaning	Definition	Notes
109101	Acquisition Equipment	Equipment that originally acquired the data stored within composite instances. E.g., a CT, MR or Ultrasound modality.	
109102	Processing Equipment	Equipment that has processed composite instances to create new composite instances. E.g., a 3D Workstation.	
109103	Modifying Equipment	Equipment that has modified existing composite instances (without creating new composite instances). E.g., a QA Station or Archive.	
109104	De-identifying Equipment	Equipment that has modified an existing composite instance to remove patient identifying information.	
109105	Frame Extracting Equipment	Equipment that has processed composite instances to create new composite instances by extracting selected frames from the original instance.	
109106	Enhanced Multi-frame Conversion Equipment	Equipment that has processed composite instances to create new composite instances by converting classic single frame images to enhanced multi-frame image, or vice versa and updating other instances to maintain referential integrity.	
109110	Voice	The sound of a human's speech, recorded during a procedure.	May include the patient's voice, or the voice of staff present in the room, or an operator's voice (whether for the purpose of recording a narrative accompanying a procedure or not).
109111	Operator's narrative	The voice of a device operator, recorded during a procedure.	
109112	Ambient room environment	The ambient sound recorded during a procedure, which may or may not include voice and other types of sound.	
109113	Doppler audio	The Doppler waveform recorded as an audible signal.	
109114	Phonocardiogram	The sound of the human heart beating.	Such as might be recorded from an electronic stethoscope.
109115	Physiological audio signal	Any sound made by the human body.	May include the sound of the heart, but also sound from other organs, such as bowel sounds or bruits from vessels, or sounds of respiration. Not intended to include voice.
109116	Arterial Pulse Waveform	A digitized signal from the patient arterial system collected through pulse oximetry or other means.	
109117	Respiration Waveform	A digitized signal from the patient respiratory system representing respiration.	
109120	On admission to unit	The occasion on which a procedure was performed on admission to a specialist unit. E.g., intensive care.	
109121	On discharge	The occasion on which a procedure was performed on discharge from hospital as an in-patient.	
109122	On discharge from unit	The occasion on which a procedure was performed on discharge from a specialist unit. E.g., intensive care.	

Code Value	Code Meaning	Definition	Notes
109123	Pre-intervention	The occasion on which a procedure was performed immediately prior to non-surgical intervention. E.g, percutaneous angioplasty, biopsy.	
109124	Post-intervention	The occasion on which a procedure was performed immediately after to non-surgical intervention. E.g, percutaneous angioplasty, biopsy.	
109125	At last appointment	The occasion on which a procedure was performed at the most recent outpatient visit.	
109132	Joint position method	The active or passive joint positioning during acquisition.	
109133	Physical force	A physical force applied during acquisition.	
109134	Prior to voiding	Prior to voiding urine from the bladder.	
109135	Post voiding	Post voiding urine from the bladder.	
109136	Neutral musculoskeletal position	Neutral musculoskeletal position.	
109137	During voiding	During voiding urine from the bladder.	
109200	America Kennel Club	America Kennel Club.	
109201	America's Pet Registry Inc.	America's Pet Registry Inc.	
109202	American Canine Association	American Canine Association.	
109203	American Purebred Registry	American Purebred Registry.	
109204	American Rare Breed Association	American Rare Breed Association.	
109205	Animal Registry Unlimited	Animal Registry Unlimited.	
109206	Animal Research Foundation	Animal Research Foundation.	
109207	Canadian Border Collie Association	Canadian Border Collie Association.	
109208	Canadian Kennel Club	Canadian Kennel Club.	
109209	Canadian Livestock Records Association	Canadian Livestock Records Association.	
109210	Canine Federation of Canada	Canine Federation of Canada.	
109211	Continental Kennel Club	Continental Kennel Club.	
109212	Dog Registry of America	Dog Registry of America.	
109213	Federation of International Canines	Federation of International Canines.	
109214	International Progressive Dog Breeders' Alliance	International Progressive Dog Breeders' Alliance.	
109215	National Kennel Club	National Kennel Club.	
109216	North American Purebred Dog Registry	North American Purebred Dog Registry.	
109217	United All Breed Registry	United All Breed Registry.	
109218	United Kennel Club	United Kennel Club.	
109219	Universal Kennel Club International	Universal Kennel Club International.	
109220	Working Canine Association of Canada	Working Canine Association of Canada.	
109221	World Kennel Club	World Kennel Club.	
109222	World Wide Kennel Club	World Wide Kennel Club.	
109701	Overall image quality evaluation	Evaluation of overall image quality as described in section 7.3.2 of [IEC 62563-1].	

Code Value	Code Meaning	Definition	Notes
109702	Grayscale resolution evaluation	Visual verification of sufficient grayscale resolution based on 8 and 10-bit markers as described in section 7.3.3 of [IEC 62563-1].	
109703	Luminance response evaluation	Visual evaluation of luminance response using the TG18-CT test pattern as described in section 7.3.4 of [IEC 62563-1].	
109704	Luminance uniformity evaluation	Visual detection of luminance non-uniformities as described in section 7.3.5 of [IEC 62563-1].	
109705	Chromaticity evaluation	Visual verification of color uniformity as described in section 7.3.6 of [IEC 62563-1].	
109706	Pixel faults evaluation	Visual detection of defective pixels on dark (TG18-UN80) and bright (TG18-UN10) images as described in section 7.3.7 of [IEC 62563-1].	
109707	Veiling glare evaluation	Visual evaluation of veiling glare by looking at low contrast objects on 2 test patterns as described in section 7.3.8 of [IEC 62563-1].	
109708	Geometrical image evaluation	Visual evaluation of geometry, phase/clock correction and clipping as described in section 7.3.9 of [IEC 62563-1].	
109709	Angular viewing evaluation	Visual evaluation of viewing angle as described in section 7.3.10 of [IEC 62563-1].	
109710	Clinical evaluation	Visual evaluation of the appearance of clinical images as described in section 7.3.11 of [IEC 62563-1].	
109801	TG18-QC Pattern	AAPM TG18-QC Pattern used for evaluation of resolution, luminance, distortion, artifacts. See [AAPM OR 03].	
109802	TG18-BR Pattern	AAPM TG18-BR Pattern used for the evaluation of the display of low-contrast, fine-detail image structures See [AAPM OR 03].	
109803	TG18-PQC Pattern	AAPM TG18-PQC Pattern used for evaluation of resolution, luminance, contrast transfer for prints. See [AAPM OR 03].	
109804	TG18-CT Pattern	AAPM TG18-CT Pattern used for evaluation of luminance response. See [AAPM OR 03].	
109805	TG18-LN8-01 Pattern	The 1 st image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109806	TG18-LN8-02 Pattern	The 2 nd image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109807	TG18-LN8-03 Pattern	The 3 rd image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	

Code Value	Code Meaning	Definition	Notes
109808	TG18-LN8-04 Pattern	The 4 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109809	TG18-LN8-05 Pattern	The 5 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109810	TG18-LN8-06 Pattern	The 6 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109811	TG18-LN8-07 Pattern	The 7 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109812	TG18-LN8-08 Pattern	The 8 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109813	TG18-LN8-09 Pattern	The 9 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109814	TG18-LN8-10 Pattern	The 10 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration series. See [AAPM OR 03].	
109815	TG18-LN8-11 Pattern	The 11 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109816	TG18-LN8-12 Pattern	The 12 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109817	TG18-LN8-13 Pattern	The 13 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109818	TG18-LN8-14 Pattern	The 14 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109819	TG18-LN8-15 Pattern	The 15 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109820	TG18-LN8-16 Pattern	The 16 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	

Code Value	Code Meaning	Definition	Notes
109821	TG18-LN8-17 Pattern	The 17 th image in the AAPM TG18-LN8 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109822	TG18-LN8-18 Pattern	The 18 th image in the AAPM TG18-LN8- set used for DICOM grayscale calibration. See [AAPM OR 03].	
109823	TG18-LN12-01 Pattern	The 1 st image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109824	TG18-LN12-02 Pattern	The 2 nd image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109825	TG18-LN12-03 Pattern	The 3 rd image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109826	TG18-LN12-04 Pattern	The 4 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109827	TG18-LN12-05 Pattern	The 5 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109828	TG18-LN12-06 Pattern	The 6 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109829	TG18-LN12-07 Pattern	The 7 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109830	TG18-LN12-08 Pattern	The 8 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109831	TG18-LN12-09 Pattern	The 9 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109832	TG18-LN12-10 Pattern	The 10 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109833	TG18-LN12-11 Pattern	The 11 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	

Code Value	Code Meaning	Definition	Notes
109834	TG18-LN12-12 Pattern	The 12 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109835	TG18-LN12-13 Pattern	The 13 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109836	TG18-LN12-14 Pattern	The 14 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109837	TG18-LN12-15 Pattern	The 15 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109838	TG18-LN12-16 Pattern	The 16 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109839	TG18-LN12-17 Pattern	The 17 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109840	TG18-LN12-18 Pattern	The 18 th image in the AAPM TG18-LN12 set used for DICOM grayscale calibration. See [AAPM OR 03].	
109841	TG18-UN10 Pattern	The AAPM TG18-UN10 Pattern used for evaluation of luminance and color uniformity, and angular response. See [AAPM OR 03].	
109842	TG18-UN80 Pattern	The AAPM TG18-UN80 Pattern used for evaluation of luminance and color uniformity, and angular response. See [AAPM OR 03].	
109843	TG18-UNL10 Pattern	The AAPM TG18-UNL10 Pattern is the AAPM TG-18 UN10 Pattern with added defining lines. See [AAPM OR 03].	
109844	TG18-UNL80 Pattern	The AAPM TG18-UNL80 Pattern is the AAPM TG-18 UN80 Pattern with added defining lines. See [AAPM OR 03].	
109845	TG18-AD Pattern	The AAPM TG18-AD Pattern used for visual evaluation of the reflection of ambient light from the display. See [AAPM OR 03].	
109846	TG18-MP Pattern	The AAPM TG18-MP Pattern used for evaluation of Luminance response (bit-depth resolution). See [AAPM OR 03].	

Code Value	Code Meaning	Definition	Notes
109847	TG18-RH10 Pattern	The AAPM TG18-RH10 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 horizontal lines at 10% luminance level. See [AAPM OR 03].	
109848	TG18-RH50 Pattern	The AAPM TG18-RH50 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 horizontal lines at 50% luminance level. See [AAPM OR 03].	
109849	TG18-RH89 Pattern	The AAPM TG18-RH89 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 horizontal lines at 89% luminance level. See [AAPM OR 03].	
109850	TG18-RV10 Pattern	The AAPM TG18-RV10 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 vertical lines at 10% luminance level. See [AAPM OR 03].	
109851	TG18-RV50 Pattern	The AAPM TG18-RV50 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 vertical lines at 50% luminance level. See [AAPM OR 03].	
109852	TG18-RV89 Pattern	The AAPM TG18-RV89 Pattern used for LSF-line spectra function-(1k and 2k) evaluation by 5 vertical lines at 89% luminance level. See [AAPM OR 03].	
109853	TG18-PX Pattern	The AAPM TG18-PX Pattern used for the assessment of display resolution. See [AAPM OR 03].	
109854	TG18-CX Pattern	The AAPM TG18-CX Pattern used to assess display resolution and resolution uniformity. See [AAPM OR 03].	
109855	TG18-LPH10 Pattern	The AAPM TG18-LPH10 Pattern used to assess display resolution. This pattern has horizontal bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 10% background level of the maximum pixel value. See [AAPM OR 03].	
109856	TG18-LPH50 Pattern	The AAPM TG18-LPH50 Pattern used to assess display resolution. This pattern has horizontal bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 50% positive contrast against 10% background level of the maximum pixel value. See [AAPM OR 03].	

Code Value	Code Meaning	Definition	Notes
109857	TG18-LPH89 Pattern	The AAPM TG18-LPH89 Pattern used to assess display resolution. This pattern has horizontal bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 89% background level of the maximum pixel value. See [AAPM OR 03].	
109858	TG18-LPV10 Pattern	The AAPM TG18-LPV10 Pattern used to assess display resolution. This pattern has vertical bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 10% background level of the maximum pixel value. See [AAPM OR 03].	
109859	TG18-LPV50 Pattern	The AAPM TG18-LPV50 Pattern used to assess display resolution. This pattern has vertical bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 50% background level of the maximum pixel value. See [AAPM OR 03].	
109860	TG18-LPV89 Pattern	The AAPM TG18-LPV89 Pattern used to assess display resolution. This pattern has vertical bars consisting of alternating single-pixel-wide lines across the faceplate of display. The lines have a 12% positive contrast against 89% background level of the maximum pixel value. See [AAPM OR 03].	
109861	TG18-AFC Pattern	The AAPM TG18-AFC Pattern used to assess display noise. See [AAPM OR 03]	
109862	TG18-NS10 Pattern	The AAPM TG18-NS10 Pattern is AAPM TG18-RV10/RH10 with only difference being the absence of the single line at the center of the measurement area. See [AAPM OR 03].	
109863	TG18-NS50 Pattern	The AAPM TG18-NS50 Pattern is AAPM TG18-RV50/RH50 with only difference being the absence of the single line at the center of the measurement area. See [AAPM OR 03].	
109864	TG18-NS89 Pattern	The AAPM TG18-NS89 Pattern is AAPM TG18-RV89/RH89 with only difference being the absence of the single line at the center of the measurement area. See [AAPM OR 03].	
109865	TG18-GV Pattern	The TG18-GV Pattern used to assess display veiling. See [AAPM OR 03].	

Code Value	Code Meaning	Definition	Notes
109866	TG18-GVN Pattern	The TG18-GVN Pattern used to assess display veiling. This pattern is identical to AAPM TG18-GV Pattern except that the large-diameter white circle is replaced with a black circle, creating a completely black pattern except for the presence of low-contrast targets. See [AAPM OR 03].	
109867	TG18-GQ Pattern	The TG18-GQ Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GV except that it lacks the central low-contrast objects. See [AAPM OR 03].	
109868	TG18-QQN Pattern	TG18-QQN Pattern used for the quantitative assessment of veiling glare. This pattern is identical to AAPM TG18-GQ Pattern except that the large-diameter white circle is replaced with a black circle, creating a completely black pattern except for the presence of low-contrast targets. See [AAPM OR 03].	
109869	TG18-QQB Pattern	The TG18-QQB Pattern used for the quantitative assessment of veiling glare. This pattern is identical to AAPM TG18-GQ Pattern except eliminating the central black circle. See [AAPM OR 03].	
109870	TG18-GA03 Pattern	The TG18-GA03 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as $r = 3$. See [AAPM OR 03].	
109871	TG18-GA05 Pattern	The TG18-GA05 Pattern This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as $r = 5$. See [AAPM OR 03].	
109872	TG18-GA08 Pattern	The TG18-GA08 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as $r = 8$. See [AAPM OR 03].	
109873	TG18-GA10 Pattern	The TG18-GA10 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as $r = 10$. See [AAPM OR 03].	
109874	TG18-GA15 Pattern	The TG18-GA15 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as $r = 15$.	

Code Value	Code Meaning	Definition	Notes
109875	TG18-GA20 Pattern	The TG18-GA20 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as $r = 20$. See [AAPM OR 03].	
109876	TG18-GA25 Pattern	The TG18-GA25 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as $r = 25$. See [AAPM OR 03].	
109877	TG18-GA30 Pattern	The TG18-GA30 Pattern used for quantitative assessment of veiling glare. This pattern is identical to TG18-GQ except that the radius of the central black circle is varied as $r = 30$. See [AAPM OR 03].	
109878	TG18-CH Image	The AAPM TG18-CH Image is a reference anatomical PA chest image. See [AAPM OR 03].	
109879	TG18-KN Image	The AAPM TG18-KN Image is a reference anatomical knee image. See [AAPM OR 03].	
109880	TG18-MM1 Image	The AAPM TG18-MM1 Image is a reference anatomical mammogram image. See [AAPM OR 03].	
109881	TG18-MM2 Image	The AAPM TG18-MM2 Image is a reference anatomical mammogram image. See [AAPM OR 03].	
109901	OIQ Pattern	The IEC OIQ Pattern is used as an alternative to the TG18-QC Pattern. See [IEC 62563-1].	
109902	ANG Pattern	The IEC ANG Pattern used for angular viewing evaluation. See [IEC 62563-1].	
109903	GD Pattern	The IEC GD Pattern used for geometrical image evaluation. See [IEC 62563-1].	
109904	BN01 Pattern	The IEC BN01 Pattern is used as an alternative to the TG18-LN-01 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	

Code Value	Code Meaning	Definition	Notes
109905	BN02 Pattern	The IEC BN02 Pattern is used as an alternative to the TG18-LN-02 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109906	BN03 Pattern	The IEC BN03 Pattern is used as an alternative to the TG18-LN-03 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109907	BN04 Pattern	The IEC BN04 Pattern is used as an alternative to the TG18-LN-04 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109908	BN05 Pattern	The IEC BN05 Pattern is used as an alternative to the TG18-LN-05 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109909	BN06 Pattern	The IEC BN06 Pattern is used as an alternative to the TG18-LN-06 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109910	BN07 Pattern	The IEC BN07 Pattern is used as an alternative to the TG18-LN-07 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109911	BN08 Pattern	The IEC BN08 Pattern is used as an alternative to the TG18-LN-08 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109912	BN09 Pattern	The IEC BN09 Pattern is used as an alternative to the TG18-LN-09 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109913	BN10 Pattern	The IEC BN10 Pattern is used as an alternative to the TG18-LN-10 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109914	BN11 Pattern	The IEC BN11 Pattern is used as an alternative to the TG18-LN-11 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109915	BN12 Pattern	The IEC BN12 Pattern is used as an alternative to the TG18-LN-12 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	

Code Value	Code Meaning	Definition	Notes
109916	BN13 Pattern	The IEC BN13 Pattern is used as an alternative to the TG18-LN-13 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109917	BN14 Pattern	The IEC BN14 Pattern is used as an alternative to the TG18-LN-14 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109918	BN15 Pattern	The IEC BN15 Pattern is used as an alternative to the TG18-LN-15 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109919	BN16 Pattern	The IEC BN16 Pattern is used as an alternative to the TG18-LN-16 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109920	BN17 Pattern	The IEC BN17 Pattern is used as an alternative to the TG18-LN-17 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109921	BN18 Pattern	The IEC BN18 Pattern is used as an alternative to the TG18-LN-18 Pattern, to avoid the use of a cone or baffle with LCDs. See [IEC 62563-1].	
109931	DIN Grayscale Pattern	Test image "Bild 2" for the gray-scale reproduction of imaging devices. See [DIN 6868-57].	
109932	DIN Geometry Pattern	Test image "Bild 3" for the geometrical imaging properties of imaging devices. See [DIN 6868-57].	
109933	DIN Resolution Pattern	Test image "Bild 5" for displaying the spatial and contrast resolution as well as the line structure of imaging devices. See [DIN 6868-57].	
109941	White Pattern	An alternative to AAPM TG18-UN80, specified at 100% of maximum pixel value.	
109943	SMPTE Pattern	A standard display test pattern. See [SMPTE RP133]. A pattern is available at http://www.dclunie.com/images/smpte.512.512.8.gif .	
109991	CRT Display	A Display Device that displays images on a Cathode Ray Tube.	
109992	Liquid Crystal Display	A Display Device that displays images on a Liquid Crystal Display.	

Code Value	Code Meaning	Definition	Notes
109993	Plasma Display	A Display Device that displays images on a Plasma Display.	
109994	OLED	A Display Device that displays images on an Organic Light Emitting Diode based display.	
109995	DLP Rear Projection System	A Display Device that projects images on a surface from behind using a Digital Light Processing Projector.	
109996	DLP Front Projection System	A Display Device that projects images on a surface from in front using a Digital Light Processing Projector.	
109997	CRT Rear Projection System	A Display Device that projects images on a surface from behind using a Cathode Ray Tube.	
109998	CRT Front Projection System	A Display Device that projects images on a surface from in front using a Cathode Ray Tube.	
109999	Other Projection System	A Display Device that projects images on a surface from an unspecified direction using an unspecified means.	
110001	Image Processing	Image processing work item.	
110002	Quality Control	Quality control work item.	
110003	Computer Aided Diagnosis	Computer aided diagnosis work item.	
110004	Computer Aided Detection	Computer aided detection work item.	
110005	Interpretation	The work item task is to prepare a report that contains the interpretation of an imaging study.	
110006	Transcription	Transcription work item.	
110007	Report Verification	Report verification work item.	
110008	Print	Print work item.	
110009	No subsequent Workitems	There will be no more work items scheduled.	
110010	Film	Film type of output.	
110011	Dictation	Dictation type of output.	
110012	Transcription	Transcription type of output.	
110013	Media Import	The procedure to read DICOM instances from DICOM interchange media, coerce identifying attributes into the local namespace if necessary, and make the instances available.	
110020	Sheet Film Digitized	Digitization of Sheet Film.	
110021	Cine Film Digitized	Digitization of Cine Film.	
110022	Video Tape Digitized	Digitization of Video Tape.	
110023	Paper Digitized	Digitization of pages of a paper document (Units may be specified as Pages, Documents).	
110024	CD Imported	Importation of CD.	
110025	DVD Imported	Importation of DVD.	
110026	MOD Imported	Importation of MOD.	
110027	Studies Imported	Importation of DICOM Studies.	
110028	Instances Imported	Importation of DICOM Composite Instances.	
110030	USB Disk Emulation	A device that connects using the USB hard drive interface. These may be USB-Sticks, portable hard drives, and other technologies.	
110031	Email	Email and email attachments used as a media for data transport.	

Code Value	Code Meaning	Definition	Notes
110032	CD	CD-R, CD-ROM, and CD-RW media used for data transport.	
110033	DVD	DVD, DVD-RAM, and other DVD formatted media used for data transport.	
110034	Compact Flash	Media that comply with the Compact Flash standard.	
110035	Multi-media Card	Media that comply with the Multi-media Card standard.	
110036	Secure Digital Card	Media that comply with the Secure Digital Card standard.	
110037	URI	URI Identifier for network or other resource, see RFC3968.	
110038	Paper Document	Any paper or similar document.	
110100	Application Activity	Audit event: Application Activity has taken place.	
110101	Audit Log Used	Audit event: Audit Log has been used.	
110102	Begin Transferring DICOM Instances	Audit event: Storage of DICOM Instances has begun.	
110103	DICOM Instances Accessed	Audit event: DICOM Instances have been created, read, updated, or deleted -audit event.	
110104	DICOM Instances Transferred	Audit event: Storage of DICOM Instances has been completed.	
110105	DICOM Study Deleted	Audit event: Entire Study has been deleted.	
110106	Export	Audit event: Data has been exported out of the system.	
110107	Import	Audit event: Data has been imported into the system.	
110108	Network Entry	Audit event: System has joined or left network.	
110109	Order Record	Audit event: Order has been created, read, updated or deleted.	
110110	Patient Record	Audit event: Patient Record has been created, read, updated, or deleted.	
110111	Procedure Record	Audit event: Procedure Record has been created, read, updated, or deleted.	
110112	Query	Audit event: Query has been made.	
110113	Security Alert	Audit event: Security Alert has been raised.	
110114	User Authentication	Audit event: User Authentication has been attempted.	
110119	Station AE Title	Application Entity Title of a device.	
110120	Application Start	Audit event: Application Entity has started.	
110121	Application Stop	Audit event: Application Entity has stopped.	
110122	Login	Audit event: User login has been attempted.	
110123	Logout	Audit event: User logout has been attempted.	
110124	Attach	Audit event: Node has been attached.	
110125	Detach	Audit event: Node has been detached.	
110126	Node Authentication	Audit event: Node Authentication has been attempted.	
110127	Emergency Override Started	Audit event: Emergency Override has started.	
110128	Network Configuration	Audit event: Network configuration has been changed.	
110129	Security Configuration	Audit event: Security configuration has been changed.	
110130	Hardware Configuration	Audit event: Hardware configuration has been changed.	
110131	Software Configuration	Audit event: Software configuration has been changed.	

Code Value	Code Meaning	Definition	Notes
110132	Use of Restricted Function	Audit event: A use of a restricted function has been attempted.	
110133	Audit Recording Stopped	Audit event: Audit recording has been stopped.	
110134	Audit Recording Started	Audit event: Audit recording has been started.	
110135	Object Security Attributes Changed	Audit event: Security attributes of an object have been changed.	
110136	Security Roles Changed	Audit event: Security roles have been changed.	
110137	User security Attributes Changed	Audit event: Security attributes of a user have been changed.	
110138	Emergency Override Stopped	Audit event: Emergency Override has Stopped.	
110139	Remote Service Operation Started	Audit event: Remote Service Operation has Begun.	
110140	Remote Service Operation Stopped	Audit event: Remote Service Operation has Stopped.	
110141	Local Service Operation Started	Audit event: Local Service Operation has Begun.	
110142	Local Service Operation Stopped	Audit event: Local Service Operation Stopped.	
110143	Authentication Decision	Audit event: An authentication decision has been made.	
110144	Authorization Decision	Audit event: An authorization decision has been made.	
110145	Session start	Audit event: A persistent session has started.	
110146	Session stop	Audit event: A persistent session has stopped.	
110147	Access Control Decision	Audit event: An access control decision has been made.	
110150	Application	Audit participant role ID of software application.	
110151	Application Launcher	Audit participant role ID of software application launcher, i.e., the entity that started or stopped an application.	
110152	Destination Role ID	Audit participant role ID of the receiver of data.	
110153	Source Role ID	Audit participant role ID of the sender of data.	
110154	Destination Media	Audit participant role ID of media receiving data during an export.	
110155	Source Media	Audit participant role ID of media providing data during an import.	
110180	Study Instance UID	ParticipantObjectID type: Study Instance UID.	
110181	SOP Class UID	ParticipantObjectID type: SOP Class UID.	
110182	Node ID	ID of a node that is a participant object of an audit message.	
110190	Issuer of Identifier	System, organization, agency, or department that has assigned an instance identifier (such as placer or filler number, patient or provider identifier, etc.).	
110500	Doctor canceled procedure	Procedure order canceled by requesting physician or other authorized physician.	
110501	Equipment failure	Equipment failure prevented completion of procedure.	
110502	Incorrect procedure ordered	Procedure discontinued due to incorrect procedure being ordered.	
110503	Patient allergic to media/contrast	Procedure discontinued due to patient allergy to media/contrast (reported or reaction).	
110504	Patient died	Procedure discontinued due to death of Patient.	

Code Value	Code Meaning	Definition	Notes
110505	Patient refused to continue procedure	Procedure discontinued due to patient refusal to continue procedure.	
110506	Patient taken for treatment or surgery	Procedure discontinued due to patient being taken for treatment or surgery.	
110507	Patient did not arrive	Patient did not arrive for procedure.	
110508	Patient pregnant	Procedure discontinued due to patient pregnancy (reported or determined).	
110509	Change of procedure for correct charging	Procedure discontinued to restart with new procedure code for correct charging.	
110510	Duplicate order	Procedure discontinued due to duplicate orders received for same procedure.	
110511	Nursing unit cancel	Procedure order canceled by nursing unit.	
110512	Incorrect side ordered	Procedure discontinued due to incorrect side (laterality) being ordered.	
110513	Discontinued for unspecified reason	Procedure discontinued for unspecified reason.	
110514	Incorrect worklist entry selected	Procedure discontinued due to incorrect patient or procedure step selected from modality worklist.	
110515	Patient condition prevented continuing	Patient condition prevented continuation of procedure.	
110516	Equipment change	Procedure step is discontinued to change to other equipment or modality.	
110518	Patient Movement	A movement of the patient affecting test quality.	
110519	Operator Error	An error of the operator affecting test quality.	
110521	Objects incorrectly formatted	One or more of the objects is malformed.	
110522	Object Types not supported	Receiving System is unable to accept the object type.	
110523	Object Set incomplete	One or more objects associated with the object set is missing.	
110524	Media Failure	The contents of the Media could not be accessed properly.	
110526	Resource pre-empted	Procedure discontinued due to necessary equipment, staff or other resource becoming (temporarily) unavailable to the procedure.	
110527	Resource inadequate	Procedure discontinued due to necessary equipment, staff or other resource being inadequate to complete the procedure.	
110528	Discontinued Procedure Step rescheduled	A new Procedure Step has been scheduled to replace the Discontinued Procedure Step.	
110529	Discontinued Procedure Step rescheduling recommended	It is recommended that a new Procedure Step be scheduled to replace the Discontinued Procedure Step.	
110530	Workitem assignment rejected by assigned resource	The resource to which a workitem has been assigned has rejected the assignment.	
110531	Insufficient quality for interpretation	Reporting not possible due to lack of quality of the images provided.	
110532	Interpretation requires specialist expertise	The nature of the clinical problem means that reporting of the study requires a subject matter expert.	
110533	Workitem expired	The expiration date/time of the workitem has been exceeded.	

Code Value	Code Meaning	Definition	Notes
110700	Ventral Diencephalon	<p>Ventral structures of the diencephalon that cannot readily be distinguished on MR imaging, including the hypothalamus, mammillary body, subthalamic nuclei, substantia nigra, red nucleus, lateral geniculate nucleus, medial geniculate nucleus, zona incerta, cerebral peduncle, lenticular fasciculus, medial lemniscus, and optic tract.</p> <p>See http://neuromorphometrics.org:8080/Seg/html/segmentation/ventral%20diencephalon.html and http://www.cma.mgh.harvard.edu/manuals/segmentation/.</p>	
110701	White Matter T1 Hypointensity	<p>Area(s) of reduced intensity on T1 weighted images relative to the surrounding white matter.</p> <p>These may be indicative of age-related or neurodegenerative white matter lesions, and may be co-located with areas of white matter T2 hyperintensity, but the concept is specifically confined to the MR appearance on T1 weighted images.</p>	
110702	White Matter T2 Hyperintensity	<p>Area(s) of increased intensity on T2 weighted images relative to the surrounding white matter.</p> <p>These may be indicative of age-related or neurodegenerative white matter lesions, and may be co-located with areas of white matter T1 hypointensity, but the concept is specifically confined to the MR appearance on T2 weighted images.</p>	
110703	superior longitudinal fasciculus I	<p>The dorsal component of the SLF originating from the medial and dorsal parietal cortex and ending in the dorsal and medial part of the frontal lobe.</p> <p>See Makris N, et al. "Segmentation of Subcomponents within the Superior Longitudinal Fascicle in Humans: A Quantitative, In Vivo, DT-MRI Study." <i>Cerebral Cortex</i> 15, no. 6 (June 1, 2005): 854-69. doi:10.1093/cercor/bhh186.</p>	
110704	superior longitudinal fasciculus II	<p>The major component of the SLF, derived from the caudal-inferior parietal region corresponding to the angular gyrus in the human and terminating within the dorsolateral frontal region.</p> <p>See Makris N, et al. "Segmentation of Subcomponents within the Superior Longitudinal Fascicle in Humans: A Quantitative, In Vivo, DT-MRI Study." <i>Cerebral Cortex</i> 15, no. 6 (June 1, 2005): 854-69. doi:10.1093/cercor/bhh186.</p>	
110705	superior longitudinal fasciculus III	<p>The ventral component of the SLF, originating from the supramarginal gyrus and terminating predominantly in the ventral premotor and prefrontal areas.</p> <p>See Makris N, et al. "Segmentation of Subcomponents within the Superior Longitudinal Fascicle in Humans: A Quantitative, In Vivo, DT-MRI Study." <i>Cerebral Cortex</i> 15, no. 6 (June 1, 2005): 854-69. doi:10.1093/cercor/bhh186.</p>	

Code Value	Code Meaning	Definition	Notes
110706	Perilesional White Matter	White matter that surrounds a lesion of interest. E.g., to identify the otherwise unclassified white matter that surrounds a tumor to be surgically resected.	
110800	Spin Tagging Perfusion MR Signal Intensity	Signal intensity of a Spin tagging Perfusion MR image. Spin tagging is a technique for the measurement of blood perfusion, based on magnetically labeled arterial blood water as an endogenous tracer.	
110801	Contrast Agent Angio MR Signal Intensity	Signal intensity of a Contrast Agent Angio MR image.	
110802	Time Of Flight Angio MR Signal Intensity	Signal intensity of a Time-of-flight (TOF) MR image. Time-of-flight (TOF) is based on the phenomenon of flow-related enhancement of spins entering into an imaging slice. As a result of being unsaturated, these spins give more signal than surrounding stationary spins.	
110803	Proton Density Weighted MR Signal Intensity	Signal intensity of a Proton Density Weighted MR image. All MR images have intensity proportional to proton density. Images with very little T1 or T2 weighting are called 'PD-weighted'.	
110804	T1 Weighted MR Signal Intensity	Signal intensity of T1 Weighted MR image. A T1 Weighted MR image is created typically by using short TE and TR times.	
110805	T2 Weighted MR Signal Intensity	Signal intensity of a T2 Weighted MR image. T2 Weighted image contrast state is approached by imaging with a TR long compared to tissue T1 (to reduce T1 contribution to image contrast) and a TE between the longest and shortest tissue T2s of interest.	
110806	T2* Weighted MR Signal Intensity	Signal intensity of a T2* Weighted MR image. The T2* phenomenon results from molecular interactions (spin spin relaxation) and local magnetic field non-uniformities, which cause the protons to precess at slightly different frequencies.	
110807	Field Map MR Signal Intensity	Signal intensity of a Field Map MR image. A Field Map MR image provides a direct measure of the B_0 inhomogeneity at each point in the image.	
110808	Fractional Anisotropy	Coefficient reflecting the fractional anisotropy of the tissues, derived from a diffusion weighted MR image. Fractional anisotropy is proportional to the square root of the variance of the Eigen values divided by the square root of the sum of the squares of the Eigen values.	Basser PJ, Pierpaoli C. Microstructural and physiological features of tissues elucidated by quantitative-diffusion-tensor MRI. J Magn Reson B. 1996 Jun;111(3):209-19. http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.162.2222&rep=rep1&type=pdf

Code Value	Code Meaning	Definition	Notes
110809	Relative Anisotropy	Coefficient reflecting the relative anisotropy of the tissues, derived from a diffusion weighted MR image.	Basser PJ, Pierpaoli C. Microstructural and physiological features of tissues elucidated by quantitative-diffusion-tensor MRI. J Magn Reson B. 1996 Jun;111(3):209-19. http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.162.2222&rep=rep1&type=pdf
110810	Volumetric Diffusion Dxx Component	Dxx Component of the diffusion tensor, quantifying the molecular mobility along the X axis.	
110811	Volumetric Diffusion Dxy Component	Dxy Component of the diffusion tensor, quantifying the correlation of molecular displacements in the X and Y directions.	
110812	Volumetric Diffusion Dxz Component	Dxz Component of the diffusion tensor, quantifying the correlation of molecular displacements in the X and Z directions.	
110813	Volumetric Diffusion Dyy Component	Dyy Component of the diffusion tensor, quantifying the molecular mobility along the Y axis.	
110814	Volumetric Diffusion Dyz Component	Dyz Component of the diffusion tensor, quantifying the correlation of molecular displacements in the Y and Z directions.	
110815	Volumetric Diffusion Dzz Component	Dzz Component of the diffusion tensor, quantifying the molecular mobility along the Z axis.	
110816	T1 Weighted Dynamic Contrast Enhanced MR Signal Intensity	Signal intensity of a T1 Weighted Dynamic Contrast Enhanced MR image. A T1 Weighted Dynamic Contrast Enhanced MR image reflects the dynamics of diffusion of the exogenous contrast media from the blood pool into the extra vascular extracellular space (EES) of the brain at a rate determined by the blood flow to the tissue, the permeability of the Brain Blood Barrier (BBB), and the surface area of the perfusing vessels.	
110817	T2 Weighted Dynamic Contrast Enhanced MR Signal Intensity	Signal intensity of a T2 Weighted Dynamic Contrast Enhanced MR image. A T2 Weighted Dynamic Contrast Enhanced MR image reflects the T2 of tissue decrease as the Gd contrast agent bolus passes through the brain.	
110818	T2* Weighted Dynamic Contrast Enhanced MR Signal Intensity	Signal intensity of a T2* Weighted Dynamic Contrast Enhanced MR image. A T2* Weighted Dynamic Contrast Enhanced MR image reflects the T2* of tissue decrease as the Gd contrast agent bolus passes through the brain.	
110819	Blood Oxygenation Level	Signal intensity of a Blood Oxygenation Level image. BOLD imaging is sensitive to blood oxygenation (but also to cerebral blood flow and volume). This modality is essentially used for detecting brain activation (functional MR).	
110820	Nuclear Medicine Projection Activity	Accumulated decay event counts in a nuclear medicine projection image.	
110821	Nuclear Medicine Tomographic Activity	Accumulated decay event counts in a Nuclear Medicine Tomographic image (including PET).	

Code Value	Code Meaning	Definition	Notes
110822	Spatial Displacement X Component	Spatial Displacement along axis X of a non linear deformable spatial registration image. The X axis is defined in reference to the patient's orientation, and is increasing to the left hand side of the patient.	
110823	Spatial Displacement Y Component	Spatial Displacement along axis Y of a non linear deformable spatial registration image. The Y axis is defined in reference to the patient's orientation, and is increasing to the posterior side of the patient.	
110824	Spatial Displacement Z Component	Spatial Displacement along axis Z of a Non linear deformable spatial registration image. The Z axis is defined in reference to the patient's orientation, and is increasing toward the head of the patient.	
110825	Hemodynamic Resistance	Measured resistance to the flow of blood. E.g., through the vasculature or through a heart value.	
110826	Indexed Hemodynamic Resistance	Measured resistance to the flow of blood. E.g., through the vasculature or through a heart value, normalized to a particular indexed scale.	
110827	Tissue Velocity	Velocity of tissue based on Doppler measurements.	
110828	Flow Velocity	Velocity of blood flow based on Doppler measurements.	
110829	Flow Variance	Statistical variance of blood velocity relative to mean.	
110830	Elasticity	Scalar value related to the elastic properties of the tissue.	
110831	Perfusion	Scalar value related to the volume of blood perfusing into tissue.	
110832	Speed of sound	Speed of sound in tissue.	
110833	Ultrasound Attenuation	Reduction in strength of ultrasound signal as the wave.	
110834	RGB R Component	Red component of a true color image (RGB).	
110835	RGB G Component	Green component of a true color image (RGB).	
110836	RGB B Component	Blue component of a true color image (RGB).	
110837	YBR FULL Y Component	Y (Luminance) component of a YBR FULL image, as defined in JPEG 2000.	
110838	YBR FULL CB Component	CB (Blue chrominance) component of a YBR FULL image, as defined in JPEG 2000.	
110839	YBR FULL CR Component	CR (Red chrominance) component of a YBR FULL image, as defined in JPEG 2000.	
110840	YBR PARTIAL Y Component	Y (Luminance) component of a YBR PARTIAL image, as defined in JPEG 2000.	
110841	YBR PARTIAL CB Component	CB (Blue chrominance) component of a YBR PARTIAL image, as defined in JPEG 2000.	
110842	YBR PARTIAL CR Component	CR (Red chrominance) component of a YBR PARTIAL image, as defined in JPEG 2000.	
110843	YBR ICT Y Component	Y (Luminance) component of a YBR ICT image (Irreversible Color Transform), as defined in JPEG 2000.	
110844	YBR ICT CB Component	CB (Blue chrominance) component of a YBR ICT image (Irreversible Color Transform), as defined in JPEG 2000.	
110845	YBR ICT CR Component	CR (Red chrominance) component of a YBR ICT image (Irreversible Color Transform), as defined in JPEG 2000.	
110846	YBR RCT Y Component	Y (Luminance) component of a YBR RCT image (Reversible Color Transform), as defined in JPEG 2000.	

Code Value	Code Meaning	Definition	Notes
110847	YBR RCT CB Component	CB (Blue chrominance) component of a YBR RCT image (Reversible Color Transform), as defined in JPEG 2000.	
110848	YBR RCT CR Component	CR (Red chrominance) component of a YBR RCT image (Reversible Color Transform), as defined in JPEG 2000.	
110849	Echogenicity	The ability of a material to create an ultrasound return echo.	
110850	X-Ray Attenuation	Decrease in the number of photons in an X-Ray beam due to interactions with the atoms of a material substance. Attenuation is due primarily to two processes, absorption and scattering.	
110851	X-Ray Attenuation Coefficient	<i>Coefficient that describes the fraction of a beam of X-Rays or gamma rays that is absorbed or scattered per unit thickness of the absorber. This value basically accounts for the number of atoms in a cubic cm volume of material and the probability of a photon being scattered or absorbed from the nucleus or an electron of one of these atoms.</i>	<i>Retired. Replaced by (112031, DCM, "Attenuation Coefficient").</i>
110852	MR signal intensity	Signal intensity of an MR image, not otherwise specified.	
110853	Binary Segmentation	Binary value denoting that the segmented property is present.	
110854	Fractional Probabilistic Segmentation	Probability, defined as a percentage, that the segmented property occupies the spatial area defined by the voxel.	
110855	Fractional Occupancy Segmentation	Percentage of the voxel area occupied by the segmented property.	
110856	Linear Displacement	Spatial dimension, denoting a linear displacement.	
110857	Photon Energy	Dimension denoting the energy (frequency or wavelength) of photons.	
110858	Time	Dimension used to sequence events, to compare the duration of events and the intervals between events.	
110859	Angle	Spatial dimension, denoting an angle.	
110860	Left-Right Axis	A spatial dimension axis running along a line between the patient's left and right side.	
110861	Head-Foot Axis	A spatial dimension axis running along a line between the patient's head and foot.	
110862	Anterior-Posterior Axis	A spatial dimension axis running along a line between the patient's anterior and posterior sides.	
110863	Apex-Base Axis	A spatial dimension axis running along a line between the apex and base of an organ, object, or chamber.	
110864	Anterior-Inferior Axis	A spatial dimension axis running along a line between the anterior and inferior sides of an organ, object, or chamber.	
110865	Septum-Wall Axis	A spatial dimension axis running along a line between the septum and wall of a chamber.	
110866	Right To Left	Orientation of a spatial dimension where increasing values run from the right to the left side of the patient.	
110867	Left To Right	Orientation of a spatial dimension where increasing values run from the left to the right side of the patient.	
110868	Head To Foot	Orientation of a spatial dimension where increasing values run from the head to the foot of the patient.	

Code Value	Code Meaning	Definition	Notes
110869	Foot To Head	Orientation of a spatial dimension where increasing values run from the foot to the head of the patient.	
110870	Anterior To Posterior	Orientation of a spatial dimension where increasing values run from the anterior to the posterior side of the patient.	
110871	Posterior To Anterior	Orientation of a spatial dimension where increasing values run from the posterior to the anterior side of the patient.	
110872	Apex To Base	Orientation of a spatial dimension where increasing values run from the apex to the base.	
110873	Base To Apex	Orientation of a spatial dimension where increasing values run from the base to the apex.	
110874	Anterior To Inferior	Orientation of a spatial dimension where increasing values run from the anterior to the inferior.	
110875	Inferior To Anterior	Orientation of a spatial dimension where increasing values run from the inferior to the anterior.	
110876	Septum To Wall	Orientation of a spatial dimension where increasing values run from the septum of a chamber to the opposite wall.	
110877	Wall To Septum	Orientation of a spatial dimension where increasing values run from the opposite wall to the septum of a chamber.	
110901	Image Position (Patient) X	The x coordinate of the upper left hand corner (center of the first voxel transmitted) of the image, with respect to the patient-based coordinate system.	
110902	Image Position (Patient) Y	The y coordinate of the upper left hand corner (center of the first voxel transmitted) of the image, with respect to the patient-based coordinate system.	
110903	Image Position (Patient) Z	The z coordinate of the upper left hand corner (center of the first voxel transmitted) of the image, with respect to the patient-based coordinate system.	
110904	Image Orientation (Patient) Row X	The x value of the first row direction cosine with respect to the patient, with respect to the patient-based coordinate system.	
110905	Image Orientation (Patient) Row Y	The y value of the first row direction cosine with respect to the patient, with respect to the patient-based coordinate system.	
110906	Image Orientation (Patient) Row Z	The z value of the first row direction cosine with respect to the patient, with respect to the patient-based coordinate system.	
110907	Image Orientation (Patient) Column X	The x value of the first column direction cosine with respect to the patient, with respect to the patient-based coordinate system.	
110908	Image Orientation (Patient) Column Y	The y value of the first column direction cosine with respect to the patient, with respect to the patient-based coordinate system.	
110909	Image Orientation (Patient) Column Z	The z value of the first column direction cosine with respect to the patient, with respect to the patient-based coordinate system.	
110910	Pixel Data Rows	Number of rows in the pixel data of the image.	

Code Value	Code Meaning	Definition	Notes
110911	Pixel Data Columns	Number of columns in the pixel data of the image.	
111001	Algorithm Name	The name assigned by a manufacturer to a specific software algorithm.	
111002	Algorithm Parameters	The input parameters used by a manufacturer to configure the behavior of a specific software algorithm.	
111003	Algorithm Version	The software version identifier assigned by a manufacturer to a specific software algorithm.	
111004	Analysis Performed	The type of correlation applied to detection results. E.g., temporal, spatial.	
111005	Assessment Category	Assignment of intermediate or overall interpretation results to a general category.	
111006	<i>Breast composition</i>	<i>Assessment of annotating tissues in breast; generally including fatty, mixed or dense</i>	<i>Retired. Replaced by (F-01710, SRT129715009, SCT, "Breast composition").</i>
111007	Breast Outline including Pectoral Muscle Tissue	Purpose of reference for an SCOORD Content Item that is an outline of the breast that includes the pectoral muscle tissue	Purpose of Reference for Content Item of value type COMPOSITE or SCOORD
111008	Calcification Distribution	The type of distribution associated with detected calcifications.	
111009	Calcification Type	Identification of the morphology of detected calcifications.	
111010	Center	Purpose of reference for an SCOORD Content Item that identifies the central point of a finding or feature	Purpose of Reference for Content Item of value type COMPOSITE or SCOORD
111011	Certainty of Feature	The likelihood that the feature analyzed is in fact the type of feature identified.	
111012	Certainty of Finding	The likelihood that the finding detected is in fact the type of finding identified.	
111013	Certainty of Impression	The certainty that a device places on an impression, where 0 equals no certainty and 100 equals certainty.	
111014	Clockface or region	A location identifier based on clockface numbering or anatomic subregion.	
111015	Composite Feature	An item that is an inferred correlation relating two or more individual findings or features.	
111016	Composite type	The inferred relationship between the findings or features making up a composite feature.	
111017	CAD Processing and Findings Summary	General assessment of whether or not CAD processing was successful, and whether any findings resulted.	
111018	Content Date	The date the data creation started.	
111019	Content Time	The time the data creation started.	
111020	Depth	A location identifier based on a feature's inferred distance from the surface of the associated anatomy.	
111021	Description of Change	A textual description of the change that occurred over time in a qualitative characteristic of a feature.	
111022	Detection Performed	The type of finding sought after by a specific algorithm applied to one image.	
111023	Differential Diagnosis/Impression	A general change that occurred within an imaged area between a prior imaging procedure and the current imaging procedure.	

Code Value	Code Meaning	Definition	Notes
111024	Failed Analyses	A group of analysis algorithms that were attempted, but failed.	
111025	Failed Detections	A group of detection algorithms that were attempted, but failed.	
111026	Horizontal Pixel Spacing	For projection radiography, the horizontal physical distance measured at the front plane of an Image Receptor housing between the center of each pixel (spacing between the centers of adjacent columns). For tomographic images, the horizontal physical distance in the patient between the center of each pixel.	
111027	Image Laterality	Laterality of (possibly paired) body part contained in an image.	
111028	Image Library	A container that references all image data used as evidence to produce a report.	
111029	Image Quality Rating	A numeric value in the range 0 to 100, inclusive, where 0 is worst quality and 100 is best quality.	
111030	Image Region	Purpose of reference for an SCOORD Content Item that identifies a specific region of interest within an image	Purpose of Reference for Content Item of value type COMPOSITE or SCOORD
111031	Image View	The projection of the anatomic region of interest on an image receptor.	
111032	Image View Modifier	Modifier for Image View.	
111033	Impression Description	Free-form text describing the overall or an individual impression.	
111034	Individual Impression/Recommendation	A container for a group of related results from interpretation of one or more images and associated clinical information.	
111035	Lesion Density	The X-Ray attenuation of a lesion relative to the expected attenuation of an equal volume of fibroglandular breast tissue.	
111036	Mammography CAD Report	A structured report containing the results of computer-aided detection or diagnosis applied to breast imaging and associated clinical information.	
111037	Margins	The characteristic of the boundary, edges or border of a detected lesion.	
111038	Number of calcifications	The quantity of calcifications detected within an identified group or cluster.	
111039	Object type	A non-lesion object identified within one or more images.	
111040	Original Source	Purpose of reference for a COMPOSITE Content Item that identifies it as the original source of evidence for another Content Item in the report	Purpose of Reference for Content Item of value type COMPOSITE or SCOORD
111041	Outline	Purpose of reference for an SCOORD Content Item that identifies the outline or bounding region of a finding or feature	Purpose of Reference for Content Item of value type COMPOSITE or SCOORD
111042	Pathology	The inferred type of disease associated with an identified feature.	
111043	Patient Orientation Column	The patient orientation relative to the image plane, specified by a value that designates the anatomical direction of the positive column axis (top to bottom).	

Code Value	Code Meaning	Definition	Notes
111044	Patient Orientation Row	The patient orientation relative to the image plane, specified by a value that designates the anatomical direction of the positive row axis (left to right).	
111045	Pectoral Muscle Outline	Purpose of reference for an SCOORD Content Item that is an outline of the pectoral muscle tissue only	Purpose of Reference for Content Item of value type COMPOSITE or SCOORD
111046	Percent Fibroglandular Tissue	Percent of breast area that is mammographically dense, excluding pectoralis muscle.	
111047	Probability of cancer	The likelihood that an identified finding or feature is cancerous.	
111048	Quadrant location	A location identifier based on the division of an area into four regions.	
111049	Qualitative Difference	A qualitative characteristic of a feature that has changed over time.	
111050	Quality Assessment	The effect of the quality of an image on its usability.	
111051	Quality Control Standard	The quality control standard used to make a quality assessment.	
111052	Quality Finding	A specific quality related deficiency detected within an image.	
111053	Recommended Follow-up	Recommended type of follow-up to an imaging procedure, based on interpreted results.	
111054	Recommended Follow-up Date	Recommended follow-up date to an imaging procedure, based on interpreted results.	
111055	Recommended Follow-up Interval	Recommended follow-up interval to an imaging procedure, based on interpreted results.	
111056	Rendering Intent	The recommendation of the producer of a Content Item regarding presentation of the Content Item by recipients of the report.	
111057	Scope of Feature	An indication of how widespread the detection of a feature is within the analyzed image data.	
111058	Selected Region Description	A textual description of the contents of a selected region identified within an image.	
111059	Single Image Finding	An item that was detected on one image.	
111060	Study Date	Date on which the acquisition of the study information was started.	
111061	Study Time	Time at which the acquisition of the study information was started.	
111062	Successful Analyses	A group of analysis algorithms that were attempted and completed successfully.	
111063	Successful Detections	A group of detection algorithms that were attempted and completed successfully.	
111064	Summary of Detections	An overall indication of whether the CAD detection algorithms applied were completed successfully.	
111065	Summary of Analyses	An overall indication of whether the CAD analysis algorithms applied were completed successfully.	

Code Value	Code Meaning	Definition	Notes
111066	Vertical Pixel Spacing	For projection radiography, the vertical physical distance measured at the front plane of an Image Receptor housing between the center of each pixel (spacing between the centers of adjacent rows). For tomographic images, the vertical physical distance in the patient between the center of each pixel.	
111069	Crosstable	A radiographic projection that has been with the patient lying on a table with the X-Ray source on one side of the table and the detector on the other. E.g., may describe a cross-table cervical spine, chest or pelvis X-Ray image.	
111071	CAD Operating Point	One of a number of discrete points on the Receiver-Operator Characteristics (ROC) curve that reflects the expected sensitivity and specificity of a CAD algorithm, where zero indicates the highest specificity, lowest sensitivity operating point. The value should not exceed the Maximum CAD Operating Point.	
111072	Maximum CAD Operating Point	The maximum value of CAD Operating Point for the specific CAD algorithm used.	
111081	CAD Operating Point Description	The intended interpretation of a CAD Operating Point.	
111086	False Markers per Image	The number of false CAD markers per image. Correlates to inverse of Image Specificity.	
111087	False Markers per Case	The number of false markers per collection of images that are CAD processed as a group. Correlates to inverse of Case Specificity.	
111088	Case Sensitivity	The percentage of cancers that should be detected by a CAD algorithm where CAD marks the cancers in at least one view.	
111089	Lesion Sensitivity	The percentage of cancers that should be detected by a CAD algorithm where CAD marks the cancers in each view.	
111090	Case Specificity	The percentage of cases (collections of images CAD processed as a group) without cancer that have no CAD findings whatsoever. Correlates to inverse of False Markers per Case.	
111091	Image Specificity	The percentage of images without cancer that have no CAD findings whatsoever. Correlates to inverse of False Markers per Image.	
111092	Recommended CAD Operating Point	The CAD operating point that is recommended for initial display by the creator of the structured report.	
111093	CAD Operating Point Table	A list of CAD operating points including their corresponding characteristics.	
111099	Selected region	A specific area of interest noted within an image.	
111100	Breast geometry	The surface shape of all or a portion of breast related anatomy.	
111101	Image Quality	Image quality incorporates the following clinical image evaluation parameters: assessment of positioning, compression, artifacts, exposure, contrast, sharpness, and labeling.	
111102	Non-lesion	A finding or feature that is identified as a non-anatomic foreign object.	

Code Value	Code Meaning	Definition	Notes
111103	Density	A space-occupying lesion identified in a single image or projection	Retired. Replaced by (F-01796, SRT129793001, SCT, "Mammography breast density").
111104	Individual Calcification	A single identified calcification	Retired. Replaced by (F-01776, SRT129770007, SCT, "Individual Calcification").
111105	Calcification Cluster	Multiple calcifications identified as occupying a small area of tissue (less than 2 cc)	Retired. Replaced by (F-01775, SRT129769006, SCT, "Calcification Cluster").
111111	Cooper's ligament changes	Straightening or thickening of Cooper's ligaments.	
111112	Mass in the skin	An abnormality noted at imaging within the dermis of the breast.	
111113	Mass on the skin	An abnormality noted at imaging on the epidermis of the breast.	
111120	Post Procedure Mammograms for Marker Placement	An assessment category to indicate that images have been acquired to assess marker placement following a breast interventional procedure.	
111121	Follow-up post biopsy as directed by clinician	An indication that the patient should seek post procedural follow-up directives from a clinical health care provider.	
111122	Known biopsy proven malignancy - take appropriate action	A recommendation on a patient with known cancer to take steps appropriate to the diagnosis.	
111123	Marker placement	Positioning of a radiopaque marker.	
111124	Personal history of breast cancer with mastectomy	Patient has previous diagnosis of breast cancer resulting in mastectomy.	
111125	Known biopsy proven malignancy	Patient has had biopsy containing proven malignancy.	
111126	Image detected mass	Patient has a finding of mass reported on a prior imaging exam.	
111127	Targeted	A breast imaging procedure performed on a specific area of the breast.	
111128	Survey	A breast imaging procedure performed on the entire breast.	
111129	Clustered microcysts	A cluster of tiny anechoic foci each smaller than 2-3 mm in diameter with thin (less than 0.5 mm) intervening septations and no discrete solid components.	
111130	Complicated cyst	A fluid filled mass most commonly characterized by homogeneous low-level internal echoes on ultrasound.	
111135	Additional projections	Views not inclusive of MLO and CC (BI-RADS®).	
111136	Spot magnification view(s)	A spot or coned down compression of the breast providing a reduction in the thickness and a magnification of the localized area of interest and improved separation of breast tissue.	
111137	Ultrasound		Retired. Replaced by (P5-B0000, SRT16310003, SCT, "Diagnostic ultrasonography").
111138	Old films for comparison	Obtain previous mammography studies to compare to present study.	

Code Value	Code Meaning	Definition	Notes
111139	Ductography	A medical procedure used for the sampling of mammary duct tissue	Retired. Replaced by (P5-40060-SRT18102001, SCT, "Mammary ductogram").
111140	Normal interval follow-up	Follow up study at 12 months for women \geq 40 years of age having a prior negative study and no mitigating risk factors for breast cancer.	
111141	Any decision to biopsy should be based on clinical assessment	Any decision to perform tissue acquisition should be based on clinical assessment.	
111142	Follow-up at short interval (1-11 months)	Follow-up at short interval (1-11 months).	
111143	Biopsy should be considered	Tissue acquisition should be considered.	
111144	Needle localization and biopsy	Breast tissue acquisition following the identification of an area of concern with the placement of a needle or needle-wire assembly.	
111145	Histology using core biopsy	Pathologic analysis of breast tissue and lesions using core tissue samples.	
111146	Suggestive of malignancy - take appropriate action	Lesions that do not have the characteristic morphologies of breast cancer but have a definite probability of being malignant. There is a sufficient concern to urge a biopsy.	
111147	Cytologic analysis	Cellular analysis of specimen.	
111148	Biopsy should be strongly considered	Tissue acquisition should be strongly considered.	
111149	Highly suggestive of malignancy - take appropriate action	Lesions have a high probability of being cancer, which require additional action.	
111150	Presentation Required: Rendering device is expected to present	The producer of a report intends for a recipient of the report to present or display the associated Content Item.	
111151	Presentation Optional: Rendering device may present	The producer of a report considers the presentation or display of the associated Content Item by a recipient to be optional.	
111152	Not for Presentation: Rendering device expected not to present	The producer of a report intends for a recipient of the report NOT to present or display the associated Content Item.	
111153	Target content items are related temporally	The associated Content Items are identified as being the same finding or feature at different points in time.	
111154	Target content items are related spatially	The associated Content Items are identified as being the same finding or feature on different projections taken at the same point in time.	
111155	Target content items are related contra-laterally	The associated Content Items are identified as being related side-to-side.	
111156	Feature detected on the only image	There is one image in the interpreted data.	
111157	Feature detected on only one of the images	There is more than one image of the same modality in the interpreted data.	
111158	Feature detected on multiple images	There is more than one image of the same modality in the interpreted data.	
111159	Feature detected on images from multiple modalities	The interpreted data contains images from multiple modalities.	

Code Value	Code Meaning	Definition	Notes
111168	Scar tissue	The fibrous tissue replacing normal tissues destroyed by disease or injury	Retired. Replaced by (M-78060, SRT12402003, SCT, "Scar tissue").
111170	J Wire	A medical appliance used for localization of non palpable breast lesions to insure that the proper area is removed in a surgical biopsy	Retired. Replaced by (A-1016B, SRT129463006, SCT, "J Wire").
111171	Pacemaker	A medical appliance used for regulating cardiac rhythms	Retired. Replaced by (A-11101, SRT118378005, SCT, "Cardiac Pacemaker").
111172	Paddle	A compression device used for obtaining mammographic images	Retired. Replaced by (A-10042, SRT129460009, SCT, "Compression paddle").
111173	Collimator	A device used for restricting an X-Ray beam	Retired. Replaced by (A-0110F, SRT228761004, SCT, "Collimator").
111174	ID Plate	An area designated on a radiographic film for facility and patient ID information	Retired. Replaced by (A-16016, SRT129467007, SCT, "ID Plate").
111175	Other Marker	Site specific markers.	
111176	Unspecified	The value of the concept is not specified	This term may not be used in Context Group Extensions; see Section 7.2.3
111177	View and Laterality Marker is missing	Image quality deficiency according to MQSA.	
111178	View and Laterality Marker does not have both view and laterality	Image quality deficiency according to MQCM.	
111179	View and Laterality Marker does not have approved codes	Image quality deficiency according to MQCM.	
111180	View and Laterality Marker is not near the axilla	Image quality deficiency according to MQCM.	
111181	View and Laterality Marker overlaps breast tissue	Image quality deficiency according to MQCM.	
111182	View and Laterality Marker is partially obscured	Image quality deficiency according to MQCM.	
111183	View and Laterality Marker is incorrect	Image quality deficiency.	
111184	View and Laterality Marker is off image	Image quality deficiency.	
111185	Flash is not near edge of film	Image quality deficiency according to MQCM.	
111186	Flash is illegible, does not fit, or is lopsided	Image quality deficiency according to MQSA.	
111187	Flash doesn't include patient name and additional patient id	Image quality deficiency according to MQCM.	
111188	Flash doesn't include date of examination	Image quality deficiency according to MQCM.	
111189	Flash doesn't include facility name and location	Image quality deficiency according to MQSA.	
111190	Flash doesn't include technologist identification	Image quality deficiency according to MQCM.	

Code Value	Code Meaning	Definition	Notes
111191	Flash doesn't include cassette/screen/detector identification	Image quality deficiency according to MQCM.	
111192	Flash doesn't include mammography unit identification	Image quality deficiency according to MQCM.	
111193	Date sticker is missing	Image quality deficiency according to MQCM.	
111194	Technical factors missing	Image quality deficiency according to MQCM.	
111195	Collimation too close to breast	Image quality deficiency according to MQCM.	
111196	Inadequate compression	Image quality deficiency according to MQCM.	
111197	MLO Insufficient pectoral muscle	Image quality deficiency according to MQCM.	
111198	MLO No fat is visualized posterior to fibroglandular tissues	Image quality deficiency according to MQCM.	
111199	MLO Poor separation of deep and superficial breast tissues	Image quality deficiency according to MQCM.	
111200	MLO Evidence of motion blur	Image quality deficiency according to MQCM.	
111201	MLO Inframammary fold is not open	Image quality deficiency according to MQCM.	
111202	CC Not all medial tissue visualized	Image quality deficiency according to MQCM.	
111203	CC Nipple not centered on image	Image quality deficiency according to MQCM.	
111204	CC Posterior nipple line does not measure within 1 cm of MLO	Image quality deficiency according to MQCM.	
111205	Nipple not in profile	Image quality deficiency.	
111206	Insufficient implant displacement incorrect	Image quality deficiency according to MQCM.	
111207	Image artifact(s)	Signals that do not faithfully reproduce actual anatomic structures because of distortion or of addition or deletion of information.	
111208	Grid artifact(s)	Feature(s) arising from the acquisition unit's anti-scatter grid mechanism. For two-dimensional systems, such features include those of mechanically damaged or incorrectly positioned grids. For moving or Bucky grids, artifacts may result from intentional grid motion that is inadequate in duration or velocity uniformity.	
111209	Positioning	Inadequate arrangement of the anatomy of interest with respect to the X-Ray field and image detector sensitive area. Examples: 1) positioning is "cutoff" when the projection of anatomy of interest falls outside the sensitive area of the detector; 2) "cone cut", in which the X-Ray field does not adequately cover the anatomy of interest; 3) detector's sensitive surface is too small to cover the projection of the anatomy of interest; 4) improper angular orientation or "rotation" of anatomy of interest with respect to the X-Ray source, or detector; 5) projection of other anatomy or clothing over the anatomy of interest in the image.	
111210	Motion blur	Unacceptable image blur resulting from motion of the anatomy of interest during exposure or the inadequately compensated motion of X-Ray source with respect to the image detector during exposure.	

Code Value	Code Meaning	Definition	Notes
111211	Under exposed	Inadequate number of quanta reached the detector during exposure. Reasons for under exposed images include low kVp, low mAs product, excess Source Image Distance. Under exposed images have inadequate signal and higher noise in the areas of interest.	
111212	Over exposed	An excess number of quanta reached the detector during exposure. Reasons for over exposed images include high kVp, high mAs product, short Source Image Distance. Over exposed images have high signal and lower noise in the areas of interest. Over exposed area may demonstrate lack of contrast from over saturation of the detector.	
111213	No image	No evidence of a patient exposure.	
111214	Detector artifact(s)	Superposed features or flaws of the detector.	
111215	Artifact(s) other than grid or detector artifact	Features or discontinuities arising from causes other than the anti-scatter grid and image detector.	
111216	Mechanical failure	Failure of the device to operate according to mechanical design specifications.	
111217	Electrical failure	Failure of a device to operate according to electrical design specifications.	
111218	Software failure	Attributable to software used in generation or handling of image.	
111219	Inappropriate image processing	Images processed inappropriately, not following appropriate protocol.	
111220	Other failure	Failure that is not mechanical or electrical or otherwise described.	
111221	Unknown failure	Unidentified or unknown cause of failure.	
111222	Succeeded	The attempted process was completely successful.	
111223	Partially Succeeded	The attempted process succeeded in some ways, but failed in others.	
111224	Failed	The attempted process completely failed.	
111225	Not Attempted	No process was performed.	
111233	Individual Impression / Recommendation Analysis	Analysis of a related group of findings or features detected during image data inspection, to produce a summary impression and/or recommendation.	
111234	Overall Impression / Recommendation Analysis	Analysis of all groups of findings or features, to produce a single impression and/or recommendation.	
111235	Unusable - Quality renders image unusable	The usability of an image for diagnostic interpretation or CAD, based on a quality control standard.	
111236	Usable - Does not meet the quality control standard	The usability of an image for diagnostic interpretation or CAD, based on a quality control standard.	
111237	Usable - Meets the quality control standard	The usability of an image for diagnostic interpretation or CAD, based on a quality control standard.	
111238	Mammography Quality Control Manual 1999, ACR	An image quality control standard specified by the American College of Radiology.	
111239	Title 21 CFR Section 900, Subpart B	An image quality control standard in the US Code of Federal Regulations.	
111240	Institutionally defined quality control standard	An image quality control standard specified or adopted by the institution responsible for the document.	

Code Value	Code Meaning	Definition	Notes
111241	All algorithms succeeded; without findings	No findings resulted upon successful completion of all attempted computer-aided detection and/or analysis.	
111242	All algorithms succeeded; with findings	One or more findings resulted upon successful completion of all attempted computer-aided detection and/or analysis.	
111243	Not all algorithms succeeded; without findings	No findings resulted from the attempted computer-aided detection and/or analysis, but one or more failures occurred in the process.	
111244	Not all algorithms succeeded; with findings	One or more findings resulted from the attempted computer-aided detection and/or analysis, but one or more failures occurred in the process.	
111245	No algorithms succeeded; without findings	All of the attempted computer-aided detection and/or analysis failed, so there could be no findings.	
111248	<i>Adenolipoma</i>	<i>A benign tumor having glandular characteristics but composed of fat, with the presence of normal mammary ducts</i>	Retired. Replaced by (M-83240, SRT22024005, SCT, "Adenolipoma").
111249	<i>Ductal hyperplasia</i>		Retired. Replaced by (M-72170, SRT67617000, SCT, "Ductal hyperplasia, Usual").
111250	<i>Adenomyoepithelioma</i>	<i>Neoplasms composed of myoepithelial cells</i>	Retired. Replaced by (M-89830, SRT128765009, SCT, "Adenomyoepithelioma").
111251	Normal axillary node	Axillary node that is normal in appearance with no associated pathology.	
111252	Axillary node with calcifications	Axillary node containing calcifications.	
111253	Axillary node hyperplasia	Excessive proliferation of normal tissue arrangement of the axillary node.	
111254	<i>Asynchronous involution</i>		Retired. Replaced by (F-8A063, SRT130963002, SCT, "Asynchronous involution of breast").
111255	Benign cyst with blood	Cyst with benign morphology containing blood.	
111256	Benign Calcifications	Calcifications having typically benign morphology. They are not of intermediate or high probability of concern for malignancy.	
111257	<i>Intracystic papilloma</i>	<i>Growing within a cystic adenoma, filling the cavity with a mass of branching epithelial processes</i>	Retired. Replaced by (M-85040, SRT47488001, SCT, "Intracystic papilloma").
111258	Ductal adenoma	Adenoma located in mammary duct, present as discrete sclerotic nodules, solitary or multiple.	
111259	Diabetic fibrous mastopathy	The occurrence of fibrous tumor-forming stromal proliferation in patients with diabetes mellitus.	
111260	<i>Extra abdominal desmoid</i>	<i>A deep seated firm tumor frequently occurring on the chest consisting of collagenous tissue that infiltrates surround muscle; frequently recurs but does not metastasize</i>	Retired. Replaced by (M-88211, SRT47284001, SCT, "Extra abdominal desmoid").

Code Value	Code Meaning	Definition	Notes
111262	Epidermal inclusion cyst	A cyst formed of a mass of epithelial cells, as a result of trauma has been pushed beneath the epidermis. The cyst is lined with squamous epithelium and contains concentric layers or keratin	Retired. Replaced by (M-33415, SRT419670003, SCT, "Epidermal inclusion cyst").
111263	Fibroadenomatoid hyperplasia	Excessive proliferation of fibroadenoma tissue.	
111264	Fibroadenolipoma	A lipoma with an abundant stroma of fibrous tissue.	
111265	Foreign body (reaction)		Retired. Replaced by (M-44140, SRT37058002, SCT, "Foreign body (reaction)").
111269	Galactocele	Retention cyst caused by occlusion of a lactiferous duct	Retired. Replaced by (D7-90364, SRT42385006, SCT, "Galactocele").
111271	Hemangioma - nonparenchymal, subcutaneous	A congenital anomaly that leads to a proliferation of blood vessels leading to a mass that resembles a neoplasm, not located in parenchymal areas but subcutaneous	Retired. Replaced by (D3-F0620, SRT93473009, SCT, "Hemangioma of subcutaneous tissue").
111273	Hyperplasia, usual		Retired. Replaced by (M-72000, SRT76197007, SCT, "Hyperplasia, usual").
111277	Juvenile papillomatosis	A form of fibrocystic disease in young woman with florid and sclerosing adenosis that microscopically may suggest carcinoma.	
111278	Lactating adenoma	Enlarging masses during lactation. A circumscribed benign tumor composed primarily of glandular structures with scanty stroma, with prominent secretory changes in the duct	Retired. Replaced by (M-82040, SRT128651002, SCT, "Lactating adenoma").
111279	Lactational change	Changes related to the process of lactation.	
111281	Large duct papilloma	A papilloma pertaining to large mammary duct.	
111283	Myofibroblastoma	Solitary or multiple tumors of muscles and fibrous tissues, or tumors composed of myofibroblasts	Retired. Replaced by (M-88250, SRT128738002, SCT, "Myofibroblastoma").
111284	Microglandular adenosis	Irregular clusters of small tubules are present in adipose or fibrous tissue, resembling tubular carcinoma but lacking stromal fibroblastic proliferation.	
111285	Multiple Intraductal Papillomas	Papilloma typically involving an aggregate of adjacent ducts in the periphery of the breast, likely representing involvement of several foci of one or two duct systems.	
111286	No abnormality	No abnormality.	
111287	Normal breast tissue	Normal breast tissue.	
111288	Neurofibromatosis	Condition in which there are tumors of various sizes on peripheral nerves. They may be neuromas or fibromas	Retired. Replaced by (M-95401, SRT81669005, SCT, "Neurofibromatosis").
111290	Oil cyst (fat necrosis cyst)	A cyst resulting from the loss of the epithelial lining of a sebaceous dermoid or lacteal cyst.	
111291	Post reduction mammoplasty	Breast tissue with characteristics of a benign nature, following breast reduction surgery.	

Code Value	Code Meaning	Definition	Notes
111292	Pseudoangiomatous stromal hyperplasia	A benign stromal lesion composed of intermixed stromal and epithelial elements. The lobular and duct structures of the breast parenchyma are separated by an increased amount of stroma, non specific proliferative epithelial changes include hyperplasia of duct and lobular epithelium often with accentuation of myoepithelial cells and apocrine metaplasia with or without cyst formation.	
111293	<i>Radial scar</i>	<i>An nonencapsulated stellate lesion consisting of a fibroelastic core and radiating bands of fibrous connective tissue containing lobules manifesting adenosis and ducts with papillary or diffuse intraductal hyperplasia</i>	Retired. Replaced by (M-78731, SRT133855003, SCT, "Radial scar").
111294	<i>Sclerosing adenosis</i>	<i>Prominent interductal fibrosis of the terminal ductules</i>	Retired. Replaced by (M-74220, SRT50916005, SCT, "Sclerosing adenosis").
111296	Silicone granuloma	Nodular inflammatory lesions due to the presence of silicone in the breast tissue.	
111297	Nipple Characteristic	The morphologic status of the nipple.	
111298	Virginal hyperplasia	Spontaneous excessive proliferation of breast tissue, usually found in younger women.	
111299	Peripheral duct papillomas	Papilloma(s) pertaining the peripheral ducts.	
111300	Axillary node with lymphoma	Axillary node with lymphoid tissue neoplasm.	
111301	Axillary nodal metastases	Metastatic disease to the axillary node.	
111302	<i>Angiosarcoma</i>	<i>A malignant neoplasm occurring most often in breast and skin, believed to originate from endothelial cells of blood vessels, microscopically composed of closely packed round or spindle shaped cells, some of which line small spaces resembling vascular clefts</i>	Retired. Replaced by (M-91203, SRT39000009, SCT, "Angiosarcoma").
111303	Blood vessel (vascular) invasion	Histological changes to the vascular system related to an invasive process.	
111304	Carcinoma in children	Carcinoma of the breast found in patients less than 20 years of age.	
111305	Carcinoma in ectopic breast	A carcinoma found in supernumerary breasts and aberrant breast tissue.	
111306	Carcinoma with endocrine differentiation	A carcinoma that synthesizes substances, including hormones, not considered to be normal products of the breast.	
111307	Basal cell carcinoma of nipple	A basal cell carcinoma that arises in the nipple of the breast.	
111308	<i>Carcinoma with metaplasia</i>		Retired. Replaced by (M-85733, SRT22694002, SCT, "Carcinoma with metaplasia").
111309	Cartilaginous and osseous change	Tissue changes to bones and cartilage.	
111310	Carcinoma in pregnancy and lactation	Carcinoma of the breast presenting during pregnancy or lactation.	
111311	<i>Carcinosarcoma</i>	<i>A malignant neoplasm that contains elements of carcinoma and sarcoma, so extensively intermixed as to indicate neoplasia of epithelial and mesenchymal tissue</i>	Retired. Replaced by (M-89803, SRT63264007, SCT, "Carcinosarcoma").
111312	Intraductal comedocarcinoma with necrosis	Comedocarcinoma of a duct with areas of necrotic tissue.	

Code Value	Code Meaning	Definition	Notes
111313	Intraductal carcinoma, low grade	A non-invasive carcinoma restricted to the glandular lumen characterized by less aggressive malignant cytologic features and behavior.	
111314	<i>Intraductal carcinoma micro-papillary</i>		<i>Retired. Replaced by (M-85072, SRT128696009, SCT, "Intraductal carcinoma micro-papillary").</i>
111315	Intracystic papillary carcinoma	A malignant neoplasm characterized by the formation of numerous, irregular, finger-like projections of fibrous stroma that is covered with a surface layer of neoplastic epithelial cells found in a cyst.	
111316	Invasive and in-situ carcinoma	Carcinoma with both characteristics of localized and spreading disease.	
111317	<i>Invasive lobular carcinoma</i>		<i>Retired. Replaced by (M-85203, SRT89740008, SCT, "Invasive lobular carcinoma").</i>
111318	Leukemic infiltration	Mammary infiltrates as a secondary manifestation in patients with established leukemia.	
111320	Lymphatic vessel invasion	Histological changes to the lymphatic system related to an invasive process.	
111321	<i>Lymphoma</i>	<i>A heterogeneous group of neoplasms arising in the reticuloendothelial and lymphatic systems</i>	<i>Retired. Replaced by (M-95903, SRT21964009, SCT, "Lymphoma").</i>
111322	Occult carcinoma presenting with axillary lymph node metastases	A small carcinoma, either asymptomatic or giving rise to metastases without symptoms due to the primary carcinoma presenting with metastatic disease in the axillary lymph nodes.	
111323	Metastatic cancer to the breast	A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a non-mammary malignant neoplasm.	
111324	Metastatic cancer to the breast from the colon	A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a neoplasm in the colon.	
111325	Metastatic cancer to the breast from the lung	A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a neoplasm in the lung.	
111326	Metastatic melanoma to the breast	A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a melanoma.	
111327	Metastatic cancer to the breast from the ovary	A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a neoplasm in the ovary.	
111328	Metastatic sarcoma to the breast	A malignant lesion in the breast with morphologic patterns not typical of breast carcinoma arising from a sarcoma.	
111329	Multifocal intraductal carcinoma	Multiple foci of non-invasive carcinoma restricted to the glandular lumen.	
111330	Metastatic disease to axillary node	A malignant lesion in an axillary node arising from a non-axillary neoplasm.	

Code Value	Code Meaning	Definition	Notes
111331	<i>Malignant fibrous histiocytoma</i>		Retired. Replaced by (M-88303 , SRT34360000 , SCT , "Malignant fibrous histiocytoma").
111332	Multifocal invasive ductal carcinoma	Multiple sites of ductal carcinoma.	
111333	Metastasis to an intramammary lymph node	A malignant lesion in a intramammary lymph node arising from a non-intramammary lymph node neoplasm.	
111334	Malignant melanoma of nipple	A malignant melanoma of the skin that arises in the nipple of the breast.	
111335	<i>Neoplasm of the mammary skin</i>		Retired. Replaced by (D0-F035F , SRT126510002 , SCT , "Neoplasm of the mammary skin").
111336	<i>Papillary carcinoma in-situ</i>		Retired. Replaced by (M-80502 , SRT10376009 , SCT , "Papillary carcinoma in-situ").
111338	Recurrent malignancy	Recurrent malignancy.	
111340	Squamous cell carcinoma of the nipple	Squamous cell carcinoma to the terminal portion of the alveolar.	
111341	Intraductal carcinoma, high grade	A non-invasive carcinoma restricted to the glandular lumen characterized by more aggressive malignant cytologic features and behavior.	
111342	<i>Invasive cribriform carcinoma</i>		Retired. Replaced by (M-82013 , SRT30156004 , SCT , "Invasive cribriform carcinoma").
111343	Angular margins	An indication that some or all of the margin of a lesion has sharp corners, often forming acute angles.	
111344	Fine pleomorphic calcification	Calcifications that vary in sizes and shapes and are usually smaller than 0.5 mm in diameter.	
111345	Macrocalcifications	Coarse calcifications that are 0.5 mm or greater in size.	
111346	Calcifications within a mass	An indicator that calcifications are imbedded within a mass.	
111347	Calcifications outside of a mass	An indicator that calcifications are imaged outside of a mass finding.	
111350	Breast background echotexture	Tissue composition of the breast noted on sonography.	
111351	Homogeneous fat echotexture	Fat lobules and uniformly echogenic bands of supporting structures comprise the bulk of breast tissue.	
111352	Homogeneous fibroglandular echotexture	A uniformly echogenic layer of fibroglandular tissue is seen beneath a thin layer of subcutaneous fat.	
111353	Heterogeneous echotexture	The breast texture is characterized by multiple small areas of increased and decreased echogenicity.	
111354	Orientation	Referential relationship of the finding to the imaging device as noted on sonography.	
111355	Parallel	The long axis of a lesion parallels the skin line ("wider-than-tall" or in a horizontal orientation).	

Code Value	Code Meaning	Definition	Notes
111356	Not parallel	The anterior-posterior or vertical dimension is greater than the transverse or horizontal dimension.	
111357	Lesion boundary	The lesion boundary describes the transition zone between the mass and the surrounding tissue.	
111358	Abrupt interface	The sharp demarcation between the lesion and surrounding tissue can be imperceptible or a distinct well-defined echogenic rim of any thickness.	
111359	Echogenic halo	There is no sharp demarcation between the mass and the surrounding tissue, which is bridged by an echogenic transition zone.	
111360	Echo pattern	An imaging characteristic of resonance noted during sonography.	
111361	Anechoic	Without internal echoes.	
111362	Hyperechoic	Having increased echogenicity relative to fat or equal to fibroglandular tissue.	
111363	Complex	Mass contains both anechoic and echogenic components.	
111364	Hypoechoic	Defined relative to fat; masses are characterized by low-level echoes throughout. E.g., appearance of a complicated cyst or fibroadenoma.	
111365	Isoechoic	Having the same echogenicity as fat (a complicated cyst or fibroadenoma may be isoechoic or hypoechoic).	
111366	Posterior acoustic features	The attenuation characteristics of a mass with respect to its acoustic transmission.	
111367	No posterior acoustic features	No posterior shadowing or enhancement.	
111368	Posterior enhancement	Increased posterior echoes.	
111369	Posterior shadowing	Decreased posterior echoes; edge shadows are excluded.	
111370	Combined posterior enhancement and shadowing	More than one pattern of posterior attenuation, both shadowing and enhancement.	
111371	Identifiable effect on surrounding tissues	Sonographic appearance of adjacent structures relative to a mass finding.	
111372	Vascularity	Characterization of vascularization in region of interest.	
111373	Vascularity not present	Vascularity not evident, such as on ultrasound.	
111374	Vascularity not assessed	Vascularity not evaluated.	
111375	Vascularity present in lesion	Vascularity on imaging is seen within a lesion.	
111376	Vascularity present immediately adjacent to lesion	Vascularity on imaging is seen immediately adjacent to a lesion.	
111377	Diffusely increased vascularity in surrounding tissue	Vascularity on imaging is considered diffusely elevated within the surrounding breast tissue.	
111380	Correlation to other Findings	Relationship of the new anomaly to other clinical or imaging anomalies.	
111381	Correlates to physical exam findings	An indication that the current imaging finding relates to a finding from a clinical breast exam.	
111382	Correlates to mammography findings	An indication that the current imaging finding relates to a finding from a mammography exam.	
111383	Correlates to MRI findings	An indication that the current imaging finding relates to a finding from a breast MRI exam.	

Code Value	Code Meaning	Definition	Notes
111384	Correlates to ultrasound findings	An indication that the current imaging finding relates to a finding from a breast ultrasound exam.	
111385	Correlates to other imaging findings	An indication that the current imaging finding relates to a finding from an imaging exam.	
111386	No correlation to other imaging findings	An indication that the current imaging finding has no relation to findings from any other imaging exam.	
111387	No correlation to clinical findings	An indication that the current imaging finding has no relation to any other clinical findings.	
111388	Malignancy Type	Classification of the cancer as invasive, DCIS, or other.	
111389	Invasive breast carcinoma	A malignancy that has spread beyond an area of focus.	
111390	Other malignancy type	A breast cancer with malignant pathology findings that are not classified as invasive or in situ.	
111391	Menstrual Cycle Phase	A specific timeframe during menses.	
111392	1st week	In the first week of the menstrual cycle phase, that is, one week following menses.	
111393	2nd week	In the second week of the menstrual cycle phase, that is, two weeks following menses.	
111394	3rd week	In the third week of the menstrual cycle phase, that is, three weeks following menses.	
111395	Estimated Timeframe	An estimated period of time.	
111396	< 3 months ago	An event occurred less than 3 months ago.	
111397	4 months to 1 year ago	An event occurred between 4 months and 1 year ago.	
111398	> 1 year ago	An event occurred longer than 1 year ago.	
111399	Timeframe uncertain	The timing of an event is not recalled.	
111400	Breast Imaging Report	Report title for the diagnostic report for one or more breast imaging or intervention procedures.	
111401	Reason for procedure	Concept name for the description of why a procedure has been performed.	
111402	Clinical Finding	A finding during clinical examination (i.e., history and physical examination) such as pain, palpable mass or discharge.	
111403	Baseline screening mammogram	First screening mammogram taken for patient that is used as a comparison baseline for further examinations.	
111404	First mammogram ever	First mammogram taken for a patient without regard to whether it was for screening or a diagnostic procedure.	
111405	Implant type	Concept name for the material of which a breast prosthetic device is constructed.	
111406	Number of similar findings	A numeric count of findings classified as similar in nature.	
111407	Implant finding	Concept name for the status of a breast prosthetic device as noted by imaging.	
111408	Film Screen Mammography	Mammogram using traditional X-Ray film.	
111409	Digital Mammography	Mammogram using a digital image acquisition system.	
111410	Surgical consult	Referred for evaluation by a surgeon.	
111411	Mammography CAD	Computer aided detection and/or computer aided diagnosis for mammography.	
111412	Narrative Summary	Concept name for a text-based section of a report.	

Code Value	Code Meaning	Definition	Notes
111413	Overall Assessment	A title for a report section that summarizes all interpretation results for a report with one overriding assessment. E.g., benign or negative.	
111414	Supplementary Data	Concept name for a collection of supporting evidence for a report.	
111415	Additional evaluation requested from prior study	Prior study indicates that additional imaging be performed to further evaluate a suspicious or questionable anatomic region.	
111416	Follow-up at short interval from prior study	The prior study recommended a follow-up breast imaging exam in 1 to 11 months (generally in 6 months).	
111417	History of breast augmentation, asymptomatic	Prior breast augmentation (breast enlargement) and is not presenting with any symptoms.	
111418	Review of an outside study	Review or second opinion made on an image performed outside of the facility.	
111419	Additional evaluation requested from abnormal screening exam	Additional breast imaging performed at the time of the patient's screening mammogram.	
111420	History of benign breast biopsy	Patient has had previous benign breast biopsies.	
111421	Personal history of breast cancer with breast conservation therapy	Patient has had a prior surgery such as a lumpectomy or quadrantectomy to remove malignant breast tissue, but breast tissue remains.	
111423	Physical Examination Results	The results of a physical examination performed on the patient, possibly including the results of inspection, palpation, auscultation, or percussion.	
111424	Comparison to previous findings	The result of assessing the current imaging exam in comparison to previous imaging exams.	
111425	Intraluminal filling defect	An abnormality observed during ductography where the ductal system within the breast fills in an abnormal pattern. Ductography is an imaging exam in which a radio opaque contrast media is introduced into the ductal system of the breast through the nipple and images of the ductal system are obtained.	
111426	Multiple filling defect	During ductography an observation of more than one filling abnormality within the breast ductal system.	
111427	Abrupt duct termination	An abnormality observed during ductography where the ductal system within the breast terminates in an unusual fashion.	
111428	Extravasation	Abnormal flowage of contrast media within the breast noted on ductography.	
111429	Duct narrowing	An abnormality observed during ductography where the ductal system within the breast appears narrow.	
111430	Cyst fill	During ductography an observation of the contrast media filling a cyst within the breast.	
111431	Instrument Approach	The area and line within the anatomy through which a needle or instrument passes during an interventional procedure.	
111432	Inferolateral to superomedial	The line within the anatomy from the lower outer to the upper inner aspect. E.g., through which a needle or instrument passes in an interventional procedure.	

Code Value	Code Meaning	Definition	Notes
111433	Inferomedial to superolateral	The line within the anatomy from the lower inner to the upper outer aspect. E.g., through which a needle or instrument passes in an interventional procedure.	
111434	Superolateral to inferomedial	The line within the anatomy from the upper outer to the lower inner aspect. E.g., through which a needle or instrument passes in an interventional procedure.	
111435	Superomedial to inferolateral	The line within the anatomy from the upper inner to the lower outer aspect. E.g., through which a needle or instrument passes in an interventional procedure.	
111436	Number of passes	The number of times a biopsy instrument is passed through an area of interest.	
111437	Number of specimens	The number of biopsy specimens obtained from an interventional procedure.	
111438	Needle in target	An indicator of whether or not a biopsy or localizing needle in an interventional procedure is seen to be in the area of interest.	
111439	Number of needles around target	The number of localizing needles placed around the area of interest in an interventional procedure.	
111440	Incision made	An indicator of whether or not an incision was made in the anatomy during an interventional procedure.	
111441	<i>Microclip placed</i>	<i>An indicator of whether or not a radio opaque microclip was placed in the anatomy during an interventional procedure.</i>	<i>Retired. Replaced by (111123, DCM, "Marker placement")</i>
111442	Confirmation of target	An indicator of the degree of success of an interventional procedure.	
111443	Target completely contained in the specimen	An indicator that during an interventional procedure the area of interest was fully excised and is noted in the resultant biopsy specimen.	
111444	Target partially obtained in the specimen	An indicator that during an interventional procedure the area of interest was partially excised and is noted in the resultant biopsy specimen.	
111445	Target not in the specimen	An indicator that following an interventional procedure the area of interest is not seen in the resultant biopsy specimen.	
111446	Calcifications seen in the core	An indicator that following an interventional procedure the targeted calcifications are noted in the resultant biopsy specimen.	
111447	Lesion completely removed	An indicator that during an interventional procedure the area of interest was fully excised and is noted in the resultant biopsy specimen.	
111448	Lesion partially removed	An indicator that during an interventional procedure the area of interest was partially excised and is noted in the resultant biopsy specimen.	
111449	Fluid obtained	An indicator that during an interventional procedure fluid was successfully aspirated.	
111450	Light brown color	Color that is a light shade of brown.	
111451	Dark red color	Color that is a dark shade of red.	
111452	Dark brown color	Color that is a dark shade of brown.	
111453	Bright red color	Color that is a bright shade of red.	

Code Value	Code Meaning	Definition	Notes
111454	Blood tinged color	Color that is tinged with the color of blood.	
111455	Occult blood test result	An indicator of whether or not the fluid obtained during an interventional procedure contains red blood cells.	
111456	Action on fluid	An indicator of whether or not fluid during an interventional procedure was sent for cytological analysis or simply discarded.	
111457	Sent for analysis	An indicator that fluid obtained during an interventional procedure was sent to a laboratory for analysis.	
111458	Discarded	An indicator that fluid obtained during an interventional procedure was discarded.	
111459	Mass with calcifications	A radiopaque density noted during diagnostic imaging that has associated calcific densities.	
111460	Complex cyst	A fluid-filled sac with greater than normal characteristics.	
111461	Intracystic lesion	A tumor within a cyst.	
111462	Solid mass	A tumor or lesion.	
111463	Supplementary Data for Intervention	Supporting evidence for interpretation results of an interventional procedure.	
111464	Procedure Modifier	A descriptor that further qualifies or characterizes a type of procedure.	
111465	Needle Gauge	Needle size (diameter) characterization. E.g., of a biopsy needle.	
111466	Severity of Complication	An indicator of the gravity of a problem experienced by a patient, related to a procedure that was performed.	
111467	Needle Length	Distance from the hub or bushing to the tip of the needle.	
111468	Pathology Results	The collection of observations and findings from pathologic analysis.	
111469	Sampling DateTime	The date and time that the sample was collected from the patient.	
111470	Uninvolved	Indicates that the margin of the biopsy specimen was not involved with the tumor.	
111471	Involved	Indicates that the margin of the biopsy specimen was involved with the tumor.	
111472	Nipple involved	Indicates whether the nipple was involved in an interventional procedure or pathologic analysis.	
111473	Number of nodes removed	Indicates the number of lymph nodes removed.	
111474	Number of nodes positive	Indicates the number of lymph nodes removed that contain cancer cells.	
111475	Estrogen receptor	The result of a test for the presence of a protein that binds with estrogen.	
111476	Progesterone receptor	The result of a test for the presence of a protein that binds with progesterone.	
111477	S Phase	Indicates the percentage of cells in S phase. Cell division is defined by phases; the S phase is the stage during which DNA replicates.	
111478	Non-bloody discharge (from nipple)	The visible emission of non-bloody fluid from the nipple.	
111479	Difficult physical/clinical examination	The inability to discern normal versus abnormal breast tissue during palpation.	

Code Value	Code Meaning	Definition	Notes
111480	Cancer elsewhere	An indication that a patient has or had a malignant occurrence in an area of the body other than the breast.	
111481	Saline implant	A salt water filled prosthetic device implanted in the breast.	
111482	Polyurethane implant	A polymer based (plastic) prosthetic device implanted in the breast.	
111483	Percutaneous silicone injection	The introduction of polymeric organic silicon based material through the skin, as for breast augmentation or reconstruction.	
111484	Combination implant	A prosthetic device that contains more than one material implanted in the breast.	
111485	Pre-pectoral implant	A breast implant placed in front of the pectoralis major muscle.	
111486	Retro-pectoral implant	A breast implant placed behind the pectoralis major muscle.	
111487	Mammographic (crosshair)	Using X-Ray technique and a superimposed set of crossed lines for detection or placement.	
111488	Mammographic (grid)	Using X-Ray technique and a superimposed aperture for detection or placement.	
111489	Palpation guided	Using physical touch for detection or placement.	
111490	Vacuum assisted	The performance of a biopsy procedure using a vacuum device attached to the biopsy needle.	
111491	Abnormal discharge	Unusual or unexpected emission of fluid.	
111492	No complications	Having experienced no adverse medical conditions related to or resulting from an interventional procedure.	
111494	Stage 0	TNM grouping of tumor stage, from AJCC, where primary tumor is Tis, regional lymph node is N0, and distant metastasis is M0.	
111495	Stage I	TNM grouping of tumor stage, from AJCC, where primary tumor is T1, regional lymph node is N0, and distant metastasis is M0.	
111496	Stage IIA	TNM grouping of tumor stage, from AJCC, where primary tumor is T0 or T1, with regional lymph node N1 and distant metastasis is M0, or T2 with N0 and M0.	
111497	Stage IIB	TNM grouping of tumor stage, from AJCC, where primary tumor is T2, with regional lymph node N1 and distant metastasis is M0, or T3 with N0 and M0.	
111498	Stage IIIA	TNM grouping of tumor stage, from AJCC, where primary tumor is T0, T1 or T2, with regional lymph node N2 and distant metastasis is M0, or T3 with N1 or N2 and M0.	
111499	Stage IIIB	TNM grouping of tumor stage, from AJCC, where primary tumor is T4, regional lymph node is N0, N1 or N2, and distant metastasis is M0.	
111500	Stage IIIC	TNM grouping of tumor stage, from AJCC, where primary tumor is any T value, regional lymph node is N3, and distant metastasis is M0.	
111501	Stage IV	TNM grouping of tumor stage, from AJCC, where primary tumor is any T value, regional lymph node is any N value, and distant metastasis is M1.	

Code Value	Code Meaning	Definition	Notes
111502	Bloom-Richardson Grade	Histologic tumor grade (sometimes called Scarff-Bloom-Richardson grade) is based on the arrangement of the cells in relation to each other -- whether they form tubules, how closely they resemble normal breast cells (nuclear grade) and how many of the cancer cells are in the process of dividing (mitotic count).	
111503	Normal implants	Breast prosthetic devices are intact, not leaking, and are in a normal shape and form.	
111504	Asymmetric implants	Breast prosthetic devices are not symmetric, equal, corresponding in form, or are in one breast (unilateral).	
111505	Calcified implant	Fibrous or calcific contracture of the tissue capsule that forms around a breast prosthetic device.	
111506	Distorted implant	Breast prosthetic device is twisted out of normal shape or form.	
111507	Silicone-laden lymph nodes	Silicone from breast prosthetic device found in lymphatic tissue.	
111508	Free silicone	Silicone found in breast tissue outside of the prosthetic capsule or implant membrane.	
111509	Herniated implant	Protrusion of part of the structure normally encapsulating the content of the breast prosthetic device.	
111510	Explantation	Evidence of removal of a breast prosthetic device.	
111511	Relevant Patient Information for Breast Imaging	Historical patient health information of interest to the breast health clinician.	
111512	<i>Medication History</i>	<i>Information regarding usage by the patient of certain medications, such as hormones.</i>	<i>Retired. Replaced by (10160-0, LN, "History Of Medication Use")</i>
111513	Relevant Previous Procedures	Interventional or non-interventional procedures previously performed on the patient, such as breast biopsies.	
111514	<i>Relevant Indicated Problems</i>	<i>Abnormal conditions experienced by the patient that serve as the reason for performing a procedure, such as a breast exam.</i>	<i>Retired. Replaced by (11450-4, LN, "Problem List")</i>
111515	Relevant Risk Factors	Personal, familial, and other health factors that may indicate an increase in the patient's chances of developing a health condition or disease, such as breast cancer.	
111516	Medication Type	A classification of a medicinal substance, such as hormonal contraceptive or antibiotic.	
111517	Relevant Patient Information	Historical patient health information for general purpose use.	
111518	Age when first menstrual period occurred	The age of the patient at the first occurrence of menses.	
111519	Age at First Full Term Pregnancy	The age of the patient at the time of her first full term pregnancy.	
111520	Age at Menopause	The age of the patient at the cessation of menses.	
111521	Age when hysterectomy performed	The age of the patient at the time her uterus was removed.	
111522	Age when left ovary removed	The age of the patient at the time she had her left ovary removed.	

Code Value	Code Meaning	Definition	Notes
111523	Age when right ovary removed	The age of the patient at the time she had her right ovary removed.	
111524	Age Started	The age of a patient on the first occurrence of an event, such as the first use of a medication.	
111525	Age Ended	The age of a patient on the last occurrence of an event, such as the last use of a medication.	
111526	DateTime Started	The date and time of the first occurrence of an event, such as the first use of a medication.	
111527	DateTime Ended	The date and time of the last occurrence of an event, such as the last use of a medication.	
111528	Ongoing	An indicator of whether an event is still in progress, such as the use of a medication or substance, or environmental exposure.	
111529	Brand Name	Product name of a device or substance, such as medication, to identify it as the product of a single firm or manufacturer.	
111530	Risk Factor modifier	A descriptor that further qualifies or characterizes a risk factor.	
111531	Previous Procedure	A prior non-interventional exam or interventional procedure performed on a patient.	
111532	<i>Pregnancy Status</i>	<i>Describes the pregnancy state of a referenced subject.</i>	<i>Retired. Replaced by (364320009, SCT, "Pregnancy observable").</i>
111533	Indicated Problem	A symptom experienced by a patient that is used as the reason for performing an exam or procedure.	
111534	Role of person reporting	The function of the individual who is reporting information on a patient, which could be a specific health care related profession, the patient him/herself, or a relative or friend.	
111535	DateTime problem observed	The date and time that a symptom was noted.	
111536	DateTime of last evaluation	The date and time of the most recent evaluation of an indicated problem.	
111537	Family Member with Risk Factor	A patient's biological relative who exhibits a health factor that may indicate an increase in the patient's chances of developing a particular disease or medical problem.	
111538	Age at Occurrence	The age at which an individual experienced a specific event, such as breast cancer.	
111539	Menopausal phase	The current stage of an individual in her gynecological development.	
111540	Side of Family	An indicator of paternal or maternal relationship.	
111541	Maternal	Relating to biological female parentage.	
111542	Unspecified gynecological hormone	A gynecological hormone for which the specific type is not specified. E.g., contraceptive, estrogen, Tamoxifen.	
111543	Breast feeding history	An indicator of whether or not a patient ever provided breast milk to her offspring.	
111544	Average breast feeding period	The average length of time that a patient provided breast milk to her offspring.	
111545	Substance Use History	Information regarding usage by the patient of certain legal or illicit substances.	

Code Value	Code Meaning	Definition	Notes
111546	Used Substance Type	A classification of a substance, such as alcohol or a legal or illicit drug.	
111547	Environmental Exposure History	Information regarding exposure of the patient to potentially harmful environmental factors.	
111548	Environmental Factor	A classification of a potentially harmful substance or gas in a subject's environment, such as asbestos, lead, or carcinogens.	
111549	Previous Reports	Previous Structured Reports that could have relevant information for a current imaging service request.	
111550	Personal breast cancer history	An indication that a patient has had a previous malignancy of the breast.	
111551	History of endometrial cancer	Indicates a previous occurrence of cancer of the lining of the uterus.	
111552	History of ovarian cancer	Indicates a previous occurrence of cancer of the lining of the ovary.	
111553	History of high risk lesion on previous biopsy	Indicates a prior diagnosis of pre-cancerous cells or tissue removed for pathologic evaluation.	
111554	Post menopausal patient	A female patient whose menstrual periods have ceased.	
111555	Late child bearing (after 30)	A female patient whose first child was born after the patient was 30 years old.	
111556	BRCA1 breast cancer gene	The first level genetic marker indicating risk for breast cancer.	
111557	BRCA2 breast cancer gene	The second level genetic marker indicating risk for breast cancer.	
111558	BRCA3 breast cancer gene	The third level genetic marker indicating risk for breast cancer.	
111559	Weak family history of breast cancer	A patient's biological aunt, grandmother, or female cousin was diagnosed with breast cancer. Definition from BI-RADS®.	
111560	Intermediate family history of breast cancer	A patient's biological mother or sister was diagnosed with breast cancer after they had gone through menopause. Definition from BI-RADS®.	
111561	Very strong family history of breast cancer	A patient's biological mother or sister was diagnosed with breast cancer before they had gone through menopause, or more than one of the patient's first-degree relatives (biological mother or sister) were diagnosed with breast cancer after they had gone through menopause. Definition from BI-RADS®.	
111562	Family history of prostate cancer	Previous diagnosis of a malignancy of the prostate gland in a biological relative.	
111563	Family history unknown	The health record of a patient's biological relatives is not known.	
111564	Nipple discharge cytology	The study of cells obtained from fluid emitted from the breast.	
111565	Uterine malformations	A developmental abnormality resulting in an abnormal shape of the uterus.	
111566	Spontaneous Abortion	A naturally occurring premature expulsion from the uterus of the products of conception - the embryo or a nonviable fetus.	

Code Value	Code Meaning	Definition	Notes
111567	Gynecologic condition	An ailment/abnormality or state of the female reproductive tract.	
111568	Gynecologic surgery	A surgical operation performed on any portion of the female reproductive tract.	
111569	Previous LBW or IUGR birth	Prior pregnancy with a low birth weight baby or a fetus with Intrauterine Growth Restriction or Retardation.	
111570	Previous fetal malformation/syndrome	History of at least one prior pregnancy with fetal anatomic abnormality(s).	
111571	Previous RH negative or blood dyscrasia at birth	History of delivering a Rhesis Isoimmunization affected child(ren) or a child(ren) with another blood disorder.	
111572	History of multiple fetuses	History of at least one pregnancy that contained more than one fetus. E.g., twins, triplets, etc..	
111573	Current pregnancy, known or suspected malformations/syndromes	At least one fetus of this pregnancy has an anatomic abnormality(s) that is known to exist, or a "marker" is present that suggests the abnormality(s) may be present.	
111574	Family history, fetal malformation/syndrome	Biological relatives have previously conceived a fetus with an anatomic abnormality(s).	
111575	High	A subjective descriptor for an elevated amount of exposure, use, or dosage, incurring high risk of adverse effects.	
111576	Medium	A subjective descriptor for a moderate amount of exposure, use, or dosage, incurring medium risk of adverse effects.	
111577	Low	A subjective descriptor for a limited amount of exposure, use, or dosage, incurring low risk of adverse effects.	
111578	Dose frequency	A measurement of the rate of occurrence of which a patient takes a certain medication.	
111579	Rate of exposure	The quantity per unit of time that a patient was or is being exposed to an environmental irritant.	
111580	Volume of use	The quantity per unit of time that a medication or substance was or is being used.	
111581	Relative dose amount	A qualitative descriptor for the amount of a medication that was or is being taken.	
111582	Relative amount of exposure	A qualitative descriptor for the amount of present or past exposure to an environmental irritant.	
111583	Relative amount of use	A qualitative descriptor for the amount of a medication or substance that was or is being used.	
111584	Relative dose frequency	A qualitative descriptor for the frequency with which a medication was or is being taken.	
111585	Relative frequency of exposure	A qualitative descriptor for the frequency of present or past exposure to an environmental irritant.	
111586	Relative frequency of use	A qualitative descriptor for the frequency with which a medication or substance was or is being used.	
111587	No known exposure	Patient is not known to have been exposed to or used the substance or medication.	
111590	Recall for technical reasons	Patient returns for additional images to improve the quality of the most recent exam.	
111591	Recall for imaging findings	Patient returns for additional images to clarify findings from the most recent exam.	

Code Value	Code Meaning	Definition	Notes
111592	Recall for patient symptoms/ clinical findings	Patient returns for additional images to clarify symptoms or signs reported by the patient or a healthcare professional at the time of the most recent exam.	
111593	LBW or IUGR	Number of births with low birth weight or intrauterine growth restriction.	
111601	Green filter	Filter that transmits green light while blocking the other colors, typically centered at 510-540 nm	Retired. Replaced by (A-010E2, SRT445465004, SCT, "Green optical filter")
111602	Red filter	Filter that transmits red light while blocking the other colors, typically centered at 630-680 nm	Retired. Replaced by (A-010DF, SRT445279009, SCT, "Red optical filter")
111603	Blue filter	Filter that transmits blue while blocking the other colors, typically centered at 460-480 nm	Retired. Replaced by (A-010DA, SRT445084008, SCT, "Blue optical filter")
111604	Yellow-green filter	A filter of 560nm that is used for retinal imaging and can provide good contrast and good visibility of the retinal vasculature	Retired. Replaced by (A-010E0, SRT445340000, SCT, "Yellow-green optical filter")
111605	Blue-green filter	A filter of 490nm that is used for retinal imaging because of excessive scattering of some retinal structures at very short wavelengths	Retired. Replaced by (A-010D8, SRT422915004, SCT, "Blue-green optical filter")
111606	Infrared filter	Filter that transmits the infrared spectrum, which is light that lies outside of the visible spectrum, with wavelengths longer than those of red light, while blocking visible light	Retired. Replaced by (A-010DC, SRT445169002, SCT, "Infrared optical filter")
111607	Polarizing filter	A filter that reduces reflections from non-metallic surfaces such as glass or water by blocking light waves that are vibrating at selected angles to the filter.	Retired. Replaced by (A-010E1, SRT445391002, SCT, "Polarizing optical filter")
111609	No filter	No filter used.	
111621	Field 1 for Joslin 3 field	Joslin NM-1 is a 45 degree field focused centrally between the temporal margin of optic disc and the center of the macula: Center the camera on the papillomacular bundle midway between the temporal margin of the optic disc and the center of the macula. The horizontal centerline of the image should pass directly through the center of the disc.	
111622	Field 2 for Joslin 3 field	Joslin NM-2 is a 45 degree field focused superior temporal to the optic disc: Center the camera laterally approximately one-half disc diameter temporal to the center of the macula. The lower edge of the field is tangent to a horizontal line passing through the upper edge of the optic disc. The image is taken temporal to the macula but includes more retinal nasal and superior to the macula than standard field 2.	
111623	Field 3 for Joslin 3 field	Joslin NM-3 is a 45 degree field focused nasal to the optic disc: This field is nasal to the optic disc and may include part of the optic disc. The horizontal centerline of the image should pass tangent to the lower edge of the optic disc.	
111625	Diffuse direct illumination	A broad or "soft" light supplied from a single source.	

Code Value	Code Meaning	Definition	Notes
111626	Scheimpflug Camera	A slit reflected light microscope, which has the ability to form an image of the back scattered light from the eye in a sagittal plane. Scheimpflug cameras are able to achieve a wide depth of focus by employing the "Scheimpflug principle" where the lens and image planes are not parallel with each other. Rotating Scheimpflug cameras are able to generate three-dimensional images and calculate measurements of the anterior chamber of the eye.	
111627	Scotopic light	Lighting condition approximately 0.04 lux.	
111628	Mesopic light	Lighting condition approximately 4 lux.	
111629	Photopic light	Lighting condition approximately 40 lux.	
111630	Dynamic light	Acquisition preceded by intense light.	
111631	Average Glandular Dose	Calculated from values of entrance exposure in air, the X-Ray beam quality (half-value layer), and compressed breast thickness, is the energy deposited per unit mass of glandular tissue averaged over all the glandular tissue in the breast.	
111632	Anode Target Material	The primary material in the anode of an X-Ray source.	
111633	Compression Thickness	The average thickness of the body part examined when compressed, if compression has been applied during X-Ray exposure.	
111634	Half Value Layer	Thickness of Aluminum required to reduce the X-Ray output at the patient entrance surface by a factor of two.	
111635	X-Ray Grid	An anti-scatter device based on radiation absorbing strips above the detector. E.g., in the patient support.	
111636	Entrance Exposure at RP	Exposure measurement in air at the reference point that does not include back scatter, according to MQCM 1999.	
111637	Accumulated Average Glandular Dose	Average Glandular Dose to a single breast accumulated over multiple images.	
111638	Patient Equivalent Thickness	Value of the control variable used to parametrize the Automatic Exposure Control (AEC) closed loop. E.g., "Water Value".	
111641	Fixed grid	An X-Ray Grid that does not move during exposure.	
111642	Focused grid	An X-Ray Grid with radiation absorbing strips that are focused toward the focal spot, to eliminate grid cutoff.	
111643	Reciprocating grid	An X-Ray Grid that is designed to move during exposure, to eliminate the appearance of grid lines on the image.	
111644	Parallel grid	An X-Ray Grid with radiation absorbing strips that are parallel to each other and that is used only with long source to image distances.	
111645	Crossed grid	An X-Ray Grid with crossed radiation absorbing strips used for more complete cleanup of scatter radiation.	
111646	No grid	No X-Ray Grid was used due to low scatter conditions.	
111647	Compression Force	The compression force applied to the body part during exposure.	
111648	Compression Pressure	The average compression pressure applied to the body part during exposure.	

Code Value	Code Meaning	Definition	Notes
111649	Compression Contact Area	The area of the body part to which compression has been applied during exposure.	
111671	Spectacle Prescription Report	The spectacle prescription for a patient.	
111672	Add Near	Refractive measurements of the eye to correct for inability to focus at near while wearing the distance prescription.	
111673	Add Intermediate	Refractive measurements of the eye to correct for inability to focus at intermediate distance while wearing the distance prescription.	
111674	Add Other	Refractive measurements of the eye to correct for inability to focus at the specified distance while wearing the distance prescription.	
111675	Horizontal Prism Power	The power of a prism to bend light in the horizontal direction, in prism diopters.	
111676	Horizontal Prism Base	Direction of the base of a horizontal prism -- either in (toward the nose), or out (away from the nose).	
111677	Vertical Prism Power	The power of a prism to bend light in the vertical direction, in prism diopters.	
111678	Vertical Prism Base	Direction of the base of a vertical prism -- either up, or down.	
111679	Distance Pupillary Distance	Distance in mm between the pupils when the patient's object of regard is in the distance.	
111680	Near Pupillary Distance	Distance in mm between the pupils when the patient's object of regard is at near.	
111681	SMILE	Small Incision Lenticule Extraction. Refractive surgery procedure where a thin lenticule is cleaved from the corneal stroma using a femtosecond laser and then extracted through a small incision in the corneal periphery.	
111685	Autorefracton Visual Acuity	A patient's vision with the correction measured by an autorefractor in place.	
111686	Habitual Visual Acuity	A patient's vision with whichever vision correction the patient customarily wears.	
111687	Prescription Visual Acuity	A patient's vision with the final spectacle prescription in place.	
111688	Right Eye Rx	The spectacle prescription for the right eye.	
111689	Left Eye Rx	The spectacle prescription for the left eye.	
111690	Macular Grid Thickness and Volume Report	A macular grid thickness and volume report for a patient. The macular grid is an analytic tool described in PS3.1.	
111691	Number of Images Used for Macular Measurements	Number of images used for the macular grid measurement.	
111692	Number of Samples Used per Image	Number of samples used per Image for analysis.	
111693	Analysis Quality Rating	A numeric rating of the quality of the entire analysis with respect to grading and diagnostic purposes. Higher numbers indicate greater quality.	
111694	Image Set Quality Rating	A numeric rating of the quality of an entire image set with respect to grading and diagnostic purposes. Higher numbers indicate greater quality.	

Code Value	Code Meaning	Definition	Notes
111695	Interfering Tears or Drops	Tear film or drops affecting test quality.	
111696	Visual Fixation Quality During Acquisition	The assessment of the centricity and persistence of the visual fixation (direction of gaze) during the acquisition.	
111697	Visual Fixation Quality Problem	The reason why the patient's visual fixation was not steady or was indeterminate.	
111698	Ophthalmic Macular Grid Problem	The reason why the macular grid measurements may be questionable.	
111700	Specimen Container Identifier	Identifier of container (box, block, microscope slide, etc.) for the specimen under observation.	
111701	Processing type	Type of processing that tissue specimen underwent.	
111702	DateTime of processing	Date and time of processing step.	
111703	Processing step description	Description of the individual step in the tissue processing sequence.	
111704	Sampling Method	Method of sampling used to derive specimen from its parent.	
111705	Parent Specimen Identifier	Identifier of the parent specimen that gave rise to the current specimen.	
111706	Issuer of Parent Specimen Identifier	Assigning authority for parent specimen's identifier.	
111707	Parent specimen type	Parent specimen type that gave rise to current specimen.	
111708	Position Frame of Reference	Description of coordinate system and origin reference point on parent specimen, or parent specimen container, or image used for localizing the sampling site or location within container or image.	
111709	Location of sampling site	Reference to image of parent specimen localizing the sampling site; may include referenced Presentation State object.	
111710	Location of sampling site X offset	Location of sampling site of specimen (nominal center) relative to the Position Frame of Reference.	
111711	Location of sampling site Y offset	Location of sampling site of specimen (nominal center) relative to the Position Frame of Reference.	
111712	Location of sampling site Z offset	Location of sampling site of specimen (nominal center) relative to the Position Frame of Reference.	
111718	Location of Specimen	Description of specimen location, either in absolute terms or relative to the Position Frame of Reference.	
111719	Location of Specimen X offset	Location of specimen (nominal center) relative to the Position Frame of Reference in the X dimension.	
111720	Location of Specimen Y offset	Location of specimen (nominal center) relative to the Position Frame of Reference in the Y dimension.	
111721	Location of Specimen Z offset	Location of specimen (nominal center) relative to the Position Frame of Reference in the Z dimension.	
111723	Visual Marking of Specimen	Description of visual distinguishing identifiers. E.g., ink, or a particular shape of the specimen.	
111724	Issuer of Specimen Identifier	Assigning authority for specimen identifier.	
111726	Dissection with entire specimen submission	Dissection of specimen with submission of all its sections for further processing or examination.	
111727	Dissection with representative sections submission	Dissection of specimen with submission of representative sections for further processing or examination.	

Code Value	Code Meaning	Definition	Notes
111729	Specimen storage	A workflow step, during which tissue specimens are stored in a climate-controlled environment.	
111741	Transmission illumination	Transmission illumination method for specimen microscopy.	
111742	Reflection illumination	Reflection illumination method for specimen microscopy.	
111743	Epifluorescence illumination	Epifluorescence illumination method for specimen microscopy.	
111744	Brightfield illumination	Brightfield illumination method for specimen microscopy.	
111745	Darkfield illumination	Darkfield illumination method for specimen microscopy.	
111746	Oblique illumination	Oblique illumination method for specimen microscopy.	
111747	Phase contrast illumination	Phase contrast illumination method for specimen microscopy.	
111748	Differential interference contrast	Differential interference contrast method for specimen microscopy.	
111749	Total internal reflection fluorescence	Total internal reflection fluorescence method for specimen microscopy.	
111750	Ultrasound Contact	A method of obtaining ophthalmic axial measurements that uses ultrasound, and that requires applanation of the cornea.	
111751	Ultrasound Immersion	A method of obtaining ophthalmic axial measurements that uses ultrasound, and that requires immersion of the patient's eye in fluid as he lies in a supine position.	
111752	Optical	A method of obtaining ophthalmic axial measurements that uses light.	
111753	Manual Keratometry	Measurements taken of the corneal curvature using a manual keratometer.	
111754	Auto Keratometry	Measurements taken of the corneal curvature using an automated keratometer.	
111755	Simulated Keratometry	Simulated Keratometry measurements derived from corneal topography.	
111756	Equivalent K-reading	Corneal power measurements using Scheimpflug camera.	
111757	Keratometry Measurements SOP Instance	Keratometry Measurements DICOM SOP Instance.	
111758	Total Cornea Power Measurement Method	Method of determining the total cornea power from measuring the curvature of both anterior and posterior surface of the cornea.	
111759	Posterior Cornea Surface Measurement Method	Method of measuring the curvature of posterior surface of the cornea and determining its refractive power.	
111760	Haigis	The Haigis IOL calculation formula. Haigis W, Lege B, Miller N, Schneider B. Comparison of immersion ultrasound biometry and partial coherence interferometry for intraocular lens calculation according to Haigis. Graefes Arch Clin Exp Ophthalmol 2000;238:765-73.	

Code Value	Code Meaning	Definition	Notes
111761	Haigis-L	The Haigis-L IOL calculation formula. Haigis W. Intraocular lens calculation after refractive surgery for myopia: Haigis-L formula. J Cataract Refract Surg. 2008 Oct;34(10):1658-63.	
111762	Holladay 1	The Holladay 1 IOL calculation formula. Holladay JT, Prager TC, Chandler TY, Musgrove KH, Lewis JW, Ruiz RS. A three-part system for refining intraocular lens power calculations. J Cataract Refract Surg. 1988; 14:17-24.	
111763	Holladay 2	The Holladay 2 IOL calculation formula.	
111764	Hoffer Q	The Hoffer Q IOL calculation formula. Hoffer KJ. The Hoffer Q formula: a comparison of theoretic and regression formulas. J Cataract Refract Surg 1993;19:700-12. Errata. J Cataract Refract Surg 1994;20:677 and 2007;33:2-3.	
111765	Olsen	The Olsen IOL calculation formula. Olsen T. Calculation of intraocular lens power: a review. Acta Ophthalmol. Scand. 2007; 85: 472-485.	
111766	SRKII	The SRKII IOL calculation formula. Sanders DR, Retzlaff J, Kraff MC. Comparison of the SRK II formula and other second generation formulas. J Cataract Refract Surg. 1988 Mar;14(2):136-41.	
111767	SRK-T	The SRK-T IOL calculation formula. Retzlaff JA, Sanders DR, Kraff MC. Development of the SRK/T intraocular lens implant power calculation formula. J Cataract Refract Surg 1990;16:333-40. Erratum 1990;16:528.	
111768	ACD Constant	The "ACD Constant" used in IOL calculation.	
111769	Haigis a0	The "Haigis a0" constant used in IOL calculation.	
111770	Haigis a1	The "Haigis a1" constant used in IOL calculation.	
111771	Haigis a2	The "Haigis a2" constant used in IOL calculation.	
111772	Hoffer pACD Constant	The "Hoffer pACD Constant" used in IOL calculation.	
111773	Surgeon Factor	The "Surgeon Factor" constant used in IOL calculation.	
111776	Front Of Cornea To Front Of Lens	Anterior chamber depth defined as the front of the cornea to the front of the lens.	
111777	Back Of Cornea To Front Of Lens	Anterior chamber depth defined as the back of the cornea to the front of the lens.	
111778	Single or Anterior Lens	Refers to the anterior lens when there are two lenses in the eye. The distance, in mm, from the anterior surface of the lens to the posterior surface of the lens.	
111779	Posterior Lens	Refers to the posterior lens when there are two lenses in the eye. The distance, in mm, from the anterior surface of the lens to the posterior surface of the lens.	
111780	Measurement From This Device	Value obtained from measurements taken by the device creating this SOP Instance.	
111781	External Data Source	Value obtained by data transfer from an external source - not from measurements taken by the device providing the value.	

Code Value	Code Meaning	Definition	Notes
111782	Axial Measurements SOP Instance	Axial Measurements DICOM SOP Instance.	
111783	Refractive Measurements SOP Instance	Refractive Measurements DICOM SOP Instance.	
111784	Autorefractive Measurements SOP Instance	Autorefractive Measurements DICOM SOP Instance.	
111786	Standard Deviation of measurements used	Standard Deviation is a simple measure of the variability of data.	
111787	Signal to Noise Ratio	Signal to Noise Ratio of the data samples taken to create a measurement.	
111791	Spherical projection	Projection from 2D image pixels to 3D Cartesian coordinates based on a spherical mathematical model.	
111792	Surface contour mapping	Mapping from 2D image pixels to 3D Cartesian coordinates based on measurements of the retinal surface. E.g., of the retina, derived via a measurement technology such as Optical Coherence Tomography, Ultrasound etc.	
111800	Visual Field 24-2 Test Pattern	Test pattern, nominally covering an area within 24° of fixation. Consists of 54 test points a minimum of 3° from each meridian and placed 6° apart. The "-2" distinguishes this from another 24° pattern (no longer supported).	
111801	Visual Field 10-2 Test Pattern	Test pattern, nominally covering an area within 10° of fixation. Consists of 68 test points a minimum of 1° from each meridian and placed 2° apart. The "-2" in this case indicates its point layout to be similar to the 30-2 and 24-2.	
111802	Visual Field 30-2 Test Pattern	Test pattern consisting of test point locations within 30° of fixation. Consists of 76 test points a minimum of 3° from each meridian and placed 6° apart. The "-2" distinguishes this from another 30° pattern (no longer supported).	
111803	Visual Field 60-4 Test Pattern	Test pattern consisting of 60 test point locations between 30° and 60° of fixation a minimum of 6° from each meridian and placed 12° apart. The "-4" distinguishes this from a similar 60° pattern having 4 additional points.	
111804	Visual Field Macula Test Pattern	Test pattern consisting of 16 test point locations within 10° of fixation a minimum of 1° from each meridian and placed 2° apart.	
111805	Visual Field Central 40 Point Test Pattern	Test pattern consisting of 40 test point locations within 30° of fixation that spread out radially from fixation.	
111806	Visual Field Central 76 Point Test Pattern	Test pattern consisting of 76 test point locations within 30° of fixation a minimum of 3° from each meridian and placed 6° apart.	
111807	Visual Field Peripheral 60 Point Test Pattern	Test pattern consisting of 60 test point locations between 30° and 60° of fixation a minimum of 6° from each meridian and placed 12° apart.	

Code Value	Code Meaning	Definition	Notes
111808	Visual Field Full Field 81 Point Test Pattern	Test pattern consisting of 81 test point locations within 60° of fixation that spread out radially from fixation.	
111809	Visual Field Full Field 120 Point Test Pattern	Test pattern consisting of 120 test point locations within 60° of fixation that spread out radially from fixation, concentrated in the nasal hemisphere.	
111810	Visual Field G Test Pattern	Test pattern for Glaucoma and general visual field assessment with 59 test locations of which 16 test locations are in the macular area (up to 10° eccentricity) and where the density of test location is reduced with eccentricity. The test can be extended with the inclusion of 14 test locations between 30° and 60° eccentricity, 6 of which are located at the nasal step.	
111811	Visual Field M Test Pattern	Test pattern for the macular area. Orthogonal test pattern with 0.7° spacing within the central 4° of eccentricity and reduced density of test locations between 4 and 10, 5° of eccentricity. 81 test locations over all. The test can be extended to include the test locations of the Visual Field G Test Pattern between 10, 5° and 60°.	
111812	Visual Field 07 Test Pattern	Full field test pattern with 48 test locations from 0-30° and 82 test locations from 30-70°. Reduced test point density with increased eccentricity. Can be combined with screening and threshold strategies.	
111813	Visual Field LVC Test Pattern	Low Vision Central. Orthogonal off-center test pattern with 6° spacing. 75 test locations within the central 30°. Corresponds with the 32/30-2 excluding the 2 locations at the blind spot, including a macular test location. The LVC is linked with a staircase threshold strategy starting at 0 dB intensity and applies stimulus area V.	
111814	Visual Field Central Test Pattern	General test corresponding to the 30-2 but excluding the 2 test locations in the blind spot area, hence with 74 instead of 76 test locations.	
111815	Visual Field SITA-Standard Test Strategy	Swedish Interactive Thresholding Algorithm (SITA). Strategy gains testing efficiency through use of visual field and information theory models. In: Bengtsson B, Olsson J, Heijl A, Rootzen H. A new generation of algorithms for computerized threshold perimetry, SITA. Acta Ophthalmologica Scandinavica, 1997, 75: 368-375.	
111816	Visual Field SITA-SWAP Test Strategy	Adaptation of SITA testing methods to Blue-Yellow testing.	
111817	Visual Field SITA-Fast Test Strategy	Similar to SITA-Standard but with less strict criteria for closing test points. Intended for patients who must be tested in the shortest possible time. In: Bengtsson B, Heijl A. SITA Fast, a new rapid perimetric threshold test. Description of methods and evaluation in patients with manifest and suspect glaucoma. Acta Ophthalmologica Scandinavica, 1998, 76: 431-437.	

Code Value	Code Meaning	Definition	Notes
111818	Visual Field Full Threshold Test Strategy	<p>Threshold test algorithm that determines a patient's sensitivity at each test point in the threshold test pattern by adjusting intensity by 4 dB steps until the patient changes their response, and then adjusts the intensity in the opposite direction by 2 dB steps until the patient changes their response again. The last stimulus seen by the patient is recognized as the threshold for that point.</p> <p>The starting values are determined by first thresholding a "primary" point in each quadrant then using the results of each primary point to determine the starting values for neighboring points.</p>	
111819	Visual Field FastPac Test Strategy	<p>Similar to the Full Threshold algorithm except that it steps by 3 dB and only crosses the threshold only once.</p> <p>In: Flanagan JG, Wild JM, Trope GE. Evaluation of FASTPAC, a new strategy for threshold estimation with the Humphrey Field Analyzer, in a glaucomatous population. Ophthalmology, 1993, 100: 949-954.</p>	
111820	Visual Field Full From Prior Test Strategy	Identical to Full Threshold except that starting values are determined by the results of a previous test performed using the same test pattern and the Full Threshold test strategy.	
111821	Visual Field Optima Test Strategy	Similar to FastPac except that the steps are pseudo-dynamic (differ based on the intensity of the last presentation).	
111822	Visual Field Two-Zone Test Strategy	Suprathreshold testing strategy, in which each point is initially tested using stimulus that is 6 dB brighter than the expected hill of vision. If the patient does not respond, the stimulus is presented a second time at the same brightness. If the patient sees either presentation, the point is marked as "seen"; otherwise it is marked as "not seen".	
111823	Visual Field Three-Zone Test Strategy	An extension of the two-zone strategy in which test points where the second stimulus is not seen are presented with a third stimulus at maximum brightness.	
111824	Visual Field Quantify-Defects Test Strategy	An extension of the two-zone strategy, in which test points where the second stimulus is not seen receive threshold testing to quantify the depth of any detected scotomas.	
111825	Visual Field TOP Test Strategy	<p>Tendency Oriented Perimetry. Fast thresholding algorithm. Test strategy makes use of the interaction between neighboring test locations to reduce the test time compared to normal full threshold strategy by 60-80%.</p> <p>In: Morales J, Weitzman ML, Gonzalez de la Rosa M. Comparison between Tendency-Oriented Perimetry (TOP) and octopus threshold perimetry. Ophthalmology, 2000, 107: 134-142.</p>	
111826	Visual Field Dynamic Test Strategy	Dynamic strategy is a fast thresholding strategy reducing test duration by adapting the dB step sizes according to the frequency-of-seeing curve of the threshold. Reduction of test time compared to normal full threshold strategy 30-50%.	

Code Value	Code Meaning	Definition	Notes
111827	Visual Field Normal Test Strategy	Traditional full threshold staircase strategy. Initial intensities are presented, based on anchor point sensitivities in each quadrant and based on already known neighboring sensitivities. In a first run, thresholds are changed in 4dB steps until the first response reversal. Then the threshold is changed in 2 dB steps until the second response reversal. The threshold is calculated as the average between the last seen and last not-seen stimulus, supposed to correspond with the 50% point in the frequency-of-seeing curve.	
111828	Visual Field 1-LT Test Strategy	One level screening test: Each test location is tested with a single intensity. The result is shown as seen or not-seen. The intensity can either be a 0 dB stimulus or a predefined intensity.	
111829	Visual Field 2-LT Test Strategy	Two level screening test: Each test location is initially tested 6 dB brighter than the age corrected normal value.	
111830	Visual Field LVS Test Strategy	Low Vision Strategy is a full threshold normal strategy with the exception that it starts at 0 dB intensity and applies stimulus area V.	
111831	Visual Field GATE Test Strategy	German Adaptive Threshold Estimation is a fast strategy based on a modified 4-2 staircase algorithm, using prior visual fields to calculate the starting intensity. In: Chieffer U, Pascual JP, Edmunds B, Feudner E, Hoffmann EM, Johnson CA, Lagreze WA, Pfeiffer N, Sample PA, Staubach F, Weleber RG, Vonthein R, Krapp E, Paetzold J. Comparison of the new perimetric GATE strategy with conventional full-threshold and SITA standard strategies. Investigative Ophthalmology and Visual Science, 2009, 51: 488-494.	
111832	Visual Field GATEi Test Strategy	Similar to GATE. The i stands for initial. If there was no prior visual field test to calculate the starting values, an anchor point method is used to define the local start values.	
111833	Visual Field 2LT-Dynamic Test Strategy	A test started as two level screening test. In the course of the test, the threshold of relative defects and/or normal test locations has been quantified using the dynamic threshold strategy.	
111834	Visual Field 2LT-Normal Test Strategy	A test started as two level screening test. In the course of the test, the threshold of relative defects and/or normal test locations has been quantified using the normal full threshold strategy.	
111835	Visual Field Fast Threshold Test Strategy	Takes neighborhood test point results into account and offers stimuli with an adapted value to save time.	
111836	Visual Field CLIP Test Strategy	Continuous Luminance Incremental Perimetry, which measures at first the individual reaction time of the patient and threshold values in every quadrant. The starting value for the main test is slightly below in individual threshold.	
111837	Visual Field CLASS Strategy	A supra threshold screening strategy. The starting stimuli intensities depend on the classification of the patient's visual field by measuring the central (fovea) or peripheral (15° meridian) threshold. The result of each dot slightly underestimates the sensitivity value (within 5 dB).	

Code Value	Code Meaning	Definition	Notes
111838	Age corrected	Mode for determining the starting luminance for screening test points - the starting luminance is chosen based on the age of the patient.	
111839	Threshold related	Mode for determining the starting luminance for screening test points - the starting luminance is chosen based on the results of thresholding a set of "primary" test points (one in each quadrant).	
111840	Single luminance	Mode for determining the starting luminance for screening test points - in this case, all starting luminance is set to the same value.	
111841	Foveal sensitivity related	Mode for determining the starting luminance for screening test points - the starting luminance is chosen based on the result of the foveal threshold value.	
111842	Related to non macular sensitivity	Mode for determining the starting luminance for screening test points - the starting luminance is chosen based on the result of four threshold values measured near the 15° meridian (one in each quadrant).	
111843	Automated Optical	Real time evaluation of the camera image to recognize blinks and fixation losses with influence on the test procedure. Blinks that interfere with stimuli presentation cause the automated repetition of such stimulus presentations. Fixation losses can be used to delay the stimulus presentation until correct fixation is regained.	
111844	Blind Spot Monitoring	A method of monitoring the patient's fixation by periodically presenting stimulus in a location on the background surface that corresponds to the patient's blind spot.	
111845	Macular Fixation Testing	A method of monitoring the patient's fixation by presenting the stimulus to the patient's macula.	
111846	Observation by Examiner	A method of monitoring the patient's fixation by observation from the examiner of the patient.	
111847	Outside normal limits	Analysis Results are outside normal limits.	
111848	Borderline	Analysis Results are borderline.	
111849	Abnormally high sensitivity	Analysis Results identify abnormally high sensitivity.	
111850	General reduction in sensitivity	Analysis Results identify general reduction in sensitivity.	
111851	Borderline and general reduction in sensitivity	Analysis Results identify Borderline and general reduction in sensitivity.	
111852	Visual Field Index	Index of a patient's remaining visual field normalized for both age and generalized defect.	
111853	Visual Field Loss Due to Diffuse Defect	Estimate of the portion of a patient's visual field loss that is diffuse (i.e., spread evenly across all portions of the visual field).	
111854	Visual Field Loss Due to Local Defect	Estimate of the portion of a patient's visual field loss that is local (i.e., not spread evenly across all portions of the visual field).	
111855	Glaucoma Hemifield Test Analysis	An analysis of asymmetry between zones of the superior and inferior visual field. It is designed to be specific for defects due to glaucoma.	

Code Value	Code Meaning	Definition	Notes
111856	Optical Fixation Measurements	The data output of an optical fixation monitoring process, consisting of a list of positive and negative numbers indicating the quality of patient fixation over the course of a visual field test. The value 0 represents the initial fixation. Negative numbers indicate a measuring error (i.e., the patient blinked). Positive numbers quantify the degree of eccentricity from initial fixation.	
111860	Haigis Toric	The Haigis Toric IOL calculation formula. Haigis, Wolfgang. Toric IOL Power Calculation. 2014. http://www.semanticscholar.org/paper/Toric-IOL-Power-Calculation-Haigis/033838182a57a1d2948ac7d3b115855e29d03fad	
111861	Haigis-L Toric	The Haigis-L Toric IOL calculation formula. Haigis W, Intraocular lens calculation after refractive surgery for myopia: Haigis-L formula. J Cataract Refract Surg, 2008. 34(10): 1658-63. doi:10.1016/j.jcrs.2008.06.029	
111862	Barrett Toric	The Barrett Toric IOL calculation formula. Abulafia, A., et al., Prediction of refractive outcomes with toric intraocular lens implantation. J Cataract Refract Surg, 2015. 41(5): p. 936-44. doi:10.1016/j.jcrs.2014.08.036	
111863	Barrett True-K	The Barrett True-K IOL calculation formula. Abulafia, A., et al., Accuracy of the Barrett True-K formula for intraocular lens power prediction after laser in situ keratomileusis or photorefractive keratectomy for myopia. J Cataract Refract Surg, 2016. 42(3): p. 363-9. doi:10.1016/j.jcrs.2015.11.039	
111864	Barrett True-K Toric	The Barrett True-K Toric IOL calculation formula. Barrett G.D., Barrett True-K toric calculator. http://www.apacrs.org/TrueKToric105/TrueKToric.aspx	
111865	Barrett Universal II	The Barrett Universal II IOL calculation formula. Barrett, G.D., An improved universal theoretical formula for intraocular lens power prediction. J Cataract Refract Surg, 1993. 19: p. 713-720. doi:10.1016/S0886-3350(13)80339-2	
111866	Barrett Lens Factor	The "Barrett Lens Factor" constant used in IOL calculation.	
111867	Barrett Design Factor	The "Barrett Design Factor" constant used in IOL calculation.	
111900	Macula centered	An image of at least 15° angular subtend that is centered on the macula; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111901	Disc centered	An image of at least 15° angular subtend that is centered on the optic disc; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	

Code Value	Code Meaning	Definition	Notes
111902	Lesion centered	An image of any angular subtend that is centered on a lesion located in any region of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111903	Disc-macula centered	An image of at least 15° angular subtend centered midway between the disc and macula and containing at least a portion of the disc and both the disc and the macula; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111904	Mid-peripheral-superior	An image of at least 15° angular subtend positioned between the central zone and the equator, and spanning both the superior-temporal and superior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111905	Mid-peripheral-superior temporal	An image of at least 15° angular subtend positioned between the central zone and the equator in the superior-temporal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111906	Mid-peripheral-temporal	An image of at least 15° angular subtend positioned between the central zone and the equator, and spanning both the superior-temporal and inferior-temporal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111907	Mid-peripheral-inferior temporal	An image of at least 15° angular subtend positioned between the central zone and the equator in the inferior-temporal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111908	Mid-peripheral-inferior	An image of at least 15° angular subtend positioned between the central zone and the equator, and spanning both the inferior-temporal and inferior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111909	Mid-peripheral-inferior nasal	An image of at least 15° angular subtend positioned between the central zone and the equator in the inferior-nasal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111910	Mid-peripheral-nasal	An image of at least 15° angular subtend positioned between the central zone and the equator, and spanning both the superior-nasal and inferior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111911	Mid-peripheral-superior nasal	An image of at least 15° angular subtend positioned between the central zone and the equator in the superior-nasal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111912	Peripheral-superior	An image of at least 15° angular subtend positioned between the equator and the ora serrata, and spanning both the superior temporal and superior nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	

Code Value	Code Meaning	Definition	Notes
111913	Peripheral-superior temporal	An image of at least 15° angular subtend positioned between the equator and ora serrata in the superior-temporal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111914	Peripheral-temporal	An image of at least 15° angular subtend positioned between the equator and ora serrata, and spanning both the superior-temporal and inferior-temporal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111915	Peripheral-inferior temporal	An image of at least 15° angular subtend positioned between the equator and ora serrata in the inferior-temporal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111916	Peripheral-inferior	An image of at least 15° angular subtend positioned between the equator and ora serrata, and spanning both the inferior-temporal and inferior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111917	Peripheral-inferior nasal	An image of at least 15° angular subtend positioned between the equator and ora serrata in the inferior-nasal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111918	Peripheral-nasal	An image of at least 15° angular subtend positioned between the equator and ora serrata, and spanning both the superior-nasal and inferior-nasal quadrants of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111919	Peripheral-superior nasal	An image of at least 15° angular subtend positioned between the equator and ora serrata in the superior-nasal quadrant of the fundus; see Section U.1.8 "Relative Image Position Definitions" in PS3.17.	
111920	Time domain	Identifies the use of physical signals with respect to time to capture information.	
111921	Spectral domain	Identifies the use of physical signals with respect to multiple frequencies to capture information.	
111922	No corneal compensation	No compensation algorithm for corneal birefringence.	
111923	Corneal birefringence compensation	Algorithm to compensate for variability in corneal birefringence.	
111924	Retinal topography	Measurement of the retinal surface contour relative to an assigned datum plane.	
111925	Retinal nerve fiber layer thickness	Measurement approximating the distance related to the structure between the internal limiting membrane (ILM) and the outer boarder of the retinal nerve fiber layer (RNFL); see Section III.6 "Retinal Thickness Definition" in PS3.17.	
111926	Ganglion cell complex thickness	Measurement approximating the distance related to the structure between the ILM and the outer border of the inner plexiform layer (IPL), called the ganglion cell complex (GCC); see Section III.6 "Retinal Thickness Definition" in PS3.17.	

Code Value	Code Meaning	Definition	Notes
111927	Total retinal thickness (ILM to IS-OS)	Measurement approximating the distance related to the structure between the ILM and the inner-outer segment junction (IS-OS); see Section III.6 "Retinal Thickness Definition" in PS3.17.	
111928	Total retinal thickness (ILM to RPE)	Measurement approximating the distance related to the structure between the ILM and the retinal pigment epithelium (RPE); see Section III.6 "Retinal Thickness Definition" in PS3.17.	
111929	Total retinal thickness (ILM to BM)	Measurement approximating the distance related to the structure between the ILM and the Bruch's membrane (BM); see Section III.6 "Retinal Thickness Definition" in PS3.17.	
111930	Absolute ophthalmic thickness	Thickness of a component of the posterior segment of the eye. E.g., thickness of retina, choroid, etc.	
111931	Thickness deviation category from normative data	Ophthalmic Thickness map based upon statistical significance category (such as percentile) from normative data.	
111932	Thickness deviation from normative data	Ophthalmic Thickness map based upon deviation (such as microns) from normative data.	
111933	Related ophthalmic thickness map	Ophthalmic Thickness Map related to another Ophthalmic Thickness Map or another SOP Instance.	
111934	Disc-Fovea	An anatomic point centered midway between the disc and fovea centralis.	
111935	p>5%	Assuming the null hypothesis is true, the conditional percent probability of observing this result is not statistically significant.	
111936	p<5%	Assuming the null hypothesis is true, the conditional percent probability of observing this result is statistically significant, 95% unlikely to happen by chance.	
111937	p<2%	Assuming the null hypothesis is true, the conditional percent probability of observing this result is statistically significant, 98% unlikely to happen by chance.	
111938	p<1%	Assuming the null hypothesis is true, the conditional percent probability of observing this result is statistically significant, 99% unlikely to happen by chance.	
111939	p<0.5%	Assuming the null hypothesis is true, the conditional percent probability of observing this result is statistically significant, 99.5% unlikely to happen by chance.	
111940	Corneal axial power map	A two dimensional representation of the axial curvature of the cornea. Axial curvature is calculated from the reciprocal of the distance from a point on a meridian normal at the point to the corneal topographer axis. Also known as sagittal curvature.	
111941	Corneal instantaneous power map	A two dimensional representation of the instantaneous curvature of the cornea. Instantaneous curvature is calculated from the reciprocal of the distance from a point on a meridian normal at the point to the center of curvature of that point. Also called tangential curvature.	
111942	Corneal refractive power map	A two dimensional representation of the refractive power of the cornea. Corneal refractive power is calculated using Snell's Law.	

Code Value	Code Meaning	Definition	Notes
111943	Corneal elevation map	A two dimensional representation of the elevation of the cornea. Elevation is calculated as the distance from a point on the corneal surface to a point on a reference surface along a line parallel to the corneal topographer axis. For the purpose of visualization the reference surface is usually a sphere or an ellipse.	
111944	Corneal wavefront map	A two dimensional representation of a wavefront aberration surface of the cornea. Wavefront aberration surface is calculated from the corneal elevation data fit with either the Zernike polynomial series or the Fourier Series. Maps generally display total aberrations and selectable higher order aberrations.	
111945	Elevation-based corneal tomographer	A device that measures corneal anterior surface shape using elevation-based methods (stereographic and light slit-based). Rasterstereography images a grid pattern illuminating the fluorescein dyed tear film with 2 cameras to produce 3D. Slit-based devices scan the cornea, usually by rotation about the instrument axis centered on the cornea vertex.	
111946	Reflection-based corneal topographer	A reflection-based device that projects a pattern of light onto the cornea and an image of the reflection of that pattern from the tear film is recorded in one video frame. Light patterns include the circular mire pattern (Placido disc) and spot matrix patterns. Sequential scanning of light spots reflected from the corneal surface is also used requiring multiple video frames for recording.	
111947	Interferometry-based corneal tomographer	An Interference-based device that projects a beam of light onto and through the cornea. Light reflected from within the cornea is combined with a reference beam giving rise to an interference pattern. Appropriately scanned, this imaging is used to construct 3-dimensional images of the cornea from anterior to posterior surfaces. E.g., swept source OCT.	
112000	Chest CAD Report	A structured report containing the results of computer-aided detection or diagnosis applied to chest imaging and associated clinical information.	
112001	Opacity	The shadow of an absorber that attenuates the X-Ray beam more effectively than do surrounding absorbers. In a radiograph, any circumscribed area that appears more nearly white (of lesser photometric density) than its surround [Fraser and Pare].	
112002	Series Instance UID	A unique identifier for a series of DICOM SOP instances.	
112003	Associated Chest Component	A named anatomic region within the chest cavity.	
112004	Abnormal interstitial pattern	A collection of opacities detected within the continuum of loose connective tissue throughout the lung, that is not expected in a diagnostically normal radiograph.	
112005	Radiographic anatomy	A type of anatomy that is expected to be detectable on a radiographic (X-Ray based) image.	
112006	Distribution Descriptor	Characteristic of the extent of spreading of a finding or feature.	
112007	Border definition	Characteristic of the clarity of the boundary or edges of a finding or feature.	

Code Value	Code Meaning	Definition	Notes
112008	Site involvement	The part(s) of the anatomy affected or encompassed by a finding or feature.	
112009	Type of Content	Characteristic of the matter or substance within a finding or feature.	
112010	Texture Descriptor	Characteristic of the surface or consistency of a finding or feature.	
112011	Positioner Primary Angle	Position of the X-Ray beam about the patient from the RAO to LAO direction where movement from RAO to vertical is positive.	
112012	Positioner Secondary Angle	Position of the X-Ray beam about the patient from the caudal to cranial direction where movement from caudal to vertical is positive.	
112013	Location in Chest	The zone, lobe or segment within the chest cavity in which a finding or feature is situated.	
112014	Orientation Descriptor	Vertical refers to orientation parallel to the superior-inferior (cephalad-caudad) axis of the body, with horizontal being perpendicular to this, and an oblique orientation having projections in both the horizontal and vertical.	
112015	Border shape	Characteristic of the shape formed by the boundary or edges of a finding or feature.	
112016	Baseline Category	Indicates whether a finding was considered a target lesion, non-target lesion, or non-lesion during evaluation of a baseline series, according to a method such as RECIST.	
112017	Cavity extent as percent of volume	The extent of a detected cavity, represented as the percent of the surrounding volume that it occupies.	
112018	Calcification extent as percent of surface	The extent of a detected calcification, represented as the percent of the surrounding surface that it occupies.	
112019	Calcification extent as percent of volume	The extent of a detected calcification, represented as the percent of the surrounding volume that it occupies.	
112020	Response Evaluation	A heading for the reporting of response evaluation for treatment of solid tumors.	
112021	Response Evaluation Method	The system applied in the reporting of response evaluation for treatment of solid tumors.	
112022	RECIST	Response Evaluation Criteria In Solid Tumors; see Normative References.	
112023	Composite Feature Modifier	A term that further specifies the name of an item that is an inferred correlation relating two or more individual findings or features.	
112024	Single Image Finding Modifier	A term that further specifies the name of an item that was detected on one image.	
112025	Size Descriptor	A qualitative descriptor for the extent of a finding or feature.	
112026	Width Descriptor	A qualitative descriptor for the thickness of tubular structures, such as blood vessels.	
112027	Opacity Descriptor	A characteristic that further describes the nature of an opacity.	
112028	Abnormal Distribution of Anatomic Structure	The type of adverse affect that a finding or feature is having on the surrounding anatomy.	

Code Value	Code Meaning	Definition	Notes
112029	WHO	Response evaluation method as defined in chapter 5, "Reporting of Response" of the WHO Handbook for Reporting Results for Cancer Treatment; see Normative References.	
112030	Calcification Descriptor	Identification of the morphology of detected calcifications.	
112031	Attenuation Coefficient	A quantitative numerical statement of the relative attenuation of the X-Ray beam at a specified point. Coefficient that describes the fraction of a beam of X-Rays or gamma rays that is absorbed or scattered per unit thickness of the absorber. This value basically accounts for the number of atoms in a cubic cm volume of material and the probability of a photon being scattered or absorbed from the nucleus or an electron of one of these atoms. Usually expressed in Hounsfield units [referred to as CT Number in Fraser and Pare].	
112032	Threshold Attenuation Coefficient	An X-Ray attenuation coefficient that is used as a threshold. E.g., in calcium scoring.	
112033	Abnormal opacity	An opacity that is not expected in a diagnostically normal radiograph.	
112034	Calculation Description	A textual description of the mathematical method of calculation that resulted in a calculated value.	
112035	Performance of Pediatric and Adult Chest Radiography, ACR	American College of Radiology. ACR Standard for the Performance of Pediatric and Adult Chest Radiography. In: Standards. Reston, Va: 2001:95-98.	
112036	ACR Position Statement	American College of Radiology. ACR Position Statement for Quality Control and Improvement, Safety, Infection Control, and Patient Concerns. In: <i>Practice Guidelines and Technical Standards</i> . Reston, Va: 2001:iv.	
112037	Non-lesion Modifier	A descriptor for a non-lesion object finding or feature, used to indicate whether the object was detected as being internal or external to the patient's body.	
112038	Osseous Modifier	A concept modifier for an Osseous Anatomy, or bone related, finding.	
112039	Tracking Identifier	A text label used for tracking a finding or feature, potentially across multiple reporting objects, over time. This label shall be unique within the domain in which it is used. Corresponds to Tracking ID (0062,0020).	
112040	Tracking Unique Identifier	A unique identifier used for tracking a finding or feature, potentially across multiple reporting objects, over time. Corresponds to Tracking UID (0062,0021).	
112041	Target Lesion Complete Response	Disappearance of all target lesions.	
112042	Target Lesion Partial Response	At least a 30% decrease in the sum of the Longest Diameter of target lesions, taking as reference the baseline sum Longest Diameter.	
112043	Target Lesion Progressive Disease	At least a 20% increase in the sum of the Longest Diameter of target lesions, taking as reference the smallest sum Longest Diameter recorded since the treatment started, or the appearance of one or more new lesions.	

Code Value	Code Meaning	Definition	Notes
112044	Target Lesion Stable Disease	Neither sufficient shrinkage to qualify for Partial Response nor sufficient increase to qualify for Progressive Disease, taking as reference the smallest sum Longest Diameter since the treatment started.	
112045	Non-Target Lesion Complete Response	Disappearance of all non-target lesions and normalization of tumor marker level.	
112046	Non-Target Lesion Incomplete Response or Stable Disease	Persistence of one or more non-target lesions and/or maintenance of tumor marker level above the normal limits.	
112047	Non-Target Lesion Progressive Disease	Appearance of one or more new lesions and/or unequivocal progression of existing non-target lesions.	
112048	Current Response	The current response evaluation for treatment of solid tumors, according to a method such as RECIST.	
112049	Best Overall Response	Best response recorded from the start of the treatment until disease progression/recurrence, taking as reference for Progressive Disease the smallest measurements recorded since the treatment started, according to a method such as RECIST.	
112050	Anatomic Identifier	A text identifier of an anatomic feature when a multiplicity of features of that type may be present, such as "Rib 1", "Rib 2" or thoracic vertebrae "T1" or "T2".	
112051	Measurement of Response	A measured or calculated evaluation of response. E.g., according to a method such as RECIST, the value would be the calculated sum of the lengths of the longest axes of a set of target lesions.	
112052	Bronchovascular	Of or relating to a bronchial (lung) specific channel for the conveyance of a body fluid.	
112053	Osseous	Of, relating to, or composed of bone.	
112054	Secondary pulmonary lobule	The smallest unit of lung surrounded by connective tissue septa; the unit of lung subtended by any bronchiole that gives off three to five terminal bronchioles [Fraser and Pare].	
112055	Agatston scoring method	A method of calculating an overall calcium score, reflecting the calcification of coronary arteries, based on the maximum X-Ray attenuation coefficient and the area of calcium deposits.	
112056	Volume scoring method	A method of calculating an overall calcium score, reflecting the calcification of coronary arteries, based on the volume of each calcification, typically expressed in mm ³ .	
112057	Mass scoring method	A method of calculating an overall calcium score, reflecting the calcification of coronary arteries, based on the total mass of calcification, typically expressed in mg.	
112058	Calcium score	A measure often arrived at through calculation of findings from CT examination, which is a common predictor of significant stenosis of the coronary arteries.	
112059	Primary complex	The combination of a focus of pneumonia due to a primary infection with granulomas in the draining hilar or mediastinal lymph nodes [Fraser and Pare].	

Code Value	Code Meaning	Definition	Notes
112060	Oligemia	General or local decrease in the apparent width of visible pulmonary vessels, suggesting less than normal blood flow (reduced blood flow) [Fraser and Pare].	
112061	Abnormal lines (1D)	Linear opacity of very fine width, i.e., a nearly one dimensional opacity.	
112062	Abnormal lucency	Area of abnormal very low X-Ray attenuation, typically lower than aerated lung when occurring in or projecting over lung, or lower than soft tissue when occurring in or projecting over soft tissue.	
112063	Abnormal calcifications	A calcific opacity within the lung that may be organized, but does not display the trabecular organization of true bone [Fraser and Pare].	
112064	Abnormal texture	Relatively homogeneous, extended, pattern of abnormal opacity in the lung, typically low in contrast.	
112065	Reticulonodular pattern	A collection of innumerable small, linear, and nodular opacities that together produce a composite appearance resembling a net with small superimposed nodules. The reticular and nodular elements are dimensionally of similar magnitude [Fraser and Pare].	
112066	Beaded septum sign	Irregular septal thickening that suggests the appearance of a row of beads; usually a sign of lymphangitic carcinomatosis, but may also occur rarely in sarcoidosis [Fraser and Pare].	
112067	Nodular pattern	A collection of innumerable, small discrete opacities ranging in diameter from 2-10 mm, generally uniform in size and widespread in distribution, and without marginal spiculation [Fraser and Pare].	
112068	Pseudoplaque	An irregular band of peripheral pulmonary opacity adjacent to visceral pleura that simulates the appearance of a pleural plaque and is formed by coalescence of small nodules [Fraser and Pare].	
112069	Signet-ring sign	A ring of opacities (usually representing a dilated, thick-walled bronchus) in association with a smaller, round, soft tissue opacity (the adjacent pulmonary artery) suggesting a "signet ring" [Fraser and Pare].	
112070	Air bronchiogram	Equivalent of air bronchogram, but in airways assumed to be bronchioles because of peripheral location and diameter [Fraser and Pare].	
112071	Air bronchogram	Radiographic shadow of an air-containing bronchus; presumed to represent an air-containing segment of the bronchial tree (identity often inferred) [Fraser and Pare].	
112072	Air crescent	Air in a crescentic shape in a nodule or mass, in which the air separates the outer wall of the lesion from an inner sequestrum, which most commonly is a fungus ball of <i>Aspergillus</i> species [Fraser and Pare].	
112073	Halo sign	Ground-glass opacity surrounding the circumference of a nodule or mass. May be a sign of invasive aspergillosis or hemorrhage of various causes [Fraser and Pare].	
112074	Target Lesion at Baseline	Flag denoting that this lesion was identified, at baseline, as a target lesion intended for tracking over time [RECIST].	

Code Value	Code Meaning	Definition	Notes
112075	Non-Target Lesion at Baseline	Flag denoting that this lesion was not identified, at baseline, as a target lesion, and was not intended for tracking over time [RECIST].	
112076	Non-Lesion at Baseline	Flag denoting that this finding was identified, at baseline, as a category other than a lesion, and was not intended for tracking over time [RECIST].	
112077	Vasoconstriction	Local or general reduction in the caliber of visible pulmonary vessels, presumed to result from decreased flow occasioned by contraction of muscular pulmonary arteries [Fraser and Pare].	
112078	Vasodilation	Local or general increase in the width of visible pulmonary vessels resulting from increased pulmonary blood flow [Fraser and Pare].	
112079	Architectural distortion	A manifestation of lung disease in which bronchi, pulmonary vessels, a fissure or fissures, or septa of secondary pulmonary lobules are abnormally displaced [Fraser and Pare].	
112080	Mosaic perfusion	A patchwork of regions of varied attenuation, interpreted as secondary to regional differences in perfusion [Fraser and Pare].	
112081	Pleonemia	Increased blood flow to the lungs or a portion thereof, manifested by a general or local increase in the width of visible pulmonary vessels [Fraser and Pare].	
112082	Interface	The common boundary between the shadows of two juxtaposed structures or tissues of different texture or opacity (edge, border) [Fraser and Pare].	
112083	Line	A longitudinal opacity no greater than 2 mm in width [Fraser and Pare].	
112084	Lucency	The shadow of an absorber that attenuates the primary X-Ray beam less effectively than do surrounding absorbers. In a radiograph, any circumscribed area that appears more nearly black (of greater photometric density) than its surround [Fraser and Pare].	
112085	Midlung window	A midlung region, characterized by the absence of large blood vessels and by a paucity of small blood vessels, that corresponds to the minor fissure and adjacent peripheral lung [Fraser and Pare].	
112086	Carina angle	The angle formed by the right and left main bronchi at the tracheal bifurcation [Fraser and Pare].	
112087	Centrilobular structures	The pulmonary artery and its immediate branches in a secondary lobule; HRCT depicts these vessels in certain cases; a.k.a. core structures or lobular core structures [Fraser and Pare].	
112088	Anterior junction line	A vertically oriented linear or curvilinear opacity approximately 1-2 mm wide, commonly projected on the tracheal air shadow [Fraser and Pare].	
112089	Posterior junction line	A vertically oriented, linear or curvilinear opacity approximately 2 mm wide, commonly projected on the tracheal air shadow, and usually slightly concave to the right [Fraser and Pare].	

Code Value	Code Meaning	Definition	Notes
112090	Azygoesophageal recess interface	A space in the right side of the mediastinum into which the medial edge of the right lower lobe extends [Fraser and Pare].	
112091	Paraspinal line	A vertically oriented interface usually seen in a frontal chest radiograph to the left of the thoracic vertebral column [Fraser and Pare].	
112092	Posterior tracheal stripe	A vertically oriented linear opacity ranging in width from 2-5 mm, extending from the thoracic inlet to the bifurcation of the trachea, and visible only on lateral radiographs of the chest [Fraser and Pare].	
112093	Right tracheal stripe	A vertically oriented linear opacity approximately 2-3 mm wide extending from the thoracic inlet to the right tracheobronchial angle [Fraser and Pare].	
112094	Stripe	A longitudinal composite opacity measuring 2-5 mm in width; acceptable when limited to anatomic structures within the mediastinum [Fraser and Pare].	
112095	Hiatus	A gap or passage through an anatomical part or organ; especially: a gap through which another part or organ passes.	
112096	Rib Scalene Tubercle	A small rounded elevation or eminence on the first rib for the attachment of the scalenus anterior.	
112097	Vertebral Intervertebral Notch	A groove that serves for the transmission of the vertebral artery.	
112098	Subscapular Fossa	The concave depression of the anterior surface of the scapula.	
112099	Scapular Spine	A sloping ridge dividing the dorsal surface of the scapula into the supraspinatous fossa (above), and the infraspinatous fossa (below).	
112100	Scapular Supraspinatus Fossa	The portion of the dorsal surface of the scapula above the scapular spine.	
112101	Scapular Infraspinatus Fossa	The portion of the dorsal surface of the scapula below the scapular spine.	
112102	Aortic knob	The portion of the aortic arch that defines the transition between its ascending and descending limbs.	
112103	Arch of the Azygos vein	Section of Azygos vein near the fourth thoracic vertebra, where it arches forward over the root of the right lung, and ends in the superior vena cava, just before that vessel pierces the pericardium.	
112104	Air-fluid level	A local collection of gas and liquid that, when traversed by a horizontal X-Ray beam, creates a shadow characterized by a sharp horizontal interface between gas density above and liquid density below [Fraser and Pare].	
112105	Corona radiata	A circumferential pattern of fine linear spicules, approximately 5 mm long, extending outward from the margin of a solitary pulmonary nodule through a zone of relative lucency [Fraser and Pare].	
112106	Honeycomb pattern	A number of closely approximated ring shadows representing air spaces 5-10 mm in diameter with walls 2-3 mm thick that resemble a true honeycomb; implies "end-stage" lung [Fraser and Pare].	

Code Value	Code Meaning	Definition	Notes
112107	Fleischner's line(s)	A straight, curved, or irregular linear opacity that is visible in multiple projections; usually situated in the lower half of the lung; vary markedly in length and width [Fraser and Pare].	
112108	Intralobular lines	Fine linear opacities present in a lobule when the intralobular interstitium is thickened. When numerous, they may appear as a fine reticular pattern [Fraser and Pare].	
112109	Kerley A line	Essentially straight linear opacity 2-6 cm in length and 1-3 mm in width, usually in an upper lung zone [Fraser and Pare].	
112110	Kerley B line	A straight linear opacity 1.5-2 cm in length and 1-2 mm in width, usually at the lung base [Fraser and Pare].	
112111	Kerley C lines	A group of branching, linear opacities producing the appearing of a fine net, at the lung base [Fraser and Pare].	
112112	Parenchymal band	Elongated opacity, usually several millimeters wide and up to about 5 cm long, often extending to the pleura, which may be thickened and retracted at the site of contact [Fraser and Pare].	
112113	Reticular pattern	A collection of innumerable small linear opacities that together produce an appearance resembling a net [Fraser and Pare].	
112114	Septal line(s)	Usually used in the plural, a generic term for linear opacities of varied distribution produced when the interstitium between pulmonary lobules is thickened [Fraser and Pare].	
112115	Subpleural line	A thin curvilinear opacity, a few millimeters or less in thickness, usually less than 1 cm from the pleural surface and paralleling the pleura [Fraser and Pare].	
112116	Tramline shadow	Parallel or slightly convergent linear opacities that suggest the planar projection of tubular structures and that correspond in location and orientation to elements of the bronchial tree [Fraser and Pare].	
112117	Tubular shadow	Paired, parallel, or slightly convergent linear opacities presumed to represent the walls of a tubular structure seen en face; used if the anatomic nature of a shadow is obscure [Fraser and Pare].	
112118	Density	The opacity of a radiographic shadow to visible light; film blackening; the term should never be used to mean an "opacity" or "radiopacity" [Fraser and Pare].	
112119	Dependent opacity	Subpleural increased attenuation in dependent lung. The increased attenuation disappears when the region of lung is nondependent; a.k.a. dependent increased attenuation [Fraser and Pare].	
112120	Ground glass opacity	Hazy increased attenuation of lung, but with preservation of bronchial and vascular margins; caused by partial filling of air spaces, interstitial thickening, partial collapse of alveoli, normal expiration, or increased capillary blood volume [Fraser and Pare].	
112121	Infiltrate	Any ill-defined opacity in the lung [Fraser and Pare].	

Code Value	Code Meaning	Definition	Notes
112122	Micronodule	Discrete, small, round, focal opacity of at least soft tissue attenuation and with a diameter no greater than 7 mm [Fraser and Pare].	
112123	Phantom tumor (pseudotumor)	A shadow produced by a local collection of fluid in one of the interlobar fissures, usually elliptic in one radiographic projection and rounded in the other, resembling a tumor [Fraser and Pare].	
112124	Shadow	Any perceptible discontinuity in film blackening attributed to the attenuation of the X-Ray beam by a specific anatomic absorber or lesion on or within the body of the patient; to be employed only when more specific identification is not possible [Fraser and Pare].	
112125	Small irregular opacities	Term used to define a reticular pattern specific to pneumoconioses [Fraser and Pare].	
112126	Small rounded opacities	Term used to define a nodular pattern specific to pneumoconioses [Fraser and Pare].	
112127	Tree-in-bud sign	Nodular dilation of centrilobular branching structures that resembles a budding tree and represents exudative bronchiolar dilation [Fraser and Pare].	
112128	Granular pattern	Any extended, finely granular pattern of pulmonary opacity within which normal anatomic details are partly obscured [Fraser and Pare].	
112129	Miliary pattern	A collection of tiny discrete opacities in the lungs, each measuring 2 mm or less in diameter, generally uniform in size and widespread in distribution [Fraser and Pare].	
112130	Mosaic pattern	Generalized pattern of relatively well defined areas in the lung having different X-Ray attenuations due to a longstanding underlying pulmonary disease.	
112131	Extremely small	A qualitative descriptor of a size that is dramatically less than typical.	
112132	Very small	A qualitative descriptor of a size that is considerably less than typical.	
112133	Too small	A qualitative descriptor of a size that is so small as to be abnormal versus expected size.	
112134	Elliptic	Shaped like an ellipse (oval).	
112135	Lobulated	A border shape that is made up of, provided with, or divided into lobules (small lobes, curved or rounded projections or divisions).	
112136	Spiculated	Radially orientated border shape.	
112137	Sharply defined	The border of a shadow (opacity) is sharply defined [Fraser and Pare].	
112138	Distinctly defined	The border of a shadow (opacity) is distinctly defined [Fraser and Pare].	
112139	Well demarcated	The border of a shadow (opacity) is well distinct from adjacent structures [Fraser and Pare].	
112140	Sharply demarcated	The border of a shadow (opacity) is sharply distinct from adjacent structures [Fraser and Pare].	






Code Value	Code Meaning	Definition	Notes
112141	Poorly demarcated	The border of a shadow (opacity) is poorly distinct from adjacent structures [Fraser and Pare].	
112142 112142	Circumscribed Circumscribed	A shadow A shadow (opacity) possessing a complete or nearly complete visible border [Fraser and Pare]. (opacity) possessing a complete or nearly complete visible border [Fraser and Pare].	Retired. Replaced by (263706005, SCT, "Circumscribed")
112143	Air	Inspired atmospheric gas. The word is sometimes used to describe gas within the body regardless of its composition or site [Fraser and Pare].	
112144	Soft tissue	Material having X-Ray attenuation properties similar to muscle.	
112145	Calcium	Material having X-Ray attenuation properties similar to calcium, a silver-white bivalent metallic element occurring in plants and animals.	
112146	Acinar	A pulmonary opacity 4-8 mm in diameter, presumed to represent anatomic acinus, or a collection of opacities in the lung, each measuring 4-8 mm in diameter, and together producing an extended, homogeneous shadow [Fraser and Pare].	
112147	Air space	The gas-containing portion of the lung parenchyma, including the acini and excluding the interstitium [Fraser and Pare].	
112148	Fibronodular	Sharply defined, approximately circular opacities occurring singly or in clusters, usually in the upper lobes [Fraser and Pare].	
112149	Fluffy	A shadow (opacity) that is ill-defined, lacking clear-cut margins [Fraser and Pare].	
112150	Linear	A shadow resembling a line; any elongated opacity of approximately uniform width [Fraser and Pare].	
112151	Profusion	The number of small opacities per unit area or zone of lung. In the International Labor Organization (ILO) classification of radiographs of the pneumoconioses, the qualifiers 0 through 3 subdivide the profusion into 4 categories. The profusion categories may be further subdivided by employing a 12-point scale [Fraser and Pare].	
112152	Silhouette sign	The effacement of an anatomic soft tissue border by either a normal anatomic structure or a pathologic state such as airlessness of adjacent lung or accumulation of fluid in the contiguous pleural space; useful in detecting and localizing an opacity along the axis of the X-Ray beam [Fraser and Pare].	
112153	Subpleural	Situated or occurring between the pleura and the body wall.	
112154	Bat's wing distribution	Spatial arrangement of opacities that bears vague resemblance to the shape of a bat in flight; bilaterally symmetric [Fraser and Pare].	
112155	Butterfly distribution	Spatial arrangement of opacities that bears vague resemblance to the shape of a butterfly in flight; bilaterally symmetric [Fraser and Pare].	
112156	Centrilobular	Referring to the region of the bronchioloarteriolar core of a secondary pulmonary lobule [Fraser and Pare].	






Code Value	Code Meaning	Definition	Notes
112157	Coalescent	The joining together of a number of opacities into a single opacity [Fraser and Pare].	
112158	Lobar	Of or relating to a lobe (a curved or rounded projection or division). E.g., involving an entire lobe of the lung.	
112159	Hyper-acute	Extremely or excessively acute, as a qualitative measure of severity.	
112160	Homogeneous (uniform opacity)	Of uniform opacity or texture throughout [Fraser and Pare].	
112161	Inhomogeneous	Lack of homogeneity in opacity or texture.	
112162	Target	Discrete opacity centrally within a larger opacity, as a calcification descriptor.	
112163	Fibrocalcific	Pertaining to sharply defined, linear, and/or nodular opacities containing calcification(s) [Fraser and Pare].	
112164	Flocculent	Calcifications made up of loosely aggregated particles, resembling wool.	
112165	<i>Difference in border shape</i>	<i>A change in the shape formed by the boundary or edges of a finding or feature.</i>	Retired. Replaced by (F-0517E, SRT442755000, SCT, "Difference in border shape")
112166	<i>Difference in border definition</i>	<i>A change in the clarity of the boundary or edges of a finding or feature.</i>	Retired. Replaced by (F-05166, SRT442688001, SCT, "Difference in border definition")
112167	<i>Difference in distribution</i>	<i>A change in the extent of spreading of a finding or feature.</i>	Retired. Replaced by (F-0516C, SRT442704007, SCT, "Difference in distribution")
112168	<i>Difference in site involvement</i>	<i>A change in the part(s) of the anatomy affected or encompassed by a finding or feature.</i>	Retired. Replaced by (F-05170, SRT442711006, SCT, "Difference in site involvement")
112169	<i>Difference in Type of Content</i>	<i>A change in the matter or substance within a finding or feature.</i>	Retired. Replaced by (F-05167, SRT442691001, SCT, "Difference in substance")
112170	<i>Difference in Texture</i>	<i>A change in the surface or consistency of a finding or feature.</i>	Retired. Replaced by (F-0516A, SRT442700003, SCT, "Difference in texture")
112171	Fiducial mark	A location in image space, which may or may not correspond to an anatomical reference, which is often used for registering data.	
112172	Portacath	Connected to an injection chamber placed under the skin in the upper part of the chest. When it is necessary to inject some drug, a specific needle is put in the chamber through the skin and a silicon membrane. The advantage of a portacath is that it may be left in place several months contrarily of "classical" catheters.	
112173	Chest tube	A tube inserted into the chest wall from outside the body, for drainage. Sometimes used for collapsed lung. Usually connected to a receptor placed lower than the insertion site.	


Code Value	Code Meaning	Definition	Notes
112174	Central line	A tube placed into the subclavian vein to deliver medication directly into the venous system.	
112175	Kidney stent	A stent is a tube inserted into another tube. Kidney stent is a tube that is inserted into the kidney, ureter, and bladder, to help drain urine. Usually inserted through a scoping device presented through the urethra.	
112176	Pancreatic stent	A stent is a tube inserted into another tube. Pancreatic stent is inserted through the common bile duct to the pancreatic duct, to drain bile.	
112177	Nipple ring	A non-lesion object that appears to be a circular band, attached to the body via pierced nipple.	
112178	Coin	A non-lesion object that appears to be a flat round piece of metal.	
112179	Minimum Attenuation Coefficient	The least quantity assignable, admissible, or possible; the least of a set of X-Ray attenuation coefficients.	
112180	Maximum Attenuation Coefficient	The greatest quantity or value attainable or attained; the largest of a set of X-Ray attenuation coefficients.	
112181	Mean Attenuation Coefficient	The value that is computed by dividing the sum of a set of X-Ray attenuation coefficients by the number of values.	
112182	Median Attenuation Coefficient	The value in an ordered set of X-Ray attenuation coefficients, below and above which there is an equal number of values.	
112183	Standard Deviation of Attenuation Coefficient	For a set of X-Ray attenuation coefficients: 1) a measure of the dispersion of a frequency distribution that is the square root of the arithmetic mean of the squares of the deviation of each of the class frequencies from the arithmetic mean of the frequency distribution; 2) a parameter that indicates the way in which a probability function or a probability density function is centered around its mean and that is equal to the square root of the moment in which the deviation from the mean is squared.	
112184	Performance of Pediatric and Adult Thoracic CT	American College of Radiology. ACR Standard for the Performance of Pediatric and Adult Thoracic Computed Tomography (CT). In: Standards. Reston, Va: 2001:103-107.	
112185	Performance of CT for Detection of Pulmonary Embolism in Adults	American College of Radiology. ACR Standard for the Performance of Computed Tomography for the Detection of Pulmonary Embolism in Adults. In: Standards. Reston, Va: 2001:109-113.	
112186	Performance of High-Resolution CT of the Lungs in Adults	American College of Radiology. ACR Standard for the Performance of High-Resolution Computed Tomography (HRCT) of the Lungs in Adults. In: Standards. Reston, Va: 2001:115-118.	
112187	Unspecified method of calculation	The method of calculation of a measurement or other type of numeric value is not specified.	
112188	Two-dimensional method	The calculation method was performed in two-dimensional space.	
112189	Three-dimensional method	The calculation method was performed in three-dimensional space.	

Code Value	Code Meaning	Definition	Notes
112191	Breast tissue density	The relative density of parenchymal tissue as a proportion of breast volume.	
112192	Volume of parenchymal tissue	The volume of parenchymal tissue.	
112193	Volume of breast	The volume of the breast.	
112194	Mass of parenchymal tissue	The mass of parenchymal tissue.	
112195	Mass of breast	The mass of the breast.	
112196	Area of Vascular Calcification	A measured or calculated area of vascular calcification.	
112197	Volume of Vascular Calcification	A measured or calculated volume of vascular calcification.	
112198	Percentage of Vascular Calcification	A measured or calculated percentage of vascular calcification.	
112199	Mass of Vascular Calcification	A measured or calculated mass of vascular calcification.	
112200	Average calcification distance in a calcification cluster	The average nearest neighbor distance of all individual microcalcifications in a cluster.	
112201	Standard deviation distance of calcifications in a cluster	The standard deviation of nearest neighbor distance of all individual microcalcifications in a cluster.	
112220	Colon CAD Report	A structured report containing the results of computer-aided detection or diagnosis applied to colon imaging and associated clinical information.	
112222	Colon Overall Assessment	Overall interpretation of the colon using C-RADS categorization system.	
112224	Image Set Properties	Characteristics of a set of images.	
112225	Slice Thickness	Nominal slice thickness, in mm.	
112226	Spacing between slices	Distance between contiguous images, measured from the center-to-center of each image.	
112227	Frame of Reference UID	Uniquely identifies groups of composite instances that have the same coordinate system that conveys spatial and/or temporal information.	
112228	Recumbent Patient Position with respect to gravity	Patient orientation with respect to downward direction (gravity).	
112229	Identifying Segment	Distinguishes a part of a segmentation.	
112232	Polyp stalk width	The diameter of a polyp stalk measured perpendicular to the axis of the stalk.	
112233	Distance from anus	The length of the path following the centerline of the colon from the anus to the area of interest.	
112238	Anatomic non-colon	A location in the body that is outside the colon.	
112240	C0 - Inadequate Study/Awaiting Prior Comparisons	An inadequate study or a study that is awaiting prior comparisons. The study may have inadequate preparation and cannot exclude lesions greater than or equal to ten millimeters owing to presence of fluid or feces. The study may have inadequate insufflation where one or more colonic segments collapsed on both views. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9.	

Code Value	Code Meaning	Definition	Notes
112241	C1 - Normal Colon or Benign Lesion	The study has a normal colon or benign lesion, with the recommendation to continue routine screening. The study has no visible abnormalities of the colon. The study has no polyps greater than six millimeters. The study may have lipoma, inverted diverticulum, or nonneoplastic findings, such as colonic diverticula. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9.	
112242	C2 - Intermediate Polyp or Indeterminate Finding	The study has an intermediate polyp or indeterminate finding and surveillance or colonoscopy is recommended. There may be intermediate polyps between six and nine millimeters and there are less than three in number. The study may have an intermediate finding and cannot exclude a polyp that is greater than or equal to six millimeters in a technically adequate exam. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9.	
112243	C3 - Polyp, Possibly Advanced Adenoma	The study has a polyp, possibly advanced adenoma, and a follow-up colonoscopy is recommended. The study has a polyp greater than or equal to ten millimeters or the study has three or more polyps that are each between six to nine millimeters. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9.	
112244	C4 - Colonic Mass, Likely Malignant	The study has a colonic mass, likely malignant, and surgical consultation is recommended. The lesion compromises bowel lumen and demonstrates extracolonic invasion. Based on "CT Colonography Reporting and Data System: A Consensus Proposal", Radiology, July 2005; 236:3-9.	
112248	ACR Guideline, Performance of Adult CT Colonography	American College of Radiology Practice Guideline for the Performance of Computed Tomography (CT) Colonography in Adults. In: <i>Practice Guidelines and Technical Standards</i> . Reston, Va: American College of Radiology;2006:371-376.	
112249	ACR Standard, CT medical physics performance monitoring	American College of Radiology Technical Standard for Diagnostic Medical Physics Performance Monitoring of Computed Tomography (CT) Equipment. In: <i>Practice Guidelines and Technical Standards</i> . Reston, Va: American College of Radiology;2006:945-948.	
112300	AP+45	View Orientation Modifier indicates that the view orientation of the imaging plane is rotated +45° along the cranial-caudal axis.	
112301	AP-45	View Orientation Modifier indicates that the view orientation of the imaging plane is rotated -45° along the cranial-caudal axis.	
112302	Anatomical axis of femur	The axis following the shaft of the femur.	
112303	Acetabular Center of Rotation	Center of Rotation of the natural Acetabulum.	
112304	Femur Head Center of Rotation	Center of Rotation of the natural femur head.	

Code Value	Code Meaning	Definition	Notes
112305	Acetabular Cup Shell	Prosthetic component implanted into the acetabulum. Provides hold for the insert that is mounted inside the cup. 	
112306	Acetabular Cup Insert	Prosthetic pelvic joint component. Inserted into the cup, takes in the femoral head replacement. 	
112307	Acetabular Cup Monoblock	Prosthetic pelvic joint cup including insert. 	
112308	Femoral Head Ball Component	Component for Femoral Head Prosthesis where the conic intake for the stem neck can be exchanged. Combined with a Femoral Head Cone Taper Component. 	
112309	Femoral Head Cone Taper Component	Exchangeable neck intake for composite femoral head prosthesis. Combined with a Femoral Head Ball Component.	
112310	Femoral Stem	Prosthesis Implanted into the femoral bone to provide force transmission between joint replacement and bone. On the proximal end a conic neck holds the femoral head replacement. 	

Code Value	Code Meaning	Definition	Notes
112311	Femoral Stem Distal Component	Distal half of a modular stem prosthesis system. Combined with a Stem Proximal Component. 	
112312	Femoral Stem Proximal Component	Proximal half of a modular stem prosthesis system. Combined with a Stem Distal Component. 	
112313	Femoral Stem Component	Stem prosthetic component with a modular insert for an exchangeable neck component. Combined with a Neck Component. 	
112314	Neck Component	Prosthetic Neck to be combined with a Stem Component. 	
112315	Monoblock Stem	Prosthetic Stem and Femoral Head in one piece. 	

Code Value	Code Meaning	Definition	Notes
112316	Prosthetic Shaft Augment	A proximal attachment to the shaft used to compensate for bone deficiencies or bone loss. 	
112317	Femoral Head Resurfacing Component	Artificial femur head surface needed for the partial replacement of the femoral head where only the surface is replaced. 	
112318	Pinning	Fixation using a pin.	
112319	Sewing	Fixation sewing several objects together.	
112320	Bolting	Fixation using a bolt.	
112321	Wedging	Fixation due to forcing an object into a narrow space.	
112325	Distal Centralizer	Attachment to the distal end of a cemented stem assuring that the stem is in a central position inside the drilled femoral canal before cementation. 	
112340	Generic 2D Planning	Planning by an unspecified 2D method.	
112341	Generic 3D Planning	Planning by an unspecified 3D method.	
112342	Generic Planning for Hip Replacement	Planning of a Hip Replacement, by an unspecified method.	
112343	Generic Planning for Knee Replacement	Planning of Knee Replacement, by an unspecified method.	
112344	Müller Method Planning for Hip Replacement	Planning of Hip Replacement according to the procedure of M. E. Müller [Eggli et. al.1998].	
112345	Implantation Plan	A Report containing the results of an Implantation Planning Activity.	
112346	Selected Implant Component	A selection of one Implant Component.	
112347	Component ID	Identification ID of an Implant Component.	
112348	Implant Template	An implant template describing the properties (2D/3D geometry and other data) of one Implant Component.	
112350	Component Connection	A connection of two Connected Implantation Plan Components.	
112351	Mating Feature Set ID	ID of a Mating Feature Set in an Implant Component.	

Code Value	Code Meaning	Definition	Notes
112352	Mating Feature ID	ID of the Mating Feature in a Mating Feature Set in an Implant Component.	
112353	Spatial Registration	The Spatial Registration of one or more Implant Components.	
112354	Patient Image	Patient Images used for an implantation planning activity.	
112355	Assembly	A collection of Component Connections of Implant Components.	
112356	User Selected Fiducial	Fiducials that are selected by the user and may or may not belong to anatomical landmarks.	
112357	Derived Fiducial	Fiducials that represent geometric characteristics, such as center of rotation, and are derived from other fiducials.	
112358	Information used for planning	All parameters and data that were used for the planning activity.	
112359	Supporting Information	A description of the plan as encapsulated PDF SOP Instance.	
112360	Implant Component List	A list of all Implant Components selected for an implantation.	
112361	Patient Data Used During Planning	Reference to objects containing patient data that is used for planning.	
112362	Degrees of Freedom Specification	A specification of the values from one or more Degrees of Freedom.	
112363	Degree of Freedom ID	ID of one Degree of Freedom.	
112364	Related Patient Data Not Used During Planning	Reference to objects containing patient data that were not used for planning but are somehow related.	
112365	Related Implantation Reports	Implantation Reports that are somehow related. E.g., contemporaneous implantations that are independent.	
112366	Implant Assembly Template	Implant Assembly Template.	
112367	Planning Information for Intraoperative Usage	Information that is intended to be used intra-operatively.	
112368	Implantation Patient Positioning	Position of the patient on the operating room table.	
112369	Fiducial Intent	Intended use of the fiducial.	
112370	Component Type	Type of an Implant Component.	
112371	Manufacturer Implant Template	Implant Template released by the Manufacturer.	
112372	Derived Planning Images	Images that are created by a planning application.	
112373	Other Derived Planning Data	Data that is created by a planning application.	
112374	Connected Implantation Plan Component	One Implant Component that is connected to another Implant Component.	
112375	Planning Method	The method used for planning.	
112376	Degree of Freedom Exact Translational Value	Defines the exact value that was planned for translation.	
112377	Degree of Freedom Minimum Translational Value	Defines the minimum value that was planned for translation.	
112378	Degree of Freedom Maximum Translational Value	Defines the maximum value that was planned for translation.	
112379	Degree of Freedom Exact Rotational Translation Value	Defines the exact value that was planned for rotation.	

Code Value	Code Meaning	Definition	Notes
112380	Degree of Freedom Minimum Rotational Value	Defines the minimum value that was planned for rotation.	
112381	Degree of Freedom Maximum Rotational Value	Defines the maximum value that was planned for rotation.	
112700	Peri-operative Photographic Imaging	Procedure step protocol for photographic imaging of surgical procedures, including photography of specimens collected.	
112701	Gross Specimen Imaging	Procedure step protocol for imaging gross specimens, typically with a photographic camera (modality XC), and planning further dissection.	
112702	Slide Microscopy	Procedure step protocol for imaging slide specimens.	
112703	Whole Slide Imaging	Procedure step protocol for imaging slide specimens using a whole slide scanner.	
112704	WSI 20X RGB	Procedure step protocol for imaging slide specimens using a whole slide scanner with a 20X nominal objective lens, in full color, with a single imaging focal plane across the image.	
112705	WSI 40X RGB	Procedure step protocol for imaging slide specimens using a whole slide scanner with a 40X nominal objective lens, in full color, with a single imaging focal plane across the image.	
112706	Illumination Method	Technique of illuminating specimen.	
112707	Number of focal planes	Number of focal planes for a microscopy image acquisition.	
112708	Focal plane Z offset	Nominal distance above a reference plane (typically a slide glass substrate top surface) of the focal plane.	
112709	Magnification selection	Microscope magnification based on nominal objective lens power.	
112710	Illumination wavelength	Nominal center wavelength for an imaging spectral band.	
112711	Illumination spectral band	Name (coded) for an imaging spectral band.	
112712	Optical filter type	Type of filter inserted into the optical imaging path.	
112713	Tissue selection method	Technique for identifying tissue to be imaged versus area of slide not to be imaged.	
112714	Multiple planes	Imaging performed at multiple imaging (focal) planes.	
112715	5X	Nominal 5 power objective lens, resulting in a digital image at approximately 2 um/pixel spacing.	
112716	10X	Nominal 10 power objective lens, resulting in a digital image at approximately 1 um/pixel spacing.	
112717	20X	Nominal 20 power microscope objective lens, resulting in a digital image at approximately 0.5 um/pixel spacing.	
112718	40X	Nominal 40 power microscope objective lens, with a combined condenser and objective lens numerical aperture of approximately 1.3, resulting in a digital image at approximately 0.25 um/pixel spacing.	
112719	Nominal empty tile suppression	Equipment-specific nominal or default method for identifying tiles without tissue imaged for suppression from inclusion in image object.	

Code Value	Code Meaning	Definition	Notes
112720	High threshold empty tile suppression	Equipment-specific high threshold method for identifying tiles without tissue imaged for suppression from inclusion in image object.	
112721	No empty tile suppression	Tiles without tissue imaged are not suppressed from inclusion in image object.	
113000	Of Interest	Of Interest.	
113001	Rejected for Quality Reasons	Rejected for Quality Reasons.	
113002	For Referring Provider	For Referring Provider.	
113003	For Surgery	For Surgery.	
113004	For Teaching	For Teaching.	
113005	For Conference	For Conference.	
113006	For Therapy	For Therapy.	
113007	For Patient	For Patient.	
113008	For Peer Review	For Peer Review.	
113009	For Research	For Research.	
113010	Quality Issue	Quality Issue.	
113011	Document Title Modifier	Document Title Modifier.	
113012	Key Object Description	Key Object Description.	
113013	Best In Set	A selection that represents the "best" chosen from a larger set of items. E.g., the best images within a Study or Series. The criteria against which "best" is measured is not defined. Contrast this with the more specific term "Best illustration of finding".	
113014	Study	A study is a collection of one or more series of medical images, presentation states, and/or SR documents that are logically related for the purpose of diagnosing a patient. A study may include composite instances that are created by a single modality, multiple modalities or by multiple devices of the same modality. [From Section A.1.2.2 "Study IE" in PS3.3]	
113015	Series	A distinct logical set used to group composite instances. All instances within a Series are of the same modality, in the same Frame of Reference (if any), and created by the same equipment. [See Section A.1.2.3 "Series IE" in PS3.3]	
113016	Performed Procedure Step	An arbitrarily defined unit of service that has actually been performed (not just scheduled). [From Section 7.3.1.9 "Modality Performed Procedure Step" in PS3.3]	
113017	Stage-View	An image or set of images illustrating a specific stage (phase in a stress echo exam protocol) and view (combination of the transducer position and orientation at the time of image acquisition).	
113018	For Printing	For Printing.	
113020	For Report Attachment	Selection of information objects for attachment to the clinical report of the Current Requested Procedure.	

Code Value	Code Meaning	Definition	Notes
113021	For Litigation	List of objects that are related to litigation and should be specially handled. E.g., may apply if a complaint has been received regarding a patient, or a specific set of images has been the subject of a subpoena, and needs to be sequestered or excluded from automatic purging according to retention policy.	
113022	Collection of Presentation States	This Key Object Selection Document references Presentation State instances that are related, which may or may not share a value of Presentation Display Collection UID (0070,1101) or Presentation Sequence Collection UID (0070,1102).	
113026	Double exposure	Double exposure.	
113030	Manifest	A list of objects that have been exported out of one organizational domain into another domain. Typically, the first domain has no direct control over what the second domain will do with the objects.	
113031	Signed Manifest	A signed list of objects that have been exported out of one organizational domain into another domain, referenced securely with either Digital Signatures or MACs. Typically, the first domain has no direct control over what the second domain will do with the objects.	
113032	Complete Study Content	The list of objects that constitute a study at the time that the list was created.	
113033	Signed Complete Study Content	The signed list of objects that constitute a study at the time that the list was created, referenced securely with either Digital Signatures or MACs.	
113034	Complete Acquisition Content	The list of objects that were generated in a single procedure step.	
113035	Signed Complete Acquisition Content	The signed list of objects that were generated in a single procedure step, referenced securely with either Digital Signatures or MACs.	
113036	Group of Frames for Display	A list of frames or single-frame or entire multi-frame instances that together constitute a set for some purpose, such as might be displayed together in the same viewport, as distinct from another set that might be displayed in a separate viewport.	
113037	Rejected for Patient Safety Reasons	List of objects whose use is potentially harmful to the patient. E.g., an improperly labeled image could lead to dangerous surgical decisions.	
113038	Incorrect Modality Worklist Entry	List of objects that were acquired using an incorrect modality worklist entry, and that should not be used, since they may be incorrectly identified.	
113039	Data Retention Policy Expired	List of objects that have expired according to a defined data retention policy.	
113040	Lossy Compression	Lossy compression has been applied to an image.	

Code Value	Code Meaning	Definition	Notes
113041	Apparent Diffusion Coefficient	<p>Values are derived by calculation of the apparent diffusion coefficient. This concept may be used for the diffusion coefficient of various different models, e.g., mono-exponential (ADC_m), kurtosis (ADC_k), stretched-exponential (ADC_s).</p> <p>The "apparent" appellation is because the diffusion images from which the ADC is computed may also be affected by T2 contrast (T2 "shine-through"), so this concept is distinguished from a "pure" diffusion coefficient that is not so affected.</p>	<p>Graessner J. Frequently Asked Questions: Diffusion-Weighted Imaging (DWI). MAGNETOM Flash. Siemens. 2011 Jan. http://clinical-mri.com/wp-content/uploads/software_hardware_updates/Graessner.pdf</p> <p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p>
113042	Pixel by pixel addition	Values are derived by the pixel by pixel addition of two images.	
113043	Diffusion weighted	Values are derived by calculation of the diffusion weighting.	
113044	Diffusion Anisotropy	Values are derived by calculation of the diffusion anisotropy.	
113045	Diffusion Attenuated	Values are derived by calculation of the diffusion attenuation.	
113046	Pixel by pixel division	Values are derived by the pixel by pixel division of two images.	
113047	Pixel by pixel mask	Values are derived by the pixel by pixel masking of one image by another.	
113048	Pixel by pixel Maximum	Values are derived by calculating the pixel by pixel maximum of two or more images.	
113049	Pixel by pixel mean	Values are derived by calculating the pixel by pixel mean of two or more images.	
113050	Metabolite Maps from spectroscopy data	Values are derived by calculating from spectroscopy data pixel values localized in two dimensional space based on the concentration of specific metabolites (i.e, at specific frequencies).	
113051	Pixel by pixel Minimum	Values are derived by calculating the pixel by pixel minimum of two or more images.	
113052	Mean Transit Time	The time required for blood to pass through a region of tissue.	
113053	Pixel by pixel multiplication	Values are derived by the pixel by pixel multiplication of two images.	

Code Value	Code Meaning	Definition	Notes
113054	Negative Enhancement Integral	The area described by the baseline and the signal loss due to passage of contrast bolus in tissue in a perfusion experiment. Abbreviated NEI or N1.	
113055 113055	Regional Cerebral Regional Cerebral Blood Flow Blood Flow	The absolute flow rate of blood perfusing a region of the brain as volume per mass per unit of time. The mass divisor may be approximated by a measurement of volume assuming a tissue density of 1. The absolute flow rate of blood perfusing a region of the brain as volume per mass per unit of time. The mass divisor may be approximated by a measurement of volume assuming a tissue density of 1.	Retired.
113056 113056	Regional Cerebral Regional Cerebral Blood Volume Blood Volume	The absolute volume of blood perfusing a region of brain as volume per mass. The mass divisor may be approximated by a measurement of volume assuming a tissue density of 1. The absolute volume of blood perfusing a region of brain as volume per mass. The mass divisor may be approximated by a measurement of volume assuming a tissue density of 1.	Retired.
113057	R-Coefficient	Correlation Coefficient, r.	
113058	Proton Density	Values are derived by calculating proton density values.	
113059	Signal Change	The relative change in signal.	
113060	Signal to Noise	The ratio of the desired signal to the level of noise.	
113061	Standard Deviation	Values are derived by calculating the standard deviation of two or more images.	
113062	Pixel by pixel subtraction	Values are derived by the pixel by pixel subtraction of two images.	
113063	T1	The time constant for the decay of longitudinal magnetization caused by spin-lattice relaxation. The inverse of the longitudinal relaxation rate constant, i.e., $T1 = 1/R1$.	
113064	T2*	The time constant for the decay of transverse magnetization caused by a combination of spin-spin relaxation and magnetic field inhomogeneity. The inverse of the transverse relaxation rate constant, i.e., $T2^* = 1/R2^*$.	
113065	T2	The time constant for the decay of transverse magnetization caused by spin-spin relaxation. The inverse of the transverse relaxation rate constant, i.e., $T2 = 1/R2$.	
113066	Time Course of Signal	The time course of signal.	
113067	Temperature encoded	Values are derived by calculating values based on temperature encoding.	
113068	Student's T-Test	Values are derived by calculating the value of the Student's T-Test statistic from multiple image samples.	
113069	Time To Peak	The time from the start of the contrast agent injection to the maximum enhancement value.	
113070	Velocity encoded	Values are derived by calculating values based on velocity encoded. E.g., phase contrast.	
113071	Z-Score	Values are derived by calculating the value of the Z-Score statistic from multiple image samples.	

Code Value	Code Meaning	Definition	Notes
113072	Multiplanar reformatting	Values are derived by reformatting in a flat plane other than that originally acquired.	
113073	Curved multiplanar reformatting	Values are derived by reformatting in a curve plane other than that originally acquired.	
113074	Volume rendering	Values are derived by volume rendering of acquired data.	
113075	Surface rendering	Values are derived by surface rendering of acquired data.	
113076	Segmentation	Values are derived by segmentation (classification into tissue types) of acquired data.	
113077	Volume editing	Values are derived by selectively editing acquired data (removing values from the volume), such as in order to remove obscuring structures or noise.	
113078	Maximum intensity projection	Values are derived by maximum intensity projection of acquired data.	
113079	Minimum intensity projection	Values are derived by minimum intensity projection of acquired data.	
113080	Glutamate and glutamine	For single-proton MR spectroscopy, the resonance peak corresponding to glutamate and glutamine.	
113081	Choline/Creatine Ratio	For single-proton MR spectroscopy, the ratio between the Choline and Creatine resonance peaks.	
113082	N-acetylaspartate /Creatine Ratio	For single-proton MR spectroscopy, the ratio between the N-acetylaspartate and Creatine resonance peaks.	
113083	N-acetylaspartate /Choline Ratio	For single-proton MR spectroscopy, the ratio between the N-acetylaspartate and Choline resonance peaks.	
113084	Tmax	<p>The time delay to the maximum of the residue function after deconvolution.</p> <p>Shih LC, Saver JL, Alger JR, Starkman S, Leary MC, Vinuela F, et al. Perfusion-Weighted Magnetic Resonance Imaging Thresholds Identifying Core, Irreversibly Infarcted Tissue. Stroke. 2003 Jun 1;34(6):1425-30. doi:10.1161/01.STR.0000072998.70087.E9. http://stroke.ahajournals.org/content/34/6/1425.abstract</p> <p>Østergaard L, Weisskoff RM, Chesler DA, Gyldensted C, Rosen BR. High resolution measurement of cerebral blood flow using intravascular tracer bolus passages. Part I: Mathematical approach and statistical analysis. Magnetic Resonance in Medicine. 1996;36(5):715-25. doi:10.1002/mrm.1910360510. http://onlinelibrary.wiley.com/doi/10.1002/mrm.1910360510/abstract</p>	
113085	Spatial resampling	Values are derived by spatial resampling of acquired data.	
113086	Edge enhancement	Values are derived by edge enhancement.	
113087	Smoothing	Values are derived by smoothing.	
113088	Gaussian blur	Values are derived by Gaussian blurring.	
113089	Unsharp mask	Values are derived by unsharp masking.	
113090	Image stitching	Values are derived by stitching two or more images together.	

Code Value	Code Meaning	Definition	Notes
113091	Spatially-related frames extracted from the volume	Spatially-related frames in this image are representative frames from the referenced 3D volume data.	
113092	Temporally-related frames extracted from the set of volumes	Temporally-related frames in this image are representative frames from the referenced 3D volume data.	
113093	Polar to Rectangular Scan Conversion	Conversion of a polar coordinate image to rectangular (Cartesian) coordinate image.	
113094	Creatine and Choline	For single-proton MR spectroscopy, the resonance peak corresponding to creatine and choline.	
113095	Lipid and Lactate	For single-proton MR spectroscopy, the resonance peak corresponding to lipid and lactate.	
113096	Creatine+Choline/ Citrate Ratio	For single-proton MR spectroscopy, the ratio between the Choline and Creatine resonance peak and the Citrate resonance peak.	
113097	Multi-energy proportional weighting	Image pixels created through proportional weighting of multiple acquisitions at distinct X-Ray energies.	
113098	Magnetization Transfer Ratio	<p>Magnetization Transfer Ratio (MTR) is the ratio of magnetization transfer, $M_0 - M_s/M_0$, where M_s represents the magnitude of signal of tissues with the saturation pulse used to saturate macromolecular protons on, and M_0 is the magnitude of signal without saturation.</p> <p>See Dousset V, Grossman RI, Ramer KN, Schnall MD, Young LH, Gonzalez-Scarano F, et al. Experimental allergic encephalomyelitis and multiple sclerosis: lesion characterization with magnetization transfer imaging. Radiology. 1992 Feb 1;182(2):483-91. http://dx.doi.org/10.1148/radiology.182.2.1732968</p>	
113100	Basic Application Confidentiality Profile	De-identification using a profile defined in PS3.15 that requires removing all information related to the identity and demographic characteristics of the patient, any responsible parties or family members, any personnel involved in the procedure, the organizations involved in ordering or performing the procedure, additional information that could be used to match instances if given access to the originals, such as UIDs, dates and times, and private attributes, when that information is present in the non-Pixel Data Attributes, including graphics or overlays.	
113101	Clean Pixel Data Option	Additional de-identification according to an option defined in PS3.15 that requires any information burned in to the Pixel Data corresponding to the Attribute information specified to be removed by the Profile and any other Options specified also be removed.	
113102	Clean Recognizable Visual Features Option	Additional de-identification according to an option defined in PS3.15 that requires that sufficient removal or distortion of the Pixel Data shall be applied to prevent recognition of an individual from the instances themselves or a reconstruction of a set of instances.	
113103	Clean Graphics Option	Additional de-identification according to an option defined in PS3.15 that requires that any information encoded in graphics, text annotations or overlays corresponding to the Attribute information specified to be removed by the Profile and any other Options specified also be removed.	

Code Value	Code Meaning	Definition	Notes
113104	Clean Structured Content Option	Additional de-identification according to an option defined in PS3.15 that requires that any information encoded in SR Content Items or Acquisition Context Sequence Items corresponding to the Attribute information specified to be removed by the Profile and any other Options specified also be removed.	
113105	Clean Descriptors Option	Additional de-identification according to an option defined in PS3.15 that requires that any information that is embedded in text or string Attributes corresponding to the Attribute information specified to be removed by the Profile and any other Options specified also be removed.	
113106	Retain Longitudinal Temporal Information Full Dates Option	Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any dates and times be retained.	
113107	Retain Longitudinal Temporal Information Modified Dates Option	Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any dates and times be modified in a manner that preserves temporal relationships. E.g., Study Date and Time.	
113108	Retain Patient Characteristics Option	Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any physical characteristics of the patient, which are descriptive rather than identifying information per se, be retained. E.g., Patient's Age, Sex, Size (height) and Weight.	
113109	Retain Device Identity Option	Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any information that identifies a device be retained. E.g., Device Serial Number.	
113110	Retain UIDs Option	Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that UIDs be retained. E.g., SOP Instance UID.	
113111	Retain Safe Private Option	Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that private attributes that are known not to contain identity information be retained. E.g., private SUV scale factor.	
113112	Retain Institution Identity Option	Retention of information that would otherwise be removed during de-identification according to an option defined in PS3.15 that requires that any information that identifies an institution be retained. E.g., Institution Name.	
113130	Predecessor containing group of imaging subjects	Images used as the source for an image processing operation that extracts data for a single subject from an image containing data for multiple subjects (e.g., a group of animals imaged simultaneously).	
113131	Extraction of individual subject from group	An image processing operation that extracts data for a single subject from an image containing data for multiple subjects (e.g., a group of animals imaged simultaneously).	

Code Value	Code Meaning	Definition	Notes
113132	Single subject selected from group	A single subject that has been selected from amongst multiple subjects (e.g., a group of animals imaged simultaneously).	
113201	Trace	<p>Sum of the diffusion tensor eigenvalues.</p> <p>I.e.: $Tr = \lambda_1 + \lambda_2 + \lambda_3$, where $\lambda_1 \geq \lambda_2 \geq \lambda_3$.</p> <p>Reference: Winston GP. The physical and biological basis of quantitative parameters derived from diffusion MRI. Quantitative Imaging in Medicine and Surgery. 2012;2(4) :254-265. doi:10.3978/j.issn.2223-4292.2012.12.05. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3533595/)</p>	
113202	Mean Diffusivity	<p>Average of the diffusion tensor eigenvalues in all directions.</p> <p>I.e.: $MD = (\lambda_1 + \lambda_2 + \lambda_3) / 3$</p> <p>Reference: Winston GP. The physical and biological basis of quantitative parameters derived from diffusion MRI. Quantitative Imaging in Medicine and Surgery. 2012;2(4) :254-265. doi:10.3978/j.issn.2223-4292.2012.12.05. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3533595/)</p>	
113203	Radial Diffusivity	<p>Average of the two non-principal (i.e., perpendicular) diffusion tensor eigenvalues(also known as transverse diffusivity, perpendicular diffusivity).</p> <p>I.e.: $DR = (\lambda_2 + \lambda_3) / 2$</p> <p>Reference: Winston GP. The physical and biological basis of quantitative parameters derived from diffusion MRI. Quantitative Imaging in Medicine and Surgery. 2012;2(4) :254-265. doi:10.3978/j.issn.2223-4292.2012.12.05. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3533595/)</p>	
113204	Axial Diffusivity	<p>Diffusion tensor eigenvalue of the principal axis (also known as longitudinal diffusivity, parallel diffusivity).</p> <p>I.e.: $DA = \lambda_1$</p> <p>Reference: Winston GP. The physical and biological basis of quantitative parameters derived from diffusion MRI. Quantitative Imaging in Medicine and Surgery. 2012;2(4) :254-265. doi:10.3978/j.issn.2223-4292.2012.12.05. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3533595/)</p>	

Code Value	Code Meaning	Definition	Notes
113205	Mean Kurtosis	<p>MK = diffusional kurtosis averaged over all gradient directions</p> <p>Reference: Tabesh A, Jensen JH, Ardekani BA, Helpert JA. Estimation of Tensors and Tensor-Derived Measures in Diffusional Kurtosis Imaging. <i>Magnetic Resonance in Medicine</i>. 2011;65(3):823-836. doi:10.1002/mrm.22655. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3042509/)</p> <p>Reference: Liu C, Mang SC, Moseley ME. In Vivo Generalized Diffusion Tensor Imaging (GDTI) Using Higher-Order Tensors (HOT). <i>Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine</i>. 2010;63(1):243-252. doi:10.1002/mrm.22192. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2824337/)</p>	
113206	Apparent Kurtosis Coefficient	<p>AKC = diffusional kurtosis in a given direction</p> <p>Reference: Liu C, Mang SC, Moseley ME. In Vivo Generalized Diffusion Tensor Imaging (GDTI) Using Higher-Order Tensors (HOT). <i>Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine</i>. 2010;63(1):243-252. doi:10.1002/mrm.22192. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2824337/)</p>	
113207	Radial Kurtosis	<p>KR = diffusional kurtosis perpendicular to the direction of the highest diffusion (also known as transverse kurtosis, perpendicular kurtosis)</p> <p>Reference: Tabesh A, Jensen JH, Ardekani BA, Helpert JA. Estimation of Tensors and Tensor-Derived Measures in Diffusional Kurtosis Imaging. <i>Magnetic Resonance in Medicine</i>. 2011;65(3):823-836. doi:10.1002/mrm.22655. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3042509/)</p>	
113208	Axial Kurtosis	<p>KA = diffusional kurtosis in the direction of the highest diffusion (also known as longitudinal kurtosis, parallel kurtosis)</p> <p>Reference: Tabesh A, Jensen JH, Ardekani BA, Helpert JA. Estimation of Tensors and Tensor-Derived Measures in Diffusional Kurtosis Imaging. <i>Magnetic Resonance in Medicine</i>. 2011;65(3):823-836. doi:10.1002/mrm.22655. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3042509/)</p>	
113209	Fractional Kurtosis Anisotropy	<p>FKA = fractional kurtosis of diffusion in tissues</p> <p>Reference: Liu C, Mang SC, Moseley ME. In Vivo Generalized Diffusion Tensor Imaging (GDTI) Using Higher-Order Tensors (HOT). <i>Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine</i>. 2010;63(1):243-252. doi:10.1002/mrm.22192. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2824337/)</p>	

Code Value	Code Meaning	Definition	Notes
113211	Deterministic Tracking Algorithm	Tracking based on local directionality Reference: Descoteaux M, Deriche R, Knösche TR, Anwender A. Deterministic and probabilistic tractography based on complex fibre orientation distributions. IEEE Trans Med Imaging.2009; 28(2) :269-86 (http://www.ncbi.nlm.nih.gov/pubmed/19188114)	
113212	Probabilistic Tracking Algorithm	Tracking using local fiber orientation likelihood derive global connectivity likelihood Reference: Descoteaux M, Deriche R, Knösche TR, Anwender A. Deterministic and probabilistic tractography based on complex fibre orientation distributions. IEEE Trans Med Imaging.2009; 28(2) :269-86 (http://www.ncbi.nlm.nih.gov/pubmed/19188114)	
113213	Global Tracking Algorithm	Tracking allfibers simultaneously, searching for a global optimum. Reference: Reisert M, Mader I, Anastasopoulos C, Weigel M, Schnell S, Kiselev V. Global fiber reconstruction becomes practical. NeuroImage. 2011 Jan 15;54(2) :955-62. (http://www.ncbi.nlm.nih.gov/pubmed/20854913)	
113214	FACT	Fiber Assessment by Continuous Tracking Reference: Mori S, Crain BJ, Chacko VP, van Zijl PC. Three-dimensional tracking of axonal projections in the brain by magnetic resonance imaging. Ann Neurol . 1999 Feb;45(2) :265-9 (http://www.ncbi.nlm.nih.gov/pubmed/9989633) Reference: Descoteaux M, Deriche R, Knösche TR, Anwender A. Deterministic and probabilistic tractography based on complex fibre orientation distributions. IEEE Trans Med Imaging.2009; 28(2) :269-86 (http://www.ncbi.nlm.nih.gov/pubmed/19188114)	
113215	Streamline	Streamline tracking techniques (STT) Reference: Basser PJ, Pajevic S, Pierpaoli C, Duda J, Aldroubi A. In vivo fiber tractography using DT-MRI data. Magn Reson Med. 2000 Oct;44(4) :625-32 (http://www.ncbi.nlm.nih.gov/pubmed/11025519)	
113216	TEND	Tensor Deflection Reference: Lazar M, Weinstein DM, Tsuruda JS, Hasan KM, Arfanakis K, Meyerand ME, Badie B, Rowley HA, Haughton V, Field A, Alexander AL. White matter tractography using diffusion tensor deflection. Hum Brain Mapp.2003 Apr;18(4) :306-21. (http://www.ncbi.nlm.nih.gov/pubmed/12632468)	

Code Value	Code Meaning	Definition	Notes
113217	Bootstrap Tracking Algorithm	<p>Non-parametric estimation of fiber tracking dispersion</p> <p>Reference: Lazar M, Alexander AL. Bootstrap white matter tractography (BOOT-TRAC). Neuroimage. 2005 Jan 15;24(2) :524-32. Epub 2004 Nov 24. (http://www.ncbi.nlm.nih.gov/pubmed/15627594)</p> <p>Reference: Jones DK, Pierpaoli C. Confidence mapping in diffusion tensor magnetic resonance imaging tractography using a bootstrap approach. Magn Reson Med.2005 May;53(5) :1143-9. (http://www.ncbi.nlm.nih.gov/pubmed/15844149)</p>	
113218	Euler	<p>Integration method, 1st order</p> <p>Reference: Basser PJ, Pajevic S, Pierpaoli C, Duda J, Aldroubi A. In vivo fiber tractography using DT-MRI data. Magn Reson Med. 2000 Oct;44(4) :625-32 (http://www.ncbi.nlm.nih.gov/pubmed/11025519)</p> <p>Reference: Descoteaux M, Deriche R, Knösche TR, Anwender A. Deterministic and probabilistic tractography based on complex fibre orientation distributions. IEEE Trans Med Imaging.2009; 28(2) :269-86 (http://www.ncbi.nlm.nih.gov/pubmed/19188114)</p>	
113219	Runge-Kutta	<p>Integration method, 2nd or 4th order</p> <p>Reference: Basser PJ, Pajevic S, Pierpaoli C, Duda J, Aldroubi A. In vivo fiber tractography using DT-MRI data. Magn Reson Med. 2000 Oct;44(4) :625-32 (http://www.ncbi.nlm.nih.gov/pubmed/11025519)</p>	
113221	HARDI	<p>High Angular Resolution Diffusion Imaging</p> <p>Reference: Tuch DS, Reese TG, Wiegell MR, Makris N, Belliveau JW, Wedeen VJ. High angular resolution diffusion imaging reveals intravoxel white matter fiber heterogeneity. Magn Reson Med.2002 Oct;48(4) :577-82. (http://www.ncbi.nlm.nih.gov/pubmed/12353272)</p> <p>Reference: Descoteaux M, Deriche R, Knösche TR, Anwender A. Deterministic and probabilistic tractography based on complex fibre orientation distributions. IEEE Trans Med Imaging.2009; 28(2) :269-86 (http://www.ncbi.nlm.nih.gov/pubmed/19188114)</p>	
113222	DKI	<p>Diffusion(al) Kurtosis Imaging</p> <p>Reference: Jensen JH, Helpert JA, Ramani A, Lu H, Kaczynski K. Diffusional kurtosis imaging: the quantification of non-gaussian water diffusion by means of magnetic resonance imaging. Magn Reson Med. 2005 Jun;53(6) :1432-40. (http://www.ncbi.nlm.nih.gov/pubmed/15906300)</p>	

Code Value	Code Meaning	Definition	Notes
113223	DTI	<p>Diffusion Tensor Imaging</p> <p>Reference: Winston GP. The physical and biological basis of quantitative parameters derived from diffusion MRI. Quantitative Imaging in Medicine and Surgery. 2012;2(4) :254-265. doi:10.3978/j.issn.2223-4292.2012.12.05. (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3533595/)</p>	
113224	DSI	<p>Diffusion Spectrum Imaging</p> <p>Reference: Wedeen VJ, Wang RP, Schmahmann JD, Benner T, Tseng WY, Dai G, Pandya DN, Hagmann P, D'Arceuil H, de Crespigny AJ. Diffusion spectrum magnetic resonance imaging (DSI) tractography of crossing fibers. Neuroimage. 2008 Jul 15;41(4) :1267-77. doi:10.1016/j.neuroimage.2008.03.036. (http://www.ncbi.nlm.nih.gov/pubmed/18495497)</p> <p>Reference: Hagmann P, Jonasson L, Maeder P, Thiran JP, Wedeen VJ, Meuli R. Understanding diffusion MR imaging techniques: from scalar diffusion-weighted imaging to diffusion tensor imaging and beyond. Radiographics.2006 Oct;26 Suppl 1:S205-23. (http://www.ncbi.nlm.nih.gov/pubmed/17050517)</p>	
113225	LSDI	<p>Line Scan Diffusion Imaging sequence</p> <p>Reference: Gudbjartsson H, Maier SE, Mulkern RV, Mórocz IA, Patz S, Jolesz FA. Line scan diffusion imaging. Magn Reson Med.1996 Oct;36(4) :509-19. (http://www.ncbi.nlm.nih.gov/pubmed/8892201)</p>	
113226	Single Shot EPI	<p>An Echo Planar Imaging sequence in which the entire range of phase encoding steps is acquired in one repetition.</p> <p>Reference: Turner R, Le Bihan D, Chesnick AS. Echo-planar imaging of diffusion and perfusion. Magn Reson Med.1991 Jun;19(2) :247-53. (http://www.ncbi.nlm.nih.gov/pubmed/1881311)</p>	
113227	Multi Shot EPI	<p>An Echo Planar Imaging sequence in which separate parts of the range of phase encoding steps are acquired in multiple repetitions.</p> <p>Reference: Robson MD, Anderson AW, Gore JC. Diffusion-weighted multiple shot echo planar imaging of humans without navigation. Magn Reson Med.1997 Jul;38(1) :82-8. (http://www.ncbi.nlm.nih.gov/pubmed/9211383)</p>	

Code Value	Code Meaning	Definition	Notes
113228	Parallel Imaging	<p>A imaging sequence that uses a subset of k-space data from an array of receiver coils, e.g., Sensitivity Encoding.</p> <p>Reference: Pruessmann KP, Weiger M, Scheidegger MB, Boesiger P. SENSE: sensitivity encoding for fast MRI. Magn Reson Med.1999 Nov;42(5) :952-62. (http://www.ncbi.nlm.nih.gov/pubmed/10542355)</p> <p>Reference: Deshmane A, Gulani V, Griswold MA, Seiberlich N. Parallel MR imaging. J Magn Reson Imaging. 2012 Jul;36(1) :55-72. (http://www.ncbi.nlm.nih.gov/pubmed/22696125)</p>	
113231	Single Tensor	<p>Modeling anisotropic diffusion in a volume with a tensor following a Gaussian distribution (six degrees of freedom)</p> <p>Reference: Bassar PJ, Mattiello J, LeBihan D. Estimation of the effective self-diffusion tensor from the NMR spin echo. J Magn Reson B.1994 Mar;103(3) :247-54. (http://www.ncbi.nlm.nih.gov/pubmed/8019776)</p> <p>Reference: Hagmann P1, Jonasson L, Maeder P, Thiran JP, Wedeen VJ, Meuli R. Understanding diffusion MR imaging techniques: from scalar diffusion-weighted imaging to diffusion tensor imaging and beyond. Radiographics.2006 Oct;26 Suppl 1:S205-23. (http://www.ncbi.nlm.nih.gov/pubmed/17050517)</p>	
113232	Multi Tensor	<p>Modeling anisotropic diffusion in a volume by fitting of multiple tensors</p> <p>Reference: Ozarslan E, Mareci TH. Generalized diffusion tensor imaging and analytical relationships between diffusion tensor imaging and high angular resolution diffusion imaging. Magn Reson Med.2003 Nov;50(5) :955-65. (http://www.ncbi.nlm.nih.gov/pubmed/14587006)</p> <p>Reference: Pasternak O, Assaf Y, Intrator N, Sochen N. Variational multiple-tensor fitting of fiber-ambiguous diffusion-weighted magnetic resonance imaging voxels. Magn Reson Imaging.2008 Oct;26(8) :1133-44. doi:10.1016/j.mri.2008.01.006. (http://www.ncbi.nlm.nih.gov/pubmed/18524529)</p>	
113233	Model Free	<p>Reconstruction of anisotropic diffusion in a volume without imposing an underlying statistical model (data-driven approach)</p> <p>Reference: Wedeen VJ, Hagmann P, Tseng WY, Reese TG, Weisskoff RM. Mapping complex tissue architecture with diffusion spectrum magnetic resonance imaging. Magn Reson Med.2005 Dec;54(6) :1377-86. (http://www.ncbi.nlm.nih.gov/pubmed/16247738)</p> <p>Reference: Hagmann P, Jonasson L, Maeder P, Thiran JP, Wedeen VJ, Meuli R. Understanding diffusion MR imaging techniques: from scalar diffusion-weighted imaging to diffusion tensor imaging and beyond. Radiographics.2006 Oct;26 Suppl 1:S205-23. (http://www.ncbi.nlm.nih.gov/pubmed/17050517)</p>	

Code Value	Code Meaning	Definition	Notes
113234	CHARMED	Composite Hindered and Restricted Model of Diffusion Reference: Assaf Y, Basser PJ. Composite hindered and restricted model of diffusion (CHARMED) MR imaging of the human brain. Neuroimage.2005 Aug 1;27(1):48-58. (http://www.ncbi.nlm.nih.gov/pubmed/17050517)	
113236	DOT	Diffusion Orientation Transform Reference: Ozarslan E, Shepherd TM, Vemuri BC, Blackband SJ, Mareci TH. Resolution of complex tissue microarchitecture using the diffusion orientation transform (DOT). Neuroimage. 2006 Jul 1;31(3):1086-103. Epub 2006 Mar 20. (http://www.ncbi.nlm.nih.gov/pubmed/16546404)	
113237	PAS	Persistent Angular Structure Reference: Jansons KM, Alexander DC. Persistent Angular Structure: new insights from diffusion MRI data. Dummy version. Inf Process Med Imaging.2003 Jul;18:672-83. (http://www.ncbi.nlm.nih.gov/pubmed/15344497)	
113238	Spherical Deconvolution	A method to estimate the distribution of fiber orientations by deconvolution of the diffusion-weighted signal attenuation measured over the surface of a sphere expressed as the convolution over the sphere of a response function. Reference: Tournier JD, Calamante F, Gadian DG, Connelly A. Direct estimation of the fiber orientation density function from diffusion-weighted MRI data using spherical deconvolution. NeuroImage. 2004 Nov;23(3):1176-85. (http://www.ncbi.nlm.nih.gov/pubmed/15528117)	
113240	Source image diffusion b-value	The diffusion sensitization factor (b value) used during acquisition of the source image used for a diffusion model.	
113241	Model fitting method	The method used to fit a set of data to a mathematical model. E.g., least squares.	

Code Value	Code Meaning	Definition	Notes
113250	Mono-exponential diffusion model	Mono-exponential (single compartment) Apparent Diffusion Coefficient (ADC) model.	<p>Burdette JH, Elster AD, Ricci PE. Calculation of apparent diffusion coefficients (ADCs) in brain using two-point and six-point methods. J Comput Assist Tomogr. 1998 Oct;22(5):792-4. http://journals.lww.com/jcat/pages/articleviewer.aspx?year=1998&issue=09000&article=00023&type=abstract</p> <p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p>

Code Value	Code Meaning	Definition	Notes
113251	Bi-exponential (IVIM) diffusion model	Bi-exponential intravoxel incoherent motion (IVIM) model.	<p>Merisaari H, Movahedi P, Perez IM, Toivonen J, Pesola M, Taimen P, et al. Fitting methods for intravoxel incoherent motion imaging of prostate cancer on region of interest level: Repeatability and gleason score prediction. Magnetic Resonance in Medicine. 2016. http://dx.doi.org/10.1002/mrm.26169</p> <p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p> <p>Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765</p>
113252	Kurtosis diffusion model	.	<p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p>

Code Value	Code Meaning	Definition	Notes
113253	Gamma distribution model	.	Oshio K, Shinmoto H, Mulkern RV. Interpretation of diffusion MR imaging data using a gamma distribution model. Magn Reson Med Sci. 2014;13: 191-195. http://dx.doi.org/10.2463/mrms.2014-0016
113254	Stretched exponential diffusion model	.	Bennett KM, Schmainda KM, Bennett RT, Rowe DB, Lu H, Hyde JS. Characterization of continuously distributed cortical water diffusion rates with a stretched-exponential model. Magn Reson Med. 2003;50: 727-734. http://dx.doi.org/10.1002/mrm.10581 Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm ² : Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482
113255	Truncated Gaussian diffusion model	.	Yablonskiy DA, Bretthorst GL, Ackerman JJH. Statistical model for diffusion attenuated MR signal. Magnetic Resonance in Medicine. 2003;50(4):664-9. http://dx.doi.org/10.1002/mrm.10578
113260	Log of ratio of two samples	Model fitting by using the log of the ratio of the two samples.	Burdette JH, Elster AD, Ricci PE. Calculation of apparent diffusion coefficients (ADCs) in brain using two-point and six-point methods. J Comput Assist Tomogr. 1998 Oct;22(5):792-4. http://journals.lww.com/jcat/pages/articleviewer.aspx?year=1998&issue=09000&article=00023&type=abstract

Code Value	Code Meaning	Definition	Notes
113261	Least squares fit of multiple samples	Model fitting by least squares method from more than two samples.	Burdette JH, Elster AD, Ricci PE. Calculation of apparent diffusion coefficients (ADCs) in brain using two-point and six-point methods. J Comput Assist Tomogr. 1998 Oct;22(5):792-4. http://journals.lww.com/jcat/pages/articleviewer.aspx?year=1998&issue=09000&article=00023&type=abstract
113265	Levenberg-Marquardt	Model fitting by Levenberg-Marquardt method.	Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765
113266	Trust-Region	Model fitting by Trust-Region method.	Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765
113267	Fixed-Dp	Model fitting by Fixed-Dp method.	Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765
113268	Segmented-Unconstrained	Model fitting by Segmented-Unconstrained method.	Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765

Code Value	Code Meaning	Definition	Notes
113269	Segmented-Constrained	Model fitting by Segmented-Constrained method.	Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765
113270	Bayesian-Probability	Model fitting by Bayesian-Probability method.	Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765 Neil JJ, Bretthorst GL. On the use of bayesian probability theory for analysis of exponential decay date: An example taken from intravoxel incoherent motion experiments. Magnetic Resonance in Medicine. 1993;29(5):642-7. http://dx.doi.org/10.1002/mrm.1910290510
...
113285	Voxelwise selection of b-value	Diffusion modeling by voxelwise selection of b-values.	Gatidis S, Schmidt H, Martirosian P, Nikolaou K, Schwenzer NF. Apparent diffusion coefficient-dependent voxelwise computed diffusion-weighted imaging: An approach for improving SNR and reducing T2 shine-through effects. Journal of Magnetic Resonance Imaging. 2016;43(4):824-32. http://dx.doi.org/10.1002/jmri.25044

Code Value	Code Meaning	Definition	Notes
113288	Volume Ratio	Coefficient reflecting the anisotropy of the tissues, derived from a diffusion weighted MR image. It represents the volume of an ellipsoid whose semimajor axes are the three eigenvalues of the diffusion tensor divided by the volume of a sphere whose radius is the mean diffusivity.	Pierpaoli C, Basser PJ. Toward a quantitative assessment of diffusion anisotropy. Magn Reson Med. 1996 Dec 1;36(6):893-906. http://onlinelibrary.wiley.com/doi/10.1002/mrm.1910360612/abstract
113289	Diffusion Coefficient	The pure diffusion coefficient, i.e., one that is not affected by T2 contrast effects.	Graessner J. Frequently Asked Questions: Diffusion-Weighted Imaging (DWI). MAGNETOM Flash. Siemens. 2011 Jan. http://clinical-mri.com/wp-content/uploads/software_hardware_updates/Graessner.pdf
113290	Mono-exponential Apparent Diffusion Coefficient	The diffusion coefficient of a mono-exponential diffusion model (ADC_m).	Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm ² : Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482

Code Value	Code Meaning	Definition	Notes
113291	Slow Diffusion Coefficient	The slow diffusion coefficient (D_s) of a bi-exponential intravoxel incoherent motion (IVIM) diffusion model.	<p>Merisaari H, Movahedi P, Perez IM, Toivonen J, Pesola M, Taimen P, et al. Fitting methods for intravoxel incoherent motion imaging of prostate cancer on region of interest level: Repeatability and gleason score prediction. Magnetic Resonance in Medicine. 2016. http://dx.doi.org/10.1002/mrm.26169</p> <p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p> <p>Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765</p>

Code Value	Code Meaning	Definition	Notes
113292	Fast Diffusion Coefficient	The fast diffusion coefficient (D_f) of a bi-exponential intravoxel incoherent motion (IVIM) diffusion model.	<p>Merisaari H, Movahedi P, Perez IM, Toivonen J, Pesola M, Taimen P, et al. Fitting methods for intravoxel incoherent motion imaging of prostate cancer on region of interest level: Repeatability and gleason score prediction. Magnetic Resonance in Medicine. 2016. http://dx.doi.org/10.1002/mrm.26169</p> <p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p> <p>Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765</p>

Code Value	Code Meaning	Definition	Notes
113293	Fast Diffusion Coefficient Fraction	The fast diffusion fraction of a bi-exponential intravoxel incoherent motion (IVIM) diffusion model..	<p>Merisaari H, Movahedi P, Perez IM, Toivonen J, Pesola M, Taimen P, et al. Fitting methods for intravoxel incoherent motion imaging of prostate cancer on region of interest level: Repeatability and gleason score prediction. Magnetic Resonance in Medicine. 2016. http://dx.doi.org/10.1002/mrm.26169</p> <p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p> <p>Barbieri S, Donati OF, Froehlich JM, Thoeny HC. Impact of the calculation algorithm on biexponential fitting of diffusion-weighted MRI in upper abdominal organs. Magnetic Resonance in Medicine. 2016;75(5):2175-84. http://dx.doi.org/10.1002/mrm.25765</p>
113294	Kurtosis Diffusion Coefficient	The diffusion coefficient of a kurtosis diffusion model (ADC_k).	<p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p>

Code Value	Code Meaning	Definition	Notes
113295	Gamma Distribution Scale Parameter	The scale (theta) parameter of a gamma distribution diffusion model.	Oshio K, Shinmoto H, Mulkern RV. Interpretation of diffusion MR imaging data using a gamma distribution model. Magn Reson Med Sci. 2014;13: 191-195. http://dx.doi.org/10.2463/mrms.2014-0016
113296	Gamma Distribution Shape Parameter	The shape (k) parameter of a gamma distribution diffusion model.	Oshio K, Shinmoto H, Mulkern RV. Interpretation of diffusion MR imaging data using a gamma distribution model. Magn Reson Med Sci. 2014;13: 191-195. http://dx.doi.org/10.2463/mrms.2014-0016
113297	Gamma Distribution Mode	The mode (maximum value of probability density function) of a gamma distribution diffusion model. Computed as $(k-1)*\theta$, for $k \geq 1$.	http://en.wikipedia.org/wiki/Gamma_distribution
113298	Distributed Diffusion Coefficient	The distributed diffusion coefficient of a stretched-exponential diffusion model (ADC_s).	Bennett KM, Schmainda KM, Bennett RT, Rowe DB, Lu H, Hyde JS. Characterization of continuously distributed cortical water diffusion rates with a stretched-exponential model. Magn Reson Med. 2003;50: 727-734. http://dx.doi.org/10.1002/mrm.10581 Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm ² : Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482

Code Value	Code Meaning	Definition	Notes
113299	Anomalous Exponent Parameter	The anomalous exponent (stretching, alpha) parameter of a stretched-exponential diffusion model. This describes the deviation of the signal attenuation from mono-exponential behavior	<p>Bennett KM, Schmainda KM, Bennett RT, Rowe DB, Lu H, Hyde JS. Characterization of continuously distributed cortical water diffusion rates with a stretched-exponential model. Magn Reson Med. 2003;50: 727-734. http://dx.doi.org/10.1002/mrm.10581</p> <p>Toivonen J, Merisaari H, Pesola M, Taimen P, Boström PJ, Pahikkala T, et al. Mathematical models for diffusion-weighted imaging of prostate cancer using b values up to 2000 s/mm²: Correlation with Gleason score and repeatability of region of interest analysis. Magnetic Resonance in Medicine. 2015;74(4):1116-24. http://dx.doi.org/10.1002/mrm.25482</p>
113500	Radiopharmaceutical Radiation Dose Report	The procedure report is a Radiopharmaceutical Radiation Dose report	
113502	Radiopharmaceutical Administration	Information pertaining to the administration of a radiopharmaceutical	
113503	Radiopharmaceutical Administration Event UID	Unique identification of a single radiopharmaceutical administration event.	
113505	Intravenous Extravasation Symptoms	Initial signs or symptoms of extravasation	
113506	Estimated Extravasation Activity	The estimated percentage of administered activity lost at the injection site. The estimation includes extravasation, paravenous administration and leakage at the injection site.	
113507	Administered activity	The calculated activity at the Radiopharmaceutical Start Time when the radiopharmaceutical is administered to the patient. The residual activity (i.e., radiopharmaceutical not administered) , if measured, is reflected in the calculated value. The estimated extravasation is not reflected in the calculated value.	
113508	Pre-Administration Measured Activity	Radioactivity measurement of radiopharmaceutical before or during the administration.	
113509	Post-Administration Measured Activity	Radioactivity measurement of radiopharmaceutical after the administration.	
113510	Drug Product Identifier	Registered drug establishment code for product, coding scheme example is NDC or RxNorm	
113511	Radiopharmaceutical Dispense Unit Identifier	The human readable identification of the specific radiopharmaceutical dispensed quantity or dose ("dose" as unit of medication delivery, not radiation dose measure) to be administered to the patient.	

Code Value	Code Meaning	Definition	Notes
113512	Radiopharmaceutical Lot Identifier	Identifies the vial, batch or lot number from which the individual dispense radiopharmaceutical quantity (dose) is produced. The Radiopharmaceutical Dispense Unit Identifier records the identification for each individual dose.	
113513	Reagent Vial Identifier	Identifies the lot or unit serial number for the reagent component for the radiopharmaceutical.	
113514	Radionuclide Vial Identifier	Identifies the lot or unit serial number for the radionuclide component for the radiopharmaceutical.	
113516	Prescription Identifier	Administered Product's Prescription Number	
113517	Organ Dose Information	Information pertaining to the estimated absorbed radiation dose to an organ.	
113518	Organ Dose	The absorbed radiation dose to organ	
113520	MIRD Pamphlet 1	Reference authority MIRD Pamphlet No.1 (rev) ,Society of Nuclear Medicine, 1976	
113521	ICRP Publication 53	Reference authority ICRP, 1988. Radiation Dose to Patients from Radiopharmaceuticals. ICRP Publication 53. Ann. ICRP 18 (1-4).	
113522	ICRP Publication 80	Reference authority ICRP, 1998. Radiation Dose to Patients from Radiopharmaceuticals (Addendum to ICRP Publication 53). ICRP Publication 80. Ann. ICRP 28 (3).	
113523	ICRP Publication 106	Reference authority ICRP, 2008. Radiation Dose to Patients from Radiopharmaceuticals - Addendum 3 to ICRP Publication 53. ICRP Publication 106. Ann. ICRP 38 (1-2).	
113526	MIRDOSE	Reference authority Stabin MG, Sparks RB, Crowe E (1994) MIRDOSE: personal computer software for internal dose assessment in nuclear medicine [Computer program]	
113527	OLINDA-EXM	Reference authority Stabin MG, Sparks RB, Crowe E (2005) OLINDA/EXM: The Second-Generation Personal Computer Software for Internal Dose Assessment in Nuclear Medicine [Computer program]	
113528	Package Insert	Reference authority The reported organ dose is based on radiopharmaceutical's package insert.	
113529	Institutionally Approved Estimates	Reference authority The reported organ dose is based on Institutionally approved estimates from the Radioactive Drug Research Committee (RDRC) of the institution itself.	

Code Value	Code Meaning	Definition	Notes
113530	Investigational New Drug	Reference authority The reported organ dose is based on an Investigation new drug.	
113540	Activity Measurement Device	The type of device that performed the activity measurement.	
113541	Dose Calibrator	The device that measures the radiation activity of the radiopharmaceutical	
113542	Infusion System	Radiopharmaceutical Infusion System	
113543	Generator	Radioisotope Generator	
113550	Fasting Duration	The number hours the patient has gone without food.	
113551	Hydration Volume	The amount of fluids the patient has consumed before the procedure.	
113552	Recent Physical Activity	A description of physical activity the patient performed before the start of the procedure, such as that which may affect imaging agent biodistribution.	
113560	Acute unilateral renal blockage	Blockage in one of the tubes (ureters) that drain urine from the kidneys	
113561	Low Thyroid Uptake	5% or less Thyroid Uptake of Iodine	
113562	High Thyroid Uptake	25% or higher Thyroid Uptake of Iodine	
113563	Severely Jaundiced	The patient exhibits symptoms severe of jaundice and/or has a Bilirubin >10 mg/dL.	
113568	Extravasation visible in image	Extravasation or paravenous administration of the product is visible in the images.	
113570	Cockcroft-Gault Formula estimation of GFR	The measurement method of the Glomerular Filtration Rate is Cockcroft-Gault Formula	
113571	CKD-EPI Formula estimation of GFR	The measurement method of the Glomerular Filtration Rate is CKD-EPI Formula	
113572	Glomerular Filtration Rate (MDRD)	The measurement method of the Glomerular Filtration Rate is MDRD	
113573	Glomerular Filtration Rate non-black (MDRD)	The measurement method of the Glomerular Filtration Rate is non-black MDRD	
113574	Glomerular Filtration Rate black (MDRD)	The measurement method of the Glomerular Filtration Rate is black (MDRD)	
113575	Glomerular Filtration Rate female (MDRD)	The measurement method of the Glomerular Filtration Rate is female (MDRD)	
113576	Glomerular Filtration Rate Cystatin-based formula	The measurement method of the Glomerular Filtration Rate is Cystatin-based formula	
113577	Glomerular Filtration Rate Creatinine-based formula (Schwartz)	The measurement method of the Glomerular Filtration Rate is Creatinine-based formula (Schwartz)	
113601	Small: < 32.0 cm lateral thickness	Small body thickness for calcium scoring adjustment. Lateral thickness is measured from skin-to-skin, at the level of the proximal ascending aorta, from an A/P localizer image.	
113602	Medium: 32.0-38.0 cm lateral thickness	Medium body thickness for calcium scoring adjustment. Lateral thickness is measured from skin-to-skin, at the level of the proximal ascending aorta, from an A/P localizer image.	

Code Value	Code Meaning	Definition	Notes
113603	Large: > 38.0 cm lateral thickness	Large body thickness for calcium scoring adjustment. Lateral thickness is measured from skin-to-skin, at the level of the proximal ascending aorta, from an A/P localizer image.	
113605	Irradiation Event Label	A human-readable label identifying an irradiation event.	
113606	Label Type	The type of a human-readable label.	
113607	Series Number	A number that identifies a Series. Corresponds to (0020,0011) in PS3.3.	
113608	Acquisition Number	A number that identifies an Acquisition. Corresponds to (0020,0012) in PS3.3.	
113609	Instance Number	A number that identifies an Instance. Corresponds to (0020,0013) in PS3.3.	
113611	Stationary Acquisition	Acquisition where the X-Ray source does not move in relation to the patient.	
113612	Stepping Acquisition	Acquisition where the X-Ray source moves laterally in relation to the patient.	
113613	Rotational Acquisition	Acquisition where the X-Ray source moves angularly in relation to the patient.	
113620	Plane A	Primary plane of a Biplane acquisition equipment.	
113621	Plane B	Secondary plane of a Biplane acquisition equipment.	
113622	Single Plane	Single plane acquisition equipment.	
113630	Continuous	Continuous X-Ray radiation is applied during an irradiation event.	
113631	Pulsed	Pulsed X-Ray radiation is applied during an irradiation event.	
113650	Strip filter	Filter with uniform thickness.	
113651	Wedge filter	Filter with variation in thickness from one edge to the opposite edge.	
113652	Butterfly filter	Filter with two triangular sections.	
113653	Flat filter	Filter with uniform thickness that is for spectral filtering only. E.g., filter out low energy portion of the X-Ray that would only contribute to skin dose, but not to image.	
113661	Outline of lobulations	A polyline defining the outline of a lobulated finding.	
113662	Inner limits of fuzzy margin	A polyline defining the inner limits of a finding with fuzzy margin.	
113663	Outer limits of fuzzy margin	A polyline defining the outer limits of a finding with fuzzy margin.	
113664	Outline of spiculations	A polyline defining the outline of the spiculations of a finding.	
113665	Linear spiculation	A polyline segment graphically indicating the location and direction of a spiculation of a finding.	
113666	Pixelated spiculations	A collection of points indicating the pixel locations of the spiculations of a finding.	
113669	Orthogonal location arc	Connected line segments indicating the center of location of a finding on an orthogonal view.	
113670	Orthogonal location arc inner margin	Connected line segments indicating the inner margin of the location of a finding on an orthogonal view.	

Code Value	Code Meaning	Definition	Notes
113671	Orthogonal location arc outer margin	Connected line segments indicating the outer location of a finding on an orthogonal view.	
113680	Quality Control Intent	This procedure is intended to gather data that is used for calibration or other quality control purposes.	
113681	Phantom	An artificial subject of an imaging study.	
113682	ACR Accreditation Phantom - CT	A phantom acceptable for the ACR Computed Tomography Accreditation program.	
113683	ACR Accreditation Phantom - MR	A phantom acceptable for the ACR Magnetic Resonance Imaging Accreditation program.	
113684	ACR Accreditation Phantom - Mammography	A phantom acceptable for the ACR Mammography Accreditation program.	
113685	ACR Accreditation Phantom - Stereotactic Breast Biopsy	A phantom acceptable for the ACR Stereotactic Breast Biopsy Accreditation program.	
113686	ACR Accreditation Phantom - ECT	A phantom acceptable for the ACR SPECT Accreditation program (but not for PET).	
113687	ACR Accreditation Phantom - PET	A phantom acceptable for the ACR PET Accreditation program (but not for SPECT).	
113688	ACR Accreditation Phantom - ECT/PET	A SPECT phantom with a PET faceplate acceptable for both the ACR SPECT and PET Accreditation programs.	
113689	ACR Accreditation Phantom - PET Faceplate	A PET faceplate (made to fit an existing flangeless or flanged ECT phantom) acceptable for the ACR PET Accreditation program.	
113690	IEC Head Dosimetry Phantom	A phantom used for CTDI measurement in head modes according to IEC 60601-2-44, Ed.2.1 (Head 16 cm diameter Polymethyl methacrylate PMMA).	
113691	IEC Body Dosimetry Phantom	A phantom used for CTDI measurement in body modes according to IEC 60601-2-44, Ed.2.1 (Body 32cm diameter Polymethyl methacrylate PMMA).	
113692	NEMA XR21-2000 Phantom	A phantom in accordance with NEMA standard XR-21-2000.	
113701	X-Ray Radiation Dose Report	X-Ray Radiation Dose Report.	
113702	Accumulated X-Ray Dose Data	X-Ray dose data accumulated over multiple irradiation events. E.g., for a study or a performed procedure step.	
113704	Projection X-Ray	Imaging using a point X-Ray source with a diverging beam projected onto a 2 dimensional detector.	
113705	Scope of Accumulation	Entity over which dose accumulation values are integrated.	
113706	Irradiation Event X-Ray Data	X-Ray dose data for a single Irradiation Event.	
113710	Niobium or Niobium compound	Material containing Niobium or a Niobium compound	Retired. Replaced by (G-1190E, SRT429310004, SCT, "Niobium or Niobium compound")
113711	Europium or Europium compound	Material containing Europium or a Europium compound	Retired. Replaced by (G-1190F, SRT429591003, SCT, "Europium or Europium compound")
113720	Calibration Protocol	Describes the method used to derive the calibration factor.	
113721	Irradiation Event Type	Denotes the type of irradiation event recorded.	

Code Value	Code Meaning	Definition	Notes
113722	Dose Area Product Total	Total calculated Dose Area Product (in the scope of the including report).	
113723	Calibration DateTime	Last calibration DateTime for the integrated dose meter or dose calculation.	
113724	Calibration Responsible Party	Individual or organization responsible for calibration.	
113725	Dose (RP) Total	Total Dose related to Reference Point (RP). (in the scope of the including report).	
113726	Fluoro Dose Area Product Total	Total calculated Dose Area Product applied in Fluoroscopy Modes (in the scope of the including report).	
113727	Acquisition Dose Area Product Total	Total calculated Dose Area Product applied in Acquisition Modes (in the scope of the including report).	
113728	Fluoro Dose (RP) Total	Dose applied in Fluoroscopy Modes, related to Reference Point (RP). (in the scope of the including report).	
113729	Acquisition Dose (RP) Total	Dose applied in Acquisition Modes, related to Reference Point (RP). (in the scope of the including report).	
113730	Total Fluoro Time	Total accumulated clock time of Fluoroscopy in the scope of the including report (i.e., the sum of the Irradiation Duration values for accumulated fluoroscopy irradiation events).	
113731	Total Number of Radiographic Frames	Accumulated Count of exposure pulses (single or multi-frame encoded) created from irradiation events performed with high dose (acquisition).	
113732	Fluoro Mode	Mode of application of X-Rays during Fluoroscopy.	
113733	KVP	Applied X-Ray Tube voltage at peak of X-Ray generation, in kilovolts; Mean value if measured over multiple peaks (pulses).	
113734	X-Ray Tube Current	Mean value of applied Tube Current.	
113735	<i>Exposure Time</i>	<i>Cumulative time the patient has received X-Ray exposure during the irradiation event</i>	<i>Retired. Replaced by (113824, DCM, "Exposure Time").</i>
113736	Exposure	Mean value of X-Ray Current Time product.	
113737	Distance Source to Reference Point	Distance to the Reference Point (RP) defined according to IEC 60601-2-43 or equipment defined.	
113738	Dose (RP)	Dose applied at the Reference Point (RP).	
113739	Positioner Primary End Angle	Positioner Primary Angle at the end of an irradiation event. For further definition see (112011, DCM, "Positioner Primary Angle").	
113740	Positioner Secondary End Angle	Positioner Secondary Angle at the end of an irradiation event. For further definition see (112012, DCM, "Positioner Secondary Angle").	
113742	Irradiation Duration	Clock time from the start of loading time of the first pulse until the loading time trailing edge of the final pulse in the same irradiation event. Note Loading time is defined in IEC 60601-1-3:2008, 3.37, and described in IEC 60601-2-54:2009, 203.4.101.3.	
113743	Patient Orientation	Orientation of the Patient with respect to Gravity.	

Code Value	Code Meaning	Definition	Notes
113744	Patient Orientation Modifier	Enhances or modifies the Patient orientation specified in Patient Orientation.	
113745	Patient Table Relationship	Orientation of the Patient with respect to the Head of the Table.	
113748	Distance Source to Isocenter	Distance from the X-Ray Source to the Equipment C-Arm Isocenter.(Center of Rotation).	
113750	Distance Source to Detector	Measured or calculated distance from the X-Ray source to the detector plane in the center of the beam.	
113751	Table Longitudinal Position	Table Longitudinal Position with respect to an arbitrary chosen reference by the equipment. Table motion towards LAO is positive assuming that the patient is positioned supine and its head is in normal position.	
113752	Table Lateral Position	Table Lateral Position with respect to an arbitrary chosen reference by the equipment. Table motion towards CRA is positive assuming that the patient is positioned supine and its head is in normal position.	
113753	Table Height Position	Table Height Position with respect to an arbitrary chosen reference by the equipment in (mm). Table motion downwards is positive.	
113754	Table Head Tilt Angle	Angle of the head-feet axis of the table in degrees relative to the horizontal plane. Positive values indicate that the head of the table is upwards.	See "Table Coordinate System" in PS3.3.
113755	Table Horizontal Rotation Angle	Rotation of the table in the horizontal plane (clockwise when looking from above the table).	See "Table Coordinate System" in PS3.3.
113756	Table Cradle Tilt Angle	Angle of the left-right axis of the table in degrees relative to the horizontal plane. Positive values indicate that the left of the table is upwards.	See "Table Coordinate System" in PS3.3.
113757	X-Ray Filter Material	X-Ray absorbing material used in the filter.	
113758	X-Ray Filter Thickness Minimum	The minimum thickness of the X-Ray absorbing material used in the filters.	
113759	Table Longitudinal End Position	Table Longitudinal Position at the end of an irradiation event; see (113751, DCM, "Table Longitudinal Position").	
113760	Table Lateral End Position	Table Lateral Position at the end of an irradiation event; see (113752, DCM, "Table Lateral Position").	
113761	Table Height End Position	Table Height Position at the end of an irradiation event; see (113753, DCM, "Table Height Position").	
113763	Calibration Uncertainty	Uncertainty of the 'actual' value.	
113764	Acquisition Plane	Identification of Acquisition Plane with Biplane systems.	
113766	Focal Spot Size	Nominal Size of Focal Spot of X-Ray Tube.	
113767	Average X-Ray Tube Current	Average X-Ray Tube Current averaged over time for pulse or for continuous Fluoroscopy.	
113768	Number of Pulses	Number of pulses applied by X-Ray systems during an irradiation event (acquisition run or pulsed fluoro).	
113769	Irradiation Event UID	Unique identification of a single irradiation event.	
113770	Column Angulation	Angle of the X-Ray beam in degree relative to an orthogonal axis to the detector plane.	
113771	X-Ray Filters	Devices used to modify the energy or energy distribution of X-Rays.	

Code Value	Code Meaning	Definition	Notes
113772	X-Ray Filter Type	Type of filter(s) inserted into the X-Ray beam. E.g., wedges.	
113773	X-Ray Filter Thickness Maximum	The maximum thickness of the X-Ray absorbing material used in the filters.	
113780	Reference Point Definition	System provided definition of the Reference Point used for Dose calculations.	
113788	Collimated Field Height	Distance between the collimator blades in pixel column direction as projected at the detector plane.	
113789	Collimated Field Width	Distance between the collimator blades in pixel row direction as projected at the detector plane.	
113790	Collimated Field Area	Collimated field area at image receptor. Area for compatibility with IEC 60601-2-43.	
113791	Pulse Rate	Pulse rate applied by equipment during Fluoroscopy.	
113792	Distance Source to Table Plane	Measured or calculated distance from the X-Ray source to the table plane in the center of the beam.	
113793	Pulse Width	(Average) X-Ray pulse width.	
113794	Dose Measurement Device	Calibrated device to perform dose measurements.	
113795	Acquired Image	Image acquired during a specified event.	
113800	DLP to E conversion via MC computation	Effective Dose evaluation from the product of Dose Length Product (DLP) and the Effective Dose Conversion Factor (E/DLP in units of mSv/mGy-cm), where the ratio is derived by means of Monte Carlo computations.	
113801	CTDI _{freeair} to E conversion via MC computation	Effective Dose evaluation from the product of the Mean CTDI _{freeair} and the ratio E/CTDI _{freeair} (mSv/mGy), where the ratio is derived by means of Monte Carlo computations.	
113802	DLP to E conversion via measurement	Effective Dose evaluation from the product of Dose Length Product (DLP) and the Effective Dose Conversion Factor (E/DLP in units of mSv/mGy-cm), where the ratio is derived by means of dosimetric measurements with an anthropomorphic phantom.	
113803	CTDI _{freeair} to E conversion via measurement	Effective Dose evaluation from the product of the Mean CTDI _{freeair} and the ratio E/CTDI _{freeair} (mSv/mGy), where the ratio is derived by means of dosimetric measurements with an anthropomorphic phantom.	
113804	Sequenced Acquisition	The CT acquisition was performed by acquiring single or multi detector data while rotating the source about the gantry while the table is not moving. Additional slices are acquired by incrementing the table position and again rotating the source about the gantry while the table is not moving.	
113805	Constant Angle Acquisition	The CT acquisition was performed by holding the source at a constant angle and moving the table to obtain a projection image. E.g., localizer.	
113806	Stationary Acquisition	The CT acquisition was performed by holding the table at a constant position and acquiring multiple slices over time at the same location.	
113807	Free Acquisition	The CT acquisition was performed while rotating the source about the gantry while the table movement is under direct control of a human operator or under the control of an analysis application. E.g., fluoro.	

Code Value	Code Meaning	Definition	Notes
113808	ICRP Pub 60	Reference authority 1990 Recommendations of the International Commission on Radiological Protection (ICRP Publication 60, published as the Annals of the ICRP Vol. 21, No. 1-3, Pergamon Press, 1991).	
113809	Start of X-Ray Irradiation	Start DateTime of the first X-Ray Irradiation Event of the accumulation within a Study.	
113810	End of X-Ray Irradiation	End DateTime of the last X-Ray Irradiation Event of the accumulation within a Study.	
113811	CT Accumulated Dose Data	X-Ray dose accumulated over multiple CT irradiation events. E.g., for a study or a performed procedure step.	
113812	Total Number of Irradiation Events	Total number of events during the defined scope of accumulation.	
113813	CT Dose Length Product Total	The total dose length product defined scope of accumulation.	
113814	CT Effective Dose Total	The total Effective Dose at the defined scope of accumulation.	
113815	Patient Model	Identification of the reference-patient model used when Effective Dose is evaluated via Monte Carlo calculations or from a Dose Length Product conversion factor based on Monte Carlo calculations.	
113816	Condition Effective Dose measured	References the physical phantom and the type of dosimeter used when measurements are done to establish Effective Dose Conversion Factors (E/DLP) or ratios E/CTDI _{freeair} .	
113817	Effective Dose Phantom Type	Type of Effective Dose phantom used.	
113818	Dosimeter Type	Type of dosimeter used.	
113819	CT Acquisition	General description of the CT Irradiation event.	
113820	CT Acquisition Type	Method of the CT acquisition.	
113821	X-Ray Filter Aluminum Equivalent	Thickness of an equivalent filter in mm in Aluminum.	
113822	CT Acquisition Parameters	General description of the acquisition parameters.	
113823	Number of X-Ray Sources	Number of X-Ray sources.	
113824	Exposure Time	Total time the patient has received X-Ray exposure during the irradiation event.	
113825	Scanning Length	Length of the table travel during the entire tube loading, according to IEC 60601-2-44 Note Scanning Length might be longer than the programmed acquisition length (Length of Reconstructable Volume)	
113826	Nominal Single Collimation Width	The value of the nominal width referenced to the location of the isocenter along the z axis of a single row of acquired data in mm.	
113827	Nominal Total Collimation Width	The value of the nominal width referenced to the location of the isocenter along the z axis of the total collimation in mm over the area of active X-Ray detection.	

Code Value	Code Meaning	Definition	Notes
113828	Pitch Factor	For Spiral scanning: Pitch Factor = (Table Feed per Rotation (mm)) / (Nominal Total Collimation Width (mm)) For Sequenced scanning: Pitch Factor = (Table Feed per single Sequenced scan (mm)) / (Nominal Total Collimation Width (mm)).	
113829	CT Dose	General description of CT dose values.	
113830	Mean CT DIvol	"Mean CT DIvol" refers to the average value of the CT DIvol associated with this acquisition.	
113831	CT X-Ray Source Parameters	Identification, tube-potential, tube-current, and exposure-time parameters associated with an X-Ray source during an acquisition.	
113832	Identification of the X-Ray Source	Identifies the particular X-Ray source (in a multi-source CT system) for which the set of X-Ray source parameter values is reported.	
113833	Maximum X-Ray Tube Current	Maximum X-Ray tube current.	
113834	Exposure Time per Rotation	The exposure time for one rotation of the source around the object in s.	
113835	CTDIw Phantom Type	A label describing the type of phantom used for CTDIw measurement according to IEC 60601-2-44 (Head 16 cm diameter PMMA, Body 32 cm diameter PMMA).	
113836	CTDIfreeair Calculation Factor	The CTDIfreeair Calculation Factor is the CTDIfreeair per mAs, expressed in units of mGy/mAs. The CTDIfreeair Calculation Factor may be used in one method calculating Dose.	
113837	Mean CTDIfreeair	The average value of the free-in-air CTDI associated with this acquisition.	
113838	DLP	Dose Length Product (DLP), expressed in mGy-cm, is an index characterizing the product of the CT DIvol and the length scanned. For Spiral scanning, DLP = CT DIvol × Scanning Length. For Sequenced scanning, DLP = CT DIvol × Nominal Total Collimation Width × Cumulative Exposure Time / Exposure Time per Rotation. For Stationary and Free scanning, DLP = CT DIvol × Nominal Total Collimation Width.	
113839	Effective Dose	Effective dose in mSv.	
113840	Effective Dose Conversion Factor	Effective Dose per DLP, reference value for Effective Dose calculation, expressed in mSv/mGY.cm.	
113841	ICRP Pub 103	Effective Dose Reference authority 2007 Recommendations of the International Commission on Radiological Protection (ICRP Publication 103, published as the Annals of the ICRP Vol. 37, No. 2-4, Elsevier, 2007).	
113842	X-Ray Modulation Type	The type of exposure modulation used for the purpose of limiting the dose.	
113845	Exposure Index	Measure of the detector response to radiation in the relevant image region of an image acquired with a digital X-Ray imaging system as defined in IEC 62494-1; see PS3.3 definition of Exposure Index Macro.	

Code Value	Code Meaning	Definition	Notes
113846	Target Exposure Index	The target value used to calculate the Deviation Index as defined in IEC 62494-1; see PS3.3 definition of Exposure Index Macro.	
113847	Deviation Index	A scaled representation of the accuracy of the Exposure Index compared to the Target Exposure Index as defined in IEC 62494-1; see PS3.3 definition of Exposure Index Macro.	
113850	Irradiation Authorizing	The clinician responsible for determining that the irradiating procedure was appropriate for the indications.	
113851	Irradiation Administering	The person responsible for the administration of radiation.	
113852	Irradiation Event	An irradiation event is the loading of X-Ray equipment caused by a single continuous actuation of the equipment's irradiation switch, from the start of the loading time of the first pulse until the loading time trailing edge of the final pulse. Any automatic on-off switching of the irradiation source during the event is not treated as separate events, rather the event includes the time between start and stop of irradiation as triggered by the user. E.g., a pulsed fluoro X-Ray acquisition shall be treated as a single irradiation event.	
113853 113853	Irradiation Event Irradiation Event UID UID	Unique Identifier Unique Identifier of an Irradiation Event. of an Irradiation Event.	Retired. Replaced by (113769, DCM, "Irradiation Event UID")
113854	Source of Dose Information	Method by which dose-related details of an Irradiation Event were obtained.	
113855	Total Acquisition Time	Total accumulated acquisition clock time in the scope of the including report (i.e., the sum of the Irradiation Duration values for accumulated acquisition irradiation events).	
113856	Automated Data Collection	Direct recording of data by a relevant system.	
113857	Manual Entry	Recording of data by a human operator, including manual transcription of electronic data.	
113858	MPPS Content	The data is taken from an MPPS SOP Instance.	
113859	Irradiating Device	A device exposing a patient to ionizing radiation.	
113860	15cm from Isocenter toward Source	15cm from the isocenter towards the X-Ray source; See IEC 60601-2-43.	
113861	30cm in Front of Image Input Surface	30cm in front (towards the tube) of the input surface of the image receptor; See FDA Federal Performance Standard for Diagnostic X-Ray Systems §1020.32(d) (3).	
113862	1cm above Tabletop	1cm above the patient tabletop or cradle; See FDA Federal Performance Standard for Diagnostic X-Ray Systems §1020.32(d) (3).	
113863	30cm above Tabletop	30cm above the patient tabletop of cradle; See FDA Federal Performance Standard for Diagnostic X-Ray Systems §1020.32(d) (3).	
113864	15cm from Table Centerline	15cm from the centerline of the X-Ray table and in the direction of the X-Ray source; See FDA Federal Performance Standard for Diagnostic X-Ray Systems §1020.32(d) (3).	

Code Value	Code Meaning	Definition	Notes
113865	Entrance exposure to a 4.2 cm breast thickness	Standard breast means a 4.2 centimeter (cm) thick compressed breast consisting of 50 percent glandular and 50 percent adipose tissue. See Department of Health and Human Services, Food and Drug Administration. Mammography quality standards; final rule. Federal Register. Oct. 28, 1997; 68(208):55852-55994; see 900.2(uu).	
113866	Copied From Image Attributes	The data is copied from information present in the image attributes. E.g., dose attributes such as CTDIvol (0018,9345).	
113867	Computed From Image Attributes	The data is computed from information present in the image attributes. E.g., by using dosimetry information for the specific irradiating device make and model, applied to technique information such as KVP and mAs.	
113868	Derived From Human-Readable Reports	The data is derived from human-readable reports. E.g., by natural language parsing of text reports, or optical character recognition from reports saved as images by the irradiating device.	
113870	Person Name	The name of a specific person.	
113871	Person ID	An identification number or code for a specific person.	
113872	Person ID Issuer	The organization that issued a Person ID.	
113873	Organization Name	The name of an organization.	
113874	Person Role in Organization	The role played by a person in an organization.	
113875	Person Role in Procedure	The role played by a person in a procedure.	
113876	Device Role in Procedure	The role played by a device in a procedure.	
113877	Device Name	The name used to refer to a device; usually locally unique.	
113878	Device Manufacturer	Manufacturer of a device.	
113879	Device Model Name	Model Name of a device.	
113880	Device Serial Number	Serial Number of a device.	
113890	All Planes	All planes of a multi-plane acquisition equipment.	
113893	Length of Reconstructable Volume	The length from which images may be reconstructed (i.e., excluding any overranging performed in a spiral acquisition that is required for data interpolation). Value is distinct from (1113825, DCM, "Scanning Length"), which is the actual length of the table travel during the entire tube loading, according to IEC 60601-2-44, and includes overranging. Also distinct from any actual Reconstructed Volume, which may depend on the slice thickness chosen for a particular reconstruction.	
113895	Top Z Location of Reconstructable Volume	The Z location that is the top (highest Z value) of the Reconstructable Volume. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference.	
113896	Bottom Z Location of Reconstructable Volume	The Z location that is the bottom (lowest Z value) of the Reconstructable Volume. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference.	

Code Value	Code Meaning	Definition	Notes
113897	Top Z Location of Scanning Length	The Z location that is the top (highest Z value) of the scanning length. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference.	
113898	Bottom Z Location of Scanning Length	The Z location that is the bottom (lowest Z value) of the scanning length. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference.	
113899	Exposed Range	The range along the z axis of the total volume irradiated, per IEC 60601-2-44, Ed. 3, 203.115(b). The start and stop of loading corresponding to the outer edge of the full width half maximum of the free-in-air dose profile for the beam collimation used.	
113900	Dose Check Alert Details	Report section about cumulative dose alerts during an examination.	
113901	DLP Alert Value Configured	Flag denoting whether a DLP Alert Value was configured.	
113902	CTDIvol Alert Value Configured	Flag denoting whether a CTDIvol Alert Value was configured.	
113903	DLP Alert Value	Cumulative Dose Length Product value configured to trigger an alert; see NEMA XR 25-2010 Dose Check Standard.	
113904	CTDIvol Alert Value	Cumulative CTDIvol value configured to trigger an alert; see NEMA XR 25-2010 Dose Check Standard.	
113905	Accumulated DLP Forward Estimate	A forward estimate of the accumulated DLP plus the estimated DLP for the next Protocol Element Group; see NEMA XR 25-2010 Dose Check Standard.	
113906	Accumulated CTDIvol Forward Estimate	A forward estimate at a given location of the accumulated CTDIvol plus the estimated CTDIvol for the next Protocol Element Group; see NEMA XR 25-2010 Dose Check Standard.	
113907	Reason for Proceeding	Reason provided for proceeding with a procedure that is projected to exceed a configured dose value.	
113908	Dose Check Notification Details	Report section about dose notifications during a protocol element.	
113909	DLP Notification Value Configured	Flag denoting whether a DLP Notification Value was configured.	
113910	CTDIvol Notification Value Configured	Flag denoting whether a CTDIvol Notification Value was configured.	
113911	DLP Notification Value	Dose Length Product value configured to trigger a notification for a given protocol element.	
113912	CTDIvol Notification Value	CTDIvol value configured to trigger a notification for a given protocol element.	
113913	DLP Forward Estimate	A forward estimate of the DLP for the next Protocol Element Group; see NEMA XR 25-2010 Dose Check Standard.	
113914	CTDIvol Forward Estimate	A forward estimate of the CTDIvol for the next Protocol Element Group; see NEMA XR 25-2010 Dose Check Standard.	
113921	Radiation Exposure	The amount of ionizing radiation to which the patient was exposed.	

Code Value	Code Meaning	Definition	Notes
113922	Radioactive Substance Administered	Type, amount and route of radioactive substance administered.	Retired. Replaced by (440252007, SCT, "Administration of radiopharmaceutical").
113923	Radiation Exposure and Protection Information	Exposure to ionizing radiation and associated preventive measures used to reduce the exposure of parts of the body like lead apron or eye, thyroid gland or gonad protection.	Retired. Replaced by (73569-6, LN, "Radiation Exposure and Protection Information")
113930	Size Specific Dose Estimation	The Size-Specific Dose Estimate is a patient dose estimate that takes into account the size of the patient, such as described in [AAPM Report 204] or [AAPM Report 220] by using linear dimensions measured on the patient or patient images or estimated from patient age.	
113931	Measured Lateral Dimension	The side-to-side (left to right) dimension of the body part being scanned (per [AAPM Report 204]).	
113932	Measured AP Dimension	The thickness of the body part being scanned, in the antero-posterior dimension (per [AAPM Report 204]).	
113933	Derived Effective Diameter	The diameter of the patient at a given location along the Z-axis of the patient, assuming that the patient has a circular cross-section (per [AAPM Report 204]).	
113934	AAPM 204 Lateral Dimension	The Size Specific Dose Estimation is computed using Table 1B (32cm phantom) or Table 2B (16cm phantom) of [AAPM Report 204].	
113935	AAPM 204 AP Dimension	The Size Specific Dose Estimation is computed using Table 1C (32cm phantom) or Table 2C (16cm phantom) of [AAPM Report 204].	
113936	AAPM 204 Sum of Lateral and AP Dimension	The Size Specific Dose Estimation is computed using Table 1A (32cm phantom) or Table 2A (16cm phantom) of [AAPM Report 204].	
113937	AAPM 204 Effective Diameter Estimated From Patient Age	The Size Specific Dose Estimation is computed using Table 1D (32cm phantom) or Table 2D (16cm phantom) using an effective diameter estimated from the patient's age using Table 3 of [AAPM Report 204].	
113940	System Calculated	Values calculated from other existing parameters.	
113941	In Detector Plane	A segmented region of the detector surface within the irradiated area (but might not be near the center of the detector).	
113942	X-Ray Reading Device	A device that creates digital images from X-Ray detectors (Direct, Indirect or Storage).	
113943	X-Ray Source Data Available	Parameters related to the X-Ray source (generator, tube, etc) are available to the recording application.	
113944	X-Ray Mechanical Data Available	Parameters related to the X-Ray Mechanical System (Stand, Table) are available to the recording application.	
113945	X-Ray Detector Data Available	Parameters related to the X-Ray Detector are available to the recording application.	
113946	Projection Eponymous Name	Describes the radiographic method of patient, tube and detector positioning to achieve a well described projection or view.	
113947	Detector Type	Type of Detector used to acquire data. E.g., Images.	
113948	Direct Detector	Detector that directly transforms the input signal to pixel values.	

Code Value	Code Meaning	Definition	Notes
113949	Indirect Detector	Detector that transforms an intermediate signal into pixel values. E.g., a scintillator-based detector.	
113950	Storage Detector	Storage detector that stores a signal that is later transformed by a reader into pixel values. E.g., a phosphor-based detector.	
113951	Film	Film that is scanned to create pixel values.	
113952	Table Mount	The cassette/detector is mounted in the patient table.	
113953	Unmounted Detector	The cassette/detector is not mounted.. E.g., a cassette placed underneath the patient.	
113954	Upright Stand Mount	The cassette/detector is mounted in an upright stand.	
113955	C-Arm Mount	The cassette/detector is mounted on a c-arm.	
113956	CR/DR Mechanical Configuration	Method of mounting or positioning a CR/DR cassette or detector.	
113957	Fluoroscopy-Guided Projection Radiography System	An integrated projection radiography system capable of fluoroscopy.	
113958	Integrated Projection Radiography System	A projection radiography system where the X-Ray detector, X-Ray Source and gantry components are integrated and the managing system is able to access details of each component.	
113959	Cassette-based Projection Radiography System	A projection radiography system where the X-Ray detector, X-Ray Source and gantry components are not integrated. E.g., cassette-based CR and DR systems.	
113961	Reconstruction Algorithm	Description of the algorithm used when reconstructing the image from the data acquired during the acquisition process.	
113962	Filtered Back Projection	An algorithm for reconstructing an image from multiple projections by back-projecting the measured values along the line of the projection and filtering the result to reduce blurring.	
113963	Iterative Reconstruction	An algorithm for reconstructing an image from multiple projections by starting with an assumed reconstructed image, computing projections from the image, comparing the original projection data and updating the reconstructed image based upon the difference between the calculated and the actual projections.	
113964	At Surface of Patient	A point at the surface of the patient within the irradiated area where the X-Ray beam enters the patient (i.e. towards the tube).	
113970	Procedure Step To This Point	The period of time from the start of a Procedure Step until the time point established by the context of the reference.	
113980	Water Equivalent Diameter	The diameter of a cylinder of water having the same X-Ray attenuation as the patient for a specified reconstructed slice (e.g., as described in [AAPM Report 220]).	

Code Value	Code Meaning	Definition	Notes
113981	Water Equivalent Diameter Representative Value	<p>The Size Specific Dose Estimation is computed using a single representative value of Water Equivalent Diameter.</p> <p>E.g., computed as per [AAPM Report 220] and used as the index into Table 1D (32cm phantom) or Table 2D (16cm phantom) of [AAPM Report 204] (i.e., as described in the Appendix of [AAPM Report 220]).</p> <p>The single value used may be a mean of the values across the entire scan range, or may be a value at a single location sufficiently representative of the body region.</p>	
113982	Water Equivalent Diameter Integrated Across Scan Range	<p>The Size Specific Dose Estimation is computed using Water Equivalent Diameter values for a sample of slices across the entire scan range.</p> <p>E.g., computed as per [AAPM Report 220] and used as the index into Table 1D (32cm phantom) or Table 2D (16cm phantom) of [AAPM Report 204] (i.e., as described in the Appendix of [AAPM Report 220]).</p>	
113983	Water Equivalent Diameter From Raw Data	<p>The Size Specific Dose Estimation is computed using Water Equivalent Diameter values derived from Raw Data rather than reconstructed slices.</p> <p>E.g., used as the index into Table 1D (32cm phantom) or Table 2D (16cm phantom) of [AAPM Report 204] (i.e., as described in the Appendix of [AAPM Report 220]).</p>	
113984	Water Equivalent Diameter From Localizer	<p>The Size Specific Dose Estimation is computed using Water Equivalent Diameter values derived from a Localizer image.</p> <p>E.g., used as the index into Table 1D (32cm phantom) or Table 2D (16cm phantom) of [AAPM Report 204] (i.e., as described in the Appendix of [AAPM Report 220]).</p>	
113985	Series or Instance used for Water Equivalent Diameter estimation	Unique identifier of the Series or Instance(s) used for Water Equivalent Diameter estimation, whether it be a Series of reconstructed single slice images or one or more Enhanced Multi-frame images or a Raw Data Series or Instance.	
113986	Z value of location of Water Equivalent Diameter estimation	The Z location used for Water Equivalent Diameter estimation at a single location whether it be computed using a reconstructed slice or Localizer or Raw Data. Specified as the Z component within the Patient Coordinate System defined by a specified Frame of Reference.	
113987	AAPM 220	A report describing methods of calculation of diameters of cylinders of water having the same X-Ray attenuation as reconstructed CT slices of patients described in [AAPM Report 220].	
114000	Not a number	Measurement not available: Not a number (per IEEE 754).	
114001	Negative Infinity	Measurement not available: Negative Infinity (per IEEE 754).	
114002	Positive Infinity	Measurement not available: Positive Infinity (per IEEE 754).	

Code Value	Code Meaning	Definition	Notes
114003	Divide by zero	Measurement not available: Divide by zero (per IEEE 754).	
114004	Underflow	Measurement not available: Underflow (per IEEE 754).	
114005	Overflow	Measurement not available: Overflow (per IEEE 754).	
114006	Measurement failure	Measurement not available: Measurement failure.	
114007	Measurement not attempted	Measurement not available: Measurement not attempted.	
114008	Calculation failure	Measurement not available: Calculation failure.	
114009	Value out of range	Measurement not available: Value out of range.	
114010	Value unknown	Measurement not available: Value unknown.	
114011	Value indeterminate	Measurement not available: Value indeterminate.	
114201	Time of flight	Measures the time-of-flight of a light signal between the camera and the subject for each point of the image.	
114202	Interferometry	Interferometry is a family of techniques in which waves are superimposed in order to extract depth information about the scanned object.	
114203	Laser scanning	Laser scanning describes the general method to sample or scan a surface using laser technology.	
114204	Pattern projection	Projecting a narrow band of light onto a three-dimensionally shaped surface produces a line of illumination that appears distorted from other perspectives than that of the projector. It can be used for an exact geometric reconstruction of the surface shape.	
114205	Shape from shading	A technique for estimating the surface normal of an object by observing that object under different lighting conditions.	
114206	Shape from motion	A technique for estimating the surface normal of an object by observing that object under different motions.	
114207	Confocal imaging	An optical imaging technique used to increase optical resolution and contrast of a micrograph by using point illumination and a spatial pinhole to eliminate out-of-focus light in specimens that are thicker than the focal plane. It enables the reconstruction of 3D structures from the obtained images.	
114208	Point Cloud Algorithmic	Point cloud that was calculated by an algorithm.	
114209	Turntable Scan Method	Scanning the object from different views by placing it on a rotating table.	
114210	High resolution	Higher resolution with a longer acquisition time.	
114211	Fast mode	Lower resolution with a shorter acquisition time.	
114213	Iterative Closest Point	An algorithm employed to minimize the difference between two clouds of points. It iteratively revises the transformation (translation, rotation) needed to minimize the distance between the points of two point clouds.	
114215	Freehand	Human controlled minimization of the distance between the points of two point clouds.	
114216	Checkerboard	Scanning the object from different views by placing it in front of a checkerboard pattern.	
121001	Quotation Mode	Type of source for observations quoted from an external source.	

Code Value	Code Meaning	Definition	Notes
121002	Quoted Source	Reference to external source of quoted observations.	
121003	Document	Documentary source of quoted observations.	
121004	Verbal	Verbal source of quoted observations.	
121005	Observer Type	Type of observer that created the observations.	
121006	Person	Human observer created the observations.	
121007	Device	Automated device created the observations.	
121008	Person Observer Name	Name of human observer that created the observations.	
121009	Person Observer's Organization Name	Organization or institution with which the human observer is affiliated for the context of the current observation.	
121010	Person Observer's Role in the Organization	Organizational role of human observer for the context of the current observation.	
121011	Person Observer's Role in this Procedure	Procedural role of human observer for the context of the current observation.	
121012	Device Observer UID	Unique identifier of automated device that created the observations.	
121013	Device Observer Name	Institution-provided identifier of automated device that created the observations.	
121014	Device Observer Manufacturer	Manufacturer of automated device that created the observations.	
121015	Device Observer Model Name	Manufacturer-provided model name of automated device that created the observations.	
121016	Device Observer Serial Number	Manufacturer-provided serial number of automated device that created the observations.	
121017	Device Observer Physical Location During Observation	Location of automated device that created the observations whilst the observations were being made.	
121018	Procedure Study Instance UID	Unique identifier for the Study or Requested Procedure.	
121019	Procedure Study Component UID	Unique identifier for the Performed Procedure Step.	
121020	Placer Number	Identifier for the Order (or Service Request) assigned by the order placer system.	
121021	Filler Number	Identifier for the Order (or Service Request) assigned by the order filler system.	
121022	Accession Number	Identifier for the Order (or Service Request) assigned by the department information system.	
121023	Procedure Code	Type of procedure scheduled or performed.	
121024	Subject Class	Type of observation subject.	
121025	Patient	A patient is the subject of observations.	
121026	Fetus	Fetus of patient is the subject of observations.	
121027	Specimen	Specimen is the subject of observations.	
121028	Subject UID	Unique Identifier of patient or fetus who is the subject of observations.	
121029	Subject Name	Name of patient who is the subject of observations.	
121030	Subject ID	Identifier of patient or fetus who is the subject of observations.	
121031	Subject Birth Date	Birth Date of patient who is the subject of observations.	
121032	Subject Sex	Sex of patient who is the subject of observations.	

Code Value	Code Meaning	Definition	Notes
121033	Subject Age	Age of patient who is the subject of observations.	
121034	Subject Species	Species of patient who is the subject of observations.	
121035	Subject Breed	The breed of the subject.	
121036	Mother of fetus	Name of mother of fetus that is the subject of observations.	
121037	<i>Fetus number</i>		Retired. Replaced by (11951-1, LN, "Fetus ID").
121038	<i>Number of Fetuses</i>		Retired. Replaced by (55281-0, LN, "Number of Fetuses").
121039	Specimen UID	Unique Identifier of specimen that is the subject of observations.	
121040	<i>Specimen Accession Number</i>	<i>Accession Number of specimen that is the subject of observations</i>	Retired.
121041	Specimen Identifier	Identifier of specimen that is the subject of observations.	
121042	<i>Specimen Type</i>	<i>Coded category of specimen that is the subject of observations</i>	Retired. Replaced by (R-00254, SRT371439000, SCT, "Specimen Type")
121043	<i>Slide Identifier</i>	<i>Identifier of specimen microscope slide that is the subject of observations</i>	Retired. Replaced by (111700, DCM, "Specimen Container Identifier")
121044	<i>Slide UID</i>	<i>Unique Identifier of specimen microscope slide that is the subject of observations</i>	Retired.
121045	Language	The language of the content, being a language that is primarily used for human communication. E.g., English, French.	
121046	Country of Language	The country-specific variant of language. E.g., Canada for Canadian French.	
121047	Language of Value	The language of the value component of a name-value pair.	
121048	Language of Name and Value	The language of both the name component and the value component of a name-value pair.	
121049	Language of Content Item and Descendants	The language of the current Content Item (node in a tree of content) and all its descendants.	
121050	Equivalent Meaning of Concept Name	A precoordinated coded concept or text meaning for the name component of a name-value pair that is equivalent to the post-coordinated meaning conveyed by the coded name and its concept modifier children.	
121051	Equivalent Meaning of Value	A precoordinated coded concept or text meaning for the value component of a name-value pair that is equivalent to the post-coordinated meaning conveyed by the coded value and its concept modifier children.	
121052	Presence of property	Whether or not the property concept being modified is present or absent.	
121053	<i>Present</i>		Retired. Replaced by (G-A203, SRT52101004, SCT, "Present")

Code Value	Code Meaning	Definition	Notes
121054	Absent		Retired. Replaced by (R-4089B, SRT272519000, SCT, "Absent")
121055	Path	A set of points on an image, that when connected by line segments, provide a polyline from which a linear measurement was inferred.	
121056	Area outline	A set of points on an image, that when connected by line segments, provide a closed polyline that is the border of a defined region from which an area, or two-dimensional measurement, was inferred.	
121057	Perimeter outline	A set of points on an image, that when connected by line segments, provide a closed polyline that is a two-dimensional border of a three-dimensional region's intersection with, or projection into the image.	
121058	Procedure reported	The imaging procedure whose results are reported.	
121059	Presence Undetermined	Presence or absence of a property is undetermined	Retired. Replaced by (R-0038A, SRT373068000, SCT, "Undetermined")
121060	History		Retired. Replaced by (11329-0, LN, "History")
121062	Request		Retired. Replaced by (55115-0, LN, "Request")
121064	Current Procedure Descriptions		Retired. Replaced by (55111-9, LN, "Current Procedure Descriptions")
121065	Procedure Description	A description of the imaging procedure.	
121066	Prior Procedure Descriptions		Retired. Replaced by (55114-3, LN, "Prior Procedure Descriptions")
121068	Previous Findings		Retired. Replaced by (18834-2, LN, "Previous Findings")
121069	Previous Finding	An observation found on a prior imaging study.	
121070	Findings		Retired. Replaced by (59776-5, LN, "Findings")
121071	Finding	An observation found on an imaging study.	
121072	Impressions		Retired. Replaced by (19005-8, LN, "Impressions")
121073	Impression	An interpretation in the clinical context of the finding(s) on an imaging study.	
121074	Recommendations		Retired. Replaced by (18783-1, LN, "Recommendations")
121075	Recommendation	A recommendation for management or investigation based on the findings and impressions of an imaging study.	
121076	Conclusions		Retired. Replaced by (55110-1, LN, "Conclusions")
121077	Conclusion	An interpretation in the clinical context of the finding(s) on an imaging study.	

Code Value	Code Meaning	Definition	Notes
121078	Addendum		Retired. Replaced by (55107-7, LN, "Addendum")
121079	Baseline	Initial images used to establish a beginning condition that is used for comparison over time to look for changes. [Paraphrases NCI-PT (C1442488, UMLS, "Baseline"), which is defined as "An initial measurement that is taken at an early time point to represent a beginning condition, and is used for comparison over time to look for changes. For example, the size of a tumor will be measured before treatment (baseline) and then afterwards to see if the treatment had an effect. A starting point to which things may be compared."]	
121080	Best illustration of finding	A selection of composite instances that best illustrates a particular finding. E.g., an image slice at the location of the largest extent of a tumor.	
121081	Physician		Retired. Replaced by (J-004E8 , SRT309343006 , SCT, "Physician")
121082	Nurse		Retired. Replaced by (J-07100 , SRT106292003 , SCT, "Nurse")
121083	Technologist		Retired. Replaced by (J-00187 , SRT159016003 , SCT, "Radiologic Technologist")
121084	Radiographer		Retired. Replaced by (J-00187 , SRT159016003 , SCT, "Radiographer")
121085	Intern		Retired. Replaced by (C1144859, UMLS, "Intern")
121086	Resident		Retired. Replaced by (J-005E6 , SRT405277009 , SCT, "Resident")
121087	Registrar		Retired. Replaced by (J-00172 , SRT158971006 , SCT, "Registrar")
121088	Fellow	A medical practitioner undergoing sub-specialty training. E.g., during the period after specialty training (residency).	
121089	Attending [Consultant]		Retired. Replaced by (J-005E8 , SRT405279007 , SCT, "Attending")
121090	Scrub nurse		Retired. Replaced by (J-0714A , SRT415506007 , SCT, "Scrub nurse")
121091	Surgeon		Retired. Replaced by (J-00556 , SRT304292004 , SCT, "Surgeon")
121092	Sonologist	A medical practitioner with sub-specialty training in Ultrasound.	
121093	Sonographer		Retired. Replaced by (C1954848, UMLS, "Sonographer")

Code Value	Code Meaning	Definition	Notes
121094	Performing	The person responsible for performing the procedure.	
121095	Referring	The person responsible for referring the patient for the procedure.	Retired. Replaced by (C1709880, UMLS, "Referring physician").
121096	Requesting	The person responsible for requesting the procedure.	
121097	Recording	The person responsible for recording the procedure or observation.	
121098	Verifying	The person responsible for verifying the recorded procedure or observation.	
121099	Assisting	The person responsible for assisting with the procedure.	
121100	Circulating	The person responsible for making preparations for and monitoring the procedure.	Retired. Replaced by (J-0714B, SRT413854007, SCT, "Circulating Nurse").
121101	Standby	The person responsible for standing by to assist with the procedure if required.	
121102	Other sex	Other sex.	
121103	Undetermined sex	Sex of subject undetermined at time of encoding.	
121104	Ambiguous sex	Ambiguous sex.	
121105	Radiation Physicist	Radiation Physicist.	Retired. Replaced by (C2985483, UMLS, "Radiation Physicist").
121106	Comment	Comment.	
121109	Indications for Procedure	Indications for Procedure	Retired. Replaced by (18785-6, LN, "Indications for Procedure")
121110	Patient Presentation	Patient condition at the beginning of a healthcare encounter	Retired. Replaced by (55108-5, LN, "Patient Presentation")
121111	Summary	Summary of a procedure, including most significant findings	Retired. Replaced by (55112-7, LN, "Summary")
121112	Source of Measurement	Image or waveform used as source for measurement.	
121113	Complications	Complications from a procedure	Retired. Replaced by (55109-3, LN, "Complications")
121114	Performing Physician	Physician who performed a procedure.	
121115	Discharge Summary	Summary of patient condition upon Discharge from a healthcare facility.	
121116	Proximal Finding Site	Proximal Anatomic Location for a differential measurement; may be considered subtype of term (G-C0E3, SRT363698007, SCT, "Finding Site"). E.g., distance or pressure gradient.	
121117	Distal Finding Site	Distal Anatomic Location for a differential measurement; may be considered subtype of term (G-C0E3, SRT363698007, SCT, "Finding Site"). E.g., distance or pressure gradient.	
121118	Patient Characteristics	Patient Characteristics (findings).	
121120	Cath Lab Procedure Log	Time-stamped record of events that occur during a catheterization procedure.	

Code Value	Code Meaning	Definition	Notes
121121	Room identification	Room identification.	
121122	Equipment Identification	Equipment identification.	
121123	Patient Status or Event	A recorded Patient Status or an event involving a patient.	
121124	Procedure Action Item ID	Identification of a step, action, or phase of a procedure.	
121125	DateTime of Recording of Log Entry	DateTime of Recording of an Entry in an Event Log.	
121126	Performed Procedure Step SOP Instance UID	SOP Instance UID of a Performed Procedure Step.	
121127	Performed Procedure Step SOP Class UID	SOP Class UID of a Performed Procedure Step.	
121128	Procedure Action Duration	Duration of a step, action, or phase of a procedure.	
121130	Start Procedure Action Item	Beginning of a step, action, or phase of a procedure.	
121131	End Procedure Action Item	End of a step, action, or phase of a procedure.	
121132	Suspend Procedure Action Item	Suspension of a step, action, or phase of a procedure.	
121133	Resume Procedure Action Item	Resumption of a step, action, or phase of a procedure.	
121135	Observation DateTime Qualifier	Concept modifier for the DateTime of Recording of an Entry in an Event Log.	
121136	DateTime Unsynchronized	Recorded DateTime had its source in a system clock not synchronized to other recorded DateTimes.	
121137	DateTime Estimated	Recorded DateTime is estimated.	
121138	Image Acquired	Event of the acquisition of an image.	
121139	Modality	Type of data acquisition device.	
121140	Number of Frames	Number of Frames in a multi-frame image.	
121141	Image Type	Descriptor of an Image.	
121142	Acquisition Duration	Duration of the acquisition of an image or a waveform.	
121143	Waveform Acquired	Event of the acquisition of an image.	
121144	Document Title	Document Title.	
121145	Description of Material	Description of Material used in a procedure.	
121146	Quantity of Material	Quantity of Material used in a procedure.	
121147	Billing Code	Billing Code for materials used in a procedure.	
121148	Unit Serial Identifier	Unit or Device Serial Identifier.	
121149	Lot Identifier	Lot Identifier.	
121150	Device Code	Vendor or local coded value identifying a device.	
121151	Lesion Identifier	Identification of a Lesion observed during an imaging procedure.	
121152	Person administering drug/contrast	Person administering drug/contrast.	
121153	Lesion Risk	Assessment of the risk a coronary lesion presents to the health of a patient.	
121154	Intervention attempt identifier	Identifier for an attempted Intervention.	
121155	Deployment	Use of a device to deploy another device.	
121156	Percutaneous Entry Action	Action of a clinical professional at the site of percutaneous access to a patient's cardiovascular system.	

Code Value	Code Meaning	Definition	Notes
121157	Begin Circulatory Support	The action or event of beginning circulatory support for a patient.	
121158	End Circulatory Support	The action or event of ending circulatory support for a patient.	
121160	Oxygen Administration Rate	Rate of Oxygen Administration.	
121161	Begin Oxygen Administration	The action or event of beginning administration of oxygen to a patient.	
121162	End oxygen administration	The action or event of ending administration of oxygen to a patient.	
121163	By ventilator	Method of administration of oxygen to a patient by ventilator.	
121165	Patient Assessment Performed	The action or event of assessing the clinical status of a patient.	
121166	Begin Pacing	The action or event of beginning pacing support for a patient.	
121167	End Pacing	The action or event of ending pacing support for a patient.	
121168	Begin Ventilation	The action or event of beginning ventilation support for a patient.	
121169	End Ventilation	The action or event of ending ventilation support for a patient.	
121171	Tech Note	Procedural note originated by a technologist.	
121172	Nursing Note	Procedural note originated by a nurse.	
121173	Physician Note	Procedural note originated by a Physician.	
121174	Procedure Note	General procedural note.	
121180	Key Images	List of references to images considered significant	Retired. Replaced by (55113-5, LN, "Key Images")
121181	DICOM Object Catalog	List of references to DICOM SOP Instances.	
121190	Referenced Frames	Individual frames selected as a subset of a multi-frame image.	
121191	Referenced Segment	Segment selected as a subset of a segmentation image, specifically the pixels/voxels identified as belonging to the classification of the identified segment.	
121192	Device Subject	A device is the subject of observations.	
121193	Device Subject Name	Name or other identifier of a device that is the subject of observations.	
121194	Device Subject Manufacturer	Manufacturer of a device that is the subject of observations.	
121195	Device Subject Model Name	Model Name of a device that is the subject of observations.	
121196	Device Subject Serial Number	Serial Number of a device that is the subject of observations.	
121197	Device Subject Physical Location during observation	Physical Location of a device that is the subject of observations during those observations.	
121198	Device Subject UID	Unique Identifier of a device that is the subject of observations.	
121200	Illustration of ROI	Illustration of a region of interest.	

Code Value	Code Meaning	Definition	Notes
121201	Area Outline		Retired. Replaced by (121056, DCM, "Area Outline").
121202	Area of Defined Region		Retired. Replaced by (G-A16A, SRT131184002, SCT, "Area of defined region").
121206	Distance	A one dimensional, or linear, numeric measurement.	
121207	Height	Vertical measurement value.	
121208	Inter-Marker Distance	Distance between marks on a device of calibrated size. E.g., a ruler.	
121210	Path		Retired. Replaced by (121055, DCM, "Path").
121211	Path length	A one dimensional, or linear, numeric measurement along a polyline.	
121213	Perimeter Outline		Retired. Replaced by (121057, DCM, "Perimeter Outline").
121214	Referenced Segmentation Frame	Frame selected from a segmentation image, specifically the pixels/voxels identified as belonging to the classification of the segment encompassing the identified frame.	
121216	Volume estimated from single 2D region	A three-dimensional numeric measurement that is approximate, based on a two-dimensional region in a single image.	
121217	Volume estimated from three or more non-coplanar 2D regions	A three-dimensional numeric measurement that is approximate, based on three or more non-coplanar two-dimensional image regions.	
121218	Volume estimated from two non-coplanar 2D regions	A three-dimensional numeric measurement that is approximate, based on two non-coplanar two-dimensional image regions.	
121219	Volume of bounding three dimensional region	A three-dimensional numeric measurement of the bounding region of a three-dimensional region of interest in an image set.	
121220	Volume of circumscribed sphere	A three-dimensional numeric measurement of the bounding sphere of a three-dimensional region of interest in an image set.	
121221	Volume of ellipsoid	A three-dimensional numeric measurement of an ellipsoid shaped three-dimensional region of interest in an image set.	
121222	Volume of sphere	A three-dimensional numeric measurement of a sphere shaped three-dimensional region of interest in an image set.	
121230	Path Vertex	Coordinates of a point on a defined path.	
121231	Volume Surface	Surface of an identified or measured volume.	
121232	Source series for segmentation	Series of image instances used as source data for a segmentation.	
121233	Source image for segmentation	Image instances used as source data for a segmentation.	
121242	Distance from nipple	Indicates the location of the area of interest as measured from the nipple of the breast.	

Code Value	Code Meaning	Definition	Notes
121243	Distance from skin	Indicates the location of the area of interest as measured from the most direct skin point of the breast.	
121244	Distance from chest wall	Indicates the location of the area of interest as measured from the chest wall.	
121290	Patient exposure to ionizing radiation	Patient exposure to ionizing radiation (procedure).	
121291	Results communicated	The act of communicating actionable findings to a responsible receiver.	
121301	Simultaneous Doppler	Reference is to a Doppler waveform acquired simultaneously with an image.	
121302	Simultaneous Hemodynamic	Reference is to a Hemodynamic waveform acquired simultaneously with an image.	
121303	Simultaneous ECG	Reference is to a ECG waveform acquired simultaneously with an image.	
121304	Simultaneous Voice Narrative	Reference is to a voice narrative recording acquired simultaneously with an image.	
121305	Simultaneous Respiratory Waveform	A waveform representing chest expansion and contraction due to respiratory activity, measured simultaneously with the acquisition of this Image.	
121306	Simultaneous Arterial Pulse Waveform	Arterial pulse waveform obtained simultaneously with acquisition of a referencing image.	
121307	Simultaneous Phonocardiographic Waveform	Phonocardiographic waveform obtained simultaneously with acquisition of a referencing image.	
121310	RT treatment plan for the position being verified	The referenced instance is an RT treatment plan of some type, which contains treatment positioning information, which has been verified using the information in the referencing instance.	The referenced Instance typically will be an RT Plan, RT Ion Plan or RT Radiation Set.
121311	Localizer	Image providing an anatomical reference on the patient under examination, for the purpose of defining the location of the ensuing imaging.	
121312	Biopsy localizer	Image providing an anatomical reference on the patient under examination, for the purpose of planning or documenting a biopsy.	
121313	Other partial views	Image providing a partial view of the target anatomy, when the target anatomy is too large for a single image.	
121314	Other image of biplane pair	Image providing a view of the target anatomy in a different imaging plane, typically from a near perpendicular angle.	
121315	Other image of stereoscopic pair	Image providing a view of the target anatomy in a different imaging plane, typically with a small angular difference.	
121316	Images related to standalone object	Image related to a non-image information object.	
121317	Spectroscopy	Image where signals are identified and separated according to their frequencies. E.g., to identify individual chemicals, or individual nuclei in a chemical compound.	
121318	Spectroscopy Data for Water Phase Correction	MR spectroscopy data acquired to correct the phase of the diagnostic data for the phase signal of the Water.	

Code Value	Code Meaning	Definition	Notes
121320	Uncompressed predecessor	An image that has not already been lossy compressed that is used as the source for creation of a lossy compressed image.	
121321	Mask image for image processing operation	Image used as the mask for an image processing operation, such as subtraction.	
121322	Source image for image processing operation	Image used as the source for an image processing operation.	
121323	Source series for image processing operation	Series used as the source for an image processing operation.	
121324	Source Image	Image used as the source for a derived or compressed image.	
121325	Lossy compressed image	Image encoded with a lossy compression transfer syntax.	
121326	Alternate SOP Class instance	SOP Instance encoded with a different SOP Class but otherwise equivalent data.	
121327	Full fidelity image	Full fidelity image, uncompressed or lossless compressed.	
121328	Alternate Photometric Interpretation image	Image encoded with a different photometric interpretation.	
121329	Source image for montage	Image used as a source for a montage (stitched) image.	
121330	Lossy compressed predecessor	An image that has previously been lossy compressed that is used as the source for creation of another lossy compressed image.	
121331	Equivalent CDA Document	HL7 Document Architecture (CDA) Document that contains clinical content equivalent to the referencing Instance.	
121332	Complete Rendering for Presentation	Instance that contains a displayable complete rendering of the referencing Instance.	
121333	Partial Rendering for Presentation	Instance that contains a displayable partial rendering of the referencing Instance.	
121334	Extended Rendering for Presentation	Instance that contains a displayable complete rendering of the referencing Instance, plus additional content such as inline rendering of referenced images.	
121335	Source Document	Document whose content has been wholly or partially transformed to create the referencing document.	
121338	Anatomic image	Image showing structural anatomic features.	
121339	Functional image	Image showing physical or chemical activity.	
121340	Spectral filtered image	Image providing the same view of the target anatomy acquired using only a specific imaging wavelength, frequency or energy.	
121341	Device localizer	Image providing an anatomical reference on the patient under examination, for the purpose of documenting the location of device such as a diagnostic or therapeutic catheter.	
121342	Dose Image	Image providing a graphic view of the distribution of radiation dose.	
121346	Acquisition frames corresponding to volume	The referenced image is the source of spatially-related frames from which the referencing 3D volume data was derived.	

Code Value	Code Meaning	Definition	Notes
121347	Volume corresponding to spatially-related acquisition frames	3D Volume containing the spatially-related frames in the referencing instance.	
121348	Temporal Predecessor	Instance acquired prior to the referencing instance in a set of consecutively acquired instances.	
121349	Temporal Successor	Instance acquired subsequent to the referencing instance in a set of consecutively acquired instances.	
121350	Same acquisition at lower resolution	Image of the same target area at lower resolution acquired in the same acquisition process.	
121351	Same acquisition at higher resolution	Image of the same target area at higher resolution acquired in the same acquisition process.	
121352	Same acquisition at different focal depth	Image of the same target area at different focal depth (Z-plane) acquired in the same acquisition process.	
121353	Same acquisition at different spectral band	Image of the same target area at different spectral band acquired in the same acquisition process.	
121354	Imaged container label	Image specifically targeting the container label.	
121358	For Processing predecessor	Source image from which FOR PRESENTATION images were created.	
121360	Replaced report	The reference is to a predecessor report that has been replaced by the current report.	
121361	Addended report	The reference is to a predecessor report to which the current report provides an addendum.	
121362	Preliminary report	A report that precedes the final report and may contain only limited information; it may be time sensitive, and it is not expected to contain all the reportable findings.	
121363	Partial report	A report that is not complete.	
121370	Composed from prior doses	The dose object created was calculated by summation of existing, previously calculated, RT Dose instances.	
121371	Composed from prior doses and current plan	The dose object created was calculated by summation of existing, previously calculated, RT Dose instances and dose newly calculated by the application. The newly calculated dose may or may not exist as an independent object.	
121372	Source dose for composing current dose	RT Dose Instances used as source for calculated dose.	
121373	RT Pre-Treatment Dose Check	An assessment of the dose delivery parameters performed before treatment.	
121374	RT Pre-Treatment Consistency Check	An assessment of consistency with a previously quality-assured treatment plan performed before treatment.	
121375	Assessment By Comparison	The basis of the assessment was a comparison object.	
121376	Assessment By Rules	The basis of the assessment was a set of rules on expected values, ranges and relationships.	
121380	Active Ingredient Undiluted Concentration	Concentration of the chemically or physically interesting (active) ingredient of a drug or contrast agent as delivered in product form from the manufacturer, typically in mg/ml.	
121381	Contrast/Bolus Ingredient Opaque	X-Ray absorption of the active ingredient of a contrast agent ingredient is greater than the absorption of water (tissue).	

Code Value	Code Meaning	Definition	Notes
121382	Quantity administered	Number of units of substance administered to a patient. E.g., tablets.	
121383	Mass administered	Mass of substance administered to a patient.	
121401	Derivation	Method of deriving or calculating a measured value. E.g., mean, or maximum of set.	
121402	Normality	Assessment of a measurement relative to a normal range of values; may be considered subtype of term (G-C0F2 , SRT363713009 , SCT, "has interpretation").	
121403	Level of Significance	Significance of a measurement.	
121404	Selection Status	Status of selection of a measurement for further processing or use.	
121405	Population description	Description of a population of measurements.	
121406	Reference Authority	Bibliographic or clinical reference for a Description of a population of measurements.	
121407	Normal Range description	Description of a normal range of values for a measurement concept.	
121408	Normal Range Authority	Bibliographic or clinical reference for a Description of a normal range of values.	
121410	User chosen value	Observation value selected by user for further processing or use, or as most representative.	
121411	Most recent value chosen	Observation value is the recently obtained, and has been selected for further processing or use.	
121412	Mean value chosen	Observation value is the mean of several measurements, and has been selected for further processing or use.	
121414	Standard deviation of population	Standard deviation of a measurement in a reference population.	
121415	Percentile Ranking of measurement	Percentile Ranking of an observation value with respect a reference population.	
121416	Z-Score of measurement	Z-score of an observation value with respect a reference population, expressed as the dimensionless quantity $(x-m)/s$, where $(x-m)$ is the deviation of the observation value (x) from the population mean (m) , and s is the standard deviation of the population.	
121417	2 Sigma deviation of population	2 Sigma deviation of a measurement in a reference population.	
121420	Equation	Formula used to compute a derived measurement.	
121421	Equation Citation	Bibliographic reference to a formula used to compute a derived measurement; reference may be to a specific equation in a journal article.	
121422	Table of Values Citation	Bibliographic reference to a Table of Values used to look up a derived measurement.	
121423	Method Citation	Bibliographic reference to a method used to compute a derived measurement.	
121424	Table of Values	A Table of Values used to look up a derived measurement.	
121425	Index	Factor (divisor or multiplicand) for normalizing a measurement. E.g., body surface area used for normalizing hemodynamic measurements.	

Code Value	Code Meaning	Definition	Notes
121427	<i>Estimated</i>	<i>Measurement obtained by observer estimation, rather than with a measurement tool or by calculation</i>	Retired. Replaced by (R-10260, SRT414135002, SCT, "Estimated")
121428	<i>Calculated</i>	<i>Measurement obtained by calculation</i>	Retired. Replaced by (R-41D2D, SRT258090004, SCT, "Calculated")
121430	Concern	Identified issue about a state or process that has the potential to require intervention or management.	
121431	DateTime Concern Noted	DateTime concern noted (noted by whom is determined by context of use).	
121432	DateTime Concern Resolved	DateTime the concern was resolved.	
121433	DateTime Problem Resolved	DateTime the problem was resolved.	
121434	Service Delivery Location	Place at which healthcare services may be provided.	
121435	Service Performer	Identification of a healthcare provider who performed a healthcare service; may be either a person or an organization.	
121436	Medical Device Used	Type or identifier of a medical device used on, in, or by a patient.	
121437	<i>Pharmacologic and exercise stress test</i>	<i>Cardiac stress test using pharmacologic and exercise stressors</i>	Retired. Replaced by (P2-31011, SRT428813002, SCT, "Pharmacologic and exercise stress test")
121438	<i>Paced stress test</i>	<i>Cardiac stress test using an implanted or external cardiac pacing device</i>	Retired. Replaced by (P2-3110B, SRT428685003, SCT, "Stress test using cardiac pacing")
121439	<i>Correction of congenital cardiovascular deformity</i>	<i>Procedure for correction of congenital cardiovascular deformity</i>	Retired. Replaced by (P1-080B4, SRT428613004, SCT, "Correction of congenital cardiovascular deformity")
121701	RT Patient Setup	Process of placing patient in the anticipated treatment position, including specification and location of positioning aids, and other treatment delivery accessories.	
121702	RT Patient Position Acquisition, single plane MV	Acquisition of patient positioning information prior to treatment delivery, using single-plane megavoltage imaging.	
121703	RT Patient Position Acquisition, dual plane MV	Acquisition of patient positioning information prior to treatment delivery, using dual-plane megavoltage imaging.	
121704	RT Patient Position Acquisition, single plane kV	Acquisition of patient positioning information prior to treatment delivery, using single-plane kilovoltage imaging.	
121705	RT Patient Position Acquisition, dual plane kV	Acquisition of patient positioning information prior to treatment delivery, using dual-plane kilovoltage imaging.	
121706	RT Patient Position Acquisition, dual plane kV/MV	Acquisition of patient positioning information prior to treatment delivery, using dual-plane combination kilovoltage and megavoltage imaging.	
121707	RT Patient Position Acquisition, CT kV	Acquisition of patient positioning information prior to treatment delivery, using kilovoltage CT imaging.	

Code Value	Code Meaning	Definition	Notes
121708	RT Patient Position Acquisition, CT MV	Acquisition of patient positioning information prior to treatment delivery, using megavoltage CT imaging.	
121709	RT Patient Position Acquisition, Optical	Acquisition of patient positioning information prior to treatment delivery, using optical imaging.	
121710	RT Patient Position Acquisition, Ultrasound	Acquisition of patient positioning information prior to treatment delivery, using ultrasound imaging.	
121711	RT Patient Position Acquisition, Spatial Fiducials	Acquisition of patient positioning information prior to treatment delivery, using spatial fiducials.	
121712	RT Patient Position Registration, single plane	Registration of intended and actual patient position prior to treatment delivery, using single-plane images.	
121713	RT Patient Position Registration, dual plane	Registration of intended and actual patient position prior to treatment delivery, using dual-plane images.	
121714	RT Patient Position Registration, 3D CT general	Registration of intended and actual patient position prior to treatment delivery, using 3D CT images and an unspecified registration approach.	
121715	RT Patient Position Registration, 3D CT marker-based	Registration of intended and actual patient position prior to treatment delivery, using 3D CT images and a marker-based registration approach.	
121716	RT Patient Position Registration, 3D CT volume-based	Registration of intended and actual patient position prior to treatment delivery, using 3D CT images and a volume-based registration approach.	
121717	RT Patient Position Registration, 3D on 2D reference	Registration of intended and actual patient position prior to treatment delivery, using 3D verification images and 2D reference images.	
121718	RT Patient Position Registration, 2D on 3D reference	Registration of intended and actual patient position prior to treatment delivery, using 2D verification images and 3D reference images.	
121719	RT Patient Position Registration, Optical	Registration of intended and actual patient position prior to treatment delivery, using optical images.	
121720	RT Patient Position Registration, Ultrasound	Registration of intended and actual patient position prior to treatment delivery, using ultrasound images.	
121721	RT Patient Position Registration, Spatial Fiducials	Registration of intended and actual patient position prior to treatment delivery, using spatial fiducials.	
121722	RT Patient Position Adjustment	Adjustment of patient position such that the patient is correctly positioned for treatment.	
121723	RT Patient Position In-treatment-session Review	Review of patient positioning information in the process of delivering a treatment session.	
121724	RT Treatment Simulation with Internal Verification	Simulated radiotherapy treatment delivery using verification integral to the Treatment Delivery System.	
121725	RT Treatment Simulation with External Verification	Simulated radiotherapy treatment delivery using verification by a external Machine Parameter Verifier.	
121726	RT Treatment with Internal Verification	Radiotherapy treatment delivery using verification integral to the Treatment Delivery System.	
121727	RT Treatment with External Verification	Radiotherapy treatment delivery using verification by a external Machine Parameter Verifier.	
121728	RT Treatment QA with Internal Verification	Quality assurance of a radiotherapy treatment delivery using verification integral to the Treatment Delivery System.	

Code Value	Code Meaning	Definition	Notes
121729	RT Treatment QA with External Verification	Quality assurance of a radiotherapy treatment delivery using verification by a external Machine Parameter Verifier.	
121730	RT Machine QA	Quality assurance of a Treatment Delivery Device.	
121731	RT Treatment QA by RT Plan Dose Check	Perform Quality Assurance on an RT Plan by evaluating dosimetric content of the current RT Plan.	
121732	RT Treatment QA by RT Plan Difference Check	Perform Quality Assurance on an RT Plan by comparing the content of previously quality-assessed RT Plans with the current RT Plan.	
121733	RT Treatment QA by RT Ion Plan Dose Check	Perform Quality Assurance on an RT Ion Plan by evaluating dosimetric content of the current RT Ion Plan.	
121734	RT Treatment QA with RT Ion Plan Difference Check	Perform Quality Assurance on an RT Ion Plan by comparing the content of previously quality-assessed RT Ion Plans by the current RT Ion Plan.	
121735	RT Brachy Treatment	Brachytherapy Treatment Delivery.	
121740	Treatment Delivery Type	Indicates whether the treatment to be delivered is a complete fraction or a continuation of previous incompletely treated fraction.	
122001	Patient called to procedure room	Patient called to procedure room.	
122002	Patient admitted to procedure room	Patient admitted to procedure room.	
122003	Patient given pre-procedure instruction	Patient given pre-procedure instruction.	
122004	Patient informed consent given	Patient informed consent given.	
122005	Patient advance directive given	Patient advance directive given.	
122006	Nil Per Os (NPO) status confirmed	Nil Per Os (NPO) status confirmed.	
122007	Patient assisted to table	Patient assisted to table.	
122008	Patient prepped and draped	Patient prepped and draped.	
122009	Patient connected to continuous monitoring	Patient connected to continuous monitoring.	
122010	Patient transferred to holding area	Patient transferred to holding area.	
122011	Patient transferred to surgery	Patient transferred to surgery.	
122012	Patient transferred to CCU	Patient transferred to CCU.	
122020	Patient disoriented	Patient disoriented.	
122021	Patient reports nausea	Patient reports nausea.	
122022	Patient reports discomfort	Patient reports discomfort.	
122023	Patient reports chest pain	Patient reports chest pain.	
122024	Patient reports no pain	Patient reports no pain.	
122025	Patient alert	Patient alert.	
122026	Patient restless	Patient restless.	
122027	Patient sedated	Patient sedated.	
122028	Patient asleep	Patient asleep.	
122029	Patient unresponsive	Patient unresponsive.	
122030	Patient has respiratory difficulty	Patient has respiratory difficulty.	
122031	Patient coughed	Patient coughed.	

Code Value	Code Meaning	Definition	Notes
122032	Patient disconnected from continuous monitoring	Patient disconnected from continuous monitoring.	
122033	Hemostasis achieved	Hemostasis achieved.	
122034	Hemostasis not achieved - oozing	Hemostasis not achieved - oozing.	
122035	Hemostasis not achieved - actively bleeding	Hemostasis not achieved - actively bleeding.	
122036	Patient given post-procedure instruction	Patient given post-procedure instruction.	
122037	Patient discharged from department	Patient discharged from department or laboratory.	
122038	Patient pronounced dead	Patient pronounced dead.	
122039	Patient transferred to morgue	Patient transferred to morgue.	
122041	Personnel Arrived	Identified personnel or staff arrived in procedure room.	
122042	Personnel Departed	Identified personnel or staff departed procedure room.	
122043	Page Sent To	Page sent to identified personnel or staff.	
122044	Consultation With	Consultation with identified personnel or staff.	
122045	Office called	Office of identified personnel or staff was called.	
122046	<i>Equipment failure</i>	<i>Equipment failure</i>	<i>Retired. Replaced by (110501, DCM, "Equipment failure")</i>
122047	Equipment brought to procedure room	Equipment brought to procedure room.	
122048	Equipment ready	Equipment ready for procedure.	
122049	Equipment removed	Equipment removed from procedure room.	
122052	Bioptome	Device for obtaining biopsy sample.	
122053	Valvular Intervention	Valvular Intervention.	
122054	Aortic Intervention	Aortic Intervention.	
122055	Septal Defect Intervention	Septal Defect Intervention.	
122056	Vascular Intervention	Vascular Intervention.	
122057	Myocardial biopsy	Myocardial biopsy.	
122058	Arterial conduit angiography	Arterial conduit angiography.	
122059	Single plane Angiography	Single plane Angiography.	
122060	Bi-plane Angiography	Bi-plane Angiography.	
122061	Percutaneous Coronary Intervention	Percutaneous Coronary Intervention.	
122062	<i>15-Lead ECG</i>	<i>15-Lead electrocardiography</i>	<i>Retired. Replaced by (P2-3120E, SRT429163003, SCT, "15-Lead ECG")</i>
122072	Pre-procedure log	Log of events occurring prior to the current procedure.	
122073	Current procedure evidence	Analysis or measurements for current procedure (purpose of reference to evidence document).	
122075	Prior report for current patient	Prior report for current patient.	
122076	Consumable taken from inventory	Identifier of Consumable taken from inventory.	
122077	Consumable returned to inventory	Identifier of Consumable returned to inventory.	

Code Value	Code Meaning	Definition	Notes
122078	Remaining consumable disposed	Identifier of consumable whose remaining content has been disposed.	
122079	Consumable unusable	Identifier of Consumable determined to be unusable.	
122081	Drug start	Identifier of Drug whose administration has started.	
122082	Drug end	Identifier of Drug whose administration has ended.	
122083	Drug administered	Identifier of Drug administered as part of procedure.	
122084	Contrast start	Identifier of Contrast agent whose administration has started.	
122085	Contrast end	Identifier of Contrast agent whose administration has ended.	
122086	Contrast administered	Identifier of Contrast agent administered.	
122087	Infusate start	Identifier of Infusate whose administration has started.	
122088	Infusate end	Identifier of Infusate whose administration has ended.	
122089	Device crossed lesion	Action of a device traversing a vascular lesion.	
122090	Intervention Action	Action of a clinical professional performed on a patient for therapeutic purpose.	
122091	Volume administered	Volume of Drug, Contrast agent, or Infusate administered.	
122092	Undiluted dose administered	Undiluted dose of Drug, Contrast agent, or Infusate administered.	
122093	Concentration	Concentration of Drug, Contrast agent, or Infusate administered.	
122094	Rate of administration	Rate of Drug, Contrast agent, or Infusate administration.	
122095	Duration of administration	Duration of Drug, Contrast agent, or Infusate administration.	
122096	Volume unadministered or discarded	Volume of Drug, Contrast agent, or Infusate unadministered or discarded.	
122097	Catheter Curve	Numeric parameter of Curvature of Catheter.	
122098	Transmit Frequency	Transmit Frequency.	
122099	ST change from baseline	Measured change of patient electrocardiographic ST level relative to baseline measurement.	
122101	Aneurysm on cited vessel	Anatomic term modifier indicating aneurysm on cited vessel is the subject of the finding.	
122102	Graft to cited segment, proximal section	Anatomic term modifier indicating proximal section of graft to cited vessel is the subject of the finding.	
122103	Graft to cited segment, mid section	Anatomic term modifier indicating mid section of graft to cited vessel is the subject of the finding.	
122104	Graft to cited segment, distal section	Anatomic term modifier indicating distal section of graft to cited vessel is the subject of the finding.	
122105	DateTime of Intervention	DateTime of Intervention.	
122106	Duration of Intervention	Duration of Intervention.	
122107	<i>Baseline Stenosis Measurement</i>	<i>Lesion stenosis measured prior to any interventional procedure</i>	<i>Retired. Replaced by (R-101BB, SRT408715008, SCT, "Lumen Diameter Stenosis"), post-coordinated with (G-7293, SRT128955008, SCT, "Baseline Phase")</i>

Code Value	Code Meaning	Definition	Notes
122108	Post-Intervention Stenosis Measurement	Lesion stenosis measured after an interventional procedure	Retired. Replaced by (R-101BB , SRT 408715008, SCT, "Lumen Diameter Stenosis"), post-coordinated with (G-7298 , SRT 128960007, SCT, "Post-intervention Phase")
122109	Baseline TIMI Flow	Assessment of perfusion across a coronary lesion measured prior to any interventional procedure.	
122110	Post-Intervention TIMI Flow	Assessment of perfusion across a coronary lesion measured after an interventional procedure.	
122111	Primary Intervention Device	Indication that device is the primary (first and/or most significant) device used for interventional therapy of a particular pathology. E.g., lesion.	
122112	Normal Myocardium	Normal Myocardium.	
122113	Scarred Myocardium	Scarred Myocardium.	
122114	Thinning Myocardium	Thinning Myocardium.	
122120	Hemodynamics Report	Hemodynamics Report.	
122121	Atrial pressure measurements	Atrial pressure measurements, report section.	
122122	Ventricular pressure measurements	Ventricular pressure measurements, report section.	
122123	Gradient assessment	Gradient assessment, report section.	
122124	Blood velocity measurements	Blood velocity measurements, report section.	
122125	Blood lab measurements	Blood lab measurements, report section.	
122126	Derived Hemodynamic Measurements	Derived Hemodynamic Measurements, report section.	
122127	Clinical Context	Clinical Context, report section.	
122128	Patient Transferred From	Location from which the patient was transferred.	
122129	PCI during this procedure	Indication that the procedure includes a percutaneous coronary intervention.	
122130	Dose Area Product	Radiation dose times area of exposure.	
122131	Degree of Thrombus	Finding of probability and/or severity of thrombus.	
122132	Severity of Calcification	Severity of Calcification, property of lesion.	
122133	Lesion Morphology	Lesion Morphology; form and/or structural properties of lesion.	
122134	Vessel Morphology	Vessel Morphology; form and/or structural properties of vessel.	
122138	Circulatory Support	Technique (device or procedure) of support for patient circulatory system; hemodynamic support.	
122139	Reason for Exam	Reason for Exam.	
122140	Comparison with Prior Exam Done	Indication that the current exam data has been compared with prior exam data.	
122141	Electrode Placement	Electrocardiographic electrode placement technique.	
122142	Acquisition Device Type	Acquisition Device Type.	
122143	Acquisition Device ID	Acquisition Device ID.	
122144	Quantitative Analysis	Quantitative Analysis, report section.	

Code Value	Code Meaning	Definition	Notes
122145	Qualitative Analysis	Qualitative Analysis, report section.	
122146	Procedure DateTime	The date and time on which a procedure was performed on a patient.	
122147	Clinical Interpretation	Clinical Interpretation, report section.	
122148	Lead ID	ECG Lead Identifier.	
122149	Beat Number	Beat Number; ordinal of cardiac cycle within an acquisition.	
122150	Compound Statement	Complex coded semantic unit, consisting of several coded components.	
122151	Trend	Trend (temporal progression) of a clinical condition, finding, or disease.	
122152	Statement	Coded semantic unit.	
122153	Statement Modifier	Coded modifier for a semantic unit.	
122154	Conjunctive Term	Conjunctive term between semantic units.	
122157	Probability	Probability.	
122158	ECG Global Measurements	ECG Global Measurements, report section.	
122159	ECG Lead Measurements	ECG Lead Measurements, report section.	
122160	Derived Area, Non-Valve	Derived cross-sectional area of a vessel or anatomic feature, other than a cardiac valve.	
122161	Pulmonary Flow	Rate of blood flow through Pulmonary artery.	
122162	Systemic Flow	Rate of blood flow through the aorta.	
122163	Discharge DateTime	DateTime of patient discharge from hospital admission.	
122164	Coronary Artery Bypass During This Admission	Indication that a Coronary Artery Bypass operation was performed during the current hospital admission.	
122165	DateTime of Death	DateTime of Death.	
122166	Death During This Admission	Indication that the patient died during the current hospital admission.	
122167	Death During Catheterization	Indication that the patient died during the current Catheterization procedure.	
122170	Type of Myocardial Infarction	Finding of type of Myocardial Infarction.	
122171	Coronary lesion > = 50% stenosis	Finding of Coronary lesion with greater than 50% stenosis.	
122172	Acute MI Present	Finding of Acute Myocardial Infarction Presence as indication for interventional procedure.	
122173	ST Elevation Onset DateTime	DateTime of first determination of elevated ECG ST segment, as indication of Myocardial Infarction.	
122175	Number of lesion interventions attempted	Number of lesion interventions attempted during current procedure.	
122176	Number of lesion interventions successful	Number of lesion interventions successful during current procedure, where the residual post intervention stenosis is less than or equal to 50% of the arterial luminal diameter, TIMI Flow is 3 and the minimal decrease in stenosis was 20%.	
122177	Procedure Result	Overall success of interventional procedure.	
122178	Lesion Intervention Information	Lesion Intervention Information, report section.	

Code Value	Code Meaning	Definition	Notes
122179	Peri-procedural MI occurred	Indication that Myocardial Infarction occurred during current procedure.	
122180	CK-MB baseline	Creatine Kinase-MB value at baseline (start of procedure).	
122181	CK-MB peak	Creatine Kinase-MB highest value measured during procedure.	
122182	R-R interval	Time interval between ECG R-wave peaks in subsequent cardiac cycles.	
122183	Blood temperature	Blood temperature.	
122185	Blood Oxygen content	Blood Oxygen content.	
122187	Blood Carbon dioxide saturation	Blood Carbon dioxide saturation.	
122188	Pulmonary Arterial Content (FCpa)	Pulmonary Arterial Content (FCpa).	
122189	Pulmonary Venous Content (FCpv)	Pulmonary Venous Content (FCpv).	
122190	Max dp/dt/P	Max dp/dt/P.	
122191	Ventricular End Diastolic pressure	Ventricular End Diastolic pressure.	
122192	Indicator appearance time	Elapsed time from injection of an indicator bolus until it is observed at another location.	
122193	Maximum pressure acceleration	Maximum pressure acceleration.	
122194	Ventricular Systolic blood pressure	Ventricular Systolic blood pressure.	
122195	Pulse Strength	Pulse Strength; palpable strength of systolic flow.	
122196	C wave pressure	The secondary peak pressure in the atrium during atrial contraction.	
122197	Gradient pressure, average	Gradient pressure, average.	
122198	Gradient pressure, peak	Gradient pressure, peak.	
122199	Pressure at dp/dt max	Pressure at dp/dt max.	
122201	Diastolic blood velocity, mean	Diastolic blood velocity, mean.	
122202	Diastolic blood velocity, peak	Diastolic blood velocity, peak.	
122203	Systolic blood velocity, mean	Systolic blood velocity, mean.	
122204	Systolic blood velocity, peak	Systolic blood velocity, peak.	
122205	Blood velocity, mean	Blood velocity, mean.	
122206	Blood velocity, minimum	Blood velocity, minimum.	
122207	Blood velocity, peak	Blood velocity, peak.	
122208	x-descent pressure	Venous or atrial pressure minimum during ventricular systole, after A-wave.	
122209	y-descent pressure	Venous or atrial pressure minimum when tricuspid valve opens during diastole, after V-wave.	
122210	z-point pressure	Atrial pressure upon closure of tricuspid and mitral valves.	
122211	Left Ventricular ejection time	Left Ventricular ejection time.	
122212	Left Ventricular filling time	Left Ventricular filling time.	
122213	Right Ventricular ejection time	Right Ventricular ejection time.	
122214	Right Ventricular filling time	Right Ventricular filling time.	
122215	Total Pulmonary Resistance	Total Pulmonary Resistance.	
122216	Total Vascular Resistance	Total Vascular Resistance.	
122217	Coronary Flow reserve	Coronary Flow reserve.	

Code Value	Code Meaning	Definition	Notes
122218	Diastolic/Systolic velocity ratio	Diastolic/Systolic velocity ratio.	
122219	Hyperemic ratio	Hyperemic ratio.	
122220	Hemodynamic Resistance Index	Hemodynamic Resistance Index.	
122221	Thorax diameter, sagittal	Thorax diameter, sagittal.	
122222	Procedure Environmental Characteristics	Environmental characteristics in the procedure room.	
122223	Room oxygen concentration	Oxygen concentration in the procedure room.	
122224	Room temperature	Temperature in the procedure room.	
122225	Room Barometric pressure	Barometric pressure in the procedure room.	
122227	Left to Right Flow	Left to Right Flow.	
122228	Right to Left Flow	Right to Left Flow.	
122229	Arteriovenous difference	Arteriovenous oxygen content difference.	
122230	10 Year CHD Risk	Framingham Study 10 Year CHD Risk.	
122231	Comparative Average 10 Year CHD Risk	Framingham Study Comparative Average 10 Year CHD Risk.	
122232	Comparative Low 10 Year CHD Risk	Framingham Study Comparative Low 10 Year CHD Risk.	
122233	LDL Cholesterol Score Sheet for Men	Framingham Study LDL Cholesterol Score Sheet for Men.	
122234	LDL Cholesterol Score Sheet for Women	Framingham Study LDL Cholesterol Score Sheet for Women.	
122235	Total Cholesterol Score Sheet for Men	Framingham Study Total Cholesterol Score Sheet for Men.	
122236	Total Cholesterol Score Sheet for Women	Framingham Study Total Cholesterol Score Sheet for Women.	
122237	Corrected Sinus Node Recovery Time	Corrected Sinus Node Recovery Time.	
122238	Max volume normalized to 50mmHg pulse pressure	Max volume normalized to 50mmHg pulse pressure.	
122239	Oxygen Consumption	Oxygen Consumption.	
122240	$BSA = 3.207 \cdot WT^{(0.7285-0.0188 \log(WT))} \cdot HT^{0.3}$	Body Surface Area computed from patient height and weight: $BSA = 3.207 \cdot WT[g]^{(0.7285-0.0188 \log(WT[g]))} \cdot HT[cm]^{0.3}$ [Boyd E, The growth of the surface area of the human body. Minneapolis: University of Minnesota Press, 1935, eq. (36)].	
122241	$BSA = 0.007184 \cdot WT^{0.425} \cdot HT^{0.725}$	Body Surface Area computed from patient height and weight: $BSA = 0.007184 \cdot WT[kg]^{0.425} \cdot HT[cm]^{0.725}$ [Dubois and Dubois, Arch Int Med 1916 17:863-71].	
122242	$BSA = 0.0235 \cdot WT^{0.51456} \cdot HT^{0.42246}$	Body Surface Area computed from patient height and weight: $BSA = 0.0235 \cdot WT[kg]^{0.51456} \cdot HT[cm]^{0.42246}$ [Gehan EA, George SL, 'Estimation of human body surface area from height and weight', Cancer Chemother Rep 1970 54:225-35].	

Code Value	Code Meaning	Definition	Notes
122243	BSA = $0.024265 \cdot WT^{0.5378} \cdot HT^{0.3964}$	Body Surface Area computed from patient height and weight: $BSA = 0.024265 \cdot WT[kg]^{0.5378} \cdot HT[cm]^{0.3964}$ [Haycock G.B., Schwartz G.J., Wisotsky D.H. 'Geometric method for measuring body surface area: A height weight formula validated in infants, children and adults.' <i>The Journal of Pediatrics</i> 1978 93:1:62-66].	
122244	$BSA = (HT \cdot WT/36)^{0.5}$	Body Surface Area computed from patient height and weight: $BSA = (HT[m] \cdot WT[kg] / 36)^{0.5}$ [Mosteller, R.D. 'Simplified Calculation of Body Surface Area.' <i>N Engl J Med</i> 1987 Oct 22;317(17):1098].	
122245	$BSA = 1321 + 0.3433 \cdot WT$	Body Surface Area computed from patient weight: $BSA = 1321 + 0.3433 \cdot WT[kg]$ (for pediatrics 3-30 kg) [Current, J.D. 'A Linear Equation For Estimating The Body Surface Area In Infants And Children', <i>The Internet Journal of Anesthesiology</i> . 1998. 2:2].	
122246	$BSA = 0.0004688 \cdot WT^{(0.8168 - 0.0154 \cdot \log(WT))}$	$BSA = 0.0004688 \cdot (1000 \cdot WT)^{(0.8168 - 0.0154 \cdot \log(1000 \cdot WT))}$ Where (WT is weight in kilogram) Units = m ² Boyd, Edith. <i>The Growth of the Surface Area of the Human Body</i> (originally published in 1935 by the University of Minnesota Press), Greenwood Press, Westport, Connecticut, 1975, p. 102. Equation (35).	
122247	$VO2_{male} = BSA (138.1 - 11.49 \cdot \log_e(\text{age}) + 0.378 \cdot HR_f)$	Equation for estimated oxygen consumption: $VO2_{male} = BSA (138.1 - 11.49 \cdot \log_e(\text{age}) + 0.378 \cdot HR_f)$.	
122248	$VO2_{female} = BSA (138.1 - 17.04 \cdot \log_e(\text{age}) + 0.378 \cdot HR_f)$	Equation for estimated oxygen consumption: $VO2_{female} = BSA (138.1 - 17.04 \cdot \log_e(\text{age}) + 0.378 \cdot HR_f)$.	
122249	$VO2 = VeSTPD \cdot 10 \cdot (FIO_2 - FE_{O_2})$	Equation for estimated oxygen consumption: $VO2 = VeSTPD \cdot 10 \cdot (FIO_2 - FE_{O_2})$.	
122250	$VO2 = 152 \cdot BSA$	Equation for estimated oxygen consumption: $VO2 = 152 \cdot BSA$.	
122251	$VO2 = 175 \cdot BSA$	Equation for estimated oxygen consumption: $VO2 = 175 \cdot BSA$.	
122252	$VO2 = 176 \cdot BSA$	Equation for estimated oxygen consumption: $VO2 = 176 \cdot BSA$.	
122253	Robertson & Reid table	Robertson & Reid Table for estimated oxygen consumption.	
122254	Fleisch table	Fleisch table for estimated oxygen consumption.	
122255	Boothby table	Boothby table for estimated oxygen consumption.	
122256	if (prem age < 3days) P50 = 19.9	Estimate of Oxygen partial pressure at 50% saturation for premature infants less than 3 days old: P50 = 19.9.	
122257	if (age < 1day) P50 = 21.6	Estimate of Oxygen partial pressure at 50% saturation for infants less than 1 day old: P50 = 21.6.	
122258	if (age < 30day) P50 = 24.6	Estimate of Oxygen partial pressure at 50% saturation for infants less than 30 days old: P50 = 24.6.	

Code Value	Code Meaning	Definition	Notes
122259	if (age < 18y) P50 = 27.2	Estimate of Oxygen partial pressure at 50% saturation for patients less than 18 years old: P50 = 27.2.	
122260	if (age < 40y) P50 = 27.4	Estimate of Oxygen partial pressure at 50% saturation for patients less than 40 years old: P50 = 27.4.	
122261	if (age > 60y) P50 = 29.3	Estimate of Oxygen partial pressure at 50% saturation for patients more than 60 years old: P50 = 29.3.	
122262	Area = Flow / 44.5 * sqrt(Gradient[mmHg])	Cardiac valve area computed from flow and pressure gradient: Area = Flow / 44.5 * sqrt(Gradient[mmHg]) [Gorlin and Gorlin, Am Heart J, 1951].	
122263	MVA = Flow / 38.0 * sqrt(Gradient[mmHg])	Mitral valve area computed from flow and pressure gradient: Mitral valve Area = Flow / 38.0 * sqrt(Gradient[mmHg]) [Gorlin and Gorlin, Am Heart J, 1951].	
122265	BMI = Wt / Ht ^ 2	Body Mass Index computed from weight and height: BMI = Wt/Ht^2.	
122266	BSA = 0.007358 * WT ^ 0.425 * HT ^ 0.725	Body Surface Area computed from patient height and weight: BSA = 0.007358 * WT[kg] ^ 0.425 * HT[cm] ^ 0.725 (for East Asian adult, aged 15+ years) [Kanai Izumi, Masamitsu Kanai, 'Clinical examination method summary'].	
122267	BSA = 0.010265 * WT ^ 0.423 * HT ^ 0.651	Body Surface Area computed from patient height and weight: BSA = 0.010265 * WT[kg] ^ 0.423 * HT[cm] ^ 0.651 (For East Asian child aged 12-14 years).	
122268	BSA = 0.008883 * WT ^ 0.444 * HT ^ 0.663	Body Surface Area computed from patient height and weight: BSA = 0.008883 * WT[kg] ^ 0.444 * HT[cm] ^ 0.663 (For East Asian child aged 6-11 years).	
122269	BSA = 0.038189 * WT ^ 0.423 * HT ^ 0.362	Body Surface Area computed from patient height and weight: BSA = 0.038189 * WT[kg] ^ 0.423 * HT[cm] ^ 0.362 (For East Asian child aged 1-5 years).	
122270	BSA = 0.009568 * WT ^ 0.473 * HT ^ 0.655	Body Surface Area computed from patient height and weight: BSA = 0.009568 * WT[kg] ^ 0.473 * HT[cm] ^ 0.655 (For East Asian child aged 0-12 months).	
122271	Skin Condition Warm	Skin Condition Warm.	
122272	Skin Condition Cool	Skin Condition Cool.	
122273	Skin Condition Cold	Skin Condition Cold.	
122274	Skin Condition Dry	Skin Condition Dry.	
122275	Skin Condition Clammy	Skin Condition Clammy.	
122276	Skin Condition Diaphoretic	Skin Condition Diaphoretic.	
122277	Skin Condition Flush	Skin Condition Flush.	
122278	Skin Condition Mottled	Skin Condition Mottled.	
122279	Skin Condition Pale	Skin Condition Pale.	
122281	Airway unobstructed	Airway unobstructed.	
122282	Airway partially obstructed	Airway partially obstructed.	
122283	Airway severely obstructed	Airway severely obstructed.	
122288	Not Visualized	Anatomy could not be visualized for the purpose of evaluation.	

Code Value	Code Meaning	Definition	Notes
122291	Quantitative Arteriography Report	Quantitative Arteriography Report.	
122292	Quantitative Ventriculography Report	Quantitative Ventriculography Report.	
122301	Guidewire crossing lesion unsuccessful	Guidewire crossing lesion unsuccessful.	
122302	Guidewire crossing lesion successful	Guidewire crossing lesion successful.	
122303	Angioplasty balloon inflated	Angioplasty balloon inflated.	
122304	Angioplasty balloon deflated	Angioplasty balloon deflated.	
122305	Device deployed	Device deployed.	
122306	Stent re-expanded	Stent re-expanded.	
122307	Object removed	Object removed.	
122308	Radiation applied	Radiation applied.	
122309	Radiation removed	Radiation removed.	
122310	Interventional device placement unsuccessful	Interventional device placement unsuccessful.	
122311	Interventional device placed	Interventional device placed.	
122312	Intervention performed	Intervention performed.	
122313	Interventional device withdrawn	Interventional device withdrawn.	
122319	Catheter Size	Catheter Size.	
122320	Injectate Temperature	Injectate Temperature.	
122321	Injectate Volume	Injectate Volume.	
122322	Calibration Factor	Factor by which a measured or calculated value is multiplied to obtain the estimated real-world value.	
122325	IVUS Report	Intravascular Ultrasound Report.	
122330	EEM Diameter	External Elastic Membrane (EEM) diameter measured through the center point of the vessel. Center point of the vessel is defined as the center of gravity of the EEM area. The EEM is a discrete interface at the border between the media and the adventitia.	
122331	Plaque Plus Media Thickness	The distance from intimal leading edge to the external elastic membrane along any line passing through the luminal center, which is defined as the center of gravity of the lumen area.	
122332	Lumen Perimeter	Planimetered perimeter of the lumen.	
122333	EEM Cross-Sectional Area	Vessel area measured at the External Elastic Membrane (EEM), a discrete interface at the border between the media and the adventitia.	
122334	Plaque plus Media Cross-Sectional Area	Area within the EEM occupied by atheroma, regardless of lumen compromise. Plaque plus Media Area = EEM cross-sectional area - vessel lumen cross-sectional area.	
122335	In-Stent Neointimal Cross-Sectional Area	Measurement of in-stent restenosis. In-Stent Intimal Area = Stent cross-sectional area - vessel lumen cross-sectional area.	
122336	Vascular Volume measurement length	Longitudinal extent of the Vascular Volume Measurement. This is the distance from the distal edge to the proximal edge of the Volume measurement.	

Code Value	Code Meaning	Definition	Notes
122337	Relative position	Longitudinal distance from the closest edge of a fiducial feature or reference location to the start of the vascular measurement. This value will be a positive if the measurement is distal to the fiducial feature or reference location, or negative if the measurement is proximal to the fiducial feature or reference location.	
122339	Stent Volume Obstruction	In-Stent Neointimal Volume / Stent Volume.	
122340	Fiducial feature	Reference, normally anatomical, which is used for locating the position of a measurement.	
122341	Calcium Length	Longitudinal calcium length measurement.	
122343	Lumen Eccentricity Index	Measurement of vessel lumen eccentricity. Lumen Eccentricity Index = (maximum vessel lumen diameter - minimum vessel lumen diameter) / maximum vessel lumen diameter. Lumen diameters are measured through the center point of the lumen, which is defined as the center of gravity of the lumen area.	
122344	Plaque plus Media Eccentricity Index	Plaque plus Media Eccentricity Index = (maximum Plaque plus media thickness - minimum Plaque plus media thickness) / maximum Plaque plus media thickness.	
122345	Remodeling Index	Measurement of increase or decrease in EEM area that occurs during the development of atherosclerosis. Remodeling Index = Lesion EEM area / reference EEM area.	
122346	Stent Symmetry Index	Measurement of stent circularity. Stent Symmetry Index = (maximum stent diameter - minimum stent diameter) / maximum stent diameter.	
122347	Stent Expansion Index	Measurement of stent area relative to the reference lumen area. Stent Expansion Index = Minimum stent area / reference vessel lumen cross-sectional area.	
122348	Lumen Shape Index	Measurement of vessel lumen eccentricity. Lumen Shape Index = $(2p * \sqrt{\text{Vessel lumen cross-sectional area} / p}) / \text{Lumen Perimeter}$ 2 Reference: Tobis & Yock, "Intravascular Ultrasound Imaging", Chapter 7.	
122350	Lumen Diameter Ratio	Lumen diameter ratio = minimum vessel lumen diameter / maximum vessel lumen diameter, measured at the same cross section in the vessel. Lumen diameters are measured through the center point of the lumen, which is defined as the center of gravity of the lumen area.	
122351	Stent Diameter Ratio	Stent diameter ratio = Minimum stent diameter / Maximum stent diameter, measured at the same cross section in the vessel. Stent diameters are measured through the center point of the stent, which is defined as the center of gravity of the stent area.	
122352	EEM Diameter Ratio	EEM diameter ratio = minimum EEM diameter / maximum EEM diameter. Measured at the same cross section in the vessel.	
122354	Plaque Burden	Fractional area within the External Elastic Membrane (EEM) occupied by atheroma. Plaque Burden = (EEM area - vessel lumen cross-sectional area) / EEM area.	

Code Value	Code Meaning	Definition	Notes
122355	Arc of Calcium	Angular measurement of a Calcium deposit with the apex located at the center of the lumen, which is defined as the center of gravity of the lumen area.	
122356	Soft plaque	Plaque characterized by low density or echogenicity.	
122357	In-Stent Neointima	Abnormal thickening of the intima within the stented segment.	
122360	True Lumen	Lumen surrounded by all three layers of the vessel-intima, media, and adventitia.	
122361	False Lumen	A channel, usually parallel to the true lumen, which does not communicate with the true lumen over a portion of its length.	
122363	Plaque Rupture	Plaque ulceration with a tear detected in a fibrous cap.	
122364	Stent Gap	Length of gap between two consecutive stents.	
122367	T-1 Worst	Worst stenosis - the stenosis with the smallest lumen size within a vessel segment.	
122368	T-2 Secondary	2nd most severe stenosis within a vessel segment.	
122369	T-3 Secondary	3rd most severe stenosis within a vessel segment.	
122370	T-4 Secondary	4th most severe stenosis within a vessel segment.	
122371	EEM Volume	External Elastic Membrane (EEM) volume measured within a specified region. The EEM is a discrete interface at the border between the media and the Adventitia.	
122372	Lumen Volume	Lumen volume measured within a specified region.	
122374	In-Stent Neointimal Volume	The amount of plaque between the lumen and stent, within the stent region; In-stent restenosis. In-Stent Neointimal Volume = Stent Volume - Lumen Volume.	
122375	Native Plaque Volume	The amount of plaque between the stent and the EEM, within the stent region. Native Plaque Volume = EEM Volume - Stent Volume.	
122376	Total Plaque Volume	Total amount of plaque between the EEM and the Lumen, over the entire region that is measured. Total Plaque Volume = EEM Volume - Lumen Volume.	
122380	Proximal Reference	Proximal reference segment measurement site. Typically the site with the largest lumen proximal to a stenosis but within the same segment (usually within 10 mm of the stenosis with no major intervening branches).	
122381	Distal Reference	Distal reference segment measurement site. Typically the site with the largest lumen distal to a stenosis but within the same segment (usually within 10 mm of the stenosis with no major intervening branches).	
122382	Site of Lumen Minimum	Site of the smallest lumen in a vessel. E.g., due to a stenotic lesion.	
122383	Entire Pullback	Measurement region that encompasses the entire vessel imaged in a single pullback acquisition.	
122384	Stented Region	Measurement region occupied by the stent.	
122385	Proximal Stent Margin	Region starting at the proximal edge of the Stent and extending several millimeters (usually 5 mm) proximal to the Stent edge.	

Code Value	Code Meaning	Definition	Notes
122386	Distal Stent Margin	Region starting at the distal edge of the Stent and extending several millimeters (usually 5 mm) distal to the Stent edge.	
122387	Dissection Classification	Classification of dissections in a vessel.	
122388	Intra-stent Dissection	Separation of neointimal hyperplasia from stent struts, usually seen only after treatment of in-stent restenosis.	
122389	Vulnerable Plaque	Plaque with a thin cap fibrous atheroma that is at increased risk of rupture and thrombosis (or re-thrombosis) and rapid stenosis progression.	
122390	Eroded Plaque	Plaque erosions with no structural defect (beyond endothelial injury) or gap in the plaque.	
122391	Relative Stenosis Severity	Stenosis severity classifications of multiple lesions in a vessel.	
122393	Restenotic Lesion	A finding of a previously treated lesion in which stenosis has reoccurred.	
122394	Fibro-Lipidic Plaque	Loosely packed bundles of collagen fibers with regions of lipid deposition present. Region is cellular and no cholesterol clefts or necrosis are present. Some macrophage infiltration. Increase in extra cellular matrix.	
122395	Necrotic-Lipidic Plaque	Area within the plaque with very low echogenicity separated from the lumen and surrounded by more echogenic structures (fibrous cap). Highly lipidic necrotic region with remnants of foam cells and dead lymphocytes present. No collagen fibers are visible and mechanical integrity is poor. Cholesterol clefts and micro calcifications are visible.	
122397	Adventitial Dissection	Separation of the layers of an artery involving the adventitia	
122398	Intimal Dissection	Separation of the layers of an artery involving the intima. Dissection limited to the intima or atheroma, and not extending to the media.	
122399	Medial Dissection	Separation of the layers of an artery involving the media. Dissection in the arterial Media, extending into the media.	
122400	Simultaneously Acquired	The referenced information was acquired simultaneously with the information in the object in which the reference occurs.	
122401	Same Anatomy	Information acquired for the same anatomic region.	
122402	Same Indication	Information acquired for the same indication. E.g., to elucidate the same diagnostic question.	
122403	For Attenuation Correction	The referenced information was used to correct the data for differential attenuation through different anatomic tissue.	
122404	Reconstructed	Value estimated for a vessel in the absence of a stenosis.	
122405	Algorithm Manufacturer	Manufacturer of application used.	
122406	Left Atrial Ejection Fraction by Angiography	Left Atrial Ejection Fraction by Angiography.	
122407	Left Atrial ED Volume	Left Atrial End Diastolic Volume.	
122408	Left Atrial ES Volume	Left Atrial End Systolic Volume.	

Code Value	Code Meaning	Definition	Notes
122410	Contour Realignment	Contour repositioning of End Diastolic relative to End Systolic contour.	
122411	Threshold Value	The minimum standard deviation to define the hypokinesis and hyperkinesis.	
122417	Regional Abnormal Wall Motion	Report of differentiation of wall motion compared to normal.	
122421	Calibration Object	Object used for Calibration.	
122422	Calibration Method	Method used for Calibration.	
122423	Calibration Object Size	Size of calibration object.	
122428	Area Length Method	Method how long axis is positioned.	
122429	Volume Method	Model for cardiac chamber volume calculation.	
122430	Reference Method	Method to define original diameter of the artery.	
122431	Regression Slope ED	Relation between calculated End Diastolic volume and ventricular End Diastolic volume. The specific meaning is dependent on volume method used.	
122432	Regression Offset ED	Correction factor for the calculated End Diastolic volume and ventricular End Diastolic volume. The specific meaning is dependent on volume method used.	
122433	Regression Slope ES	Relation between calculated End Systolic volume and ventricular End Systolic volume. The specific meaning is dependent on volume method used.	
122434	Regression Offset ES	Correction factor for the calculated End Systolic volume and ventricular End Systolic volume. The specific meaning is dependent on volume method used.	
122435	Regression Volume Exponent	Exponent of volume in regression formula.	
122438	Reference Points	Container for spatial locations or coordinates used for calculation.	
122445	Wall Thickness	Average thickness of the chamber wall in the current view.	
122446	Wall Volume	Volume of the chamber wall estimated from the current view.	
122447	Wall Mass	Mass of the chamber wall (myocardium).	
122448	Wall Stress	Peak systolic stress of chamber wall.	
122449	Centerline Wall Motion Analysis	Method to calculate wall motion [example: Sheehan, 1986].	
122450	Normalized Chord Length	The length between End Diastolic and End Systolic contour perpendicular on the centerline normalized by a method dependent ventricular perimeter length. The centerline is the line equidistant between the End Diastolic and End Systolic contour [example: Sheehan, 1986].	
122451	Abnormal Region	The report of the boundaries of the abnormal (hyperkinetic, hypokinetic, a-kinetic) regions associated with the territory of the artery [example: Sheehan, 1986].	
122452	First Chord of Abnormal Region	The chord number specifying the begin of abnormal region [example: Sheehan, 1986].	
122453	Last Chord of Abnormal Region	The chord number specifying the end of abnormal region [example: Sheehan, 1986].	

Code Value	Code Meaning	Definition	Notes
122459	Territory Region Severity	Severity at the regional abnormality extent [example: Sheehan, 1986].	
122461	Opposite Region Severity	Severity at the opposite regional abnormality extent [example: Sheehan, 1986].	
122464	LAD Region in RAO Projection	Based on a total number of chords of 100 and RAO project the range of chords belonging to this circumferential extent lies between 5 - 85. [Sheehan, 1986].	
122465	RCA Region in ROA Projection	Based on a total number of chords of 100 and RAO project the range of chords belonging to this circumferential extent lies between 25 - 85. [Sheehan, 1986].	
122466	Single LAD Region in RAO Projection	Based on a total number of chords of 100 and RAO projection the range of chords belonging to this regional extent lies between 10 - 66 (hypokinetic) and 67 - 80 (hyperkinetic). [Sheehan, 1986].	
122467	Single RCA Region in RAO Projection	Based on a total number of chords of 100 and RAO projection the range of chords belonging to this regional extent lies between 51 - 80 (hypokinetic) and 10 - 50 (hyperkinetic). [Sheehan, 1986].	
122468	Multiple LAD Region in RAO Projection	Based on a total number of chords of 100 and RAO projection the range of chords belonging to this regional extent lies between 10 - 58 (hypokinetic) and 59 - 80 (hyperkinetic). [Sheehan, 1986].	
122469	Multiple RCA Region in RAO Projection	Based on a total number of chords of 100 and RAO projection the range of chords belonging to this regional extent lies between 59 - 80 (hypokinetic) and 10 - 58 (hyperkinetic). [Sheehan, 1986].	
122470	LAD Region in LAO Projection	Based on a total number of chords of 100 and LAO projection the range of chords belonging to this regional extent lies between 50 - 100 (hypokinetic) and 20 - 49 (hyperkinetic). [Sheehan, 1986].	
122471	RCA Region in LAO Projection	Based on a total number of chords of 100 and LAO projection the range of chords belonging to this regional extent lies between 19 - 67 (hypokinetic) and 68 - 100 (hyperkinetic). [Sheehan, 1986].	
122472	CFX Region in LAO Projection	Based on a total number of chords of 100 and LAO projection the range of chords belonging to this regional extent lies between 38 - 74 (hypokinetic) and 75 - 100 (hyperkinetic). [Sheehan, 1986].	
122473	Circular Method	Method based on assumption that the image object is circular.	
122474	Densitometric Method	Method based on the gray value distribution of the image.	
122475	Center of Gravity	End Systolic contour realigned to End Diastolic contour based on the center of gravity.	
122476	Long Axis Based	End Systolic contour realigned to End Diastolic contour based on the mid point of the long axis. The long axis end points are defined as the posterior and apex.	
122477	No Realignment	No Contour Realignment applied.	
122480	Vessel Lumen Cross-Sectional Area	Calculated Vessel Lumen Cross-Sectional Area based on the referenced method.	

Code Value	Code Meaning	Definition	Notes
122481	Contour Start	Location of the beginning of a contour.	
122482	Contour End	Location of the end of a contour.	
122485	Sphere	Sphere visible in an image, which is used as a calibration or marker object.	
122486	Geometric Isocenter	Object of interest in isocenter of image and pixel separation is calculated from geometric data.	
122487	Geometric Non-Isocenter	Object of interest not in isocenter of image and pixel separation is calculated from geometric data and out of isocenter distances.	
122488	Calibration Object Used	Object used for calibration. E.g., sphere.	
122489	Curve Fitted Reference	Application dependent method to calculate the reference diameter based on the multiple diameter values.	
122490	Interpolated Local Reference	Application dependent method to calculate reference by interpolation, based on the diameter of two or more user defined reference positions.	
122491	Mean Local Reference	Application dependent method to calculate by averaging the reference, based on the diameter of one or more user defined reference positions.	
122493	Radial Based Wall Motion Analysis	Method to calculate wall motion based on the lengths of the radials in the predefined regions [Ingels].	
122495	Regional Contribution to Ejection Fraction	Contribution of Region to global Ejection factor based on radial or landmark based wall motion method.	
122496	Radial Shortening	The reduction of area between End Systolic and End Diastolic based on radial wall motion analysis.	
122497	Landmark Based Wall Motion Analysis	Method to calculate wall motion based on the move of landmarks on the wall [Slager].	
122498	Slice Contribution to Ejection Fraction	Contribution to the ejection fraction of a specific slice region [Slager].	
122499	Frame to Frame Analysis	Method to calculate volumes of heart chambers for every image in a range.	
122501	Area of closed irregular polygon	The area is derived by considering a set of coordinates as a closed irregular polygon, accounting for inner angles. The exact method, such as by decomposition into triangles or quadrilaterals, is not specified, since it does not affect the numeric result, apart from the effect of numeric precision during computation of intermediate results.	
122502	Area of a closed NURBS	The area is derived by using a set of coordinates as control points for a Non Uniform Rational B-Spline (NURBS).	
122503	Integration of sum of closed areas on contiguous slices	The volume derived by integrating the sum of the areas on adjacent slices across the slice interval; each area is defined by a regular planar shape or by considering a set of coordinates as a closed irregular polygon, accounting for inner angles.	
122505	Calibration	Procedure used to calibrate measurements or measurement devices.	
122507	Left Contour	Left contour of lumen (direction proximal to distal).	
122508	Right Contour	Right contour of lumen (direction proximal to distal).	

Code Value	Code Meaning	Definition	Notes
122509	Diameter Graph	Ordered set of diameters values derived from contours (direction proximal to distal).	
122510	Length Luminal Segment	Length Luminal Segment.	
122511	Graph Increment	Increment value along X-axis in Diameter Graph.	
122516	Site of Maximum Luminal	Location of the maximum lumen area in a lesion or vessel.	
122517	Densitometric Luminal Cross-sectional Area Graph	Ordered set of cross-sectional Vessel Lumen Cross-Sectional Area values derived from contours (direction proximal to distal) based on densitometric method.	
122528	Position of Proximal Border	Position of proximal border of segment relative to the contour start (proximal end of analysis area).	
122529	Position of Distal Border	Position of distal border of segment relative to the contour start (proximal end of analysis area).	
122542	Plaque Area	Longitudinal cross sectional area of plaque.	
122544	Diameter Symmetry	Symmetry of stenosis (0 = complete asymmetry, 1 = complete symmetry); see Section T.2 "Definition of Diameter Symmetry with Arterial Plaques" in PS3.17.	
122545	Area Symmetry	Symmetry of plaque (0 = complete asymmetry, 1 = complete symmetry); see Section T.2 "Definition of Diameter Symmetry with Arterial Plaques" in PS3.17.	
122546	Inflow Angle	The average slope of the diameter function between the position of the minimum luminal diameter and the position of the proximal border of the segment.	
122547	Outflow Angle	The average slope of the diameter function between the position of the minimum luminal diameter and the position of the distal border of the segment.	
122548	Stenotic Flow Reserve	The relation between coronary pressure and coronary flow.	
122549	Poiseuille Resistance	Poiseuille Resistance at the location of the stenosis.	
122550	Turbulence Resistance	Turbulence Resistance at the location of the stenosis.	
122551	Pressure Drop at SFR	Pressure drop over the stenosis at maximum heart output.	
122554	Segmentation Method	Method for selection of vessel sub-segments.	
122555	Estimated Normal Flow	Estimate of the volume of blood flow in the absence of stenosis.	
122558	Area Length Kennedy	Area Length method defined by Kennedy [Kennedy, 1970].	
122559	Area Length Dodge	Area Length method defined by Dodge [Dodge, 1960].	
122560	Area Length Wynne	Area Length method defined by Wynne [Wynne].	
122562	Multiple Slices	Volume method based on multiple slice.	
122563	Boak	Volume method defined by Boak [Boak].	
122564	TS Pyramid	Volume method defined by Ferlinz [Ferlinz].	
122565	Two Chamber	Volume method defined by Graham [Graham].	
122566	Parallelepiped	Volume method defined by Arcilla [Arcilla].	
122572	BSA ^{1.219}	Corrected Body Surface area for indexing the hemodynamic measurements for a pediatric patient.	

Code Value	Code Meaning	Definition	Notes
122574	Equidistant method	Method for selecting sub-segments that are all of the same length.	
122575	User selected method	Manually selected start and end of sub-segment.	
122582	Left ventricular posterobasal segment	Left ventricular posterobasal segment.	
122600	Cardiovascular Analysis Report	Report of a Cardiovascular Analysis, typically from a CT or MR study.	
122601	Ventricular Analysis	Ventricular Analysis.	
122602	Myocardial Perfusion Analysis	Myocardial Perfusion Analysis.	
122603	Calcium Scoring Analysis	Calcium Scoring Analysis.	
122604	Flow Quantification	Flow Quantification Analysis.	
122605	Vascular Morphological Analysis	Vascular Morphological Analysis.	
122606	Vascular Functional Analysis	Vascular Functional Analysis.	
122607	Thickening Analysis	Analysis of myocardial wall thickening.	
122608	Absolute Values Of Ventricular Measurements	Section Heading for absolute values of ventricular measurements.	
122609	Normalized Values Of Ventricular Measurements	Results of normalizing ventricular measurements.	
122611	Reference Point	Reference Point of a measurement.	
122612	Central breathing position	Central breathing position between inspiration and expiration.	
122616	Peak Ejection Rate	Peak of the ventricular ejection rate.	
122617	Peak Ejection Time	Time of the peak of ventricular ejection.	
122618	Peak Filling Rate	Peak of the fluid filling rate.	
122619	Peak Filling Time	Time interval until time of peak filling from a given reference point. E.g., end systole.	
122620	Papillary Muscle Excluded	Papillary muscle was excluded from the measurement.	
122621	Papillary Muscle Included	Papillary muscle was included in the measurement.	
122624	Wall Thickness Ratio end-systolic to end-diastolic	The ratio of the end-systolic wall thickness compared to the end-diastolic wall thickness.	
122627	Curve Fit Method	The method to smooth a ventricular volume as a function of time.	
122628	Baseline Result Correction	Baseline correction used in the calculation of the results.	
122631	Signal Earliest Peak Time	The time in a dynamic set of images at which the first peak of the signal is observed for the analyzed myocardial wall segments.	
122633	Signal Increase Start Time	This is the time at which the signal begins to increase.	
122634	Signal Time to Peak	Time interval between the beginning of the signal increase to the time at which the signal intensity reaches its first maximum in a dynamic set of images.	
122635	MR Perfusion Peak	Peak of the MR perfusion signal.	
122636	MR Perfusion Slope	Signal intensity as a function of time. It is the change in the signal intensity divided by the change in the time.	
122637	MR Perfusion Time Integral	MR perfusion time integral from baseline (foot time) to earliest peak.	

Code Value	Code Meaning	Definition	Notes
122638	Signal Baseline Start	First time point in a dynamic set of images used in the calculation of the baseline signal intensity for each myocardial wall segment.	
122639	Signal Baseline End	Last time point in a dynamic set of images used in the calculation of the baseline signal intensity for each myocardial wall segment.	
122640	Image Interval	The time delta between images in a dynamic set of images.	
122642	Velocity Encoding Minimum Value	The minimum velocity encoded by the phase encoding gradient.	
122643	Velocity Encoding Maximum Value	The maximum velocity encoded by the phase encoding gradient.	
122645	Net Forward Volume	Forward volume-reverse volume.	
122650	Area Based Method	Area Based Method for estimating volume or area.	
122651	Diameter Based Method	Diameter Based Method for estimating volume, area or diameter.	
122652	Volume Based Method	Volume Based Method for estimating volume.	
122655	NASCET	A method of diameter measurements according to NASCET (North American Symptomatic Carotid Endarterectomy Trial).	
122656	ECST	A method of diameter measurements according to ECST (European Carotid Surgery Trial).	
122657	Agatston Score Threshold	Agatston Score Threshold.	
122658	Calcium Mass Threshold	Calcium Mass Threshold.	
122659	Calcium Scoring Calibration	Calcium Scoring Calibration.	
122660	Calcium Volume	Calcium Volume.	
122661	Calcium Mass	Calcium Mass.	
122664	Late Contrast Enhancement	Delayed hyperenhancement of a tissue observed in an image acquired after injection of contrast media.	
122665	Time interval since injection of contrast media	Time interval since injection of contrast media.	
122666	Time relative to R-wave peak	Time relative to R-wave peak.	
122667	Blood velocity vs. time of cardiac cycle	Relationship between blood velocity and time relative to R-wave peak.	
122668	Time interval since detection of contrast bolus	Time interval since detection of contrast bolus.	
122670	Papillary Muscle Included/Excluded	Indicates if the papillary muscle was included or excluded in the measurement.	
122675	Anterior-Posterior	Anterior to Posterior direction.	
122680	endoleak	Persistent flow of blood into the stent-grafting.	
122683	Stent Fracture	Fracture of a stent.	
122684	Stent Disintegration	Disintegration of a stent.	
122685	Stent Composition	Material that a stent consists of.	
122686	Parent Vessel Finding	Finding about the characteristics of the parent vessel of a vessel.	
122687	Site of Lumen Maximum	Site of Maximal lumen diameter of a vessel.	

Code Value	Code Meaning	Definition	Notes
122698	X-Concept	The physical domain (time, space, etc.) to the horizontal axis of the graphical presentation.	
122699	Y-Concept	The physical domain (time, space, etc.) to the vertical axis of the graphical presentation.	
122700	Indications for Pharmacological Stress	Indications for Pharmacological Stress.	
122701	Procedure time base	Reference time for measurement of elapsed time in a procedure.	
122702	Treadmill speed	Treadmill speed.	
122703	Treadmill gradient	Treadmill gradient.	
122704	Ergometer power	Ergometer power.	
122705	Pharmacological Stress Agent Dose Rate	Pharmacological Stress Agent Dose Rate.	
122706	Rating of Perceived Exertion	Rating of Perceived Exertion.	
122707	Number of Ectopic Beats	Number of ectopic beats during a period of collection.	
122708	Double Product	Heart rate times systolic blood pressure.	
122709	Activity workload	Physical activity workload (intensity) measurement.	
122710	Time since start of stage	Elapsed time at stage.	
122711	Exercise duration after stress agent injection	Exercise duration after stress agent injection.	
122712	Imaging Start DateTime	Imaging Start DateTime.	
122713	Attenuation correction method	Attenuation correction method.	
122715	Pharmacological Stress Agent Dose	Pharmacological Stress Agent Dose.	
122716	Maximum Power Output Achieved	Maximum power output achieved during course of procedure.	
122717	Peak activity workload	Peak physical activity intensity measurement during course of procedure.	
122718	Peak Double Product	Peak Double Product measurement during course of procedure.	
122720	OSEM algorithm	Ordered subsets expectation maximization reconstruction algorithm.	
122721	Chang method	Chang attenuation correction method.	
122726	Algorithmic attenuation correction	Attenuation correction not based on image-based attenuation maps.	
122727	NM transmission attenuation correction	NM transmission attenuation correction.	
122728	CT-based attenuation correction	CT-based attenuation correction.	
122729	No Attenuation Correction	No attenuation correction.	
122730	Bazett QTc Algorithm	Bazett QT Correction Algorithm; $QT/(RR^{0.5})$; Bazett HC. "An analysis of the time-relations of electrocardiograms" <i>Heart</i> 7:353-370 (1920).	
122731	Hodges QTc Algorithm	Hodges QT Correction Algorithm; $QT + 1.75 (\text{heart rate} - 60)$; Hodges M, Salerno Q, Erlie D. "Bazett's QT correction reviewed. Evidence that a linear QT correction for heart rate is better." <i>J Am Coll Cardiol</i> 1:694 (1983).	

Code Value	Code Meaning	Definition	Notes
122732	Fridericia QTc Algorithm	Fridericia QT Correction Algorithm; $QT/(RR \wedge 0.333)$; Fridericia LS. "The duration of systole in the electrocardiogram of normal subjects and of patients with heart disease" <i>Acta Med Scand</i> 53:469-486 (1920).	
122733	Framingham QTc Algorithm	Framingham QT Correction Algorithm; $QT + 0.154 (1 - RR)$; Sagie A, Larson MG, Goldberg RJ, <i>et al.</i> "An improved method for adjusting the QT interval for heart rate (the Framingham Heart Study)." <i>Am J Cardiol</i> 70:797-801(1992).	
122734	Borg RPE Scale	Borg Rating of Perceived Exertion Scale, range 6:20.	
122735	Borg CR10 Scale	Borg category ratio scale, open ended range with nominal range 0:10.	
122739	Overall study quality	Overall study quality.	
122740	Excellent image quality	Excellent image quality.	
122741	Good image quality	Good image quality.	
122742	Poor image quality	Poor image quality.	
122743	Body habitus attenuation	Image attenuation due to body physique (overweight).	
122744	Breast attenuation	Image attenuation due to breast tissue.	
122745	Diaphragmatic attenuation	Image attenuation due to diaphragm.	
122748	False positive defect finding	Finding of a defect is incorrect. E.g., from automated analysis.	
122750	Non-diagnostic - low heart rate	ECG is non-diagnostic due to low heart rate.	
122751	Non-diagnostic - resting ST abnormalities	ECG is non-diagnostic due to resting ST abnormalities.	
122752	Non-diagnostic - ventricular pacing or LBBB	ECG is non-diagnostic due to ventricular pacing or Left Bundle Branch Block.	
122753	Non-diagnostic ECG	ECG is non-diagnostic for presence of acute coronary syndrome.	
122755	Strongly positive	Strongly positive finding.	
122756	Strongly positive - ST elevation	Strongly positive finding - ST elevation.	
122757	ST Depression - Horizontal	Finding of ST segment depression with no slope.	
122758	ST Depression - Upsloping	Finding of ST segment depression with upslope.	
122759	ST Depression - Downsloping	Finding of ST segment depression with downslope.	
122760	Stress test score	Stress test score.	
122762	Number of diseased vessel territories	Number of diseased vessel territories.	
122764	Weight exceeds equipment limit	Patient weight exceeds equipment limit.	
122768	Difference in Ejection Fraction	Difference in Ejection Fraction.	
122769	Difference in ED LV Volume	Difference in End Diastolic Left Ventricular Volume.	
122770	Ratio of achieved to predicted maximal oxygen consumption	Ratio of achieved to predicted maximal oxygen consumption.	
122771	Ratio of achieved to predicted functional capacity	Ratio of achieved to predicted functional capacity.	
122772	Aerobic index	Workload (Watts) at target heart rate divided by body weight.	

Code Value	Code Meaning	Definition	Notes
122773	ST/HR Index	ST depression at peak exercise divided by the exercise-induced increase in heart rate [Kligfield P, Ameisen O, Okin PM. "Heart rate adjustment of ST segment depression for improved detection of coronary artery disease." Circulation 1989;79:245-55.].	
122775	Agreement with prior findings	Agreement with prior findings.	
122776	Disagreement with prior findings	Disagreement with prior findings.	
122781	Rest thallium/stress technetium procedure	Nuclear Medicine Rest thallium/stress technetium procedure.	
122782	Rest technetium/stress technetium 1 day procedure	Nuclear Medicine Rest technetium/stress technetium 1 day procedure.	
122783	Rest technetium/stress technetium 2 day procedure	Nuclear Medicine Rest technetium/stress technetium 2 day procedure.	
122784	Stress technetium/rest technetium 1 day procedure	Nuclear Medicine Stress technetium/rest technetium 1 day procedure.	
122785	NM Myocardial Viability procedure	Nuclear Medicine Myocardial Viability procedure.	
122791	PET Myocardial Perfusion, Rest only	Positron Emission Tomography Perfusion Imaging procedure, rest only.	
122792	PET Myocardial Perfusion, Stress only	Positron Emission Tomography Perfusion Imaging procedure, stress only.	
122793	PET Myocardial Perfusion, Rest and Stress	Positron Emission Tomography Perfusion Imaging procedure, rest and stress.	
122795	PET Myocardial Viability, Rest only	Positron Emission Tomography Myocardial Viability procedure, rest only.	
122796	PET Myocardial Viability, Stress only	Positron Emission Tomography Myocardial Viability procedure, stress only.	
122797	PET Myocardial Viability, Rest and Stress	Positron Emission Tomography Myocardial Viability procedure, rest and stress.	
122799	Anginal Equivalent	Group of symptoms heralding angina pectoris that does not include chest pain (dyspnea, diaphoresis, profuse vomiting in a diabetic patient, or arm or jaw pain).	
123001	<i>Radiopharmaceutical</i>	<i>Active ingredient (molecular) used for radioactive tracing.</i>	<i>Retired.</i> <i>Replaced by (F-61FDB, SRT417881006, SCT, "Radiopharmaceutical agent").</i>
123003	Radiopharmaceutical Start DateTime	DateTime of radiopharmaceutical administration to the patient for imaging purposes.	
123004	Radiopharmaceutical Stop DateTime	Ending DateTime of radiopharmaceutical administration to the patient for imaging purposes.	
123005	Radiopharmaceutical Volume	Volume of radiopharmaceutical administered to the patient.	
123006	Radionuclide Total Dose	Total amount of radionuclide administered to the patient at Radiopharmaceutical Start Time.	
123007	Radiopharmaceutical Specific Activity	Activity per unit mass of the radiopharmaceutical at Radiopharmaceutical Start Time.	
123009	Radionuclide Syringe Counts	Pre-injection syringe acquisition count rate.	

Code Value	Code Meaning	Definition	Notes
123010	Radionuclide Residual Syringe Counts	Syringe acquisition count rate following patient injection.	
123011	Contrast/Bolus Agent	Contrast or bolus agent.	
123012	Pre-Medication	Medication to be administered at the beginning of the Scheduled Procedure Step.	
123014	Target Region	Anatomic Region to be imaged.	
123015	Imaging Direction	Direction of imaging (includes view, transducer orientation, patient orientation, and/or projection).	
123016	Imaging Conditions	Imaging condition for refinement of protocol (includes secondary posture, instruction, X-Ray / electron beam energy or nuclide, and ultrasound modes), as used in JJ1017 v3.0.	
123019	Caudal 10 degree distal-cranioproximal oblique	Caudal 10 degree distal-cranioproximal oblique radiographic projection, defined per Smallwood et al.	
123101	Neighborhood Analysis	Surface processing utilizing predefined weighting factors (i.e., kernels) applied to different data values depending on their location relative to other data values within the data domain. Includes Low Pass, High Pass, Gaussian, Laplacian, etc.	
123102	Adaptive Filtering	Surface processing applied non-uniformly utilizing a priori knowledge of the system and/or relative locations of the data values within the data domain. Example: Neighborhood analysis where weighting factors are modified continuously based on predefined criteria.	
123103	Edge Detection	Surface processing through the exploitation of discontinuities in the data values within their domain. Includes Gradient filters.	
123104	Morphological Operations	Surface processing based on the connectivity of values based on the shape or structure of the data values within their domain. Includes erode, dilate, etc.	
123105	Histogram Analysis	Surface processing applied to the distribution of the data values. Includes thresholding, Bayesian Classification, etc.	
123106	Multi-Scale/Resolution Filtering	Surface processing accomplished through varying the data domain size. Include deformable models.	
123107	Cluster Analysis	Surface processing accomplished by combining data values based on their relative location within their domain or value distribution. Includes K- and C-means, Fuzzy Analysis, Watershed, Seed Growing, etc.	
123108	Multispectral Processing	Surface processing accomplished through the weighted combination of multiple sets of data. Includes Principle Component Analysis, linear and non-linear weighed combinations, etc.	
123109	Manual Processing	Surface processing accomplished through human interaction. Region drawing.	
123110	Artificial Intelligence	Surface processing using Artificial Intelligence techniques, such as Machine Learning, Neural Networks, etc.	
123111	Deformable Models	Surface processing using Deformable Model techniques, such as Point Distribution Models, Level Sets, Simplex Meshes, etc.	

Code Value	Code Meaning	Definition	Notes
125000	OB-GYN Ultrasound Procedure Report	Document Title of OB-GYN procedure report.	
125001	Fetal Biometry Ratios	Report section for assessment of fetal growth using ratios and indexes.	
125002	Fetal Biometry	Report section for assessment of fetal growth.	
125003	Fetal Long Bones	Report section for assessment of fetal growth by long bone measurements.	
125004	Fetal Cranium	Report section for assessment of fetal cranium growth.	
125005	Biometry Group	Biometric assessment of.	
125006	Biophysical Profile	Report section for assessment of biophysical observations that evaluate fetal well-being according to Manning, Antepartum Fetal Evaluation: Development of a Fetal Biophysical Profile Score, Am. J Obstet Gynecol, 1980;136:787.	
125007	Measurement Group	A grouping of related measurements and calculations that share a common context.	
125008	Fetus Summary	Report section for fetus specific procedure summary observations.	
125009	Early Gestation	Report section for assessment of early gestation fetus.	
125010	Identifier	A name to differentiate between multiple instances of some item.	
125011	Pelvis and Uterus	Report section for assessment of pelvis and uterus.	
125012	Growth Percentile rank	The rank of a measured growth indicator relative to a normal distribution expressed as a percentage.	
125013	Growth Z-score	The rank of a measured growth indicator relative to a normal distribution expressed as the dimensionless quantity $z = (x-m) / s$ where $(x-m)$ is the deviation of the value x , from the distribution mean, m , and s is the standard deviation of the distribution.	
125015	Fetus Characteristics	Fetus characteristics (findings section title).	
125016	Fetal Measurements	Fetal Measurements (findings section title).	
125021	Frame of Reference Identity	There is a defined equivalence between the Frame of Reference of the Registration SOP instance and the Frame of Reference of the referenced images.	
125022	Fiducial Alignment	The registration is based on fiducials that represent patient or specimen features identified in each set of data.	
125023	Acquisition Equipment Alignment	Registration based on a-priori knowledge of the acquisition geometry. This is not an object registration as in fiducial registration. Rather, it specifies a known spatial relationship.	
125024	Image Content-based Alignment	Computed registration based on global image information.	
125025	Visual Alignment	Registration by visually guided manipulation.	
125030	Inter-Hemispheric Plane	A plane fiducial that specifies the location of the plane separating the two hemispheres of the brain.	

Code Value	Code Meaning	Definition	Notes
125031	Right Hemisphere Most Anterior	A point fiducial that specifies the location in the plane perpendicular to the Anterior- Posterior-Commissure axis and tangential to the anterior limit of the right brain hemisphere.	
125032	Right Hemisphere Most Posterior	A point fiducial that specifies the location in the plane perpendicular to the Anterior- Posterior-Commissure axis and tangential to the posterior limit of the right brain hemisphere.	
125033	Right Hemisphere Most Superior	A point fiducial that specifies the location in the plane perpendicular to the Anterior- Posterior-Commissure axis and tangential to the superior limit of the right brain hemisphere.	
125034	Right Hemisphere Most Inferior	A point fiducial that specifies the location in the plane perpendicular to the Anterior- Posterior-Commissure axis and tangential to the inferior limit of the Right brain hemisphere.	
125035	Left Hemisphere Most Anterior	A point fiducial that specifies the location in the plane perpendicular to the Anterior- Posterior-Commissure axis and tangential to the anterior limit of the left brain hemisphere.	
125036	Left Hemisphere Most Posterior	A point fiducial that specifies the location in the plane perpendicular to the Anterior- Posterior-Commissure axis and tangential to the posterior limit of the left brain hemisphere.	
125037	Left Hemisphere Most Superior	A point fiducial that specifies the location in the plane perpendicular to the Anterior- Posterior-Commissure axis and tangential to the superior limit of the left brain hemisphere.	
125038	Left Hemisphere Most Inferior	A point fiducial that specifies the location in the plane perpendicular to the Anterior- Posterior-Commissure axis and tangential to the inferior limit of the left brain hemisphere.	
125040	Background	That which is not part of an object.	E.g., background of an image (that which might be encoded with Pixel Padding Value, or a Segmentation Property Type).
125041	Registration Input	A segment for use as an input to an image registration process. E.g., to specify the bounding region for determining a Frame of Reference Transformation Matrix.	
125100	Vascular Ultrasound Procedure Report	Root Document Title for ultrasound vascular evidence reports (worksheets).	
125101	Vessel Branch	The particular vessel branch, such as the inferior, medial or lateral.	
125102	Graft Type	A descriptor or elaboration of the type of graft.	
125105	Measurement Orientation	A modifier to a 2D distance measurement to describe its orientation. E.g., a vascular distance measurement for a vessel plaque could have a modifier Transverse or Longitudinal.	
125106	Doppler Angle	The angle formed between the Doppler beam line and the direction of blood flow within a region of interest in the body defined by the sample volume.	

Code Value	Code Meaning	Definition	Notes
125107	Sample Volume Depth	The depth of the center of the Doppler sample volume measured from skin line along the Doppler line.	
125195	Pediatric Cardiac Ultrasound Report	Pediatric Cardiac Ultrasound Report (document title).	
125196	Fetal Cardiac Ultrasound Report	Fetal Cardiac Ultrasound Report (document title).	
125197	Adult Congenital Cardiac Ultrasound Report	Adult Congenital Cardiac Ultrasound Report (document title).	
125200	Adult Echocardiography Procedure Report	Document title of adult echocardiography procedure (evidence) report.	
125201	Illustration of Finding	An image that is a pictorial representation of findings. The concept is typically used as a purpose of reference to an image, such as a depiction of myocardium segments depicting wall motion function.	
125202	LV Wall Motion Score Index	The average of all scored (non-zero) Left Ventricle segment wall motion scores.	
125203	Acquisition Protocol	A type of clinical acquisition protocol for creating images or image-derived measurements. Acquisition protocols may be specific to a manufacturer's product.	
125204	Area-length biplane	Method for calculating left ventricular volume from two orthogonal views containing the true long axis (usually the apical 4 and 2 chamber views). $\text{Volume} = [\text{pL}_1 / 6] * [(4A_1) , (\text{pL}_1)] * [(4A_2) , (\text{pL}_2)]$.	
125205	Area-Length Single Plane	Method for calculating left ventricular volume from a view containing the true long axis (usually the apical 4-chamber view). $\text{Volume} = [8(A)^2] , [3\text{pL}]$.	
125206	Cube	Method (formula) for calculating left ventricle volumes and function derivatives (EF, SV, SI, etc.) that estimates the volume as the cube of diameter.	
125207	Method of Disks, Biplane	Method of calculating volume based on the summation of disk volumes. The disk axis is parallel to the left ventricular long axis and using a disk diameter averaged from the two chamber and four chamber views.	
125208	Method of Disks, Single Plane	Method of calculating volume based on the summation of disk volumes. The disk axis is parallel to the left ventricular long axis with disk diameter taken from the four-chamber view.	
125209	Teichholz	Method (formula) for calculating left ventricle volumes and function derivatives (EF, SV, SI, etc.) $\text{Volume} = [7.0 / (2.4 + D)] * D^3$.	
125210	Area by Pressure Half-Time	Mitral valve area (cm ²) by Pressure Half-time = 220 (cm ² .ms) / PHT (ms).	
125211	Biplane Ellipse	$\text{Area} = \text{P}/4 \times \text{d1} \times \text{d2}$ $\text{d1} = \text{anterior/posterior axis}$ $\text{d2} = \text{medial/lateral axis}$ <i>Hagen-Ansert, Sandra L., Textbook of Diagnostic Ultrasound, ed. 3, The C.V.Mosby Co., 1989, p. 73. .</i>	
125212	Continuity Equation	For conduits in series ("in continuity"), volume flow is equal: $A1 * V1 = A2 * V2$. where V is the velocity.	

Code Value	Code Meaning	Definition	Notes
125213	Continuity Equation by Mean Velocity	For conduits in series ("in continuity"), volume flow is equal: $A1 \cdot V1 = A2 \cdot V2$. where V is the mean velocity.	
125214	Continuity Equation by Peak Velocity	For conduits in series ("in continuity"), volume flow is equal: $A1 \cdot V1 = A2 \cdot V2$. where V is the peak velocity.	
125215	Continuity Equation by Velocity Time Integral	For conduits in series ("in continuity"), volume flow is equal: $A1 \cdot V1 = A2 \cdot V2$. where V is the velocity time integral.	
125216	Proximal Isovelocity Surface Area	<p>Utilizes aliasing velocity (by color Doppler) of flow into an orifice (often regurgitant or stenotic) to measure instantaneous flow rate, orifice area, and flow volume.</p> <p>The instantaneous flow rate = $(2\pi r^2 v_{av}) \cdot (\alpha \pi)$ where v_{av} is the constant velocity known as aliasing velocity at radius r, v_p is the peak velocity at the orifice, and α is the angle in radians of the constant velocity surface.</p> <p>Estimated Orifice area = Flow rate / v_p, where v_p is the peak velocity at the orifice and the flow rate is the PISA peak flow rate.</p> <p>The volume flow is then the product of the orifice area and Velocity Time Integral.</p>	
125217	Full Bernoulli	$\Delta P = 4 \cdot (V1^2 - V2^2)$.	
125218	Simplified Bernoulli	$\Delta P = 4 \cdot V2$.	
125219	Doppler Volume Flow	Volume flow = Conduit CSA * (Velocity Time Integral).	
125220	Planimetry	Direct measurement of an area by tracing an irregular perimeter.	
125221	Left Ventricle Mass by M-mode	<p>Mass = $1.04 \cdot [(ST + LVID + PWT)^3 - LVID^3] \cdot 0.8 + 0.6$.</p> <p>Mass unit is grams and length in cm.</p>	
125222	Left Ventricle Mass by Truncated Ellipse	<p>Mass = $1.05P \cdot ((b + t)^2 \cdot X (2/3 (a + t) + d - d^3 / 3(a + t)^2) - b^2 (2/3a + d - d^3 / 3a^2))$</p> <p>a = Semi-major axis from widest minor axis radius to apex.</p> <p>b = Short axis radius calculated from short axis cavity area</p> <p>t = Myocardial thickness calculated from short axis epicardial and cavity areas</p> <p>d = Truncated semi-major axis from widest short axis diameter to plane of mitral annulus.</p> <p>Mass unit is grams and length in cm.</p> <p><i>Schiller NB et al: Recommendations for quantification of the left ventricle by two-dimensional echocardiography, American Society of Echocardiography 2:364, 1989. .</i></p>	
125223	4 Point Segment Finding Scale	A four point, echocardiographic numeric scoring scheme of myocardium segments based on evaluation of wall motion and ventricle morphology. <i>Recommendations for Quantitation of the Left Ventricle by Two-Dimensional Echocardiography</i> , Journal of the American Society of Echocardiography, 2:358-367, 1989.	

Code Value	Code Meaning	Definition	Notes
125224	5 Point Segment Finding Scale	A five point, echocardiographic numeric scoring scheme of myocardium segments based on evaluation of wall motion and ventricle morphology. <i>Recommendations for Quantitation of the Left Ventricle by Two-Dimensional Echocardiography</i> , Journal of the American Society of Echocardiography, 2:358-367, 1989.	
125225	5 Point Segment Finding Scale With Graded Hypokinesis	A five point, echocardiographic numeric scoring scheme of myocardium segments based on evaluation of wall motion and ventricle morphology, with severity of hypokinesis graded. <i>Recommendations for Quantitation of the Left Ventricle by Two-Dimensional Echocardiography</i> , Journal of the American Society of Echocardiography, 2:358-367, 1989.	
125226	Single Plane Ellipse	Method of estimating volume from a planar ellipse. Equivalent to Biplane Ellipse with an assumption that the ellipse in the orthogonal plane has identical major and minor diameters.	
125227	Modified Simpson	Modified Simpson's Method of estimating ventricular volume, based on the method of disks with paired apical views. Schiller NB, et al. "Recommendations for quantitation of the left ventricle by two-dimensional echocardiography. American Society of Echocardiography Committee on Standards, Subcommittee on Quantitation of Two-Dimensional Echocardiograms". <i>J Am Soc Echocardiogr</i> . 1989 2(5):358-367. Sep-Oct.	
125228	Bullet Method	Bullet method of estimating ventricular volume. Volume = $5/6 * L * S$ L: Left ventricle long axis length S: Left ventricle area, SAX view at level of Mitral Valve.	
125230	Power Doppler	<i>Color coded ultrasound images of blood flow, which depict the amplitude, or power, of Doppler signals.</i>	Retired Replaced by (P0-02241; SRT425704008, SCT, "Power Doppler")
125231	3D mode	<i>Volumetric ultrasound imaging</i>	Retired Replaced by (P0-02242; SRT426865009, SCT, "3D mode")
125233	Start of drug dose administration	Onset of administration of dose of a drug.	
125234	Start of contrast agent administration	Onset of contrast agent administration.	
125235	Destruction of microbubbles	Destruction of ultrasonic contrast microbubbles by a high-energy ultrasound pulse.	
125236	Onset of exercise	Instant at which exercise begins.	
125237	Cessation of exercise	Instant at which exercise ends.	
125238	Onset of stimulation	Instant at which stimulation begins.	
125239	Cessation of stimulation	Instant at which stimulation ends.	

Code Value	Code Meaning	Definition	Notes
125240	Line scan pattern	Ultrasound transducer scan pattern in which information is gathered along a line.	
125241	Plane scan pattern	Ultrasound transducer scan pattern in which information is gathered within a plane.	
125242	Volume scan pattern	Ultrasound transducer scan pattern in which information is gathered within a volume.	
125251	Non-imaging Doppler ultrasound transducer geometry	Ultrasound transducer geometry characterized by a single scan line used for PW or CW Doppler scanning.	
125252	Linear ultrasound transducer geometry	Ultrasonic transducer geometry characterized by parallel lines.	
125253	Curved linear ultrasound transducer geometry	Ultrasonic transducer geometry characterized by radial lines normal to the outside of a curved surface.	
125254	Sector ultrasound transducer geometry	Ultrasonic transducer geometry characterized by lines originating from a common apex.	
125255	Radial ultrasound transducer geometry	Ultrasonic transducer geometry characterized by lines emanating radially from a single point.	
125256	Ring ultrasound transducer geometry	Ultrasonic transducer geometry characterized by a circular ring of transducer elements.	
125257	Fixed beam direction	Ultrasonic steering technique consisting of a single beam normal to the transducer face steered by the orientation of the probe.	
125258	Mechanical beam steering	Ultrasonic steering technique consisting of mechanically directing the beam.	
125259	Phased beam steering	Ultrasonic steering technique consisting of electronically-steered beams.	
125261	External Transducer	Transducer is designed to be placed onto the surface of the subject.	
125262	Transesophageal Transducer	Transducer is designed for insertion into the esophagus.	
125263	Endovaginal Transducer	Transducer is designed for insertion into the vagina.	
125264	Endorectal Transducer	Transducer is designed for insertion into the rectum.	
125265	Intravascular Transducer	Transducer is designed for insertion via a catheter.	

Code Value	Code Meaning	Definition	Notes
125270	Left Ventricle Mass by Area Length	<p>method to measure the mass of the Left Ventricle via the ASE area-length method at end diastole.</p> $LV\ Mass = 1.05 * (5/6 * (A1 * (L+t)) - 5/6 * (A2 * L))$ <p>A1 = Left Ventricle epicardial SAX area at the level of the papillary muscle tips at end diastole.</p> <p>A2 = Left Ventricle endocardial SAX area cavity area at the level of the papillary muscle tips at end diastole.</p> <p>L = Left Ventricle apical view long axis length at end diastole.</p> <p>t = Myocardial thickness can be computed as:</p> $t = \sqrt{A1/3.14} - \sqrt{A2/3.14}$ <p>Reference:</p> <p>1) Schiller, N.B., et al. "Recommendations for Quantification of the LV by Two-dimensional Echocardiography." J Am Soc Echo, Vol. 2, No. 5: 358-367, Sep-Oct 1989.</p> <p>2) Reichek, N., et al. "Anatomic Validation of Left Ventricular Mass Estimates from Clinical Two-dimensional Echocardiography: Initial Results." Circulation, Vol. 67, No. 2: 348-52, February 1983.</p>	
125271	Left Ventricle Mass by M-mode - adjusted by Height	<p>Equation = Left Ventricle Mass by M-mode (in gram) / (Height (in meter)) ^2.7</p> <p>Reference:</p> <p>Giovanni De Simone, et al. "Effect of Growth on Variability of Left Ventricular Mass: Assessment of Allometric Signals in Adults and Children and Their Capacity to Predict Cardiovascular Risk". New York, New York and Cincinnati, Ohio.</p>	
125272	Left Ventricle Mass by Truncated Ellipse - adjusted by Height	<p>Equation = Left Ventricle Mass by Truncated Ellipse / Height^2.7</p> <p>Reference:</p> <p>Giovanni De Simone, et al. "Effect of Growth on Variability of Left Ventricular Mass: Assessment of Allometric Signals in Adults and Children and Their Capacity to Predict Cardiovascular Risk". New York, New York and Cincinnati, Ohio.</p>	
125273	Left Ventricle Mass by Area Length - adjusted by Height	<p>Equation = Left Ventricle Mass by Area Length / Height^2.7</p> <p>Reference:</p> <p>Giovanni De Simone, et al. "Effect of Growth on Variability of Left Ventricular Mass: Assessment of Allometric Signals in Adults and Children and Their Capacity to Predict Cardiovascular Risk". New York, New York and Cincinnati, Ohio.</p>	

Code Value	Code Meaning	Definition	Notes
125301	Pre-coordinated Measurements	Measurements that are described by a single pre-coordinated code.	
125302	Post-coordinated Measurements	Measurements that are described by a collection of (generally atomic) post-coordinated codes.	
125303	Adhoc Measurements	Measurements taken in an ad hoc fashion without any coordinated semantics.	
125304	Untrackable Measurement	The source system of the measurement does not maintain a persistent pre-coordinated code by which different instances of the measurement can be associated and tracked over multiple procedures.	
125305	Finding Observation Type	The type of observation made at the finding site, e.g., whether it is an observation of the structure of the finding site, an observation of the behavior of the finding site, or an observation of the blood flow at the finding site.	
125306	Measurement Type	The type of derivation used to obtain the measurement value. E.g. whether it is taken directly, formed as a ratio, normalized against an index, or calculated using a more elaborate equation.	
125307	Measured Property	The property that is being measured. Examples include mass, diameter, peak blood velocity.	
125308	Measurement Divisor	The measurement which is the denominator of a measurement that is divided. This applies to measurements such as ratios or indexed values.	
125309	Short Label	A brief label, suitable for display on a screen or report. (Not suitable for matching).	
125310	Staged Measurements	Measurements that need to be associated with a specific stage in a procedure or acquisition protocol.	
125311	Structure of the Finding Site	The subject of a measurement is the physical structure of the Finding Site, such as the mass or diameter.	
125312	Behavior of the Finding Site	The subject of a measurement is the behavior of the Finding Site, such as the velocity or duration of motion.	
125313	Indexed	The measurement has been normalized by dividing it by an index value (such as Body Surface Area).	
125314	Fractional Change	The measurement is a change value expressed as a fraction of its baseline value. E.g. cardiac ejection fraction or fractional shortening.	
125315	Calculated	The measurement is calculated by incorporating one or more measured values into an equation other than a ratio, fractional change or indexed calculation.	
125316	Directly measured	The measurement is a direct output of the measurement tool.	
125317	Right Ventricle Outflow Tract, Distal	The distal portion (at the Pulmonic Valve) of the Right Ventricle Outflow Tract.	
125318	Right Ventricle Outflow Tract, Proximal	The proximal portion (subvalvular) of the Right Ventricle Outflow Tract.	
125319	Right Ventricle Anterior Wall	The anterior wall of the right ventricle of the heart.	
125320	Electromechanical Delay	The period of time between the onset of muscle activation and the onset of force or motion.	

Code Value	Code Meaning	Definition	Notes
125321	Pre-ejection Period	The period between onset of ventricular contraction and the beginning of antegrade blood flow out of the ventricle.	
125322	Atrial Diastolic Filling (D-wave)	The period of atrial diastolic filling.	
125323	AR-wave	The period of retrograde flow into the pulmonary vein during atrial contraction.	
125324	Full Cardiac Cycle	The period of the entire cardiac cycle. E.g. from End Systole of one heartbeat to End Systole of the next heartbeat.	
125325	Dyssynchrony Index	The standard deviation over 12 left ventricle myocardial segments of the time to peak myocardial sustained systolic velocity of each segment. See Yu, et al., Circulation, 2002; 105: 438-445	
125326	Effective Orifice Area	The effective area of an orifice (such as the mitral valve orifice) during bloodflow through the orifice.	
125327	Excursion Distance	The distance traversed by some tissue over a defined period.	
125328	Maximum Orifice Area	The maximum area of an orifice opening over a defined period.	
125329	Peak Blood Pressure	The peak pressure of blood over a defined period at a defined location.	
125330	Peak Tissue Velocity	The peak velocity of some tissue over a defined period	
125331	PISA Radius	The radius of the proximal isovelocity surface area (PISA) of fluid flow approaching an orifice. It is commonly used to evaluate cardiac valve regurgitation.	
125332	Regurgitation Jet Area	A cross-sectional area of a regurgitation jet, taken perpendicular to the primary flow.	
125333	Regurgitation Jet Width	A width of a regurgitation jet taken perpendicular to the primary flow.	
125334	Vena Contracta Width	The width of the vena contracta of a fluid flow.	
125901	CARDIOsphere	CARDIOSphere™ ultrasonic contrast agent produced by POINT Biomedical.	
125902	Echovist	Echovist® ultrasonic contrast agent produced by Schering AG.	
125903	Imagify	Imagify™ ultrasonic contrast agent produced by Accusphere Inc.	
125904	Levovist	Levovist® ultrasonic contrast agent produced by Schering AG.	
125905	Sonazoid	Sonazoid™ ultrasonic contrast agent produced by Daiichi Pharmaceutical / General Electric.	
125906	SonoVue	SonoVue™ ultrasonic contrast agent produced by Bracco Diagnostics.	
125907	Targestar-B	Targestar™-B ultrasonic contrast agent produced by Targeson LLC.	
125908	Targestar-P	Targestar™-P ultrasonic contrast agent produced by Targeson LLC.	
126000	Imaging Measurement Report	A structured report containing the quantitative results of human or machine analysis of images.	

Code Value	Code Meaning	Definition	Notes
126001	Oncology Measurement Report	A structured report containing the quantitative results of human or machine analysis of images for oncology evaluation.	
126002	Dynamic Contrast MR Measurement Report	A structured report containing the quantitative results of human or machine analysis of DCE-MR.	
126003	PET Measurement Report	A structured report containing the quantitative results of human or machine analysis of PET images.	
126010	Imaging Measurements	Measurements made on images	
126011	Derived Imaging Measurements	Measurements derived from measurements made on images.	
126020	Multiparametric MRI	An MRI procedure in which multiple parameters including diffusion, dynamic contrast and T2 are measured.	
126021	Multiparametric MRI of prostate	An MRI procedure of the prostate in which multiple parameters including diffusion, dynamic contrast and T2 are measured.	
126022	Multiparametric MRI of whole body	An MRI procedure of the whole body in which multiple parameters including diffusion, dynamic contrast and T2 are measured.	
126030	Sum of segmented voxel volumes	The volume derived by summing the volumes of all the voxels (and partial voxels if the segment contains partially occupied voxels) included in the segment	
126031	Peak Value Within ROI	Maximum average gray value that is calculated from a 1 cubic centimeter sphere placed within the region of interest. See Wahl RL, Jacene H, Kasamon Y, Lodge MA. From RECIST to PERCIST: Evolving Considerations for PET Response Criteria in Solid Tumors. Journal of Nuclear Medicine. 2009;50(Suppl 1):122S - 150S.	
126032	Metabolic Volume	The volume of a lesion (e.g., a tumor) ascertained through information about its metabolic activity (e.g., SUV on PET). Abbreviated "MV". Synonymous with Metabolic Tumor Volume (MTV).	
126033	Total Lesion Glycolysis	The total activity of a lesion obtained as the product of its volume and its glycolytic activity (on FDG-PET). The volume may be defined on the same modality (e.g., the MV on FDG-PET by some thresholding or other technique) or on another spatially registered modality (e.g., the lesion outline segmented on CT or MR). Does not apply to other radiopharmaceuticals than those involved in glucose metabolism. Abbreviated TLG. Synonymous with "Tumor Lesion Glycolysis".	
126034	Glycolysis	The amount glycolytic activity summed across all voxels in a defined region or within a defined range of SUV (on FDG-PET).	

Code Value	Code Meaning	Definition	Notes
126035	Total Lesion Proliferation	<p>The total activity of a lesion obtained as the product of its volume and its proliferative activity (on FLT-PET).</p> <p>The volume may be defined on the same modality (e.g., the MV on FDG-PET by some thresholding or other technique) or on another spatially registered modality (e.g., the lesion outline segmented on CT or MR).</p> <p>Does not apply to other radiopharmaceuticals than those involved in cellular proliferation.</p> <p>Abbreviated TLP. Synonymous with "Tumor Lesion Proliferation".</p>	
126036	Proliferative Activity	The amount proliferative activity summed across all voxels in a defined region or within a defined range of SUV (on FLT-PET).	
126037	Standardized Added Metabolic Activity (SAM)	<p>A background-corrected, partial volume independent version of TLG.</p> <p>SAM is calculated by drawing a volume of interest (VOI1) around the tumour and a larger VOI (VOI2) around VOI1. Subtracting the background activity in VOI2-VOI1 from VOI1 yields SAM.</p> <p>See Mertens et al. "Standardized added metabolic activity (SAM): a partial volume independent marker of total lesion glycolysis in liver metastases". Eur J Nucl Med Mol Imaging (2012) 39:1441-1448.</p>	
126038	Standardized Added Metabolic Activity (SAM) Background	<p>The background value (VOI2-VOI1) used to calculate Standardized Added Metabolic Activity (SAM).</p> <p>SAM is calculated by drawing a volume of interest (VOI1) around the tumour and a larger VOI (VOI2) around VOI1. Subtracting the background activity in VOI2-VOI1 from VOI1 yields SAM.</p> <p>See Mertens et al. "Standardized added metabolic activity (SAM): a partial volume independent marker of total lesion glycolysis in liver metastases". Eur J Nucl Med Mol Imaging (2012) 39:1441-1448.</p>	
126039	Lesion to Background SUV Ratio	<p>The ratio of the SUV within a tumor to the SUV of a pre-defined background region.</p> <p>A more general concept than Tumor to Background Ratio (TBR).</p>	
126040	Background for Lesion to Background SUV Ratio	The SUV of a pre-defined background region used to compute Lesion to Background SUV Ratio.	
126050	Fractal Dimension	A statistical index of complexity comparing how detail in a fractal pattern changes with the scale at which it is measured; a ratio of the change in detail to the change in scale.	
126051	Skewness	Measure of the asymmetry of the probability distribution of a real-valued random variable about its mean.	
126052	Kurtosis	Measure of the peakedness of the probability distribution of a real-valued random variable.	

Code Value	Code Meaning	Definition	Notes
126060	Joint Entropy of GLCM	The zero order entropy of a Gray Level Co-occurrence Matrix (GLCM). A measure of disorder. Abbreviated ENT. See $F_{cm.joint.ent}$ in [IBSI Features].	Retired. Replaced by (TU9B, IBSI, "Joint Entropy of GLCM").
126061	Root Angular Second Moment of GLCM	The square root of the Angular Second Moment (ASM) of a Gray Level Co-occurrence Matrix (GLCM). A measure of orderliness. See http://www.fp.ucalgary.ca/mhallbey/equations.htm .	Sometimes referred to as "energy", "uniformity" or "uniformity of energy" but then potentially confused with ASM. Not defined in [IBSI Features]
126062	Inverse Difference Moment of GLCM	The Inverse Difference Moment (homogeneity) of a Gray Level Co-occurrence Matrix (GLCM). Abbreviated IDM. See $F_{cm.inv.diff.mom}$ in [IBSI Features].	Other concepts are sometimes referred to as "homogeneity", e.g., the "inverse difference", which is calculated from the absolute value of differences rather than square of them. Retired. Replaced by (WF0Z, IBSI, "Inverse Difference Moment of GLCM").
126063	Contrast of GLCM	The sum of squares of a Gray Level Co-occurrence Matrix (GLCM). A measure of gray level variations. Abbreviated CON. See $F_{cm.contrast}$ in [IBSI Features].	Distinct from "joint (sum of squares) variance" and "dissimilarity". Retired. Replaced by (ACUI, IBSI, "Contrast of GLCM").
126064	Dissimilarity of GLCM	The dissimilarity of a Gray Level Co-occurrence Matrix (GLCM). Abbreviated DIS. See $F_{cm.dissimilarity}$ in [IBSI Features].	Distinct from "contrast", which uses square rather than absolute value of difference. Retired. Replaced by (8S9J, IBSI, "Dissimilarity of GLCM").
126065	Angular Second Moment of GLCM	The Angular Second Moment of a Gray Level Co-occurrence Matrix (GLCM). Abbreviated ASM. See $F_{cm.energy}$ in [IBSI Features].	Sometimes referred to as "energy", "uniformity" or "uniformity of energy" but then potentially confused with square root of ASM. Retired. Replaced by (8ZQL, IBSI, "Angular Second Moment of GLCM").
126066	Correlation of GLCM	A measure of the linear dependency of gray levels on those of neighbouring pixels of a Gray Level Co-occurrence Matrix (GLCM). Abbreviated COR. See $F_{cm.corr}$ in [IBSI Features].	Correlation is NaN for a constant image. Retired. Replaced by (NI2N, IBSI, "Correlation of GLCM").

Code Value	Code Meaning	Definition	Notes
126067	Gray Level Co-occurrence Matrix	A tabulation of how often different combinations of pixel values (gray levels) occur in an image. Abbreviated GLCM. See [IBSI Features].	
126070	Subject Time Point Identifier	An identifier of a specific time point in a continuum, which is unique within an appropriate local context (such as an entire organization, system or treatment protocol), which identifies the time point for a specific patient.	
126071	Protocol Time Point Identifier	An identifier of a specific time point in a continuum, which is unique within an appropriate local context (such as an entire organization, system or treatment protocol), which identifies the time point "slot" within a treatment protocol using the same value for all patients in the protocol.	
126072	Time Point Type	A pre-defined type of a specific time point in a continuum.	
126073	Time Point Order	A number indicating the order of a time point relative to other time points in the same continuum.	
126074	Posttreatment	The time after the treatment of interest.	
126075	Eligibility	For the purpose of determining eligibility for a protocol.	Similar but not identical to (21954-3, LN, "Protocol eligibility status Cancer"), since not constrained to cancer, etc.
126080	RECIST 1.0	Response Evaluation Criteria in Solid Tumors version 1.0. See [RECIST] in Normative References.	More specific than (112022, DCM, "RECIST") or (C1709926, UMLS, "RECIST") or (C49164, NCIt, "RECIST") in that a specific version is specified.
126081	RECIST 1.1	Response Evaluation Criteria in Solid Tumors Version 1.1. See Eisenhauer et al. "New Response Evaluation Criteria in Solid Tumours: Revised RECIST Guideline (version 1.1)." European Journal of Cancer 45, no. 2 (n.d.): 228-47. doi:10.1016/j.ejca.2008.10.026.	More specific than (112022, DCM, "RECIST") or (C1709926, UMLS, "RECIST") or (C49164, NCIt, "RECIST") in that a specific version is specified.
126100	Real World Value Map used for measurement	A reference to the Real World Value Map applied to the stored image pixel values before their use for a measurement	
126200	Image Library Group	A container that groups common information about a set of images used as evidence to produce a report.	
126201	Acquisition Date	The date the acquisition of data started	
126202	Acquisition Time	The time the acquisition of data started	
126203	PET Radionuclide Incubation Time	The time between the start of injection of the PET radionuclide and the start of acquisition of the PET data.	
126220	R2-Coefficient	Coefficient of determination, R^2 . An indication of goodness of fit.	
126221	Chi-square	Pearson's χ^2 test.	
126222	D-W	Durbin-Watson statistic for detecting serial correlation in residuals. See http://en.wikipedia.org/wiki/Durbin%E2%80%93Watson_statistic .	

Code Value	Code Meaning	Definition	Notes
126223	AIC	Akaike information criterion. A measure of the balance between goodness of fit and number of free parameters. See Akaike H. A new look at the statistical model identification. IEEE Transactions on Automatic Control. 1974 Dec;19(6):716-23. http://dx.doi.org/10.1109/TAC.1974.1100705 .	
126224	BIC	Bayesian information criterion. A measure of the balance between goodness of fit and model complexity. See http://en.wikipedia.org/wiki/Bayesian_information_criterion .	
126300	Perfusion analysis by Stable Xenon CT technique	Perfusion analysis by Stable Xenon CT technique	
126301	Perfusion analysis by IV Iodinated Contrast CT technique	Perfusion analysis by IV Iodinated Contrast CT technique	
126302	Perfusion analysis by Arterial Spin Labeling MR technique	Perfusion analysis by Arterial Spin Labeling (ASL) MR technique	
126303	Perfusion analysis by Susceptibility MR technique	Perfusion analysis by Susceptibility (T2*) MR technique	
126310	Least Mean Square (LMS) deconvolution	Least Mean Square (LMS) deconvolution	
126311	Singular Value Decomposition (SVD) deconvolution	Singular Value Decomposition (SVD) deconvolution	
126312	Ktrans	K^{trans} , the volume transfer constant of a tracer diffusion kinetic model, specifically the volume transfer constant between blood plasma and extravascular extracellular space (EES) See Tofts et al, "Estimating Kinetic Parameters From Dynamic Contrast-Enhanced T1-Weighted MRI of a Diffusable Tracer: Standardized Quantities and Symbols", Journal of Magnetic Resonance Imaging, vol. 10, pp. 223-232, 1999.	
126313	kep	k_{ep} , the rate constant between extravascular extracellular space (EES) and blood plasma See Tofts et al, "Estimating Kinetic Parameters From Dynamic Contrast-Enhanced T1-Weighted MRI of a Diffusable Tracer: Standardized Quantities and Symbols", Journal of Magnetic Resonance Imaging, vol. 10, pp. 223-232, 1999.	
126314	ve	v_e , the fractional (not absolute) volume of extravascular extracellular space (EES) per unit volume of tissue See Tofts et al, "Estimating Kinetic Parameters From Dynamic Contrast-Enhanced T1-Weighted MRI of a Diffusable Tracer: Standardized Quantities and Symbols", Journal of Magnetic Resonance Imaging, vol. 10, pp. 223-232, 1999.	
126320	IAUC	The initial area under the contrast agent concentration-time curve	

Code Value	Code Meaning	Definition	Notes
126321	IAUC60	The initial area under the contrast agent concentration-time curve at 60 seconds after the onset time	
126322	IAUC90	The initial area under the contrast agent concentration-time curve at 90 seconds after the onset time	
126323	IAUC180	The initial area under the contrast agent concentration-time curve at 180 seconds after the onset time	
126324	IAUCBN	The initial area under the contrast agent concentration-time curve, normalized with the corresponding arterial input function, such that $IAUC_{BN} = IAUC / IAUC_{AIF}$.	
126325	IAUCBN60	The initial area under the contrast agent concentration-time curve at 60 seconds after the onset time, normalized with the corresponding arterial input function, such that $IAUC60_{BN} = IAUC60 / IAUC60_{AIF}$.	
126326	IAUCBN90	The initial area under the contrast agent concentration-time curve at 90 seconds after the onset time, normalized with the corresponding arterial input function, such that $IAUC90_{BN} = IAUC90 / IAUC90_{AIF}$.	
126327	AUCBN180	The initial area under the contrast agent concentration-time curve at 180 seconds after the onset time, normalized with the corresponding arterial input function, such that $IAUC180_{BN} = IAUC180 / IAUC180_{AIF}$.	
126330	tau_m	τ_m . The mean intracellular water lifetime (τ_i). Used in the Shutter-Speed Model (SSM) of tracer kinetics.	
126331	vp	v_p . The fractional (not absolute) blood plasma volume per unit volume of tissue. See Tofts et al, "Estimating Kinetic Parameters From Dynamic Contrast-Enhanced T1-Weighted MRI of a Diffusable Tracer: Standardized Quantities and Symbols", Journal of Magnetic Resonance Imaging, vol. 10, pp. 223-232, 1999.	
126340	Standard Tofts Model	A tracer diffusion kinetic model in which the permeability is assumed to be isodirectional. See P. Tofts, "Modeling tracer kinetics in dynamic Gd-DTPA MR imaging", Journal of Magnetic Resonance Imaging, vol. 7, pp. 91-101, 1997. Mathematically equivalent to the model proposed by Kety in a non-MRI context, hence sometimes referred to as the Tofts-Kety (TK) model. See Kety SS. The Theory and Applications of the Exchange of Inert Gas at the Lungs and Tissues. Pharmacological Reviews. 1951 Mar 1;3(1):1-41.	

Code Value	Code Meaning	Definition	Notes
126341	Extended Tofts Model	<p>A tracer diffusion kinetic model in which the permeability is not assumed to be isodirectional, and which includes the contribution of tracer in the blood plasma to the total tissue concentration.</p> <p>See P. Tofts, "Modeling tracer kinetics in dynamic Gd-DTPA MR imaging", Journal of Magnetic Resonance Imaging, vol. 7, pp. 91-101, 1997.</p>	
126342	Model-free concentration-time quantification	A semiquantitative analysis of the contrast-enhancement concentration versus time curve that avoids the use of a pharmacokinetic model. E.g., integration to compute the initial area under the curve.	
126343	First Pass Leakage Profile (FPLP) Model	<p>A tracer diffusion kinetic model that accounts for the tumor leakage profile during the first pass of contrast.</p> <p>See Li, Ka-Loh, Xiao Ping Zhu, John Waterton, and Alan Jackson. "Improved 3D Quantitative Mapping of Blood Volume and Endothelial Permeability in Brain Tumors." Journal of Magnetic Resonance Imaging 12, no. 2 (2000): 347-357. doi:10.1002/1522-2586(200008)12:2<347::AID-JMRI19>3.0.CO;2-7.</p>	
126344	Shutter-Speed Model (SSM)	<p>A tracer diffusion kinetic model that does not assume that intercompartmental water molecule exchange is infinitely fast.</p> <p>See Li, Xin, Wei Huang, Thomas E. Yankeelov, Alina Tudorica, William D. Rooney, and Charles S. Springer. "Shutter-Speed Analysis of Contrast Reagent Bolus-Tracking Data: Preliminary Observations in Benign and Malignant Breast Disease." Magnetic Resonance in Medicine 53, no. 3 (2005): 724-29. doi:10.1002/mrm.20405.</p>	
126345	Gamma Capillary Transit Time (GCCT) Model	<p>A tracer diffusion kinetic model that mathematically unifies the Tofts, Extended Tofts, Adiabatic Tissue Homogeneity, and Two Compartment Exchange models</p> <p>See Schabel MC. A unified impulse response model for DCE-MRI. Magnetic Resonance in Medicine. 2012;68(5):1632-46. doi:10.1002/mrm.24162.</p>	
126346	Adiabatic Tissue Homogeneity (ATH) Model	<p>An adiabatic approximation to the tissue homogeneity tracer diffusion kinetic model, which assumes that the tracer concentration in parenchymal tissue changes slowly relative to that in capillaries.</p> <p>See St. Lawrence KS, Lee T-Y. An Adiabatic Approximation to the Tissue Homogeneity Model for Water Exchange in the Brain: I. Theoretical Derivation. J Cereb Blood Flow Metab. 1998 Dec;18(12):1365-77. doi:10.1097/00004647-199812000-00011.</p>	

Code Value	Code Meaning	Definition	Notes
126347	Two Compartment Exchange (2CX) Model	A tracer diffusion kinetic that incorporates the extracellular space of the lesion as a peripheral compartment, connected to the central (plasma) compartment by linear exchange processes in both directions. See Brix G, Semmler W, Port R, Schad LR, Layer G, Lorenz WJ. Pharmacokinetic Parameters in CNS Gd-DTPA Enhanced MR Imaging. Journal of Computer Assisted Tomography. 1991;15(4):621-8.	
126350	T1 by Multiple Flip Angles	T1 measurement by Multiple Flip Angles (MFA) (variable saturation) method	
126351	T1 by Inversion Recovery	T1 measurement by Inversion Recovery (IR) method	
126352	T1 by Fixed Value	Calculation was performed using a fixed value of T1 rather than a measured value. The value could be encoded as the value of (126353, DCM, "T1 Used For Calculation").	
126353	T1 Used For Calculation	The fixed value of T1 used for a calculation.	
126360	AIF Ignored	No Arterial Input Function was used.	
126361	Population Averaged AIF	A population-averaged Arterial Input Function.	
126362	User-defined AIF ROI	An Arterial Input Function computed from a user-defined Region of Interest.	
126363	Automatically Detected AIF ROI	An Arterial Input Function computed from an automatically detected Region of Interest.	
126364	Blind Estimation of AIF	A data-driven blind source separation (BSS) algorithm that estimates AIF from individuals without any presumed AIF model and initialization. See Lin, Yu-Chun, Tsung-Han Chan, Chong-Yung Chi, Shu-Hang Ng, Hao-Li Liu, Kuo-Chen Wei, Yau-Yau Wai, Chun-Chieh Wang, and Jiun-Jie Wang. "Blind Estimation of the Arterial Input Function in Dynamic Contrast-Enhanced MRI Using Purity Maximization." Magnetic Resonance in Medicine 68, no. 5 (November 1, 2012): 1439-49. doi:10.1002/mrm.24144.	
126370	Time of Peak Concentration	The time at which the concentration-time curve achieves its peak for the first time. Used as a concept name for a value or as a method. E.g., used as a method of calculation for BAT. See Shpilfoygel Med Phys 2008. doi:10.1118/1.1288669.	
126371	Bolus Arrival Time	The nominal time at which arrival of a contrast bolus is detected, which is used as a reference point for subsequent calculations. Used as a concept name for a value or as a method. No specific computational method is implied by this general definition. Abbreviated BAT.	
126372	Time of Leading Half-Peak Concentration	The time at which the concentration-time curve achieves half of its peak density for the first time. Used as a concept name for a value or as a method. E.g., used as a method of calculation for BAT. See Shpilfoygel Med Phys 2008. doi:10.1118/1.1288669.	

Code Value	Code Meaning	Definition	Notes
126373	Temporal Derivative Exceeds Threshold	A method of determining BAT that involves computing the temporal derivative of the concentration-time curve and selecting the time when the temporal derivative exceeds a specified threshold. See Shpilfoygel Med Phys 2008. doi:10.1118/1.1288669.	
126374	Temporal Derivative Threshold	A threshold applied to the temporal derivative of the concentration-time curve. E.g., used to establish BAT. See Shpilfoygel Med Phys 2008. doi:10.1118/1.1288669.	
126375	Maximum Slope	The maximum rate of signal intensity change within a measured region of a time-activity curve. See Boonsirikamchai, Piyaporn, Harmeet Kaur, Deborah A. Kuban, Edward Jackson, Ping Hou, and Haesun Choi. "Use of Maximum Slope Images Generated From Dynamic Contrast-Enhanced MRI to Detect Locally Recurrent Prostate Carcinoma After Prostatectomy: A Practical Approach." American Journal of Roentgenology 198, no. 3 (March 1, 2012): W228-W236. doi:10.2214/AJR.10.6387.	
126376	Maximum Difference	The maximum degree of signal intensity change within a measured region of a time-activity curve. See Boonsirikamchai, Piyaporn, Harmeet Kaur, Deborah A. Kuban, Edward Jackson, Ping Hou, and Haesun Choi. "Use of Maximum Slope Images Generated From Dynamic Contrast-Enhanced MRI to Detect Locally Recurrent Prostate Carcinoma After Prostatectomy: A Practical Approach." American Journal of Roentgenology 198, no. 3 (March 1, 2012): W228-W236. doi:10.2214/AJR.10.6387.	
126377	Tracer Concentration	Tracer concentration in tissue. E.g., in a DCE-MR experiment, the concentration of contrast agent in mmol/l.	
126380	Contrast Longitudinal Relaxivity	The degree to which a paramagnetic contrast agent can enhance the proton longitudinal relaxation rate constant (R_1 , $1/T_1$), normalized to the concentration of the contrast agent. Also referred to as r_1 . Typically expressed in units of l/mmol/s.	
126390	Absolute Regional Blood Flow	The absolute flow rate of blood perfusing a region as volume per mass per unit of time. The mass divisor may be approximated by a measurement of volume assuming a tissue density of 1.	
126391	Absolute Regional Blood Volume	The absolute volume of blood perfusing a region as volume per mass. The mass divisor may be approximated by a measurement of volume assuming a tissue density of 1.	
126392	Oxygen Extraction Fraction	The percent of the oxygen removed from the blood by tissue during its passage through the capillary network. For example, as measured by blood oxygenation level dependent (BOLD) MR. See He, Xiang, and Dmitriy A. Yablonskiy. "Quantitative BOLD: Mapping of Human Cerebral Deoxygenated Blood Volume and Oxygen Extraction Fraction: Default State." Magnetic Resonance in Medicine 57, no. 1 (2007): 115-26.	

Code Value	Code Meaning	Definition	Notes
126393	R1	The longitudinal relaxation rate constant for the decay of longitudinal magnetization caused by spin-lattice relaxation. The inverse of longitudinal relaxation time, i.e., $R1 = 1/T1$.	
126394	R2	The transverse relaxation rate constant for the decay of transverse magnetization caused by spin-spin relaxation. The inverse of transverse relaxation time, i.e., $R2 = 1/T2$.	
126395	R2*	The transverse relaxation rate constant for the decay of transverse magnetization caused by a combination of spin-spin relaxation and magnetic field inhomogeneity. The inverse of transverse relaxation time, i.e., $R2^* = 1/T2^*$.	
126396	Magnetic Susceptibility	<p>Magnetic Susceptibility is a measure of the amount of magnetization induced in a material when placed in an external magnetic field. It is the quantity encoded as the voxel intensity in Quantitative Susceptibility Map (QSM) images.</p> <p>It is a dimensionless quantity, usually recorded with units of parts per millions (ppm).</p> <p>See Liu T, Wisnieff C, Lou M, Chen W, Spincemille P, Wang Y. Nonlinear formulation of the magnetic field to source relationship for robust quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i>. 2013;69(2):467-76. http://dx.doi.org/10.1002/mrm.24272.</p> <p>See Wang Y, Liu T. Quantitative susceptibility mapping (QSM): Decoding MRI data for a tissue magnetic biomarker. <i>Magnetic Resonance in Medicine</i>. 2015;73(1):82-101. http://dx.doi.org/10.1002/mrm.25358.</p>	
126397	Relative Regional Blood Flow	The relative flow rate of blood perfusing a region. Obtained by dividing the absolute flow rate of blood perfusing a region by the absolute flow rate of blood perfusing a reference region.	
126398	Relative Regional Blood Volume	The relative volume of blood perfusing a region. Obtained by dividing the absolute volume of blood perfusing a region by the absolute volume of blood perfusing a reference region.	
126400	Standardized Uptake Value	<p>A ratio of locally measured radioactivity concentration versus the injected radioactivity distributed evenly throughout the whole body.</p> <p>This general concept encompasses all specific methods of calculating the whole body volume of distribution, such as using body weight, lean body mass, body surface area, etc.</p>	
126401	SUVbw	<p>Standardized Uptake Value calculated using body weight. The patient size correction factor for males and females is body weight.</p> <p>Defined in Sugawara et al. <i>Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction</i>. <i>Radiology</i>, 1999 at http://radiology.rsna.org/content/213/2/521</p>	

Code Value	Code Meaning	Definition	Notes
126402	SUVlbm	<p>Standardized Uptake Value calculated using lean body mass by James method. The patient size correction factor for males is $1.10 * \text{weight} - (120 \text{ or } 128) * (\text{weight}/\text{height})^2$, and for females is $1.07 * \text{weight} - 148 * (\text{weight}/\text{height})^2$.</p> <p>Defined in Sugawara et al. <i>Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction</i>. Radiology, 1999 at http://radiology.rsna.org/content/213/2/521, except that either 120 or 128 may be used as the multiplier parameter for males).</p> <p>Unfortunately, Sugawara used a parameter of 120 rather than 128, propagating an error in Morgan DJ, Bray KM. Lean Body Mass as a Predictor of Drug Dosage: Implications for Drug Therapy. Clinical Pharmacokinetics. 1994;26(4):292-307, which misquoted the original LBM definition that used 128 in James WPT, Waterlow JC. Research on Obesity: A Report of the DHSS/MRC Group. London: Her Majesty's Stationery Office; 1976. Implementations differ in whether they have used 120 or 128 when using this code. See Kelly M. SUV: Advancing Comparability and Accuracy. Siemens; 2009. Available from: http://www.mpcphysics.com/documents/SUV_Whitepaper_Final_11.17.09_59807428_2.pdf.</p>	
126403	SUVbsa	<p>Standardized Uptake Value calculated using body surface area. The patient size correction factor for males and females is $\text{weight}^0.425 * \text{height}^0.725 * 0.007184$.</p> <p>Defined in Sugawara et al. <i>Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction</i>. Radiology, 1999 at http://radiology.rsna.org/content/213/2/521</p>	
126404	SUVibw	<p>Standardized Uptake Value calculated using ideal body weight. The patient size correction factor for males is $48.0 + 1.06 * (\text{height} - 152)$ and for females is $45.5 + 0.91 * (\text{height} - 152)$.</p> <p>Defined in Sugawara et al. <i>Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction</i>. Radiology, 1999 at http://radiology.rsna.org/content/213/2/521</p>	

Code Value	Code Meaning	Definition	Notes
126405	SUVlbm(Janma)	<p>Standardized Uptake Value calculated using lean body mass by Janmahasatian method. The patient size correction factor for males is $9.27E3 * weight / (6.68E3 + 216 * weight / (height^2))$ and for females is $9.27E3 * weight / (8.78E3 + 244 * weight / (height^2))$.</p> <p>Defined in <i>Janmahasatian et al. Quantification of Lean Bodyweight. Clin Pharmacokinet. 2005 Oct 1;44(10):1051-65.</i> at http://dx.doi.org/10.2165/00003088-200544100-00004 and its role in SUVlbm(Janma) calculation is discussed in <i>Tahari et al. Optimum Lean Body Formulation for Correction of Standardized Uptake Value in PET Imaging. Journal of Nuclear Medicine. 2014 Sep 1;55(9):1481-4.</i> at http://jnm.snmjournals.org/content/55/9/1481.</p>	
126406	SUVlbm(James128)	<p>Standardized Uptake Value calculated using lean body mass by James method, using the originally published 128 multiplier for males. The patient size correction factor for males is $1.10 * weight - 128 * (weight/height)^2$, and for females is $1.07 * weight - 148 * (weight/height)^2$.</p>	
126410	SUV body weight calculation method	<p>Method of calculating Standardized Uptake Value using body weight. The patient size correction factor for males and females is body weight.</p> <p>Defined in Sugawara et al. <i>Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.</i> Radiology, 1999 at http://radiology.rsna.org/content/213/2/521</p>	
126411	SUV lean body mass calculation method	<p>Method of calculating Standardized Uptake Value using lean body mass. The patient size correction factor for males is $1.10 * weight - (120 \text{ or } 128) * (weight/height)^2$, and for females is $1.07 * weight - 148 * (weight/height)^2$.</p> <p>Defined in Sugawara et al. <i>Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction.</i> Radiology, 1999 at http://radiology.rsna.org/content/213/2/521</p> <p>Unfortunately, Sugawara used a parameter of 120 rather than 128, propagating an error in Morgan DJ, Bray KM. Lean Body Mass as a Predictor of Drug Dosage: Implications for Drug Therapy. <i>Clinical Pharmacokinetics.</i> 1994;26(4):292-307, which misquoted the original LBM definition that used 128 in James WPT, Waterlow JC. <i>Research on Obesity: A Report of the DHSS/MRC Group.</i> London: Her Majesty's Stationery Office; 1976. Implementations differ in whether they have used 120 or 128 when using this code. See Kelly M. SUV: Advancing Comparability and Accuracy. Siemens; 2009. Available from: http://www.mpcphysics.com/documents/SUV_Whitepaper_Final_11.17.09_59807428_2.pdf.</p>	

Code Value	Code Meaning	Definition	Notes
126412	SUV body surface area calculation method	Method of calculating Standardized Uptake Value using body surface area. The patient size correction factor for males and females is $\text{weight}^0.425 * \text{height}^{0.725} * 0.007184$. Defined in Sugawara et al. <i>Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction</i> . Radiology, 1999 at http://radiology.rsna.org/content/213/2/521	
126413	SUV ideal body weight calculation method	Method of calculating Standardized Uptake Value using ideal body weight. The patient size correction factor for males is $48.0 + 1.06 * (\text{height} - 152)$ and for females is $45.5 + 0.91 * (\text{height} - 152)$. Defined in Sugawara et al. <i>Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction</i> . Radiology, 1999 at http://radiology.rsna.org/content/213/2/521	
126414	SUV lean body mass calculation Janmahasatian method	Janmahasatian method of calculating Standardized Uptake Value using lean body mass. The patient size correction factor for males is $9.27E3 * \text{weight} / (6.68E3 + 216 * \text{weight} / (\text{height}^2))$ and for females is $9.27E3 * \text{weight} / (8.78E3 + 244 * \text{weight} / (\text{height}^2))$. Defined in Janmahasatian et al. <i>Quantification of Lean Bodyweight. Clin Pharmacokinet. 2005 Oct 1;44(10):1051-65.</i> at http://dx.doi.org/10.2165/00003088-200544100-00004 and its role in SUVlbm(Janma) calculation is discussed in Tahari et al. <i>Optimum Lean Body Formulation for Correction of Standardized Uptake Value in PET Imaging. Journal of Nuclear Medicine. 2014 Sep 1;55(9):1481-4.</i> at http://jnm.snmjournals.org/content/55/9/1481 .	
126415	SUV lean body mass calculation method using 128 multiplier	James method of calculating Standardized Uptake Value using lean body mass with the originally published 128 multiplier for males. The patient size correction factor for males is $1.10 * \text{weight} - 128 * (\text{weight}/\text{height})^2$, and for females is $1.07 * \text{weight} - 148 * (\text{weight}/\text{height})^2$.	
126500	Pittsburgh compound B C ¹¹	A beta-amyloid PET radiotracer that is an analog of thioflavin T.	
126501	Florbetaben F ¹⁸	A beta-amyloid PET radiotracer.	
126502	T807 F ¹⁸	A PHF-tau PET radiotracer.	
126503	Flubatine F ¹⁸	A nicotinic $\alpha 4\beta 2$ receptor (nAChR) PET radiotracer.	
126510	Monoclonal Antibody (mAb) ⁶⁴ Cu	A Cu 64 Monoclonal Antibody (mAb) PET Radiotracer.	
126511	Monoclonal Antibody (mAb) ⁸⁹ Zr	A Zr 89 Monoclonal Antibody (mAb) PET Radiotracer.	
126512	Trastuzumab ⁸⁹ Zr	A Zr 89 Trastuzumab PET Radiotracer.	
126513	Cetuximab ⁸⁹ Zr	A Zr 89 Cetuximab PET Radiotracer.	
126514	J591 ⁸⁹ Zr	A Zr 89 J591 PET Radiotracer.	
126515	cU36 ⁸⁹ Zr	A Zr 89 cU36 PET Radiotracer.	
126516	Bevacizumab ⁸⁹ Zr	A Zr 89 Bevacizumab PET Radiotracer.	
126517	cG250-F(ab')(2) ⁸⁹ Zr	A Zr 89 cG250-F(ab')(2) PET Radiotracer.	

Code Value	Code Meaning	Definition	Notes
126518	R1507 ^89^Zr	A Zr 89 R1507 PET Radiotracer.	
126519	E4G10 ^89^Zr	A Zr 89 E4G10 PET Radiotracer.	
126520	Df-CD45 ^89^Zr	A Zr 89 Df-CD45 PET Radiotracer.	
126600	^44^Scandium	^44^Scandium	
126601	^51^Manganese	^51^Manganese	
126602	^70^Arsenic	^70^Arsenic	
126603	^90^Niobium	^90^Niobium	
126604	^191m^Iridium	^191m^Iridium	
126605	^43^Scandium	^43^Scandium	
126606	^152^Terbium	^152^Terbium	
126607	^52m^Manganese	^52m^Manganese	
126700	ATSM Cu^60^	A Cu 60 ATSM PET radiotracer.	
126701	ATSM Cu^61^	A Cu 61 ATSM PET radiotracer.	
126702	ATSM Cu^62^	A Cu 62 ATSM PET radiotracer.	
126703	Choline C^11^	A C 11 Choline PET radiotracer.	
126704	Fallypride C^11^	A C 11 Fallypride PET radiotracer.	
126705	Fallypride F^18^	An F 18 Fallypride PET radiotracer.	
126706	FLB 457 C^11^	A C 11 FLB 457 PET radiotracer.	
126707	Fluorotripride F^18^	An F 18 Fluorotripride PET radiotracer.	
126708	Fluoromisonidazole (FMISO) F^18^	An F 18 Fluoromisonidazole PET radiotracer.	
126709	Glutamine C^11^	A C 11 Glutamine PET radiotracer.	
126710	Glutamine C^14^	A C 14 Glutamine PET radiotracer.	
126711	Glutamine F^18^	An F 18 Glutamine PET radiotracer.	
126712	Flubatine F^18^	An F 18 Flubatine PET radiotracer.	Retired. Replaced with (126503, DCM, "Flubatine F^18^").
126713	2FA F^18^	An F 18 2FA PET radiotracer.	
126714	Nifene F^18^	An F 18 Nifene PET radiotracer.	
126715	CLR1404 I^124^	An I 124 cancer targeted phospholipid ether PET radiotracer.	
126716	CLR1404 I^131^	An I 131 cancer targeted phospholipid ether PET radiotracer.	
126717	THK5351 F^18^	A PET radiotracer used for tau brain imaging. See Harada R, Okamura N, Furumoto S, Furukawa K, Ishiki A, Tomita N, et al. 18F-THK5351: A Novel PET Radiotracer for Imaging Neurofibrillary Pathology in Alzheimer Disease. Journal of Nuclear Medicine. 2016 Feb 1;57(2):208-14. doi:10.2967/jnumed.115.164848	Retired. Replaced with (C4279748, UMLS, "THK5351 F^18^").

Code Value	Code Meaning	Definition	Notes
126718	Flurpiridaz F ¹⁸	A PET radiotracer used for myocardial perfusion imaging. See Yu M, Nekolla SG, Schwaiger M, Robinson SP. The Next Generation of Cardiac Positron Emission Tomography Imaging Agents: Discovery of Flurpiridaz F-18 for Detection of Coronary Disease. Seminars in Nuclear Medicine. 2011 Jul;41(4):305-13. doi:10.1053/j.semnuclmed.2011.02.004 See SNMMI. Flurpiridaz. http://interactive.snm.org/docs/PET_PROS/flurpiridaz_%2007_30_12_Final.pdf	
126719	RO6924963 ¹¹ C	A PET radiotracer used for tau brain imaging. See Wong DF, Comley R, Kuwabara H, Rosenberg PB, Resnick SM, Ostrowitzki S, et al. First in-human PET study of 3 novel tau radiopharmaceuticals: [11C]RO6924963, [11C]RO6931643, and [18F]RO6958948. J Nucl Med. 2018 May 4; doi:10.2967/jnumed.118.209916. http://jnm.snmjournals.org/content/early/2018/05/03/jnumed.118.209916	
126720	RO6931643 ¹¹ C	A PET radiotracer used for tau brain imaging. See Wong DF, Comley R, Kuwabara H, Rosenberg PB, Resnick SM, Ostrowitzki S, et al. First in-human PET study of 3 novel tau radiopharmaceuticals: [11C]RO6924963, [11C]RO6931643, and [18F]RO6958948. J Nucl Med. 2018 May 4; doi:10.2967/jnumed.118.209916. http://jnm.snmjournals.org/content/early/2018/05/03/jnumed.118.209916	
126721	Obinituzimab ⁸⁹ Zr	A Zr 89 Obinituzimab PET Radiotracer.	
126722	Benralizumab ⁸⁹ Zr	A Zr 89 Benralizumab PET Radiotracer.	
126723	Ocaratuzumab ⁸⁹ Zr	A Zr 89 Ocaratuzumab PET Radiotracer.	
126724	Glembatumumab vedotin ⁸⁹ Zr	A Zr 89 Glembatumumab vedotin PET Radiotracer.	
126725	Pinatuzumab vedotin ⁸⁹ Zr	A Zr 89 Pinatuzumab vedotin PET Radiotracer.	
126726	Polatuzumab vedotin ⁸⁹ Zr	A Zr 89 Polatuzumab vedotin PET Radiotracer.	
126727	Blinatumomab ⁸⁹ Zr	A Zr 89 Blinatumomab PET Radiotracer.	
126728	Pegdinetanib ⁸⁹ Zr	A Zr 89 Pegdinetanib PET Radiotracer.	
126729	AGN-150998 ⁸⁹ Zr	A Zr 89 AGN-150998 PET Radiotracer.	
126730	MEDI-551 ⁸⁹ Zr	A Zr 89 MEDI-551 PET Radiotracer.	
126731	GA201 ⁸⁹ Zr	A Zr 89 GA201 PET Radiotracer.	
126732	Ecromeximab ⁸⁹ Zr	A Zr 89 Ecromeximab PET Radiotracer.	
126733	Roledumab ⁸⁹ Zr	A Zr 89 Roledumab PET Radiotracer.	
126734	XmAb5574 ⁸⁹ Zr	A Zr 89 XmAb5574 PET Radiotracer.	
126735	Brentuximab ⁸⁹ Zr	A Zr 89 Brentuximab PET Radiotracer.	
126736	Panitumumab ⁸⁹ Zr	A Zr 89 Panitumumab PET Radiotracer.	
126737	Rituximab ⁸⁹ Zr	A Zr 89 Rituximab PET Radiotracer.	
126738	Mogamulizumab ⁸⁹ Zr	A Zr 89 Mogamulizumab PET Radiotracer.	
126739	Ublituximab ⁸⁹ Zr	A Zr 89 Ublituximab PET Radiotracer.	

Code Value	Code Meaning	Definition	Notes
126740	Margetuximab ^89^Zr	A Zr 89 Margetuximab PET Radiotracer.	
126741	SAR3419 ^89^Zr	A Zr 89 SAR3419 PET Radiotracer.	
126742	Ranibizumab ^89^Zr	A Zr 89 Ranibizumab PET Radiotracer.	
126746	cMAb U36 ^89^Zr	A Zr 89 cMAb U36 PET Radiotracer.	
126747	DN30 ^89^Zr	A Zr 89 DN30 PET Radiotracer.	
126748	Fresolimumab ^89^Zr	A Zr 89 Fresolimumab PET Radiotracer.	
126749	TRC105 ^89^Zr	A Zr 89 TRC105 PET Radiotracer.	
126750	7E11 ^89^Zr	A Zr 89 7E11 PET Radiotracer.	
126751	7D12 ^89^Zr	A Zr 89 7D12 PET Radiotracer.	
126752	28H1 ^89^Zr	A Zr 89 28H1 PET Radiotracer.	
126753	Nanocolloidal albumin ^89^Zr	A Zr 89 nanocolloidal albumin PET Radiotracer. See Heuveling et al. Pilot Study on the Feasibility of PET/CT Lymphoscintigraphy with ⁸⁹ Zr-Nanocolloidal Albumin for Sentinel Node Identification in Oral Cancer Patients. J Nucl Med. 2013 Apr;54(4):585-9. doi:10.2967/jnumed.112.115188. http://jnm.snmjournals.org/content/54/4/585.long	
126754	Anti-B220 ^89^Zr	A Zr 89 Anti-B220 PET Radiotracer.	
126755	RO5323441 ^89^Zr	A Zr 89 RO5323441 PET Radiotracer.	
126756	RO542908 ^89^Zr	A Zr 89 RO542908 PET Radiotracer.	
126757	RO6958948 ^18^F	A PET radiotracer used for tau brain imaging. See Wong DF, Comley R, Kuwabara H, Rosenberg PB, Resnick SM, Ostrowitzki S, et al. First in-human PET study of 3 novel tau radiopharmaceuticals: [11C]RO6924963, [11C]RO6931643, and [18F]RO6958948. J Nucl Med. 2018 May 4; doi:10.2967/jnumed.118.209916. http://jnm.snmjournals.org/content/early/2018/05/03/jnumed.118.209916	
126758	PSMA-1007 F^18^	A PET radiotracer targeting PMSA used for prostate cancer imaging. See Giesel FL, Hadaschik B, Cardinale J, Radtke J, Vinsensia M, Lehnert W, et al. F-18 labelled PSMA-1007: biodistribution, radiation dosimetry and histopathological validation of tumor lesions in prostate cancer patients. Eur J Nucl Med Mol Imaging. 2017 Apr 1;44(4):678–88. doi:10.1007/s00259-016-3573-4. http://link.springer.com/article/10.1007/s00259-016-3573-4	
126759	PSMA-617 Ga^68^	A PET radiotracer targeting PMSA used for prostate cancer imaging. See Afshar-Oromieh A, Hetzheim H, Kratochwil C, Benesova M, Eder M, Neels OC, et al. The Theranostic PSMA Ligand PSMA-617 in the Diagnosis of Prostate Cancer by PET/CT: Biodistribution in Humans, Radiation Dosimetry, and First Evaluation of Tumor Lesions. J Nucl Med. 2015 Nov 1;56(11):1697–705. doi: 10.2967/jnumed.115.161299. http://jnm.snmjournals.org/content/56/11/1697	

Code Value	Code Meaning	Definition	Notes
126760	Df-FK ^89^Zr	A Zr 89 Df-FK peptide PET Radiotracer. See Jacobsen O et al. MicroPET Imaging of Integrin $\alpha_v\beta_3$ Expressing Tumors Using ^{89}Zr -RGD Peptides. Mol Imaging Biol. 2011 Dec; 13(6): 1224-1233. doi:10.1007/s11307-010-0458-y. http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3137711/	
126761	Df-FK-PEG(3) ^89^Zr	A Zr 89 Df-FK-PEG(3) peptide PET Radiotracer. See Jacobsen O et al. MicroPET Imaging of Integrin $\alpha_v\beta_3$ Expressing Tumors Using ^{89}Zr -RGD Peptides. Mol Imaging Biol. 2011 Dec; 13(6): 1224-1233. doi:10.1007/s11307-010-0458-y. http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3137711/	
126762	Df-[FK](2) ^89^Zr	A Zr 89 Df-[FK](2) peptide PET Radiotracer. See Jacobsen O et al. MicroPET Imaging of Integrin $\alpha_v\beta_3$ Expressing Tumors Using ^{89}Zr -RGD Peptides. Mol Imaging Biol. 2011 Dec; 13(6): 1224-1233. doi:10.1007/s11307-010-0458-y. http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3137711/	
126763	Df-[FK](2)-3PEG(4) ^89^Zr	A Zr 89 Df-[FK](2)-3PEG(4) peptide PET Radiotracer. See Jacobsen O et al. MicroPET Imaging of Integrin $\alpha_v\beta_3$ Expressing Tumors Using ^{89}Zr -RGD Peptides. Mol Imaging Biol. 2011 Dec; 13(6): 1224-1233. doi:10.1007/s11307-010-0458-y. http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3137711/	
126801	IEC61217 Patient Support Continuous Angle	Patient Support Continuous Angle in IEC PATIENT SUPPORT Coordinate System [IEC 61217].	
126802	IEC61217 Table Top Continuous Pitch Angle	Table Top Continuous Pitch Angle in the direction of the IEC TABLE TOP Coordinate System [IEC 61217].	
126803	IEC61217 Table Top Continuous Roll Angle	Table Top Continuous Roll Angle in the direction of the IEC TABLE TOP Coordinate System [IEC 61217].	
126804	IEC61217 Table Top Eccentric Axis Distance	Table Top Eccentric Axis Distance [IEC 61217].	
126805	IEC61217 Table Top Continuous Eccentric Angle	Table Top Continuous Eccentric Angle in the direction of the IEC TABLE TOP ECCENTRIC Coordinate System [IEC 61217].	
126806	IEC61217 Table Top Lateral Position	Table Top Lateral Position IEC TABLE TOP Coordinate System [IEC 61217].	
126807	IEC61217 Table Top Longitudinal Position	Table Top Longitudinal Position IEC TABLE TOP Coordinate System [IEC 61217].	
126808	IEC61217 Table Top Vertical Position	Table Top Vertical Position in IEC TABLE TOP Coordinate System [IEC 61217].	
126809	IEC61217 Gantry Continuous Roll Angle	Gantry Continuous Roll Angle in degrees of the radiation source, i.e., the rotation about the Y-axis of the IEC GANTRY coordinate system [IEC 61217].	
126810	IEC61217 Gantry Continuous Pitch Angle	Gantry Pitch Continuous Angle in degrees of the radiation source, i.e., the rotation about the X-axis of the IEC GANTRY coordinate system [IEC 61217].	

Code Value	Code Meaning	Definition	Notes
126811	IEC61217 Gantry Continuous Yaw Angle	Gantry Yaw Continuous Angle in degrees of the radiation source, i.e., about the Z-axis of the IEC GANTRY coordinate system [IEC 61217].	
126830	left first	The body position of the imaging subject relative to the imaging equipment is with the subject's left side positioned towards the front of the equipment viewed from the front	
126831	right first	The body position of the imaging subject relative to the imaging equipment is with the subject's right side positioned towards the front of the equipment viewed from the front	
126832	posterior first	The body position of the imaging subject relative to the imaging equipment is with the subject's posterior (dorsal) side positioned towards the front of the equipment viewed from the front	
126833	anterior first	The body position of the imaging subject relative to the imaging equipment is with the subject's anterior (ventral) side positioned towards the front of the equipment viewed from the front	
126850	ILCR	The International Laboratory Code Registry (ILCR) of the Institute of Laboratory Animal Research (ILAR). See http://dels.nas.edu/global/ilar/lab-codes .	
127001	Preclinical Small Animal Imaging Acquisition Context	A description of the conditions present during acquisition of images of small animals during preclinical research.	
127005	Animal handling during specified phase	The conditions present related to the handling of an animal during a specified phase.	
127006	Phase of animal handling	A specified phase of handling of an animal (e.g., transport, preparation).	
127010	Biosafety conditions	A description of biosafety conditions (e.g., present during small animal handling for research).	
127011	Reason for biosafety controls	The reason that biosafety controls are in place.	
127040	Heating conditions	A description of heating conditions (e.g., present during small animal handling for research).	
127050	Circadian effects	A description of Circadian effects (e.g., present during small animal handling for research).	
127060	Nose cone	A form of face mask that fits over the nose used for delivery of inhalational anesthesia (usually for small animals)	
127061	Nasal cannula	Cannula inserted in the nose used for delivery of inhalational anesthesia or other inhaled gases.	
127070	Retro-orbital route	A route of administration of a substance via the retro-orbital venous sinus. Yardeni T et al. (2011). Retro-orbital injections in mice. Lab Animal, 40(5), 155-160. doi:10.1038/labon0511-155. http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3158461/	
127101	In home cage	The phase of handling of an animal that provides their normal environment between procedures.	
127102	During transport	The phase of handling of an animal that is transport between environments.	

Code Value	Code Meaning	Definition	Notes
127103	Staging prior to imaging	The phase of handling of an animal that is staging prior to an imaging procedure (e.g., after removal from their home environment and transport cage, and awaiting preparation, induction or imaging). During this phase the animals are not subject to intervention (e.g., injection, catheterization) (cf. 127104, DCM, "Preparation for imaging").	
127104	Preparation for imaging	The phase of handling of an animal that is preparation prior to an imaging procedure that involves handling and intervention (e.g., such as injection, catheterization) (cf. 127103, DCM, "Staging prior to imaging").	
127110	Housing role	The phase of handling of an animal during which the housing conditions are applicable.	
127120	Animal housing	The manner in which animals are housed.	
127121	Animal room type	The room type in which racks of animal cages are housed.	
127122	Animal room identifier	The identifier of the room in which racks of animal cages are housed.	
127125	Housing manufacturer	The manufacturer of the animal housing.	
127126	Housing rack product name	The manufacturer's product name of the animal housing rack.	
127127	Housing rack product code	The manufacturer's product code of the animal housing rack.	
127128	Housing unit product name	The manufacturer's product name of the animal housing unit (or bottom of unit if separate lid).	
127129	Housing unit product code	The manufacturer's product code of the animal housing unit (or bottom of unit if separate lid).	
127130	Housing unit lid product name	The manufacturer's product name of the animal housing unit lid.	
127131	Housing unit lid product code	The manufacturer's product code of the animal housing unit lid.	
127140	Number of racks per room	The number of animal housing racks per room.	
127141	Number of housing units per rack	The number of animal housing units per rack.	
127142	Housing unit location in rack	The location of the housing unit in the rack.	
127143	Number of animals within same housing unit	The number of animals in a single housing (e.g., in a single cage, or in an animal carrier for imaging).	
127144	Sex of animals within same housing unit	The sex of multiple animals contained in a single housing (cage).	
127145	Sex of handler	The sex of the animal handler(s).	
127146	Mixed sex	A group consisting of individuals of both sexes (both males and females). E.g., a group of animals in a cage, group of animal handlers.	
127150	Total duration in housing	The total period of time that a subject spends in specified housing conditions.	
127151	Housing change interval	The period of time between changes of housing conditions.	
127152	Manual handling interval	The period of time between episodes of manual handling of the subject.	

Code Value	Code Meaning	Definition	Notes
127153	Housing unit movement	A description of the manner in which the housing unit is moved (e.g., how a cage is transported).	
127160	Housing unit width	The width of the housing unit (e.g., cage).	
127161	Housing unit height	The height of the housing unit (e.g., cage).	
127162	Housing unit length	The length of the housing unit (e.g., cage).	
127170	Housing individually ventilated	Whether or not the housing unit (e.g., cage) is individually ventilated.	
127172	Air changes	How frequently the entire volume of air within a defined space is replaced (e.g., within an animal cage).	
127175	Housing unit reuse	Whether or not the housing unit has been previously used for different animals.	
127177	Unused	The device (e.g., animal housing unit aka. cage) has not previously been used for different animals.	
127178	Reused	The device (e.g., animal housing unit aka. cage) has previously been used for different animals.	
127180	Bedding manufacturer	The manufacturer of the bedding material.	
127181	Bedding product name	The manufacturer's product name of the bedding material.	
127182	Bedding product code	The manufacturer's product code of the bedding material.	
127183	Bedding volume	The volume of bedding material.	
127184	Bedding mass	The mass of bedding material.	
127185	Bedding depth	The depth of bedding material.	
127190	Enrichment material	Material provided to enrich the environment of a small animal for the purpose of reducing stress, improving health and/or improving reproducibility of results. E.g., nesting material.	
127191	Enrichment manufacturer	The manufacturer of the material provided to enrich the environment of a small animal.	
127192	Enrichment material present	Whether or not material is provided to enrich the environment of a small animal for the purpose of reducing stress, improving health and/or improving reproducibility of results. E.g., nesting material.	
127193	Exerciser device present	Whether or not an exerciser device is present.	
127195	Shelter type	The type of shelter provided for small animals within their housing.	
127196	Shelter manufacturer	The manufacturer of the small animal shelter.	
127197	Shelter product name	The manufacturer's product name of the small animal shelter.	
127198	Shelter product code	The manufacturer's product code of the small animal shelter.	
127200	Feed manufacturer	The manufacturer of the feed.	
127201	Feed product name	The manufacturer's product name of the feed.	
127202	Feed product code	The manufacturer's product code of the feed.	
127205	Feed source	The source of animal feed.	
127210	Feedback temperature regulation	Temperature is regulated by feedback from a temperature sensor used to control an active heating or cooling device.	

Code Value	Code Meaning	Definition	Notes
127214	Total duration of light-dark cycle	The total duration of single light-dark cycle (e.g., usually 24 hours).	
127215	Lights on time of day	The time of day when the lights are turned on.	
127220	Igloo	Igloo shaped small animal shelter	
127221	Red translucent igloo	Red translucent igloo-shaped small animal shelter	
127230	Aspen chip bedding	Animal bedding material made from aspen chips.	
127231	Aspen shaving bedding	Animal bedding material made from aspen shavings.	
127232	Corn cob bedding	Animal bedding material made from (milled) corn cobs.	
127233	Paper-based bedding	Animal bedding material made from paper.	
127234	Pine chip bedding	Animal bedding material made from pine chips.	
127235	Pine shaving bedding	Animal bedding material made from pine shavings.	
127240	Carrier temperature sensor	A device for measuring the temperature of the carrier (holder) used for small animal imaging as a means of monitoring or regulating the animal's temperature (e.g., a non-magnetic thermocouple embedded in or attached to the carrier for MRI).	
127250	Forced air heater	A method or device that uses forced hot air to maintain the body temperature of a subject.	
127251	Heated imaging device	An imaging device that contains an integrated method of temperature regulation for maintaining the body temperature of the imaging subject.	
127252	Heated patient support	A device that physically supports the patient and contains an integrated method of temperature regulation for maintaining the body temperature of the imaging subject (e.g., the carrier used for imaging a small animal such as a mouse).	
127253	Heated water blanket	A blanket that uses circulating hot water to maintain the body temperature of a subject.	
127254	Pre-heated pad	A pad that is pre-heated before use that is used to maintain the body temperature of a subject (e.g., pre-heated in a microwave or autoclave).	
127255	Unheated	No mechanism is used to maintain the body temperature of a subject.	
127270	NIH31	NIH Open Formula Rat and Mouse Ration - 18% Crude Protein Autoclavable. Specification at http://www.ors.od.nih.gov/sr/dvr/Documents/SSFiles/nih31-137j2004.pdf .	
127271	NIH07	NIH07 open-formula, natural-ingredient rodent diet.	
127272	AIN76	AIN76 purified diet.	
127273	AIN93G	AIN93 growth diet.	
127274	AIN93M	AIN93 maintenance diet.	
127290	Reverse osmosis purified water	Water that has been purified by reverse osmosis.	
127291	Reverse osmosis purified, HCl acidified water	Water that has been purified by reverse osmosis and HCl acidified.	

Code Value	Code Meaning	Definition	Notes
127300	Anesthesia Method Set	Information about different anesthesia methods used during a procedure (from AQI Schema AnesthesiaMethodSetType; see http://www.aqihq.org/aqischdoc/AnesthesiaMethodSetType.html).	
127301	Anesthesia Method	Information about a single anesthesia method used during a procedure (from AQI Schema AnesthesiaMethodType; see http://www.aqihq.org/aqischdoc/AnesthesiaMethodType.html).	
127302	Anesthesia Category	Category of anesthesia technique used during a procedure (from AQI Schema AnesthesiaCategoryCodeType; see http://www.aqihq.org/aqischdoc/AnesthesiaCategoryCodeType.html).	
127303	Anesthesia SubCategory	Details of anesthesia technique used during a procedure (from AQI Schema AnesthesiaMethodType; see http://www.aqihq.org/aqischdoc/AnesthesiaMethodType.html).	
127310	Airway Management Set	Information about airway management used during a procedure (from AQI Schema AirwayManagementSetType; see http://www.aqihq.org/aqischdoc/AirwayManagementSetType.html).	
127312	Airway Management Method	Type of airway management used during a procedure (from AQI Schema AirwayManagementMethodCodeType; see http://www.aqihq.org/aqischdoc/AirwayManagementMethodCodeType.html).	
127313	Airway Sub-Management Method	Subtype of airway management of airway management used during a procedure (from AQI Schema AirwayManagementSubMethodCodeType; see http://www.aqihq.org/aqischdoc/AirwayManagementSubMethodCodeType.html).	
127320	Medications Set	Set of medications applied during the anesthesia (from AQI Schema MedicationsSetType; see http://www.aqihq.org/aqischdoc/MedicationsSetType.html).	
127330	Carrier gas	A gas that delivers an inhalational anesthetic to a subject (e.g., air, oxygen).	
127370	Animal housing room	A room for keeping and raising animals for observation or research (vivarium).	
127371	Preparation room	A room for preparing a subject (such as a research small animal) prior to a procedure (such as an imaging procedure).	
127372	Imaging procedure room	A room in which an imaging procedure is performed.	
127390	Locally manufactured product	A product that is locally manufactured (i.e., within the facility or institution).	
127391	Food treat	A food item that is out of the ordinary and provides pleasure.	
127400	Exogenous substance	A substance from a source external to a subject. E.g., a homograft or xenograft (including tumor cells or tissue), fibrils, viruses, cytokines or toxins.	
127401	Tissue of origin	The tissue from which a substance originated. E.g., the tissue or organ from which a homograft or xenograft (including tumor cells or tissue) was obtained.	

Code Value	Code Meaning	Definition	Notes
127402	Taxonomic rank of origin	The taxonomic rank value (e.g., genus, subgenus, species or subspecies) from which a substance originated. E.g., the species of animal from which a homograft or xenograft (including tumor cells or tissue) was obtained.	
127411	Strain	An identifier of a group of animals that is genetically uniform.	
127412	Strain description	A description of a group of animals that is genetically uniform.	
127413	Nomenclature	A system of names or descriptions used in a particular field.	
127414	Genetic modifications	An identifier of a specific variation of a targeted gene or introduced transgene.	
127415	Genetic modifications description	A description of a specific variation of a targeted gene or introduced transgene.	
127450	Stereotactic coordinates	The three dimensional coordinates that identify a (usually small) target within the body. E.g., for the purpose of ablation, biopsy, lesion, injection, stimulation, implantation or radiosurgery.	
127451	Position reference indicator	The part of the imaging target that was used as a reference point associated with a specific Frame of Reference. The Position Reference Indicator may or may not coincide with the origin of the fixed frame of reference related to the Frame of Reference. For a Patient-related Frame of Reference, this is an anatomical reference point, often a well-known surface anatomical point.	
127460	Tumor graft	Tumor cells or tissue or other material obtained from a donor intended to be implanted in a research subject.	
127801	Embryonic Kidney	The kidney of an embryo. E.g., used as the source of human embryonic kidney cell lines, though the concept is not specifically human.	
127851	Human alpha synuclein preformed fibrils	Preformed fibrils of human alpha synuclein.	
127852	Mouse alpha synuclein preformed fibrils	Preformed fibrils of mouse alpha synuclein.	
127853	Human Tau preformed fibrils	Preformed fibrils of human Tau.	
127854	Mouse Tau preformed fibrils	Preformed fibrils of mouse Tau.	
127855	Non-ionic iodinated contrast agent	An iodine containing X-Ray contrast agent that does not dissociate in water, therefore, is lower in osmolality, and has a significantly lower incidence of adverse reactions than ionic iodinated contrast agents.	Replaces (C-B0302; SRT96388005, SCT, "Non-ionic iodinated contrast agent"), which is retired in SNOMED CT (Duplicate).
127856	Heart valve flail	Unrestricted motion of a heart valve. E.g., a prolapsing mitral valve leaflet may be classified as non-flail or flail (abnormal leaflet coaptation or ruptured chordae).	
127857	Glucose Measurement Date	The date that a glucose measurement was performed.	

Code Value	Code Meaning	Definition	Notes
127858	Glucose Measurement Time	The time that a glucose measurement was performed.	
127901	SPECT of whole body	A nuclear medicine imaging procedure using a single photon emissive radionuclide with tomographic reconstruction, over an anatomical extent of the entire body.	
127902	SPECT CT of whole body	A nuclear medicine imaging procedure using a single photon emissive radionuclide with tomographic reconstruction combined with transmissive X-Ray computed tomography for attenuation compensation, over an anatomical extent of the entire body.	
128001	Add Addendum to Report	The task is to add an addendum to an existing report.	
128002	Modality to Read	The imaging study to be read involves the specified modality	
128003	Reader Specialty	The specialty of the reader of the imaging study	
128004	Report Requested	The type of report that is being requested.	
128005	Final Report	A final report is a report that is expected to contain all information and all the reportable findings.	
128006	Abdominal Imaging Specialty	A medical specialty concerned with abdominal imaging.	
128007	Cardiac Imaging Specialty	A medical specialty concerned with cardiac imaging.	
128008	Head and Neck Imaging Specialty	A medical specialty concerned with head and neck imaging.	
128009	Musculoskeletal Imaging Specialty	A medical specialty concerned with musculoskeletal imaging.	
128010	Neurology Specialty	A medical specialty concerned with neurology.	
128011	Neuroradiologic Imaging Specialty	A medical specialty concerned with neuroradiologic imaging.	
128012	OB/Gyn Imaging Specialty	A medical specialty concerned with obstetric and gynecologic imaging.	
128013	Oncologic Imaging Specialty	A medical specialty concerned with oncologic imaging.	
128014	Oncology Specialty	A medical specialty concerned with oncology.	
128015	Thoracic Imaging Specialty	A medical specialty concerned with thoracic imaging.	
128016	Pediatric Imaging Specialty	A medical specialty concerned with pediatric imaging.	
128017	Vascular Imaging Specialty	A medical specialty concerned with vascular imaging.	
128040	FWP by GA, Campbell, 1991	<p>Fetal body weight growth percentile estimated from gestational age by method of Campbell 1991.</p> <p>See Campbell WA, Nardi D, Vintzileos AM, Rodis JF, Turner GW, Egan JF. Transverse Cerebellar Diameter/Abdominal Circumference Ratio Throughout Pregnancy: A Gestational Age-Independent Method to Assess Fetal Growth. Obstetrics & Gynecology. 1991;77(6):893-6. Available at: http://journals.lww.com/greenjournal/Fulltext/1991/06000/Transverse_Cerebellar_Diameter_Abdominal.19.aspx.</p>	Replaces the use of LN:33183-5.

Code Value	Code Meaning	Definition	Notes
128041	FWP by GA, Hadlock, 1991	Fetal body weight growth percentile estimated from gestational age by method of Hadlock 1991. See Hadlock FP, Harrist RB, Martinez-Poyer J. In utero analysis of fetal growth: a sonographic weight standard. Radiology. 1991 Oct 1;181(1):129-33. DOI:10.1148/radiology.181.1.1887021. Available at: http://dx.doi.org/10.1148/radiology.181.1.1887021 .	Replaces the incorrect use of LN:33183-5.
128120	Plane through Superior Extent	A plane passing through the superior extent (i.e., towards the head) of the referenced feature	
128121	Plane through Inferior Extent	A plane passing through the inferior extent (i.e., towards the feet) of the referenced feature	
128122	Plane through Proximal Extent	A plane passing through the proximal extent (i.e., towards the torso) of the referenced feature	
128123	Plane through Distal Extent	A plane passing through the distal extent (i.e., towards the end of the extremity) of the referenced feature	
128124	Plane through Medial Extent	A plane passing through the medial extent (i.e., towards the midline of the body) of the referenced feature	
128125	Plane through Lateral Extent	A plane passing through the lateral extent (i.e., away from the midline of the body) of the referenced feature	
128126	Plane through Leftmost Extent	A plane passing through the leftmost extent of the referenced feature	
128127	Plane through Rightmost Extent	A plane passing through the rightmost extent of the referenced feature	
128128	Plane through Anterior Extent	A plane passing through the anterior extent of the referenced feature	
128129	Plane through Posterior Extent	A plane passing through the posterior extent of the referenced feature	
128130	Plane through Center	A plane passing approximately through the center of the referenced feature	
128137	Geometric Centerpoint	The geometric center point of a feature, such as an organ, implanted device or morphologic anomaly.	
128138	Center of Mass	The center of mass of a feature, such as an organ, implanted device or morphologic anomaly	
128144	Impaired Renal Function	The procedure is contraindicated for patients with impaired renal function.	
128151	Laser Cross-hairs	Positioning the patient based on alignment of laser cross-hairs.	
128160	Acquired Volume	The anatomical region represented in the acquired data.	
128170	Abdominal Radiology	Organizational department or section responsible for Abdominal Radiology	
128171	Biomedical Engineering	Organizational department or section responsible for Biomedical Engineering	
128172	Cardiovascular Radiology	Organizational department or section responsible for Cardiovascular Radiology	
128173	Information Technology	Organizational department or section responsible for Information Technology	
128174	Medical Physics	Organizational department or section responsible for Medical Physics	

Code Value	Code Meaning	Definition	Notes
128175	Musculoskeletal Radiology	Organizational department or section responsible for Musculoskeletal Radiology	
128177	Pediatric Radiology	Organizational department or section responsible for Pediatric Radiology	
128179	Thoracic Radiology	Organizational department or section responsible for Thoracic Radiology	
128180	For RT Workflow	Instances available as input for a general radiotherapeutic workflow.	
128181	Diagnostic Source Images	Instances used to make a diagnosis.	
128182	Segmentation Result	Instances created during a segmentation session.	
128183	Registration Result	Instances created during a spatial registration.	
128184	Pre-Planning Result	Instances created during preparation prior to planning.	
128185	RT Prescription Result	Instances created for prescription of a radiotherapeutic treatment.	
128186	Dose Calculation Image Series	Image instances that represent an image series that is intended to be the primary input for the dose calculation. Any parameters required for dose calculation (such as electron density) is derived from this series.	
128187	Coordinate Alignment Image Series	Image instances that represent an image series from which the display coordinate system for a radiotherapeutic treatment planning is derived. Typically this series does not provide the parameters required for the dose calculation.	
128188	RT Treatment Simulation Result	Instances created during the simulation of a radiotherapeutic treatment delivery session. May also include input objects actually used.	
128189	RT Planning Result	Instances created during the planning of a radiotherapeutic treatment. May also include input objects actually used.	
128190	Dosimetric Result	Instances created during the creation of the dosimetric result of a radiotherapeutic treatment plan. May also include input objects actually used.	
128191	Patient Setup Verification Result	Instances created during the verification of the patient's treatment position. May also include input objects actually used.	
128192	RT Treatment Session Result	Instances created during the treatment session. May also include input objects actually used.	
128193	RT Treatment Course Summary	Instances created during a treatment course. May also include input objects actually used.	
128194	RT Treatment QA Result	Instances created during evaluation of the treatment delivery quality. May also include input objects actually used.	
128195	For Diagnosis	Instances available to make a diagnosis.	
128196	For Segmentation	Instances available for segmentation.	
128197	For RT Prescription	Instances available for prescribing a radiotherapeutic treatment delivery.	
128198	For RT Treatment Planning	Instances available for creating a radiotherapeutic treatment plan.	
128199	For Plan Comparison	Instances available for comparing plans.	

Code Value	Code Meaning	Definition	Notes
128200	For RT Plan Summation	Instances available to combine radiotherapeutic plans or doses.	
128201	For Physician Review	Instances available for review by a physician.	
128202	For Physicist Review	Instances available for review by a physicist.	
128203	For Tumor Board	Instances available for review of a tumor board.	
128204	For Plan Quality Assurance	Instances available to perform quality assurance of a radiotherapeutic treatment delivery plan.	
128205	For Machine Quality Assurance	Instances available to perform quality assurance of one of the hardware or software components involved in a radiotherapeutic treatment delivery.	
128206	For Patient Setup Verification	Instances available for verification of the patient treatment position.	
128207	For Clinical Trial Submission	Instances available for submission for a clinical trial study.	
128208	For Tumor Registry	Instances available for submission to a tumor registry.	
128209	RT Workflow Input Used	Instances used as an input of a general radiotherapeutic workflow.	
128210	RT Prescription Input Used	Instances used for prescribing a radiotherapeutic treatment delivery.	
128211	RT Treatment Planning Input Used	Instances used to create a radiotherapeutic treatment plan.	
128212	RT Plan Summation Input Used	Instances used to combine radiotherapeutic plans or doses.	
128213	Physician Review Input Used	Instances used for review by a physician.	
128214	Physicist Review Input Used	Instances used for review by a physicist.	
128215	Plan Quality Assurance Input Used	Instances used to perform quality assurance of a radiotherapeutic treatment delivery plan.	
128216	Machine Quality Assurance Input Used	Instances used to perform quality assurance of one of the hardware or software components involved in a radiotherapeutic treatment delivery.	
128217	Patient Setup Verification Input Used	Instances used during verification of the patient treatment position.	
128218	Diagnosis Input Used	Instances used to make a diagnosis.	
128219	Contouring Input Used	Instances used for segmentation.	
128220	Plan Comparison Input Used	Instances used for comparing plans.	
128221	Tumor Board Input Used	Instances used for review of a tumor board.	
128222	Tumor Registry Input Used	Instances submitted to a tumor registry.	
128223	Clinical Trial Submission Input Used	Instances submitted to a clinical trial study.	
128224	Source measurement	Measurement used as the source for derivation.	
128225	Source report	Report used as the source for derivation.	
128226	Source raw data	Raw Data used as the source for derivation.	
128227	Source real world value map	Real world value map used as the source for derivation. E.g., the map applied to source images before processing them, such as for a threshold based segmentation operation.	
128230	Pulse Sequence Name	Name of an MR pulse sequence for annotation purposes. Potentially vendor-specific name.	

Code Value	Code Meaning	Definition	Notes
128250	Structural image for image processing	A structural image used for image processing.	
128251	Flow image for image processing	A flow image used for image processing.	
128252	OCT-A amplitude decorrelation	OCT angiography method that de-correlates the amplitudes between two consecutive B-scans from the narrowed spectral bands was computed, and all the decorrelation values within certain repeated B-scans were averaged to visualize blood vessels. Methods and algorithms for optical coherence tomography-based angiography: a review and comparison. Anqi Zhang ; Qinqin Zhang ; Chieh-Li Chen ; Ruikang K. Wang (2015). See http://biomedicaloptics.spiedigitallibrary.org/article.aspx?articleid=2464650#QuantitativeComparisons .	
128253	OCT-A complex variance	OCT angiography method based on variations in the complex (amplitude and phase) OCT signal from repeated B-scans at the same location. There are a number of factors that may cause a change in the OCT signal frequency relative to the signal due to static tissue background. These factors include, for example, the Doppler effect that induces optical frequency shift and the change in backscattering due to the particles that are moving in and out of the OCT-probe volume during imaging. The changes in signal frequency cause the changes in both the amplitude and the phase of the OCT signal. Comparison of the complex (amplitude and phase) signal from repeated B-scans at the same location provides an image that has higher contrast in areas of erythrocyte motion. This method is referred to as OCT-based micro-angiography - complex (OMAGC).	
128254	OCT-A speckle variance	OCT angiography method that analyzes the temporal or spatial statistics of the intensity of speckle from OCT images and identifies blood vessels.	
128255	OCT-A correlation mapping	OCT angiography method that differentiates flow regions. Static regions usually have high correlation values while flow regions have lower correlation values.	
128256	Doppler OCT-A	OCT angiography method that utilizes the Doppler phase resolved information to provide the velocity of flow. Sometimes referred to as the phase variance method.	
128257	Retina depth encoded vasculature flow	Image using pseudo colors to illustrate multiple OPTENF images obtained at various depth levels within the retina from the OPT flow volume.	
128258	Retina depth encoded structural reflectance map	Image using pseudo colors to illustrate multiple OPTENF images obtained at various depth levels within the retina from the OPT structural volume.	
128259	Retina vasculature flow	Image that illustrates the vasculature flow within the entire retina. Generated from the OPT flow volume with pixels approximately from inner limiting membrane (ILM) to photoreceptor inner segment/ellipsoid region (ISe).	
128260	Retina structural reflectance map	Image that illustrates the OCT structural reflectance within the entire retina. Generated from the OPT structural volume with pixels approximately from inner limiting membrane (ILM) to photoreceptor inner segment/ellipsoid region (ISe).	

Code Value	Code Meaning	Definition	Notes
128261	Vitreous vasculature flow	Image that illustrates the vasculature flow within the vitreous. Generated from the OPT flow volume with pixels approximately from a selected location anterior to ILM, to ILM. This space/potential space is referred clinically as the Vitreo-retinal Interface (VRI).	
128262	Vitreous structural reflectance map	Image that illustrates the OCT structural reflectance within the vitreous. Generated from the OPT structural volume with pixels approximately from a selected location that is anterior to ILM, to ILM. This space/potential space is referred clinically as the Vitreo-retinal Interface (VRI).	
128263	Radial peripapillary vasculature flow	Image that illustrates the OCT vasculature flow within the RNFL around the optic disk. Generated from the OPT flow volume with pixels approximately from ILM to the outer boundary of the RNFL.	
128264	Radial peripapillary structural reflectance map	Image that illustrates the OCT structural reflectance within the RNFL around the optic disk. Generated from the OPT structural volume with pixels approximately from ILM to the outer boundary of the RNFL.	
128265	Superficial retina vasculature flow	Image that illustrates the vasculature flow within the anterior layers of retina. Generated from the OPT flow volume with pixels approximately from ILM to ganglion cell layer/inner plexiform layer (GCL/IPL).	
128266	Superficial retina structural reflectance map	Image that illustrates the OCT structural reflectance within the anterior layers of retina. Generated from the OPT structural volume with pixels approximately from ILM to ganglion cell layer/inner plexiform layer (GCL/IPL).	
128267	Middle inner retina vasculature flow	Image that illustrates the vasculature flow in the capillaries that connect the superficial and deeper capillary beds. Generated from the OPT flow volume with pixels approximately at the level of the IPL. Sometimes referred to as the intermediate retina flow.	
128268	Middle inner structural reflectance map	Image that illustrates the OCT structural reflectance in the capillaries that connect the superficial and deeper capillary beds. Generated from the OPT structural volume with pixels approximately at the level of the IPL. Sometimes referred to as the intermediate retina flow.	
128269	Deep retina vasculature flow	Image that illustrates the vasculature flow at the level of the plexiform layers within the retina. Generated from the OPT flow volume with pixels approximately from inner plexiform layer (IPL) to outer plexiform layer (OPL).	
128270	Deep retina structural reflectance map	Image that illustrates the structural reflectance at the level of the plexiform layers within the retina. Generated from the OPT structural volume with pixels approximately from inner plexiform layer (IPL) to outer plexiform layer (OPL).	
128271	Outer retina vasculature flow	Image that illustrates the vasculature flow at the level of the posterior layers of the retina (outer retina). Generated from the OPT flow volume with pixels approximately in the translucent layers, from OPL to ISe. Sometimes referred to as flow in the deep avascular structure. Note For normal eyes, this image would not show detectable vascular flow.	

Code Value	Code Meaning	Definition	Notes
128272	Outer retina structural reflectance map	Image that illustrates the structural reflectance at the level of the posterior layers of the retina (outer retina). Generated from the OPT structural volume with pixels approximately in the translucent layers, from OPL to ISe.	
128273	Choriocapillaris vasculature flow	Image that illustrates the vasculature flow at the level of the choriocapillaris. Generated from the OPT flow volume with pixels approximately below the retinal pigment epithelium (RPE) encompassing the thickness of choriocapillaris.	
128274	Choriocapillaris structural reflectance map	Image that illustrates the structural reflectance at the level of the choriocapillaris. Generated from the OPT structural volume with pixels approximately below the retinal pigment epithelium (RPE) encompassing the thickness of choriocapillaris.	
128275	Choroid vasculature flow	Image that illustrates the vasculature flow at the level of the choroid. Generated from the OPT flow volume with pixels approximately below RPE, encompassing the thickness of choroid.	
128276	Choroid structural reflectance map	Image that illustrates the structural reflectance at the level of the choroid. Generated from the OPT structural volume with pixels approximately below RPE, encompassing the thickness of choroid.	
128277	Whole eye vasculature flow	Image that illustrates the vasculature flow at the entire posterior segment, including retina and choroid. Generated from the OPT flow volume with pixels encompassing the entire OCT scan.	
128278	Whole eye structural reflectance map	Image that illustrates the structural reflectance from the entire posterior segment, including retina and choroid. Generated from the OPT structural volume with pixels encompassing the entire OCT scan.	
128279	Cube B-scan pattern	A series of densely spaced, parallel B-scans of the same length covering an area.	
128280	Raster B-scan pattern	A series of sparsely spaced, parallel B-scans of the same length covering an area.	
128281	Line B-scan pattern	A single line B-scan.	
128282	Radial B-scan pattern	A series of B-scans arranged in a radial pattern of the same length covering an area.	
128283	Cross B-scan pattern	A pair of horizontal and vertical B-scans in a cross pattern.	
128284	Circle B-scan pattern	A single circular pattern B-scan.	
128285	Concentric circle B-scan pattern	A series of concentric circular pattern B-scans with various diameters.	
128286	Circle-raster B-scan pattern	A series of concentric circular pattern B-scans with various diameters combined with a series of raster B-scan patterns.	
128287	Circle-radial B-scan pattern	A series of concentric circular pattern B-scans with various diameters combined with a series of radial B-scan patterns.	
128288	Grid B-scan pattern	A series of vertical and horizontal B-scans.	
128289	Outer surface of RNFL	Retinal surface located approximately at the outer boundary of the retinal nerve fiber layer (RNFL).	

Code Value	Code Meaning	Definition	Notes
128290	Outer surface of GCL	Retinal surface approximately at the outer boundary of the Ganglion Cell Layer (GCL).	
128291	Outer surface of IPL	Retinal surface located approximately at the outer boundary of the Inner Plexiform Layer (IPL).	
128292	Outer surface of INL	Retinal surface located approximately at the outer boundary of the Inner Nuclear Layer (INL).	
128293	Outer surface of OPL	Retinal surface located approximately at the outer boundary of the Outer Plexiform Layer (OPL).	
128294	Outer surface of HFL	Retinal surface located approximately at the outer boundary of the Henle Fiber Layer (HFL) when present.	
128295	Surface between Inner and Outer Segments of the photoreceptors	Retinal surface approximately located at the boundary between the Inner Segments and Outer Segments of the photoreceptors.	
128296	Surface of the interdigitating zone between retina and RPE	Retinal surface located approximately at the retina-RPE interdigitating zone when present.	
128297	Anterior surface of the RPE	Retinal surface located approximately at the anterior surface of the Retinal Pigment Epithelium (RPE).	
128298	Surface of the center of the RPE	Retinal surface located approximately at the center of the Retinal Pigment Epithelium (RPE).	
128299	Posterior surface of the RPE	Retinal surface located approximately at the posterior surface of the Retinal Pigment Epithelium (RPE).	
128300	Outer surface of the BM	Retinal surface located approximately at the outer boundary of the Bruch's Membrane (BM).	
128301	Surface of the choroid-sclera interface	Retinal surface located approximately at the choroid-sclera interface (SC).	
128302	Outer surface of the CC	Retinal surface located approximately at the outer boundary of the choriocapillaris (CC).	
128303	OCT B-scan analysis	Values are derived from performing analysis on OCT B-scans	
128304	OCT-A one-sided ratio (lesser)	OCT angiography method that utilizes a one-sided ratio on a pixel by pixel basis between various combinations of B-scan repetitions. The ratio is inverted when necessary such that values are less than or equal to one. Individual ratio calculations are averaged or combined across eligible frame combinations for each pixel in the OCT image.	
128305	OCT-A one-sided ratio (greater)	OCT angiography method that utilizes a one-sided ratio on a pixel by pixel basis between various combinations of B-scan repetitions. The ratio is inverted when necessary such that values are greater than or equal to one. Individual ratio calculations are averaged or combined across eligible frame combinations for each pixel in the OCT image.	
128401	Patient Radiation Dose Report	Report title for the report of estimated absorbed energy from ionizing radiation to a patient.	
128402	Radiation Dose Estimate	Estimate of absorbed energy from ionizing radiation.	
128403	Radiation Dose Estimate Name	Name used to identify a radiation dose estimate.	
128404	Anthropomorphic Model	A mathematical description of a patient model for estimating radiation dose that describes or is thought of as having a human form or human attributes.	

Code Value	Code Meaning	Definition	Notes
128405	Breast Thickness	Thickness of the breast.	
128406	BREP Radiation Transport Model	Boundary based representation of the model for the estimation of radiation transport and absorbed dose in materials.	
128407	DgN	Normalized Mean Glandular Dose (DgN) is the conversion value used to calculate the absorbed dose from radiation to the fibroglandular tissue component of the breast from the exposure in air.	
128408	Patient AP Dimension	The size of a patient in the anterior-posterior dimension.	
128409	Patient Lateral Dimension	The size of a patient in the lateral dimension.	
128410	SSDE Conversion Factor	Conversion factor for Size Specific Dose Estimate (SSDE) calculations from CTDIvol.	
128411	Backscatter	Scattering of radiation in a direction opposite to that of the incident radiation.	
128412	Radiation Dose Estimate Representation	The description of the representation of the estimated absorbed energy to an organ, a set of organs or the whole body, e.g., surface segmentation, mesh, parametric map, RT dose, Secondary Capture SOP Instances, etc.	
128413	Distribution Representation	The form of the representation used to describe the distribution of the radiation dose.	
128414	Radiation Dose Representation Data	The absorbed energy data estimated by the method.	
128415	Radiation Dose Estimate Methodology	The methodology and parameters used to estimate the radiation dose to an organ, the whole body or a phantom.	
128416	SR Instance Used	Reference to an SR instance used.	
128417	Patient Model Type	The type of model used to define the shape, size, location of objects, etc. to represent a patient or phantom for use in radiation transport analysis.	
128418	Simple Object Model	A simple object (e.g., cylinder) used to model a patient or organ.	
128420	Radiation Transport Model Type	The type of model used to estimate energy transport and absorbed dose in materials.	
128421	Geometric Radiation Transport Model	A model that uses geometrical shapes for the estimation of radiation transport and absorbed dose in materials.	
128422	Voxelized Radiation Transport Model	A model that uses volumetric elements for the estimation of radiation transport and absorbed dose in materials.	
128423	Mesh Radiation Transport Model	A model that uses a mesh structure representation for the estimation of radiation transport and absorbed dose in materials.	
128424	NURBS Radiation Transport Model	A model that uses surfaces of a non-uniform rational B-spline (NURBS) based representation for the estimation of radiation transport and absorbed dose in materials.	
128425	Patient Radiation Dose Model Data	The data from the model used to estimate radiation dose to a patient or organ.	
128426	Patient Radiation Dose Model Reference	Rationale or reference to the methodology for the model used in the estimation of radiation dose.	

Code Value	Code Meaning	Definition	Notes
128427	Patient Model Demographics	The demographics for which the patient model used by the radiation dose estimation method is intended.	
128428	Model Minimum Age	The minimum age used in the patient model in the radiation dose estimation method.	
128429	Event UID Used	Unique Identifier of an event used.	
128430	Model Maximum Age	The maximum age used in the patient model in the radiation dose estimation method.	
128431	Beam Block	A material placed in the radiation beam that is used to completely attenuate the beam in a specific region of the field of view.	
128433	Tissue Air Ratio	Ratio of the absorbed dose at a given depth in tissue to the absorbed dose at the same point in air.	
128434	Radiation Dose Estimate Parameters	The parameters used in the algorithms for determining the radiation dose to a patient, organs, or any material.	
128436	Radiation Dose Composite Parameters	Reference to the SOP Instance that describes the parameters and values used in the algorithms for determining the radiation dose to a patient, organs, or any material.	
128437	Model Patient Sex	The sex used in the patient model in the radiation dose estimation method.	
128438	Model Minimum Weight	The minimum weight used in the patient model in the radiation dose estimation method.	
128439	Model Minimum Height	The minimum height used in the patient model in the radiation dose estimation method.	
128441	Model Maximum Weight	The maximum weight used in the patient model in the radiation dose estimation method.	
128442	Model Maximum Height	The maximum height used in the patient model in the radiation dose estimation method.	
128444	Spatial Registration Reference	Reference to the Spatial Registration instance or Deformable Spatial Registration instance.	
128446	Registration Method	Name of the method used to register the frame of reference for two or more sets of data.	
128447	Spatial Fiducials	Reference to Spatial Fiducials SOP Instance.	
128452	Correction Factor	A factor used to make an adjustment to a calculation to account for deviations.	
128453	Curve Fit Parameter	A value used in a mathematical function to create a curve or a function that approximates a set of data.	
128455	Homogeneity Factor	A value used to describe the uniformity or composition of data or a material that relates to the same degree of variability.	
128456	Patient Model Registration	The spatial registration used in the patient model in the radiation dose estimation method.	
128457	X-Ray Beam Attenuator	Attenuator in the radiation beam that may alter the estimated radiation dose to the patient, organs, or phantoms.	
128458	Attenuator Category	The type of object in the radiation beam that may alter the estimated radiation dose to the patient, organs, or phantoms.	

Code Value	Code Meaning	Definition	Notes
128459	Table	The table a patient is sitting, standing, or lying on and that is in the radiation beam such that it may alter the estimated radiation dose to the patient, organs, or phantoms.	
128460	Table Core	The core material of a table a patient is sitting, standing, or lying on and that is in the radiation beam such that it may alter the estimated radiation dose to the patient, organs, or phantoms.	
128461	Table Outer Liner	The outer shell of a table a patient is sitting, standing, or lying on and that is in the radiation beam such that it may alter the estimated radiation dose to the patient, organs, or phantoms.	
128462	Table Pad	The padding on a table a patient is sitting, standing, or lying on and that is in the radiation beam such that it may alter the estimated radiation dose to the patient, organs, or phantoms.	
128464	Radiation Dose Estimation Parameter Type	Parameters used in mathematical, simulation, or empirical calculations for radiation dose estimation.	
128465	Equivalent Attenuator Material	The equivalent material used to estimate the reduction in radiation intensity.	
128468	Attenuator Description	An explanation of the actual attenuator material used in the estimation of radiation dose.	
128469	Equivalent Attenuator Thickness	The thickness of a specified material that provides the same attenuation as the actual attenuator.	
128470	X-Ray Attenuator Model Data	The stored data from the model used to represent the X-Ray beam attenuator.	
128472	X-Ray Beam Attenuator Model	Model of the attenuator used in the estimation of radiation dose.	
128474	X-Ray Beam Attenuator Model Reference	Reference to the methodology or rationale for the model of the beam attenuator used in the estimation of radiation dose.	
128475	X-Ray Beam Attenuator Model Registration	Spatial registration of the beam attenuator model.	
128476	Radiation Dose Estimate Method	The container for the radiation dose estimation methods and parameters.	
128477	Radiation Dose Estimate Method Type	Type of method used to estimate the radiation dose to a patient, organs or phantoms.	
128479	Tabular Data Algorithm	Algorithms that use a table of values indexed by a key.	
128480	Analytical Algorithm	Algorithms that use mathematical models that have a deterministic result.	
128481	Empirical Algorithm	Algorithms that use mathematical models that use parameters derived from observation.	
128482	Radiation Dose Estimate Method Reference	A reference to the methodology or rationale for the estimation methodology used for the estimation of radiation dose.	
128484	Isodose	Representation of radiation dose of equal intensity as a surface, curve, or line.	
128485	Skin Dose Map	Representation of radiation dose intensity at the surface on the skin.	
128487	3D Dose Map	Representation of radiation dose as a 3D shape or object.	

Code Value	Code Meaning	Definition	Notes
128488	Dose Gradient	Representation of the change in radiation dose with respect to the change in another variable. Often represented as a change with respect to time or distance.	
128492	Physical Support	Material that is in radiation beam that is used to provide physical support to the patient or other objects.	
128494	Patient Segmented Model	A model for estimating radiation dose defined from the actual patient anatomy or characteristics.	
128496	Dose Point Cloud	Radiation dose represented as a distribution of points.	
128497	Measured Radiation Dose	The measured amount of energy that is deposited in a material by ionizing radiation.	
128500	Patient Radiation Dose Model	A computational representation of a human body or other object used to simulate the attenuation of radiation in human tissue.	
128511	Reference to Uncertainty Determination Method	A reference to the methodology used to determine the uncertainty in the estimation of radiation dose.	
128512	Equivalent Dose	Absorbed dose to a tissue or organ multiplied by a quality factor to normalize the dose to the type of radiation that is depositing the dose.	
128513	Absorbed Dose	Energy from ionizing radiation absorbed per unit mass.	
128522	Normalization Factor	A factor that is used to make an adjustment to a calculation to normalize the data.	
128523	Offset Factor	A factor that is used to make an adjustment to a calculation to translate or move the data in a defined manner.	
128526	Tissue Fraction	The amount of a specific tissue content, either mass or volume, in a material.	
128527	Distance Correction	A correction factor for a measurement of distance or location.	
128528	Conversion Factor	A numerical ratio to express a measurement from one unit to another unit.	
128531	Maximum Absorbed Radiation Dose	The largest absorbed radiation dose amount estimated.	
128532	Minimum Absorbed Radiation Dose	The smallest absorbed radiation dose value estimated.	
128533	Mean Absorbed Radiation Dose	The average value of the absorbed radiation dose estimated.	
128534	Mode Absorbed Radiation Dose	The absorbed radiation dose value estimated that occurs most frequently.	
128535	Maximum Equivalent Radiation Dose	The largest equivalent radiation dose value estimated.	
128536	Minimum Equivalent Radiation Dose	The smallest equivalent radiation dose value estimated.	
128537	Mean Equivalent Radiation Dose	The average value of the equivalent radiation dose estimated.	
128538	Mode Equivalent Radiation Dose	The equivalent radiation dose value estimated that occurs most frequently.	
128539	Median Absorbed Radiation Dose	The central value of the absorbed radiation dose estimated.	

Code Value	Code Meaning	Definition	Notes
128540	Median Equivalent Radiation Dose	The central value of the equivalent radiation dose estimated.	
128551	Is Repeated Acquisition	This acquisition of data (e.g., for constructing an image) is a repeat of an earlier acquisition that was for some reason unsatisfactory.	
128552	Reason for Repeating Acquisition	The reason that data (e.g., for constructing an image) was acquired again.	
128553	Patient motion	The acquired data is unsatisfactory because the patient moved.	
128554	Suboptimal contrast timing	The acquired data is unsatisfactory because the contrast timing was not adequate.	
128601	Appropriate for the indications	The protocol is appropriate for the indications recorded in the protocol instance.	The American Academy of Orthopaedic Surgeons (AAOS) defines an appropriate procedure as one for which the expected health benefits exceed the expected health risks by a wide margin.
128602	Consistent with labeling of the device	The protocol is consistent with the regulatory product labeling of the device recorded in the protocol instance.	
128603	Approved for use at the institution	The protocol is approved for use at the institution recorded in the protocol instance.	
128604	Approved for use in the clinical trial	The protocol is approved for use in the clinical trial recorded in the protocol instance.	
128605	Approved for use on pregnant patients	The protocol is specifically approved for use on pregnant patients.	
128606	Appropriate for the device	The protocol is appropriate for execution on the device recorded in the protocol instance (which may identify an individual device by serial number or may identify a family of devices). I.e. the protocol has incorporated model-specific parameters and optimizations as necessary.	
128607	Inside operational limits of the device	The protocol specifies parameters that are within the operational limits of the device recorded in the protocol instance. I.e. execution of the protocol is not expected to damage or exceed the operational limits of the device.	
128608	Optimized for the device instance	The protocol is optimized for the characteristics of the specific instance of the device recorded in the protocol instance. I.e. the protocol has incorporated model-specific parameters and optimizations as necessary.	
128609	Disapproved for any use	The protocol is explicitly disapproved, or approval of the protocol has been withdrawn.	
128610	Deprecated protocol	The protocol is no longer to be used. E.g. it has been replaced by another protocol.	
128611	Approved for experimental use	The protocol is approved for use in experimental procedures.	
128612	Disapproved for experimental use	The protocol is disapproved for use in experimental procedures.	
128613	Eligible for reimbursement	The protocol is understood to be eligible for reimbursement by a given payer.	

Code Value	Code Meaning	Definition	Notes
128614	Eligible for reimbursement on per patient basis	The protocol is understood to be eligible for reimbursement on a per patient basis by a given payer.	
128615	Ineligible for reimbursement	The protocol is understood to be ineligible for reimbursement by a given payer.	
128617	Disapproved for use on pregnant patients	The protocol is explicitly disapproved for use on pregnant patients.	
128618	Inappropriate for the device	The protocol is inappropriate for execution on the device recorded in the protocol instance (which may identify an individual device by serial number or may identify a family of devices).	
128619	Outside operational limits of the device	The protocol specifies parameters that are not within the operational limits of the device recorded in the protocol instance. I.e. execution of the protocol may damage or exceed the operational limits of the device.	
128620	Not optimized for the device instance	The protocol is not optimized for the characteristics of the specific instance of the device recorded in the protocol instance.	
128621	Inappropriate for the indications	The protocol is inappropriate for the indications recorded in the protocol instance.	The American Academy of Orthopaedic Surgeons (AAOS) defines an appropriate procedure as one for which the expected health benefits exceed the expected health risks by a wide margin.
128622	Inconsistent with labeling of the device	The protocol is inconsistent with the regulatory product labeling of the device recorded in the protocol instance.	
128623	Disapproved for use at the institution	The protocol is disapproved for use at the institution recorded in the approval instance.	
128624	Disapproved for use in the clinical trial	The protocol is disapproved for use in the clinical trial recorded in the protocol instance.	
128670	Head of Radiology	The senior ranking radiologist in the organization	
128671	Chair of Protocol Committee	The chair of a committee tasked with reviewing and approving protocols in the organization.	
128673	Administrator of Radiology Department	The administrative head of a department that provides radiology services.	
128674	Lead Radiologic Technologist	The senior ranking radiologic technologist in the organization.	
128675	Head of Cardiology	The senior ranking cardiologist in the organization.	
128676	Representative of Protocol Committee	A representative of a committee tasked with reviewing and approving protocols in the organization.	
128677	Representative of Ethics Committee	A representative of a committee tasked with evaluating medical ethics. E.g. Institutional Review Board.	
128701	3D Gel	A volume of gel that changes physical characteristics when exposed to ionizing radiation.	
128702	Diode Array	A number of semiconductor devices that generates current when exposed to ionizing radiation. The devices are arranged systematically in a regular pattern.	

Code Value	Code Meaning	Definition	Notes
128703	Ion Chamber Array	A number of devices that measures charge from the ions produced in a medium when exposed to ionizing radiation. The devices are arranged systematically in a regular pattern.	
128704	Diode	A semiconductor device that generates current when exposed to ionizing radiation.	
128705	Liquid Ion Chamber	An ion chamber that uses a liquid as the medium.	
128706	OSLD	Optically Stimulated Luminescent Dosimeter. It is a crystal that when exposed to green light, emits blue light in proportion to the amount of ionizing radiation it has been exposed to.	
128707	Ion Chamber	A device that measures charge from the ions produced in a medium when exposed to ionizing radiation.	
128708	Diamond Detector	A semiconductor detector that uses diamond as the medium.	
128710	For Teaching File Export	Instances that have been selected for export to a teaching file.	
128711	For Clinical Trial Export	Instances that have been selected for export for a clinical trial.	
128712	Additional Teaching File Information	The title of a document containing additional teaching file information.	
128713	For Research Collection Export	Instances that have been selected for export to a research collection.	
128714	For Publication Export	Instances that have been selected for export for publication.	
128715	Delay export until final report is available	Delay export until final report is available.	
128716	Delay export until clinical information is available	Delay export until clinical information is available.	
128717	Delay export until confirmation of diagnosis is available	Delay export until confirmation of diagnosis is available.	
128718	Delay export until histopathology is available	Delay export until histopathology is available.	
128719	Delay export until other laboratory results are available	Delay export until other laboratory results are available.	
128720	Delay export until patient is discharged	Delay export until patient is discharged.	
128721	Delay export until patient dies	Delay export until patient dies.	
128722	Delay export until expert review is available	Delay export until expert review is available.	
128723	Teaching File Category	The category that describes the subject matter of a teaching file. E.g., a selection from the American Board of Radiology (ABR) subject headings.	
128724	Level of Difficulty	The level of difficult that the material represents. E.g., advanced.	
128725	Primary level	The teaching material is of a primary level of difficulty.	
128726	Intermediate level	The teaching material is of an intermediate level of difficulty.	
128727	Advanced level	The teaching material is of an advanced level of difficulty.	

Code Value	Code Meaning	Definition	Notes
128728	Musculoskeletal imaging subject matter	The subject matter pertains to musculoskeletal imaging.	
128729	Pulmonary imaging subject matter	The subject matter pertains to pulmonary imaging.	
128730	Cardiovascular imaging subject matter	The subject matter pertains to cardiovascular imaging.	
128731	Gastrointestinal imaging subject matter	The subject matter pertains to gastrointestinal imaging.	
128732	Genitourinary imaging subject matter	The subject matter pertains to genitourinary imaging.	
128733	Neuroimaging subject matter	The subject matter pertains to neuroimaging .	
128734	Vascular and interventional imaging subject matter	The subject matter pertains to vascular and interventional imaging.	
128735	Nuclear medicine imaging subject matter	The subject matter pertains to nuclear medicine imaging.	
128736	Ultrasound imaging subject matter	The subject matter pertains to ultrasound imaging.	
128737	Pediatric imaging subject matter	The subject matter pertains to pediatric imaging.	
128738	Breast imaging subject matter	The subject matter pertains to breast imaging.	
128739	UDI	The entire Human Readable Form of the Unique Device Identifier as defined by the Issuing Agency.	See Section 10.29.1 "Unique Device Identifier" in PS3.3.
128740	Longitudinal Temporal Offset from Event	An offset in time from a particular event of significance. In the context of a clinical trial, this is often the time since enrollment, or the baseline imaging study.	
128741	Longitudinal Temporal Event Type	The type of event to which a temporal offset is relative.	
128750	Equipment Landmark	A well-known landmark of the equipment that is visible by the operator.	
128751	Center of Table Head	An equipment landmark on the X-Ray Table head located on the table top plane, centered in the left-right direction of the table.	
128752	Equipment Landmark X Position	The X coordinate of the Equipment Landmark in the Table Coordinate System.	
128753	Equipment Landmark Z Position	The Z coordinate of the Equipment Landmark in the Table Coordinate System.	
128754	Patient Location Fiducial	A patient fiducial used to establish the patient location relative to equipment.	
128756	Equipment Landmark to Patient Fiducial Z Distance	The distance in the Z direction from the Equipment Landmark to the Patient Location Fiducial in the Table Coordinate System. Positive when the direction from the Equipment Landmark to the Patient Location Fiducial lies in the positive Z direction.	
128757	Positioner Isocenter Primary Angle	Angle in the XY plane of the isocenter reference system between the Y axis and a plane containing the Z axis and the X-Ray center beam (deg).	Corresponds to Positioner Isocenter Primary Angle (0018,9463). See "Positioner Coordinate System" in PS3.3.

Code Value	Code Meaning	Definition	Notes
128758	Positioner Isocenter Secondary Angle	Angle, in the plane containing the Z axis of the isocenter reference system and the X-Ray center beam, between the XY plane and the X-Ray center beam (deg).	Corresponds to Positioner Isocenter Secondary Angle (0018,9464). See "Positioner Coordinate System" in PS3.3.
128759	Positioner Isocenter Detector Rotation Angle	Rotation of the X-Ray detector plane (deg).	Corresponds to Positioner Isocenter Detector Rotation Angle (0018,9465). See "Positioner Coordinate System" in PS3.3.
128760	Positioner Isocenter Primary End Angle	Position of the X-Ray center beam in the isocenter reference system in the X direction (deg) at the end of an irradiation event.	See (128757, DCM, "Positioner Isocenter Primary Angle") [1359].
128761	Positioner Isocenter Secondary End Angle	Position of the X-Ray center beam in the isocenter reference system in the Z direction (deg) at the end of an irradiation event.	See (128758, DCM, "Positioner Isocenter Secondary Angle") [1360].
128762	Positioner Isocenter Detector Rotation End Angle	Rotation of the X-Ray detector plane (deg) at the end of an irradiation event.	See (128759, DCM, "Positioner Isocenter Detector Rotation Angle") [1360].
128763	Table Head Tilt End Angle	Angle of the head-feet axis of the table (deg) relative to the horizontal plane at the end of an irradiation event.	See (113754, DCM, "Table Head Tilt Angle") [1264].
128764	Table Horizontal Rotation End Angle	Rotation of the table in the horizontal plane (deg) at the end of an irradiation event.	See (113755, DCM, "Table Horizontal Rotation Angle") [1264].
128765	Table Cradle Tilt End Angle	Angle of the left-right axis of the table (deg) relative to the horizontal plane at the end of an irradiation event.	See (113756, DCM, "Table Cradle Tilt Angle") [1264].
128766	Table X Position to Isocenter	X position of the Table Reference Point with respect to the Isocenter (mm).	See "Table Coordinate System" in PS3.3.
128767	Table Y Position to Isocenter	Y position of the Table Reference Point with respect to the Isocenter (mm).	See "Table Coordinate System" in PS3.3.
128768	Table Z Position to Isocenter	Z position of the Table Reference Point with respect to the Isocenter (mm).	See "Table Coordinate System" in PS3.3.
128769	Table X End Position to Isocenter	X position of the Table Reference Point with respect to the Isocenter (mm) at the end of an irradiation event.	See (128766, DCM, "Table X Position to Isocenter") [1360].
128770	Table Y End Position to Isocenter	Y position of the Table Reference Point with respect to the Isocenter (mm) at the end of an irradiation event.	See (128767, DCM, "Table Y Position to Isocenter") [1360].
128771	Table Z End Position to Isocenter	Z position of the Table Reference Point with respect to the Isocenter (mm) at the end of an irradiation event.	See (128768, DCM, "Table Z Position to Isocenter") [1360].
128772	Reference Basis	The anatomical feature or point of reference on which the reference location is based.	
128773	Reference Geometry	Characterizes the geometry of the reference location (e.g., a plane or point).	
128774	Person Observer's Login Name	Login name (user ID) of human observer who created the observations.	
128775	Identifier within Person Observer's Role	An alphanumeric designator of an individual within a role.	

Code Value	Code Meaning	Definition	Notes
128776	Gray Level Run Length Matrix	The tabulation of gray level run lengths in a particular direction in an image. Abbreviated GLRLM. See [IBSI Features].	
128777	Gray Level Size Zone Matrix	A tabulation of counts of the number of groups of connected voxels with a specific discretized gray level value and size. Abbreviated GLSZM. See [IBSI Features].	
128778	Gray Level Distance Zone Matrix	A tabulation of counts of the number of groups (or zones) of linked voxels that share a specific discretised grey level value and possess the same distance to ROI edge. Abbreviated GLDZM. See [IBSI Features].	
128779	Neighbourhood Grey Tone Difference Matrix	A matrix containing the sum of grey level differences of pixels/voxels with a discretised grey level and average discretised grey level of neighbouring pixels/voxels within a specified Chebyshev distance. Abbreviated NGTDM. See [IBSI Features].	
128780	Neighbouring Grey Level Dependence Matrix	A tabulation of the counts of dependent (within a specified coarseness parameter) neighbouring discretised grey levels within a specified Chebyshev distance. Abbreviated NGLDM. See [IBSI Features].	
128781	Joint Maximum of GLCM	The probability corresponding to the most common gray level co-occurrence in the GLCM. Abbreviated MAX. See $F_{cm,joint,max}$ in [IBSI Features].	Retired. Replaced by (GYBY, IBSI, "Joint Maximum of GLCM").
128782	Joint Average of GLCM	The gray level weighted sum of joint probabilities of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm,joint,avg}$ in [IBSI Features].	Retired. Replaced by (60VM, IBSI, "Joint Average of GLCM").
128783	Joint Variance of GLCM	The sum of squares of the difference from the joint average of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm,joint,var}$ in [IBSI Features].	Retired. Replaced by (UR99, IBSI, "Joint Variance of GLCM").
128784	Difference Average of GLCM	The average for the diagonal probabilities of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm,diff,avg}$ in [IBSI Features].	Retired. Replaced by (TF7R, IBSI, "Difference Average of GLCM").
128785	Difference Variance of GLCM	The variance for the diagonal probabilities of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm,diff,var}$ in [IBSI Features].	Retired. Replaced by (D3YU, IBSI, "Difference Variance of GLCM").
128786	Difference Entropy of GLCM	The entropy for the diagonal probabilities of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm,diff,entr}$ in [IBSI Features].	Retired. Replaced by (NTRS, IBSI, "Difference Entropy of GLCM").

Code Value	Code Meaning	Definition	Notes
128787	Sum Average of GLCM	The average for the cross-diagonal probabilities of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.sum.avg}$ in [IBSI Features].	Retired. Replaced by (ZGXS, IBSI, "Sum Average of GLCM").
128788	Sum Variance of GLCM	The variance for the cross-diagonal probabilities of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.sum.var}$ in [IBSI Features].	Retired. Replaced by (OEED, IBSI, "Sum Variance of GLCM").
128789	Sum Entropy of GLCM	The entropy for the cross-diagonal probabilities of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.sum.ent}$ in [IBSI Features].	Retired. Replaced by (P6QZ, IBSI, "Sum Entropy of GLCM").
128790	Inverse Difference of GLCM	The inverse difference of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.inv.diff}$ in [IBSI Features].	Sometimes referred to as "homogeneity" but that term is historically used to refer to the "inverse difference moment", which is calculated from the square of differences rather than absolute value of them. Retired. Replaced by (IB1Z, IBSI, "Inverse Difference of GLCM").
128791	Inverse Difference Normalized of GLCM	The normalized inverse difference of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.inv.diff.norm}$ in [IBSI Features].	The US not UK spelling of "normalized" is used to be consistent with the DICOM convention, rather than the IBSI spelling. Retired. Replaced by (NDRX, IBSI, "Normalized Inverse Difference of GLCM").
128792	Inverse Difference Moment Normalized of GLCM	The normalized inverse difference moment of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.inv.diff.mom.norm}$ in [IBSI Features].	The US not UK spelling of "normalized" is used to be consistent with the DICOM convention, rather than the IBSI spelling. Retired. Replaced by (1QCO, IBSI, "Normalized Inverse Difference Moment of GLCM").
128793	Inverse Variance of GLCM	The inverse variance of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.inv.var}$ in [IBSI Features].	Retired. Replaced by (E8JP, IBSI, "Inverse Variance of GLCM").
128794	Autocorrelation of GLCM	The autocorrelation of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.auto.corr}$ in [IBSI Features].	Retired. Replaced by (QWB0, IBSI, "Autocorrelation of GLCM").

Code Value	Code Meaning	Definition	Notes
128795	Cluster Tendency of GLCM	The cluster tendency of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.clust.tend}$ in [IBSI Features].	Retired. Replaced by (DG8W, IBSI, "Cluster Tendency of GLCM").
128796	Cluster Shade of GLCM	The cluster shade of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.clust.shade}$ in [IBSI Features].	Retired. Replaced by (7NFM, IBSI, "Cluster Shade of GLCM").
128797	Cluster Prominence of GLCM	The cluster prominence of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.clust.prom}$ in [IBSI Features].	Retired. Replaced by (AE86, IBSI, "Cluster Prominence of GLCM").
128798	First Measure of Information Correlation of GLCM	The first measure of information correlation of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.info.corr.1}$ in [IBSI Features].	Retired. Replaced by (R8DG, IBSI, "First Measure of Information Correlation of GLCM").
128799	Second Measure of Information Correlation of GLCM	The second measure of information correlation of a Gray Level Co-occurrence Matrix (GLCM). See $F_{cm.info.corr.2}$ in [IBSI Features].	Retired. Replaced by (JN9H, IBSI, "Second Measure of Information Correlation of GLCM").
128801	Short Runs Emphasis	A measure of the distribution of short runs in a gray level run length matrix. Abbreviated SRE. See $F_{rlm.sre}$ in [IBSI Features].	Retired. Replaced by (22OV, IBSI, "Short Runs Emphasis").
128802	Long Runs Emphasis	A measure of the distribution of long runs in a gray level run length matrix. Abbreviated LRE. See $F_{rlm.lre}$ in [IBSI Features].	Retired. Replaced by (W4KF, IBSI, "Long Runs Emphasis").
128803	Low Gray Level Run Emphasis	A measure of the distribution of low gray level values in a gray level run length matrix. Abbreviated LGRE. See $F_{rlm.lgre}$ in [IBSI Features].	Retired. Replaced by (IBSI, IBSI, "Low Gray Level Run Emphasis").
128804	High Gray Level Run Emphasis	A measure of the distribution of high gray level values in a gray level run length matrix. Abbreviated HGRE. See $F_{rlm.hgre}$ in [IBSI Features].	Retired. Replaced by (G3QZ, IBSI, "High Gray Level Run Emphasis").
128805	Short Run Low Gray Level Emphasis	A measure of the joint distribution of short runs and low gray level values in a gray level run length matrix. Abbreviated SRLGE. See $F_{rlm.srlge}$ in [IBSI Features].	Retired. Replaced by (HTZT, IBSI, "Short Run Low Gray Level Emphasis").
128806	Short Run High Gray Level Emphasis	A measure of the joint distribution of short runs and high gray level values in a gray level run length matrix. Abbreviated SRHGE. See $F_{rlm.srhge}$ in [IBSI Features].	Retired. Replaced by (GD3A, IBSI, "Short Run High Gray Level Emphasis").

Code Value	Code Meaning	Definition	Notes
128807	Long Run Low Gray Level Emphasis	A measure of the joint distribution of long runs and low gray level values in a gray level run length matrix. Abbreviated LRLGE. See $F_{rlm,lrge}$ in [IBSI Features].	Retired. Replaced by (IVPO, IBSI, "Long Run Low Gray Level Emphasis").
128808	Long Run High Gray Level Emphasis	A measure of the the joint distribution of long runs and high gray level values in a gray level run length matrix. Abbreviated LRHGE. See $F_{rlm,lrhge}$ in [IBSI Features].	Retired. Replaced by (3KUM, IBSI, "Long Run High Gray Level Emphasis").
128809	Gray Level Nonuniformity in Runs	A measure of the similarity of gray level values throughout the image in a gray level run length matrix. Abbreviated RLM.GLNU. See $F_{rlm,glnu}$ in [IBSI Features].	Retired. Replaced by (R5YN, IBSI, "Gray Level Nonuniformity in Runs").
128810	Gray Level Nonuniformity in Runs Normalized	A normalized measure of the similarity of gray level values throughout the image in a gray level run length matrix. See $F_{rlm,glnu,norm}$ in [IBSI Features].	The US not UK spelling of "normalized" is used to be consistent with the DICOM convention, rather than the IBSI spelling. Retired. Replaced by (OVBL, IBSI, "Normalized Gray Level Nonuniformity in Runs").
128811	Run Length Nonuniformity	A measure of the the similarity of the length of runs throughout the image in a gray level run length matrix. Abbreviated RLNU. See $F_{rlm,rlnu}$ in [IBSI Features].	Retired. Replaced by (W92Y, IBSI, "Run Length Nonuniformity").
128812	Run Length Nonuniformity Normalized	A normalized measure of the the similarity of the length of runs throughout the image in a gray level run length matrix. See $F_{rlm,rlnu,norm}$ in [IBSI Features].	The US not UK spelling of "normalized" is used to be consistent with the DICOM convention, rather than the IBSI spelling. Retired. Replaced by (IC23, IBSI, "Normalized Run Length Nonuniformity").
128813	Run Percentage	A measure of the homogeneity and distribution of runs of an image in a specific direction in a gray level run length matrix. Abbreviated RPC. See $F_{rlm,r,perc}$ in [IBSI Features].	Retired. Replaced by (9ZK5, IBSI, "Run Percentage").
128814	Gray Level Variance in Runs	The variance in runs for the gray levels in a gray level run length matrix. See $F_{rlm,gl,var}$ in [IBSI Features].	Retired. Replaced by (8CE5, IBSI, "Gray Level Variance in Runs").
128815	Run Length Variance	The variance in runs for run lengths in a gray level run length matrix. See $F_{rlm,rl,var}$ in [IBSI Features].	Retired. Replaced by (SXLW, IBSI, "Run Length Variance").

Code Value	Code Meaning	Definition	Notes
128816	Run Entropy	The entropy of runs in a gray level run length matrix. See $F_{rlm.rl.ent}$ in [IBSI Features].	Retired. Replaced by (HJ9O, IBSI, "Run Entropy").
128821	Small Zone Emphasis	A feature that emphasizes small zones from a gray level size zone matrix. Abbreviated SZE. See $F_{szm.sze}$ in [IBSI Features].	Retired. Replaced by (5QRC, IBSI, "Small Zone Emphasis").
128822	Large Zone Emphasis	A feature that emphasizes large zones from a gray level size zone matrix. Abbreviated LZE. See $F_{szm.lze}$ in [IBSI Features].	Retired. Replaced by (48P8, IBSI, "Large Zone Emphasis").
128823	Low Gray Level Zone Emphasis	A feature that emphasizes low gray level zones from a gray level size zone matrix. Abbreviated LGZE. See $F_{szm.lgze}$ in [IBSI Features].	Retired. Replaced by (XMSY, IBSI, "Low Gray Level Zone Emphasis").
128824	High Gray Level Zone Emphasis	A feature that emphasizes high gray level zones from a gray level size zone matrix. Abbreviated LGZE. See $F_{szm.hgze}$ in [IBSI Features].	Retired. Replaced by (5GN9, IBSI, "High Gray Level Zone Emphasis").
128825	Small Zone Low Gray Level Emphasis	A feature that emphasizes small zone sizes and low gray levels from a gray level size zone matrix. Abbreviated SZLGE. See $F_{szm.szlg}$ in [IBSI Features].	Retired. Replaced by (5RAI, IBSI, "Small Zone Low Gray Level Emphasis").
128826	Small Zone High Gray Level Emphasis	A feature that emphasizes small zone sizes and high gray levels from a gray level size zone matrix. Abbreviated SZHGE. See $F_{szm.szhge}$ in [IBSI Features].	Retired. Replaced by (HW1V, IBSI, "Small Zone High Gray Level Emphasis").
128827	Large Zone Low Gray Level Emphasis	A feature that emphasizes large zone sizes and low gray levels from a gray level size zone matrix. Abbreviated LZLGE. See $F_{szm.lzlg}$ in [IBSI Features].	Retired. Replaced by (YH51, IBSI, "Large Zone Low Gray Level Emphasis").
128828	Large Zone High Gray Level Emphasis	A feature that emphasizes large zone sizes and high gray levels from a gray level size zone matrix. Abbreviated LZHGE. See $F_{szm.lzhge}$ in [IBSI Features].	Retired. Replaced by (J17V, IBSI, "Large Zone High Gray Level Emphasis").
128829	Gray Level Nonuniformity of Zone Counts	The distribution of zone counts over the gray values in a gray level size zone matrix. Abbreviated SZM.GLNU. See $F_{szm.glnu}$ in [IBSI Features].	Retired. Replaced by (JNSA, IBSI, "Gray Level Nonuniformity of Size Zone Counts").

Code Value	Code Meaning	Definition	Notes
128830	Gray Level Nonuniformity of Zone Counts Normalized	The normalized distribution of zone counts over the gray values in a gray level size zone matrix. See $F_{szm.glnu.norm}$ in [IBSI Features].	The US not UK spelling of "normalized" is used to be consistent with the DICOM convention, rather than the IBSI spelling. Retired. Replaced by (Y1RO, IBSI, "Normalized Gray Level Nonuniformity of Size Zone Counts").
128831	Zone Size Nonuniformity	The distribution of zone counts over the different zone sizes in a gray level size zone matrix. Abbreviated ZSNU. See $F_{szm.zsnu}$ in [IBSI Features].	Retired. Replaced by (4JP3, IBSI, "Zone Size Nonuniformity").
128832	Zone Size Nonuniformity Normalized	The normalized distribution of zone counts over the different zone sizes in a gray level size zone matrix. See $F_{szm.zsnu.norm}$ in [IBSI Features].	The US not UK spelling of "normalized" is used to be consistent with the DICOM convention, rather than the IBSI spelling. Retired. Replaced by (VB3A, IBSI, "Normalized Zone Size Nonuniformity").
128833	Zone Percentage	The fraction of the number of realised zones relative to the maximum number of potential zones in a gray level size zone matrix. Abbreviated ZPERC. See $F_{szm.z.perc}$ in [IBSI Features].	Retired. Replaced by (P30P, IBSI, "Size Zone Percentage").
128834	Gray Level Variance in Zones	The variance in the variance in zone counts for the gray levels in a gray level size zone matrix. See $F_{szm.gl.var}$ in [IBSI Features].	Retired. Replaced by (BYLV, IBSI, "Gray Level Variance in Size Zones").
128835	Zone Size Variance	The variance in zone counts for the different zone sizes in a gray level size zone matrix. See $F_{szm.zs.var}$ in [IBSI Features].	Retired. Replaced by (3NSA, IBSI, "Zone Size Variance").
128836	Zone Size Entropy	The entropy of zone sizes in a gray level size zone matrix. See $F_{szm.zs.entr}$ in [IBSI Features].	Retired. Replaced by (GU8N, IBSI, "Zone Size Entropy").
129001	Eligibility Reader	Person who looks at and interprets medical images against defined criteria for the purpose of establishing eligibility of the subject of said images to be enrolled in a research experiment or a clinical trial.	
129002	Designator	Person who designates locations on medical images (such as the location of lesions) for other persons or devices to measure or interpret. E.g., for the purpose of consistent target lesion selection for application of therapeutic response criteria by multiple independent readers.	

Code Value	Code Meaning	Definition	Notes
129003	Image Quality Controller	Person who reviews medical images to evaluate the compliance of said images with quality criteria.	
129004	Results Quality Controller	Person who reviews results derived from medical images to evaluate the compliance of said results with quality criteria.	
129010	Edited Model	A reference to a predecessor model that has been edited to produce the current model. For example: inclusion of more organs, completion of a partial segmentation, insertion of a bisection plane to allow interior inspection, or addition of support material.	
129011	Component Model	A reference to a predecessor model that contributed to the creation of the current combined model. This includes simple assembly of discrete pieces as well as more complex combination. For example: by Boolean mathematical and similar operations.	
129012	Educational Intent	Intended for educational purposes. For example: patient or care-giver education/informed consent, or training residents and fellows.	
129013	Planning Intent	Intended to be used to assist with procedure planning	
129014	Tool Fabrication	Intended to be used to manufacture a patient-matched tool that is employed during a medical procedure. For example: drill/cutting guides, immobilizers, radiation shields, and plate bending templates.	
129015	Prosthetic Fabrication	Intended to be used to manufacture a fully external prosthetic/orthotic	
129016	Implant Fabrication	Intended to be used to manufacture a wholly or partially internal implant	
129017	Simulation Intent	Intended to be used for simulation and/or practice of a surgery or other medical procedure. "Simulation" is not used for patient-matched simulation, as this would be covered by "Diagnostic Intent" or "Planning Intent".	
129018	US 3D CAM model	A 3D manufacturing model derived from ultrasound imaging.	
129019	Mixed Modality 3D CAM model	A 3D manufacturing model derived from images from multiple different modalities.	
129020	Photogrammetric Imaging 3D CAM model	A 3D manufacturing model derived from measurements made from photographs.	
129021	Laser Scanning 3D CAM model	A 3D manufacturing model derived from laser scanning measurements.	
129100	Fat fraction	The fraction of fat present, derived using Dixon or other techniques.	
129101	Water/fat in phase	Water/Fat In Phase signal, derived using Dixon or other techniques.	
129102	Water/fat out of phase	Water/Fat Out of phase signal, derived using Dixon or other techniques.	
129103	Water fraction	The fraction of water present, derived using Dixon or other techniques.	

Code Value	Code Meaning	Definition	Notes
129104	Perfusion image analysis	Analysis of perfusion images.	
129105	Diffusion image analysis	Analysis of diffusion images.	
129106	Diffusion tractography	Estimation of the course of fiber tracts by analysis of anisotropic diffusion.	
129201	Image used for Treatment Planning	Images that have been used in the treatment planning process.	
129202	Image used for Dose Calculation	Images that have been used for dose calculation in the treatment planning process.	
129203	Image Acquired during Treatment	Images that have been acquired during a treatment session.	
129204	Image used as Reference Image for Treatment	Images that are used in a treatment session as reference images to position the patient.	
129210	Registration used in Planning	Registrations that have been used in the treatment planning process	
129211	Registration created during Treatment	Registrations that have been created in the execution of a treatment session	
129301	Coil Marker	A coil-shaped marker visible in an image.	
129303	Cylinder Marker	A cylinder-shaped marker visible in an image.	
129305	Wire Marker	A thread or rod-shaped marker visible in an image.	
129306	Transponder Marker	A marker that receives a radio signal and transmits a response.	
129308	MR Marker	A marker containing a substance that produces a distinctive signal on MR images.	
129309	Infrared Reflector Marker	Infrared reflecting external marker, e.g., attached to skin or stereotactic frame.	
129310	Visible Reflector Marker	Visible light reflecting external marker, e.g., attached to skin or stereotactic frame.	
129320	Effective Atomic Number	The average atomic number for a compound or mixture of materials. There are a variety of methods for estimating this value for a given compound.	
129321	Modified Hounsfield Unit	Modified pixel values within the Hounsfield Unit Value range.	
129322	Value-based Image	Each real-world value mapped pixel represents a certain value for a specified material (the exact interpretation of the value range has to be defined by the user).	
129323	Material Specific Image	Each real-world value mapped pixel value represents a property the attenuation of a material such as attenuation, concentration or density.	
129324	Material Removed Image	Image with the attenuation contribution of one or more materials removed. For pixels that did not contain any of the removed material(s), the pixel values are unchanged.	
129325	Material Highlighted Image	Image where pixel values have been modified to highlight a certain target material by partially suppressing the background and/or by enhancing the modified material.	
129326	Material Suppressed Image	Image where pixel values have been modified to partially suppress the modified material (opposite to Material Highlighted image).	
129327	Material Recalculated Image	Image where pixels are recalculated by a vendor-specific method.	

Code Value	Code Meaning	Definition	Notes
129328	Volume Occupancy Image	Each real-world value mapped pixel represents a fraction, by volume, occupied by the material.	
129329	Mass Occupancy Image	Each real-world value mapped pixel represents a fraction, by mass, occupied by the material.	
130001	Minimum Surface Radiation Dose	An objective to achieve a radiation dose which is greater than or equal to the specified radiation dose at the surface of a volume.	
130002	Maximum Surface Radiation Dose	An objective to achieve a radiation dose which is less than or equal to the specified radiation dose at the surface of a volume.	
130003	Minimum Radiation Dose	An objective to achieve a radiation dose which is greater than or equal to the specified radiation dose throughout a volume.	
130004	Maximum Radiation Dose	An objective to achieve a radiation dose which is less than or equal to the specified radiation dose throughout a volume.	
130005	Minimum Mean Radiation Dose	An objective to achieve a mean radiation dose over the volume which is greater than or equal to the specified radiation dose.	
130006	Maximum Mean Radiation Dose	An objective to achieve a mean radiation dose over the volume which is less than or equal to the specified radiation dose.	
130007	Minimum Equivalent Uniform Dose	An objective to achieve an equivalent uniform dose (EUD) which is greater than or equal to the specified radiation dose.	
130008	Maximum Equivalent Uniform Dose	An objective to achieve an equivalent uniform dose (EUD) which is less than or equal to the specified radiation dose.	
130009	Prescription Radiation Dose	An objective to achieve a radiation dose which is equal to the specified radiation dose throughout the volume.	
130010	Minimum Conformity Index	<p>An objective to achieve a conformity index which is greater than or equal to the specified conformity index for a radiation dose which is equal to the specified radiation dose throughout the volume.</p> <p>Minimum Conformity Index as defined in [Feuvret], page 335.</p>	
130011	Minimum Healthy Tissue Conformity Index	<p>An objective to achieve a healthy tissue conformity index which is greater than or equal to the specified healthy tissue conformity index for a radiation dose which is equal to the specified radiation dose throughout the volume.</p> <p>Minimum Healthy Tissue Conformity Index as defined in [Feuvret], page 335.</p>	
130012	Minimum Conformation Number	<p>An objective to achieve a conformation number which is greater than or equal to the specified conformation number greater for a radiation dose which is equal to the specified radiation dose throughout the volume.</p> <p>Minimum Conformation Number as defined in [Feuvret], page 335.</p>	

Code Value	Code Meaning	Definition	Notes
130013	Maximum Homogeneity Index	An objective to achieve a homogeneity index which is less than or equal to the specified homogeneity index for a radiation dose which is equal to the specified radiation dose throughout the volume. Maximum Homogeneity Index as defined in [Feuvret], page 335.	
130014	Minimum Percent Volume at Radiation Dose	An objective to achieve a radiation dose which is greater than or equal to the specified radiation dose for at least a specified volume percentage.	
130015	Maximum Percent Volume at Radiation Dose	An objective to achieve a radiation dose which is less than or equal to the specified radiation dose for at least a specified "volume percentage.	
130016	Minimum Absolute Volume at Radiation Dose	An objective to achieve a radiation dose which is greater than or equal to the specified radiation dose for at least a specified volume size.	
130017	Maximum Absolute Volume at Radiation Dose	An objective to achieve a radiation dose which is less than or equal to the specified radiation dose for at least a specified volume size.	
130018	Minimize Meterset	An objective to minimize the total meterset.	
130019	Specified Radiation Dose	The radiation dose value for a Dosimetric Objective.	
130020	Specified Volume Size	The specified volume size of an anatomical region in a Dosimetric Objective.	
130021	Specified Volume Percentage	The percentage which represents a fractional parameter used by a Dosimetric Objective.	
130022	Radiation Characteristics Note	Free text note describing characteristics of the radiation.	
130023	Beam Shaping Note	Free text note describing the devices and techniques used to shape the radiation beam.	
130024	Treatment Planning Note	Free text note to describe suggestions or advice to treatment planning.	
130025	Special Procedure Note	Free text note describing additional activities that address individual patient needs.	
130026	Patient Positioning Note	Free text note describing the process to position the patient for the procedure.	
130027	4D Radiation Treatment Note	Free text note describing management of patient motion during the radiation treatment.	
130028	Patient Setup Note	Free text note describing the setup of the patient on the patient support device(s).	
130029	Previous Treatment Note	Free text note describing previously delivered treatments.	
130030	Planning Imaging Note	Free text note describing the intended use of images for planning.	
130031	Delivery Verification Note	Free text note describing how delivery is to be verified.	
130032	Simulation Note	Free text note describing preferred simulation procedures.	
130033	Radiation Therapy Particle	Particle used for Radiotherapy treatment.	
130034	RT Beam Energy	Energy of the Radiotherapy treatment beam.	
130035	Patient Positioning Procedure Note	Free text note describing the procedure "for acquiring and applying information about patient position.	

Code Value	Code Meaning	Definition	Notes
130036	QA Process Note	Free text note describing the Quality Assurance Process for the treatment of the patient.	
130037	Ion Therapy Particle	Particle for a radiotherapeutic treatment using beams of energetic protons, positive ions or other particles.	
130038	Brachytherapy Isotope	Isotope for a radiotherapeutic treatment where a decaying radiation source is placed inside or next to a target area, called Brachytherapy.	
130039	Adaptive Radiation Therapy Note	Free text note describing how adaptive radiotherapy is to be performed.	
130040	Teletherapy Isotope	Isotope for a radiotherapeutic treatment where a decaying radiation source is placed outside the body.	
130041	RT Target	Volume containing tissues to be irradiated to a specified radiation dose, typically encompassing a tumor, and possibly including surrounding subclinical disease, and margin(s) to account for uncertainties in patient positioning and organ motion.	
130042	RT Dose Calculation Structure	Non-target structure or volume used when calculating the radiation dose, e.g. during an optimization process. This may be a structure whose proximity to the target and/or radiosensitivity restrict the radiation dose deliverable to the target.	
130043	RT Geometric Information	Points or volumes used as spatial references, e.g., treatment or imaging device isocenter or fiducial markers.	
130044	Fixation or Positioning Device	Device used to reproducibly position or limit the motion of a patient or portion of a patient during treatment.	
130045	Brachytherapy Device	Device used to deliver Brachtherapy treatments. This includes both devices containing radioactive sources (seeds, eye plaques) and devices used to position radioactive sources (source applicators, channels etc.).	
130046	Non-specific Volume	A volume that does not represent a named physical entity.	
130047	External Body Structure	A volume representing the external shape of the patient body used in radiotherapeutic procedures.	
130048	Unclassified Volume	A volume that does not correspond to an identifiable physical entity and has user specified boundaries.	
130049	CTV Nodal	Clinical Target Volume encompassing diseased lymph node(s) , with margin to include surrounding sub-clinical disease as defined in [ICRU Report 50].	
130050	CTV Primary	Clinical Target Volume encompassing primary tumor(s) , with margin to include surrounding sub-clinical disease as defined in [ICRU Report 50].	
130051	GTV Nodal	Gross Tumor Volume encompassing diseased lymph nodes as defined in [ICRU Report 50].	
130052	GTV Primary	Gross Tumor Volume encompassing primary tumor(s) as defined in [ICRU Report 50].	
130053	PTV Nodal	Planning Target Volume encompassing a nodal CTV, with margin to account for uncertainty in patient positioning and organ motion as defined in [ICRU Report 50].	

Code Value	Code Meaning	Definition	Notes
130054	PTV Primary	Planning Target Volume encompassing a primary CTV, with margin to account for uncertainty in patient positioning and organ motion as defined in [ICRU Report 50].	
130055	Entire Body Target Volume	Entire Body as a target volume for radiotherapy treatment. The usual term for a treatment technique irradiating this target is Full Body Irradiation.	
130056	ITV	Internal Target Volume encompassing the CTV, with margin to account for internal motion, often delineated using multiple images, e.g., acquired over a breathing cycle, cardiac cycle, etc, as defined in [ICRU Report 50].	
130057	Planning Organ At Risk Volume	Volume encompassing the Organ At Risk (Planning organ at Risk Volume) with margin to account for uncertainty in patient positioning and organ motion as defined in [ICRU Report 50].	
130058	Avoidance Volume	Volume to which delivered radiation dose should be minimized or limited as defined in [ICRU Report 50].	
130059	Treated Volume	Volume enclosed by an isodose surface appropriate to achieve the purpose of treatment (e.g., tumor eradication or palliation) as defined in [ICRU Report 50].	
130060	Organ At Risk	Normal tissue that receives undesired radiation and may be damaged by the radiation treatment as defined in [ICRU Report 50]. The treatment is typically planned to limit the radiation dose to such an organ.	
130061	Radiation Dose Shaping Volume	A volume used to express dosimetric constraints for shaping the radiation dose distribution.	
130062	Conformality Shell	A volume surrounding the target to achieve a high radiation dose gradient using a low radiation dose constraint.	
130063	Radiation Dose Normalization Point	A point for which a specific radiation dose value is chosen. The rest of the radiation dose distribution is normalized against this value.	
130064	Radiation Dose Reference Point	A point at which the radiation dose is observed.	
130065	Dose Calculation Bounding Volume	Volume for which radiation dose is calculated.	
130066	Radiation Interaction Volume	Volume in which the interaction of radiation with matter is taken into account.	
130067	Patient Anatomy Model	The external boundary of patient tissue without additional devices.	
130068	Extended Patient Anatomy Model	The external boundary of patient tissue plus devices that may be attached or adjacent to the body (such as Bolus, Patient Support Devices, Patient Immobilization Devices).	
130069	Patient Setup Point	Point at which the patient is initially positioned prior to any other positioning procedure.	
130070	Room Laser Patient Setup Point	A reference point used for patient setup based on room lasers.	
130071	Moveable Laser Patient Setup Point	A reference point used for patient setup based on movable lasers.	
130072	Reference Acquisition Point	A reference point at which patient position verification references are acquired.	

Code Value	Code Meaning	Definition	Notes
130073	Isocentric Treatment Location Point	A point representing the machine isocenter.	
130074	Specified Conformity Index	The Conformity Index for a Dosimetric Objective as defined in [Feuvret], page 335.	
130075	Specified Healthy Tissue Conformity Index	The Healthy Tissue Conformity Index for a Dosimetric Objective as defined in [Feuvret], page 335.	
130076	Specified Conformation Number	The Conformation Number for a Dosimetric Objective as defined in [Feuvret], page 335.	
130077	Specified Homogeneity Index	The Homogeneity Index for a Dosimetric Objective as defined in [Feuvret], page 335.	
130078	Brachytherapy Source Applicator	Source applicator used in brachytherapy treatment delivery	
130079	Brachytherapy Channel Shield	Channel shield device used in brachytherapy treatment delivery	
130080	Brachytherapy Channel	Channel device used in brachytherapy treatment delivery	
130081	Unclassified Combination	A logical combination of two or more volumes for which the combination is not classified.	
130082	Relative Mass Density	Ratio of the mass density of a material relative to the mass density of water.	
130083	Relative Electron Density	Ratio of the electron density of a material relative to the electron density of water.	
130084	Effective Z	The average atomic number of a material.	
130085	Effective Z per A	Ratio of effective atomic number to mass (AMU^{-1}) for a material.	
130086	Relative Linear Stopping Power	Ratio of the linear stopping power of a material to the linear stopping power of water.	
130087	Reference Energy	An energy value which qualifies a quantity or parameter whose value is defined in respect to this energy.	
130088	Linear Cell Kill Factor	Linear Cell Kill Factor (α) as defined in J. Deacon et al (Rad. Onc 2(4) : 317-323, 1984), page 318-	
130089	Quadratic Cell Kill Factor	Quadratic Cell Kill Factor (β) as defined in J. Deacon et al (Rad. Onc 2(4) : 317-323, 1984), page 318.	
130090	High Dose Fraction Linear Cell Kill Factor	High Dose Fraction Linear Cell Kill Factor (γ) as defined in Frederick W. McKenna et (J. Med. Phys, 36(2) : 100-106, 2011), page 102.	
130091	Half-time for Tissue Repair	Half-time for Tissue Repair as defined in R Singh R, et al. (Medical Dosimetry 28(4) : 225-259, 2003), page 256.	
130092	High Dose Fraction Transition Dose	High Dose Fraction Transition Dose as defined in Astrahan, M. (Med. Phys., 35(9) : 4161-4172, 2008), page 4164.	
130093	Atomic Number	The atomic number of an element, i.e. the number of protons found in the nucleus of an atom.	
130094	Elemental Composition Atomic Mass Fraction	The fractional weight of the element in a compound.	

Code Value	Code Meaning	Definition	Notes
130095	alpha gEUD Value	Tissue-specific parameter that describes the volume effect of radiation dose delivered to a volume. See AAPM Report 166 (http://www.aapm.org/pubs/reports/RPT_166.pdf) for additional information.	
130096	Single Fraction	A treatment consisting of a single treatment fraction, e.g. for stereotactic treatments.	
130097	Standard Fractionation	A treatment consisting of a one treatment fraction per day, typically 1.8-2.0 Gy per treatment fraction.	
130098	Hypo-fractionation	A treatment consisting of a reduced number of treatment fractions relative to a standard fractionation, typically with a higher radiation dose per fraction.	
130099	Hyper-fractionation	A treatment consisting of an increased number of fractions relative to a standard fractionation, typically two per day with smaller radiation dose per fraction.	
130100	Continuous Temporary	A treatment consisting of a continuous delivery using a temporary implant.	
130101	Continuous Permanent	A treatment consisting of a continuous delivery using a permanent implant.	
130102	Static Beam	A treatment technique in which the field shape and the source position do not change during delivery.	
130103	Arc Beam	A treatment technique in which the field shape does not change during delivery while the source position follows an arc.	
130104	Conformal Arc Beam	A treatment technique in which the field shape changes during delivery while the source position follows an arc.	
130105	Step and Shoot Beam	A treatment technique in which the field shape does not change during an exposure. Several field shapes may be used in different exposures at the same source position.	
130106	Sliding Window Beam	A treatment technique in which the field shape continuously changes during an exposure at the same source position.	
130107	VMAT	A treatment technique in which the field shape, gantry speed and radiation dose rate changes during delivery while the source position follows an arc. Volumetric Modulated Arc Therapy (VMAT).	
130108	Helical Beam	A treatment technique in which the field shape continuously changes during delivery while the source position follows a continuous arc in parallel to a simultaneous patient support movement.	
130109	Topographic Beam	A treatment technique in which the field shape and the source position do not change during delivery while the patient support is moving.	
130110	Headframe	A device attached to the tabletop that is also screwed into the skull of the patient's head to position and orient the head in a prescribed geometry relative to the tabletop. The device is commonly known as a "halo".	

Code Value	Code Meaning	Definition	Notes
130111	Head Mask	A device that is placed over the patient's face and attached to the tabletop to prevent the patient from moving relative to the tabletop.	
130112	Head and Neck Mask	A device that is placed over the patient's face and neck and attached to the tabletop to prevent the patient from moving relative to the tabletop.	
130113	Mold	A device that is modified by pressure (molded) to fit another object (such as the patient's anatomy) and then used to control the reproducibility of the patient's treatment position.	
130114	Cast	A device that is fabricated from a mold of another object (like the patient's anatomy) and then used to control the reproducibility of the patient's treatment position.	
130116	Breast Board	A device placed on the tabletop to support the chest and arms of a patient in a prescribed position and orientation.	
130117	Body Frame	A device placed beneath a patient to support the whole body in a prescribed position and orientation relative to the table top.	
130118	Vacuum Mold	A device placed beneath a patient to support a body part in a prescribed position and orientation relative to the table top. It is commonly a bag containing low density polystyrene spheres that becomes semi-hard when vacuum is applied conforming to the bottom surface of the patient.	
130119	Whole Body Pod	A device placed beneath a patient to support the whole body in a prescribed position and orientation relative to the table top. It is commonly shaped like a hollow half cylinder. The space between the patient and the wall is commonly filled with a dual component foam that hardens conforming to the bottom surface of the patient.	
130120	Rectal Balloon	A flexible fluid container inserted into the rectum to maintain an immovable geometry during treatment.	
130121	Vaginal Cylinder	An intracavity cylinder inserted into the vagina to achieve greater radiation dose control and radiation dose shaping. Radioactive sources are inserted into the cylinder for treatment.	
130123	Aperture Block	A device, typically made of a low temperature alloy, such as Lipowitz's metal, that provides an opening in a beam block with constant attenuation across an area of the beam to prevent or reduce radiation dose delivery to normal tissues.	
130124	Accessory Tray	A device placed into a machine slot or an applicator to which accessories are attached.	
130125	Radiotherapy Applicator	A device placed into a radiotherapy machine slot which provide slot to add other devices and/or to limit the beam.	

Code Value	Code Meaning	Definition	Notes
130126	Radiation transport-based methods	<p>A category of methods for the calculation of effective dose that are based on radiation transport and are used to predict the Relative Biological Effectiveness of an ion beam based on the quality of the radiation used.</p> <p>[Wambersie A, RBE, reference RBE and clinical RBE: Applications of these concepts in hadron therapy, Strahlentherapie und Onkologie 1999 June, 175(2) : 39-43]</p> <p>[Paganetti H, et al., Relative biological effectiveness (RBE) values for proton beam therapy, Int J Rad. Onc Biol Phys, 2002 June; 53(2) : 407-421]</p>	
130127	Fractionation-based or temporally-based methods	<p>A category of methods for the calculation of effective dose that are based on Fractionation or temporal patterns and are used to predict the Biologically Effective Dose.</p> <p>[Thames HD, Hendry JH. Fractionation in radiotherapy. New York: Taylor & Francis; 1987]</p> <p>[Barendsen, G.W (1982) Dose fractionation, dose rate and iso-effect relationships for normal tissue responses, Int. J. Radiat. Oncol. Biol. Phys. 8 (11) : 1981-1997.]</p>	
130128	Local Effect Model	<p>The Local Effect Model (LEM) method used to predict the Relative Biological Effectiveness of dose delivered using ion beams.</p> <p>[Grun, R. Friedrich, T. Elsassner, T. Kramer, M. Zink, K. Karger, C. P. Durante, M. Engenhard-Cabillic, R. Scholz, M. (2012) "Impact of enhancements in the local effect model (LEM) on the predicted RBE-weighted target dose distribution in carbon ion therapy" Physics in Medicine and Biology 57: 7261 - 7274.]</p>	
130129	Microdosimetric Kinetic Model	<p>The Microdosimetric Kinetic Model (MKM) " used to predict the Relative Biological Effectiveness of dose delivered using ion beams.</p> <p>[Inaniwa, T. Furukawa, T. Kase, Y. Matsufuji, N. Toshito, T. Matsumoto, Y. Furusawa, Y. Node, K. (2010) "Treatment planning for a scanned carbon beam with a modified microdosimetric kinetic model" Physics in Medicine and Biology 55: 6721 - 6737.]</p>	
130130	Equivalent 2-Gray Fractions Model	<p>The linear quadratic model used to compute the equivalent Biologically Effective Dose (BED) delivered in 2 Gray dose fractions.</p> <p>[Fowler JF. The linear-quadratic formula and progress in fractionated radiotherapy. Br J Radiol. 1989 Aug; 62 (740) : 679-94.]</p>	
130131	Linear-Quadratic Model	<p>The linear quadratic model used to compute the equivalent Biologically Effective Dose (BED) delivered at an infinitely low dose-rate.</p> <p>[Fowler JF, Br J Radiol. 1989; 62: 679-694]</p>	

Code Value	Code Meaning	Definition	Notes
130132	Linear-Quadratic Model with Time Factor	The modified linear quadratic model with time factor method used to compute the equivalent Biologically Effective Dose (BED) delivered at an infinitely low dose-rate, taking into account tumor repopulation during treatment. [Fowler JF, Semin. Radiat. Oncol. 1992; 2(1) : 16-21]	
130133	Linear-Quadratic-Linear Model	The linear-quadratic-linear dose-response model used to compute the equivalent Biologically Effective Dose (BED) delivered at an infinitely low dose-rate, taking into account linear cell survival with high dose fractions. [Astrahan M, Med.Phys. 2008; 35: 4161-4172]	
130134	Linear-Quadratic Model for Low-Dose Rate Brachytherapy	The linear-quadratic dose-response model modified for low-dose rate brachytherapy used to compute the equivalent Biologically Effective Dose (BED) delivered at an infinitely low dose-rate. [Sing R, Al-Hallaq H, Med.Dosim. 2003; 28(4) : 225-259]	
130135	Historical RT Prescription	A Radiotherapy prescription prescribed prior to the current prescription.	
130136	RT Prescription Input Images	Image Instances available as input for prescribing a Radiotherapy treatment prescription.	
130137	RT Treatment Planning Input Images	Image Instances available as input for planning a Radiotherapy treatment plan.	
130138	Multiple Fixed Sources	A treatment technique using multiple decaying radiation sources at fixed spatial locations.	
130139	Synchronized Robotic Treatment	A treatment technique using a robotic delivery device with real-time motion tracking and compensation.	
130140	Non-Synchronized Robotic Treatment	A treatment technique using a robotic delivery device without real-time motion tracking and compensation.	
130141	³ He Helium nucleus	Ionized helium atom with 2 protons and 1 neutron.	
130142	⁴ He Helium nucleus	Ionized helium atom with 2 protons and 2 neutrons.	
130143	¹² C Carbon nucleus	Ionized carbon atom with 6 protons and 6 neutrons.	
130144	¹⁶ O Oxygen nucleus	Ionized oxygen atom with 8 protons and 8 neutrons.	
130150	Pressure above warning limit	The injector device detected a pressure above the warning threshold, generated a warning and did not automatically terminate the administration.	
130151	Pressure above adjustment limit	The injector device detected a pressure above the adjustment limit, took compensating action and did not automatically terminate the administration.	
130152	Flow rate above warning limit	The injector device detected a flow rate above the warning threshold, generated a warning and did not automatically terminate the administration.	
130153	Flow rate above adjustment limit	The injector device detected a flow rate above the adjustment limit, took compensating action and did not automatically terminate the administration.	
130154	Terminated due to request from operator	The injector device terminated the administration due to detection of an abort request by the operator.	
130155	Fixed duration pause ended	The device detected that a pause duration has been reached and the device resumed automatically.	

Code Value	Code Meaning	Definition	Notes
130156	Terminated due to pressure above termination limit	The injector device detected a pressure above the termination limit and automatically terminated the administration.	
130157	Terminated due to flow rate above termination limit	The injector device detected a flow rate above the termination limit and automatically terminated the administration.	
130158	Terminated due to excessive duration pause	The Injector device detected that a pause duration has exceeded limit and the injector device terminated the administration.	
130159	Terminated due to injector communication loss	The injector device detected a communication loss and automatically terminated the administration.	
130160	Terminated due to unspecified injector failure	The injector device detected an unspecified failure and automatically terminated the administration.	
130161	Keep vein open started	The injector device started saline flow for the purpose of keeping vein open.	
130162	Keep vein open ended	The injector device ended saline flow for the purpose of keeping vein open.	
130163	Syringe attached	The injector device detected that a syringe was attached to the injector.	
130164	Syringe detached	The injector device detected that a syringe was detached from the injector.	
130165	Total Keep Vein Open Volume Administered	Total volume of flush delivered by the keep vein open function of the injector.	
130168	Automatic Administration Phase	An administration phase where fluid is being delivered by an injector system according to the programmed instructions.	
130169	Automatic Programmed Hold Phase	An administration phase where fluid delivery is stopped by the injector system until a programmed time elapses.	
130170	Automatic with Manual Hold Phase	An administration phase where the fluid is delivered automatically by an injector system and stopped under manual control by the operator.	
130171	Automatic with Manual Inject Phase	An administration phase where the fluid is delivered by the injector system under manual control by the operator. E.g., Cardiac Cath.	
130172	Manually Triggered Injection Information	Information only available if injection was triggered manually.	
130173	Automated Administration	An administration mode where the fluid is delivered by a mechanical injector system.	
130174	Manual Administration	An administration mode where the substance is delivered manually E.g., Clinician manual injection of an Imaging Agent or oral consumption by a patient.	
130175	Air detected	The injector device detected air in the tubing or syringe before or during the Imaging Agent administration and did not automatically terminate the administration.	

Code Value	Code Meaning	Definition	Notes
130176	Terminated due to air detected	The injector device detected air in the tubing or syringe and terminated the administration.	
130177	Terminated by scanner	The injector device received instruction from scanner to terminate the administration and terminated the administration.	
130178	Terminated due to critical battery level	The injector device detected critical battery level and terminated the administration.	
130179	Terminated due to consumable removal	The injector device detected removal of a consumable from the injector device and terminated the administration.	
130181	Administration Mode	A code that specifies how the Imaging Agent is administered to the patient.	
130182	Planned Imaging Agent Administration Procedure Report	A report of the planned patient-specific Imaging Agent administration steps.	
130183	Imaging Agent Information	Description of a specific Imaging Agent that was planned or was administered.	
130184	Osmolality at 37C	Number of osmoles of solute per kilogram of solvent at 37°C.	
130185	Osmolarity at 37C	Number of osmoles of solute per liter (L) at 37°C.	
130186	Viscosity at 37C	A measure of a resistance of a fluid to gradual deformation by stress, measured at 37°C.	
130187	Imaging Agent Warmed	Indicates if an Imaging Agent was warmed prior to the administration procedure.	
130188	Contrast Transverse Relaxivity	The degree to which a paramagnetic contrast agent can enhance the proton transverse relaxation rate constant (R_2 , $1/T_2$), normalized to the concentration of the contrast agent. Also referred to as r_2 . Typically expressed in units l/mmol/s.	
130189	Is Ionic	Indicates whether the Imaging Agent is Ionic or non-ionic.	
130190	Dosing Factor	Indicates normalized dose of Imaging Agent per kg of patient weight. Typically recommended by the vendor. For e.g., grams Iodine per Kg (g / Kg).	
130191	Imaging Agent Component Usage	Information about use of Imaging Agent component(s).	
130192	Imaging Agent Administration Steps	Information about list of administration steps for administering Imaging Agent.	
130193	Pressure Limit	A limit set at the power injector device indicating the maximum allowed pressure planned for administering the Imaging Agent.	
130194	Time after the start of injection	Time after the start of injection of a delivered Imaging Agent administration.	
130195	Imaging Agent Administration Step	An individual administration step in the Imaging Agent administration plan.	
130196	Imaging Agent Administration Step Identifier	Identifies a step in an Imaging Agent administration plan.	
130197	Imaging Agent Administration Delay	Time difference between the nominal start of the administration step and the actual start of Imaging Agent administration.	

Code Value	Code Meaning	Definition	Notes
130198	Scan Delay	Time delay for start of image acquisition after start of Imaging Agent administration.	
130199	Imaging Agent Administration Steps Description	Description of Imaging Agent administration plan.	
130200	Imaging Agent Administration Protocol Name	Protocol name for Imaging Agent administration.	
130202	Imaging Agent Administration Phase	Information about a delivery phase of an Imaging Agent administration step.	
130203	Imaging Agent Administration Phase Identifier	Identifies a phase in an Imaging Agent administration step.	
130204	Imaging Agent Administration Phase Type	Type of phase in an Imaging Agent administration step.	
130205	Initial Volume of Imaging Agent in Container	The volume of the Imaging Agent in an Imaging Agent container before administration.	
130206	Residual Volume of Imaging Agent in Container	The volume of the Imaging Agent remaining in the Imaging Agent container after administration.	
130207	Rise Time	Time for the injector to build up from zero to the set pressure.	
130208	Starting Flow Rate of administration	Flow rate at the start of an administration of the Imaging Agent.	
130209	Ending Flow Rate of administration	Flow rate at the end of an administration of the Imaging Agent.	
130210	Bolus Shaping Curve	A vendor-specific code indicating the shape of the flow rate curve within an administration phase.	
130211	Imaging Agent Administration Completion Status	The status of the Imaging Agent administration procedure at completion as reported by the automated injector or by the administering person.	
130212	Imaging Agent Administration Adverse Events	Information about adverse events occurring during administration of an Imaging Agent.	
130214	Estimated Extravasation Volume	The estimated volume lost at the injection site. The estimation includes extravasation, paravenous administration and leakage at the injection site.	
130215	Adverse Event Detection DateTime	Date and Time when an adverse event was noticed by the observer.	
130216	Referenced Imaging Agent Administration Step UID	The unique identifier of the Imaging Agent administration step being referenced.	
130217	Referenced Imaging Agent Administration Phase Identifier	The identifier an Imaging Agent administration phase being referenced.	
130218	Programmable Device	Can be configured to execute a series of steps automatically.	
130219	Number of Injector Heads	Number of injector heads or pumps (single, dual or many) in an injector device.	
130220	Administration discontinued	Whether the agent administration was discontinued.	
130221	Imaging Agent Volume per Unit of Presentation	The volume of Imaging Agent in one unit of presentation. The capacity of the unit of presentation may be larger than this.	

Code Value	Code Meaning	Definition	Notes
130222	Imaging Agent Administration Consumable	Information about the Imaging Agent accessory or consumable used for performing the Imaging Agent administration.	
130223	Imaging Agent Administration Consumable Type	Type of consumable used for performing the Imaging Agent administration.	
130224	Consumable is New	If the consumable is installed newly during the preparation process for this Imaging Agent Administration.	
130226	Planned Imaging Agent Administration	Information about the Imaging Agent administration steps that is patient-specific.	
130227	Performed Imaging Agent Administration	Information about the Imaging Agent administration steps that were delivered to a patient.	
130228	Contrast Volume Limit	The maximum volume of contrast agent allowed to be administered. This is typically specified by the prescribing health care professional for patient safety and quality purposes.	
130229	Flow Rate vs Time	Graph depicting the measurement of flow rate of fluid against time.	
130230	Pressure vs Time	Graph depicting the measurement of pressure of fluid against time.	
130231	Barcode Value	The alphanumeric string from reading a barcode.	
130232	Imaging Agent Administration Graph	Information about two-dimensional graph data for a syringe or pump.	
130233	Imaging Agent Administration Injector Events	Information about events that occurred at an injector during an Imaging Agent administration.	
130234	Imaging Agent Administration Injector Event Type	Type of event that occurred at an injector during an Imaging Agent administration.	
130235	Injector Event Detection DateTime	Date and time when an injector event was detected.	
130236	Planned Imaging Agent Administration SOP Instance	Reference to a Planned Imaging Agent Administration SOP instance.	
130237	Imaging Agent Administration Syringe/Pump Phase Activity	Information about the activity of one of the pump or syringe units used in an Imaging Agent administration phase.	
130238	Imaging Agent Component	Information about a component of an Imaging Agent.	
130239	Component Volume	Volume of one agent component in a mixture of multiple components.	
130240	Total Phase Volume Administered	Total volume administered by all syringes/pump actions during a single phase.	
130241	Total Step Volume Administered	Total volume administered by all syringes/pump actions within all phases during a single Step.	
130242	Total number of manually triggered injections	Total number of times that an injection was triggered manually.	
130244	Peak Flow Rate in Phase Activity	Peak flow rate value detected at a specific location (syringe or pump) during a specific activity of an administration phase.	
130245	Peak Pressure in Phase Activity	Peak pressure value detected at a location (syringe or pump) during a single administration phase activity.	

Code Value	Code Meaning	Definition	Notes
130246	Imaging Agent Administration Performed Step UID	Unique identification of a single performed Imaging Agent administration step actually delivered on a specific occasion	
130247	Patency Test Injection	An injection of an inactive agent to test for blockages or leakages in the delivery path, usually performed prior to an administration of an imaging or therapeutic agent.	
130248	Transit Time Test Injection	An injection of a bolus of Imaging Agent to determine the appropriate delay time for a diagnostic administration.	
130249	Diagnostic Administration	Administration of an Imaging Agent for the purpose of enhancing contrast in an image.	
130250	Administration Step Type	Type of step in an Imaging Agent administration. For example, a test administration or a diagnostic administration.	
130251	Flush Administration	Injection of an inactive fluid to clear the administration path of an active agent.	
130252	Negative exponential	A curve that decays exponentially from a specified start value, at a specified decay rate.	
130253	Linear Curve	A curve that changes linearly from a specified start value to a specified end value. Note Note: The start value and the end value may be the same, indicating a flat curve.	
130254	Imaging Agent Identifier	Identifies an Imaging Agent uniquely within a set of Imaging Agents. The Imaging Agent may be a single component or a mix of multiple components.	
130255	Referenced Imaging Agent Identifier	The identifier of an Imaging Agent being referenced.	
130257	Consumable Catheter Type	Type of catheter used for Imaging Agent administration.	
130259	Contrast Reaction Prophylactic Agent	A pharmaceutical agent administered as a pre-medication to prevent contrast reactions.	
130261	Imaging Agent Administration Performed Phase UID	Unique identification of a single Imaging Agent administration performed phase.	
130262	Referenced Imaging Agent Administration Phase UID	The unique identifier of the Imaging Agent administration performed phase being referenced	
130300	Skin of paraspinal area of the neck	Structure of skin of paraspinal area of the neck.	
130301	Skin of paraspinal area of the superior back	Structure of skin of paraspinal area of the superior back.	
130302	Skin of upper paraspinal region	Structure of skin of upper paraspinal region.	
130303	Skin of mid paraspinal region	Structure of skin of mid paraspinal region.	
130304	Skin of lower paraspinal region	Structure of skin of lower paraspinal region.	
130305	Skin of anterior helix of ear	Structure of skin of anterior helix of ear.	
130306	Skin of caruncle of eye	Structure of skin of caruncle of eye.	
130307	Skin of inferior helix of ear	Structure of skin of inferior helix of ear.	
130308	Skin of inferior posterior surface of the pinna	Structure of skin of inferior posterior surface of the pinna.	
130309	Skin of lateral part of dorsum of foot	Structure of skin of lateral part of dorsum of foot.	

Code Value	Code Meaning	Definition	Notes
130310	Skin of lower antihelix of ear	Structure of skin of lower antihelix of ear.	
130311	Skin of lower eyelid margin	Structure of skin of lower eyelid margin.	
130312	Skin of infraalar groove	Structure of skin of infraalar groove.	
130313	Skin of medial part of dorsum of foot	Structure of skin of medial part of dorsum of foot.	
130314	Skin of paranasal cheek	Structure of skin of paranasal cheek.	
130315	Skin of posterior helix of ear	Structure of skin of posterior helix of ear.	
130316	Skin of posterior lobule of the ear	Structure of skin of posterior lobule of the ear.	
130317	Skin of sole of forefoot	Structure of skin of sole of forefoot.	
130318	Skin of superior antihelix of ear	Structure of skin of superior antihelix of ear.	
130319	Skin of superior posterior helix of ear	Structure of skin of superior posterior helix of ear.	
130320	Skin of superior posterior surface of the pinna	Structure of skin of superior posterior surface of the pinna.	
130321	Skin of upper antihelix of ear	Structure of skin of upper antihelix of ear.	
130322	Skin of upper eyelid margin	Structure of skin of upper eyelid margin.	
130323	Skin of mid back	Structure of skin of mid back.	

E French Language Meanings of Selected Codes Used in the DCMR (Normative)

This Annex defines the French language code meanings for selected codes used in the DCMR.

Table E-1. French Language Meanings of Selected Codes

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
BI	3.0	II.AC.a	0 - Need additional imaging evaluation	0. L'évaluation nécessite des compléments d'imagerie
BI	3.0	II.AC.b.1	1 - Negative	1. Négatif
SRTSCT		F- 12977200401781	1 o'clock position	Situé à 1 heure
SRTSCT		F- 1297810050178A	10 o'clock position	Situé à 10 heures
SRTSCT		F- 1297820030178B	11 o'clock position	Situé à 11 heures
SRTSCT		F- 1297830080178C	12 o'clock position	Situé à 12 heures
BI	3.0	II.AC.b.2	2 - Benign Finding	2. Constatations bénignes
SRTSCT		F- 12977300901782	2 o'clock position	Situé à 2 heures
BI	3.0	II.AC.b.3	3 - Probably Benign Finding - short interval follow-up	3. Anomalie probablement bénigne - proposition d'une surveillance à court terme
SRTSCT		F- 12977400301783	3 o'clock position	Situé à 3 heures
BI	3.0	II.AC.b.4	4 - Suspicious abnormality, biopsy should be considered	4. Anomalie suspecte, une biopsie doit être envisagée
SRTSCT		F- 12977500201784	4 o'clock position	Situé à 4 heures
BI	3.0	II.AC.b.5	5 - Highly suggestive of malignancy, take appropriate action	5. Haute probabilité de malignité, une action appropriée doit être entreprise
SRTSCT		F- 12977600101785	5 o'clock position	Situé à 5 heures
SRTSCT		F- 12977700501786	6 o'clock position	Situé à 6 heures
SRTSCT		F- 12977800001787	7 o'clock position	Situé à 7 heures
SRTSCT		F- 12977900801788	8 o'clock position	Situé à 8 heures
SRTSCT		F- 12978000601789	9 o'clock position	Situé à 9 heures
DCM		112063	Abnormal calcifications	Calcifications anormales
DCM		112028	Abnormal Distribution of Anatomic Structure	Distribution anormale des structures anatomiques
DCM		112004	Abnormal interstitial pattern	Opacité interstitielle
DCM		112061	Abnormal lines (1D)	Lignes anormales (1D)
DCM		112062	Abnormal lucency	Clarté anormale
DCM		112033	Abnormal opacity	Opacité anormale

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112064	Abnormal texture	Texture anormale Note If the term refers to a localized lesion use "Texture anormale" but if the term refers to the entire lung it is more appropriate to use "Trame anormale".
SRTSCT		M- 4413200641610	Abscess	Abcès
DCM		112146	Acinar	Acinaire
DCM		112036	ACR Position Statement	Position de l'ACR
SRTSCT		T- 8585600415420	Acromioclavicular Joint	Articulation acromioclaviculaire
SRTSCT		T- 3193400612281	Acromion process of scapula	Acromion
SRTSCT		R- 373933003424BE	Acute onset	Aigu
DCM		121078	Addendum	Addendum
DCM		111135	Additional projections	Incidence complémentaire
SRTSCT		M- 1167100082003	Adenoid cystic carcinoma	Carcinome adénoïde kystique (cylindrome)
SRTSCT		M- 2202400583240	Adenolipoma	Adénolipome
SRTSCT		M- 3204800681400	Adenoma	Adénome
SRTSCT		M- 12876500989830	Adenomyoepithelioma	Adénomyoépithéliome
SRTSCT		M- 5759700874200	Adenosis	Adénose
SRTSCT		G- 49530007A127	Afferent	Afférent
DCM		112055	Agatston scoring method	Score de calcification coronaire par la méthode d'Agatston
DCM		112143	Air	Air
DCM		112070	Air bronchiogram	Bronchiogramme aérique
DCM		112071	Air bronchogram	Bronchogramme aérique
DCM		112072	Air crescent	Croissant aérique
DCM		112147	Air space	Espace aérique
DCM		112104	Air-fluid level	Niveau hydro-aérique
SRTSCT		F- 7617100120240	Air-trapping	Piégeage
SRTSCT		T- 8918700620001	Airway structure	Structure des voies aériennes
DCM		111001	Algorithm Name	Nom de l'algorithme
DCM		111002	Algorithm Parameters	Paramètres de l'algorithme
DCM		111003	Algorithm Version	Version de l'algorithme
DCM		111242	All algorithms succeeded; with findings	Tous les algorithmes ont réussi; avec élément découvert
DCM		111241	All algorithms succeeded; without findings	Tous les algorithmes ont réussi; sans élément découvert
SRTSCT		F- 12971600501711	Almost entirely fat	Presque entièrement graisseux
SRTSCT		G- 57183005A174	Along edge	Au bord

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		F- 1297600050176G	Amorphous calcification	Calcification amorphe
SRTSCT		M- 3727900955160	Amyloid (tumor)	(Tumeur) amyloïde
DCM		111004	Analysis Performed	Analyse effectuée
DCM		112050	Anatomic Identifier	Identificateur anatomique
SRTSCT		F- 5184500010326	anatomical	Anatomique
SRTSCT		M- 7321900688610	Angiolipoma	Angiolipome
SRTSCT		M- 1435000276100	Angiomatosis	Angiomatose
SRTSCT		M- 3900000991203	Angiosarcoma	Angiosarcome (hémangiosarcome)
SRTSCT		T- 1451000411307	Angle of rib	Angle de la côte
SRTSCT		R- 255549009404CG	Anterior	Antérieur
DCM		112088	Anterior junction line	Ligne médiastinale antérieure
SRTSCT		T- 2227000828630	Anterior segment of left upper lobe	Segment antérieur du lobe supérieur gauche
SRTSCT		T- 3974300628230	Anterior segment of right upper lobe	Segment antérieur du lobe supérieur droit
SRTSCT		G- 37197008A180	Anterolateral	Antéro-latéral
DCM		111141	Any decision to biopsy should be based on clinical assessment	Une éventuelle décision de biopsie doit être basée sur l'évaluation clinique
SRTSCT		T- 1582500342000	Aorta	Aorte
SRTSCT		T- 5703400942300	Aortic arch	Crosse de l'aorte
SRTSCT		T- 8859300442310	Aortic isthmus	Isthme aortique
DCM		112102	Aortic knob	Bouton aortique
SRTSCT		T- 3420200735400	Aortic Valve	Valve aortique
SRTSCT		G- 43674008A122	Apical	Apical
SRTSCT		G- 43674008A122	Apical	Apical
SRTSCT		M- 5714100084013	Apocrine adenocarcinoma	Carcinome apocrine
SRTSCT		M- 8127400973310	Apocrine Metaplasia	Métaplasie apocrine
DCM		112103	Arch of the Azygos vein	Crosse de la veine Azygos
SRTSCT		T- 4026500211511	Arch of vertebra	Arc vertébral
DCM		112079	Architectural distortion	Modification des rapports anatomiques
SRTSCT		F- 12979200601795	Architectural distortion of breast	Distorsion architecturale du sein
SRTSCT		G- 42798000A166	Area	Surface
SRTSCT		G- 131184002A16A	Area of defined region	Surface de la région définie
DCM		121056	Area Outline	Tracé de la surface
DCM		111215	Artifact(s) other than grid or detector artifact	Artéfacts autres qu'artéfacts de grille ou du détecteur
SRTSCT		T- 5424700242100	Ascending aorta	Aorte thoracique ascendante
DCM		111005	Assessment Category	Catégorie d'évaluation
DCM		112003	Associated Chest Component	Structure anatomique du thorax
SRTSCT		F- 12979000301793	Asymmetric breast tissue	Tissu mammaire asymétrique

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		P5- 133889002B3412	Asymmetric breast tissue analysis	Analyse de l'asymétrie du tissu mammaire
SRTSCT		F- 1309630028A063	Asynchronous involution of breast	Involution asynchrone du sein
SRTSCT		D4- 7014200831220	Atrial Septal Defect	Communication inter atriale
SRTSCT		T- 5965200432100	Atrium	Atrium ou Oreillette
SRTSCT		J- 405279007005E8	Attending (syn. Consultant)	Consultant
DCM		112031	Attenuation Coefficient	Coefficient d'atténuation
SRTSCT		M- 666000072175	Atypical intraductal hyperplasia	Hyperplasie intracanaulaire atypique
SRTSCT		M- 3388900372105	Atypical lobular hyperplasia	Hyperplasie lobulaire atypique
SRTSCT		G- 24422004A147	Axial	Axial
SRTSCT		F- 12979100401794	Axilla position	Situation axillaire
BI	3.0	I.E.6	Axillary adenopathy	Adénopathie axillaire
SRTSCT		T- 6793700347100	Axillary Artery	Artère axillaire
SRTSCT		T- 36853600018774	Axillary Fascia	Fascia axillaire
DCM		111301	Axillary nodal metastases	Métastases ganglionnaires axillaire
DCM		111253	Axillary node hyperplasia	Hyperplasie dans ganglion axillaire
DCM		111252	Axillary node with calcifications	Ganglion axillaire avec calcifications
DCM		111300	Axillary node with lymphoma	Lymphome dans ganglion axillaire
SRTSCT		R- 399011000102D1	Axillary Tail	Prolongement axillaire
SRTSCT		F- 1297850010178E	Axillary tail position	Situé dans le prolongement axillaire du sein
SRTSCT		T- 6870500849110	Axillary vein	Veine axillaire
DCM		112090	Azygoesophageal recess interface	Ligne para-azygo-oesophagienne
SRTSCT		T- 7210700448340	Azygos vein	Grande veine Azygos
SRTSCT		G- 57195005A123	Basal	Basal
DCM		111307	Basal cell carcinoma of the nipple	Carcinome basocellulaire du mamelon
DCM		121079	Baseline	Référence
DCM		112016	Baseline Category	Catégorie à T0
DCM		112154	Bat's wing distribution	Aspect en aile de papillon Note In France, the two concepts as described in Annex D 112154 and 112155 are not distinguished. For this reason both "Bat's wing" and "Butterfly distribution" have a code meaning of "Aspect en aile de papillon".
SRTSCT		A- 10237800932475	BB shot (Lead Pellet)	Marque de plomb (Grain de plomb)
DCM		112066	Beaded septum sign	Septa perlés
DCM		111256	Benign Calcifications	Calcifications bénignes

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		111255	Benign cyst with blood	Kyste bénin hémorragique
SRTSCT		D7- 92248004F0810	Benign neoplasm of nipple of female breast (Nipple adenoma)	Adénomatose (papillomatose) érosive du mamelon
DCM		121080	Best illustration of finding	Meilleure illustration des résultats
DCM		112049	Best Overall Response	La meilleure réponse
SRTSCT		G- 51440002A102	Bilateral	Bilatéral
DCM		111143	Biopsy should be considered	Une biopsie doit être envisagée
DCM		111148	Biopsy should be strongly considered	Une biopsie doit être absolument envisagée
DCM		111303	Blood vessel (vascular) invasion	Embole vasculaire
SRTSCT		T- 5250900911220	Body of sternum	Corps du sternum
DCM		112007	Border definition	Définition des bords
DCM		112015	Border shape	Forme des bords
SRTSCT		T- 6376200704080	Both breasts	Les deux seins
SRTSCT		T- 1713700047160	Brachial artery	Artère brachiale
SRTSCT		T- 36582005A9090	Brachial plexus	Plexus brachial
SRTSCT		T- 1269100946010	Brachiocephalic trunk	Tronc artériel brachio-céphalique
SRTSCT		T- 888700748620	Brachiocephalic vein	Tronc veineux brachio-céphalique
SRTSCT		T- 7675200804000	Breast	Sein
SRTSCT		F- 12971500901710	Breast composition	Composition du sein (des seins)
SRTSCT		P5- 133890006B3414	Breast composition analysis	Analyse de la composition du sein (des seins)
DCM		111100	Breast geometry	Morphologie du sein (des seins)
SRTSCT		D7- 670300690428	Breast lobular hyperplasia	Hyperplasie lobulaire mammaire
DCM		111007	Breast Outline including Pectoral Muscle Tissue	Limites du sein incluant le muscle pectoral
SRTSCT		T- 7675200804000	Breast	Sein
SRTSCT		R- 26106100340939	Bronchial	Bronchique
SRTSCT		T- 6446800246310	Bronchial artery	Artère bronchique
DCM		112052	Bronchovascular	Broncho-vasculaire
SRTSCT		T- 95500926000	Bronchus	Bronche
SRTSCT		A- 8612200232110	Bullet	Balle
DCM		112155	Butterfly distribution	Aspect en ailes de papillon
DCM		111017	CAD Processing and Findings Summary	Résumé du traitement et des résultats du système de DAO
SRTSCT		F- 12976900601775	Calcification Cluster	Foyer de microcalcifications
DCM		112030	Calcification Descriptor	Descripteur des calcifications
DCM		111008	Calcification Distribution	Distribution des calcifications
DCM		112018	Calcification extent as percent of surface	% de surface calcifiée
DCM		112019	Calcification extent as percent of volume	% de volume calcifié

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		111009	Calcification Type	Type de calcification
SRTSCT		F- 12975700301769	Calcified skin of breast	Calcification cutanée
SRTSCT		F- 1297580080176A	Calcified suture material	Fils de suture calcifiés
DCM		112145	Calcium	Calcium
DCM		112058	Calcium score	Score de calcification
DCM		112034	Calculation Description	Description du calcul
SRTSCT		G- 11070000A171	Capsular	Capsulaire
DCM		111304	Carcinoma in children	Carcinome de l'enfant
DCM		111305	Carcinoma in ectopic breast	Carcinome sur glande mammaire ectopique
DCM		111310	Carcinoma in pregnancy and lactation	Carcinome au cours de la grossesse et de la lactation
SRTSCT		D7- 92652009F0902	Carcinoma in situ of male breast	Carcinome de l'homme
DCM		111306	Carcinoma with endocrine differentiation	Carcinome avec différenciation endocrine
SRTSCT		M- 2269400285733	Carcinoma with metaplasia	Carcinome métaplasique
SRTSCT		M- 6326400789803	Carcinosarcoma	Carcinosarcome
SRTSCT		A- 360129009040CB	Cardiac pacemaker lead	Electrode de pace-maker cardiaque
SRTSCT		T- 2870000225201	Carina	Carène
DCM		112086	Carina angle	Angle carinaire
SRTSCT		T- 51345006B4000	Carotid Body	Corpuscule carotidien
DCM		111309	Cartilaginous and osseous change	Métaplasie cartilagineuse ou osseuse
SRTSCT		A- 1992300126800	Catheter	Cathéter
SRTSCT		G- 3583002A108	Caudal	Caudal
SRTSCT		G- 3583002A108	Caudal	Caudal
SRTSCT		R- 39919600610244	caudo-cranial (from below)	Face caudo-craniale
DCM		112017	Cavity extent as percent of volume	Taille de la cavité en % du volume
DCM		111203	CC Nipple not centered on image	Cranio-caudal: mamelon non centré sur l'image
DCM		111202	CC Not all medial tissue visualized	Cranio-caudal: le tissu interne n'est pas totalement visible
DCM		111204	CC Posterior nipple line does not measure within 1 cm of MLO	Cranio-caudal: longueur de la ligne rétroaréolaire sur la face plus courte de plus d'un centimètre que sur l'oblique
DCM		111010	Center	Centre
UCUM		cm	centimeter	Centimètre
SRTSCT		G- 26216008A110	Central	Central
SRTSCT		G- 26216008A110	Central	Central
DCM		112174	Central line	Cathéter central
SRTSCT		F- 1297860000178F	Central portion of breast position	Situé dans la partie centrale du sein

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112156	Centrilobular	Centro-lobulaire
DCM		112087	Centrilobular structures	Structures centro-lobulaires
SRTSCT		G- 66787007A107	Cephalic	Céphalique
DCM		111011	Certainty of Feature	Certitude concernant la caractéristique
DCM		111012	Certainty of Finding	Certitude concernant le résultat
DCM		111013	Certainty of Impression	Certitude concernant l'impression
SRTSCT		A- 6356200512210	Cervical collar	Minerve
DCM		112000	Chest CAD Report	Compte-rendu de la DAO du thorax
DCM		112173	Chest tube	Drain thoracique
SRTSCT		T- 78904004D3050	Chest wall	Paroi thoracique
SRTSCT		M- 3118600192200	Chondroma	Chondrome
SRTSCT		M- 1499000792203	Chondrosarcoma	Chondrosarcome
SRTSCT		T- 10229800135020	Chordae tendineae cordis	Cordage
SRTSCT		G- 90734009A270	Chronic	Chronique
SRTSCT		M- 7455100092560	Circumference	Circonférence
DCMSCT		112142263706005	Circumscribed	Circonscriit
SRTSCT		F- 12973800701741	Circumscribed lesion	Lésion circonscrite (bien définie ou à contour net)
SRTSCT		T- 5129900412310	Clavicle	Clavicule
SRTSCT		T- 7531900711219	Clavicular notch of sternum	Incisure claviculaire du sternum
SRTSCT		R- 399161006102D2	Cleavage	Sillon inter-mammaire
SRTSCT		A- 7772000012062	Clip	Clip
DCM		111014	Clockface or region	Quadrant ou région
DCM		112157	Coalescent	Confluent
SRTSCT		F- 12974900101761	Coarse (popcorn-like) calcification	Grossière (en popcorn ou coralliforme)
DCM		112178	Coin	Pièce de monnaie
SRTSCT		F- 30868900220172	Coin lesion	Lésion nodulaire
DCM		111195	Collimation too close to breast	Collimation trop proche du sein
SRTSCT		A- 2287610040110F	Collimator	Collimateur
SRTSCT		M- 7819700485012	Comedocarcinoma (intraductal)	Carcinome intracanalair de type comédo
SRTSCT		T- 3206200445100	Common carotid artery	Artère carotide commune
DCM		111015	Composite Feature	Caractéristique composite
DCM		112023	Composite Feature Modifier	Modificateur lié à une anomalie à caractéristiques composites
DCM		111016	Composite type	Type composite
DCM		110004	Computer Aided Detection	Système de Détection Assistée par Ordinateur
DCM		110003	Computer Aided Diagnosis	Système de Diagnostic Assisté par Ordinateur

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		121077	Conclusion	Conclusion
DCM		121076	Conclusions	Conclusions
DCM		111018	Content Date	Date du contenu
DCM		111019	Content Time	Heure du contenu
SRTSCT		G- 7140000B0300	Contrast agent NOS	Produit de contraste
SRTSCT		T- 893100312282	Coracoid process of scapula	Apophyse coracoïde
DCM		112105	Corona radiata	Couronne radiaire
SRTSCT		G- 81654009A138	Coronal	Coronal
SRTSCT		T- 5001600711240	Costal Cartilage	Cartilage costal
SRTSCT		T- 1739900611308	Costal groove	Sillon de la côte
SRTSCT		T- 315900446180	Costocervical trunk	Tronc cervico-thoracique
SRTSCT		G- 3583002A108	Cranial-caudal	Tête-pieds
SRTSCT		G- 3583002A108	Cranio-caudal	Cranio-caudal
SRTSCT		R- 39916200410242	cranio-caudal	Face
SRT		Y-X1770	cranio-caudal exaggerated laterally	Face exagérée externe
SRT		Y-X1771	cranio-caudal exaggerated medially	Face exagérée interne
LN		18747-6	CT Report	Compte rendu TDM
UCUM		cm3	Cubic centimeter	Centimètre cube
UCUM		dm3	Cubic decimeter	Décimètre cube
UCUM		um3	Cubic micrometer	Micromètre cube
UCUM		mm3	Cubic millimeter	Millimètre cube
SRTSCT		F- 3410800110410	curled-up	En chien de fusil
LN		55111-9	Current Procedure Descriptions	Description de la procédure en cours
DCM		112048	Current Response	Réponse actuelle
SRTSCT		D7- 39929400290035	Cyst of breast	Kyste du sein
DCM		111147	Cytologic analysis	Analyse cytologique
DCM		111193	Date sticker is missing	L'étiquette de date est absente
UCUM		d	Day	Jour
SRTSCT		F- 12972700701727	Decrease in number of calcifications	Diminution du nombre de calcifications
SRTSCT		M- 1977600102530	Decrease in size	Diminution de taille
SRTSCT		G- 795002A140	Deep	Profond
SRTSCT		T- 3525900213660	Deltoid muscle	Muscle deltoïde
DCM		112118	Density	Densité
				Note
				Typically used with chest CT
SRTSCT		F- 12979300101796	Mammography breast density	Opacité mammaire à la mammographie

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112119	Dependent opacity	Opacité déclive
SRTSCT		G- 131197000D785	Depth	Profondeur
DCM		111020	Depth	Profondeur
DCM		121401	Derivation	Méthode de calcul
SRTSCT		F- 281130003D0765	Descending aorta	Aorte thoracique descendante
DCM		111021	Description of Change	Description des modifications
DCM		111022	Detection Performed	Détection effectuée
DCM		111214	Detector artifact(s)	Artéfacts du détecteur
DCM		111259	Diabetic fibrous mastopathy	Mastopathie diabétique
SRTSCT		M- 8182700902550	Diameter	Diamètre
SRTSCT		G- 131192006A198	Diameter of circumscribed circle	Diamètre du cercle circonscrit
SRTSCT		F- 5798000D3400	Diaphragm	Diaphragme
DCM		110011	Dictation	Dictée
DCM		112166	Difference in border definition	Modification de la netteté des bords
DCM		112165	Difference in border shape	Modification de la forme des bords
DCM		112167	Difference in distribution	Modification de la distribution
SRTSCT		F- 129808005047B3	Difference in location	Différence de localisation
SRTSCT		F- 44272600805179	Difference in location	Différence de localisation
SRTSCT		F- 129812004047B7	Difference in margin	Différence de contours
SRTSCT		F- 129810007047B5	Difference in number of calcifications	Différence du nombre de calcifications
SRTSCT		F- 129807000047B2	Difference in opacity	Différence d'opacité
SRTSCT		F- 129811006047B6	Difference in shape	Différence de forme
DCM		112168	Difference in site involvement	Modification du siège des lésions
SRTSCT		F- 129806009047B1	Difference in size	Différence de taille
SRTSCT		F- 44271400305173	Difference in size	Différence de taille
SRTSCT		F- 129809002047B4	Difference in spatial proximity	Différence de proximité dans l'espace
SRTSCT		F- 129813009047B8	Difference in symmetry	Différence de symétrie
DCM		112170	Difference in Texture	Modification de texture
DCM		112169	Difference in Type of Content	Modification du contenu
DCM		111023	Differential Diagnosis/Impression	Diagnostic différentiel/Impression
SRTSCT		G- 19648000A324	Diffuse	Diffus
SRTSCT		F- 12976400104770	Diffuse calcification distribution	Calcifications diffuses(disséminées)
SRTSCT		M- 255282008020FA	Discoïd	Discoïde
SRTSCT		G- 65709003A324	Disseminated	Disséminé
SRTSCT		G- 46053002A149	Distal	Distal
DCM		121206	Distance	Distance
DCM		112138	Distinctly defined	Distincts les uns des autres
DCM		112006	Distribution Descriptor	Descripteur de la distribution
DCM		113011	Document Title Modifier	Modificateur du titre du document

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		R- 255551008404CE	Dorsal	Dorsal
SRTSCT		T- 5169800012287	Dorsal aspect of scapula	Corps de l'omoplate
SRTSCT		T- 91732003461A0	Dorsal scapular artery	Artère scapulaire postérieure
DCM		111258	Ductal adenoma	Adénome ductal
SRTSCT		M- 6761700072170	Ductal hyperplasia, Usual	Hyperplasie canalaire
SRTSCT		P5- 1810200140060	mammary ductogram	Galactographie
SRTSCT		F- 12975000101762	Dystrophic calcification	Dystrophique
SRTSCT		D4- 189600448014	Ectopic (accessory) breast tissue	Tissu mammaire ectopique (glande mammaire accessoire)
SRTSCT		M- 7965400236300	Edema	Oedème
SRTSCT		G- 57183005A174	Edge	Bord
SRTSCT		G- 33843005A128	Efferent	Efférent
SRTSCT		F- 12975100201763	Eggshell calcification	En coquille d'oeuf
DCM		111217	Electrical failure	Défaillance électrique
DCM		112134	Elliptic	Elliptique
SRTSCT		A- 2641200825350	Endotracheal tube	Tube endotrachéal
SRTSCT		R- 26037600940750	Enlarged	Augmenté de taille
SRTSCT		M- 41967000333415	Epidermal inclusion cyst	Kyste épidermique
SRTSCT		F- 12974500701752	Equal density (isodense) lesion	Lésion de densité identique (isodense)
NCIt		C86043	erect	Debout
SRTSCT		T- 4494700314020	Erector spinae muscle	Muscles érecteurs du rachis
SRTSCT		T- 2060340084630D	Esophageal artery	Artère oesophagienne
SRTSCT		T- 280062008D3412	Esophageal Hiatus	Hiatus oesophagien
SRTSCT		T- 3284900256000	Esophagus	Oesophage
SRTSCT		R- 41413500210260	Estimated	Estimé
SRTSCT		R- 399265009102GF	exaggerated cranio-caudal	Face exagérée
SRTSCT		R- 26107400940941	External	Externe
SRTSCT		T- 5396700714161	External intercostal muscle	Muscle intercostal externe
SRTSCT		M- 4728400188211	Extra abdominal desmoid	Tumeur desmoïde extraabdominale
SRTSCT		G- 87687004A151	Extra-articular	Extra-articulaire
SRTSCT		F- 12971900301714	Extremely dense	Très dense
DCM		112131	Extremely small	Extrêmement petit
DCM		111224	Failed	Echec
DCM		111024	Failed Analyses	Échec des analyses
DCM		111025	Failed Detections	Échec des détectations
SRTSCT		T- 120576005D0634	Fascial layer	Fascia
SRTSCT		T- 256674009D008A	Fat	Graisse
SRTSCT		F- 12974700401754	Fat containing (radiolucent) lesion	Lésion contenant de la graisse (radiotransparent)
SRTSCT		D7- 2138100690434	Fat necrosis of breast	Cytostéatonecrose mammaire

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		111159	Feature detected on images from multiple modalities	Caractéristique détectée sur les images provenant de plusieurs modalités
DCM		111158	Feature detected on multiple images	Caractéristique détectée sur plusieurs images
DCM		111157	Feature detected on only one of the images	Caractéristique détectée sur une seule des images
DCM		111156	Feature detected on the only image	Caractéristique détectée sur la seule image
SRTSCT		A- 2506200326430	Feeding tube	Sonde d'alimentation
DCM		F	female	Femme
DCM		111264	Fibroadenolipoma	Adénofibrolipome
SRTSCT		M- 6587700690400	Fibroadenoma	Fibroadénome
DCM		111263	Fibroadenomatoid hyperplasia	Hyperplasie fibro-adénomatoïde
DCM		112163	Fibrocalcific	Fibrocalcique
SRTSCT		D7- 2743100790340	Fibrocystic disease of breast	Dysplasie fibrokystique du sein
SRTSCT		M- 1992800578800	Fibromatosis	Fibromatose
DCM		112148	Fibronodular	Fibro-nodulaire
SRTSCT		M- 5365400788403	Fibrosarcoma	Fibrosarcome
DCM		112171	Fiducial mark	Point de repère
DCM		110010	Film	Film
DCM		121071	Finding	Résultat
SRTSCT		F- 12972200104722	Finding partially removed	Exérèse partielle de l'élément
DCM		121070	Findings	Résultats
SRTSCT		F- 1297610090476D	Fine, linear (casting) calcification	Calcification fine linéaire (vermiculaire)
SRTSCT		F- 1297620020476E	Fine, linear, branching (casting) calcification	Calcification fine linéaire, arborisée (ramifiée)
SRTSCT		F- 278983006D054D	Fissure of lung	Scissure
DCM		111191	Flash doesn't include cassette/screen/detector identification	Le marquage n'indique pas l'identifiant de cassette/écran/détecteur
DCM		111188	Flash doesn't include date of examination	Le marquage n'indique pas la date de l'examen
DCM		111189	Flash doesn't include facility name and location	Le marquage n'indique ni le nom de l'établissement ni son adresse
DCM		111192	Flash doesn't include mammography unit identification	Le marquage n'indique pas l'identifiant du mammographe
DCM		111187	Flash doesn't include patient name and additional patient id	Le marquage n'indique ni le nom du patient ni son identifiant.
DCM		111186	Flash is illegible, does not fit, or is lopsided	Le marquage est illisible, mal positionné ou de travers
DCM		111185	Flash is not near edge of film	Le marquage n'est pas au bord du film

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112107	Fleischner's line(s)	Ligne(s) de Fleischner
DCM		112164	Flocculent	Floconneux
DCM		112149	Fluffy	Flou Note The word-to-word translation of "Fluffy" is "Duveteux", but this term is never used. For tissues, the translation must be "Floconneux" but this term is only used for calcifications (Flocculent = Floconneux) in CID 6132 "Chest Calcification Descriptor". We retained "Flou" (in English, "Fuzzy") as the most appropriate meaning.
SRTSCT		G- 87017008A351	Focal	Localisé
SRTSCT		F- 12978900701792	Focal asymmetric breast tissue	Asymétrie focale du tissu mammaire
SRTSCT		P5- 133888005B3410	Focal asymmetric density analysis	Analyse de l'asymétrie de densité focale
SRTSCT		M- 4555900178266	Focal fibrosis	Fibrose focale
DCM		111142	Follow-up at short interval (1-11 months)	Surveillance à court terme (1-11 mois)
DCM		113005	For Conference	Pour une conférence
DCM		113007	For Patient	Pour le patient
DCM		113008	For Peer Review	Pour relecture par un pair
DCM		113002	For Referring Provider	Pour le référent
DCM		113009	For Research	Pour la recherche
DCM		113003	For Surgery	Pour la chirurgie
DCM		113004	For Teaching	Pour l'enseignement
DCM		113006	For Therapy	Pour la thérapeutique
SRTSCT		M- 3705800244140	Foreign body (reaction)	Réaction à corps étranger
SRTSCT		M- 1922700830400	Foreign material (iodized oil, mercury,talc)	Corps étranger (lipiodol, mercure,talc)
SRTSCT		F- 3429600310380	frog	Position de la grenouille
SRTSCT		G- 81654009A138	Frontal	Frontal
SRTSCT		D7- 4238500690364	Galactocoele	Galactocèle
SRTSCT		G- 60132005A366	Generalized	Généralisé
SRTSCT		M- 3488200090160	Giant fibroadenoma	Adénofibrome géant
SRTSCT		T- 463850091228A	Glenoid cavity of scapula	Cavité glénoïde
SRTSCT		M- 7428000883153	Glycogen-rich carcinoma	Carcinome riche en glycogène
SRTSCT		M- 1216900195800	Granular cell tumor	Tumeur à cellules granuleuses

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112128	Granular pattern	Aspect micronodulaire
DCM		111208	Grid artifact(s)	Artéfact(s) de grille
DCM		112120	Ground glass opacity	Opacité en verre dépoli
SRTSCT		F- 12976600401772	Grouped calcification distribution	Calcification groupées (ou en foyer)
SRTSCT		G- 68493006A169	Gutter	Gouttière
SRTSCT		D7- 475400890420	Gynecomastia	Gynécomastie
DCM		112073	Halo sign	Signe du halo
SRTSCT		M- 5139800975500	Hamartoma	Hamartome
SRTSCT		T- 1287200641304	Head of rib	Tête de le côte
SRTSCT		T- 8089100932000	Heart	Coeur
SRTSCT		A- 2551000504110	Heart valve prosthesis	Prothèse valvulaire
SRTSCT		M- 209900791200	Hemangioma	Hémangiome
SRTSCT		D3- 93473009F0620	Hemangioma of subcutaneous tissue	Hémangiome des tissus sous-cutané
SRTSCT		M- 5646800291220	Hemangioma - venous	Hémangiome veineux
SRTSCT		M- 3606000591504	Hemangiopericytoma	Hémangiopéricytome
SRTSCT		M- 3556600235060	Hematoma	Hématome
SRTSCT		F- 1297630070176F	Heterogeneous calcification	Calcification punctiforme irrégulière (polymorphe, hétérogène)
SRTSCT		F- 12971800601743	Heterogeneously dense	Dense et hétérogène
DCM		112095	Hiatus	Hiatus
SRTSCT		F- 12974400601754	High density lesion	Lésion de forte densité
DCM		111149	Highly suggestive of malignancy - take appropriate action	Haute probabilité de malignité - une action appropriée doit être entreprise
SRTSCT		G- 32381004A170	Hilar	Hilaire
SRTSCT		T- 4675000728080	Hilum of lung	Hile pulmonaire
SRTSCT		G- 32381004A170	Hilus	Hile
DCM		111145	Histology using core biopsy	Histologie par biopsie à l'aiguille
LN		11329-0	History	Antécédents
SRTSCT		M- 1453700296503	Hodgkin's disease (lymphoma)	Maladie de Hodgkin
DCM		112160	Homogeneous (uniform opacity)	Homogène (opacité uniforme)
DCM		112106	Honeycomb pattern	Aspect en rayon de miel
SRTSCT		G- 24020000A142	Horizontal	Horizontal
SRTSCT		G- 24020000A142	Horizontal	Horizontal
DCM		111026	Horizontal Pixel Spacing	Espacement horizontal des pixels
UCUM		h	hour	Heure
SRTSCT		T- 8505000942410	Humerus	Humérus
DCM		112159	Hyper-acute	Suraigu
SRTSCT		M- 7619700772000	Hyperplasia, usual	Hyperplasie simple
SRTSCT		A- 12946700746046	ID Plate	Zone d'identification
SRTSCT		T- 5765100344030	Iliocostalis muscle	Muscle ilio-costal

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		111027	Image Laterality	Latéralité de l'image
DCM		111028	Image Library	Bibliothèque d'images
DCM		110001	Image Processing	Traitement d'image
DCM		111101	Image Quality	Qualité image
SRTSCT		P5- 133887000B3408	Image quality analysis	Analyse de la qualité d'image
DCM		111029	Image Quality Rating	Score de qualité image
DCM		111030	Image Region	Région de l'image
DCM		111031	Image View	Incidence
DCM		111032	Image View Modifier	Modificateur de l'incidence
SRTSCT		A- 4038800304010	Implant	Prothèse
SRTSCT		R- 399209000102B5	Implant Displaced	Prothèse déplacée
SRTSCT		F- 1297310010172B	Implant revised since previous mammogram	Prothèse révisée depuis la mammographie précédente
DCM		121073	Impression	Impression
DCM		111033	Impression Description	Description de l'impression
LN		19005-8	Impressions	Impressions
DCM		111196	Inadequate compression	Compression inadéquate
DCM		111219	Inappropriate image processing	Défaillance du processus de traitement d'image
SRTSCT		F- 12972600301726	Increase in number of calcifications	Augmentation du nombre de calcifications
SRTSCT		M- 1545400102520	Increase in size	Augmentation de taille
LN		18785-6	Indications for Procedure	Indications de la procédure
SRTSCT		F- 12974100301744	Indistinct lesion	Lésion indistincte
SRTSCT		F- 12977000701776	Individual Calcification	Calcification isolée
DCM		111233	Individual Impression / Recommendation Analysis	Analyse de l'Impression / recommandation élémentaire
DCM		111034	Individual Impression/Recommendation	Impression élémentaire/Recommandation
SRTSCT		D7- 7729600490452	Infarction of breast	Infarctus mammaire
SRTSCT		R- 2610890004094A	Inferior	Inférieur
SRTSCT		T- 181901007116EF	Inferior articular facet of axis	Facette articulaire inférieure de l'axis
SRTSCT		T- 3177660091153F	Inferior articular process of vertebra	Massif articulaire inférieur
SRTSCT		T- 2966000046940	Inferior phrenic artery	Artère phrénique inférieure
SRTSCT		T- 6413100748710	Inferior vena cava	Veine cave inférieure
DCM		112121	Infiltrate	Infiltrat
SRTSCT		M- 8271100685003	Infiltrating duct carcinoma	Carcinome canalaire infiltrant
SRTSCT		M- 2358300340000	Inflammation	Infection
SRTSCT		M- 3296800385303	Inflammatory carcinoma	Carcinome inflammatoire
SRTSCT		T- 7257300813620	Infraspinatus muscle	Muscle sous épineux
DCM		112161	Inhomogeneous	Hétérogène

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		R- 26052100340819	Inner	En dedans
SRTSCT		T- 2406200714165	Innermost intercostal muscles	Muscles intercostaux intimes
DCM		111240	Institutionally defined quality control standard	Standards de contrôle de qualité définis par l'institution
DCM		111206	Insufficient implant displacement incorrect	Refoulement de la prothèse insuffisant
SRTSCT		T- 281134007D305A	Intercostal artery	Artère intercostale
DCM		112082	Interface	Interface
SRTSCT		G- 11896004A114	Intermediate	Intermédiaire
UMLS		C1144859	Intern	Interne
SRTSCT		R- 26052100340819	Internal	Interne
SRTSCT		T- 4131300714163	Internal intercostal muscle	Muscle intercostal interne
SRTSCT		T- 1212300148170	Internal jugular vein	Veine jugulaire interne
SRTSCT		T- 6932700746200	Internal thoracic artery	Artère thoracique interne
DCM		110005	Interpretation	Interprétation
SRTSCT		T- 852930021A007	Interstitial tissue	Interstitium
SRTSCT		T- 58900132410	Interventricular septum	Septum interventriculaire
SRTSCT		G- 131183008A15A	Intra-articular	Intra-articulaire
DCM		111315	Intracystic papillary carcinoma	Carcinome papillaire intrakystique
SRTSCT		M- 4748800185040	Intracystic papilloma	Papillome intrakystique
SRTSCT		M- 12869600985072	Intraductal carcinoma micro-papillary	Carcinome intracanalair de type micropapillaire
DCM		111341	Intraductal carcinoma, high grade	Carcinome intracanalair
DCM		111313	Intraductal carcinoma, low grade	Carcinome intracanalair de bas grade
DCM		111312	Intraductal comedocarcinoma with necrosis	Carcinome intracanalair de type comédo avec nécrose
SRTSCT		M- 524400385030	Intraductal papilloma	Papillome intragalactophorique
DCM		112108	Intralobular lines	Lignes intra-lobulaires
SRTSCT		T- 443808008C430B	Intramammary lymph node	Ganglion intramammaire
DCM		111316	Invasive and in-situ carcinoma	Carcinome infiltrant et in situ
SRTSCT		M- 3015600482013	Invasive cribriform carcinoma	Carcinome infiltrant cribriforme
SRTSCT		M- 8974000885203	Invasive lobular carcinoma	Carcinome lobulaire infiltrant
SRTSCT		F- 2652700610349	inverse Trendelenburg	Trendelenburg inversé
DCM		113850	Irradiation Authorizing	Médecin responsable de l'indication
SRTSCT		G- 49608001A402	Irregular	Irrégulière
SRTSCT		A- 1294630061016B	J Wire	Hameçon
SRTSCT		A- 12606500626434	Jejunostomy tube	Tube de jéjunostomie
SRTSCT		A- 8091900661000	Jewelry	Bijoux
SRTSCT		M- 4621200090300	Juvenile fibroadenoma	Fibroadénome juvénile
DCM		111277	Juvenile papillomatosis	Papillomatose juvénile
DCM		112109	Kerley A line	Ligne A de Kerley

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112110	Kerley B line	Ligne B de Kerley
DCM		112111	Kerley C lines	Lignes C de Kerley
DCM		113012	Key Object Description	Description de l'objet clé
DCM		112175	Kidney stent	Stent rénal
SRTSCT		F- 23242002 40336	knee-chest	Genu pectoral
SRTSCT		F- 55864004 40330	kneeling	À genou [à genou]
SRTSCT		M- 128651002 82040	Lactating adenoma	Adénome lactant
DCM		111279	Lactational change	Lobule sécrétant
SRTSCT		T- 89340005 41514	Lamina of vertebra	Lame de la vertèbre
SRTSCT		G- 88446008A405	Laminated	Lamellaire
SRTSCT		R- 255509001 404AA	Large	Gros
DCM		111281	Large duct papilloma	Papillome solitaire
SRTSCT		F- 129752009 01764	Large rod-like calcification	Calcification en bâtonnet
SRTSCT		G- 49370004A104	Lateral	Externe
SRTSCT		F- 32185000 40318	lateral decubitus	Décubitus latéral
SRTSCT		G- 272741003G171	Laterality	Latéralité
SRTSCT		R- 399352003 40228	latero-medial	Profil externe
SRTSCT		R- 399099002 40230	latero-medial oblique	Latéro-médial oblique
SRTSCT		T- 15665001 14172	Latissimus dorsi muscle	Muscle grand dorsal
SRTSCT		G- 7771000A101	Left	Gauche
SRTSCT		T- 80248007 04030	Left breast	Sein gauche
SRTSCT		G- 7771000A101	Left lateral	Latéral gauche
SRTSCT		F- 102536004 40319	left lateral decubitus	Décubitus latéral gauche
SRTSCT		T- 75245000 26500	Left main bronchus	Bronche principale gauche
SRTSCT		M- 44598004 88900	Leiomyoma	Léiomyome
SRTSCT		M- 51549004 88903	Leiomyosarcoma	Léiomyosarcome
SRTSCT		G- 410668003D7FE	Length	Longueur
DCM		111035	Lesion Density	Densité de la lésion
SRTSCT		F- 129728002 04728	Less defined	Moins bien défini
DCM		111318	Leukemic infiltration	Infiltration leucémique
SRTSCT		T- 73930003 44150	Levatores costarum muscles	Muscles élévateurs des côtes
SRTSCT		T- 2160002 42370	Ligamentum arteriosum	Ligament artériel
DCM		112083	Line	Ligne
DCM		112150	Linear	Linéaire
SRTSCT		F- 129765000 04771	Linear calcification distribution	Distribution linéaire des calcifications
SRTSCT		M- 3839000 83143	Lipid-rich (lipid-secreting) carcinoma	Carcinome à cellules lipidiques
SRTSCT		M- 46720004 88500	Lipoma	Lipome
SRTSCT		M- 49430005 88503	Liposarcoma	Liposarcome
SRTSCT		F- 14205002 40346	lithotomy	Lithotomie

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112158	Lobar	Lobaire
SRTSCT		T- 3109400628770	Lobe of lung	Lobe pulmonaire
SRTSCT		G- 40266001A640	Lobular	Lobulée
SRTSCT		D7- 109888004F0A02	Lobular carcinoma in situ of breast	Carcinome lobulaire in situ mammaire
DCM		112135	Lobulated	Lobulée
DCM		112013	Location in Chest	Localisation thoracique
SRTSCT		G- 103339001A185	Long Axis	Grand axe
SRTSCT		T- 8834000114040	Longissimus muscle	Muscle longissimus du thorax
SRTSCT		G- 38717003A143	Longitudinal	Longitudinal
SRTSCT		F- 12974600801753	Low density (not containing fat) lesion	Faible densité (sans contenu graisseux)
SRTSCT		T- 1910000004003	Lower inner quadrant of breast	Quadrant inféro-interne du sein
SRTSCT		T- 1910000004003	Lower inner quadrant of breast	Quadrant inféro-interne du sein
SRTSCT		T- 9057200128830	Lower lobe of lung	Lobe pulmonaire inférieur
SRTSCT		T- 3356400204005	Lower outer quadrant of breast	Quadrant inféro-externe du sein
SRTSCT		T- 3356400204005	Lower outer quadrant of breast	Quadrant inféro-externe du sein
SRTSCT		T- 281394001D320A	Lower zone of lung	Zone inférieure du poumon
DCM		112084	Lucency	Clarté
SRTSCT		F- 12975400501766	Lucent-centered calcification	Calcification à centre clair
SRTSCT		T- 3960700828000	Lung	Poumon
DCM		111320	Lymphatic vessel invasion	Embole lymphatique
SRTSCT		T- 59441001C4000	Lymph node	Ganglion lymphatique
SRTSCT		M- 2196400995903	Lymphoma	Lymphome
SRTSCT		R- 399163009102D6	Magnification	Agrandissement
SRTSCT		R- 399163009102D6	Magnification views	Agrandissements
SRTSCT		G- 131187009A193	Major Axis	Axe principal
DCM		M	male	Homme
SRTSCT		M- 3436000088303	Malignant fibrous histiocytoma	Histiocytofibrome malin
DCM		111334	Malignant melanoma of nipple	Mélanome malin du mamelon
SRTSCT		D7- 2204900990370	Mammary duct ectasia	Galactophorite ectasiente mammaire (ectasie canalaire mammaire)
SRTSCT		F- 12978800401791	Mammographic breast mass	Masse du sein à la mammographie
DCM		111036	Mammography CAD Report	Compte rendu d'analyse mammographique par système de DAO
SRTSCT		T- 3728500211214	Manubrium of sternum	Manubrium sternal
SRTSCT		G- 112233002A177	Marginal	Marginal
DCM		111037	Margins	Contours
SRTSCT		M- 414700703000	Mass	Masse
DCM		112057	Mass scoring method	Appréciation de la charge calcique par la méthode du score de masse

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112180	Maximum Attenuation Coefficient	Coefficient d'atténuation maximum
DCM		112181	Mean Attenuation Coefficient	Coefficient d'atténuation moyen
DCM		112051	Measurement of Response	Quantification de la réponse
DCM		111216	Mechanical failure	Défaillance mécanique
SRTSCT		R- 255561001404D5	Medial	Médial
SRTSCT		R-4081A260528009	Median	Médian
DCM		112182	Median Attenuation Coefficient	Médiane des coefficients d'atténuation
SRTSCT		T- 72410000D3300	Mediastinum	Médiastin
SRTSCT		R- 39926000410224	medio-lateral	Profil interne
SRTSCT		R- 39936800910226	medio-lateral oblique	Médiolatéral oblique
SRTSCT		R- 255508009404A9	Medium	Moyen
SRTSCT		M- 3291300285103	Medullary carcinoma	Carcinome médullaire
DCM		111333	Metastasis to an intramammary lymph node	Ganglion intramammaire métastatique
DCM		111323	Metastatic cancer to the breast	Cancer métastatique au sein
DCM		111324	Metastatic cancer to the breast from the colon	Métastase intramammaire d'un cancer colique
DCM		111325	Metastatic cancer to the breast from the lung	Métastase intramammaire d'un cancer pulmonaire
DCM		111327	Metastatic cancer to the breast from the ovary	Métastase intramammaire d'un cancer ovarien
DCM		111330	Metastatic disease to axillary node	Ganglion axillaire métastatique
DCM		111326	Metastatic melanoma to the breast	Métastase intramammaire d'un mélanome malin
DCM		111328	Metastatic sarcoma to the breast	Métastase intramammaire d'un sarcome
DCM		111284	Microglandular adenosis	Adénose microglandulaire
SRTSCT		F- 12973900401742	Microlobulated lesion	Lésion microlobulée
UCUM		um	micrometer	Micromètre
DCM		112122	Micronodule	Micronodule
SRTSCT		R-4081A260528009	Middle	Milieu
SRTSCT		T- 4002000228825	Middle lobe of lung	Lobe moyen du poumon
SRTSCT		T- 281393007D3209	Middle zone of lung	Zone moyenne du poumon
DCM		112085	Midlung window	Fenêtre lobaire moyenne
SRTSCT		R- 255604002404FA	Mild	faible
DCM		112129	Miliary pattern	Aspect miliaire
SRTSCT		F- 12975300401765	Milk of calcium calcification	Lait calcique
UCUM		mm	millimeter	Millimètre
DCM		112179	Minimum Attenuation Coefficient	Coefficient d'atténuation minimum
SRTSCT		G- 131188004A194	Minor Axis	Axe secondaire
UCUM		min	minute	Minute

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		T- 9113400735300	Mitral Valve	Valve atrio-ventriculaire gauche
DCM		111200	MLO Evidence of motion blur	Oblique externe: présence d'un flou cinétique
DCM		111201	MLO Inframammary fold is not open	Oblique externe: sillon sous-mammaire non visible
DCM		111197	MLO Insufficient pectoral muscle	Oblique externe: muscle pectoral insuffisamment visible
DCM		111198	MLO No fat is visualized posterior to fibroglandular tissues	Oblique externe: lame graisseuse rétroglandulaire non visualisée
DCM		111199	MLO Poor separation of deep and superficial breast tissues	Oblique externe: mauvaise séparation des tissus superficiels et profonds
SRTSCT		G- 6736007A002	Moderate	Modéré
UCUM		mo	Month	Mois
SRTSCT		F- 12972900501729	More defined	Mieux défini
DCM		112130	Mosaic pattern	Aspect en mosaïque
DCM		112080	Mosaic perfusion	Perfusion en mosaïque
DCM		111210	Motion blur	Flou cinétique
DCM		111210	Motion blur	Artefact de mouvement
LN		18755-9	MR Report	Compte rendu IRM
SRTSCT		M- 7249500984803	Mucinous adenocarcinoma (Colloid carcinoma)	Carcinome (mucineux) colloïde
SRTSCT		G- 524008A443	Multifocal	Multifocal
DCM		111329	Multifocal intraductal carcinoma	Carcinome intracanaulaire multifocal
DCM		111332	Multifocal invasive ductal carcinoma	Carcinome canalaire infiltrant multifocal
DCM		111285	Multiple Intraductal Papillomas	Papillomes multiples
SRTSCT		R- 263816006420AE	Muscular	Musculaire
SRTSCT		M- 12873800288250	Myofibroblastoma	Myofibroblastome
SRTSCT		R- 13422300041727	Narrow	Etroit
SRTSCT		T- 7218400811303	Neck of rib	Col de la côte
SRTSCT		A- 7906800530360	Needle	Aiguille
DCM		111144	Needle localization and biopsy	Répérage métallique préopératoire et biopsie-exérèse
SRTSCT		D0- 126510002F035F	Neoplasm of mammary skin	Tumeur de la peau mammaire
SRTSCT		M- 8908400295400	Neurofibroma	Neurofibrome
SRTSCT		M- 8166900595401	Neurofibromatosis	Neurofibromatose
SRTSCT		F- 12972100801721	New finding	Nouvel élément
SRTSCT		T- 2414200204100	Nipple	Mamelon
DCM		111297	Nipple Characteristic	Caractéristiques du mamelon
DCM		111205	Nipple not in profile	Le mamelon n'est pas de profil
SRTSCT		D7- 3184500590554	Nipple retraction	Rétraction mamelonnaire
DCM		112177	Nipple ring	Cerclage mammelonnaire

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		111286	No abnormality	Pas d'anomalie
DCM		111245	No algorithms succeeded; without findings	Aucun algorithme n'a réussi; sans élément découvert
DCM		111213	No image	Pas d'image
SRTSCT		F- 12972300601723	No significant changes in the finding	Pas de modification significative de l'élément
DCM		110009	No subsequent Workitems	Aucun sujet de travail ultérieur
SRTSCT		R- 255288007403A7	Nodular	Nodulaire
DCM		112067	Nodular pattern	Aspect nodulaire
SRTSCT		M- 2792500403010	Nodule	Nodule
SRTSCT		M- 192900495913	Non-Hodgkin's lymphoma	Lymphome non hodgkinien
DCM		111102	Non-lesion	Pas de lésion
DCM		112076	Non-Lesion at Baseline	Anomalie « non lésion » à T0
DCM		112037	Non-lesion Modifier	Modificateur lié à une « non lésion »
DCM		112075	Non-Target Lesion at Baseline	Lésion « non cible » à T0
DCM		112045	Non-Target Lesion Complete Response	Disparition des lésions « non cibles »
DCM		112046	Non-Target Lesion Incomplete Response or Stable Disease	Réponse partielle ou maladie stable sur lésions « non cibles »
DCM		112047	Non-Target Lesion Progressive Disease	Progression sur lésions « non cibles »
DCM		111251	Normal axillary node	Ganglion axillaire normal
DCM		111287	Normal breast tissue	Tissu mammaire normal
DCM		111140	Normal interval follow-up	Intervalle normal de surveillance
SRTSCT		M- 3184200802000	Normal shape	Forme normale
DCM		111244	Not all algorithms succeeded; with findings	Certains algorithmes n'ont pas réussi; avec élément découvert
DCM		111243	Not all algorithms succeeded; without findings	Certains algorithmes n'ont pas réussi; sans élément découvert
DCM		111225	Not Attempted	Non traité
DCM		111152	Not for Presentation: Rendering device expected not to present	Pas de présentation
DCM		111038	Number of calcifications	Nombre de calcifications
SRTSCT		J- 10629200307100	Nurse	Infirmière
DCM		111039	Object type	Type d'objet
SRTSCT		G- 21114003A472	Oblique	Oblique
SRTSCT		F- 12974000201743	Obscured lesion	Lésion masquée
DCM		111322	Occult carcinoma presenting with axillary lymph node metastases	Carcinome occulte révélé par des métastases axillaires
DCM		113000	Of Interest	Intéressant
DCM		111290	Oil cyst (fat necrosis cyst)	Cytostéatonecrose kystisée
DCM		111138	Old films for comparison	Clichés antérieurs pour comparaison
DCM		112060	Oligemia	Oligémie

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		G- 66459002A103	One-sided	Situé d'un seul côté
DCM		112001	Opacity	Opacité Note Typically used with projection chest X-Ray
DCM		112027	Opacity Descriptor	Descripteur de l'opacité
SRTSCT		A- 26230100900D7B	Opaque marker	Marqueur Opaque
DCM		112014	Orientation Descriptor	Descripteur de l'orientation
DCM		111040	Original Source	Source originelle
DCM		112053	Osseous	Osseux
DCM		112038	Osseous Modifier	Modificateur lié à une structure osseuse
SRTSCT		F- 8332300712100	Ossification	Ossification
SRTSCT		M- 2170800491803	Osteogenic sarcoma	Ostéosarcome
DCM		121102	Other sex	Autre sexe
DCM		111220	Other failure	Autre défaillance
DCM		111175	Other Marker	Autre marqueur
SRTSCT		R- 26107400940941	Outer	En dehors
DCM		111041	Outline	Contours
DCM		111212	Over exposed	Sur-exposé
DCM		111234	Overall Impression / Recommendation Analysis	Analyse de l'Impression / ecommandation globale
SRTSCT		M- 8436000402120	Ovoid shape (Oval)	Forme ovale (Ovale)
SRTSCT		A- 11837800511101	Cardiac Pacemaker	Stimulateur cardiaque
SRTSCT		A- 12946000910042	Compression paddle	Palette de compression
SRTSCT		M- 298500585403	Paget's disease, mammary (of the nipple)	Maladie de Paget du mamelon
DCM		112176	Pancreatic stent	Stent pancréatique
SRTSCT		M- 2591000380503	Papillary carcinoma (invasive)	Carcinome papillaire infiltrant
SRTSCT		M- 1037600980502	Papillary carcinoma in-situ	Carcinome papillaire in-situ
SRTSCT		M- 2373000880500	Papilloma	Papillome
DCM		112091	Paraspinal line	Ligne paravertébrale
DCM		112112	Parenchymal band	Bande parenchymateuse
DCM		111223	Partially Succeeded	Succès partiel
DCM		121055	Path	Tracé
DCM		121211	Path length	Longueur du tracé
DCM		111042	Pathology	Pathologie
DCM		111043	Patient Orientation Column	Colonne concernant l'orientation du patient
DCM		111044	Patient Orientation Row	Ligne concernant l'orientation du patient

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		T- 26444007 12200	Pectoral girdle	Ceinture pectorale
DCM		111045	Pectoral Muscle Outline	Contour du muscle pectoral
SRTSCT		T- 60005003 14110	Pectoralis major muscle	Muscle grand pectoral
SRTSCT		T- 18686000 14120	Pectoralis minor muscle	Muscle petit pectoral
SRTSCT		T- 78972004 11515	Pedicle of vertebra	Pédicule de la vertèbre
DCM		111046	Percent Glandular Tissue	Pourcentage de tissu glandulaire
DCM		112185	Performance of CT for Detection of Pulmonary Embolism in Adults	Le scanner dans les embolies pulmonaires de l'adulte, ACR
DCM		112186	Performance of High-Resolution CT of the Lungs in Adults	Le scanner thoracique haute résolution de l'adulte, ACR
DCM		112035	Performance of Pediatric and Adult Chest Radiography, ACR	Les radiographies thoraciques de l'enfant et de l'adulte, ACR
DCM		112184	Performance of Pediatric and Adult Thoracic CT	Le scanner thoracique de l'enfant et de l'adulte, ACR
DCM		121094	Performing	Réalisateur de l'examen
SRTSCT		T- 3924000 46210	Pericardiophrenic Artery	Artère péricardo-phrénique
SRTSCT		G- 131191004 A197	Perimeter	Périmètre
DCM		121057	Perimeter Outline	Délimitation du périmètre
SRTSCT		G- 14414005 A111	Peripheral	Périphérique
SRTSCT		G- 14414005 A111	Peripheral	Périphérique
DCM		111299	Peripheral duct papillomas	Papillomes périphériques
SRTSCT		G- 131189007 A195	Perpendicular Axis	Axe orthogonal
DCM		112123	Phantom tumor (pseudotumor)	Image pseudo-tumorale
SRTSCT		M- 71232009 90201	Phyllodes tumor	Tumeur phyllode
SRTSCT		M- 87913009 90203	Phyllodes tumor, malignant	Sarcome phyllode (Cystosarcome phyllode malin)
SRTSCT		J- 309343006 004E8	Physician	Médecin
SRTSCT		A- 77444004 12024	Pin	Épingle
SRTSCT		M- 10639003 97313	Plasmacytoma	Plasmocytome
SRTSCT		D2- 40779009 60302	Plate-like atelectasis	Atélectasie plane
SRTSCT		M- 836000 189400	Pleomorphic adenoma	Adénome pléomorphe
DCM		112081	Pleonemia	Hypervascularisation
SRTSCT		T- 3120008 29000	Pleural structure	Plèvres
SRTSCT		D2- 16838000 81180	Pneumomediastinum	Pneumomédiastin
SRTSCT		D2- 36118008 80300	Pneumothorax	Pneumothorax
SRTSCT		R- 300841009 428E7	Poorly defined	Mal définies
DCM		112141	Poorly demarcated	Mal délimité
DCM		112172	Portacath	Chambre de perfusion implantable
DCM		112011	Positioner Primary Angle	Angle de positionnement primaire
DCM		112012	Positioner Secondary Angle	Angle de positionnement secondaire
DCM		111209	Positioning	Positionnement
DCM		111291	Post reduction mammoplasty	Mammoplastie après réduction

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		G- 60583000A120	Postaxial	Postaxial
SRTSCT		R- 255551008404GE	Posterior	Postérieur
DCM		112089	Posterior junction line	Ligne médiastinale postérieure
SRTSCT		T- 323600028220	Posterior segment of right upper lobe	Segment postérieur du lobe supérieur droit
DCM		112092	Posterior tracheal stripe	Bande trachéale postérieure
SRTSCT		G- 90069004A182	Posterolateral	Postéro-latéral
SRTSCT		G- 32400000A124	Preaxial	Pré-axial
SCT		364320009 364320009	Pregnancy observable	Grossesse
DCM		111151	Presentation Optional: Rendering device may present	Présentation optionnelle
DCM		111150	Presentation Required: Rendering device is expected to present	Présentation requise
DCM		121069	Previous Finding	Résultat antérieur
DCM		121068	Previous Findings	Résultats antérieurs
DCM		112059	Primary complex	Complexe primaire
DCM		110008	Print	Imprimer
LN		55114-3	Prior Procedure Descriptions	Description de la procédure précédente
DCM		111047	Probability of cancer	Probabilité de cancer
DCM		121065	Procedure Description	Description de la procédure
SRTSCT		G- 795002A140	Profundis	Profondeur
DCM		112151	Profusion	Profusion
SRTSCT		F- 124000010340	prone	Procubitus
SRTSCT		A- 5335000704000	Prosthesis	Prothèse
SRTSCT		G- 40415009A148	Proximal	Proximal
DCM		111292	Pseudoangiomatous stromal hyperplasia	Hyperplasie stromale pseudo-angiomateuse
DCM		112068	Pseudoplaque	Pseudo-plaque
SRTSCT		T- 8104000044000	Pulmonary artery	Artère pulmonaire
SRTSCT		D3- 5928200340230	Pulmonary embolism	Embolie pulmonaire
SRTSCT		T- 4534100044100	Pulmonary trunk	Tronc artériel pulmonaire
SRTSCT		T- 12297200748500	Pulmonary vein	Veine pulmonaire
SRTSCT		F- 12975500604767	Punctate calcification	Calcification punctiforme régulière
DCM		111048	Quadrant location	Localisation du quadrant
DCM		111049	Qualitative Difference	Différence qualitative
DCM		111050	Quality Assessment	Évaluation de la qualité
DCM		110002	Quality Control	Contrôle de qualité
DCM		111051	Quality Control Standard	Standard de contrôle de qualité
DCM		111052	Quality Finding	Critère de qualité
DCM		113010	Quality Issue	Problème de qualité
SRTSCT		M- 13385500378734	Radial scar	Cicatrice radiaire

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		113921	Radiation Exposure	Exposition aux rayonnements
LN		73569-6	Radiation Exposure and Protection Information	Exposition aux rayonnements et informations de radioprotection
SCT		440252007 440252007	Administration of radiopharmaceutical	Substance radioactive administrée
SRTSCT		J- 15901600300487	Radiographer	Manipulateur (rice)
DCM		112005	Radiographic anatomy	Radio-anatomie
LN		11528-7	Radiology Report	Compte rendu radiologique
SRTSCT		G- 131190003A196	Radius	Rayon
DCM		112022	RECIST	Critères d'évaluation de la réponse tumorale (tumeurs solides)
DCM		121075	Recommendation	Recommandation
DCM		121074	Recommendations	Recommandations
DCM		111053	Recommended Follow-up	Surveillance recommandée
DCM		111054	Recommended Follow-up Date	Date recommandée de surveillance
DCM		111055	Recommended Follow-up Interval	Intervalle recommandé de surveillance
DCM		121097	Recording	Qui fait le compte rendu
SRTSCT		F- 10253800310450	recumbent	Couché
DCM		111338	Recurrent malignancy	Cancer récidivant
UMLS		C1709880	Referring	Médecin référent
SRTSCT		F- 12976700804773	Regional calcification distribution	Distribution régionale des calcifications
SRTSCT		J- 15897100600472	Registrar	Secrétaire
DCM		113001	Rejected for Quality Reasons	Rejetées pour des motifs de qualité
SRTSCT		F- 1297300000472A	Removal of implant since previous mammogram	Exérèse de la prothèse mammaire depuis la mammographie précédente
DCM		111056	Rendering Intent	Intention d'insertion
DCM		110007	Report Verification	Vérification du compte rendu
LN		55115-0	Request	Demande
DCM		121096	Requesting	Médecin demandeur
SRTSCT		J- 405277009005E6	Resident	Résident
DCM		112020	Response Evaluation	Évaluation de la réponse
DCM		112021	Response Evaluation Method	Méthode d'évaluation de la réponse
DCM		112113	Reticular pattern	Aspect réticulaire
DCM		112065	Reticulonodular pattern	Aspect réticulo-nodulaire
SRTSCT		T- 11319700314300	Rib	Côte
DCM		112096	Rib Scalene Tubercle	Tubercule scalénique de la première côte
SRTSCT		G- 24028007A100	Right	Droit
SRTSCT		G- 51440002A102	Right and left	Droit et gauche
SRTSCT		T- 7305600704020	Right breast	Sein droit

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		G- 24028007A100	Right lateral	Latéral droit
SRTSCT		F- 10253500010317	right lateral decubitus	Décubitus latéral droit
SRTSCT		F- 7007400426100	Right main bronchus	Bronche principale droite
DCM		112093	Right tracheal stripe	Bande paratrachéale droite
SRTSCT		R- 399197002102D3	Rolled Lateral	Roulé externe
SRTSCT		R- 399226006102D4	Rolled Medial	Roulé interne
SRTSCT		M- 4270000202100	Round shape	Ronde
SRTSCT		F- 12975600701768	Round shaped calcification	Calcification ronde
SRTSCT		G- 30730003A145	Sagittal	Sagittal
SRTSCT		T- 5075500113450	Scalenus anterior muscle	Muscle scalène antérieur
SRTSCT		T- 7960100012280	Scapula	Scapula
DCM		112101	Scapular Infraspinatus Fossa	Fosse sous épineuse
DCM		112099	Scapular Spine	Epine de l'omoplate
DCM		112100	Scapular Supraspinatus Fossa	Fosse sus épineuse
SRTSCT		M- 1240200378060	Scar tissue	Tissu cicatriciel
SRTSCT		F- 12971700101712	Scattered fibroglandular densities	Opacités fibro-glandulaires éparses
SRTSCT		M- 5091600574220	Sclerosing adenosis	Adénose sclérosante
DCM		111057	Scope of Feature	Champ des caractéristiques
DCM		112054	Secondary pulmonary lobule	Lobule pulmonaire secondaire
SRTSCT		M- 4191900385023	Secretory (juvenile) carcinoma of the breast	Carcinome mammaire sécrétoire (juvénile)
SRTSCT		T- 72674008280D0	Segment of lung	Segment du poumon
SRTSCT		G- 62372003A137	Segmental	Segmentaire
SRTSCT		F- 12976800301774	Segmental calcification distribution	Segmentaires
DCM		111099	Selected region	Région sélectionnée
DCM		111058	Selected Region Description	Description de la région sélectionnée
SRTSCT		F- 10253900610460	semi-erect	Semi-couché
SRTSCT		F- 3402600110316	semi-prone	Semi-procubitus
DCM		112114	Septal line(s)	Ligne(s) septale(s)
DCM		112002	Series Instance UID	Identificateur unique d'instance de série
SRTSCT		M- 5602100236050	Seroma	Lymphocèle
SRTSCT		T- 1834600314140	Serratus anterior muscle	Muscle dentelé antérieur
SRTSCT		G- 24484000A003	Severe	Sévère
SRTSCT		G- 246112005C197	Severity	Gravité
DCM		112124	Shadow	Image
SRTSCT		T- 4160100511309	Shaft of rib	Corps de la côte
SRTSCT		M- 107644003020F9	Shape	Forme
DCM		112137	Sharply defined	A limites nettes
DCM		112140	Sharply demarcated	Très nettement délimité

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		G- 103340004A186	Short Axis	Petit axe
SRTSCT		M- 8773700184903	Signet ring cell carcinoma	Carcinome à cellules en bague à chaton
DCM		112069	Signet-ring sign	Signe de la bague à châton
DCM		112152	Silhouette sign	Signe de la silhouette
DCM		111296	Silicone granuloma	Granulome au silicone
DCM		111059	Single Image Finding	Élément présent sur une seule image
DCM		112024	Single Image Finding Modifier	Modificateur lié à une anomalie visible sur une seule image
DCM		112008	Site involvement	Site atteint
SRTSCT		F- 33586001103A0	sitting	Assis
DCM		112025	Size Descriptor	Descripteur de la taille
SRTSCT		D0- 9532400100050	Skin lesion	Lésion cutanée
SRTSCT		F- 12979600901799	Skin retraction of breast	Rétraction cutanée du sein
SRTSCT		F- 1297970000179A	Skin thickening of breast	Épaississement cutané du sein
SRTSCT		R- 255507004404A8	Small	Petit
DCM		112125	Small irregular opacities	Petites opacités irrégulières
DCM		112126	Small rounded opacities	Micro-nodules
DCM		112144	Soft tissue	Tissus mous
DCM		111218	Software failure	Défaillance logicielle
SRTSCT		P5- 133884007B3402	Spatial collocation analysis	Analyse de colocalisation spatiale
SRTSCT		P5- 133885008B3404	Spatial proximity analysis	Analyse de proximité spatiale
DCM		112136	Spiculated	Spiculée
SRTSCT		F- 12974200501745	Spiculated lesion	Lésion spiculée
SRTSCT		T- 431700214050	Spinalis muscle	Muscles spinaux
SRTSCT		M- 11045100678190	Spindle cell nodule (tumor)	Nodule (tumeur) à cellules fusiformes
SRTSCT		T- 42106000411500	Spine	Rachis
SRTSCT		T- 5567800011512	Spinous process of vertebra	Apophyse épineuse de la vertèbre
SRTSCT		R- 399055006102D7	Spot Compression	Compression localisée
SRTSCT		R- 399055006102D7	Spot compression	Compression localisée
DCM		111136	Spot magnification view(s)	Agrandissement localisé
SRTSCT		M- 2889900180703	Squamous cell carcinoma	Carcinome épidermoïde
DCM		111340	Squamous cell carcinoma of the nipple	Carcinome épidermoïde du mamelon
UCUM		cm2	Square centimeter	Centimètre carré
UCUM		um2	Square micrometer	Micromètre carré
UCUM		mm2	Square millimeter	Millimètre carré
DCM		112183	Standard Deviation of Attenuation Coefficient	Ecart-type des coefficients d'atténuation
SRTSCT		F- 1090400010320	standing	En position verticale
SRTSCT		A- 5635300213600	Staple	Agrafe

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		T- 44612009 11221	Sternal angle	Angle sternal
SRTSCT		T- 22823000 13310	Sternocleidomastoid muscle	Muscle sterno-cleïdo-mastoïdien
SRTSCT		T- 56873002 11210	Sternum	Sternum
SRTSCT		F- 87068006 10390	stooped-over	Penché en avant
DCM		112094	Stripe	Bande
DCM		111060	Study Date	Date de l'étude
DCM		111061	Study Time	Heure de l'étude
SRTSCT		G- 19939008 A561	Subacute	Subaigu
SRTSCT		F- 129784002 0178D	Subareolar position	Situation rétroaréolaire
SRTSCT		G- 61397002 A172	Subcapsular	Sous-capsulaire
SRTSCT		T- 36765005 46100	Subclavian artery	Artère subclavière
SRTSCT		T- 9454009 48330	Subclavian vein	Veine subclavière
SRTSCT		T- 64658001 14166	Subcostal muscle	Muscle subcostal
DCM		112153	Subpleural	Sous-pleural
DCM		112115	Subpleural line	Ligne sous-pleurale
DCM		112098	Subscapular Fossa	Fosse subscapulaire
SRTSCT		T- 90588001 13650	Subscapularis muscle	Muscle subscapulaire
DCM		111222	Succeeded	Succès
DCM		111062	Successful Analyses	Analyses réussies
DCM		111063	Successful Detections	Procédures de détection réussies
DCM		111146	Suggestive of malignancy - take appropriate action	Évocateur de malignité, une action appropriée doit être entreprise
DCM		111065	Summary of Analyses	Résumé des analyses
DCM		111064	Summary of Detections	Résumé des procédures de détections
SRTSCT		G- 26283006 A139	Superficial	Superficiel
SRTSCT		R- 264217000 42191	Superior	Supérieur
SRTSCT		T- 181900008 116EE	Superior articular facet of axis	Facette articulaire supérieure de l'axis
SRTSCT		T- 317665004 1153E	Superior articular process of vertebra	Massif articulaire supérieur
SRTSCT		T- 38991005 46350	Superior phrenic artery	Artère phrénique supérieure
SRTSCT		T- 48345005 48610	Superior vena cava	Veine cave supérieure
SRTSCT		R- 399188001 102D0	superolateral to inferomedial oblique	Supérolatéral vers inféromédial oblique
SRTSCT		F- 40199007 10340	supine	Décubitus
SRTSCT		T- 6423006 13610	Supraspinatus muscle	Muscle supraépineux
SRTSCT		T- 26493002 11218	Suprasternal notch	Creux sus-sternal
SRTSCT		G- 410679008 A206	Surface	Surface
SRTSCT		A- 27065002 13500	Suture	Matériel de suture
SRTSCT		G- 31099001 A572	Systemic	Systémique
SRTSCT		T- 281157001 14000E	Systemic vascular structure	Structure vasculaire systémique

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		R- 399110001102G2	Tangential	Tangentiel
DCM		112162	Target	« cible »
DCM		111155	Target content items are related contra-laterally	Les items de contenu sont situés de façon controlatérale
DCM		111154	Target content items are related spatially	Les items de contenu sont reliés spatialement
DCM		111153	Target content items are related temporally	Les items de contenu sont reliés temporellement
DCM		112074	Target Lesion at Baseline	Lésion « cible » à T0
DCM		112041	Target Lesion Complete Response	Réponse complète sur lésions « cibles »
DCM		112042	Target Lesion Partial Response	Réponse partielle sur lésions « cibles »
DCM		112043	Target Lesion Progressive Disease	Progression de la maladie sur lésions « cibles »
DCM		112044	Target Lesion Stable Disease	Maladie stable sur lésions « cibles »
DCM		123014	Target Region	Région cible
DCM		111194	Technical factors missing	Paramètres techniques absents
SRTSCT		J- 15901600300187	Technologist	Technicien
SRTSCT		P5- 133886009B3406	Temporal correlation	Corrélation temporelle
SRTSCT		T- 119300913640	Teres major muscle	Muscle grand rond
SRTSCT		T- 5115900913630	Teres minor muscle	Muscle petit rond
DCM		112010	Texture Descriptor	Descripteur de la texture
SRTSCT		T- 1732005C6510	Thoracic Duct	Canal thoracique
DCM		112032	Threshold Attenuation Coefficient	Valeur de coefficient d'atténuation seuil
SRTSCT		D3- 6995400487780	Thrombophlebitis of breast (Mondor's disease)	Thrombophlébite du sein (maladie de Mondor)
SRTSCT		T- 9875009C8000	Thymus Gland	Thymus
SRTSCT		T- 653800546130	Thyrocervical trunk	Tronc thyro-bicervico-scapulaire
SRTSCT		T- 69748006B6000	Thyroid	Thyroïde
DCM		112133	Too small	Trop petit
SRTSCT		T- 11875500232423	Trabeculae carnae	Piliers du ventricule
SRTSCT		F- 12979500801798	Trabecular thickening of breast	Épaississement trabéculaire du sein
SRTSCT		T- 4456700125000	Trachea	Trachée
SRTSCT		P4- 4838700726100	Tracheotomy	Trachéotomie
DCM		112039	Tracking Identifier	Identifiant d'anomalie
DCM		112040	Tracking Unique Identifier	Identifiant unique d'anomalie
DCM		112116	Tramline shadow	Image en rail
DCM		110006	Transcription (task)	Transcription
DCM		110012	Transcription (type of output)	Transcription
SRTSCT		G- 62824007A117	Transverse	Transverse

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SRTSCT		T- 73400003 14513	Transverse process of vertebra	Apophyse transverse de la vertèbre
SRTSCT		T- 88454005 14167	Transversus thoracis	Muscle transverse du thorax
SRTSCT		T- 31764008 14171	Trapezius muscle	Muscle trapèze
DCM		112127	Tree-in-bud sign	Signe de l'arbre en bourgeons
SRTSCT		F- 34106002 10348	Trendelenburg	Trendelenburg
SRTSCT		T- 46030003 35100	Tricuspid Valve	Valve atrioventriculaire droite
SRTSCT		T- 113198008 11304	Tubercle of rib	Tubercule de la côte
SRTSCT		M- 4631006 82113	Tubular adenocarcinoma	Carcinome tubuleux
SRTSCT		M- 19665009 82110	Tubular adenoma	Adénome tubuleux
SRTSCT		F- 129794007 01797	Tubular density	Opacité tubulaire
DCM		112117	Tubular shadow	Image tubulée
DCM		112009	Type of Content	Type de contenu
SRTSCT		P5- 16310003 B0000	Diagnostic ultrasonography	Procédure échographique
LN		18760-9	Ultrasound Report	Compte rendu d'échographie
DCM		111211	Under exposed	Sous-exposé
SRTSCT		G- 66459002 A103	Unilateral	Unilatéral
SRTSCT		G- 66459002 A103	Unilateral	Unilatéral
DCM		111221	Unknown failure	Défaillance inconnue
DCM		111176	Unspecified	Non spécifié
DCM		112187	Unspecified method of calculation	Méthode de calcul non spécifiée
DCM		111235	Unusable - Quality renders image unusable	Inexploitable - La qualité rend l'image inexploitable
SRTSCT		R- 264217000 42191	Upper	En haut
SRTSCT		T- 80581009 D4001	Upper abdomen	Abdomen supérieur
SRTSCT		T- 77831004 04002	Upper inner quadrant of breast	Quadrant supéro-interne du sein
SRTSCT		T- 77831004 04002	Upper inner quadrant of breast	Quadrant supéro-interne du sein
SRTSCT		T- 45653009 28820	Upper lobe of lung	Lobe supérieur du poumon
SRTSCT		T- 76365002 04004	Upper outer quadrant of breast	Quadrant supéro-externe du sein
SRTSCT		T- 76365002 04004	Upper outer quadrant of breast	Quadrant supéro-externe du sein
SRTSCT		D- 281392002 3208	Upper zone of lung	Zone supérieure du poumon
SRTSCT		A- 286558002 11C08	Ureteric stent	Stent urétral
DCM		111236	Usable - Does not meet the quality control standard	Exploitable - Ne répond pas aux standards de contrôle de qualité
DCM		111237	Usable - Meets the quality control standard	Exploitable - Répond aux standards de contrôle de qualité
SRTSCT		F- 129759000 0176B	Vascular calcification	Calcification vasculaire
DCM		112077	Vasoconstriction	Vasoconstriction
DCM		112078	Vasodilation	Vasodilatation
SRTSCT		A- 257409000 14611	Vena cava filter	Filtre cave
SRTSCT		R- 255549009 404GG	Ventral	Ventral
SRTSCT		T- 21814001 32400	Ventricle	Ventricule

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		121098	Verifying	Qui vérifie
SRTSCT		T- 5128200011510	Vertebra	Vertèbre
SRTSCT		T- 8523400545700	Vertebral artery	Artère vertébrale
SRTSCT		T- 618530061151F	Vertebral canal	Canal vertébral
SRTSCT		T- 28073400911531	Vertebral foramen	Foramen intervertébral
DCM		112097	Vertebral Intervertebral Notch	Trou des apophyses transverses cervicales
SRTSCT		G- 33096000A144	Vertical	Vertical
SRTSCT		G- 33096000A144	Vertical	Vertical
DCM		111066	Vertical Pixel Spacing	Espacement vertical des pixels
DCM		112132	Very small	Très petit
DCM		111178	View and Laterality Marker does not have both view and laterality	Le marquage n'indique ni l'incidence ni le côté
DCM		111183	View and Laterality Marker is incorrect	Le marquage est incorrect
DCM		111177	View and Laterality Marker is missing	Marquage absent
DCM		111180	View and Laterality Marker is not near the axilla	Le marquage n'est pas près de l'aisselle
DCM		111184	View and Laterality Marker is off image	Le marquage est en dehors du film image
DCM		111182	View and Laterality Marker is partially obscured	Le marquage est partiellement masqué
DCM		111181	View and Laterality Marker overlaps breast tissue	Le marquage chevauche le sein
DCM		111298	Virginal hyperplasia	Hypertrophie juvénile
SRTSCT		G- 118565006D705	Volume	Volume
DCM		121216	Volume estimated from single 2D region	Volume estimé à partir d'une seule région 2D
DCM		121217	Volume estimated from three or more non-coplanar 2D regions	Volume estimé à partir de trois régions 2D non coplanaires ou plus
DCM		121218	Volume estimated from two non-coplanar 2D regions	Volume estimé à partir de deux régions 2D non coplanaires
DCM		121219	Volume of bounding three dimensional region	Volume d'une région tridimensionnelle de forme quelconque
DCM		121220	Volume of circumscribed sphere	Volume de la sphère circonscrite
DCM		121221	Volume of ellipsoid	Volume d'un ellipsoïde
DCM		121222	Volume of sphere	Volume d'une sphère
DCM		112056	Volume scoring method	Score de calcification coronaire basé sur le volume de chaque calcification
UCUM		wk	Week	Semaine
SRTSCT		R- 26040900040771	Well defined	Bien définie
DCM		112139	Well demarcated	Bien délimité

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
DCM		112029	WHO	OMS
SRTSCT		G- 103355008A220	Width	Largeur
DCM		112026	Width Descriptor	Descripteur de la largeur
SRTSCT		T- 2029800314227	Xiphoid process of sternum	Appendice xiphoïde
UCUM		a	Year	Année

Note

1. DAO = Détection Assistée par Ordinateur
2. In (113006, DCM, "For Therapy"), therapy could be translated as "thérapeutique" as well as "traitement". There is an issue with the word "traitement" because it is the same word used for image processing. To avoid any ambiguity we have chosen the word "thérapeutique", which is less used in common language.

Table E-2 provides a mapping of pathology codes used in DICOM, to ADICAP (L'association pour le Développement de l'Informatique en Anatomie et Cytologie Pathologiques).

Table E-2. Mapping of Pathology Codes used in DICOM to ADICAP

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning French Language	Equivalent ADICAP Code
SRTSCT		M-5516037279009	(Tumeur) amyloïde	5310
SRTSCT		M-8324022024005	Adénolipome	A0L2
DCM		111258	Adénome ductal	A0B2
SRTSCT		M-82040128651002	Adénome lactant	A0M2
SRTSCT		M-894008360001	Adénome pléomorphe	A0R8
SRTSCT		M-8211019665009	Adénome tubuleux	A0P1
DCM		111250	Adénomyoépithéliome	A0A0
SRTSCT		M-7420057597008	Adénose	6772
DCM		111284	Adénose microglandulaire	6772
SRTSCT		M-7422050916005	Adénose sclérosante	6772
SRTSCT		M-8861073219006	Angiolipome	L0P1
SRTSCT		M-7610014350002	Angiomatose	V0C0
SRTSCT		M-9120339000009	Angiosarcome (hémangiosarcome)	V7A0
SRTSCT		M-8480372495009	Carcinome (mucineux) colloïde	A7N4
SRTSCT		M-8200311671000	Carcinome adénoïde kystique (cylindrome)	A7X6
SRTSCT		M-8401357141000	Carcinome apocrine	A7K6
DCM		111307	Carcinome basocellulaire du mamelon	B7A0
SRTSCT		M-8500382711006	Carcinome canalaire infiltrant	A7A0
DCM		111340	Carcinome épidermoïde du mamelon	E7A0
DCM		111341	Carcinome intracanaire	A5B2
SRTSCT		D7-F0A02109888004	Carcinome lobulaire in situ mammaire	A5B0
SRTSCT		M-8520389740008	Carcinome lobulaire infiltrant	A7B1

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning French Language	Equivalent ADICAP Code
SRTSCT		M-8502341919003	Carcinome mammaire sécrétoire (juvénile)	A7N7
SRTSCT		M-8510332913002	Carcinome médullaire	A7X2
SRTSCT		M-8573322694002	Carcinome métaplasique	A7W0
SRTSCT		M-8050325910003	Carcinome papillaire infiltrant	A7C6
SRTSCT		M-821134631006	Carcinome tubuleux	A7F0
SRTSCT		M-9220031186001	Chondrome	C0A0
SRTSCT		M-9220314990007	Chondrosarcome	C7A0
SRTSCT		M-78731133855003	Cicatrice radiaire	6773
SRTSCT		D7-9043421381006	Cytostéatonécrose mammaire	5230
SRTSCT		M-7880019928005	Fibromatose	F0F0
SRTSCT		M-9010065877006	Fibroadénome	A0P2
SRTSCT		M-9030046212000	Fibroadénome juvénile	A0P2
SRTSCT		M-8810353654007	Fibrosarcome	F7A0
SRTSCT		D7-9037022049009	Galactophorite ectasiant mammaire (ectasie canalaire mammaire)	6546
SRTSCT		D7-904204754008	Gynécomastie	6551
SRTSCT		M-7550051398009	Hamartome	D0S0
SRTSCT		M-912002099007	Hémangiome	V0A0
SRTSCT		D3-F062093473009	Hémangiome sous-cutané non parenchymateux	V0A0
SRTSCT		M-9122056468002	Hémangiome veineux	VOA8
SRTSCT		M-9150136060005	Hémangiopéricytome	V0K0
SRTSCT		M-7217067617000	Hyperplasie canalaire	6712
SRTSCT		M-721756660000	Hyperplasie intracanaire atypique	6830
SRTSCT		M-7210533889003	Hyperplasie lobulaire atypique	6840
SRTSCT		D7-904286703006	Hyperplasie lobulaire mammaire	6721
DCM		111298	Hypertrophie juvénile	6080
SRTSCT		D7-9045277296004	Infarctus mammaire	4710
SRTSCT		M-4000023583003	Infection	7140
SRTSCT		D7-90035399294002	Kyste du sein	6544
SRTSCT		M-8890044598004	Léiomyome	L0A0
SRTSCT		M-8890351549004	Léiomyosarcome	L7A0
SRTSCT		M-8850046720004	Lipome	L0L0
SRTSCT		M-959131929004	Lymphome non hodgkinien	K7G0
SRTSCT		M-9650314537002	Maladie de Hodgkin	K7A0
SRTSCT		M-854032985005	Maladie de Paget du mamelon	A7B7
DCM		111259	Mastopathie diabétique	5010
DCM		111334	Mélanome malin du mamelon	M7A0
SRTSCT		M-9540089084002	Neurofibrome	N0L0
SRTSCT		M-9180321708004	Ostéosarcome	Q7A0

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning French Language	Equivalent ADICAP Code
SRTSCT		M-8050023730008	Papillome	A0P4 (unique), A0S4 (multiple)
SRTSCT		M-9731310639003	Plasmocytome	K7M0
SRTSCT		M-4414037058002	Réaction à corps étranger	7440
SRTSCT		M-9020387913009	Sarcome phyllode (Cystosarcome phyllode malin)	A7P6
SRTSCT		M-9580012169001	Tumeur à cellules granuleuses	X0H4
SRTSCT		M-9020171232009	Tumeur phyllode	A0P6

F Japanese Language Meanings of Selected Codes Used in The DCMR (Normative)

Table F-1. Japanese Language Meanings of Selected Codes

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
BI	3.0	II.AC.a	0 - Need additional imaging evaluation	0 - 追加撮影が必要
BI	3.0	II.AC.b.1	1 - Negative	1 - 異常なし
SRTSCT		F- 12977200401781	1 o'clock position	1時
SRTSCT		F- 1297810050178A	10 o'clock position	1 0 時
SRTSCT		F- 1297820030178B	11 o'clock position	1 1 時
SRTSCT		F- 1297830080178C	12 o'clock position	1 2 時
BI	3.0	II.AC.b.2	2 - Benign Finding	2 - 良性所見
SRTSCT		F- 12977300901782	2 o'clock position	2時
BI	3.0	II.AC.b.3	3 - Probably Benign Finding - short interval follow-up	3 - 良性-しかし悪性を否定できず所見-短い間隔での経過観察が必要
SRTSCT		F- 12977400301783	3 o'clock position	3時
BI	3.0	II.AC.b.4	4 - Suspicious abnormality, biopsy should be considered	4 - 悪性の疑い、生検を考慮
SRTSCT		F- 12977500201784	4 o'clock position	4時
BI	3.0	II.AC.b.5	5 - Highly suggestive of malignancy, take appropriate action	5 - 悪性、適切な処置が必要
SRTSCT		F- 12977600101785	5 o'clock position	5時
SRTSCT		F- 12977700501786	6 o'clock position	6 時
SRTSCT		F- 12977800001787	7 o'clock position	7 時
SRTSCT		F- 12977900801788	8 o'clock position	8 時
SRTSCT		F- 12978000601789	9 o'clock position	9 時
DCM		111135	Additional projections	追加撮影 (P)
SRTSCT		M- 1167100082003	Adenoid cystic carcinoma	嚢胞腺癌
SRTSCT		M- 2202400583240	Adenolipoma	腺脂肪腫
SRTSCT		M- 12876500989830	Adenomyoepithelioma	腺筋上皮腫
SRTSCT		M- 5759700874200	Adenosis	腺症
DCM		111001	Algorithm Name	アルゴリズム 名
DCM		111002	Algorithm Parameters	アルゴリズム・ パラメータ
DCM		111003	Algorithm Version	アルゴリズム・ バージョン (版番号)
DCM		111242	All algorithms succeeded; with findings	全てのアルゴリズムが成功 ; 所見あり
DCM		111241	All algorithms succeeded; without findings	全てのアルゴリズムが成功 ; 所見なし

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
SRTSCT		F- 12971600504744	Almost entirely fat	脂肪性
SRTSCT		F- 1297600050476C	Amorphous calcification	淡く不明瞭な
SRTSCT		M- 3727900955460	Amyloid (tumor)	アミロイド腫瘍
DCM		111004	Analysis Performed	解析済みの
SRTSCT		M- 7321900688640	Angiolipoma	血管脂肪腫
SRTSCT		M- 1435000276400	Angiomatosis	血管腫症
SRTSCT		M- 3900000994203	Angiosarcoma	血管肉腫
SRTSCT		R- 255549009404CC	Anterior	前方の
DCM		111141	Any decision to biopsy should be based on clinical assessment	臨床評価に基づいた生検の適応決定 (D)
SRTSCT		M- 5714100084043	Apocrine adenocarcinoma	アポクリン癌
SRTSCT		F- 12979200604795	Architectural distortion of breast	乳房の構築の乱れ
DCM		111215	Artifact(s) other than grid or detector artifact	検出器のアーチファクト以外のアーチファクト
DCM		111005	Assessment Category	カテゴリー評価
SRTSCT		F- 12979000304793	Asymmetric breast tissue	非対称性乳房組織
SRTSCT		P5- 133889002B3442	Asymmetric breast tissue analysis	非対称性乳房組織解析
SRTSCT		F- 1309630028A063	Asynchronous involution of breast	乳房の非同期性退縮
SRTSCT		M- 666000072475	Atypical intraductal hyperplasia	異型性乳管過形成 ; 異型性乳管内過形成
SRTSCT		M- 3388900372405	Atypical lobular hyperplasia	異型性小葉過形成
BI	3.0	I.E.6	Axillary adenopathy	腋窩リンパ節腫大
SRTSCT		F- 1297850010478E	Axillary tail position	腋窩稜 : 乳腺の腋窩稜 (C'領域)
DCM		111307	Basal cell carcinoma of the nipple	乳頭の基底細胞癌
SRTSCT		A- 10237800932475	BB shot (Lead Pellet)	鉛小球 ; BBマーカー
DCM		111143	Biopsy should be considered	要生検 (B)
SRTSCT		T- 6376200704080	Both breasts	両側 : 両側乳房
SRTSCT		F- 12971500904740	Breast composition	乳房の構成
SRTSCT		P5- 133890006B3444	Breast composition analysis	乳房の構成の解析
DCM		111100	Breast geometry	乳房の形状
SRTSCT		D7- 670300690428	Breast lobular hyperplasia	小葉過形成 : 乳腺小葉過形成
DCM		111007	Breast Outline including Pectoral Muscle Tissue	胸筋組織を含む乳房の輪郭
SRTSCT		A- 8612200232440	Bullet	マーカー
DCM		111017	CAD Processing and Findings Summary	CAD処理と所見の要約
SRTSCT		F- 12976900604775	Calcification Cluster	石灰化の集簇
DCM		111008	Calcification Distribution	石灰化の分布
DCM		111009	Calcification Type	石灰化のタイプ
SRTSCT		F- 12975700304769	Calcified skin of breast	皮膚 ; 乳房の皮膚
DCM		111304	Carcinoma in children	小児乳癌
DCM		111305	Carcinoma in ectopic breast	副乳の乳癌

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
DCM		111310	Carcinoma in pregnancy and lactation	妊娠・授乳期乳癌
SRTSCT		D7- 92652009F0902	Carcinoma in situ of male breast	男性乳癌
DCM		111306	Carcinoma with endocrine differentiation	内分泌分化を伴う癌
SRTSCT		M- 2269400285733	Carcinoma with metaplasia	化生を伴う癌
SRTSCT		A- 1992300126800	Catheter	カテーテル
DCM		111203	CC Nipple not centered on image	頭尾方向撮影 乳頭が画像の中央にない
DCM		111202	CC Not all medial tissue visualized	頭尾方向撮影 内側組織が十分見えていない
DCM		111204	CC Posterior nipple line does not measure within 1 cm of MLO	頭尾方向撮影 乳頭後方線が内外斜位方向の 1 c m以内に計測できない
DCM		111010	Center	中心部
SRTSCT		F- 1297860000478F	Central portion of breast position	中央部：乳腺の中央部
DCM		111011	Certainty of Feature	特徴の確信度
DCM		111012	Certainty of Finding	所見の確信度
DCM		111013	Certainty of Impression	インプレッションの確信度
SRTSCT		M- 3118600192200	Chondroma	軟骨腫
SRTSCT		M- 1499000792203	Chondrosarcoma	軟骨肉腫
SRTSCT		F- 12973800704744	Circumscribed lesion	境界明瞭平滑
SRTSCT		A- 7772000042062	Clip	クリップ
DCM		111014	Clockface or region	時計表示あるいは領域
SRTSCT		F- 12974900104764	Coarse (popcorn-like) calcification	粗大 (ポップコーン状)
DCM		111195	Collimation too close to breast	コリメーションが乳房に近すぎる
SRTSCT		A- 2287610044044	Collimator	コリメータ
DCM		111015	Composite Feature	乳房の構成の特徴
DCM		111016	Composite type	乳房の構成のタイプ
DCM		111018	Content Date	記録日
DCM		111019	Content Time	記録時間
SRTSCT		G- 7140000B0300	Contrast agent NOS	造影剤
SRTSCT		D7- 39929400290035	Cyst of breast	乳腺嚢胞
DCM		111147	Cytologic analysis	細胞診 (Y)
DCM		111193	Date sticker is missing	日付けステッカーがない
UCUM		d	Day	日
SRTSCT		F- 12972700704727	Decrease in number of calcifications	石灰化の数の減少
SRTSCT		M- 1977600102530	Decrease in size	サイズの縮小
SRTSCT		F- 12979300104796	Mammography breast density	乳房画像の濃度
DCM		111020	Depth	深さ (三次元表示の奥行き)
DCM		111021	Description of Change	変化の記載
DCM		111022	Detection Performed	検出済みの

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
DCM		111214	Detector artifact(s)	検出器のアーチファクト
DCM		111259	Diabetic fibrous mastopathy	糖尿病性乳腺症
SRTSCT		F- 129808005047B3	Difference in location	部位
SRTSCT		F- 44272600805179	Difference in location	部位
SRTSCT		F- 129812004047B7	Difference in margin	辺縁
SRTSCT		F- 129810007047B5	Difference in number of calcifications	石灰化の数
SRTSCT		F- 129807000047B2	Difference in opacity	濃度
SRTSCT		F- 129811006047B6	Difference in shape	形状
SRTSCT		F- 129806009047B4	Difference in size	大きさ
SRTSCT		F- 44271400305173	Difference in size	大きさ
SRTSCT		F- 129809002047B4	Difference in spatial proximity	空間的近接判定
SRTSCT		F- 129813009047B8	Difference in symmetry	対称性
DCM		111023	Differential Diagnosis/Impression	鑑別診断/インプレッション
SRTSCT		F- 12976400104770	Diffuse calcification distribution	びまん性 / 散在性
DCM		111258	Ductal adenoma	乳管腺腫
SRTSCT		M- 6761700072470	Ductal hyperplasia, Usual	乳管過形成 ; 乳管内過形成
SRTSCT		P5- 1810200140060	Mammary ductogram	乳房造影 (G)
SRTSCT		F- 12975000104762	Dystrophic calcification	異栄養性 ; 異栄養性石灰化
SRTSCT		F- 12975100204763	Eggshell calcification	卵殻状
DCM		111217	Electrical failure	電気系の故障
SRTSCT		F- 12974500704752	Equal density (isodense) lesion	等濃度
SRTSCT		F- 12971900304744	Extremely dense	高濃度
DCM		111224	Failed	失敗
DCM		111024	Failed Analyses	解析の失敗
DCM		111025	Failed Detections	検出の失敗
SRTSCT		F- 12974700404754	Fat containing (radiolucent) lesion	脂肪濃度を含む (X線透亮度)
SRTSCT		D7- 2138100690434	Fat necrosis of breast	脂肪壊死 : 乳房の脂肪壊死
DCM		111159	Feature detected on images from multiple modalities	多数の検査法で検出される特徴
DCM		111158	Feature detected on multiple images	多数の画像で検出される特徴
DCM		111157	Feature detected on only one of the images	1 画像でのみ検出される特徴
DCM		111156	Feature detected on the only image	画像のみで検出される特徴
SRTSCT		M- 6587700690400	Fibroadenoma	線維腺腫
DCM		111263	Fibroadenomatoid hyperplasia	線維腺腫様過形成 : 腺線維筋腫様過形成
SRTSCT		M- 1992800578800	Fibromatosis	線維腫症
SRTSCT		M- 5365400788403	Fibrosarcoma	線維肉腫
DCM		111072	Finding partially removed	部分的に消失した所見
SRTSCT		F- 1297610090476D	Fine, linear (casting) calcification	微細線状

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
SRTSCT		F- 1297620020476E	Fine, linear, branching (casting) calcification	微細線状分枝状
DCM		111191	Flash doesn't include cassette/screen/detector identification	患者情報等欄にカセット / スクリーン/検出器名がない
DCM		111188	Flash doesn't include date of examination	患者情報等欄に検査日がない
DCM		111189	Flash doesn't include facility name and location	患者情報等欄に施設名と所在地がない
DCM		111192	Flash doesn't include mammography unit identification	患者情報等欄に乳房撮影装置名がない
DCM		111187	Flash doesn't include patient name and additional patient id	患者情報等欄に患者の氏名および追加情報がない
DCM		111190	Flash doesn't include technologist identification	患者情報等欄に技師名がない
DCM		111186	Flash is illegible, does not fit, or is lopsided	患者情報等欄が読みにくい、大きさがあっていない、あるいは傾いている
DCM		111185	Flash is not near edge of film	患者情報等欄がフィルムの端にない
SRTSCT		F- 12978900704792	Focal asymmetric breast tissue	局所性非対称性乳房組織
SRTSCT		P5- 133888005B3410	Focal asymmetric density analysis	局所性非対称性陰影
DCM		111142	Follow-up at short interval (1-11 months)	短期間での経過観察 (1 - 11 ヶ月) (F)
SRTSCT		M- 3705800244140	Foreign body (reaction)	異物反応
SRTSCT		M- 7428000883153	Glycogen-rich carcinoma	グリコーゲンに富む癌
SRTSCT		M- 1216900195800	Granular cell tumor	顆粒細胞腫
DCM		111208	Grid artifact(s)	グリッドのアーチファクト
SRTSCT		F- 12976600404772	Grouped calcification distribution	集簇性
SRTSCT		D7- 475400890420	Gynecomastia	女性化乳房
SRTSCT		M- 5139800975500	Hamartoma	過誤腫
SRTSCT		M- 209900794200	Hemangioma	血管腫
SRTSCT		D3- 93473009F0620	Hemangioma of subcutaneous tissue	非実質性皮下組織血管腫
SRTSCT		M- 5646800294220	Hemangioma - venous	静脈性血管腫
SRTSCT		M- 3606000594504	Hemangiopericytoma	血管周皮腫
SRTSCT		F- 1297630070476F	Heterogeneous calcification	不均一なあるいは多形性の
SRTSCT		F- 12971800604743	Heterogeneously dense	不均一高濃度
SRTSCT		F- 12974400604754	High density lesion	高濃度
DCM		111145	Histology using core biopsy	コア針生検 (H)
SRTSCT		M- 1453700296503	Hodgkin's disease (lymphoma)	ホジキン病
DCM		111026	Horizontal Pixel Spacing	水平方向ピクセル間隔
SRTSCT		A- 12946700746046	ID Plate	IDプレート
DCM		111027	Image Laterality	画像の左右差
DCM		111028	Image Library	画像ライブラリ

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
DCM		111101	Image Quality	画像の品質
SRTSCT		P5- 133887000B3408	Image quality analysis	画像の品質解析
DCM		111029	Image Quality Rating	画質のランク付
DCM		111030	Image Region	画像領域
DCM		111031	Image View	画像表示用符号変換系列
DCM		111032	Image View Modifier	画像表示用符号系列
SRTSCT		A- 4038800304010	Implant	インプラント
SRTSCT		F- 1297310010172B	Implant revised since previous mammogram	インプラントの修正
DCM		111033	Impression Description	インプレッションの記載
DCM		111196	Inadequate compression	圧迫不良
DCM		111219	Inappropriate image processing	現像機の故障
SRTSCT		F- 12972600301726	Increase in number of calcifications	石灰化の数の増加
SRTSCT		M- 1545400102520	Increase in size	サイズの増大
SRTSCT		F- 12974100301744	Indistinct lesion	境界不明瞭
SRTSCT		F- 12977000701776	Individual Calcification	個々の石灰化
DCM		111233	Individual Impression / Recommendation Analysis	個々のインプレッション / 推奨の解析
DCM		111034	Individual Impression/Recommendation	個々のインプレッション / 推奨
SRTSCT		D7- 7729600490452	Infarction of breast	梗塞：乳腺の梗塞
SRTSCT		M- 2358300340000	Inflammation	感染
SRTSCT		M- 3296800385303	Inflammatory carcinoma	炎症性乳癌
DCM		111206	Insufficient implant displacement incorrect	インプラントの圧排不十分
DCM		111341	Intraductal carcinoma, high grade	非浸潤性乳管癌：DCIS
SRTSCT		T- 443808008G430B	Intramammary lymph node	乳房内リンパ節
SRTSCT		M- 3015600482013	Invasive cribriform carcinoma	浸潤性篩状癌
SRTSCT		M- 8271100685003	Infiltrating duct carcinoma	浸潤性乳管癌
SRTSCT		M- 8974000885203	Invasive lobular carcinoma	浸潤性小葉癌
SRTSCT		G- 49608001A402	Irregular	不整形
SRTSCT		A- 1294630061016B	J Wire	Jワイヤー
SRTSCT		M- 4621200090300	Juvenile fibroadenoma	若年性線維腺腫
DCM		111277	Juvenile papillomatosis	若年性乳頭腫症
SRTSCT		M- 12865100282040	Lactating adenoma	授乳性腺腫
SRTSCT		F- 12975200901764	Large rod-like calcification	大きな桿状
SRTSCT		T- 8024800704030	Left breast	左：左乳房
SRTSCT		M- 4459800488900	Leiomyoma	平滑筋腫
SRTSCT		M- 5154900488903	Leiomyosarcoma	平滑筋肉腫
DCM		111035	Lesion Density	病変の濃度
SRTSCT		F- 12972800201728	Less defined	より不明瞭になってきた

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
DCM		111318	Leukemic infiltration	白血病浸潤
SRTSCT		F- 12976500004774	Linear calcification distribution	線状
SRTSCT		M- 383900083143	Lipid-rich (lipid-secreting) carcinoma	脂肪に富む (脂質分泌) 癌
SRTSCT		M- 4672000488500	Lipoma	脂肪腫
SRTSCT		G- 40266001A640	Lobular	分葉状
SRTSCT		D7- 109888004F0A02	Lobular carcinoma in situ of breast	非浸潤性小葉癌 : L C I S
SRTSCT		F- 12974600804753	Low density (not containing fat) lesion	低濃度 (脂肪を含まない)
SRTSCT		T- 1910000004003	Lower inner quadrant of breast	内下部 : 乳房の内下部 1 / 4 (B 領域)
SRTSCT		T- 3356400204005	Lower outer quadrant of breast	外下部 : 乳房の外下部 1 / 4 (D 領域)
SRTSCT		F- 12975400504766	Lucent-centered calcification	中心透亮性
SRTSCT		R- 399163009402D6	Magnification views	拡大撮影 (M)
DCM		111334	Malignant melanoma of nipple	乳頭の悪性黒色腫
SRTSCT		D7- 2204900990370	Mammary duct ectasia	乳管拡張症
SRTSCT		F- 12978800404791	Mammographic breast mass	腫瘍
DCM		111036	Mammography CAD Report	マンモグラフィCADのレポート
DCM		111238	Mammography Quality Control Manual 1999, ACR	マンモグラフィ品質管理マニュアル1999, ACR
DCM		111037	Margins	辺縁
DCM		111216	Mechanical failure	機械の故障
SRTSCT		M- 3291300285403	Medullary carcinoma	髄様癌
DCM		111284	Microglandular adenosis	微小腺管腺症
SRTSCT		F- 12973900404742	Microlobulated lesion	微細分葉状
SRTSCT		R-4081A260528009	Middle	中央の
SRTSCT		F- 12975300404765	Milk of calcium calcification	石灰乳
DCM		111200	MLO Evidence of motion blur	内外斜位方向撮影 体動によるブレがある
DCM		111201	MLO Inframammary fold is not open	内外斜位方向撮影 乳房下溝が開いていない
DCM		111197	MLO Insufficient pectoral muscle	内外斜位方向撮影 胸筋の描出が不十分
DCM		111198	MLO No fat is visualized posterior to fibroglandular tissues	内外斜位方向撮影 乳腺後隙の脂肪が見られない
DCM		111199	MLO Poor separation of deep and superficial breast tissues	内外斜位方向撮影 乳房組織の深部および表在乳腺の分離が不良である
UCUM		mo	Month	月
SRTSCT		F- 12972900504729	More defined	より明瞭になってきた
DCM		111210	Motion blur	患者の体動
SRTSCT		M- 7249500984803	Mucinous adenocarcinoma (Colloid carcinoma)	粘液癌
DCM		111283	Myofibroblastoma	筋線維芽腫

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
DCM		111144	Needle localization and biopsy	針留置による位置決めと生検 (L)
SRTSCT		D0- 126510002F035F	Neoplasm of mammary skin	乳房皮膚の新生物
SRTSCT		M- 8908400295400	Neurofibroma	神経線維腫
SRTSCT		F- 12972100804724	New finding	新しい所見
SRTSCT		T- 2414200204100	Nipple	乳頭
SRTSCT		D7- 3184500590554	Nipple retraction	乳頭陥凹
DCM		111245	No algorithms succeeded; without findings	全てのアルゴリズムが失敗 ; 所見なし
DCM		111213	No image	画像なし
SRTSCT		F- 12972300604723	No significant changes in the finding	所見上、著変なし
SRTSCT		M- 192900495943	Non-Hodgkin's lymphoma	非ホジキンリンパ腫
DCM		111102	Non-lesion	病変がない
DCM		111140	Normal interval follow-up	通常間隔での経過観察 (N)
SRTSCT		M- 3184200802000	Normal shape	正常乳頭
DCM		111244	Not all algorithms succeeded; with findings	全てのアルゴリズムが成功した訳ではない ; 所見あり
DCM		111243	Not all algorithms succeeded; without findings	全てのアルゴリズムが成功した訳ではない ; 所見なし
DCM		111225	Not Attempted	未施行
DCM		111152	Not for Presentation: Rendering device expected not to present	提示の必要なし : 表示装置提示の必要なし
DCM		111038	Number of calcifications	石灰化の数
DCM		111039	Object type	対象のタイプ
SRTSCT		F- 12974000204743	Obscured lesion	評価困難
DCM		111322	Occult carcinoma presenting with axillary lymph node metastases	腋窩リンパ節転移を伴う潜伏癌
DCM		111138	Old films for comparison	比較のための以前のフィルム (O)
SRTSCT		A- 26230100900D7B	Opaque marker	不透明マーカー
DCM		111040	Original Source	情報源
SRTSCT		M- 2170800494803	Osteogenic sarcoma	骨肉腫
DCM		111220	Other failure	他の故障
DCM		111175	Other Marker	他のマーカー
DCM		111041	Outline	輪郭
DCM		111212	Over exposed	露光過多
DCM		111234	Overall Impression / Recommendation Analysis	全体のインプレッション / 推奨の解析
SRTSCT		M- 8436000402120	Ovoid shape (Oval)	楕円形
SRTSCT		A- 11837800511104	Cardiac Pacemaker	ペースメーカー
SRTSCT		A- 12946000940042	Compression paddle	圧縮パドル
SRTSCT		M- 298500585403	Paget's disease, mammary (of the nipple)	乳頭のパジエット病

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
SRTSCT		M- 2591000380503	Papillary carcinoma (invasive)	浸潤性乳頭癌
SRTSCT		M- 2373000880500	Papilloma	乳頭腫
DCM		111223	Partially Succeeded	部分的成功
DCM		111042	Pathology	病理
DCM		111043	Patient Orientation Column	患者情報 行
DCM		111044	Patient Orientation Row	患者情報 列
DCM		111045	Pectoral Muscle Outline	胸筋輪郭
DCM		111046	Percent Glandular Tissue	乳腺組織の割合 (%)
SRTSCT		M- 7123200990201	Phyllodes tumor	良性葉状腫瘍
SRTSCT		M- 8791300990203	Phyllodes tumor, malignant	悪性葉状腫瘍
SRTSCT		M- 1063900397313	Plasmacytoma	形質細胞腫
SRTSCT		M- 836000189400	Pleomorphic adenoma	混合腫瘍 (多形腺腫)
DCM		111209	Positioning	ポジショニング
SRTSCT		R- 255551008404GE	Posterior	後方の
DCM		111151	Presentation Optional: Rendering device may present	提示はオプションである : 表示装置の提示は自由
DCM		111150	Presentation Required: Rendering device is expected to present	提示が必要である : 表示装置の提示必要
DCM		111047	Probability of cancer	癌の可能性
DCM		111292	Pseudoangiomatous stromal hyperplasia	偽血管腫様間質過形成
SRTSCT		F- 12975500601767	Punctate calcification	点状
DCM		111048	Quadrant location	位置表示 (四分の一円)
DCM		111049	Qualitative Difference	質的相違
DCM		111050	Quality Assessment	品質評価
DCM		111051	Quality Control Standard	品質管理の基準
DCM		111052	Quality Finding	品質に関する所見
SRTSCT		M- 13385500378731	Radial scar	放射状硬化性病変 (放射状瘢痕)
DCM		111053	Recommended Follow-up	経過観察の推奨
DCM		111054	Recommended Follow-up Date	推奨される経過観察日
DCM		111055	Recommended Follow-up Interval	推奨される経過観察間隔
SRTSCT		F- 12976700801773	Regional calcification distribution	領域性
SRTSCT		F- 1297300000172A	Removal of implant since previous mammogram	インプラントの除去
DCM		111056	Rendering Intent	結果表示するかどうか
SRTSCT		F- 7305600704020	Right breast	右 : 右乳房
SRTSCT		M- 4270000202100	Round shape	円形
SRTSCT		M- 1240200378060	Scar tissue	瘢痕組織
SRTSCT		F- 12971700101712	Scattered fibroglandular densities	乳腺散在
SRTSCT		M- 5091600574220	Sclerosing adenosis	硬化性腺症
DCM		111057	Scope of Feature	特徴の範囲

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
SRTSCT		M- 4191900385023	Secretory (juvenile) carcinoma of the breast	分泌癌 (若年性癌) : 分泌性乳癌 (若年性乳癌)
SRTSCT		F- 12976800304774	Segmental calcification distribution	区域性
DCM		111099	Selected region	選択された領域
DCM		111058	Selected Region Description	選択領域の記述
SRTSCT		M- 107644003020F9	Shape	形状
DCM		111059	Single Image Finding	1画像の所見
SRTSCT		D0- 9532400100050	Skin lesion	皮膚病変
SRTSCT		F- 12979600904799	Skin retraction of breast	乳房の皮膚陥凹
SRTSCT		F- 1297970000479A	Skin thickening of breast	乳房の皮膚肥厚
DCM		111218	Software failure	ソフトウェアの故障
SRTSCT		P5- 133884007B3402	Spatial collocation analysis	空間的なデータ対応付け解析
SRTSCT		P5- 133885008B3404	Spatial proximity analysis	空間的なデータ近接判定解析
SRTSCT		F- 12974200504745	Spiculated lesion	スピキュラを伴う
SRTSCT		R- 399055006402D7	Spot compression	スポット圧迫撮影 (S)
DCM		111136	Spot magnification view(s)	拡大スポット撮影 (V)
DCM		111340	Squamous cell carcinoma of the nipple	乳頭の扁平上皮癌
SRTSCT		A- 5635300243600	Staple	ステープル
DCM		111060	Study Date	検査日
DCM		111061	Study Time	検査時刻
SRTSCT		F- 1297840020478D	Subareolar position	乳輪下
DCM		111222	Succeeded	成功
DCM		111062	Successful Analyses	解析の成功
DCM		111063	Successful Detections	検出の成功
DCM		111146	Suggestive of malignancy - take appropriate action	悪性-適切な処置が必要 (T)
DCM		111065	Summary of Analyses	解析の要約
DCM		111064	Summary of Detections	検出の要約
SRTSCT		A- 2706500243500	Suture	縫合
DCM		111155	Target content items are related contra-laterally	Target content itemsは対側のそれらに関連している
DCM		111154	Target content items are related spatially	Target content itemsは空間的に関連している
DCM		111153	Target content items are related temporally	Target content itemsは時間的に関連している
DCM		111194	Technical factors missing	撮影条件がない
SRTSCT		P5- 133886009B3406	Temporal correlation	経時的相関
SRTSCT		F- 12979500804798	Trabecular thickening of breast	乳房の梁柱の肥厚
SRTSCT		M- 463100682443	Tubular adenocarcinoma	管状癌
SRTSCT		M- 1966500982440	Tubular adenoma	管状腺腫
SRTSCT		F- 12979400704797	Tubular density	管状影

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
SRTSCT		P5- 16310003B0000	Diagnostic ultrasonography	超音波検査手技 (U)
DCM		111211	Under exposed	露光不足
DCM		111221	Unknown failure	原因不詳の故障
DCM		111176	Unspecified	非特定の物質
DCM		111235	Unusable - Quality renders image unusable	使用不可-画像構成の品質は使用不可である
SRTSCT		T- 7783100404002	Upper inner quadrant of breast	内上部：乳房の内上部 1 / 4 (A 領域)
SRTSCT		T- 7636500204004	Upper outer quadrant of breast	外上部：乳房の外上部 1 / 4 (C 領域)
DCM		111236	Usable - Does not meet the quality control standard	使用可-品質管理の基準に達していない
DCM		111237	Usable - Meets the quality control standard	使用可-品質管理の基準に達している
SRTSCT		F- 1297590000476B	Vascular calcification	血管
DCM		111066	Vertical Pixel Spacing	垂直方向のピクセル間隔
DCM		111179	View and Laterality Marker does not have approved codes	鉛マーカーはFDAのコードがない
DCM		111178	View and Laterality Marker does not have both view and laterality	鉛マーカーは撮影方向と左右の表示がない
DCM		111183	View and Laterality Marker is incorrect	鉛マーカーは正しい位置にない
DCM		111177	View and Laterality Marker is missing	鉛マーカーがみられない
DCM		111180	View and Laterality Marker is not near the axilla	鉛マーカーは腋窩の近くでない
DCM		111184	View and Laterality Marker is off image	鉛マーカーがフィルム外である
DCM		111182	View and Laterality Marker is partially obscured	鉛マーカーは一部覆い隠されている
DCM		111298	Virginal hyperplasia	若年性過形成
UCUM		wk	Week	週
UCUM		a	Year	年

G English Code Meanings of Selected Codes (Normative)

Table G-1. English Code Meanings of Selected Codes

Coding Scheme Designator	Code Value	Code Meaning
UCUM	4 1	unary
		no units
UCUM	{ratio}	ratio
SRTSCT	G- 3181100340520	Carbon dioxide
		Carbon dioxide gas
SRTSCT	G- 41944200521047	Ethanol
		Ethyl alcohol
SRTSCT	G- 118200781100	Hypotensive agent
		Antihypertensive agent
		Antihypertensive drug
SRTSCT	G- 30396000450434	Thrombolytic agent
		Fibrinolytic agent
SRTSCT	G- 87811005A7440	Injectable fibrinolysin
		Injectable plasmin
SRTSCT	G- 7140000B0300	Contrast agent
		Radiographic contrast agent
SRTSCT	G- 33271006B4091	Iodohippurate I ¹³¹ sodium
		Iodine ¹³¹ hippuran
SRTSCT	G- 35884005B1109	Iodine ¹³¹ polyvinylpyrrolidone
		Iodine ¹³¹ PVP
SRTSCT	G- 87410002B4225	Technetium Tc ⁹⁹ N-substituted iminodiacetate
		Tc ⁹⁹ labeled HIDA
SRTSCT	D3- 11128900940208	Congenital pulmonary arteriovenous fistula
		Congenital coronary artery fistula to pulmonary artery
SRTSCT	D4- 12858400533142	Pulmonary artery conduit
		Congenital pulmonary artery conduit
SRTSCT	D4- 12856600833512	Pulmonary vein confluence
		Congenital pulmonary vein confluence
SRTSCT	D4- 12856700433514	Pulmonary venous atrium
		Congenital pulmonary venous atrium
SRTSCT	D4- 12856800933516	Systemic venous atrium
		Congenital systemic venous atrium
SRTSCT	R- 39934800340206	Antero-posterior
		AP
SRTSCT	R- 27247900740888	Postero-anterior

Coding Scheme Designator	Code Value	Code Meaning
		PA
SRTSCT	R- 39900400410246	Oblique axial
		Oblique caudo-cranial
		Oblique cranio-caudal
		Oblique transaxial
		Off-axial
		Off-axial projection
SRTSCT	R- 39926000410224	Medial-lateral
		Medio-lateral
SRTSCT	R- 39909900210230	Lateral-medial
		Latero-medial
SRTSCT	R- 39919800710232	Right lateral projection
		Left to right beam projection
SRTSCT	R- 39917300610236	Left lateral projection
		Right to left beam projection
SRTSCT	R- 39916200410242	caudad
		caudal projection
		cranio-caudal projection
SRTSCT	R- 39919600610244	cephalad
		cranial projection
		caudo-cranial projection
		from below
SRTSCT	R- 2724660034087B	transforamenal
		optic foramen projection
SRTSCT	G- 24028007A100	Right
		Right lateral
SRTSCT	G- 7771000A101	Left
		Left lateral
SRTSCT	G- 51440002A102	Bilateral
		Right and left
SRTSCT	G- 66459002A103	Unilateral
		One-sided
SRTSCT	R- 255549009404CG	Anterior
		Ventral
SRTSCT	R- 255551008404CE	Posterior
		Dorsal
SRTSCT	G- 66787007A107	Cephalic
		Cephalad
		Rostral
		Cranial
SRTSCT	G- 3583002A108	Caudal

Coding Scheme Designator	Code Value	Code Meaning
		Caudad
SRTSCT	R- 255561001404D5	Medial
SRTSCT	G- 261129000A10A	Mediolateral
		Midline
SRTSCT	R- 26107400940941	External
		Outer
SRTSCT	R- 26052100340819	Internal
		Inner
SRTSCT	R- 2610890004094A	Inferior
		Lower
SRTSCT	R- 26421700042191	Superior
		Upper
SRTSCT	G- 81654009A138	Coronal
		Frontal
SRTSCT	G- 795002A140	Deep
		Profundis
SRTSCT	R- 399067008102CD	Sagittal Projection
		Lateral Projection
SRTSCT	G- 117230084022	Contact with
		Direct contact
SRTSCT	G- 32381004A170	Hilar
		Hilus
SRTSCT	G- 57183005A174	Edge
		Along edge
SRTSCT	G- 372464004D17D	Intracutaneous route
		Intradermal route
SRTSCT	G- 26643006D140	Oral route
		Peroral route
SRTSCT	G- 16857009D164	Vaginal route
		Per vagina
SRTSCT	P1- 4521100005535	Catheterization
		Insertion of catheter
SRTSCT	P1- 683200430350	Atherectomy
		Removal of atherosclerotic plaque from artery
SRTSCT	T- 7467000315460	Wrist joint
		Joint of Wrist
SRTSCT	T- 8089100932000	Endo-cardiac
		Intra-cardiac
SRTSCT	T- 5111400141000	Endo-arterial
		Intra-arterial
SRTSCT	T- 1269100946010	Innominate artery

Coding Scheme Designator	Code Value	Code Meaning
		Brachiocephalic artery
		Brachiocephalic trunk
SRTSCT	T- 1212300148170	Internal jugular vein
		Vena jugularis interna
SRTSCT	T- 888700748620	Innominate vein
		Brachiocephalic vein
SRTSCT	T- 3276400648810	Portal vein
		Vena portae
SRTSCT	T- 113346000D4450	Omental bursa
		Lesser peritoneal sac
LN	33068-8	Thoracic Area
		FTA
LN	33070-4	Inner Orbital Diameter
		IOD
LN	11727-5	Estimated Weight
		EFW
LN	11948-7	Fetal Heart Rate
		HR
LN	11778-8	Estimated Date of Delivery
		EDD
LN	11955-2	Last Menstrual Period
		LMP
LN	11979-2	Abdominal Circumference
		AC
LN	11818-2	Anterior-Posterior Abdominal Diameter
		APAD
LN	11820-8	Biparietal Diameter
		BPD
LN	11824-0	BPD area corrected
		BPDa
LN	11963-6	Femur Length
		FL
LN	11984-2	Head Circumference
		HC
LN	11851-3	Occipital-Frontal Diameter
		OFD
LN	11988-3	Thoracic Circumference
		TC
LN	11862-0	Tranverse Abdominal Diameter
		TAD
LN	11863-8	Trans Cerebellar Diameter

Coding Scheme Designator	Code Value	Code Meaning
		TCD
		TDC
LN	11864-6	Transverse Thoracic Diameter
		TTD
LN	11629-3	Outer Orbital Diameter
		OOD
LN	11726-7	Peak Velocity
		Peak Systolic Velocity
SRTSCT	G- 103342007A188	Mid-Longitudinal
		Mid
SRTSCT	T- 2147900545170	Carotid Bulb
		Carotid Sinus
LN	8277-6	Body Surface Area
		BSA
LN	29462-9	Pulmonary-to-Systemic Shunt Flow Ratio
		Qp/Qs
SRTSCT	R- 26367700842047	Antegrade Direction
		Antegrade Flow
SRTSCT	R- 31200400742E6+	Retrograde Direction
		Regurgitant Flow
LN	11957-8	Crown Rump Length
		CRL
SRTSCT	P1- 11985300648501	Breast implantation
		Implant procedure
SRTSCT	P1- 2731500048520	Removal of breast implant
		Explantation
SRTSCT	D0- 24747200400165	Weal
		Hives
SRTSCT	D7- 27198900390010	Disorder of breast implant
		Breast implant problem
SRTSCT	D7- 8916400390530	Breast lump
		Lump or thickening
SRTSCT	D7- 8738600290560	Peau d'orange surface of breast
		Peau d'orange
SRTSCT	D7- 29011300990565	Bloody nipple discharge
		Bloody discharge
SRTSCT	DD- 11026500666A67	Hemorrhage postprocedure
		Abnormal bleeding
SRTSCT	DD- 40867800867703	Healthcare associated infection
		Infection
SRTSCT	F- 16925400701BF8	Ultrasound scan normal

Coding Scheme Designator	Code Value	Code Meaning
		Normal; the finding is not seen sonographically
SRTSCT	F- 28041600901E06	Indeterminate result
		Inconclusive
SRTSCT	F- 38466800302B9B	Nottingham Combined Grade cannot be determined
		GX - grade cannot be assessed
SRTSCT	F- 3095870038A057	Calcification of breast
		Calcifications
SRTSCT	F- 2900690028A074	Discoloration of skin of breast
		Redness of skin
SRTSCT	F- 2901190088A09C	Nipple problem
		Nipple abnormality
SRTSCT	F- 279047007A2632	Persistent pain following procedure
		Unusual pain
SRTSCT	F- 398665005A558A	Vasovagal syncope
SRTSCT	G- 369790002F616	Nottingham Combined Grade I: 3-5 points
		G1 - Low combined histologic grade (favorable)
SRTSCT	G- 369791003F617	Nottingham Combined Grade II: 6-7 points
		G2 - Intermediate combined histo grade (moderately favorable)
SRTSCT	G- 369792005F618	Nottingham Combined Grade III: 8-9 points
		G3 - High combined histologic grade (unfavorable)
SRTSCT	M- 6313000178280	Surgical scar
		Post-surgical scar
SRTSCT	P1- 27759100603106	Computed tomography guided biopsy
		CT guided
SRTSCT	P1- 27759200403107	Magnetic resonance imaging guided biopsy
		MRI guided
SRTSCT	P1- 27766700603115	Ultrasound guided biopsy
		Ultrasound guided
SRTSCT	P1- 23738000748011	Pre-biopsy localization of breast lesion
		Localization for surgical biopsy
SRTSCT	P1- 28757200348142	Diagnostic aspiration of breast cyst
		Cyst aspiration
SRTSCT	P1- 38773600748145	Fine needle aspiration of breast
		FNA - Fine needle aspiration
SRTSCT	P1- 4457800948304	Core needle biopsy of breast
		Core biopsy
SRTSCT	P1- 2743310034830F	Breast - surgical biopsy
		Surgical biopsy
SRTSCT	P2- 466620014A000	Examination of breast
		Clinical breast exam
SRTSCT	P5- 6431800900032	Diagnostic radiography, stereotactic localization

Coding Scheme Designator	Code Value	Code Meaning
		Stereotactic
SRTSCT	P5- 8086500840030	Specimen radiography of breast
		Specimen imaging
SRTSCT	P5- 66377006D0042	Radionuclide localization of tumor, limited area
		Scintimammography
SRTSCT	R- 16415000620099	O/E - axillary lymphadenopathy
		Large axillary lymph nodes
SRTSCT	R- 268951004207D7	O/E - Breast lump palpated
		Palpable abnormality
SRTSCT	R- 30715300740FB9	Before procedure
		Pre-
SRTSCT	R- 25827000341DDC	High risk tumor
		High risk
SRTSCT	R- 303110006422A4	After procedure
		Follow-up
SRTSCT	R- 408714007101BA	vessel lumen cross sectional area reduction
		lumen area stenosis
SRTSCT	R- 408715008101BB	vessel lumen diameter reduction
		lumen diameter stenosis
SRTSCT	P5- 61593002B0700	Ultrasonic guidance procedure
		Ultrasound guided
SRTSCT	F- 12971600501741	Almost entirely fat
		Almost entirely fat (< = 10% fibroglandular)
SRTSCT	F- 12971700101742	Scattered fibroglandular densities
		Scattered fibroglandular tissue (11% - 50% fibroglandular)
SRTSCT	F- 12971800601743	Heterogeneously dense
		Heterogeneously dense (51% - 75% fibroglandular)
SRTSCT	F- 12971900301744	Extremely dense
		Extremely dense (greater than 75% fibroglandular)
SRTSCT	F- 1297630070176F	Heterogeneous calcification
		Coarse heterogeneous calcification
SRTSCT	F- 12978900701792	Focal asymmetric breast tissue
		Focal asymmetry
SRTSCT	F- 12979000301793	Asymmetric breast tissue
		Global asymmetry
SRTSCT	F- 12979400701797	Tubular density
		Asymmetric tubular structure/solitary dilated duct
SRTSCT	M- 8661600585002	Intraductal carcinoma, non-infiltrating
		DCIS
SRTSCT	P0- 386053000009B4	Evaluation procedure
		Clinical evaluation

Coding Scheme Designator	Code Value	Code Meaning
SRTSCT	P5- 169167001D0061	Radioisotope scan of lymphatic system
		Lymphoscintigraphy
SRTSCT	A- 10231400125612	Embolization coil
		Gianturco coil
SRTSCT	T- 1269100946010	Brachiocephalic artery
		Brachiocephalic trunk
		Innominate artery
DCM	111046 111046	Percent Fibroglandular Tissue
		Percent Glandular Tissue
SRTSCT	R-4081A260528009	Median
		Middle
LN	20280-4	Pressure Half Time
		Pressure Half Time by US.calculated
LN	59089-3	Thickness
		ROI Thickness by US
LN	59090-1	Internal Dimension
		ROI Internal Dimension by US
LN	20247-3	Peak Gradient [Pressure]
		Peak Gradient [Pressure] by US.calculated
LN	20256-4	Mean Gradient [Pressure]
		Mean Gradient [Pressure] by Doppler
SRTSCT	R- 3966550061007B	Left ventricle mid inferolateral segment
		Left Ventricle Posterior Wall
SRTSCT	R- 44437100340B11	Ventricular Ejection
		S-wave
		s-prime
SRTSCT	R- 44439200340B1G	Diastolic Rapid Inflow
		E-wave
		e-prime
SRTSCT	F- 5997200732030	Atrial Systole
		A-wave
		a-prime

H Code Meanings of LOINC Codes in DCMR

Code Meanings for LOINC codes may use the LOINC "Long Common Name" for the Code Meaning, or if that is too long for the Value Representation of Code Meaning, or if it is preferred, the LOINC "Short Name" (which will be less than 40 characters), or synonyms as specified in this Annex.

Table H-1. Code Meanings of LOINC Codes

Code Value	Code Meaning
10160-0	History of Medication Use
11329-0	History
11450-4	Problem List
11522-0	Echocardiography Report
11525-3	Ultrasound Obstetric and Gyn Report
11528-7	Radiology Report
11538-6	CT Chest Report
11539-4	CT Head Report
11540-2	CT Abdomen Report
11541-0	MRI Head Report
11612-9	Aborta
11623-6	Fourth Quadrant Diameter
11624-4	First Quadrant Diameter
11625-1	Third Quadrant Diameter
11626-9	Second Quadrant Diameter
11629-3	Outer Orbital Diameter
11636-8	Live Births
11653-3	End Diastolic Velocity
11665-7	Minimum Diastolic Velocity
11692-1	Time averaged peak velocity
11726-7	Peak Velocity
11726-7	Peak Velocity
11727-5	Estimated Weight
11732-5	EFW by AC, BPD, FL, HC, Hadlock 1985
11734-1	EFW by AC, BPD, FL, Hadlock 1984
11735-8	EFW by AC, BPD, FL, Hadlock 1985
11738-2	EFW by AC, BPD, Hadlock 1984
11739-0	EFW by AC and BPD, Shepard 1982
11746-5	EFW by AC, FL, HC, Hadlock 1985
11750-7	EFW by AC, FL, Hadlock 1984
11751-5	EFW by AC, FL, Hadlcok 1985
11754-9	EFW by AC, HC Hadlock 1984
11756-4	EFW by AC, Campbell 1975
11767-1	EFW percentile rank
11778-8	Estimated Date of Delivery

Code Value	Code Meaning
11779-6	EDD from LMP
11780-4	EDD from ovulation date
11781-2	EDD from average ultrasound age
11793-7	Follicle Diameter
11816-6	Yolk Sac length
11818-2	Anterior-Posterior Abdominal Diameter
11819-0	Anterior-Posterior Trunk Diameter
11820-8	Biparietal Diameter
11823-2	Cephalic Index
11824-0	BPD area corrected
11825-7	Left Kidney width
11827-3	Right Kidney width
11829-9	Left Ovary Width
11830-7	Right Ovary Width
11834-9	Left Kidney length
11836-4	Right Kidney length
11840-6	Left Ovary Length
11841-4	Right Ovary Length
11850-5	Gestational Sac Diameter
11851-3	Occipital-Frontal Diameter
11853-9	Left Kidney thickness
11855-4	Right Kidney thickness
11857-0	Left Ovary Height
11858-8	Right Ovary Height
11860-4	Cisterna Magna
11860-4	Cisterna Magna length
11862-0	Tranverse Abdominal Diameter
11863-8	Trans Cerebellar Diameter
11863-8	Trans Cerebellar Diameter
11864-6	Transverse Thoracic Diameter
11871-1	FL/AC
11872-9	FL/BPD
11873-7	FL/HC
11878-6	Number of Fetuses by US
11884-4	Average Ultrasound Age
11885-1	Gestational Age by LMP
11885-1	Gestational Age by LMP
11886-9	Gestational Age by ovulation date
11888-5	Composite Ultrasound Age
11889-3	AC, Campbell 1975
11892-7	AC, Hadlock 1984
11893-5	AC, Jeanty 1984

Code Value	Code Meaning
11900-8	BPD, Doubilet 1993
11901-6	BPDa, Hadlock 1982
11902-4	BPD, Hadlock 1984
11903-2	BPD, Hansmann 1985
11905-7	BPD, Jeanty 1984
11906-5	BPD, Kurtz 1980
11907-3	BPD, Sabbagha 1978
11910-7	CRL, Hadlock 1992
11911-5	CRL, Hansmann 1985
11913-1	CRL, Nelson 1981
11914-9	CRL, Robinson 1975
11917-2	CRL, Jeanty 1984
11918-0	Fibula, Merz 1987
11920-6	FL, Hadlock 1984
11921-4	FL, Hansmann 1985
11922-2	FL, Hohler 1982
11923-0	FL, Jeanty 1984
11924-8	FL, Merz 1987
11926-3	Foot Length, Mercer 1987
11928-9	GS, Hellman 1969
11929-7	GS, Rempen 1991
11932-1	HC, Hadlock 1984
11934-7	HC, Jeanty 1984
11936-2	Humerus, Jeanty 1984
11937-0	Humerus, Merz 1987
11939-6	Radius, Merz 1987
11941-2	Tibia, Jeanty 1984
11944-6	Ulna, Jeanty 1984
11945-3	Ulna, Merz 1987
11947-9	HC/AC
11948-7	Fetal Heart Rate
11955-2	Last Menstrual Period
11957-8	Crown Rump Length
11961-0	Cervix Length
11962-8	Clavicle length
11963-6	Femur Length
11964-4	Fibula length
11965-1	Foot length
11966-9	Humerus length
11967-7	Radius length
11968-5	Tibia length
11969-3	Ulna length

Code Value	Code Meaning
11976-8	Ovulation date
11977-6	Para
11979-2	Abdominal Circumference
11984-2	Head Circumference
11988-3	Thoracic Circumference
11996-6	Gravida
12008-9	Pulsatility Index
12023-8	Resistivity Index
12144-2	Systolic to Diastolic Velocity Ratio
12145-9	Endometrium Thickness
12146-7	Nuchal Fold thickness
12164-0	Left Ovary Volume
12165-7	Right Ovary Volume
12170-7	Width of Hemisphere
12171-5	Lateral Ventricular width
17977-0	Left Atrium Area A4C view
17978-8	Mitral Valve A-Wave Peak Velocity
17985-3	Left Atrium to Aortic Root Ratio
17988-7	Right Atrium Area A4C view
17995-2	Thoracic Aorta Coarctation Systolic Peak Instantaneous Gradient
17996-0	Aortic Valve Cusp Separation
17998-6	Aortic Valve Regurgitant Diastolic Deceleration Time
18006-7	Inferior Vena Cava Diameter
18011-7	Aortic Arch Diameter
18012-5	Ascending Aortic Diameter
18013-3	Descending Aortic Diameter
18015-8	Aortic Root Diameter
18019-0	Left Pulmonary Artery Diameter
18020-8	Main Pulmonary Artery Diameter
18021-6	Right Pulmonary Artery Diameter
18026-5	Left Ventricular End Diastolic Volume
18030-7	Tricuspid Valve A Wave Peak Velocity
18031-5	Tricuspid Valve E Wave Peak Velocity
18035-6	Mitral Regurgitation dP/dt derived from Mitral Reg. velocity
18037-2	Mitral Valve E-Wave Peak Velocity
18038-0	Mitral Valve E to A Ratio
18040-6	Mitral Valve E-F Slope by M-Mode
18041-4	Aortic Valve Ejection Time
18043-0	Left Ventricular Ejection Fraction by US
18050-5	Inferior Vena Cava % Collapse
18051-3	Left Ventricular Fractional Shortening
18053-9	Left Ventricle Posterior Wall % Thickening

Code Value	Code Meaning
18054-7	Interventricular Septum % Thickening
18070-3	Right Atrium Systolic Pressure
18071-1	Left Ventricular Isovolumic Relaxation Time
18076-0	Left Ventricle Systolic Major Axis
18077-8	Left Ventricle Diastolic Major Axis
18087-7	Left Ventricle Mass
18096-8	Pulmonic valve Area by continuity
18118-0	LV Wall Motion Segmental Findings
18139-6	Stage
18148-7	Left Ventricular End Systolic Volume
18152-9	Left Ventricle Posterior Wall Diastolic Thickness
18153-7	Right Ventricle Anterior Wall Diastolic Thickness
18154-5	Interventricular Septum Diastolic Thickness
18155-2	Interventricular Septum to Posterior Wall Thickness Ratio
18156-0	Left Ventricle Posterior Wall Systolic Thickness
18157-8	Right Ventricular Anterior Wall Systolic Thickness
18158-6	Interventricular Septum Systolic Thickness
18179-2	Wall Segment
18185-9	Gestational Age
18745-0	Cardiac Catheterization Report
18747-6	CT Report
18748-4	Diagnostic Imaging Report
18755-9	MRI Report
18756-7	MRI Spine Report
18757-5	Nuclear Medicine Report
18758-3	PET Scan Report
18760-9	Ultrasound Report
18782-3	Findings
18783-1	Recommendations
18785-6	Indications for Procedure
18834-2	Previous Findings
19005-8	Impressions
20167-3	Acceleration Index
20168-1	Acceleration time
20217-6	Deceleration time
20247-3	Peak Gradient
20295-2	Time from Q wave to Pulmonic Valve Closes
20352-1	Time averaged mean velocity
29436-3	Left Ventricle Internal End Diastolic Dimension
29438-9	Left Ventricle Internal Systolic Dimension
29449-6	Mitral Valve Regurgitant Volume by Proximal Isovelocity Surface Area Method
29450-4	Pulmonary Vein Systolic Peak Velocity

Code Value	Code Meaning
29451-2	Pulmonary Vein Diastolic Peak Velocity
29452-0	Pulmonary Vein Systolic to Diastolic Ratio
29453-8	Pulmonary Vein Atrial Contraction Reversal Peak Velocity
29460-3	Thoracic Aorta Coarctation Systolic Peak Velocity
29462-9	Pulmonary-to-Systemic Shunt Flow Ratio
29463-7	Patient Weight
29463-7	Patient weight
29469-4	Left Atrium Antero-posterior Systolic Dimension
29471-0	Hepatic Vein Systolic Peak Velocity
29472-8	Hepatic Vein Diastolic Peak Velocity
29473-6	Hepatic Vein Systolic to Diastolic Ratio
29474-4	Hepatic Vein Atrial Contraction Reversal Peak Velocity
29486-8	Left Atrial Appendage Peak Velocity
29549-3	Medications Administered
33065-4	Ectopic Pregnancies
33066-2	Estimated LMP by EDD
33067-0	Conception Date
33068-8	Thoracic Area
33069-6	Nuchal Translucency
33070-4	Inner Orbital Diameter
33071-2	Spine Length
33072-0	AC, ASUM 2000
33073-8	AC, Hansmann1985
33074-6	AC, Lessoway 1998
33075-3	AC, Mertz 1988
33076-1	AC, Shinozuka 1996
33077-9	A-P Abdominal Diameter, Lessoway 1998
33078-7	AxT, Shinozuka 1996
33079-5	BPD, ASUM 1989
33080-3	BPD, Lessoway 1998
33081-1	BPD, Mertz 1988
33082-9	BPD, Osaka 1989
33083-7	BPD, Rempen 1991
33084-5	BPD, Shinozuka 1996
33085-2	BPD, Tokyo 1986
33086-0	BPD-oi, Chitty 1997
33087-8	BPD-oo, Chitty 1997
33088-6	Clavicle length, Yarkoni 1985
33089-4	CRL, ASUM 1991
33090-2	CRL, ASUM 2000
33091-0	CRL, Daya 1993
33092-8	CRL, Jeanty 1982

Code Value	Code Meaning
33093-6	CRL, Osaka 1989
33094-4	CRL, Rempen 1991
33095-1	CRL, Shinozuka 1996
33096-9	CRL, Tokyo 1986
33097-7	Fibula, Jeanty 1983
33098-5	FL, Chitty 1997
33099-3	FL, Jeanty 1982
33100-9	FL, Lessoway 1998
33101-7	FL, Osaka 1989
33102-5	FL, Shinozuka 1996
33103-3	FL, Tokyo 1986
33104-1	GS, Daya 1991
33105-8	GS, Hansmann 1979
33106-6	GS, Hansmann 1982
33107-4	GS, Nyberg 1992
33108-2	GS, Tokyo 1986
33109-0	HC, ASUM 2000
33110-8	HC measured, Chitty 1997
33111-6	HC derived, Chitty 1997
33112-4	HC, Hansmann 1985
33113-2	HC, Jeanty 1982
33114-0	HC, Lessoway 1998
33115-7	HC Merz, 1988
33116-5	Humerus Length, ASUM 2000
33117-3	Humerus Length, Osaka 1989
33118-1	Length of Vertebra, Tokyo 1986
33119-9	OFD, ASUM 2000
33120-7	OFD, Hansmann 1986
33121-5	OFD, Lessoway 1998
33122-3	IOD, Mayden 1982
33123-1	IOD, Trout 1994
33124-9	OOD, Mayden, 1982
33125-6	OOD, Trout 1994
33126-4	Radius, Jeanty 1983
33127-2	Spine Length, Tokyo, 1989
33128-0	TAD, Eriksen 1985
33129-8	TAD Hansmann, 1979
33130-6	TAD, Tokyo 1986
33131-4	ThC, Chitkara 1987
33132-2	TCD, Chitty 1994
33133-0	TCD, Goldstein 1987
33134-8	TCD, Hill 1990

Code Value	Code Meaning
33135-5	TCD, Nimrod 1986
33136-3	Transverse Thoracic Diameter, Hansmann 1985
33137-1	Transverse Thoracic Diameter, Lessoway 1998
33138-9	Fetal Trunk Cross-Sectional Area, Osaka 1989
33139-7	EFW by BPD, TTD, Hansmann 1986
33140-5	EFW by BPD, FTA, FL, Osaka 1990
33141-3	EFW1 by Shinozuka 1996
33142-1	EFW2 by Shinozuka 1996
33143-9	EFW3 by Shinozuka 1996
33144-7	EFW by BPD, APAD, TAD, FL, Tokyo 1987
33145-4	AC by GA, ASUM 2000
33146-2	AC by GA, Hadlock 1984
33147-0	AC (measured) by GA, Chitty 1994
33147-0	AC (measured) by GA, Chitty 1994
33148-8	AC by GA, Merz 1988
33149-6	AC by GA, Shinozuka 1996
33150-4	AxT by GA, Shinozuka 1996
33151-2	BPD by GA, ASUM 2000
33152-0	BPD outer-outer by GA, Chitty 1994
33153-8	BPD by GA, Jeanty 1982
33154-6	BPD by GA, Merz 1988
33155-3	BPD by GA, Rempen 1991
33156-1	BPD by GA, Shinozuka 1996
33157-9	Cephalic Index, by GA Chitty 1994
33158-7	Cephalic Index by GA, Hadlock 1981
33159-5	CRL by GA, ASUM 2000
33160-3	CRL by GA, Rempen1991
33161-1	CRL, by GA, Shinozuka 1996
33162-9	EFW by GA, Hadlock 1991
33163-7	EFW by GA, Hansmann 1986
33164-5	Fibula by GA, by GA Jeanty 1983
33165-2	FL by GA, ASUM 2000
33166-0	FL by GA, Hadlock 1984
33167-8	FL by GA, Chitty 1994
33168-6	FL by GA, Jeanty 1982
33169-4	FL by GA, Merz 1988
33170-2	FL by GA, Shinozuka 1996
33171-0	GS by GA, Rempen 1991
33172-8	HC by GA, ASUM 2000
33173-6	HC by GA, Hadlock 1984
33174-4	HC derived by GA, Chitty 1994
33175-1	HC by GA, Jeanty 1982

Code Value	Code Meaning
33176-9	HC by GA, Merz 1988
33177-7	Humerus Length by GA, ASUM 2000
33178-5	OFD by GA, ASUM 2000
33179-3	OFD by GA, Chitty 1994
33180-1	Radius, by GA, Jeanty 1983
33181-9	TCD by GA, Goldstein 1987
33182-7	HC/AC by GA, Campbell 1977
33184-3	FWP by GA, Williams, 1982
33185-0	FWP by GA, Alexander, 1996
33186-8	Male Singleton BWP by GA, Arbuckle 1993
33187-6	Female Singleton BWP by GA, Arbuckle 1993
33188-4	Female Twins BWP by GA, Arbuckle 1993
33189-2	FWP by GA, Brenner 1976
33190-0	FWP by GA, Hadlock 1985
33191-8	APAD * TAD
33192-6	Uterus Volume
33196-7	Posterior Horn Lateral ventricular width
33197-5	Anterior Horn Lateral ventricular width
33198-3	BPD by GA, Hadlock 1984
33199-1	Male Twins BWP by GA, Arbuckle 1993
33537-2	AC, Jeanty 1982
33538-0	BPD, Hansmann 1986
33539-8	BPD, Jeanty 1982
33540-6	CRL, Hansmann 1986
33541-4	FL, Hansmann 1986
33542-2	FL, Merz 1988
33543-0	HC, Hansmann 1986
33544-8	OFD, Hansmann 1985
33545-5	BD, Jeanty 1982
33546-3	AC (derived), Chitty 1994
33556-2	BPD outer-inner by GA, Chitty 1994
33867-3	Velocity ratio
33868-1	ICA/CCA velocity ratio
33869-9	Renal Artery/Aorta velocity ratio
55107-7	Addendum
55108-5	Patient Presentation
55109-3	Complications
55110-1	Conclusions
55111-9	Current Procedure Descriptions
55112-7	Summary
55113-5	Key Images
55114-3	Prior Procedure Descriptions

Code Value	Code Meaning
55115-0	Request
55281-0	Number of Fetuses
55752-0	Clinical Information
73568-8	Communication of Critical Results
73569-6	Radiation Exposure and Protection Information
8277-6	Body Surface Area
8302-2	Patient Height

Note

LN:33183-5 was previously included in this context group with a Code Meaning of "FWP by GA, Hadlock 1991", but is described in LOINC as "Fetal body weight growth percentile estimated from gestational age by method of Campbell 1991 (US)". Devices receiving LN:33183-5 may need to consult the Code Meaning value to determine whether the sender meant Hadlock 1991 or Campbell 1991. New codes have been defined to replace LN:33183-5 to resolve the potential ambiguity.

I Relationship of Endoscopy Procedures to Anatomic Regions (Informative)

Table I-1 provides examples of the common nomenclature for the type of endoscopy performed, and the code value suggested for use for anatomic region in CID 4040 "Endoscopy Anatomic Regions".

Table I-1. Examples of the Common Nomenclature for the Type of Endoscopy Performed

Coding Scheme Designator	Code Value	Code Meaning	Example of the type of endoscopy for which this region is applicable (Informative)
SRTSCT	T- 113345001D4000	Abdomen	Laparoscopy
SRTSCT	T- 11061200559490	Anus, rectum and sigmoid colon	Rectosigmoidoscopy
SRTSCT	T- 2827300060610	Bile duct	
SRTSCT	T- 8983700174000	Bladder	Cystoscopy
SRTSCT	T- 110837003DD423	Bladder and urethra	Panendoscopy (urethrocystoscopy)
SRTSCT	T- 95500926000	Bronchus	Bronchoscopy
SRTSCT	T- 7125200583200	Cervix	Colposcopy
SRTSCT	T- 51185008D3000	Chest	Thoracoscopy
SRTSCT	T- 110861005DD463	Esophagus, stomach and duodenum	Upper gastrointestinal endoscopy
SRTSCT	T- 84301002AB200	External auditory canal	Otoscopy
SRTSCT	T- 2823100863000	Gallbladder	Laparoscopic cholecystectomy
SRTSCT	T- 26893007D7000	Inguinal region	Endoscopic inguinal hernia repair
SRTSCT	T- 3935200415004	Joint	Arthroscopy
SRTSCT	T- 6403300771000	Kidney	Percutaneous renal endoscopy
SRTSCT	T- 72696002D9200	Knee	Arthroscopy of knee
SRTSCT	T- 1474200859000	Large intestine	Colonoscopy
SRTSCT	T- 459600924100	Larynx	Laryngoscopy
SRTSCT	T- 9174700740230	Lumen of blood vessel	Endoluminal (intravascular) endoscopy
SRTSCT	T- 72410000D3300	Mediastinum	Mediastinoscopy
SRTSCT	T- 3609550062300C	Nasopharynx	Nasopharyngoscopy
SRTSCT	T- 209500122000	Paranasal sinus	Endoscopic sinus surgery
SRTSCT	T- 5406600855002	Pharynx	Pharyngoscopy
SRTSCT	T- 31253500820404	Pharynx and larynx	Laryngopharyngoscopy
SRTSCT	T- 3440200959600	Rectum	Proctoscopy
SRTSCT	T- 16982005D2220	Shoulder	Arthroscopy of shoulder
SRTSCT	T- 6018400459470	Sigmoid colon	Sigmoidoscopy
SRTSCT	T- 421060004D04FF	Spine	Spinal endoscopy
SRTSCT	T- 110726009DD006	Trachea and bronchus	Tracheobronchoscopy
SRTSCT	T- 4314910077000B	Upper urinary tract	Percutaneous or retrograde ureteric and renal endoscopy

Coding Scheme Designator	Code Value	Code Meaning	Example of the type of endoscopy for which this region is applicable (Informative)
SRT SCT	T- 8795300773800	Ureter	Percutaneous or retrograde ureteric endoscopy
SRT SCT	T- 11063900288920	Uterus and fallopian tubes	Culdoscopy

J SNOMED Retired Codes

This Annex identifies coded terms specified in earlier versions of the Standard. These coded terms are retired. Some of the codes conflict with codes defined in SNOMED. Additionally, some SNOMED coded terms specified in earlier versions of the Standard have been retired and replaced by SNOMED to avoid ambiguities in concept, and are noted here as well.

Implementers of the Standard are cautioned that:

- some of the codes noted as retired are still valid (active) SNOMED codes, but with different meanings; it is thus the combination of code and meaning that is retired
- not all of the codes that SNOMED International may have inactivated in any past, current or future SNOMED CT release have yet been retired from DICOM
- some applications may continue to send retired codes with the meaning defined in this Annex
- the retired codes may be associated with coding scheme designator 99SDM, SNM3 or SRT
- retired codes may be encountered in existing SOP Instances stored in archives
- applications receiving SOP Instances should continue to support retired codes with the meaning defined in this Annex
- some applications may not trigger expected behavior (e.g., hanging protocols, image processing) when receiving SOP Instances with the replacement codes
- DICOM applications and SOP Instances shall never use the retired codes with a meaning other than that defined in this Annex
- in some cases, the choice of replacement code for a retired code depends on the context of its use, and so one retired code may map to more than one replacement code

Table J-1. SNOMED Codes Retired from DICOM Use

Retired Code Value	Code Meaning	Replacement Code	Notes
G-5190	Headfirst	F- 102540008 10470	
G-5191	Feet-first	F- 102541007 10480	
G-A11A	Mid-longitudinal	G- 103342007 A188	
G-A11B	Parasagittal	G- 103343002 A189	
G-A12A	Intraluminal	R- 264045001 142142	
G-A16A	Capsule	G- 11070000 A171	Replacement code has meaning "Capsular". (G-A16A , SRT 131184002, SCT , "Area of defined region") remains in use.
G-A16B	Lumen	T- 113342003 D0048	
G-A16C	Contact	G- 11723008 4022	Replacement code has meaning "Contact with". (G-A16C , SRT , Retired code has meaning "Part of tooth") remains in use , and is not used in DICOM.
G-A16D	Parenchyma	T- 91772007 D0062	
J-83250	Metal (Lead) Marker	A- 262301009 00D7B	
R-102C9	Transthoracic	R- 272476000 40885	
R-102CA	Lordotic	R- 260450008 40799	
R-102CB	Transforaminal	R- 272466003 4087B	
R-102CC	Transoral	G- 118438002 D00B	

Retired Code Value	Code Meaning	Replacement Code	Notes
R-102CE	Transorbital	R- 278318001 40554	
R-11300	Transverse	G- 62824007 A117	
Y-X1770	Cranio-caudal exaggerated laterally	R- 399192008 1024A	
Y-X1771	Cranio-caudal exaggerated medially	R- 399101009 1024B	
T-D1217	Maxilla and mandible	T- 661005 D1213	
T-D1480	Orbit	T- 363654007 D14AE	
T-D6151	Uterus and fallopian tubes	T- 110639002 88920	
G-0371	% Area Reduction	R- 408714007 101BA	
G-0372	% Diameter Reduction	R- 408715008 101BB	
G-C295	Route of Administration	G- 410675002 C340	
G-D100	Route of Administration	G- 410675002 C340	
T-42501	Abdominal Aorta	T- 7832008 42500	
T-42303	Aortic Arch	T- 57034009 42300	
T-45011	Carotid Artery	T- 69105007 45010	
T-A600A	Cerebellum	T- 113305005 A6000	
T-D00CC	Entire Spine	T-D0146	
T-48500	Pulmonary Vein	T- 122972007 48581	
T-D8300	Elbow	T- 16953009 15430	
T-12402	Forearm	T- 14975008 D8500	
T-D2500	Hip	T- 24136001 15710	
T-D4909	Kidney	T- 64033007 71000	
T-62002	Liver	T- 10200004 62000	
T-D4034	Pancreas	T- 15776009 65000	
T-55002	Pharynx	T- 54066008 55000	
T-11500	Spine	T- 421060004 D04FF	Was previously replaced with T-D0146, which is no longer an active SNOMED CT concept. Replacement code has meaning of "Structure of vertebral column (body structure)".
T-D0146	Spine	T- 421060004 D04FF	Replacement code has meaning of "Structure of vertebral column (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
T-D4035	Spleen	T- 78961009 C3000	
T-9400F	Testis	T- 40689003 94000	
T-4600A	Thoracic aorta	T- 113262008 42070	
T-C8001	Thymus	T- 9875009 C8000	
T-D6151	Uterus and fallopian tubes	T- 110639002 88920	
T-73800	Ureter	T- 87953007 73000	
T-83009	Uterus	T- 35039007 83000	
T-D8600	Wrist	T- 74670003 15460	
T-11167	Zygoma	T- 13881006 11166	

Retired Code Value	Code Meaning	Replacement Code	Notes
P5-B3003	Transthoracic echocardiography	P5- 433236007B3012	Retired code is inactive in SNOMED CT (Limited).
P5-B3004	Epicardial echocardiography	P0- 43323200905F95	Retired code is inactive in SNOMED CT (Retired without stated reason).
P5-B3082	Pediatric echocardiography	P5- 431852008B300F	
P5-B3083	Intraoperative echocardiography	P5- 429884006B300C	
P5-01000	Image acquisition procedure		
P5-01101	Image acquisition after administration of contrast agent		
P5-01103	Image acquisition during cardiac pacing	P2- 1859000935000	
P5-01104	Image acquisition at user-defined cardiac pacing rate	P2- 1859000935000	
P5-01111	Image acquisition during hand grip maneuver	P2- 12896500271306	
P5-01112	Image acquisition during Valsalva	R- 26103900840928	
P5-01113	Image acquisition during postural maneuver		
P5-01120	Pre-procedure image acquisition	R- 30715300740FB9	
P5-01121	Preoperative image acquisition	R- 30715300740FB9	
P5-01130	Intra-procedure image acquisition	R- 30715400140FBA	
P5-01131	Intra-operative image acquisition	R- 30715400140FBA	
P5-01140	Post-procedure image acquisition	R- 303110006422A4	
P5-01141	Post-operative image acquisition	R- 303110006422A4	
P5-01142	Image acquisition following first cardiopulmonary bypass	R- 303110006422A4	
P5-01143	Image acquisition following second cardiopulmonary bypass	R- 303110006422A4	
P5-01144	Image acquisition following third cardiopulmonary bypass	R- 303110006422A4	
P5-01200	Image acquisition during stress procedure	R- 30715400140FBA	
P5-01201	Image acquisition at baseline	F- 12897400001602	
P5-01202	Pre-stress image acquisition	F- 12897400001602	
P5-01203	Mid-stress image acquisition	F- 43265500505019	
P5-01204	Peak-stress image acquisition	F- 43416100505028	

Retired Code Value	Code Meaning	Replacement Code	Notes
P5-01205	Image acquisition during recovery	F- 43255400105018	
P5-01300	Image acquisition after drug administration	F- 43265500505019	
P5-01310	Image acquisition at user-defined dobutamine dose	F- 43265500505019	
P5-01311	Image acquisition at low-dose dobutamine	F- 43265500505019	
P5-01312	Image acquisition at mid-dose dobutamine	F- 43265500505019	
P5-01313	Image acquisition at peak dose dobutamine	F- 43265500505019	
P5-01314	Image acquisition at dobutamine 5 mcg/kg/min	F- 43265500505019	
P5-01315	Image acquisition at dobutamine 10 mcg/kg/min	F- 43265500505019	
P5-01316	Image acquisition at dobutamine 20 mcg/kg/min	F- 43265500505019	
P5-01317	Image acquisition at dobutamine 30 mcg/kg/min	F- 43265500505019	
P5-01318	Image acquisition at dobutamine 40 mcg/kg/min	F- 43265500505019	
P5-01319	Image acquisition at dobutamine 50 mcg/kg/min	F- 43265500505019	
P5-0131A	Image at dobutamine 40 mcg/kg/min plus atropine	F- 43265500505019	
P5-0131B	Image acquisition at dobutamine 50 mcg/kg/min plus atropine	F- 43265500505019	
P5-01323	Image acquisition at peak Arbutamine dose	F- 43416100505028	
P5-01333	Image acquisition at peak dipyridamole	F- 43416100505028	
P5-01341	Image acquisition after nitroglycerin	F- 43265500505019	
P5-01342	Image acquisition after amyl nitrite	F- 43265500505019	
P5-01343	Image acquisition after adenosine	F- 43265500505019	
P5-B301F	Limited M-mode only echocardiography	P5- 40701008B3000	
P5-B303F	Limited Doppler only echocardiography	P5- 40701008B3000	
P5-B3051	Maximal stress echocardiography	P5- 433233004B3050	
P5-B3052	Submaximal stress echocardiography	P5- 433233004B3050	

Retired Code Value	Code Meaning	Replacement Code	Notes
P5-B3053	Treadmill exercise stress echocardiography	P5- 433233004 B3050	
P5-B3054	Bruce treadmill stress echocardiography	P2- 129095002 7131A	
P5-B3055	Modified Bruce treadmill stress echocardiography	P2- 129096001 7131B	
P5-B3056	Naughton treadmill stress echocardiography	P2- 129101001 713A0	
P5-B3058	Bicycle exercise stress echocardiography	P2- 26046004 31102	
P5-B3060	Echocardiography with administered drug stress	P2- 424064009 31107	
P5-B3061	Dobutamine stress echocardiography	P2- 424225000 31108	
P5-B3062	High dose dobutamine stress echocardiography	P2- 424225000 31108	
P5-B3063	Low dose dobutamine stress echocardiography	P2- 424225000 31108	
P5-B3065	Arbutamine stress echocardiography	P2- 424064009 31107	
P5-B3066	Dipyridamole stress echocardiography	P2- 422685009 3110A	
P5-B3070	Cardiac pacing echocardiography	P2- 428685003 3110B	
P5-B3081	Adult echocardiography	P5- 40701008 B3000	Replacement code has meaning "Echocardiography"
P5-B3081	Adult echocardiography	P5- 252418006 B3004	Replacement code has meaning "Transthoracic echocardiography"
P5-B3084	Upright echocardiography	P5- 252418006 B3004	
P5-B3085	Supine echocardiography	P5- 252418006 B3004	
P5-B3091	Contrast left ventricular opacification echocardiography	P5- 433231002 B3090	
P5-B3092	Contrast perfusion echocardiography	P5- 433231002 B3090	
P5-B3093	Contrast Doppler enhancement echocardiography	P5- 433231002 B3090	
P5-B3191	2D complete echocardiography	P5- 252418006 B3004	
P5-B3192	Limited 2D only echocardiography	P5- 252418006 B3004	
F-F7102	Valsalva maneuver	R- 261039008 40928	
L-8061A	Sterling pig breed	L- 132200002 8063D	
L-8061F	Black Slavonian pig breed	L- 133204003 8B151	
L-807E1	Bizanian Hound dog breed	L- 132372009 807E3	
L-80B03	Rideau Arcott sheep breed	L- 132703001 80B24	

Retired Code Value	Code Meaning	Replacement Code	Notes
L-8BC43	Beefalo bison X cattle breed	L- 4251810098B949	
L-8BC44	Beefalo bison X cattle breed	L- 424705003801E8	
R-4041B	Hypokinesia	F- 3770600232056	
F-32056	Mild hypokinesia	R- 37186800500327	
P5-B3009	Exercise stress echocardiography	P5- 433233004B3050	
R-10218	right anterior oblique	R- 39935600040985	
R-10222	sagittal	G- 30730003A145	
T-51005	Anterior 1	R- 699453001FB322	Central incisor region
T-51006	Anterior 2	R- 699511000FB35C	Lateral incisor region
T-51007	Anterior 3	R- 699510004FB35B	Canine region
T-51008	Premolar 1	R- 699509009FB35A	First premolar region
T-51009	Premolar 2	R- 699508001FB359	Second premolar region
T-5100A	Molar 1	R- 699507006FB358	First molar region
T-5100B	Molar 2	R- 699505003FB356	Second molar region
T-5100C	Molar 3	R- 699503005FB354	Third molar region
T-5100D	Occlusal	R- 26049900740810	Occlusal Projection
L-85B00	homo Homo sapiens	L- 33791500085003	Replacement code has meaning of "Homo sapiens (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
L-80100	Bovine species	L- 3881680088BA18	Replacement code has meaning of "Genus Bos (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
L-80200	Caprine species	L- 3882490008C3FB	Replacement code has meaning of "Genus Capra (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
L-80300	Ovine species	L- 3882540098C3FB	Replacement code has meaning of "Genus Ovis (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
L-80400	Equine species	L- 388445009000A9	Replacement code has meaning of "Genus Equus (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
L-80500	Porcine species	L- 3883930028B1FB	Replacement code has meaning of "Genus Sus (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
L-80700	Canine species	L- 388490000881FG	Replacement code has meaning of "Genus Canis (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
L-80A00	Feline species	L- 388626009000F9	Replacement code has meaning of "Genus Felis (organism)". Retired code is inactive in SNOMED CT (Ambiguous).

Retired Code Value	Code Meaning	Replacement Code	Notes
D-80515	Thrombosis	M- 39633900735004	Replacement code has meaning of "Thrombus". Retired code does not exist SNOMED CT.
A-26A06	Fixed object		No replacement. Retired code does not exist SNOMED CT.
A-26A08	Grid		No replacement. Retired code does not exist SNOMED CT.
C-C2318	Priscoline hydrochloride ampuls	G- 19041007845E4	Replacement code has meaning of "Tolazoline hydrochloride". Retired code does not exist SNOMED CT (was in SNOMED RT).
C-B03H2	Iopromide	G- 353903006B0382	Replacement code has meaning of "Iopromide". Retired code does not exist SNOMED CT.
G-929D	Cardiac catheterization test/challenging phase	R- 373105002002E4	Replacement code has meaning of "Cardiac catheterization test/challenge phase". Retired code does not exist SNOMED CT.
D6-90600	Marfan's Syndrome	D6- 1934600690800	Replacement code has meaning of "Marfan's Syndrome". Retired code does not exist SNOMED CT.
D3-30800	Cardiac arrest	D3- 4104290003002F	Replacement code has meaning of "Cardiac arrest (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
L-8BB55	Mere cattle breed	L- 1334920088BA68	Replacement code has meaning of "Lobi cattle breed (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
M-34200	Stenosis	M- 4155820063400A	Replacement code has meaning of "Stenosis (morphologic abnormality)". Retired code is inactive in SNOMED CT (Ambiguous).
M-33410	Epidermal inclusion cyst	M- 41967000333415	Replacement code has meaning of "Epidermoid cyst (morphologic abnormality)". Retired code is inactive in SNOMED CT (Ambiguous).
P3-00048	Smear procedure	P4- 4488950040329D	Replacement code has meaning of "Sampling for smear (procedure)". Retired code is inactive in SNOMED CT (Ambiguous).
T-70000	Urinary tract	T- 4319380057000G	Replacement code has meaning of "Structure of urinary tract proper (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
G-D150	By inhalation	R- 44640600840B32	Replacement code has meaning of "Inhalation technique (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).

Retired Code Value	Code Meaning	Replacement Code	Notes
P1-03005	Lumpectomy	P1- 392021009 030C4	Replacement code has meaning of "Lumpectomy of breast (procedure)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A264	Calcified	D6- 237897009 34737	Replacement code has meaning of "Vascular calcification (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
D7-90360	Cyst of breast	D7- 399294002 90035	Replacement code has meaning of "Cyst of breast (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
R-20681	O/E - lymphadenopathy NOS	R- 274303007 202A9	Replacement code has meaning of "On examination - lymph nodes (finding)". Retired code is inactive in SNOMED CT (Limited).
R-411C5	Muscle Bridge	D4- 424045003 31B68	Replacement code has meaning of "Myocardial bridge of coronary artery (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
F-618FF	Amphetamine	R- 703842006 FBDEA	Replacement code has meaning of "1-phenylpropan-2-amine (substance)". Retired code is inactive in SNOMED CT (Ambiguous).
DD-00001	trauma	DF- 417746004 00777	Replacement code has meaning of "Traumatic injury (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A168	Surface	G- 410679008 A206	Replacement code has meaning of "Surface (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
D4-31159	Ventricular Septal Defect	D4- 30288003 31150	Replacement code has meaning of "Ventricular septal defect (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
P5-C0610	Brachytherapy	P5- 384692006 C018A	Replacement code has meaning of "Intracavitary brachytherapy (procedure)". Retired code is inactive in SNOMED CT (Ambiguous).
L-808C9	Dingo dog breed	L- 709853007 DA692	Replacement code has meaning of "Canis lupus dingo (organism)". Retired code is inactive in SNOMED CT (Erroneous).
G-A105	Anterior	R- 255549009 404CC	Replacement code has meaning of "Anterior (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
T-48052	Basilic vein	T- 19715009 49230	Replacement code has meaning of "Structure of basilic vein (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).

Retired Code Value	Code Meaning	Replacement Code	Notes
G-A106	Posterior	R- 255551008404CE	Replacement code has meaning of "Posterior (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
D3-29013	Mitral valve prolapse	D3- 4097120011081C	Replacement code has meaning of "Mitral valve prolapse (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
T-41040	Iliac arterial system	T- 29971600141068	Replacement code has meaning of "Iliac and/or femoral artery structures (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A109	Medial	R- 255561001404D5	Replacement code has meaning of "Medial (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A109	Median	R-4081A260528009	Replacement code has meaning of "Median (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A109	Middle	R-4081A260528009	Replacement code has meaning of "Median (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
D4-32508	Fistula coronary to right atrium	R- 373095005002ED	Retired code actually has meaning in SNOMED CT of "Coronary artery arising from aorta (disorder)". Replacement code has meaning of "Coronary artery fistula to right atrium (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A22A	Length	G- 410668003D7FE	Replacement code has meaning of "Length property (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
T-D8100	Axilla	T- 91470000D8104	Replacement code has meaning of "Axillary region structure (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
R-102BC	Internal Carotid Artery C6 segment	R- 698348000FAED4	Replacement code has meaning of "Structure of ophthalmic segment of internal carotid artery (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
L-80A50	Shorthaired cat	L- 13266500280A87	Replacement code has meaning of "Shorthair cat breed (organism)". Retired code is inactive in SNOMED CT (Ambiguous).
R-F5517	Pulmonary arteriovenous fistula	D3- 2536390044020B	Replacement code has meaning of "Intrapulmonary arteriovenous fistula (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).

Retired Code Value	Code Meaning	Replacement Code	Notes
F-B2110	Epinephrine	F- 387362001 B2135	Replacement code has meaning of "Epinephrine (substance)". Retired code is inactive in SNOMED CT (Ambiguous).
T-70010	Upper urinary tract	T- 431491007 7000B	Replacement code has meaning of "Structure of upper urinary tract proper (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
C-21005	Ethanol	C- 419442005 21047	Replacement code has meaning of "Ethyl alcohol (substance)". Retired code is inactive in SNOMED CT (Ambiguous).
D3-13000	Coronary artery disease	D3- 53741008 13040	Replacement code has meaning of "Coronary arteriosclerosis (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
T-C4510	mesenteric lymph node	T- 279795009 C4401	Replacement code has meaning of "Structure of lymph node of mesentery (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
C-A7040	Thrombin preparation	F- 36176003 6ACA0	Replacement code has meaning of "Thrombin (substance)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A112	External	R- 261074009 40941	Replacement code has meaning of "External (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A113	Internal	R- 260521003 40819	Replacement code has meaning of "Internal (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
F-A5581	Vasovagal attack	F- 398665005 A558A	Replacement code has meaning of "Vasovagal syncope (disorder)". Retired code is inactive in SNOMED CT (Ambiguous).
C-2287C	methyl violet stain	F- 387239001 161A76	Replacement code has meaning of "Gentian violet (substance)". Retired code is inactive in SNOMED CT (Ambiguous).
T-41070	Abdominal aorta and its branches	T- 7832008 42500	Replacement code has meaning of "Abdominal aorta structure (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
G-A115	Inferior	R- 261089000 4094A	Replacement code has meaning of "Inferior (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
C-80130	Cardiac adrenergic blocking agent	F- 373263004 6181D	Replacement code has meaning of "Cardiac adrenergic blocking agent (substance)". Retired code is inactive in SNOMED CT (Ambiguous).

Retired Code Value	Code Meaning	Replacement Code	Notes
G-A116	Superior	R- 26421700042191	Replacement code has meaning of "Superior (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
M-35100	Thrombus	M- 39633900735001	Replacement code has meaning of "Thrombus (morphologic abnormality)". Retired code is inactive in SNOMED CT (Ambiguous).
C-80125	Cardiac depressant agent		Retired code is inactive in SNOMED CT (Ambiguous).
P1-31926	Creation of conduit of right atrium and pulmonary artery	P1- 23302200631028	Replacement code has meaning of "Construction of conduit - right atrium to pulmonary trunk". Retired code is inactive in SNOMED CT (Duplicate).
T-D06B6	Nuchal region of scalp	R- 700032006FB565	Replacement code has meaning of "Structure of occipital region of scalp". Retired code is inactive in SNOMED CT (Ambiguous).
T-49423	Lateral calf perforator	T- 714754004F6724	Replacement code has meaning of "Structure of lateral calf perforator". Retired code is inactive in SNOMED CT (Ambiguous).
T-4942C	Thigh perforator	T- 714759009F6713	Replacement code has meaning of "Structure of thigh perforator". Retired code is inactive in SNOMED CT (Ambiguous).
G-A231	Acute	R- 373933003424BE	Replacement code has meaning of "Acute onset (qualifier value)". Retired code is inactive in SNOMED CT (Erroneous).
D3-28012	Subacute bacterial endocarditis	D3- 7377400728102	Replacement code has meaning of "Subacute bacterial endocarditis (disorder)". Retired code was used incorrectly because of digit transposition and means something else, and is also inactive in SNOMED CT (Limited).
C-2288B	alcian blue stain	G- 465600022963	Replacement code has meaning of "Alcian blue 8GX stain (substance)". Retired code is inactive in SNOMED CT (Duplicate).
R-002CE	Aneurysmal	R- 25537800940411	Replacement code has meaning of "Aneurysmal (qualifier value)". Retired code is inactive in SNOMED CT (Duplicate).
L-80010	Wuzhishan pig breed	L- 13222200980666	Replacement code has meaning of "Wuzhishan pig breed (organism)". Retired code was used incorrectly and means something else, and is also inactive in SNOMED CT (Duplicate).
T-41066	Artery	T- 5111400141000	Replacement code has meaning of "Arterial structure (body structure)". Retired code is inactive in SNOMED CT (Limited).

Retired Code Value	Code Meaning	Replacement Code	Notes
L-80506	Beltsville pig #1 pig breed		No replacement. Retired code is inactive in SNOMED CT (Duplicate).
L-80507	Beltsville pig #2 pig breed		No replacement. Retired code is inactive in SNOMED CT (Duplicate).
L-807E6	Bordeaux Dog breed	L- 132389001 808A3	Replacement code has meaning of "Dogue de Bordeaux dog breed (organism)". Retired code is inactive in SNOMED CT (Duplicate).
L-80551	CPF pig #1 pig breed		No replacement. Retired code is inactive in SNOMED CT (Duplicate).
L-80552	CPF pig #2 pig breed		No replacement. Retired code is inactive in SNOMED CT (Duplicate).
D4-31320	Common Atrium	D4- 253276007 31005	Replacement code has meaning of "Cor triloculare biventriculare (disorder)". Retired code is inactive in SNOMED CT (Duplicate).
M-32206	Compound Aneurysm	M- 85726003 32240	Replacement code has meaning of "Mixed aneurysm (morphologic abnormality)". Retired code is inactive in SNOMED CT (Duplicate).
P5-B3008	Contrast echocardiography	P5- 433231002 B3090	Replacement code has meaning of "Contrast echocardiography (procedure)". Retired code is inactive in SNOMED CT (Retired without stated reason).
C-2283D	crystal violet stain	F- 387239001 161A76	Replacement code has meaning of "Gentian violet (substance)". Retired code is inactive in SNOMED CT (Duplicate).
P1-86101	Decompression amniocentesis [decompression of amnion]		No replacement. Retired code is inactive in SNOMED CT (Ambiguous).
F-31120	Diastolic Pressure	F- 271650006 008ED	Replacement code has meaning of "Diastolic blood pressure (observable entity)". Retired code is inactive in SNOMED CT (Duplicate).
C-B03AA	Dimeglumine gadopentetate	G- 404846007 B014D	Replacement code has meaning of "Gadopentetate dimeglumine (product)". Retired code is inactive in SNOMED CT (Duplicate).
R-002FE	Double vessel coronary artery disease.	D3- 194843003 13013	Replacement code has meaning of "Double coronary vessel disease (disorder)". Retired code is inactive in SNOMED CT (Duplicate).
F-32011	End diastole	R- 416190007 FAB5C	Replacement code has meaning of "End diastole (qualifier value)". Retired code is inactive in SNOMED CT (Erroneous).

Retired Code Value	Code Meaning	Replacement Code	Notes
T-D0788	Carpus	T- 8205005D8600	Replacement code has meaning of "Wrist region structure (body structure)". Retired code is inactive in SNOMED CT (Duplicate).
T-A1504	Cranial Subarachnoid Space	T- 33930006A1502	Replacement code has meaning of "Structure of subarachnoid space of brain (body structure)". Retired code is inactive in SNOMED CT (Duplicate).
T-11096	Tarsus	T- 10837100612761	Replacement code has meaning of "Bone structure of tarsus (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
G-0325	Family history of breast cancer	G- 42974000404C5	Replacement code has meaning of "Family history of malignant neoplasm of breast (situation)". Retired code is inactive in SNOMED CT (Duplicate).
F-0147C	Hematoma - postoperative	F- 21326200701FBA	Replacement code has meaning of "Postoperative hematoma formation (disorder)". Retired code is inactive in SNOMED CT (Duplicate).
PA-50032	Pulmonary capillary wedge method	G- 128448001DB26	Replacement code has meaning of "Pulmonary capillary wedge pressure waveform, function (observable entity)". Retired code is inactive in SNOMED CT (Duplicate).
C-A6920	Injectable fibrinogen	F- 418326009D7011	Replacement code has meaning of "Human fibrinogen (substance)". Retired code is inactive in SNOMED CT (Duplicate).
G-D105	Intracutaneous route	G- 372464004D17D	Replacement code has meaning of "Intradermal route (qualifier value)". Retired code is inactive in SNOMED CT (Duplicate).
F-00585	Lesion Finding	F- 30057700803FCD	Replacement code has meaning of "Finding of lesion (finding)". Retired code is inactive in SNOMED CT (Duplicate).
P5-09100	Magnetic resonance angiography	P5- 2416630080903A	Replacement code has meaning of "Magnetic resonance imaging of vessels (procedure)". Retired code is inactive in SNOMED CT (Duplicate).
F-6166C	Marijuana derivative	F- 39870500461D6F	Replacement code has meaning of "Cannabis (substance)". Retired code is inactive in SNOMED CT (Ambiguous).
F-6175A	N-acetylaspartate	F- 11539100765C50	Replacement code has meaning of "N-acetyl-L-aspartate (substance)". Retired code is inactive in SNOMED CT (Duplicate).
F-52760	Nausea	F- 42258700704E95	Replacement code has meaning of "Nausea (finding)". Retired code is inactive in SNOMED CT (Erroneous).

Retired Code Value	Code Meaning	Replacement Code	Notes
P5-D10F8	Nuclear medicine diagnostic procedure on musculoskeletal system	P5- 68796002D1000	Replacement code has meaning of "Radioisotope study of musculoskeletal system (procedure)". Retired code is inactive in SNOMED CT (Duplicate).
T-3215A	Ostium	R- 2641140034215G	Replacement code has meaning of "Ostium (qualifier value)". Retired code is inactive in SNOMED CT (Ambiguous).
R-00305	Heart Valve Flail		No replacement. Retired code means something completely different, "Other surgical margin site involved by malignant neoplasm (observable entity)" and is inactive in SNOMED CT (Ambiguous).
R-0039E	Patient has pacemaker	R- 44150900200728	Replacement code has meaning of "Cardiac pacemaker in situ (finding)". Retired code is inactive in SNOMED CT (Duplicate).
T-D2236	Pectoral girdle	T- 2644400712200	Replacement code has meaning of "Shoulder girdle structure (body structure)". Retired code is inactive in SNOMED CT (Duplicate).
R-305E9	Pediatric Surgery	R- 30999100130296	Replacement code has meaning of "Pediatric surgical department (environment)". Retired code is inactive in SNOMED CT (Duplicate).
P5-39050	Percutaneous retrieval of intravascular foreign body	P0- 24094600305AFA	Replacement code has meaning of "Percutaneous removal of endovascular foreign body (procedure)". Retired code is inactive in SNOMED CT (Duplicate).
L-809E9	Perro de Prensa Canario dog breed	L- 132576008809B2	Replacement code has meaning of "Presa Canario dog breed (organism)". Retired code is inactive in SNOMED CT (Duplicate).
L-80A96	Pixiebob cat breed	L- 4172770018880D	Replacement code has meaning of "Pixie-bob cat breed (organism)". Retired code is inactive in SNOMED CT (Duplicate).
T-A2790	posterior commissure	T- 279336005A4904	Replacement code has meaning of "Posterior cerebral commissure (body structure)". Retired code is inactive in SNOMED CT (Duplicate).
R-10214	postero-anterior	R- 27247900740888	Replacement code has meaning of "Posteroanterior projection (qualifier value)". Retired code is inactive in SNOMED CT (Duplicate).
P0-02180	Prophylactic intent	P0- 360271000021FD	Replacement code has meaning of "Prophylaxis - procedure intent (qualifier value)". Retired code is inactive in SNOMED CT (Duplicate).
C-B0310	Radiopaque medium	G- 7140000B0300	Replacement code has meaning of "Radiographic contrast media (product)". Retired code is inactive in SNOMED CT (Duplicate).

Retired Code Value	Code Meaning	Replacement Code	Notes
F-043E7	Respiration rate	F- 8629000521000	Replacement code has meaning of "Respiratory rate (observable entity)". Retired code is inactive in SNOMED CT (Duplicate).
C-22931	safranine O stain	F- 40698800461DA5	Replacement code has meaning of "Safranin stain (substance)". Retired code is inactive in SNOMED CT (Duplicate).
R-00374	Single vessel coronary artery disease.	D3- 19484200813001	Replacement code has meaning of "Single coronary vessel disease (disorder)". Retired code is inactive in SNOMED CT (Duplicate).
C-B0349	Sodium tyropanate	G- 109212003B0314	Replacement code has meaning of "Tyropanoate sodium (substance)". Retired code is inactive in SNOMED CT (Duplicate).
T-C4239	anterior jugular lymph node	T- 168557005C401A	Replacement code has meaning of "Structure of superficial anterior cervical lymph node (body structure)". Retired code is inactive in SNOMED CT (Duplicate).
T-53131	base of tongue	T- 4797500853130	Replacement code has meaning of "Structure of root of tongue (body structure)". Retired code is inactive in SNOMED CT (Duplicate).
T-D1212	Hypoglossal	T- 170887008D161E	Replacement code has meaning of "Submental triangle structure (body structure)". Retired code is inactive in SNOMED CT (Ambiguous).
A-13510	Suture material	A- 2706500213500	Replacement code has meaning of "Surgical suture, device (physical object)". Retired code is inactive in SNOMED CT (Duplicate).
F-03E7E	Systemic Vascular Resistance	F- 38653000902B35	Replacement code has meaning of "Systemic vascular resistance (observable entity)". Retired code is inactive in SNOMED CT (Erroneous).
C-2285A	tartrate resistant acid phosphatase	G- 2557920012280A	Replacement code has meaning of "Acid phosphatase stain (substance)". Retired code was being misused as a stain but was a substance, and is also inactive in SNOMED CT (Duplicate).
C-B1212	Technetium Tc ^{99m} medronate	G- 96390006B1218	Replacement code has meaning of "Technetium Tc ^{99m} medronate (substance)". Retired code is inactive in SNOMED CT (Erroneous).
C-B1214	Technetium Tc ^{99m} pentetate	G- 430276001163B0	Replacement code has meaning of "Technetium Tc ^{99m} pentetate (substance)". Retired code is inactive in SNOMED CT (Ambiguous).

Retired Code Value	Code Meaning	Replacement Code	Notes
C-A7400	Thrombolytic agent	G- 303960004 50434	Replacement code has meaning of "Thrombolytic (product)". Retired code is inactive in SNOMED CT (Duplicate).
C-A7042	Thromboplastin preparation	F- 65265006 D7B50	Replacement code has meaning of "Thromboplastin (product)". Retired code is inactive in SNOMED CT (Duplicate).
G-A1A9	Trans-hepatic	G- 103381007 D027	Replacement code has meaning of "Transhepatic approach (qualifier value)". Retired code is inactive in SNOMED CT (Retired without stated reason).
G-A1A8	Trans-orbital	G- 129226004 D065	Replacement code has meaning of "Transorbital approach (qualifier value)". Retired code is inactive in SNOMED CT (Retired without stated reason).
R-00386	Triple vessel coronary artery disease.	D3- 233817007 1301F	Replacement code has meaning of "Triple vessel disease of the heart (disorder)". Retired code is inactive in SNOMED CT (Duplicate).
T-40210	Media	T- 61695000 1A180	Replacement code has meaning of "Tunica media vasorum (body structure)". Retired code is inactive in SNOMED CT (Duplicate).
P5-B0099	Ultrasound procedure	P5- 16310003 B0000	Replacement code has meaning of "Diagnostic ultrasonography (procedure)". Retired code is inactive in SNOMED CT (Retired without stated reason).
T-4806E	Vein	T- 29092000 48000	Replacement code has meaning of "Venous structure (body structure)". Retired code is inactive in SNOMED CT (Limited).
P2-2200A	Ventilatory assistance	P2- 243147009 2290D	Replacement code has meaning of "Controlled ventilation (procedure)". Retired code is inactive in SNOMED CT (Duplicate).
D4-31022	Left ventricle outflow chamber		No replacement. Retired code is inactive in SNOMED CT (Ambiguous).
D4-31032	Right ventricle outflow chamber		No replacement. Retired code is inactive in SNOMED CT (Ambiguous).
F-72230	Voiding		No SNOMED replacement. Replaced by (109137, DCM, "During voiding") Retired code is inactive in SNOMED CT.
D8-60001	Infant of Gestational Diabetic Mother (IGDM)		No SNOMED replacement. Replaced by (C0456029, UMLS, "Infant of mother with gestational diabetes") Retired code is inactive in SNOMED CT.

Retired Code Value	Code Meaning	Replacement Code	Notes
L-8BA68	Mere cattle breed		No replacement. (L-8BA68 , SRT 133492008, SCT, "Lobi cattle breed") remains in use. Potential replacement L-8BB55 is inactive in SNOMED CT (Ambiguous).
G-A385	Normality Undetermined	R- 371934000 0039B	Replacement code has meaning of "Normality undetermined (qualifier value)". (G-A385 , SRT 82334004, SCT, "Indeterminate") remains in use.
G-7292	On admission	R- 278307001 40553	Replacement code has meaning of "On admission (qualifier value)". (G-7292 , SRT 128954007, SCT, "Procedure phase") remains in use.
C-22848	bismark brown R stain	G- 44488008 22849	Replacement code has meaning of "Bismark brown R stain (substance)". (C-22848 , SRT 85190005, SCT, "bismark brown Y stain") remains in use.
R-10042	Arrhythmia Evaluation	R- 698247007 FAE6C	Retired code actually has meaning in SNOMED CT of "Device crossed septum (finding)". Replacement code has meaning of "Arrhythmia".
T-48440	Anterior cardiac vein	T- 194996006 48403	Replacement code has meaning of "Structure of anterior cardiac vein (body structure)".
T-1531B	Atlantal-axial joint	T- 62555009 45317	Replacement code has meaning of "Structure of atlantoaxial joint (body structure)".
T-40501	Blood Vessel of Head	T- 281231009 D0767	Replacement code has meaning of "Vascular structure of head (body structure)".
T-A6041	Cerebellar Cortex	T- 25991003 A6040	Replacement code has meaning of "Cerebellar cortex structure (body structure)".
T-45526	Circle of Willis	T- 11279006 45520	Replacement code has meaning of "Structure of circle of Willis (body structure)".
T-11B02	Coccygeal vertebrae	T- 18149002 11B00	Replacement code has meaning of "Coccygeal vertebra structure (body structure)".
T-D1403	Cranial Cavity	T- 1101003 D1400	Replacement code has meaning of "Cranial cavity structure (body structure)".
T-A0193	Cranial venous system	T- 128320002 A0191	Replacement code has meaning of "Structure of intracranial vein (body structure)".
T-110A2	Distal phalanx		No replacement in SNOMED. An alternative concept (C3669027, UMLS, "Bone structure of distal phalanx") exists.
T-47741	Dorsalis Pedis Artery	T- 86547008 47740	Replacement code has meaning of "Structure of dorsalis pedis artery (body structure)".
T-F6806	Ductus venosus	T- 367624001 F680F	Replacement code has meaning of "Structure of ductus venosus (body structure)".
T-AB000	Ear	T- 117590005 AB001	Replacement code has meaning of "Ear structure (body structure)".

Retired Code Value	Code Meaning	Replacement Code	Notes
T-AA215	Entire Cornea	T- 28726007AA200	Replacement code has meaning of "Corneal structure (body structure)".
T-1416B	External intercostal muscle	T- 5396700714164	Replacement code has meaning of "Structure of external intercostal muscle (body structure)".
T-1553D	Finger Joint	T- 12568200415516	Replacement code has meaning of "Finger joint structure (body structure)".
T-48470	Inferior cardiac vein	T- 195416006484A4	Replacement code has meaning of "Structure of posterior vein of left ventricle (body structure)".
T-A1721	Inferior Horn of Lateral Ventricle	T- 53118009A1720	Replacement code has meaning of "Structure of inferior horn of lateral ventricle (body structure)".
T-14183	Internal intercostal muscle	T- 4131300714163	Replacement code has meaning of "Structure of internal intercostal muscle (body structure)".
T-C4351	Intra-mammary lymph node	T- 443808008C430B	Replacement code has meaning of "Structure of intramammary lymph node (body structure)". Retired code was used incorrectly and means something else ("Entire internal mammary lymph node (body structure)").
T-47651	lateral plantar artery	T- 4483000047650	Replacement code has meaning of "Structure of lateral plantar artery (body structure)".
T-4881F	Left Main Branch of Portal Vein	T- 7025300648814	Replacement code has meaning of "Structure of left main branch of portal vein (body structure)".
T-62002	Liver	T- 1020000462000	Replacement code has meaning of "Liver structure (body structure)".
T-47661	medial plantar artery	T- 7415600247660	Replacement code has meaning of "Structure of medial plantar artery (body structure)".
T-1254D	Metacarpus	T- 3645500012540	Replacement code has meaning of "Bone structure of metacarpal (body structure)".
T-35313	Mitral Annulus	T- 6519700435310	Replacement code has meaning of "Structure of anulus fibrosus of mitral orifice (body structure)".
T-51000	Mouth	T- 123851003D0662	Replacement code has meaning of "Mouth region structure (body structure)".
T-D0772	Myocardial Wall	T- 272657006D075D	Replacement code has meaning of "Cardiac wall structure (body structure)".
T-127EC	Navicular of hindfoot	T- 7577200912800	Replacement code has meaning of "Bone structure of navicular (body structure)".
T-42231	Non-coronary Sinus	T- 2486500542230	Replacement code has meaning of "Structure of posterior sinus of Valsalva (body structure)".
T-D14AD	Orbital region	T- 363654007D14AE	Replacement code has meaning of "Structure of orbit proper (body structure)".
T-9200B	Prostate	T- 4121600192000	Replacement code has meaning of "Prostatic structure (body structure)".
T-43203	Right Coronary Artery	T- 1364700243200	Replacement code has meaning of "Right coronary artery structure (body structure)".
T-4882A	Right Main Branch of Portal Vein	T- 7393100448813	Replacement code has meaning of "Structure of right main branch of portal vein (body structure)".
T-00009	Skin	T- 3993700101000	Replacement code has meaning of "Skin structure (body structure)".

Retired Code Value	Code Meaning	Replacement Code	Notes
T-141A5	Transversus thoracis	T- 88454005 14167	Replacement code has meaning of "Structure of transverse thoracis muscle (body structure)".
T-35111	Tricuspid Annulus	>T-35110	Replacement code has meaning of "Structure of anulus fibrosus of tricuspid orifice (body structure)".
T-48817	Umbilical Vein	T- 284639000 48832	Replacement code has meaning of "Structure of umbilical portion of portal vein (body structure)".
D3-81310	Arterial dissection	D3- 710864009 80086	Replaced code had meaning "Dissecting aneurysm of artery (disorder)". Replacement code has meaning "Dissection of artery (disorder)". Retired code is inactive in SNOMED CT.
M-32270	dissecting aneurysm	D3- 710864009 80086	Replaced code had meaning "Dissecting aneurysm (morphologic abnormality)". Replacement code has meaning "Dissection of artery (disorder)". Retired code is inactive in SNOMED CT.
T-43126	Left Posterior Descending Artery	T- 91760001 4312E	Replaced code had meaning "Structure of left posterior descending branch of circumflex branch of left coronary artery (body structure)". Replacement code has meaning "Left posterior descending circumflex coronary artery (body structure)". Retired code is inactive in SNOMED CT.
M-24614	berry aneurysm	M- 54002007 32340	Replaced code had meaning "Berry aneurysm (morphologic abnormality)". Replacement code has meaning "Saccular aneurysm (morphologic abnormality)". Retired code is inactive in SNOMED CT.
D3-80017	Inflammatory aneurysm	D3- 314186008 83602	Replaced code had meaning "Inflammatory aneurysm (disorder)". Replacement code has meaning "Inflammatory abdominal aortic aneurysm (disorder)". Retired code is inactive in SNOMED CT.
R-002DA	Averaged	R- 373098007 00317	Replaced code had meaning "Averaged - numeric estimation technique (qualifier value)". Replacement code has meaning "Mean - numeric estimation technique (qualifier value)". Retired code is inactive in SNOMED CT.

Retired Code Value	Code Meaning	Replacement Code	Notes
R-101B7	Medial Dissection		<p>Replaced code had meaning "Medial dissecting aneurysm (morphologic abnormality)".</p> <p>No replacement SNOMED code exists.</p> <p>(122399, DCM, "Medial Dissection") may be used instead.</p> <p>Retired code is inactive in SNOMED CT.</p>
R-101B8	Intimal Dissection		<p>Replaced code has meaning "Exposure to biological agent via direct penetration of skin (event)".</p> <p>No replacement SNOMED code exists.</p> <p>(122398, DCM, "Intimal Dissection") may be used instead.</p>
R-101B9	Adventitial Dissection		<p>Replaced code has meaning "Inhalational exposure to biological agent (event)".</p> <p>No replacement SNOMED code exists.</p> <p>(122397, DCM, "Adventitial Dissection") may be used instead.</p>

Table J-2. SNOMED Synonyms Retired from DICOM Use

Code Value	Retired Code Meaning	Replacement Code Meaning	Notes
M-01000	Lesion	Morphologically Abnormal Structure	<p>Retired synonym has status of "inappropriate" in SNOMED CT.</p> <p>A different SNOMED CT concept is used to refer specifically to lesions, (M-01100, SRT52988006, SCT, "Lesion").</p>
DD-67700 -67700	Infection as complication of medical care	DD-67703	<p>Replacement code has meaning "Healthcare associated infectious disease (disorder)".</p> <p>Retired code is inactive in SNOMED CT (Duplicate).</p>
P1-14505	Hip joint implantation	P1-0558A	<p>Replacement code has meaning "Insertion of hip prosthesis (procedure)".</p> <p>Retired code is inactive in SNOMED CT (Duplicate).</p>
T-C4801	femoral lymph node	T-C4820	<p>Replacement code has meaning "Structure of deep inguinal lymph node (body structure)".</p> <p>Retired code is inactive in SNOMED CT (Duplicate).</p>

K Relevant Patient Information Templates (Normative)

The following Templates are appropriate to use as Root Templates for the Relevant Patient Information Query Service Class:

- TID 9007 "General Relevant Patient Information"
- TID 9000 "Relevant Patient Information for Breast Imaging"
- TID 9001 "Gynecological History"
- TID 9002 "Medication, Substance, Environmental Exposure"
- TID 9003 "Previous Procedure"
- TID 9004 "Indicated Problem"
- TID 9005 "Risk Factor"
- TID 9006 "Obstetric History"
- TID 3802 "Cardiovascular Patient History"

L Correspondence of Anatomic Region Codes and Body Part Examined Defined Terms

This Annex defines a correspondence between the codes used in context groups for Anatomic Region Sequence (0008,2218) and Body Part Examined (0018,0015), as well as providing a list of the Defined Terms for Body Part Examined (0018,0015), for human use in Table L-1 and for large animal use in Table L-2 and for small animal use in Table L-3. In addition, Table L-5 summarizes whether or not selected anatomic concepts need a laterality modifier (as opposed to being unpaired, or already incorporating laterality as a precoordinated concept).

Note

1. The tables in this Annex contain the union of a large variety of codes suitable for different applications and modalities, including cross-sectional, projectional and visible light. as such, only a subset will be appropriate for any specific application.
2. Values for Body Part Examined are limited by the CS VR length restriction to 16 characters in length and hence are somewhat contrived. Some inconsistency in abbreviations may be apparent but this largely reflects historical usage or clinically well recognized usage. No spaces or underscores are used, and singular rather than plural forms are used.

Table L-1. Corresponding Codes and Terms for Human Use

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 113345001D4000	Abdomen	ABDOMEN	T-D4000		
SRTSCT	R- 416949008FAB57	Abdomen and Pelvis	ABDOMENPELVIS	R-FAB57		
SRTSCT	T- 783200842500	Abdominal aorta	ABDOMINALAORTA	T-42500		
SRTSCT	T- 8585600415420	Acromioclavicular joint	ACJOINT	T-15420		
SRTSCT	T- 23451007B3000	Adrenal gland	ADRENAL	T-B3000		
SRTSCT	T- 77012006F1320	Amniotic fluid	AMNIOTICFLUID	77012006 T-F1320		
SRTSCT	T- 7025800215750	Ankle joint	ANKLE	T-15750		
SRTSCT	T- 12858500648503	Anomalous pulmonary vein		T-48503		
SRTSCT	T- 12855300849215	Antecubital vein	ANTECUBITALV	T-49215		
SRTSCT	T- 19499600648403	Anterior cardiac vein	ANTCARDIACV	T-48403		
SRTSCT	T- 6017600345540	Anterior cerebral artery	ACA	60176003 T-45540	50028 50028	
SRTSCT	T- 801200645530	Anterior communicating artery	ANTCOMMA	T-45530		
SRTSCT	T- 1738800945730	Anterior spinal artery	ANTSPINALA	T-45730		
SRTSCT	T- 6805300047700	Anterior tibial artery	ANTTIBIALA	T-47700		
SRTSCT	T- 5350500659900	Anus		T-59900		
SRTSCT	T- 11061200559490	Anus, rectum and sigmoid colon	ANUSRECTUMSIGMD	T-59490		
SRTSCT	T- 1582500342000	Aorta	AORTA	T-42000		
SRTSCT	T- 5703400942300	Aortic arch	AORTICARCH	T-42300		
SRTSCT	D3- 12855100584922	Aortic fistula		D3-81922		
SRTSCT	T- 12856400632602	Apex of left ventricle		T-32602		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 86598002280A0	Apex of Lung		T-280A0		
SRTSCT	T- 12856500732502	Apex of right ventricle		T-32502		
SRTSCT	T- 6675400859200	Appendix	APPENDIX	T-59200		
SRTSCT	T- 5111400141000	Artery	ARTERY	T-41000		
SRTSCT	T- 5424700242100	Ascending aorta	ASCAORTA	T-42100		
SRTSCT	T- 904000859420	Ascending colon	ASCENDINGCOLON	T-59420		
SRTSCT	T- 5965200432100	Atrium		T-32100		
SRTSCT	T- 91470000D8104	Axilla	AXILLA	T-D8104		
SRTSCT	T- 6793700347100	Axillary Artery	AXILLARYA	T-47100		
SRTSCT	T- 6870500849110	Axillary vein	AXILLARYV	T-49110		
SRTSCT	T- 7210700448340	Azygos vein	AZYGOSVEIN	T-48340		
SRTSCT	T- 77568009D2100	Back	BACK	T-D2100		
SRTSCT	A- 12898100700203	Baffle		A-00203		
SRTSCT	T- 5901100945800	Basilar artery	BASILARA	T-45800		
SRTSCT	T- 2827300060610	Bile duct	BILEDUCT	T-60610		
SRTSCT	T- 8983700174000	Bladder	BLADDER	T-74000		
SRTSCT	T- 110837003DD123	Bladder and urethra	BLADDERURETHRA	T-DD123		
SRTSCT	T- 91830000D00AB	Body conduit		T-D00AB		
SRTSCT	T- 7200100012700	Bone of lower limb		T-12700		
SRTSCT	T- 371195002D0821	Bone of upper limb		T-D0821		
SRTSCT	T- 12854800349424	Boyd's perforating vein		T-49424		
SRTSCT	T- 1713700047160	Brachial artery	BRACHIALA	T-47160		
SRTSCT	T- 2011500549350	Brachial vein	BRACHIALV	T-49350		
SRTSCT	T- 12738006A0100	Brain	BRAIN	T-A0100		
SRTSCT	T- 7675200804000	Breast	BREAST	T-04000		
SRTSCT	T- 34411009D6500	Broad ligament		T-D6500		
SRTSCT	T- 95500926000	Bronchus	BRONCHUS	T-26000		
SRTSCT	T- 60819002D1206	Buccal region of face		T-D1206		
SRTSCT	T- 46862004D2600	Buttock	BUTTOCK	T-D2600		
SRTSCT	T- 8014400412770	Calcaneus	CALCANEUS	T-12770		
SRTSCT	T- 53840002D9440	Calf of leg	CALF	T-D9440		
SRTSCT	T- 233400672100	Calyx		T-72100		
SRTSCT	T- 6910500745010	Carotid Artery	CAROTID	T-45010		
SRTSCT	T- 2147900545170	Carotid bulb	BULB	21479005T-45170	50094 50094	
SRTSCT	T- 5785000046400	Celiac artery	CELIACA	57850000T-46400	50737 50737	
SRTSCT	T- 2069900249240	Cephalic vein	CEPHALICV	T-49240		
SRTSCT	T- 113305005A6000	Cerebellum	CEREBELLUM	T-A6000		
SRTSCT	T- 8855600545510	Cerebral artery	CEREBRALA	T-45510		
SRTSCT	T- 372073000A010F	Cerebral hemisphere	CEREBHEMISPHERE	T-A010F		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED- CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 122494005 11501	Cervical spine	CSPINE	T-11501		
SRTSCT	T- 297171002 D00F7	Cervico-thoracic spine	CTSPINE	T-D00F7		
SRTSCT	T- 71252005 83200	Cervix	CERVIX	T-83200		
SRTSCT	T- 60819002 D1206	Cheek	CHEEK	T-D1206		
SRTSCT	T- 51185008 D3000	Chest	CHEST	T-D3000		
SRTSCT	R- 416775004 FAB56	Chest, Abdomen and Pelvis	CHESTABDPELVIS	R-FAB56		
SRTSCT	R- 416550000 FAB55	Chest and Abdomen	CHESTABDOMEN	R-FAB55		
SRTSCT	T- 80621003 A1900	Choroid plexus	CHOROIDPLEXUS	80621003 T-A1900	61934 61934	
SRTSCT	T- 11279006 45520	Circle of Willis	CIRCLEOFWILLIS	T-45520		
SRTSCT	T- 51299004 12310	Clavicle	CLAVICLE	T-12310		
SRTSCT	T- 64688005 11BF0	Coccyx	COCCYX	T-11BF0		
SRTSCT	T- 71854001 59300	Colon	COLON	T-59300		
SRTSCT	D4- 253276007 31005	Common atrium		D4-31005		
SRTSCT	T- 32062004 45100	Common carotid artery	CCA	T-45100		
SRTSCT	T- 181347005 47402	Common femoral artery	CFA	181347005 T-47402	323778 323778	
SRTSCT	G- 397363009 035B	Common femoral vein	CFV	397363009 G-035B	323829 323829	
SRTSCT	T- 73634005 46710	Common iliac artery	COMILIACA	T-46710		
SRTSCT	T- 46027005 48920	Common iliac vein	COMILIACV	T-48920		
SRTSCT	D4- 45503006 31120	Common ventricle		D4-31120		
SRTSCT	D4- 128555001 32504	Congenital coronary artery fistula to left atrium		D4-32504		
SRTSCT	D4- 128556000 32506	Congenital coronary artery fistula to left ventricle		D4-32506		
SRTSCT	D4- 128557009 32509	Congenital coronary artery fistula to right atrium		D4-32509		
SRTSCT	D4- 128558004 32510	Congenital coronary artery fistula to right ventricle		D4-32510		
SRTSCT	D3- 111289009 40208	Congenital pulmonary arteriovenous fistula		D3-40208		
SRTSCT	T- 28726007 AA200	Cornea	CORNEA	T-AA200		
SRTSCT	T- 41801008 43000	Coronary artery	CORONARYARTERY	T-43000		
SRTSCT	T- 90219004 48410	Coronary sinus	CORONARYSINUS	T-48410		
SRTSCT	T- 128320002 A0191	Cranial venous system		T-A0191		
SRTSCT	T- 32672002 42400	Descending aorta	DESCAORTA	T-42400		
SRTSCT	T- 32622004 59460	Descending colon	DESCENDINGCOLON	T-59460		
SRTSCT	T- 128554002 49429	Dodd's perforating vein		T-49429		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 3884800458200	Duodenum	DUODENUM	T-58200		
SRTSCT	T- 117590005AB004	Ear	EAR	T-AB001		
SRTSCT	T- 1695300915430	Elbow joint	ELBOW	T-15430		
SRTSCT	T- 5111400141000	Endo-arterial	ENDOARTERIAL	T-41000		
SRTSCT	T- 8089100932000	Endo-cardiac	ENDOCARDIAC	T-32000		
SRTSCT	T- 3284900256000	Endo-esophageal	ENDOESOPHAGEAL	T-56000		
SRTSCT	T- 273900383400	Endometrium	ENDOMETRIUM	T-83400		
SRTSCT	T- 5334200321300	Endo-nasal	ENDONASAL	T-21300		
SRTSCT	T- 1896200423050	Endo-nasopharyngeal	ENDONASOPHARYNYX	T-23050		
SRTSCT	T- 3440200959600	Endo-rectal	ENDORECTAL	T-59600		
SRTSCT	T- 6403300771000	Endo-renal	ENDORENAL	T-71000		
SRTSCT	T- 8795300773000	Endo-ureteric	ENDOURETERIC	T-73000		
SRTSCT	T- 1364800775000	Endo-urethral	ENDOURETHRAL	T-75000		
SRTSCT	T- 7678400182000	Endo-vaginal	ENDOVAGINAL	T-82000		
SRTSCT	T- 5982000140000	Endo-vascular	ENDOVASCULAR	T-40000		
SRTSCT	T- 2909200048000	Endo-venous	ENDOVENOUS	T-48000		
SRTSCT	T- 4836700674250	Endo-vesical	ENDOVESICAL	T-74250		
SRTSCT	T- 38266002D0010	Entire body	WHOLEBODY	T-D0010		
SRTSCT	T- 8764400295000	Epididymis	EPIDIDYMIS	87644002 T-95000	18255 18255	
SRTSCT	T- 27947004D4200	Epigastric region	EPIGASTRIC	T-D4200		
SRTSCT	T- 3284900256000	Esophagus	ESOPHAGUS	T-56000		
SRTSCT	T- 110861005DD163	Esophagus, stomach and duodenum		T-DD163		
SRTSCT	T- 84301002AB200	External auditory canal	EAC	T-AB200		
SRTSCT	T- 2228600145200	External carotid artery	ECA	T-45200		
SRTSCT	T- 11326900446910	External iliac artery	EXTILIACA	T-46910		
SRTSCT	T- 6350700148930	External iliac vein	EXTILIACV	T-48930		
SRTSCT	T- 7158500348160	External jugular vein	EXTJUGV	71585003 T-48160	13110 13110	C0226543
SRTSCT	T- 66019005D0300	Extremity	EXTREMITY	T-D0300		
SRTSCT	T- 81745001AA000	Eye	EYE	T-AA000		
SRTSCT	T- 80243003AA810	Eyelid	EYELID	T-AA810		
SRTSCT	T- 371398005D0801	Eye region		T-D0801		
SRTSCT	T- 89545001D1200	Face	FACE	T-D1200		
SRTSCT	T- 2307400145240	Facial artery	FACIALA	T-45240		
SRTSCT	T- 9139700811196	Facial bones		T-11196		
SRTSCT	T- 765700047400	Femoral artery	FEMORALA	T-47400		
SRTSCT	T- 8341900049410	Femoral vein	FEMORALV	T-49410		
SRTSCT	T- 7134100112710	Femur	FEMUR	T-12710		
		Fetal arm	FETALARM			

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
		Fetal digit	FETALDIGIT			
		Fetal heart	FETALHEART		63931 63931	
		Fetal leg	FETALLEG			
		Fetal pole	FETALPOLE			
SRTSCT	T- 8734200712750	Fibula	FIBULA	T-12750		
SRTSCT	T- 7569003D8800	Finger	FINGER	T-D8800		
SRTSCT	T- 58602004D2310	Flank	FLANK	T-D2310		
SRTSCT	T- 7936100515200	Fontanel of skull	FONTANEL	T-15200		
SRTSCT	T- 56459004D9700	Foot	FOOT	T-D9700		
SRTSCT	T- 14975008D8500	Forearm	FOREARM	T-D8500		
SRTSCT	T- 35918002A1820	Fourth ventricle	4THVENTRICLE	T-A1820		
SRTSCT	T- 2823100863000	Gallbladder	GALLBLADDER	T-63000		
SRTSCT	T- 11056800748820	Gastric vein	GASTRICV	T-48820		
SRTSCT	T- 12855900747490	Genicular artery	GENICULARA	T-47490		
SRTSCT	F- 30057100903FC9	Gestational sac	GESTSAC	300571009 F-03FC9		
SRTSCT	T- 46862004D2600	Gluteal region	GLUTEAL	T-D2600		
SRTSCT	T- 592800048420	Great cardiac vein		T-48420		
SRTSCT	T- 6073400149530	Great saphenous vein	GSV	60734001 T-49530	21376 21376	
SRTSCT	T- 85562004D8700	Hand	HAND	T-D8700		
SRTSCT	T- 69536005D1100	Head	HEAD	T-D1100		
SRTSCT	T- 774007D1000	Head and Neck	HEADNECK	T-D1000		
SRTSCT	T- 8089100932000	Heart	HEART	T-32000		
SRTSCT	T- 7601500046420	Hepatic artery	HEPATICA	T-46420		
SRTSCT	T- 899300348720	Hepatic vein	HEPATICV	T-48720		
SRTSCT	T- 2413600115710	Hip joint	HIP	T-15710		
SRTSCT	T- 8505000912410	Humerus	HUMERUS	T-12410		
SRTSCT	T- 1285600024942A	Hunterian perforating vein		T-4942A		
SRTSCT	T- 11708003D4240	Hypogastric region	HYPOGASTRIC	T-D4240		
SRTSCT	T- 8150200655300	Hypopharynx	HYPOPHARYNX	T-55300		
SRTSCT	T- 3451600158600	Ileum	ILEUM	T-58600		
SRTSCT	T- 29971600141068	Iliac and/or femoral artery		T-41068		
SRTSCT	T- 1029300646700	Iliac artery	ILIACA	T-46700		
SRTSCT	T- 2444110054940E	Iliac vein	ILIACV	244411005 T-4940E		
SRTSCT	T- 2235600512340	Ilium	ILIUM	T-12340		
SRTSCT	T- 195416006484A4	Inferior cardiac vein		T-484A4		
SRTSCT	T- 5124900348540	Inferior left pulmonary vein		T-48540		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED- GT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 3379500746520	Inferior mesenteric artery	INFMESA	T-46520		
SRTSCT	T- 11327300148520	Inferior right pulmonary vein		T-48520		
SRTSCT	T- 6413100748710	Inferior vena cava	INFVENACAVA	T-48710		
SRTSCT	T- 26893007D7000	Inguinal region	INGUINAL	T-D7000		
SRTSCT	T- 1269100946010	Innominate artery	INNOMINATEA	T-46010		
SRTSCT	T- 888700748620	Innominate vein	INNOMINATEV	T-48620		
SRTSCT	T- 361078006AB959	Internal Auditory Canal	IAC	T-AB959		
SRTSCT	T- 8611700245300	Internal carotid artery	ICA	T-45300		
SRTSCT	T- 9002400546740	Internal iliac artery	INTILIACA	T-46740		
SRTSCT	T- 1212300148170	Internal jugular vein	INTJUGULARV	T-48170		
SRTSCT	T- 6932700746200	Internal mammary artery	INTMAMMARYA	T-46200		
SRTSCT	T- 52731004D4010	Intra-abdominal		T-D4010		
SRTSCT	G- 131183008A15A	Intra-articular		G-A15A		
SRTSCT	T- 1101003D1400	Intracranial	INTRACRANIAL	T-D1400		
SRTSCT	T- 3284900256000	Intra-esophageal		T-56000		
SRTSCT	T- 21844003D6221	Intra-pelvic		T-D6221		
SRTSCT	T- 51185008D3000	Intra-thoracic		T-D3000		
SRTSCT	T- 661005D1213	Jaw region	JAW	T-D1213		
SRTSCT	T- 2130600358400	Jejunum	JEJUNUM	T-58400		
SRTSCT	T- 3935200415001	Joint	JOINT	T-15001		
SRTSCT	D4- 12856300031052	Juxtaposed atrial appendage		D4-31052		
SRTSCT	T- 6403300771000	Kidney	KIDNEY	T-71000		
SRTSCT	T- 72696002D9200	Knee	KNEE	T-D9200		
SRTSCT	T- 5974900045410	Lacrimal artery	LACRIMALA	T-45410		
SRTSCT	T- 12897900545416	Lacrimal artery of right eye		T-45416		
SRTSCT	T- 1474200859000	Large intestine	LARGEINTESTINE	T-59000		
SRTSCT	T- 459600924100	Larynx	LARYNX	T-24100		
SRTSCT	T- 66720007A1650	Lateral Ventricle	LATVENTRICLE	66720007T-A1650	78448 78448	
SRTSCT	T- 8247100132300	Left atrium	LATRIUM	T-32300		
SRTSCT	T- 3362600532310	Left auricular appendage		T-32310		
SRTSCT	T- 11327000347420	Left femoral artery	LFEMORALA	T-47420		
SRTSCT	T- 27320200748727	Left hepatic vein	LHEPATICV	273202007T-48727	14339 14339	
SRTSCT	T- 133945003D4211	Left hypochondriac region	LHYPOCHONDRIAC	T-D4211		
SRTSCT	T- 85119005D7020	Left inguinal region	LINGUINAL	T-D7020		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 68505006D4140	Left lower quadrant of abdomen	LLQ	T-D4140		
SRTSCT	T- 133943005D2340	Left lumbar region	LLUMBAR	T-D2340		
SRTSCT	T- 7025300648814	Left portal vein	LPORTALV	70253006T-48814	15415	15415
SRTSCT	T- 5040800744400	Left pulmonary artery	LPULMONARYA	T-44400		
SRTSCT	T- 86367003D4130	Left upper quadrant of abdomen	LUQ	T-D4130		
SRTSCT	T- 8787800532600	Left ventricle	LVENTRICLE	T-32600		
SRTSCT	T- 7023800332640	Left ventricle inflow		T-32640		
SRTSCT	T- 1341800232650	Left ventricle outflow tract		T-32650		
SRTSCT	T- 11326400945230	Lingual artery	LINGUALA	T-45230		
SRTSCT	T- 1020000462000	Liver	LIVER	T-62000		
SRTSCT	T- 1910000004003	Lower inner quadrant of breast		T-04003		
SRTSCT	T- 30021000D9400	Lower leg	LEG	T-D9400		
SRTSCT	T- 61685007D9000	Lower limb		T-D9000		
SRTSCT	T- 3356400204005	Lower outer quadrant of breast		T-04005		
SRTSCT	T- 3463500946960	Lumbar artery	LUMBARA	T-46960		
SRTSCT	T- 52612000D2300	Lumbar region	LUMBAR	T-D2300		
SRTSCT	T- 12249600711503	Lumbar spine	LSPINE	T-11503		
SRTSCT	T- 297173004D00F9	Lumbo-sacral spine	LSSPINE	T-D00F9		
SRTSCT	T- 9174700740230	Lumen of blood vessel	LUMEN	T-40230		
SRTSCT	T- 3960700828000	Lung	LUNG	T-28000		
SRTSCT	T- 9160900611180	Mandible	JAW	T-11180		
SRTSCT	T- 5906600511133	Mastoid bone	MASTOID	T-11133		
SRTSCT	T- 7092500311170	Maxilla	MAXILLA	T-11170		
SRTSCT	T- 72410000D3300	Mediastinum	MEDIASTINUM	T-D3300		
SRTSCT	T- 8657000046500	Mesenteric artery	MESENTRICA	T-46500		
SRTSCT	T- 1285830044884A	Mesenteric vein	MESENTRICV	T-4884A		
SRTSCT	T- 1723200245600	Middle cerebral artery	MCA	17232002T-45600	50079	50079
SRTSCT	T- 27309900048726	Middle hepatic vein	MIDHEPATICV	273099000T-48726	14340	14340
SRTSCT	T- 243977002D4434	Morisons pouch	MORISONPOUCH	243977002T-D4434		
SRTSCT	T- 123851003D0662	Mouth	MOUTH	T-D0662		
SRTSCT	T- 10229200014668	Muscle of lower limb		T-14668		
SRTSCT	T- 3060800613600	Muscle of upper limb		T-13600		
SRTSCT	T- 7438600411149	Nasal bone		T-11149		
SRTSCT	T- 3609550062300C	Nasopharynx	NASOPHARYNX	T-2300C		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED- CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 45048000D1600	Neck	NECK	T-D1600		
SRTSCT	R- 416319003FAB54	Neck, Chest, Abdomen and Pelvis	NECKCHESTABDPELV	R-FAB54		
SRTSCT	R- 416152001FAB53	Neck, Chest and Abdomen	NECKCHESTABDOMEN	R-FAB53		
SRTSCT	R- 417437006FAB52	Neck and Chest	NECKCHEST	R-FAB52		
SRTSCT	T- 4520600221000	Nose	NOSE	T-21000		
SRTSCT	T- 3114500845250	Occipital artery	OCCIPITALA	T-45250		
SRTSCT	T- 3211400748214	Occipital vein	OCCIPTALV	T-48214		
SRTSCT	T- 113346000D4450	Omental bursa		T-D4450		
SRTSCT	T- 27398004D4600	Omentum		T-D4600		
SRTSCT	T- 5354900845400	Ophthalmic artery	OPHTHALMICA	T-45400		
SRTSCT	T- 5502400411102	Optic canal	OPTICCANAL	T-11102		
SRTSCT	T- 363654007D14AE	Orbital structure	ORBIT	T-D14AE		
SRTSCT	T- 1549700687000	Ovary	OVARY	T-87000		
SRTSCT	T- 1577600965000	Pancreas	PANCREAS	T-65000		
SRTSCT	T- 6993000965010	Pancreatic duct	PANCREATICDUCT	T-65010		
SRTSCT	T- 11062100665600	Pancreatic duct and bile duct systems		T-65600		
SRTSCT	T- 209500122000	Paranasal sinus		T-22000		
SRTSCT	T- 91691001D3136	Parasternal	PARASTERNAL	T-D3136		
SRTSCT	T- 111002B7000	Parathyroid	PARATHYROID	T-B7000		
SRTSCT	T- 4528900761100	Parotid gland	PAROTID	T-61100		
SRTSCT	T- 6423400512730	Patella	PATELLA	T-12730		
SRTSCT	D4- 8333000132012	Patent ductus arteriosus		D4-32012		
SRTSCT	T- 12921003D6000	Pelvis	PELVIS	T-D6000		
SRTSCT	R- 416631005FAB58	Pelvis and lower extremities		R-FAB58		
SRTSCT	T- 28204400546807	Penile artery	PENILEA	282044005T-46807	66318 66318	
SRTSCT	T- 1891100291000	Penis	PENIS	T-91000		
SRTSCT	T- 38864007D2700	Perineum	PERINEUM	T-D2700		
SRTSCT	T- 882100647630	Peroneal artery	PERONEALA	T-47630		
DCM	113681 113681	Phantom				
SRTSCT	T- 5406600855000	Pharynx	PHARYNX	T-55000		
SRTSCT	T- 31253500820101	Pharynx and larynx	PHARYNXLARYNX	T-20101		
SRTSCT	T- 78067005F1100	Placenta	PLACENTA	78067005T-F1100		
SRTSCT	T- 4389900647500	Popliteal artery	POPLITEALA	T-47500		
SRTSCT	T- 32361000D9310	Popliteal fossa	POPLITEALFOSSA	T-D9310		
SRTSCT	T- 5684900549650	Popliteal vein	POPLITEALV	56849005T-49650	44327 44327	

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept Unique ID
SRTSCT	T- 3276400648810	Portal vein	PORTALV	32764006T-48810	66645 66645	
SRTSCT	T- 7038200545900	Posterior cerebral artery	PCA	70382005T-45900	50583 50583	
SRTSCT	T- 4311900745320	Posterior communicating artery	POSCOMMA	T-45320		
SRTSCT	T- 12856900149535	Posterior medial tributary		T-49535		
SRTSCT	T- 1336300247600	Posterior tibial artery	POSTIBIALA	T-47600		
SRTSCT	T- 14944004F7001	Primitive aorta		T-F7001		
SRTSCT	T- 91707000F7040	Primitive pulmonary artery		T-F7040		
SRTSCT	T- 3167700547440	Profunda femoris artery	PROFFEMA	31677005T-47440	20741 20741	
SRTSCT	T- 2343800249660	Profunda femoris vein	PROFFEMV	23438002T-49660	51041 51041	
SRTSCT	T- 4121600192000	Prostate	PROSTATE	T-92000		
SRTSCT	T- 8104000044000	Pulmonary artery	PULMONARYA	T-44000		
SRTSCT	D4- 12858400533142	Pulmonary artery conduit		D4-33142		
SRTSCT	T- 12858600732190	Pulmonary chamber of cor triatriatum		T-32190		
SRTSCT	T- 12297200748581	Pulmonary vein	PULMONARYV	T-48581		
SRTSCT	D4- 12856600833512	Pulmonary vein confluence		D4-33512		
SRTSCT	D4- 12856700433514	Pulmonary venous atrium		D4-33514		
SRTSCT	T- 4563100747300	Radial artery	RADIALA	T-47300		
SRTSCT	T- 6241300212420	Radius	RADIUS	T-12420		
SRTSCT	T- 11053500012403	Radius and ulna	RADIUSULNA	T-12403		
SRTSCT	T- 53843000D6407	Rectouterine pouch	CULDESAC	53843000T-D6407		
SRTSCT	T- 3440200959600	Rectum	RECTUM	T-59600		
SRTSCT	T- 284100746600	Renal artery	RENALA	T-46600		
SRTSCT	T- 2599000272000	Renal pelvis		T-72000		
SRTSCT	T- 5640000748740	Renal vein	RENALV	T-48740		
SRTSCT	T- 82849001D4900	Retroperitoneum	RETROPERITONEUM	T-D4900		
SRTSCT	T- 11319700311300	Rib	RIB	T-11300		
SRTSCT	T- 7382900932200	Right atrium	RATRIUM	T-32200		
SRTSCT	T- 6830000032210	Right auricular appendage		T-32210		
SRTSCT	T- 6983300547410	Right femoral artery	RFEMORALA	T-47410		
SRTSCT	T- 27299800248725	Right hepatic vein	RHEPATICV	272998002T-48725	14338 14338	

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED- CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 133946002D4212	Right hypochondriac region	RHYPOCHONDRIAC	T-D4212		
SRTSCT	T- 37117007D7010	Right inguinal region	RINGUINAL	T-D7010		
SRTSCT	T- 48544008D4120	Right lower quadrant of abdomen	RLQ	T-D4120		
SRTSCT	T- 133944004D2342	Right lumbar region	RLUMBAR	T-D2342		
SRTSCT	T- 7393100448813	Right portal vein	RPORTALV	73931004T-48813	15414 15414	
SRTSCT	T- 7848000244200	Right pulmonary artery	RPULMONARYA	T-44200		
SRTSCT	T- 50519007D4110	Right upper quadrant of abdomen	RUQ	T-D4110		
SRTSCT	T- 5308500232500	Right ventricle	RVENTRICLE	T-32500		
SRTSCT	T- 801700032540	Right ventricle inflow		T-32540		
SRTSCT	T- 4462700932550	Right ventricle outflow tract		T-32550		
SRTSCT	T- 3972300015680	Sacroiliac joint	SIJOINT	T-15680		
SRTSCT	T- 5473500711AD0	Sacrum	SSPINE	T-11AD0		
SRTSCT	T- 128587003D930A	Saphenofemoral junction	SFJ	T-D930A		
SRTSCT	T- 3620720094940B	Saphenous vein	SAPHENOUSV	362072009T-4940B		C0036186
SRTSCT	T- 41695006D1160	Scalp	SCALP	T-D1160		
SRTSCT	T- 7960100012280	Scapula	SCAPULA	T-12280		
SRTSCT	T- 18619003AA110	Sclera	SCLERA	T-AA110		
SRTSCT	T- 2023300598000	Scrotum	SCROTUM	T-98000		
SRTSCT	T- 42575006D1460	Sella turcica	SELLA	T-D1460		
SRTSCT	T- 6473900493000	Seminal vesicle	SEMVESICLE	64739004T-93000	19386 19386	
SRTSCT	T- 5874200312980	Sesamoid bones of foot	SESAMOID	T-12980		
SRTSCT	T- 16982005D2220	Shoulder	SHOULDER	T-D2220		
SRTSCT	T- 6018400459470	Sigmoid colon	SIGMOID	T-59470		
SRTSCT	T- 8954600011100	Skull	SKULL	T-11100		
SRTSCT	T- 3031500558000	Small intestine	SMALLINTESTINE	T-58000		
SRTSCT	T- 2748008A7010	Spinal cord	SPINALCORD	T-A7010		
SRTSCT	T- 421060004D04FF	Spine	SPINE	T-D04FF		
SRTSCT	T- 78961009C3000	Spleen	SPLEEN	T-C3000		
SRTSCT	T- 2208300246460	Splenic artery	SPLENICA	T-46460		
SRTSCT	T- 3581900948890	Splenic vein	SPLENICV	T-48890		
SRTSCT	T- 784400615610	Sternoclavicular joint	SCJOINT	T-15610		
SRTSCT	T- 5687300211210	Sternum	STERNUM	T-11210		
SRTSCT	T- 6969500357000	Stomach	STOMACH	T-57000		
SRTSCT	T- 3676500546100	Subclavian artery	SUBCLAVIANA	T-46100		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED- CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 945400948330	Subclavian vein	SUBCLAVIANV	T-48330		
SRTSCT	T- 19695001D4210	Subcostal	SUBCOSTAL	T-D4210		
SRTSCT	T- 5713008D1603	Submandibular area		T-D1603		
SRTSCT	T- 5401900961300	Submandibular gland	SUBMANDIBULAR	T-61300		
SRTSCT	T- 170887008D161E	Submental		T-D161E		
SRTSCT	T- 5076001D3213	Subxiphoid		T-D3213		
SRTSCT	T- 18134900847403	Superficial femoral artery	SFA	181349008 T-47403	323777 323777	
SRTSCT	G- 397364003035A	Superficial femoral vein	SFV	397364003 G-035A		
SRTSCT	T- 1567200045270	Superficial temporal artery		T-45270		
SRTSCT	T- 4386300148530	Superior left pulmonary vein	LSUPPULMONARYV	T-48530		
SRTSCT	T- 4225800146510	Superior mesenteric artery	SMA	T-46510		
SRTSCT	T- 862900548510	Superior right pulmonary vein	RSUPPULMONARYV	T-48510		
SRTSCT	T- 7202100445210	Superior thyroid artery	SUPTHYROIDA	T-45210		
SRTSCT	T- 4834500548610	Superior vena cava	SVC	T-48610		
SRTSCT	T- 77621008D1620	Supraclavicular region of neck	SUPRACLAVICULAR	T-D1620		
SRTSCT	T- 11708003D4240	Suprapubic region	SUPRAPUBIC	T-D4240		
SRTSCT	T- 2649300211218	Suprasternal notch		T-11218		
SRTSCT	T- 12858900044007	Systemic collateral artery to lung		T-44007		
SRTSCT	D4- 12856800933516	Systemic venous atrium		D4-33516		
SRTSCT	T- 2794900115770	Tarsal joint		T-15770		
SRTSCT	T- 5362000615290	Temporomandibular joint	TMJ	T-15290		
SRTSCT	T- 4068900394000	Testis	TESTIS	T-94000		
SRTSCT	T- 42695009A4000	Thalamus	THALAMUS	119406000 T-A4000	62007 62007	
SRTSCT	T- 68367000D9100	Thigh	THIGH	T-D9100		
SRTSCT	T- 49841001A1740	Third ventricle	3RDVENTRICLE	T-A1740		
SRTSCT	T- 11326200842070	Thoracic aorta	THORACICAORTA	T-42070		
SRTSCT	T- 12249500611502	Thoracic spine	TSPINE	T-11502		
SRTSCT	T- 297172009D00F8	Thoraco-lumbar spine	TLSPINE	T-D00F8		
SRTSCT	T- 51185008D3000	Thorax	THORAX	T-D3000		
SRTSCT	T- 76505004D8810	Thumb	THUMB	T-D8810		
SRTSCT	T- 9875009C8000	Thymus	THYMUS	T-C8000		
SRTSCT	T- 69748006B6000	Thyroid	THYROID	T-B6000		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 1261100812740	Tibia	TIBIA	T-12740		
SRTSCT	T- 11053600412701	Tibia and fibula	TIBIAFIBULA	T-12701		
SRTSCT	T- 29707007D9800	Toe	TOE	T-D9800		
SRTSCT	T- 2197400753000	Tongue	TONGUE	T-53000		
SRTSCT	T- 4456700125000	Trachea	TRACHEA	T-25000		
SRTSCT	T- 110726009DD006	Trachea and bronchus	TRACHEABRONCHUS	T-DD006		
SRTSCT	T- 48500559440	Transverse colon	TRANSVERSECOLON	T-59440		
SRTSCT	D4- 6195900631400	Truncus arteriosus communis		D4-31400		
SRTSCT	T- 5785000046400	Truncus coeliacus		T-46400		
SRTSCT	T- 2341600412430	Ulna	ULNA	T-12430		
SRTSCT	T- 4498400147200	Ulnar artery	ULNARA	T-47200		
SRTSCT	T- 50536004F1810	Umbilical artery	UMBILICALA	T-F1810		
SRTSCT	T- 90290004D4230	Umbilical region	UMBILICAL	T-D4230		
SRTSCT	T- 28463900048832	Umbilical vein	UMBILICALV	T-48832		
SRTSCT	T- 40983000D8200	Upper arm	ARM	T-D8200		
SRTSCT	T- 7783100404002	Upper inner quadrant of breast		T-04002		
SRTSCT	T- 53120007D8000	Upper limb		T-D8000		
SRTSCT	T- 7636500204004	Upper outer quadrant of breast		T-04004		
SRTSCT	T- 4314910077000B	Upper urinary tract	UPRURINARYTRACT	T-7000B		
SRTSCT	T- 8795300773000	Ureter	URETER	T-73000		
SRTSCT	T- 1364800775000	Urethra	URETHRA	T-75000		
SRTSCT	T- 3503900783000	Uterus	UTERUS	T-83000		
SRTSCT	T- 11063900288920	Uterus and fallopian tubes		T-88920		
SRTSCT	T- 7678400182000	Vagina	VAGINA	T-82000		
SRTSCT	A- 11837500804140	Vascular graft		A-04140		
SRTSCT	T- 2909200048000	Vein	VEIN	T-48000		
SRTSCT	T- 3434000848003	Venous network		T-48003		
SRTSCT	T- 2181400132400	Ventricle		T-32400		
SRTSCT	T- 8523400545700	Vertebral artery	VERTEBRALA	T-45700		
SRTSCT	T- 11051700911011	Vertebral column and cranium		T-11011		
SRTSCT	T- 4529200681000	Vulva	VULVA	T-81000		
SRTSCT	T- 7467000315460	Wrist joint	WRIST	T-15460		
SRTSCT	T- 1388100611166	Zygoma	ZYGOMA	T-11166		

Note

In prior versions of this table, different codes were used for some concepts; see PS3.16-2011.

Table L-2. Corresponding Codes and Terms for Large Animals

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED- GT Concept ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T- 113345001 D4000	Abdomen	ABDOMEN	T-D4000		
SRTSCT	T- 42694008 D8030	All legs	LEGS	T-D8030		
SRTSCT	T- 62555009 15317	Atlantal-axial joint	ATLANTOAXIAL	T-15317		
SRTSCT	T- 20292002 15311	Atlanto-occipital joint	ATLANTOOCIPITAL	T-15311		
SRTSCT	T- 89837001 74000	Bladder	BLADDER	T-74000		
SRTSCT	T- 82474009 12771	Calcaneal tubercle		T-12771		
SRTSCT	T- 8205005 D8600	Carpus	CARPUS	T-D8600		
SRTSCT	T- 122494005 11501	Cervical spine	CSPINE	T-11501		
SRTSCT	T- 297171002 D00F7	Cervico-thoracic spine	CTSPINE	T-D00F7		
SRTSCT	T- 51185008 D3000	Chest	CHEST	T-D3000		
SRTSCT	R- 416550000 FAB55	Chest and Abdomen	CHESTABDOMEN	R-FAB55		
SRTSCT	T- 18149002 11B00	Coccygeal vertebrae	TAIL	T-11B00		
SRTSCT	T- 71854001 59300	Colon	COLON	T-59300		
SRTSCT	T- 82680008 D0310	Digit	DIGIT	T-D0310		
UMLS	C3669027	Distal phalanx	DISTALPHALANX			C3669027
SRTSCT	T- 16953009 15430	Elbow joint	ELBOW	T-15430		
SRTSCT	T- 38266002 D0010	Entire body	WHOLEBODY	T-D0010		
SRTSCT	T- 32849002 56000	Esophagus	ESOPHAGUS	T-56000		
SRTSCT	T- 71341001 12710	Femur	FEMUR	T-12710		
SRTSCT	T- 13190002 D8640	Fetlock of forelimb	FOREFETLOCK	T-D8640		
SRTSCT	T- 113351006 D9540	Fetlock of hindlimb	HINDFETLOCK	T-D9540		
SRTSCT	T- 87342007 12750	Fibula	FIBULA	T-12750		
SRTSCT	T- 419176008 D04F2	Forefoot	FOREFOOT	T-D04F2		
SRTSCT	T- 55060009 22200	Frontal sinus	FRONTALSINUS	T-22200		
SRTSCT	T- 416804009 D9713	Hindfoot	HINDFOOT	T-D9713		
SRTSCT	T- 24136001 15710	Hip joint	HIP	T-15710		
SRTSCT	T- 85050009 12410	Humerus	HUMERUS	T-12410		
SRTSCT	T- 122496007 11503	Lumbar spine	LSPINE	T-11503		
SRTSCT	T- 297173004 D00F9	Lumbo-sacral spine	LSSPINE	T-D00F9		
SRTSCT	T- 91609006 11180	Mandible	JAW	T-11180		
SRTSCT	T- 88176008 54170	Mandibular dental arch		T-54170		
SRTSCT	T- 442274007 540EE	Mandibular incisor teeth		T-540EE		
SRTSCT	T- 39481002 54160	Maxillary dental arch		T-54160		
SRTSCT	T- 442100006 540ED	Maxillary incisor teeth		T-540ED		
SRTSCT	T- 36455000 12540	Metacarpus	METACARPUS	T-12540		
SRTSCT	T- 280711000 12847	Metatarsus	METATARSUS	T-12847		
SRTSCT	T- 2095001 22000	Nasal sinus		T-22000		

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA Code Value	UMLS Concept UniqueID
SRTSCT	T-3051800612450	Navicular of forefoot	FORENAVICULAR	T-12450		
SRTSCT	T-7577200912800	Navicular of hindfoot	HINDNAVICULAR	T-12800		
SRTSCT	T-363654007D14AE	Orbital structure	ORBIT	T-D14AE		
SRTSCT	T-31329001D8650	Pastern of forefoot	FOREPASTERN	T-D8650		
SRTSCT	T-18525008D9550	Pastern of hindfoot	HINDPASTERN	T-D9550		
SRTSCT	T-6423400512730	Patella	PATELLA	T-12730		
SRTSCT	T-12921003D6000	Pelvis	PELVIS	T-D6000		
SRTSCT	T-6241300212420	Radius	RADIUS	T-12420		
SRTSCT	T-11053500012403	Radius and ulna	RADIUSULNA	T-12403		
SRTSCT	T-5473500711AD0	Sacrum	SSPINE	T-11AD0		
SRTSCT	T-16982005D2220	Shoulder	SHOULDER	T-D2220		
SRTSCT	T-8954600011100	Skull	SKULL	T-11100		
SRTSCT	T-11601000615728	Stifle	STIFLE	T-15728		
SRTSCT	T-10837100612761	Tarsus	TARSUS	T-12761		
SRTSCT	T-12249500611502	Thoracic spine	TSPINE	T-11502		
SRTSCT	T-297172009D00F8	Thoraco-lumbar spine	TLSPINE	T-D00F8		
SRTSCT	T-1261100812740	Tibia	TIBIA	T-12740		
SRTSCT	T-11053600412701	Tibia and fibula	TIBIAFIBULA	T-12701		
SRTSCT	T-6283400350110	Upper gastro-intestinal tract	UGITRACT	T-50110		
SRTSCT	T-2341600412430	Ulna	ULNA	T-12430		
SRTSCT	T-1364800775000	Urethra	URETHRA	T-75000		
SRTSCT	T-4319380057000C	Urinary tract	URINARYTRACT	T-7000C		
SRTSCT	T-53036007D8040	Wing	WING	T-D8040		

Note

In prior versions of this table, different codes were used for some concepts; see PS3.16-2011.

Table L-3. Corresponding Codes And Terms for Small Animal Use

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID RT ID (Retired)	FMA ID	Mouse Anatomy ID	NCIt ID	Uberon ID	UMLS Concept UniqueID
SRTSCT	T-B3000 23451007	Adrenal gland	ADRENAL	T23451007-B3000	9604	0000116	C12666	0002369	C0001625
SRTSCT	T-15750 70258002	Ankle joint	ANKLE	T70258002-15750	35195	0000463	C32078	0001488	C0003087
SRTSCT	T-42000 15825003	Aorta	AORTA	T15825003-42000	3734	0000062	C12669	0000947	C0003483
SRTSCT	T-74000 89837001	Bladder	BLADDER	T89837001-74000	15900	0000380	C12414	0001255	C0005682
SRTSCT	T-A0100 12738006	Brain	BRAIN	T12738006-A0100	50801	0000168	C12439	0000955	C0006104

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID (Retired)	FMA ID	Mouse Anatomy ID	NCIt ID	Uberon ID	UMLS Concept Unique ID
SRTSCT	T-04000 76752008	Breast	BREAST	T76752008 -04000	57983	0000145	C12367	0001911	C092930
SRTSCT	T-26000 955009	Bronchus	BRONCHUS	T955009 -26000	7409	0000436	C12683	0002185	C000625
SRTSCT	T-D1206 60819002	Buccal region of face	CHEEK	T60819002 -D1206	46476	0002475	C13070	0001567	C000796
SRTSCT	T-12770 80144004	Calcaneus	CALCANEUS	T80144004 -12770	24496	0001348	C32250	0001450	C000665
SRTSCT	T-45010 69105007	Carotid Artery	CAROTID	T69105007 -45010		0001925	C12687	0005396	C000727
SRTSCT	T-A6000 113305005	Cerebellum	CEREBELLUM	T113305005 -A6000	67944	0000198	C12445	0002037	C000776
SRTSCT	T-83200 71252005	Cervix	CERVIX	T71252005 -83200	17740	0000392	C12311	0000002	C000787
SRTSCT	T-12310 51299004	Clavicle	CLAVICLE	T51299004 -12310	13321	0001329	C12695	0001105	C000891
SRTSCT	T-11BF0 64688005	Coccyx	COCCYX	T64688005 -11BF0	20229	0001420	C12696	0001095	C000919
SRTSCT	T-59300 71854001	Colon	COLON	T71854001 -59300	14543	0000335	C12382	0001155	C000936
SRTSCT	T-AA200 28726007	Cornea	CORNEA	T28726007 -AA200	58238	0000266	C12342	0000964	C001003
SRTSCT	T-43000 41801008	Coronary artery	CORONARYARTERY	T41801008 -43000	49893	0002453	C12843	0001621	C020504
SRTSCT	T-D0310 82680008	Digit	DIGIT	T82680008 -D0310	85518	0000690	C40186	0002544	C058280
SRTSCT	T-58200 38848004	Duodenum	DUODENUM	T38848004 -58200	7206	0000338	C12263	0002114	C001330
SRTSCT	T-15430 16953009	Elbow joint	ELBOW	T16953009 -15430	35289	0000451	C32497	0001490	C001377
SRTSCT	T-56000 32849002	Esophagus	ESOPHAGUS	T32849002 -56000	7131	0000352	C12389	0001043	C001487
SRTSCT	T-D0300 66019005	Extremity	EXTREMITY	T66019005 -D0300	7182	0000007	C12429	0002101	C001538
SRTSCT	T-AA000 81745001	Eye	EYE	T81745001 -AA000	54448	0000261	C12401	0000019	C001539
SRTSCT	T-AA810 80243003	Eyelid	EYELID	T80243003 -AA810	54437	0000268	C12713	0001711	C001542
SRTSCT	T-D1200 89545001	Face	FACE	T89545001 -D1200	24728	0002473	C13071	0001456	C001545
SRTSCT	T-12710 71341001	Femur	FEMUR	T71341001 -12710	9611	0001359	C12717	0000981	C001581
SRTSCT	T-12750 87342007	Fibula	FIBULA	T87342007 -12750	24479	0001360	C12718	0001446	C001606
SRTSCT	T-D8800 7569003	Finger	FINGER	T7569003 -D8800	9666	0000041	C32608	0002389	C001612

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept IRT ID (Retired)	FMA ID	Mouse Anatomy ID	NCIt ID	Uberon ID	UMLS Concept UniqueID
SRTSCT	T-D9700 56459004	Foot	FOOT	T56459004 -D9700	9664	0000044	C32622	0002387	C0016504
SRTSCT	T-22200 55060009	Frontal sinus	FRONTALSINUS	T55060009 -22200	57417	0001793	C12277	0001760	C0016734
SRTSCT	T-63000 28231008	Gallbladder	GALLBLADDER	T28231008 -63000	7202	0000356	C12377	0002110	C0016976
SRTSCT	T-D8700 85562004	Hand	HAND	T85562004 -D8700	9712	0000037	C32712	0002398	C0018563
SRTSCT	T-D1100 69536005	Head	HEAD	T69536005 -D1100	7154	0000023	C12419	0000033	C0018670
SRTSCT	T-D1000 774007	Head and Neck	HEADNECK	T774007 -D1000		0000006	C12418	0007811	C0460004
SRTSCT	T-32000 80891009	Heart	HEART	T80891009 -32000	7088	0000072	C12727	0000948	C0018787
SRTSCT	T-15710 24136001	Hip joint	HIP	T24136001 -15710	35178	0000470	C32742	0001486	C0019558
SRTSCT	T-12410 85050009	Humerus	HUMERUS	T85050009 -12410	13303	0001356	C12731	0000976	C0020164
SRTSCT	T-58600 34516001	Ileum	ILEUM	T34516001 -58600	7208	0000339	C12387	0002116	C0020885
SRTSCT	T-12340 22356005	Ilium	ILIUM	T22356005 -12340	16589	0001336	C32765	0001273	C0020889
SRTSCT	T-D1213 661005	Jaw region	JAW	T661005 -D1213	54396	0001905	C48821	0001708	C0022359
SRTSCT	T-58400 21306003	Jejunum	JEJUNUM	T21306003 -58400	7207	0000340	C12388	0002115	C0022378
SRTSCT	T-71000 64033007	Kidney	KIDNEY	T64033007 -71000	7203	0000368	C12415	0002113	C0022646
SRTSCT	T-62000 10200004	Liver	LIVER	T10200004 -62000	7197	0000358	C12392	0002107	C0023884
SRTSCT	T-D9400 30021000	Lower leg	LEG	T30021000 -D9400	24979	0000047	C32974	0000978	C1140621
SRTSCT	T-28000 39607008	Lung	LUNG	T39607008 -28000	7195	0000415	C12468	0002048	C0024109
SRTSCT	T-11180 91609006	Mandible	JAW	T91609006 -11180	52748	0001487	C12290	0001684	C0024687
SRTSCT	T-11170 70925003	Maxilla	MAXILLA	T70925003 -11170	9711	0001491	C26470	0002397	C0024947
SRTSCT	T-12450 30518006	Navicular of forefoot	FORENAVICULAR	T30518006 -12450	33311	0002555	C12854	0001427	C0223724
SRTSCT	T-D1600 45048000	Neck	NECK	T45048000 -D1600	7155	0000024	C13063	0000974	C0027530
SRTSCT	T-D14AE 363654007	Orbital structure	ORBIT	T363654007 -D14AE	53074	0002482	C12347	0001697	C0029180
SRTSCT	T-87000 15497006	Ovary	OVARY	T15497006 -87000	7209	0000384	C12404	0000992	C0029939

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED-CT Concept ID (Retired)	FMA ID	Mouse Anatomy ID	NCIt ID	Uberon ID	UMLS Concept Unique ID
SRTSCT	T-65000 15776009	Pancreas	PANCREAS	T15776009 -65000	7198	0000120	C12393	0001264	C003027
SRTSCT	T-61100 45289007	Parotid gland	PAROTID	T45289007 -61100	59790	0001585	C12427	0001831	C003058
SRTSCT	T-12730 64234005	Patella	PATELLA	T64234005 -12730	24485	0001374	C33282	0002446	C003064
SRTSCT	T-D6000 12921003	Pelvis	PELVIS	T12921003 -D6000	9578	0000030	C12767	0002355	C003079
SRTSCT	T-91000 18911002	Penis	PENIS	T18911002 -91000	9707	0000408	C12409	0000989	C003085
SRTSCT	T-55000 54066008	Pharynx	PHARYNX	T54066008 -55000	46688	0000432	C12425	0001042	C003135
SRTSCT	T-12420 62413002	Radius	RADIUS	T62413002 -12420	23463	0001357	C12777	0001423	C003462
SRTSCT	T-59600 34402009	Rectum	RECTUM	T34402009 -59600	14544	0000336	C12390	0001052	C003489
SRTSCT	T-11300 113197003	Rib	RIB	T113197003 -11300	7574	0000315	C12782	0002228	C003556
SRTSCT	T-12280 79601000	Scapula	SCAPULA	T79601000 -12280	13394	0001330	C12783	0006849	C003627
SRTSCT	T-AA110 18619003	Sclera	SCLERA	T18619003 -AA110	58269	0000280	C12784	0001773	C003641
SRTSCT	T-98000 20233005	Scrotum	SCROTUM	T20233005 -98000	18252	0000409	C12785	0001300	C003647
SRTSCT	T-D2220 16982005	Shoulder	SHOULDER	T16982005 -D2220	25202	0000038	C25203	0001467	C003700
SRTSCT	T-11100 89546000	Skull	SKULL	T89546000 -11100	46565	0000316	C12789	0003128	C003730
SRTSCT	T-C3000 78961009	Spleen	SPLEEN	T78961009 -C3000	7196	0000141	C12432	0002106	C003799
SRTSCT	T-11210 56873002	Sternum	STERNUM	T56873002 -11210	7485	0001331	C12793	0000975	C003829
SRTSCT	T-15290 53620006	Temporomandibular joint	TMJ	T53620006 -15290	54832	0002899	C32888	0003700	C003949
SRTSCT	T-94000 40689003	Testis	TESTIS	T40689003 -94000	7210	0000411	C12412	0000473	C003959
SRTSCT	T-D9100 68367000	Thigh	THIGH	T68367000 -D9100	24967	0000052	C33763	0000376	C003986
SRTSCT	T-D8810 76505004	Thumb	THUMB	T76505004 -D8810	24938	0000454	C52834	0001463	C004006
SRTSCT	T-C8000 9875009	Thymus	THYMUS	T9875009 -C8000	9607	0000142	C12433	0002370	C004011
SRTSCT	T-B6000 69748006	Thyroid	THYROID	T69748006 -B6000	9603	0000129	C12400	0002046	C004013
SRTSCT	T-12740 12611008	Tibia	TIBIA	T12611008 -12740	24476	0001361	C12800	0000979	C004018

Coding Scheme Designator	Code Value	Code Meaning	Body Part Examined	SNOMED- CT Concept IDRT ID (Retired)	FMA ID	Mouse Anatomy ID	NCIt ID	Uberon ID	UMLS Concept UniqueID
SRTSCT	T-D9800 29707007	Toe	TOE	T29707007 -D9800	25046	0000048	C33788	0001466	C0040357
SRTSCT	T-53000 21974007	Tongue	TONGUE	T21974007 -53000	54640	0000347	C12422	0001723	C0040408
SRTSCT	T-12430 23416004	Ulna	ULNA	T23416004 -12430	23466	0001358	C12809	0001424	C0041600
SRTSCT	T-D8200 40983000	Upper arm	ARM	T40983000 -D8200	24890	0000033	C32141	0001460	C0446516
SRTSCT	T-73000 87953007	Ureter	URETER	T87953007 -73000	9704	0000378	C12416	0000056	C0041951
SRTSCT	T-75000 13648007	Urethra	URETHRA	T13648007 -75000	19667	0000379	C12417	0000057	C0041967
SRTSCT	T-83000 35039007	Uterus	UTERUS	T35039007 -83000	17558	0000389	C12405	0000995	C0042149
SRTSCT	T-82000 76784001	Vagina	VAGINA	T76784001 -82000	19949	0000394	C12407	0000996	C0042232
SRTSCT	T-81000 45292006	Vulva	VULVA	T45292006 -81000	20462	0000395	C12408	0000997	C0042993

Note

Since the Adult Mouse Anatomy Ontology is not in the UMLS, the mapping of Mouse Anatomy codes described here is an extract of a mapping to the NCI Thesaurus described in Hayamizu TF, de Coronado S, Frago G, Sioutos N, Kadin JA, Ringwald M. The mouse-human anatomy ontology mapping project. Database: The Journal of Biological Databases and Curation 2012;2012:bar066. doi:10.1093/database/bar066. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3308156/>. The mapping files used can be found at <ftp://ftp.informatics.jax.org/pub/reports/ma2ncit.obo>.

The NCI Thesaurus codes were then used to look up corresponding concepts in UMLS, from which SNOMED and FMA codes were extracted automatically (and various conflicts and ambiguities resolved manually). The same correspondence to existing Body Part Examined values is used as in other tables in this Annex.

Another mapping project using the FMA as a reference ontology was not used, since the files were not available. See Zhang S, Bodenreider O. Alignment of Multiple Ontologies of Anatomy: Deriving Indirect Mappings from Direct Mappings to a Reference. AMIA Annual Symposium Proceedings 2005;2005:864-868 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1560629/>.

Table L-4. Correspondence between Animal-specific and Generic NCI Thesaurus Codes

Code Meaning	Generic NCIt ID	Generic UMLS Concept UniqueID	Mouse-specific NCIt ID	Mouse-specific UMLS Concept UniqueID	Rat-specific NCIt ID	Rat-specific UMLS Concept UniqueID
Adrenal gland	C12666	C0001625	C22635	C1515888	C60540	C1882555
Ankle joint	C32078	C0003087				
Aorta	C12669	C0003483	C23600		C60541	C1882561
Bladder	C12414	C0005682	C22729	C1511191	C60634	C1882899
Brain	C12439	C0006104	C22606	C1521713	C60544	C1882598
Breast	C12367	C0929301	C22549	C1512980	C60585	C1882771
Bronchus	C12683	C0006255	C24050	C1518036	C60546	C1882603
Buccal region of face	C13070	C0007966	C23972			

Code Meaning	Generic NCIt ID	Generic UMLS Concept UniqueID	Mouse-specific NCIt ID	Mouse-specific UMLS Concept UniqueID	Rat-specific NCIt ID	Rat-specific UMLS Concept UniqueID
Calcaneus	C32250	C0006655				
Carotid Artery	C12687	C0007272	C23618			
Cerebellum	C12445	C0007765	C22609	C1522278	C60550	C1882617
Cervix	C12311	C0007874			C60635	C1882903
Clavicle	C12695	C0008913	C23626			
Coccyx	C12696	C0009194				
Colon	C12382	C0009368	C22528	C1522281	C60554	C1882628
Cornea	C12342	C0010031	C22717	C2700413		
Coronary artery	C12843	C0205042	C23773			
Digit	C40186	C0582802				
Duodenum	C12263	C0013303	C22523	C1522711	C60558	C1882648
Elbow joint	C32497	C0013770				
Esophagus	C12389	C0014876	C22509	C1516967	C60563	C1882662
Extremity	C12429	C0015385	C23363			
Eye	C12401	C0015392	C22711	C1517081	C60565	C1882665
Eyelid	C12713	C0015426	C23644		C60566	C1882666
Face	C13071	C0015450	C23973			
Femur	C12717	C0015811	C23648		C60567	C1882669
Fibula	C12718	C0016068	C23649			
Finger	C32608	C0016129				
Foot	C32622	C0016504				
Frontal sinus	C12277	C0016734	C23210			
Gallbladder	C12377	C0016976	C23312			
Hand	C32712	C0018563				
Head	C12419	C0018670	C23353			
Head and Neck	C12418	C0460004	C23352			
Heart	C12727	C0018787	C22498	C1512359	C60571	C1882687
Hip joint	C32742	C0019558				
Humerus	C12731	C0020164	C23662			
Ileum	C12387	C0020885	C22525	C1522516	C60573	C1882700
Ilium	C32765	C0020889				
Jaw region	C48821	C0022359	C22683	C1511239		
Jejunum	C12388	C0022378	C22524	C1522714	C60575	C1882710
Kidney	C12415	C0022646	C22730	C1517673	C60577	C1882714
Liver	C12392	C0023884	C22515	C1517914	C60581	C1882726
Lower leg	C32974	C1140621				
Lung	C12468	C0024109	C22600	C1518039	C60582	C1882727
Mandible	C12290	C0024687	C23223			
Maxilla	C26470	C0024947				

Code Meaning	Generic NCIt ID	Generic UMLS Concept UniqueID	Mouse-specific NCIt ID	Mouse-specific UMLS Concept UniqueID	Rat-specific NCIt ID	Rat-specific UMLS Concept UniqueID
Navicular of forefoot	C12854	C0223724				
Neck	C13063	C0027530	C23965			
Orbital structure	C12347	C0029180	C23282		C60594	C1882803
Ovary	C12404	C0029939	C22656	C1518753	C60595	C1882808
Pancreas	C12393	C0030274	C24044	C1518865	C60597	C1882810
Parotid gland	C12427	C0030580	C22504	C1527051	C60600	C1882814
Patella	C33282	C0030647				
Pelvis	C12767	C0030797	C23698			
Penis	C12409	C0030851	C22172	C1518951		
Pharynx	C12425	C0031354	C22507	C1519041		
Radius	C12777	C0034627	C23708			
Rectum	C12390	C0034896	C22532	C1522513	C60609	C1882833
Rib	C12782	C0035561	C23713			
Scapula	C12783	C0036277	C23714			
Sclera	C12784	C0036410	C23715			
Scrotum	C12785	C0036471	C22176	C1519206		
Shoulder	C25203	C0037004				
Skull	C12789	C0037303	C22684	C1522418		
Spleen	C12432	C0037993	C22556	C1519474	C60621	C1882867
Sternum	C12793	C0038293	C23724		C60622	C1882873
Temporomandibular joint	C32888	C0039493				
Testis	C12412	C0039597	C22178	C1515315	C60625	C1882878
Thigh	C33763	C0039866				
Thumb	C52834	C0040067				
Thymus	C12433	C0040113	C22553	C1515438	C60627	C1882880
Thyroid	C12400	C0040132	C22650	C1522142	C60628	C1882881
Tibia	C12800	C0040184	C23731			
Toe	C33788	C0040357				
Tongue	C12422	C0040408	C22508	C1519545	C60629	C1882882
Ulna	C12809	C0041600	C23740			
Upper arm	C32141	C0446516				
Ureter	C12416	C0041951	C22738	C1519822	C60632	C1882897
Urethra	C12417	C0041967	C22739	C1519824	C60633	C1882898
Uterus	C12405	C0042149	C22671	C1519876	C60636	C1882904
Vagina	C12407	C0042232	C22676	C1519910	C60637	C1882906
Vulva	C12408	C0042993	C22677	C1520067		

Note

For the mouse, NCIt contains some duplicate anatomical concepts, including those which have been marked inactive and appear to have been replaced with improved codes for the "Mouse Models of Human Cancers Consortium" (MMHCC). Whenever duplicates were found, the MMHCC concept has been used in this table.

This table was produced by searching NCIt for all concepts that had "mouse" or "rat" in their concept name or synonyms, and then using that synonym with the word "mouse" or "rat" removed, to match against generic concept names.

The NCI Thesaurus codes were then used to look up corresponding concepts in UMLS, though not all of the concepts are included in UMLS yet (especially the MMHCC concepts).

Table L-5. Pairedness of Anatomic Concepts

SNOMED Code Value	Code Meaning	Paired Structure
T- 77012006F1320	Amniotic fluid	N
T- 113345001D4000	Abdomen	N
R- 416949008FAB57	Abdomen and Pelvis	N
T- 783200842500	Abdominal aorta	N
T- 8585600415420	Acromioclavicular joint	Y
T- 23451007B3000	Adrenal gland	Y
T- 7025800215750	Ankle joint	Y
T- 12858500648503	Anomalous pulmonary vein	N
T- 12855300849215	Antecubital vein	Y
T- 19499600648403	Anterior cardiac vein	N
T- 6017600345540	Anterior cerebral artery	Y
T- 801200645530	Anterior communicating artery	N
T- 1738800945730	Anterior spinal artery	N
T- 6805300047700	Anterior tibial artery	Y
T- 11061200559490	Anus, rectum and sigmoid colon	N
T- 1582500342000	Aorta	N
T- 5703400942300	Aortic arch	N
D3- 12855100581922	Aortic fistula	N
T- 12856400632602	Apex of left ventricle	N
T- 86598002280A0	Apex of Lung	Y
T- 12856500732502	Apex of right ventricle	N
T- 6675400859200	Appendix	N
T- 5111400141000	Artery	Y
T- 5424700242100	Ascending aorta	N
T- 904000859420	Ascending colon	N
T- 5965200432100	Atrium	Y
T- 91470000D8104	Axilla	Y
T- 6793700347100	Axillary Artery	Y
T- 6870500849110	Axillary vein	Y
T- 7210700448340	Azygos vein	N
T- 77568009D2100	Back	N
A- 12898100700203	Baffle	N

SNOMED Code Value	Code Meaning	Paired Structure
T- 5901100945800	Basilar artery	N
T- 2827300060610	Bile duct	N
T- 8983700174000	Bladder	N
T- 110837003DD123	Bladder and urethra	N
T- 91830000D00AB	Body conduit	N
T- 12854800349424	Boyd's perforating vein	Y
T- 1713700047160	Brachial artery	Y
T- 2011500549350	Brachial vein	Y
T- 12738006A0100	Brain	N
T- 7675200804000	Breast	Y
T- 34411009D6500	Broad ligament	N
T- 95500926000	Bronchus	Y
T- 60819002D1206	Buccal region of face	N
T- 46862004D2600	Buttock	Y
T- 8014400412770	Calcaneus	Y
T- 53840002D9440	Calf of leg	Y
T- 233400672100	Calyx	N
T- 6910500745010	Carotid Artery	Y
T- 2147900545170	Carotid Bulb	Y
T- 5785000046400	Celiac artery	N
T- 2069900249240	Cephalic vein	Y
T- 113305005A6000	Cerebellum	Y
T- 8855600545510	Cerebral artery	Y
T- 372073000A010F	Cerebral hemisphere	Y
T- 12249400511501	Cervical spine	N
T- 297171002D00F7	Cervico-thoracic spine	N
T- 7125200583200	Cervix	N
T- 60819002D1206	Cheek	Y
T- 51185008D3000	Chest	N
R- 416775004FAB56	Chest, Abdomen and Pelvis	N
R- 416550000FAB55	Chest and Abdomen	N
T- 80621003A1900	Choroid Plexus	Y
T- 1127900645520	Circle of Willis	N
T- 5129900412310	Clavicle	Y
T- 6468800511BF0	Coccyx	N
T- 7185400159300	Colon	N
D4- 25327600731005	Common atrium	N
T- 3206200445100	Common carotid artery	Y
T- 18134700547402	Common femoral artery	Y
G- 397363009035B	Common femoral vein	Y
T- 7363400546710	Common iliac artery	Y
T- 4602700548920	Common iliac vein	Y

SNOMED Code Value	Code Meaning	Paired Structure
D4- 4550300631120	Common ventricle	N
D4- 12855500132504	Congenital coronary artery fistula to left atrium	N
D4- 12855600032506	Congenital coronary artery fistula to left ventricle	N
D4- 12855700932509	Congenital coronary artery fistula to right atrium	N
D4- 12855800432510	Congenital coronary artery fistula to right ventricle	N
D3- 11128900940208	Congenital pulmonary arteriovenous fistula	N
T- 28726007AA200	Cornea	Y
T- 4180100843000	Coronary artery	N
T- 9021900448410	Coronary sinus	N
T- 3267200242400	Descending aorta	N
T- 3262200459460	Descending colon	N
T- 12855400249429	Dodd's perforating vein	Y
T- 3884800458200	Duodenum	N
T- 117590005AB001	Ear	Y
T- 1695300915430	Elbow joint	Y
T- 5111400141000	Endo-arterial	N
T- 8089100932000	Endo-cardiac	N
T- 3284900256000	Endo-esophageal	N
T- 273900383400	Endometrium	N
T- 5334200321300	Endo-nasal	N
T- 1896200423050	Endo-nasopharyngeal	N
T- 3440200959600	Endo-rectal	N
T- 6403300771000	Endo-renal	N
T- 8795300773000	Endo-ureteric	N
T- 1364800775000	Endo-urethral	N
T- 7678400182000	Endo-vaginal	N
T- 5982000140000	Endo-vascular	N
T- 2909200048000	Endo-venous	N
T- 4836700674250	Endo-vesical	N
T- 38266002D0010	Entire body	N
T- 8764400295000	Epididymis	Y
T- 27947004D4200	Epigastric region	N
T- 3284900256000	Esophagus	N
T- 110861005DD163	Esophagus, stomach and duodenum	N
T- 84301002AB200	External auditory canal	Y
T- 2228600145200	External carotid artery	Y
T- 11326900446910	External iliac artery	Y
T- 6350700148930	External iliac vein	Y
T- 7158500348160	External jugular vein	Y
T- 66019005D0300	Extremity	Y
T- 81745001AA000	Eye	Y
T- 80243003AA810	Eyelid	Y

SNOMED Code Value	Code Meaning	Paired Structure
T- 89545001 D 1200	Face	N
T- 23074001 4 5240	Facial artery	Y
T- 91397008 1 1196	Facial bones	N
T- 7657000 4 7400	Femoral artery	Y
T- 83419000 4 9410	Femoral vein	Y
T- 71341001 1 2710	Femur	Y
T- 7569003 D 8800	Finger	Y
T- 58602004 D 2310	Flank	N
T- 79361005 1 5200	Fontanel of skull	N
T- 56459004 D 9700	Foot	Y
T- 14975008 D 8500	Forearm	Y
T- 35918002 A 1820	Fourth ventricle	N
T- 28231008 6 3000	Gallbladder	N
T- 110568007 4 8820	Gastric vein	Y
T- 128559007 4 7490	Genicular artery	Y
F- 300571009 0 3FC9	Gestational sac	N
T- 46862004 D 2600	Gluteal region	Y
T- 5928000 4 8420	Great cardiac vein	N
T- 60734001 4 9530	Great saphenous vein	Y
T- 85562004 D 8700	Hand	Y
T- 69536005 D 1100	Head	N
T- 774007 D 1000	Head and Neck	N
T- 80891009 3 2000	Heart	N
T- 76015000 4 6420	Hepatic artery	Y
T- 8993003 4 8720	Hepatic vein	Y
T- 24136001 1 5710	Hip joint	Y
T- 85050009 1 2410	Humerus	Y
T- 128560002 4 942A	Hunterian perforating vein	Y
T- 11708003 D 4240	Hypogastric region	N
T- 81502006 5 5300	Hypopharynx	N
T- 34516001 5 8600	Ileum	N
T- 299716001 4 1068	Iliac and/or femoral artery	Y
T- 10293006 4 6700	Iliac artery	Y
T- 244411005 4 940E	Iliac vein	Y
T- 22356005 1 2340	Ilium	Y
T- 195416006 4 84A4	Inferior cardiac vein	N
T- 51249003 4 8540	Inferior left pulmonary vein	N
T- 33795007 4 6520	Inferior mesenteric artery	N
T- 113273001 4 8520	Inferior right pulmonary vein	N
T- 64131007 4 8710	Inferior vena cava	N
T- 26893007 D 7000	Inguinal region	Y
T- 12691009 4 6010	Innominate artery	N

SNOMED Code Value	Code Meaning	Paired Structure
T- 888700748620	Innominate vein	Y
T- 361078006AB959	Internal Auditory Canal	Y
T- 8611700245300	Internal carotid artery	Y
T- 9002400546740	Internal iliac artery	Y
T- 1212300148170	Internal jugular vein	Y
T- 6932700746200	Internal mammary artery	Y
T- 52731004D4010	Intra-abdominal	N
G- 131183008A15A	Intra-articular	N
T- 1101003D1400	Intracranial	N
T- 3284900256000	Intra-esophageal	N
T- 21844003D6221	Intra-pelvic	N
T- 51185008D3000	Intra-thoracic	N
T- 661005D1213	Jaw region	N
T- 2130600358400	Jejunum	N
T- 3935200415001	Joint	Y
D4- 12856300031052	Juxtaposed atrial appendage	N
T- 6403300771000	Kidney	N
T- 72696002D9200	Knee	N
T- 5974900045410	Lacrimal artery	Y
T- 12897900545416	Lacrimal artery of right eye	N
T- 1474200859000	Large intestine	N
T- 459600924100	Larynx	N
T- 66720007A1650	Lateral Ventricle	Y
T- 8247100132300	Left atrium	N
T- 3362600532310	Left auricular appendage	N
T- 977500245190	Left carotid sinus	N
T- 11327000347420	Left femoral artery	N
T- 27320200748727	Left hepatic vein	N
T- 133945003D4211	Left hypochondriac region	N
T- 85119005D7020	Left inguinal region	N
T- 68505006D4140	Left lower quadrant of abdomen	N
T- 133943005D2340	Left lumbar region	N
T- 7025300648814	Left portal vein	N
T- 5040800744400	Left pulmonary artery	N
T- 86367003D4130	Left upper quadrant of abdomen	N
T- 8787800532600	Left ventricle	N
T- 7023800332640	Left ventricle inflow	N
D4- 12857000031022	Left ventricle outflow chamber	N
T- 1341800232650	Left ventricle outflow tract	N
T- 11326400945230	Lingual artery	Y
T- 1020000462000	Liver	N
T- 1910000004003	Lower inner quadrant of breast	Y

SNOMED Code Value	Code Meaning	Paired Structure
T- 30021000 D9400	Lower leg	Y
T- 33564002 04005	Lower outer quadrant of breast	Y
T- 34635009 46960	Lumbar artery	Y
T- 52612000 D2300	Lumbar region	Y
T- 122496007 11503	Lumbar spine	N
T- 297173004 D00F9	Lumbo-sacral spine	N
T- 91747007 40230	Lumen of blood vessel	N
T- 39607008 28000	Lung	Y
T- 91609006 11180	Mandible	N
T- 59066005 11133	Mastoid bone	Y
T- 70925003 11170	Maxilla	Y
T- 72410000 D3300	Mediastinum	N
T- 86570000 46500	Mesenteric artery	N
T- 128583004 4884A	Mesenteric vein	N
T- 17232002 45600	Middle cerebral artery	Y
T- 273099000 48726	Middle hepatic vein	N
T- 243977002 D4434	Morisons pouch	N
T- 123851003 D0662	Mouth	N
T- 74386004 11149	Nasal bone	Y
T- 360955006 2300G	Nasopharynx	N
T- 45048000 D1600	Neck	N
R- 416319003 FAB54	Neck, Chest, Abdomen and Pelvis	N
R- 416152001 FAB53	Neck, Chest and Abdomen	N
R- 417437006 FAB52	Neck and Chest	N
T- 45206002 21000	Nose	N
T- 31145008 45250	Occipital artery	Y
T- 32114007 48214	Occipital vein	Y
T- 113346000 D4450	Omental bursa	N
T- 27398004 D4600	Omentum	N
T- 53549008 45400	Ophthalmic artery	Y
T- 55024004 11102	Optic canal	Y
T- 363654007 D14AE	Orbital structure	Y
T- 15497006 87000	Ovary	Y
T- 15776009 65000	Pancreas	N
T- 69930009 65010	Pancreatic duct	N
T- 110621006 65600	Pancreatic duct and bile duct systems	N
T- 2095001 22000	Paranasal sinus	Y
T- 91691001 D3136	Parasternal	N
T- 111002 B7000	Parathyroid	Y
T- 45289007 61100	Parotid gland	Y
T- 64234005 12730	Patella	Y
D- 83330001 132012	Patent ductus arteriosus	N

SNOMED Code Value	Code Meaning	Paired Structure
T- 12921003D6000	Pelvis	N
R- 416631005FAB58	Pelvis and lower extremities	N
T- 28204400546807	Penile artery	Y
T- 1891100291000	Penis	N
T- 38864007D2700	Perineum	N
T- 882100647630	Peroneal artery	Y
T- 5406600855000	Pharynx	N
T- 31253500820101	Pharynx and larynx	N
T- 78067005F1100	Placenta	N
T- 4389900647500	Popliteal artery	Y
T- 32361000D9310	Popliteal fossa	Y
T- 5684900549650	Popliteal vein	Y
T- 3276400648810	Portal vein	N
T- 7038200545900	Posterior cerebral artery	Y
T- 4311900745320	Posterior communicating artery	Y
T- 12856900149535	Posterior medial tributary	N
T- 1336300247600	Posterior tibial artery	Y
T- 14944004F7001	Primitive aorta	N
T- 91707000F7040	Primitive pulmonary artery	N
T- 3167700547440	Profunda femoris artery	Y
T- 2343800249660	Profunda femoris vein	Y
T- 4121600192000	Prostate	N
T- 8104000044000	Pulmonary artery	Y
D4- 12858400533142	Pulmonary artery conduit	N
T- 12858600732190	Pulmonary chamber of cor triatriatum	N
T- 12297200748581	Pulmonary vein	Y
D4- 12856600833512	Pulmonary vein confluence	N
D4- 12856700433514	Pulmonary venous atrium	N
T- 4563100747300	Radial artery	Y
T- 6241300212420	Radius	Y
T- 11053500012403	Radius and ulna	Y
T- 53843000D6407	Rectouterine pouch	N
T- 3440200959600	Rectum	N
T- 284100746600	Renal artery	Y
T- 2599000272000	Renal pelvis	Y
T- 5640000748740	Renal vein	Y
T- 82849001D4900	Retroperitoneum	N
T- 11319700311300	Rib	Y
T- 7382900932200	Right atrium	N
T- 6830000032210	Right auricular appendage	N
T- 6983300547410	Right femoral artery	N
T- 27299800248725	Right hepatic vein	N

SNOMED Code Value	Code Meaning	Paired Structure
T- 133946002 D4212	Right hypochondriac region	N
T- 37117007 D7010	Right inguinal region	N
T- 48544008 D4120	Right lower quadrant of abdomen	N
T- 133944004 D2342	Right lumbar region	N
T- 73931004 48813	Right portal vein	N
T- 78480002 44200	Right pulmonary artery	N
T- 50519007 D4110	Right upper quadrant of abdomen	N
T- 53085002 32500	Right ventricle	N
T- 80170003 2540	Right ventricle inflow	N
D4- 128572008 31032	Right ventricle outflow chamber	N
T- 44627009 32550	Right ventricle outflow tract	N
T- 39723000 15680	Sacroiliac joint	Y
T- 54735007 11AD0	Sacrum	N
T- 128587003 D930A	Saphenofemoral junction	Y
T- 362072009 4940B	Saphenous vein	Y
T- 41695006 D1160	Scalp	N
T- 79601000 12280	Scapula	Y
T- 18619003 AA110	Sclera	Y
T- 20233005 98000	Scrotum	Y
T- 42575006 D1460	Sella turcica	N
T- 64739004 93000	Seminal vesicle	N
T- 58742003 12980	Sesamoid bones of foot	Y
T- 16982005 D2220	Shoulder	Y
T- 60184004 59470	Sigmoid colon	N
T- 89546000 11100	Skull	N
T- 30315005 58000	Small intestine	N
T- 2748008 A7010	Spinal cord	N
T- 421060004 D04FF	Spine	N
T- 78961009 C3000	Spleen	N
T- 22083002 46460	Splenic artery	N
T- 35819009 48890	Splenic vein	N
T- 7844006 15610	Sternoclavicular joint	Y
T- 56873002 11210	Sternum	N
T- 69695003 57000	Stomach	N
T- 36765005 46100	Subclavian artery	Y
T- 9454009 48330	Subclavian vein	Y
T- 19695001 D4210	Subcostal	Y
T- 5713008 D1603	Submandibular area	Y
T- 54019009 61300	Submandibular gland	Y
T- 170887008 D161E	Submental	N
T- 5076001 D3213	Subxiphoid	N
T- 181349008 47403	Superficial femoral artery	Y

SNOMED Code Value	Code Meaning	Paired Structure
G- 397364003 035A	Superficial femoral vein	Y
T- 15672000 45270	Superficial temporal artery	Y
T- 43863001 48530	Superior left pulmonary vein	N
T- 42258001 46510	Superior mesenteric artery	N
T- 8629005 48510	Superior right pulmonary vein	N
T- 72021004 45210	Superior thyroid artery	Y
T- 48345005 48610	Superior vena cava	N
T- 77621008 D1620	Supraclavicular region of neck	Y
T- 11708003 D4240	Suprapubic region	N
T- 26493002 11218	Suprasternal notch	N
T- 128589000 44007	Systemic collateral artery to lung	N
D4- 128568009 33516	Systemic venous atrium	N
T- 27949001 15770	Tarsal joint	Y
T- 53620006 15290	Temporomandibular joint	Y
T- 40689003 94000	Testis	Y
T- 42695009 A4000	Thalamus	Y
T- 68367000 D9100	Thigh	Y
T- 49841001 A1740	Third ventricle	N
T- 113262008 42070	Thoracic aorta	N
T- 122495006 11502	Thoracic spine	N
T- 297172009 D00F8	Thoraco-lumbar spine	N
T- 51185008 D3000	Thorax	N
T- 76505004 D8810	Thumb	Y
T- 9875009 C8000	Thymus	N
T- 69748006 B6000	Thyroid	N
T- 12611008 12740	Tibia	Y
T- 110536004 12701	Tibia and fibula	Y
T- 29707007 D9800	Toe	Y
T- 21974007 53000	Tongue	N
T- 44567001 25000	Trachea	N
T- 110726009 DD006	Trachea and bronchus	N
T- 485005 59440	Transverse colon	N
D4- 61959006 31400	Truncus arteriosus communis	N
T- 57850000 46400	Truncus coeliacus	N
T- 23416004 12430	Ulna	Y
T- 44984001 147200	Ulnar artery	Y
T- 50536004 F1810	Umbilical artery	N
T- 90290004 D4230	Umbilical region	N
T- 284639000 48832	Umbilical vein	N
T- 40983000 D8200	Upper arm	Y
T- 77831004 04002	Upper inner quadrant of breast	Y
T- 76365002 04004	Upper outer quadrant of breast	Y

SNOMED Code Value	Code Meaning	Paired Structure
T- 4314910077000B	Upper urinary tract	N
T- 8795300773000	Ureter	Y
T- 1364800775000	Urethra	N
T- 3503900783000	Uterus	N
T- 11063900288920	Uterus and fallopian tubes	N
T- 7678400182000	Vagina	N
A- 11837500804140	Vascular graft	N
T- 2909200048000	Vein	Y
T- 3434000848003	Venous network	N
T- 2181400132400	Ventricle	Y
T- 8523400545700	Vertebral artery	Y
T- 11051700911011	Vertebral column and cranium	N
T- 4529200681000	Vulva	N
T- 7467000315460	Wrist joint	Y
T- 1388100611166	Zygoma	Y

M German Language Meanings of Selected Codes Used in The DCMR (Normative)

Table M-1. German Language Meanings of Selected Codes

Coding Scheme Designator	Code Value	Code Meaning English Language	Code Meaning German Language
LN	11528-7	Radiology Report	Radiologischer Befundbericht
LN	55114-3	Prior Procedure Descriptions	Frühere Untersuchungen
SCT	364320009 364320009	Pregnancy observable	Schwangerschaft
LN	18785-6	Indications for Procedure	Indikationen für die Untersuchung
DCM	123014	Target Region	Körperregion
LN	55111-9	Current Procedure Descriptions	Untersuchungstechnik
DCM	111060	Study Date	Datum der Untersuchung
DCM	111061	Study Time	Zeitpunkt der Untersuchung
DCM	110180	Study Instance UID	Study Instance UID
LN	11329-0	History	Krankengeschichte
LN	55115-0	Request	Fragestellung
DCM	121071	Finding	Beschreibung
LN	19005-8	Impressions	Wertungen
DCM	121075	Recommendation	Empfehlung
DCM	113850	Irradiation Authorizing	Indikationsstellender Arzt
DCM	113921	Radiation Exposure	Strahlenexposition
SCT	440252007 440252007	Administration of radiopharmaceutical	Verabreichter radioaktiver Stoff
DCM	113923	Radiation Exposure and Protection Information	Informationen zum Strahlenschutz

N Externally Defined Value Sets (Informative)

This annex identifies those Value Sets defined externally to the DICOM Standard that are referenced by the Standard. These value sets are reproduced here for reference only, and might not be the current version.

These value sets use codes from various coding schemes or code systems, as identified in Section 8.

N.1 HL7 Value Sets

HL7 Value Sets are reproduced with the permission of HL7 International. For the current version of HL7 Value Sets, see the HL7v3 Normative Edition (http://www.hl7.org/implement/standards/product_brief.cfm?product_id=186).

Table N.1-1. HL7 Value Sets

Value Set Name	OID	Notes
ActPriority	2.16.840.1.113883.11.16866	
AdministrativeGender	2.16.840.1.113883.11.1	
HumanLanguages	2.16.840.1.113883.11.11526	Equivalent to CID 5000
ImageMediaType	2.16.840.1.113883.11.14839	
NullFlavor	2.16.840.1.113883.11.10609	
ObservationInterpretation	2.16.840.1.113883.11.78	
x_BasicConfidentialityKind	2.16.840.1.113883.11.16926	
x_serviceEventPerformer	2.16.840.1.113883.11.19601	

N.1.1 ActPriority Value Set

Value Set: ActPriority 2.16.840.1.113883.11.16866
Code System(s): ActPriority 2.16.840.1.113883.5.7

Table N.1.1-1. ActPriority Value Set

Code	Code System	Print Name
A	ActPriority	ASAP
CR	ActPriority	Callback results
CS	ActPriority	Callback for scheduling
CSP	ActPriority	Callback placer for scheduling
CSR	ActPriority	Contact recipient for scheduling
EL	ActPriority	Elective
EM	ActPriority	Emergency
P	ActPriority	Preoperative
PRN	ActPriority	As needed
R	ActPriority	Routine
RR	ActPriority	Rush reporting
S	ActPriority	Stat
T	ActPriority	Timing critical
UD	ActPriority	Use as directed
UR	ActPriority	Urgent

N.1.2 AdministrativeGender Value Set

Value Set: AdministrativeGender 2.16.840.1.113883.11.1
Code System(s): AdministrativeGender 2.16.840.1.113883.5.1

Table N.1.2-1. AdministrativeGender Value Set

Code	Code System	Print Name
F	AdministrativeGender	Female
M	AdministrativeGender	Male
UN	AdministrativeGender	Undifferentiated

N.1.3 ImageMediaType Value Set

Value Set: HL7 ImageMediaType 2.16.840.1.113883.11.14839
Code System(s): mediaType 2.16.840.1.113883.5.79

Table N.1.3-1. ImageMediaType Value Set

Code	Code System	Print Name
image/g3fax	mediaType	g3fax
image/gif	mediaType	gif
image/jpeg	mediaType	jpeg
image/png	mediaType	png
image/tiff	mediaType	tiff

N.1.4 NullFlavor Value Set

Value Set: HL7 NullFlavor 2.16.840.1.113883.11.10609
Code System(s): NullFlavor 2.16.840.1.113883.5.1008

Table N.1.4-1. NullFlavor Value Set

Code	Code System	Print Name
NI	NullFlavor	No Information
OTH	NullFlavor	other
NINF	NullFlavor	negative infinity
PINF	NullFlavor	positive infinity
UNK	NullFlavor	unknown
ASKU	NullFlavor	asked but unknown
NAV	NullFlavor	temporarily unavailable
NASK	NullFlavor	not asked
TRC	NullFlavor	trace
MSK	NullFlavor	masked
NA	NullFlavor	not applicable
NP	NullFlavor	not present

N.1.5 ObservationInterpretation Value Set

Value Set: HL7 ObservationInterpretation 2.16.840.1.113883.11.78
Code System(s): ObservationInterpretation 2.16.840.1.113883.5.83

Table N.1.5-1. ObservationInterpretation Value Set

Code	Code System	Print Name
B	ObservationInterpretation	better
D	ObservationInterpretation	decreased
U	ObservationInterpretation	increased
W	ObservationInterpretation	worse
<	ObservationInterpretation	low off scale
>	ObservationInterpretation	high off scale
A	ObservationInterpretation	Abnormal
AA	ObservationInterpretation	Abnormal alert
HH	ObservationInterpretation	High alert
LL	ObservationInterpretation	Low alert
H	ObservationInterpretation	High
L	ObservationInterpretation	Low
N	ObservationInterpretation	Normal
I	ObservationInterpretation	intermediate
MS	ObservationInterpretation	moderately susceptible
R	ObservationInterpretation	resistant
S	ObservationInterpretation	susceptible
VS	ObservationInterpretation	very susceptible

N.1.6 x_BasicConfidentialityKind Value Set

Value Set: x_BasicConfidentialityKind 2.16.840.1.113883.11.16926
 Code System(s): Confidentiality 2.16.840.1.113883.5.25

Table N.1.6-1. x_BasicConfidentialityKind Value Set

Code	Code System	Print Name
N	Confidentiality	Normal
R	Confidentiality	Restricted
V	Confidentiality	Very Restricted

N.1.7 x_serviceEventPerformer Value Set

Value Set: HL7 x_serviceEventPerformer 2.16.840.1.113883.11.19601
 Code System(s): ParticipationType 2.16.840.1.113883.5.90

Table N.1.7-1. x_serviceEventPerformer Value Set

Code	Code System	Print Name
PRF	ParticipationType	Performer
PPRF	ParticipationType	Principal performer
SPRF	ParticipationType	Secondary performer

N.2 LOINC Value Sets

LOINC Value Sets are available from Regenstrief Institute, Inc. For the current version, see the LOINC web site (<http://loinc.org/oids>).

Table N.2-1. LOINC Value Sets

Value Set Name	OID	Notes
LOINC Imaging Document Codes	1.3.6.1.4.1.12009.10.2.5	
LOINC Y/N/NA	1.3.6.1.4.1.12009.10.1.163	LL2850-7

N.2.1 LOINC Imaging Document Codes (examples)

Value Set: LOINC Imaging Document Codes 1.3.6.1.4.1.12009.10.2.5
Code System(s): LOINC 2.16.840.1.113883.6.1

Table N.2.1-1. LOINC Imaging Document Codes (examples)

Code	Code System	Print Name
11525-3	LOINC	US Pelvis and Fetus for pregnancy
17787-3	LOINC	Thyroid Scan Study report
18744-3	LOINC	Bronchoscopy study
18746-8	LOINC	Colonoscopy study
18748-4	LOINC	Diagnostic imaging study
...		

N.2.2 LOINC Y/N/NA

Value Set: LOINC Y/N/NA 1.3.6.1.4.1.12009.10.1.163
Code System(s): LOINC 2.16.840.1.113883.6.1

Table N.2.2-1. LOINC Y/N/NA

Code	Code System	Print Name
LA33-6	LOINC	Yes
LA32-8	LOINC	No
LA4720-4	LOINC	Not Applicable

O SNOMED Concept ID to SNOMED ID Mapping

Table O-1. SNOMED Concept ID to SNOMED ID Mapping

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
111002	T-B7000	Parathyroid structure (body structure)
125001	C-B1123	Ferrous sulfate Fe ⁵⁹ (substance)
187006	C-B1021	Cyanocobalamin Co ⁵⁷ (substance)
270002	S-101A9	Female first cousin (person)
271003	A-12010	Bone plate, device (physical object)
283001	T-C4730	Structure of central axillary lymph node (body structure)
300004	L-80861	Miniature schnauzer (organism)
345000	T-32830	Atrioventricular bundle structure (body structure)
368009	D3-10800	Heart valve disorder (disorder)
400003	L-80156	Pinzgauer cattle breed (organism)
432003	C-22972	Carminic acid stain (substance)
439007	C-B1010	Therapeutic radioisotope (product)
461002	T-A7093	Structure of lateral corticospinal tract (body structure)
485005	T-59440	Transverse colon structure (body structure)
507002	L-80833	Standard poodle (organism)
524008	G-A443	Multifocal (qualifier value)
583000	L-80902	Wirehaired vizsla (organism)
589001	T-32410	Interventricular septum structure (body structure)
606003	L-80703	Terrier (organism)
661005	T-D1213	Jaw region structure (body structure)
684003	L-80213	Pygmy goat (organism)
739006	A-17230	Bicycle ergometer, device (physical object)
774007	T-D1000	Head and neck structure (body structure)
795002	G-A140	Deep (qualifier value)
796001	C-80330	Digoxin (product)
873008	C-29020	Urethan (substance)
925002	C-B0325	Sodium iodipamide (substance)
944009	L-80175	Brown Welsh cattle breed (organism)
955009	T-26000	Bronchial structure (body structure)
976004	T-48780	Structure of ovarian vein (body structure)
1006005	L-80438	Percheron horse (organism)
1101003	T-D1400	Cranial cavity structure (body structure)
1118004	L-80462	Viking horse (organism)
1166006	C-16600	Titanium (substance)
1182007	C-81100	Hypotensive agent (product)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
1193009	T-13640	Structure of teres major muscle (body structure)
1194003	P0-30450	Disease condition determination, well controlled (finding)
1211003	A-17222	Treadmill, device (physical object)
1231004	T-A1110	Meninges structure (body structure)
1240000	F-10310	Prone body position (finding)
1247002	L-80419	Clydesdale horse (organism)
1250004	G-A316	Decreased (qualifier value)
1307006	T-24440	Glottis structure (body structure)
1346008	C-22921	Blue shade eosin stain (substance)
1368003	C-114B1	¹³¹ Iodine (substance)
1386000	D3-89100	Intracranial hemorrhage (disorder)
1420005	L-80821	German longhaired pointer (organism)
1439000	T-C46A0	Structure of paravesicular lymph node (body structure)
1483009	G-A160	Angular (qualifier value)
1514007	L-80715	Bedlington terrier (organism)
1522000	M-01470	Plaque (morphologic abnormality)
1663004	G-F212	G2 grade (finding)
1710001	F-61470	Uric acid (substance)
1732005	T-C6510	Thoracic duct structure (body structure)
1789009	L-80461	Trakehner horse (organism)
1809004	L-80A40	Rex cat breed (organism)
1896004	D4-48014	Ectopic breast tissue (disorder)
1918003	T-42510	Structure of suprarenal aorta (body structure)
1929004	M-95913	Non-Hodgkin lymphoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
1974006	L-80840	Retriever (organism)
2008008	C-131A2	⁶⁷ Gallium (substance)
2048000	T-C5140	Lingual tonsil structure (body structure)
2062007	L-80770	Dachshund superbreed of dog (organism)
2088005	C-22898	Page blue G-90 stain (substance)
2092003	M-87203	Malignant melanoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
2095001	T-22000	Nasal sinus structure (body structure)
2099007	M-91200	Hemangioma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
2124007	L-80341	Rambouillet sheep (organism)
2159007	C-22831	Azorubin S stain (substance)
2160002	T-42370	Structure of ligamentum arteriosum (body structure)
2272004	S-10154	Half-sister (person)
2282003	A-04830	Breast prosthesis, device (physical object)
2309006	C-14600	Gold (substance)
2334006	T-72100	Structure of calyx (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
2400006	T-54410	Structure of mandibular left first premolar tooth (body structure)
2424003	M-88003	Sarcoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
2705002	C-115A2	⁷² Arsenic (substance)
2739003	T-83400	Endometrial structure (body structure)
2748008	T-A7010	Spinal cord structure (body structure)
2812003	T-12711	Structure of head of femur (body structure)
2841007	T-46600	Structure of renal artery (body structure)
2869004	C-21624	Acetic acid (substance)
2942001	C-B1302	Carbon ¹⁴ D-xylose (substance)
2985005	M-85403	Paget's disease, mammary (morphologic abnormality)
3027009	C-122A5	¹³³ Barium (substance)
3040004	C-B1207	Technetium Tc ^{99m} disofenin (substance)
3058005	T-A0140	Peripheral nervous system structure (body structure)
3099004	L-80345	Romney marsh sheep (organism)
3120008	T-29000	Pleural membrane structure (body structure)
3159004	T-46180	Structure of costocervical trunk (body structure)
3216001	L-80146	Lincoln red cattle breed (organism)
3227004	T-43107	Left coronary artery main stem (body structure)
3236000	T-28220	Structure of posterior segment of right upper lobe of lung (body structure)
3243006	T-C4660	Structure of parametrial lymph node (body structure)
3260001	L-80568	Duroc pig (organism)
3325005	F-63390	Lipopolysaccharide (substance)
3347005	L-80778	Dandie Dinmont terrier (organism)
3354004	L-80A15	Havana brown cat (organism)
3361000	C-A6700	Anti-heparin agent (product)
3415004	M-04100	Cyanosis (finding)
3430008	J-06173	Radiation therapist (occupation)
3566006	L-80347	Southdown sheep (organism)
3583002	G-A108	Caudal (qualifier value)
3653002	L-80A08	Balinese cat (organism)
3674001	L-80876	Siberian huskie (organism)
3839000	M-83143	Lipid-rich carcinoma (morphologic abnormality)
3916005	T-C4110	Structure of occipital lymph node (body structure)
3921008	L-80707	Airedale terrier (organism)
3924000	T-46210	Structure of pericardiophrenic artery (body structure)
3932008	C-127A2	⁶⁴ Copper (substance)
3937002	T-A2594	Structure of entorhinal cortex (body structure)
3954005	T-AA940	Lacrimal sac structure (body structure)
3960005	T-A2920	Olfactory tract structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
3995008	L-80A30	Manx (organism)
3997000	L-80450	Pony (organism)
4042003	L-80A57	Somali cat (organism)
4147007	M-03000	Mass (morphologic abnormality)
4258007	T-49620	Structure of posterior tibial vein (body structure)
4317002	T-14050	Structure of spinalis muscle (body structure)
4382004	C-81120	Centrally acting hypotensive agent (product)
4386001	F-20250	Bronchospasm (finding)
4432005	T-F6845	Structure of ductus arteriosus (body structure)
4525004	P2-10700	Emergency department patient visit (procedure)
4554005	D3-33000	Intraventricular conduction defect (disorder)
4557003	D3-12700	Preinfarction syndrome (disorder)
4563007	P0-10210	Hospital admission, transfer from other hospital or health care facility (procedure)
4574003	L-80346	Shropshire sheep (organism)
4596009	T-24100	Laryngeal structure (body structure)
4631006	M-82113	Tubular adenocarcinoma (morphologic abnormality)
4656000	C-22963	Alcian blue 8GX stain (substance)
4693006	C-B1012	Chromium ⁵¹ albumin (substance)
4754008	D7-90420	Gynecomastia (disorder)
4832001	C-B1208	Technetium Tc ^{99m} mebrofenin (substance)
4942000	T-C4800	Lower limb lymph node structure (body structure)
4958002	T-A3230	Amygdaloid structure (body structure)
4960000	L-80439	Peruvian Paso horse (organism)
5043000	C-22923	Erythrosin Y stain (substance)
5076001	T-D3213	Structure of infrasternal angle (body structure)
5140004	T-54230	Structure of maxillary right first molar tooth (body structure)
5164003	L-80333	Montdale sheep (organism)
5227002	L-80643	Oxford sandy block pig (organism)
5244003	M-85030	Intraductal papilloma (morphologic abnormality)
5296000	T-C4361	Structure of anterior mediastinal lymph node (body structure)
5306005	L-80800	Manchester terrier superbreed (organism)
5366008	T-A2570	Hippocampal structure (body structure)
5394000	T-C4690	Structure of uterine paracervical lymph node (body structure)
5405008	C-144A6	⁶⁰ Cobalt (substance)
5438004	L-80206	French alpine goat (organism)
5442001	C-22901	Page blue 83 stain (substance)
5467003	F-21301	Normal respiratory rhythm (finding)
5540006	C-14300	Calcium (substance)
5665001	T-AA610	Retinal structure (body structure)
5692007	C-B1022	Cyanocobalamin Co ⁵⁸ (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
5712003	G-A530	Sessile (qualifier value)
5713008	T-D1603	Submandibular triangle structure (body structure)
5727003	T-C4240	Structure of anterior cervical lymph node (body structure)
5798000	T-D3400	Diaphragm structure (body structure)
5884001	P1-48350	Mastectomy (procedure)
5916008	L-80777	Dalmatian dog (organism)
5928000	T-48420	Great cardiac vein structure (body structure)
5931004	C-B1222	Technetium Tc ^{99m} sulfur colloid (substance)
6041008	G-A485	Flat (qualifier value)
6053007	L-80563	Dekalb hybrid pig line 33 (organism)
6062009	T-54730	Structure of deciduous mandibular right canine tooth (body structure)
6064005	G-D112	Topical route (qualifier value)
6103004	L-807C8	Jack Russell terrier dog breed (organism)
6112002	L-80151	Meusse-Rhine-Ijssel cattle breed (organism)
6217003	T-55320	Structure of piriform recess (body structure)
6220006	L-80422	Galiceno horse (organism)
6229007	T-1115A	Lacrimal bone structure (body structure)
6257000	C-B1176	Sodium chloride Na ²² (substance)
6301006	C-156A6	¹⁷⁸ Tantalum (substance)
6413002	T-C4680	Structure of presymphysial lymph node (body structure)
6423006	T-13610	Supraspinatus muscle structure (body structure)
6425004	C-51000	Antihistamine (product)
6431001	L-80325	Leicester sheep (organism)
6456007	D3-31290	Supraventricular tachycardia (disorder)
6511003	T-43122	Structure of distal portion of circumflex branch of left coronary artery (body structure)
6516008	C-B1065	Indium ¹¹¹ -Fe(OH) ₃ (substance)
6530003	T-35002	Structure of cardiac valve leaflet (body structure)
6533001	T-59345	Structure of colonic haustra (body structure)
6538005	T-46130	Structure of thyrocervical trunk (body structure)
6574001	M-54000	Necrosis (morphologic abnormality)
6660000	M-72175	Atypical intraductal hyperplasia (morphologic abnormality)
6701008	C-22841	Lissamine fast red B stain (substance)
6703006	D7-90428	Breast lobule hyperplasia (disorder)
6708002	P1-86180	Intrauterine cordocentesis (procedure)
6725000	C-22947	Methylene blue stain (substance)
6736007	G-A002	Moderate (severity modifier) (qualifier value)
6797001	F-31150	Mean blood pressure (observable entity)
6832004	P1-30350	Atherectomy (procedure)
6866008	T-A4950	Structure of habenular commissure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
6871001	T-39010	Structure of visceral pericardium (body structure)
6973004	C-B1013	Chromium ⁵¹ chloride (substance)
7087005	G-A397	Intermittent (qualifier value)
7121006	T-54220	Structure of maxillary right second molar tooth (body structure)
7140000	C-B0300	Radiographic contrast media (product)
7281000	C-B1209	Technetium Tc ^{99m} lidofenin (substance)
7292004	C-B0156	Indocyanine green (product)
7305005	D4-32014	Coarctation of aorta (disorder)
7434003	C-22924	Erythrosin B stain (substance)
7562007	P5-D6000	Radioisotope study of endocrine system (procedure)
7569003	T-D8800	Finger structure (body structure)
7623008	L-80409	American paint horse (organism)
7657000	T-47400	Structure of femoral artery (body structure)
7770004	C-158A6	⁸⁹ Strontium (substance)
7771000	G-A101	Left (qualifier value)
7832008	T-42500	Abdominal aorta structure (body structure)
7843000	L-80141	Horned Hereford (organism)
7844006	T-15610	Sternoclavicular joint structure (body structure)
8012006	T-45530	Structure of anterior communicating artery (body structure)
8017000	T-32540	Structure of inflow tract of right ventricle (body structure)
8089006	L-80463	Welsh walking horse (organism)
8128003	T-42110	Supraaortic valve area structure (body structure)
8202008	C-135A3	⁴³ Potassium (substance)
8205005	T-D8600	Wrist region structure (body structure)
8225009	T-32850	Accessory atrioventricular bundle (body structure)
8227001	C-180A5	¹⁰⁶ Ruthenium (substance)
8334002	T-C4490	Structure of lumbar lymph node (body structure)
8342001	C-22934	Brilliant cresyl blue stain (substance)
8348002	C-97520	Cyclopentolate (product)
8351009	L-807A1	Smooth fox terrier (organism)
8356004	T-C4560	Structure of colic lymph node (body structure)
8360001	M-89400	Pleomorphic adenoma (morphologic abnormality)
8361002	T-1A170	Tunica intima (body structure)
8419007	L-80A20	Domestic longhaired cat (organism)
8429000	C-22865	Brilliant orange stain (substance)
8516002	L-80564	Dekalb hybrid pig line 51 (organism)
8517006	S-32070	Ex-smoker (finding)
8568009	T-C4400	Abdominal lymph node structure (body structure)
8592001	P1-05052	Irrigation following insertion of catheter (procedure)
8598002	T-A8500	Vestibulocochlear nerve structure (body structure)
8629005	T-48510	Structure of superior right pulmonary vein (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
8715000	P0-10010	Hospital admission, elective (procedure)
8722008	D3-29020	Aortic valve disorder (disorder)
8763002	L-80606	German landrace pig (organism)
8821006	T-47630	Structure of peroneal artery (body structure)
8836009	C-22935	Gallocyanine stain (substance)
8858006	C-B1182	Strontium nitrate Sr ⁸⁵ (substance)
8873007	T-54490	Structure of mandibular right second premolar tooth (body structure)
8887007	T-48620	Structure of brachiocephalic vein (body structure)
8926000	C-22946	Azure B stain (substance)
8928004	T-C4810	Inguinal lymph node structure (body structure)
8931003	T-12282	Structure of coracoid process of scapula (body structure)
8970009	L-80605	French landrace pig (organism)
8989009	L-80106	Ayrshire cattle breed (organism)
8993003	T-48720	Structure of hepatic vein (body structure)
8997002	F-32040	Ventricular systole, function (observable entity)
9010006	C-22907	Methyl blue stain (substance)
9040008	T-59420	Ascending colon structure (body structure)
9131007	L-80801	Standard Manchester terrier (organism)
9135003	L-80642	OIC pig (organism)
9190005	C-97580	Tropicamide (product)
9230001	L-80209	Camarron goat (organism)
9265001	P3-05000	Specimen processing (procedure)
9277006	L-80142	Polled Hereford (organism)
9351000	C-160A3	¹⁰³ Palladium (substance)
9454009	T-48330	Structure of subclavian vein (body structure)
9528004	L-80843	Flat-coated retriever (organism)
9642004	T-48611	Left superior vena cava (body structure)
9659009	T-C4280	Infraclavicular lymph node (body structure)
9721008	C-6A180	Phencyclidine (substance)
9726003	G-A214	Equal (qualifier value)
9761009	L-80740	Chihuahua superbreed (organism)
9775002	T-45190	Structure of left carotid sinus (body structure)
9875009	T-C8000	Thymus gland structure (body structure)
9904008	D4-30000	Congenital anomaly of cardiovascular system (disorder)
9947008	S-10131	Natural father (person)
9964006	F-10110	Flexion, function (observable entity)
10040000	L-80824	Pomeranian dog (organism)
10119003	T-47340	Structure of deep volar arch of radial artery (body structure)
10136006	L-80A56	Singapura cat (organism)
10200004	T-62000	Liver structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
10209003	T-C4140	Structure of parotid lymph node (body structure)
10247008	C-22806	Chrysoidine R stain (substance)
10249006	C-84085	Agar (substance)
10261003	L-80601	Belgium landrace pig (organism)
10293006	T-46700	Structure of iliac artery (body structure)
10337008	F-32400	Incompetence of any valvular structure (finding)
10369004	L-80729	Briard dog (organism)
10376009	M-80502	Papillary carcinoma in situ (morphologic abnormality)
10517005	T-A3800	External capsule of brain (body structure)
10544000	L-80754	Smooth collie (organism)
10626002	D3-31744	Multifocal premature ventricular complexes (disorder)
10639003	M-97313	Solitary plasmacytoma of bone (morphologic abnormality)
10701001	L-80A17	Javanese cat (organism)
10712001	C-A2010	Glucagon product (product)
10738001	C-162A3	⁸⁶ Yttrium (substance)
10740006	C-22958	Sudan blue stain (substance)
10781003	C-B1142	Sodium phosphate P ³² (substance)
10828004	G-A200	Positive (qualifier value)
10842007	L-807C4	Ibizan hound (organism)
10849003	P1-03176	Removal of foreign body (procedure)
10904000	F-10320	Orthostatic body position (finding)
10944007	F-64460	Taurine (substance)
11000004	T-A3200	Caudate nucleus structure (body structure)
11069001	C-22944	Azure C stain (substance)
11070000	G-A171	Capsular (qualifier value)
11089000	T-A6620	Structure of superior cerebellar peduncle (body structure)
11136004	C-6A16A	Methoxyflurane (substance)
11157007	F-33750	Ventricular bigeminy (disorder)
11161001	L-80567	Dekalb hybrid pig line 77 (organism)
11201005	C-22821	Solochrome black 6B stain (substance)
11279006	T-45520	Structure of circle of Willis (body structure)
11477006	L-80873	Irish setter (organism)
11496005	C-13321	Mercuric chloride (substance)
11554009	F-10130	Adduction, function (observable entity)
11628009	T-A0103	Structure of telencephalon (body structure)
11645004	C-22906	Spirit soluble aniline blue stain (substance)
11671000	M-82003	Adenoid cystic carcinoma (morphologic abnormality)
11708003	T-D4240	Hypogastric region structure (body structure)
11712009	T-54270	Structure of maxillary right lateral incisor tooth (body structure)
11713004	C-10120	Water (substance)
11723008	G-4022	Contact with (contextual qualifier) (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
11727009	C-22927	Indophenol from naphthol stain (substance)
11740004	T-C46A1	Structure of prevesicular lymph node (body structure)
11746005	L-80711	Australian cattle dog (organism)
11780008	C-22871	Durazol red stain (substance)
11851006	D3-29010	Mitral valve disorder (disorder)
11896004	G-A114	Intermediate (qualifier value)
11899006	T-C4365	Structure of esophageal lymph node (body structure)
11967001	L-80324	Kerry Hill sheep (organism)
11993008	S-101AA	Male first cousin (person)
12001002	C-22943	Thionine stain (substance)
12030009	C-22807	Sudan II stain (substance)
12052000	T-46980	Structure of ovarian artery (body structure)
12091005	L-80882	Brittany spaniel (organism)
12119009	C-22933	Water soluble nigrosine stain (substance)
12123001	T-48170	Internal jugular vein structure (body structure)
12130007	G-D109	Intra-articular route (qualifier value)
12131006	L-80805	Miniature pinscher dog (organism)
12169001	M-95800	Granular cell tumor (morphologic abnormality)
12196003	T-C4760	Structure of subscapular axillary lymph node (body structure)
12335007	C-B0317	Diatrizoate (product)
12360007	L-80430	Missouri fox trotting horse (organism)
12390000	L-80731	American pit bull terrier (organism)
12402003	M-78060	Scar (morphologic abnormality)
12407009	L-80609	Swedish landrace pig (organism)
12611008	T-12740	Bone structure of tibia (body structure)
12691009	T-46010	Structure of brachiocephalic artery (body structure)
12710003	C-22968	Hematoxylin stain (substance)
12728001	T-C4852	Structure of superficial popliteal lymph node (body structure)
12738006	T-A0100	Brain structure (body structure)
12800002	T-43212	Structure of atrioventricular node branch of right coronary artery (body structure)
12801003	C-B0326	Iodamide meglumine (substance)
12852001	F-10210	Internal rotation, function (observable entity)
12872006	T-11301	Head of rib structure (body structure)
12881000	T-1242A	Bone structure of proximal radius (body structure)
12921003	T-D6000	Pelvic structure (body structure)
12958003	T-A7020	Spinal cord gray matter structure (body structure)
13024002	T-17010	Tendon structure (body structure)
13050003	T-32840	Structure of purkinje fibers (body structure)
13091001	P1-03151	Dilation and curettage (procedure)
13132007	C-A7220	Dextran (product)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
13190002	T-D8640	Fetlock region of forelimb (body structure)
13213009	D4-31000	Congenital heart disease (disorder)
13237009	C-142A5	¹³¹ Cesium (substance)
13248002	L-80841	Chesapeake Bay retriever (organism)
13284009	L-80915	Yorkshire terrier (organism)
13363002	T-47600	Structure of posterior tibial artery (body structure)
13383001	T-32004	Structure of apex of heart (body structure)
13418002	T-32650	Structure of outflow tract of left ventricle (body structure)
13482005	T-C4100	Structure of lymph node of head (body structure)
13487004	L-80455	Shire horse (organism)
13544004	L-80131	Belted Galloway cattle breed (organism)
13561001	T-AA910	Lacrimal gland structure (body structure)
13576009	T-F1820	Fetal umbilical vein structure (body structure)
13626001	C-B1172	Selenium ⁷⁵ -homocholic acid taurine (substance)
13647002	T-43200	Right coronary artery structure (body structure)
13648007	T-75000	Urethral structure (body structure)
13652007	C-22301	Silicone (substance)
13653002	L-D9814	Cestrum parqui (organism)
13662000	P1-36957	Anastomosis of pulmonary-subclavian artery by Blalock-Taussig operation (procedure)
13744001	C-22808	Methyl red stain (substance)
13791008	F-01380	Asthenia (finding)
13881006	T-11166	Zygomatic bone structure (body structure)
13931001	C-15211	Osmium tetroxide (substance)
13934009	L-80339	Panama sheep (organism)
13942005	L-80802	Toy Manchester terrier (organism)
13958008	T-A2860	Structure of superior fronto-occipital fasciculus (body structure)
14016003	T-C1000	Bone marrow structure (body structure)
14063001	L-80579	FHC elite pig 9 (organism)
14071002	C-158A7	⁹⁰ Strontium (substance)
14106009	A-11100	Cardiac pacemaker, device (physical object)
14156004	M-32410	Racemose aneurysm (morphologic abnormality)
14205002	F-10346	Lithotomy position (finding)
14245006	L-80848	Rottweiler dog (organism)
14350002	M-76100	Angiomatosis (morphologic abnormality)
14414005	G-A111	Peripheral (qualifier value)
14443002	C-52500	Aminoglycoside -class of antibiotic- (substance)
14502000	F-10226	Supination, function (observable entity)
14510004	T-11307	Structure of angle of rib (body structure)
14529005	C-178A8	¹⁵³ Gadolinium (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
14537002	M-96503	Hodgkin lymphoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
14544006	C-22894	Methyl violet 6B stain (substance)
14691008	C-162A7	⁹⁰ Yttrium (substance)
14738005	T-A3500	Globus pallidus structure (body structure)
14742008	T-59000	Large intestinal structure (body structure)
14766002	P1-03130	Aspiration (procedure)
14770005	T-54770	Structure of deciduous mandibular left lateral incisor tooth (body structure)
14799000	M-80006	Neoplasm, metastatic (morphologic abnormality)
14804005	F-61380	Creatine (substance)
14806007	T-11610	Bone structure of atlas (body structure)
14876008	L-80815	Pharaoh hound (organism)
14892003	T-A7091	Lateral funiculus structure (body structure)
14910006	F-20010	Inspiration (observable entity)
14944004	T-F7001	Primitive aortic structure (body structure)
14958002	C-22801	Naphthol green B stain (substance)
14975008	T-D8500	Forearm structure (body structure)
14990007	M-92203	Chondrosarcoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
15020009	L-80A52	Domestic shorthaired cat (organism)
15117003	C-A6900	Coagulant (product)
15119000	T-A8780	Accessory nerve structure (body structure)
15158005	A-80230	Air (substance)
15171008	L-80830	Poodle superbreed (organism)
15415002	P1-86520	Injection of amnion (procedure)
15422005	T-54450	Structure of mandibular right central incisor tooth (body structure)
15425007	T-D4400	Peritoneum (serous membrane) structure (body structure)
15443006	L-80663	Yuca pig (organism)
15454001	M-02520	Increased size (finding)
15497006	T-87000	Ovarian structure (body structure)
15508007	G-4043	High risk of (contextual qualifier) (qualifier value)
15529003	C-22908	Rosolic acid sodium salt stain (substance)
15665001	T-14172	Structure of latissimus dorsi muscle (body structure)
15672000	T-45270	Structure of superficial temporal artery (body structure)
15690004	M-31790	Tortuosity (morphologic abnormality)
15698006	C-63A10	Lysergic acid diethylamide (substance)
15763003	T-46668	Structure of perforating artery of kidney (body structure)
15775008	T-AA220	Structure of corneal epithelium (body structure)
15776009	T-65000	Pancreatic structure (body structure)
15825003	T-42000	Aortic structure (body structure)
15869005	A-2C090	Dosimeter, device (physical object)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
15896008	C-22892	Methyl violet 2B stain (substance)
15924003	T-22100	Maxillary sinus structure (body structure)
15961007	L-80541	British saddleback pig (organism)
15966002	L-80742	Short coat chihuahua (organism)
16011006	C-B1204	Technetium Tc ^{99m} albumin colloid (substance)
16015002	L-80212	Anglo nubian goat (organism)
16050005	T-C4470	Structure of pancreatocystic lymph node (body structure)
16051009	T-C4740	Structure of apical axillary lymph node (body structure)
16228004	T-C46A4	Structure of paravaginal lymph node (body structure)
16239001	T-32637	Structure of myocardium of inferolateral region (body structure)
16310003	P5-B0000	Diagnostic ultrasonography (procedure)
16349000	A-12000	Orthopedic device (physical object)
16356006	D8-20100	Multiple pregnancy (disorder)
16528000	L-80A10	Bombay cat (organism)
16567006	D4-31B24	Mesocardia (disorder)
16630005	T-A2300	Parietal lobe structure (body structure)
16736007	P5-39010	Transcatheter therapy for embolization (procedure)
16788000	C-22846	Naphthalene black 12B stain (substance)
16811007	T-51305	Buccal mucosa (body structure)
16836001	C-22945	Azure A stain (substance)
16838000	D2-81180	Mediastinal emphysema (disorder)
16857009	G-D164	Vaginal route (qualifier value)
16943008	C-22805	Chrysoidine Y stain (substance)
16953009	T-15430	Elbow joint structure (body structure)
16973004	F-18010	Limping (finding)
16982005	T-D2220	Shoulder region structure (body structure)
17069007	C-B1140	Chromic phosphate P ³² (substance)
17137000	T-47160	Structure of brachial artery (body structure)
17172002	C-22918	Dibromofluorescein stain (substance)
17232002	T-45600	Structure of middle cerebral artery (body structure)
17338001	D3-31740	Ventricular premature beats (disorder)
17366009	D3-31500	Atrial arrhythmia (disorder)
17388009	T-45730	Structure of anterior spinal artery (body structure)
17399006	T-11308	Structure of costal groove (body structure)
17505006	T-54640	Structure of deciduous maxillary right first molar tooth (body structure)
17589002	G-A265	Non-calcified (qualifier value)
17600005	C-B1000	Diagnostic radioisotope (product)
17621005	G-A460	Normal (qualifier value)
17623008	T-49330	Structure of ulnar vein (body structure)
17636008	P3-02000	Specimen collection (procedure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
17663009	L-80898	Tibetan terrier (organism)
17693003	C-22A07	Acriflavine stain (substance)
17717005	L-80651	Pic Cambourgh pig (organism)
17861009	T-C5000	Waldeyer's ring structure (body structure)
17910003	C-113A1	⁷⁵ Bromine (substance)
17941002	M-52200	Arteriolosclerosis (morphologic abnormality)
17945006	S-10115	Natural grandmother (person)
18016009	M-52500	Phleboscrosis (morphologic abnormality)
18102001	P5-40060	Mammary ductogram (procedure)
18112008	T-46422	Structure of hepatic artery proper (body structure)
18115005	M-55420	Pathologic calcification, calcified structure (morphologic abnormality)
18149002	T-11B00	Coccygeal vertebra structure (body structure)
18212001	L-80524	Boar power pig 72 (organism)
18220004	F-B3000	Thyroid hormone (substance)
18234004	T-A8040	Optic nerve structure (body structure)
18346003	T-14140	Structure of serratus anterior muscle (body structure)
18457007	T-C3070	Structure of hemolymph node (body structure)
18525008	T-D9550	Pastern region of hindfoot (body structure)
18545000	T-A1120	Dura mater structure (body structure)
18546004	D4-31810	Congenital stenosis of aortic valve (disorder)
18590009	P2-35000	Cardiac pacing (procedure)
18619003	T-AA110	Scleral structure (body structure)
18686000	T-14120	Pectoralis minor muscle structure (body structure)
18911002	T-91000	Penile structure (body structure)
18946005	P1-C0220	Epidural anesthesia (procedure)
18962004	T-23050	Structure of nasopharyngeal cavity (body structure)
19041007	C-815E1	Tolazoline hydrochloride (substance)
19078005	L-80750	Collie (organism)
19086005	P5-D2000	Radioisotope study of respiratory system (procedure)
19100000	T-04003	Structure of lower inner quadrant of breast (body structure)
19130008	M-10000	Traumatic abnormality (morphologic abnormality)
19227008	M-30400	Foreign body (morphologic abnormality)
19242006	D2-61100	Pulmonary edema (disorder)
19346006	D6-90800	Marfan's syndrome (disorder)
19356005	L-80427	Hunter horse (organism)
19443004	A-04034	Radioactive implant, device (physical object)
19495007	C-B1206	Sodium pertechnetate Tc ^{99m} (substance)
19648000	G-A321	Diffuse (qualifier value)
19665009	M-82110	Tubular adenoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
19695001	T-D4210	Hypochondriac region structure (body structure)
19715009	T-49230	Structure of basilic vein (body structure)
19770007	L-80581	Hereford pig (organism)
19776001	M-02530	Decreased size (finding)
19829001	D2-50000	Disorder of lung (disorder)
19893005	C-13518	Potassium dichromate (substance)
19923001	A-26800	Catheter, device (physical object)
19928005	M-78800	Fibromatosis (morphologic abnormality)
19939008	G-A561	Subacute (qualifier value)
19952003	M-52240	Elastic vascular sclerosis (morphologic abnormality)
20044005	L-80654	Pietrain pig (organism)
20115005	T-49350	Structure of brachial vein (body structure)
20230008	C-22858	Vital new red stain (substance)
20233005	T-98000	Scrotal structure (body structure)
20262006	F-A4580	Ataxia (finding)
20280002	L-80580	Hampshire pig (organism)
20292002	T-15311	Atlantooccipital joint structure (body structure)
20298003	T-11227	Structure of xiphoid process of sternum (body structure)
20699002	T-49240	Structure of cephalic vein (body structure)
20717008	M-52120	Atherosclerotic fibrous plaque (morphologic abnormality)
20721001	D3-29040	Tricuspid valve disorder (disorder)
20760004	T-12412	Bone structure of shaft of humerus (body structure)
20847002	C-A7420	Streptokinase agent (substance)
20982000	T-40050	Structure of capillary blood vessel (organ) (body structure)
21008007	M-84403	Cystadenocarcinoma (morphologic abnormality)
21021000	L-80610	Large black pig (organism)
21039009	L-80837	Puli dog (organism)
21058000	T-C5330	Structure of tubal tonsil (body structure)
21114003	G-A472	Oblique (qualifier value)
21133008	T-12435	Bone structure of shaft of ulna (body structure)
21134002	F-00100	Disability (finding)
21150005	L-80851	Schipperke dog (organism)
21161002	T-A8570	Glossopharyngeal nerve structure (body structure)
21208000	L-80214	Saanen goat (organism)
21278004	F-13060	Passive movement (observable entity)
21295007	L-80431	Morgan horse (organism)
21306003	T-58400	Jejunal structure (body structure)
21326004	M-80453	Combined small cell carcinoma (morphologic abnormality)
21378001	C-B1097	Iodinated I ¹²⁵ Rose Bengal (substance)
21379009	D3-83660	Ruptured sinus of Valsalva (disorder)
21381006	D7-90434	Fat necrosis of breast (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
21387005	T-11190	Hyoid bone structure (body structure)
21418008	L-80894	English cocker spaniel (organism)
21451004	C-B1069	Indium ¹¹³ chloride (product)
21479005	T-45170	Structure of carotid sinus (body structure)
21483005	T-A0090	Structure of central nervous system (body structure)
21553004	L-80148	Luing cattle breed (organism)
21572004	C-114A4	¹²³ Iodine (substance)
21576001	C-107A1	¹³ Nitrogen (substance)
21592006	C-22844	Tartrazine stain (substance)
21594007	G-A425	Malignant (qualifier value)
21637005	L-80A14	Egyptian mau cat (organism)
21708004	M-91803	Osteosarcoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
21726001	L-80A07	American wirehaired cat (organism)
21793004	T-1A200	Connective tissue structure (body structure)
21807003	T-46427	Structure of left branch of hepatic artery (body structure)
21814001	T-32400	Cardiac ventricular structure (body structure)
21844003	T-D6221	Pelvic cavity structure (body structure)
21870002	A-26920	Transluminal extraction catheter, device (physical object)
21875007	T-C46A5	Structure of pararectal lymph node (body structure)
21921002	L-80116	Canadian cattle breed (organism)
21951008	C-22959	Alizarin cyanine green stain (substance)
21964009	M-95903	Malignant lymphoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
21974007	T-53000	Tongue structure (body structure)
22021002	C-22896	Methyl green stain (substance)
22024005	M-83240	Lipoadenoma (morphologic abnormality)
22036004	M-32390	Pseudoaneurysm (morphologic abnormality)
22039006	M-32201	Ruptured aneurysm (morphologic abnormality)
22049009	D7-90370	Mammary duct ectasia (disorder)
22083002	T-46460	Structure of splenic artery (body structure)
22120004	T-54280	Structure of maxillary right central incisor tooth (body structure)
22270008	T-28630	Structure of anterior segment of upper division of left upper lobe of lung (body structure)
22286001	T-45200	External carotid artery structure (body structure)
22298006	D3-15000	Myocardial infarction (disorder)
22325002	F-18002	Abnormal gait (finding)
22356005	T-12340	Bone structure of ilium (body structure)
22445006	T-54720	Structure of deciduous mandibular right lateral incisor tooth (body structure)
22506004	L-80540	British lop pig (organism)
22687000	M-80123	Large cell carcinoma (morphologic abnormality)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
22688005	T-13100	Skeletal muscle structure of head (body structure)
22694002	M-85733	Adenocarcinoma with apocrine metaplasia (morphologic abnormality)
22697009	L-80884	American cocker spaniel (organism)
22720009	L-80416	Belgian horse (organism)
22749001	C-22913	Victoria blue B stain (substance)
22765000	T-43230	Structure of marginal branch of right coronary artery (body structure)
22778000	P1-38200	Venipuncture (procedure)
22823000	T-13310	Structure of sternocleidomastoid muscle (body structure)
22890008	P1-48840	Augmentation mammoplasty (procedure)
22931006	C-22854	Evans blue stain (substance)
22943007	T-D2000	Trunk structure (body structure)
22945000	T-AB700	Inner ear structure (body structure)
22968009	C-22827	Sunset yellow FCF stain (substance)
22979004	C-B1083	Oleic acid I ¹²⁵ (substance)
23053002	C-B0333	Iophenoxic acid (substance)
23074001	T-45240	Structure of facial artery (body structure)
23141003	F-20130	Gasping for breath (finding)
23153004	T-58650	Ileocecal valve structure (body structure)
23159000	L-807D0	Japanese spaniel (organism)
23172004	C-12500	Bismuth (substance)
23180006	T-A1280	Pia mater structure (body structure)
23198005	T-C4624	Structure of medial lacunar lymph node (body structure)
23226009	T-54330	Structure of maxillary left second premolar tooth (body structure)
23242002	F-10336	Knee-chest position (finding)
23347006	T-A2710	Structure of splenium of corpus callosum (body structure)
23416004	T-12430	Bone structure of ulna (body structure)
23427002	T-54340	Structure of maxillary left first molar tooth (body structure)
23438002	T-49660	Structure of profunda femoris vein (body structure)
23451007	T-B3000	Adrenal structure (body structure)
23583003	M-40000	Inflammation (morphologic abnormality)
23629009	L-80137	Hays converter cattle breed (organism)
23719005	P1-67D40	Transplantation of bone marrow (procedure)
23730008	M-80500	Papilloma, no International Classification of Diseases for Oncology subtype (except papilloma of bladder M-81201) (morphologic abnormality)
23771002	T-46410	Structure of left gastric artery (body structure)
23788009	C-180A2	⁹⁷ Ruthenium (substance)
23826000	L-80A00	Feline species (organism)
23995009	L-80730	Bull terrier (organism)
24010005	DA-73410	Aphakia (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
24020000	G-A142	Horizontal (qualifier value)
24028007	G-A100	Right (qualifier value)
24062007	T-14165	Structure of innermost intercostal muscle (body structure)
24097009	T-12600	Bone structure of hand (body structure)
24099007	C-10110	Oxygen (substance)
24111007	L-80573	FHC elite pig 3 (organism)
24135002	P5-B0008	Ultrasonography of total body (procedure)
24136001	T-15710	Hip joint structure (body structure)
24142002	T-04100	Nipple structure (body structure)
24154002	F-10100	Musculoskeletal extension, function (observable entity)
24162005	T-87600	Ovarian follicle structure (body structure)
24167004	C-22886	Fast green FCF stain (substance)
24215009	C-21919	Picric acid (substance)
24299002	L-80878	Skye terrier (organism)
24301009	C-146A9	^198^Gold (substance)
24319000	L-80530	Boar power pig 414 (organism)
24389009	M-44150	Injection site granuloma (morphologic abnormality)
24422004	G-A147	Axial (qualifier value)
24484000	G-A003	Severe (severity modifier) (qualifier value)
24511001	C-B1221	Technetium Tc^99m^ succimer (substance)
24516006	C-22937	Meldola blue stain (substance)
24532009	T-11106	Structure of foramen magnum (body structure)
24573005	T-54400	Structure of mandibular left second premolar tooth (body structure)
24587005	P3-41910	Image analysis (procedure)
24840008	L-80550	CPF pig (organism)
24853006	C-136A2	^223^Radium (substance)
24863003	G-A491	Postprandial (qualifier value)
24865005	T-42230	Structure of posterior sinus of Valsalva (body structure)
24889003	T-C4460	Structure of pyloric lymph node (body structure)
24891006	C-B0347	Sodium diatrizoate (product)
24900003	C-22956	Procion brilliant blue MRS stain (substance)
24924006	T-11120	Parietal bone structure (body structure)
24967003	L-80A54	Oriental shorthaired cat (organism)
25062003	A-26430	Feeding tube, device (physical object)
25064002	F-A2700	Headache (finding)
25079009	C-22843	Lissamine fast yellow stain (substance)
25091000	C-22909	Solochrome cyanine R stain (substance)
25097001	L-80702	Hound (organism)
25126001	G-A477	Pedunculated (qualifier value)
25171009	L-80765	Redbone coonhound (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
25211005	S-101A1	Aunt (person)
25238003	T-A8000	Cranial nerve structure (body structure)
25243005	L-80831	Toy poodle (organism)
25247006	T-C4130	Structure of anterior auricular lymph node (body structure)
25264009	L-80823	German wirehaired pointer (organism)
25322007	M-32000	Dilatation (morphologic abnormality)
25327001	L-80320	Dorset sheep superbreed (organism)
25342003	T-AB300	Middle ear structure (body structure)
25351006	C-22A06	Fluorescein sodium stain (substance)
25369002	L-80464	Westphalian horse (organism)
25419009	C-12217	Barium sulfate (product)
25437005	F-32052	Cardiac dyskinesia (finding)
25447008	T-C4362	Structure of posterior mediastinal lymph node (body structure)
25489000	T-39050	Pericardial cavity structure (body structure)
25510005	A-04110	Cardiac valve prosthesis, device (physical object)
25569003	D3-31700	Ventricular tachycardia (disorder)
25594002	G-4042	Moderate risk of (contextual qualifier) (qualifier value)
25660007	L-80306	Barbados sheep (organism)
25683005	T-C4250	Structure of retropharyngeal lymph node (body structure)
25748002	T-54300	Structure of maxillary left lateral incisor tooth (body structure)
25761002	F-64210	Glutamine (substance)
25813002	L-80426	Holsteiner horse (organism)
25856007	L-80539	Boar power pig 929 (organism)
25876001	G-D209	Emergency (qualifier value)
25910003	M-80503	Papillary carcinoma (morphologic abnormality)
25941002	C-22824	Orange II stain (substance)
25943004	T-32820	Structure of atrioventricular node (body structure)
25990002	T-72000	Renal pelvis structure (body structure)
25991003	T-A6040	Cerebellar cortex structure (body structure)
26036001	M-34000	Obstruction (morphologic abnormality)
26046004	P2-31102	Cardiovascular stress test using bicycle ergometer (procedure)
26057009	L-80A53	Exotic shorthaired cat (organism)
26079004	F-A4600	Tremor (finding)
26105007	L-80143	Holstein-Friesian cattle breed (organism)
26140008	T-51130	Uvula palatina structure (body structure)
26141007	F-38278	ST segment depression (finding)
26146002	D4-31010	Complete transposition of great vessels (disorder)
26216008	G-A110	Central (qualifier value)
26229008	L-80846	Nova Scotia duck tolling retriever (organism)
26230003	T-A2830	Structure of uncinat fasciculus (body structure)
26242008	G-A660	Mixed (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
26283006	G-A139	Superficial (qualifier value)
26332008	L-80809	Norwich terrier (organism)
26370007	C-A7000	Hemostatic agent (product)
26382003	L-80A16	Japanese bobtail cat (organism)
26386000	T-AA079	Vitreous cavity structure (body structure)
26412008	A-25350	Endotracheal tube, device (physical object)
26444007	T-12200	Shoulder girdle structure (body structure)
26458009	C-51450	Diphenhydramine (product)
26493002	T-11218	Structure of jugular notch of sternum (body structure)
26523005	C-68030	Dobutamine (product)
26525003	L-80176	White Park cattle breed (organism)
26527006	F-10349	Inverse Trendelenburg position (finding)
26639007	L-807A3	Toy fox terrier (organism)
26643006	G-D140	Oral route (qualifier value)
26699009	L-80433	New Forest pony (organism)
26703007	T-49630	Structure of anterior tibial vein (body structure)
26805005	T-49550	Structure of small saphenous vein (body structure)
26818002	T-47240	Superficial palmar arch structure (body structure)
26837006	L-80407	American cream horse (organism)
26893007	T-D7000	Inguinal region structure (body structure)
26947005	DD-33500	Open wound of lower limb (disorder)
26973000	L-80411	American trotter horse (organism)
27016007	C-22813	Alizarin yellow GG stain (substance)
27054007	C-144A3	⁵⁷ Cobalt (substance)
27065002	A-13500	Surgical suture, device (physical object)
27081007	C-172A5	¹²⁷ Xenon (substance)
27088001	T-A7070	Spinal cord white matter structure (body structure)
27120008	C-22890	Malachite green stain (substance)
27125003	L-80A18	Korat cat (organism)
27175001	T-46970	Structure of testicular artery (body structure)
27315000	P1-48520	Removal of breast implant (procedure)
27337007	D3-31742	Unifocal premature ventricular complexes (disorder)
27372005	P1-C0200	Regional anesthesia (procedure)
27385008	L-80889	Field spaniel (organism)
27398004	T-D4600	Omentum structure (body structure)
27431007	D7-90310	Fibrocystic breast changes (finding)
27444002	L-80720	Belgian tervuren dog (organism)
27483000	P5-00100	Diagnostic radiography with contrast media (procedure)
27606000	A-04200	Dental prosthesis, device (physical object)
27612005	T-A8150	Trigeminal nerve structure (body structure)
27615007	L-807B3	Great dane dog (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
27637000	D4-31B16	Dextrocardia (disorder)
27671009	C-22A04	Rhodamine B stain (substance)
27706005	T-48502	Structure of left pulmonary vein (body structure)
27789000	G-7155	Infrequent (qualifier value)
27812008	A-2C140	Electric heating pad, device (physical object)
27844007	C-22872	Benzo fast scarlet stain (substance)
27855007	T-54650	Structure of deciduous maxillary right second molar tooth (body structure)
27872000	P3-05050	Specimen freezing (procedure)
27885002	D3-32102	Complete atrioventricular block (disorder)
27925004	M-03010	Nodule (morphologic abnormality)
27947004	T-D4200	Epigastric region structure (body structure)
27949001	T-15770	Intertarsal joint structure (body structure)
28035005	T-54000	Structure of teeth, gums, and supporting structures (body structure)
28121005	C-B0331	lophendylate (substance)
28205006	T-42520	Structure of infrarenal aorta (body structure)
28231008	T-63000	Gallbladder structure (body structure)
28243009	C-136A5	²²⁶ Radium (substance)
28273000	T-60610	Bile duct structure (body structure)
28330007	T-C4332	Structure of subcarinal lymph node (body structure)
28347008	T-AB100	External ear structure (body structure)
28360002	L-80215	Swiss alpine goat (organism)
28390009	T-A5250	Medial longitudinal fasciculus structure (body structure)
28480000	T-54500	Structure of mandibular right first molar tooth (body structure)
28483003	L-80172	Simmental cattle breed (organism)
28622002	C-22814	Alizarin yellow R stain (substance)
28700002	T-25201	Structure of carina (body structure)
28726007	T-AA200	Corneal structure (body structure)
28744004	L-80174	Black Welsh cattle breed (organism)
28751008	L-80744	Chow Chow (organism)
28870006	T-C4780	Structure of epitrochlear lymph node (body structure)
28899001	M-80703	Squamous cell carcinoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
28926001	D0-71000	Eruption caused by drug (disorder)
28960008	M-52000	Arteriosclerosis (morphologic abnormality)
29092000	T-48000	Venous structure (body structure)
29185008	M-50080	Fatty degeneration (morphologic abnormality)
29218008	C-B1061	Indium ¹¹¹ pentetate (substance)
29223008	L-80534	Boar power pig 565 (organism)
29235007	L-80653	Pic line pig 26 (organism)
29252006	C-22A08	Acridine orange stain (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
29342009	C-22899	Kenacid blue R stain (substance)
29348008	C-B1251	Pentetate calcium trisodium Yb ¹⁶⁹ (substance)
29426003	DA-26000	Paralytic syndrome (disorder)
29445007	T-AA860	Conjunctival structure (body structure)
29460005	C-B1018	Copper ⁶⁷ ceruloplasmin (substance)
29483008	M-52101	Calcified atheromatous plaque (morphologic abnormality)
29522004	C-22951	Toluidine blue stain (substance)
29534007	T-AA400	Ciliary body structure (body structure)
29660000	T-46940	Structure of inferior phrenic artery (body structure)
29700009	T-46110	Structure of right subclavian artery (body structure)
29707007	T-D9800	Toe structure (body structure)
29836001	T-D2500	Hip region structure (body structure)
29850006	T-1234A	Iliac crest structure (body structure)
29857009	F-37000	Chest pain (finding)
29881002	L-80554	Connor prairie pig (organism)
30017007	F-39800	Vascular dilatation, function (observable entity)
30021000	T-D9400	Lower leg structure (body structure)
30024008	T-C4512	Structure of sigmoid lymph node (body structure)
30089001	L-80216	Toggenburg goat (organism)
30114003	T-A5271	Medial lemniscus structure (body structure)
30123000	P1-31846	Repair of atrial septal defect with prosthesis by closed heart technique (procedure)
30156004	M-82013	Cribiform carcinoma (morphologic abnormality)
30180000	T-1A190	Tunica adventitia (body structure)
30288003	D4-31150	Ventricular septal defect (disorder)
30315005	T-58000	Small intestinal structure (body structure)
30347000	L-807C7	Italian greyhound (organism)
30384003	L-80113	Brahma cattle breed (organism)
30399003	T-A1700	Structure of anterior horn of lateral ventricle (body structure)
30448006	L-80594	Lacombe pig (organism)
30492008	C-72000	Diuretic (product)
30518006	T-12450	Bone structure of scaphoid (body structure)
30565000	L-80886	Cocker spaniel, any solid color other than black (organism)
30608006	T-13600	Skeletal muscle structure of upper limb (body structure)
30618001	T-54630	Structure of deciduous maxillary right canine tooth (body structure)
30634003	L-80659	Tamworth pig (organism)
30720007	L-80525	Boar power pig 84 (organism)
30730003	G-A145	Sagittal (qualifier value)
30793004	T-C4120	Posterior auricular lymph node (body structure)
30807003	G-A249	Benign (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
30825005	C-B1063	Colloidal Indium ¹¹¹ (substance)
30996001	L-85B00	Homo sapiens (living organism) (organism)
31065004	T-A2400	Occipital lobe structure (body structure)
31077009	L-80875	Shih tzu dog (organism)
31094006	T-28770	Structure of lobe of lung (body structure)
31099001	G-A572	Systemic (qualifier value)
31113003	M-32700	Diverticulum (morphologic abnormality)
31145008	T-45250	Structure of occipital artery (body structure)
31162003	T-32330	Structure of coronary sinus of left atrial septum (body structure)
31171007	T-C4863	Structure of fibular lymph node (body structure)
31186001	M-92200	Chondroma (morphologic abnormality)
31192007	C-B1122	Ferrous chloride Fe ⁵⁹ (substance)
31260003	C-22952	Methylene violet stain (Bernthsen) (substance)
31281003	L-80764	English coonhound (organism)
31306009	C-80460	Quinidine (product)
31329001	T-D8650	Pastern of forefoot (body structure)
31351009	D7-76200	Postartificial menopausal syndrome (disorder)
31377001	L-80752	Rough collie (organism)
31389004	T-55200	Oropharyngeal structure (body structure)
31392000	L-80791	American eskimo dog (organism)
31428008	T-A3100	Corpus striatum structure (body structure)
31435000	T-88000	Fallopian tube structure (body structure)
31527000	C-B1175	Sodium chloride Na ²⁴ (substance)
31633003	L-80465	Yorkshire coach horse (organism)
31636006	T-AA050	Anterior chamber of eye structure (body structure)
31640002	T-11140	Occipital bone structure (body structure)
31653004	M-74880	Fibromuscular dysplasia (morphologic abnormality)
31677005	T-47440	Structure of profunda femoris artery (body structure)
31688004	T-48770	Structure of testicular vein (body structure)
31701002	T-A7061	Ventral funiculus structure (body structure)
31714001	C-22891	New fuchsin stain (substance)
31724009	P2-36110	Measurement of venous pressure (procedure)
31764008	T-14171	Structure of trapezius muscle (body structure)
31811003	C-10520	Carbon dioxide (substance)
31842008	M-02000	Normal shape (qualifier value)
31845005	D7-90554	Retraction of nipple (disorder)
31934006	T-12281	Structure of acromion (body structure)
31953001	C-B1183	Strontium nitrate Sr ⁸⁷ (substance)
31970009	C-81520	Nitrate-based vasodilating agent (product)
31971008	L-80881	American water spaniel (organism)
31982000	T-54290	Structure of maxillary left central incisor tooth (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
31996006	D3-80650	Vasculitis (disorder)
32048006	M-81400	Adenoma, no subtype (morphologic abnormality)
32062004	T-45100	Common carotid artery structure (body structure)
32114007	T-48214	Structure of occipital vein (body structure)
32145006	L-80342	Romanov sheep (organism)
32185000	F-10318	Lateral decubitus position (finding)
32297006	L-80522	Boar power pig 48 (organism)
32318003	F-39780	Vascular constriction, function (observable entity)
32361000	T-D9310	Popliteal fossa structure (body structure)
32381004	G-A170	Portal (qualifier value)
32400000	G-A121	Preaxial (qualifier value)
32413006	P1-31D00	Transplantation of heart (procedure)
32457005	T-D0070	Body fluid (substance)
32505007	C-106A1	³² Phosphorus (substance)
32591006	L-807D3	Kerry blue terrier (organism)
32622004	T-59460	Descending colon structure (body structure)
32651000	M-52210	Arteriolosclerosis with fibrinoid necrosis (morphologic abnormality)
32670005	L-807B4	Great Pyrenees dog (organism)
32672002	T-42400	Structure of descending thoracic aorta (body structure)
32683006	L-80577	FHC elite pig 7 (organism)
32713005	T-59100	Cecum structure (body structure)
32764006	T-48810	Portal vein structure (body structure)
32836007	C-B0338	Sodium acetate (substance)
32849002	T-56000	Esophageal structure (body structure)
32859001	T-48910	Structure of inferior mesenteric vein (body structure)
32913002	M-85103	Medullary carcinoma (morphologic abnormality)
32938007	L-80134	Gir cattle breed (organism)
32968003	M-85303	Inflammatory carcinoma (morphologic abnormality)
33060004	T-A6080	Cerebellar white matter structure (body structure)
33096000	G-A144	Vertical (qualifier value)
33212007	L-80535	Boar power pig 616 (organism)
33252009	C-80135	beta-Blocking agent (product)
33271006	C-B1091	Iodohippurate I ¹³¹ sodium (substance)
33272004	T-32633	Structure of myocardium of posterolateral region (body structure)
33367005	P5-30100	Coronary angiography (procedure)
33401005	L-807C2	Wirehaired pointing griffon dog (organism)
33458006	L-80721	Bernese mountain dog (organism)
33496007	P1-48820	Reconstruction of breast (procedure)
33551003	L-80511	Kentucky red berkshire pig (organism)
33564002	T-04005	Structure of lower outer quadrant of breast (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
33586001	F-103A0	Sitting position (finding)
33593002	M-52400	Vascular wall degeneration (morphologic abnormality)
33626005	T-32310	Structure of left auricular appendage (body structure)
33723005	T-A6630	Structure of middle cerebellar peduncle (body structure)
33770006	T-C4720	Structure of lateral axillary lymph node (body structure)
33785000	C-B1095	Iodinated I ¹²⁵ Iiothyronine (substance)
33795007	T-46520	Structure of inferior mesenteric artery (body structure)
33843005	G-A128	Efferent (qualifier value)
33889003	M-72105	Atypical lobular hyperplasia (morphologic abnormality)
33930006	T-A1502	Structure of subarachnoid space of brain (body structure)
34026001	F-10316	Semiprone position (finding)
34106002	F-10348	Trendelenburg position (finding)
34108001	F-10410	Coiled position (finding)
34127007	C-173A7	⁸⁵ Krypton (substance)
34128002	C-22911	Chrome azuroil S stain (substance)
34200004	L-80457	Standardbred horse (organism)
34202007	T-35400	Aortic valve structure (body structure)
34206005	G-D104	Subcutaneous route (qualifier value)
34296003	F-10380	Frog-like posture (finding)
34318004	T-1243A	Bone structure of proximal ulna (body structure)
34340008	T-48003	Structure of venous network (body structure)
34360000	M-88303	Fibrous histiocytoma, malignant (morphologic abnormality)
34402009	T-59600	Rectum structure (body structure)
34411009	T-D6500	Broad ligament structure (body structure)
34516001	T-58600	Ileal structure (body structure)
34536000	P1-86100	Amniocentesis (procedure)
34595003	L-80538	Boar power pig 828 (organism)
34618005	L-8B941	Bos taurus (organism)
34625003	T-C4611	Structure of medial common iliac lymph node (body structure)
34635009	T-46960	Structure of lumbar artery (body structure)
34700000	C-22883	Fast blue B salt stain (substance)
34752004	L-80865	Sealyham terrier (organism)
34759008	A-26864	Urethral catheter, device (physical object)
34775006	T-C4770	Structure of cubital lymph node (body structure)
34870009	L-80891	Irish water spaniel (organism)
34882000	M-90160	Giant fibroadenoma (morphologic abnormality)
35039007	T-83000	Uterine structure (body structure)
35094004	C-22815	Tropaeolin O stain (substance)
35202002	P5-D0050	Scanning or imaging with vascular flow (procedure)
35229007	L-80118	Chianina cattle breed (organism)
35259002	T-13660	Structure of deltoid muscle (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
35304003	D3-90100	Cardiac tamponade (disorder)
35321007	C-B1031	Fluorodeoxyglucose F ¹⁸ (substance)
35337001	C-131A3	⁶⁸ Gallium (substance)
35352008	C-22A00	Fluorescent stain (substance)
35354009	L-8A102	Equus caballus (organism)
35532006	T-48600	Vena caval structure (body structure)
35566002	M-35060	Hematoma (morphologic abnormality)
35601003	M-97651	Monoclonal gammopathy of undetermined significance (morphologic abnormality)
35609001	C-22842	Azophloxin stain (substance)
35621002	P5-D3304	Cardiac blood pool imaging (procedure)
35664009	T-A2861	Structure of inferior fronto-occipital fasciculus (body structure)
35721009	T-C4851	Structure of deep popliteal lymph node (body structure)
35724001	C-22942	Lacmoid stain (substance)
35757004	P5-B3121	Echocardiography for determining ventricular contraction (procedure)
35764002	T-A1600	Brain ventricle structure (body structure)
35783009	T-C4480	Structure of aortic lymph node (body structure)
35802007	L-807A0	Fox terrier superbreed (organism)
35819009	T-48890	Structure of splenic vein (body structure)
35860002	P1-08080	Repair by nailing (procedure)
35884005	C-B1109	Iodine ¹³¹ polyvinylpyrrolidone (substance)
35917007	M-81403	Adenocarcinoma, no subtype (morphologic abnormality)
35918002	T-A1820	Fourth ventricle structure (body structure)
35951006	T-A1500	Subarachnoid space structure (body structure)
35978008	C-124B4	²⁵² Californium (substance)
36060005	M-91501	Hemangiopericytoma (morphologic abnormality)
36074003	L-80A05	Abyssinian cat (organism)
36086000	T-C4626	Structure of obturator lymph node (body structure)
36111002	L-80591	Kleen leen black pig (organism)
36118008	D2-80300	Pneumothorax (disorder)
36169008	T-A2610	Insular structure (body structure)
36176003	F-6ACA0	Thrombin (substance)
36187006	L-80658	Spotted pig (organism)
36251007	T-C4500	Structure of intestinal lymph node (body structure)
36274006	L-80776	Wirehaired standard dachshund (organism)
36295001	L-80300	Ovine species (organism)
36360002	T-51200	Floor of mouth structure (body structure)
36371001	T-42220	Structure of left sinus of Valsalva (body structure)
36438004	L-807D7	Lhasa apso (organism)
36455000	T-12540	Bone structure of metacarpal (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
36492000	T-54240	Structure of maxillary right second premolar tooth (body structure)
36570001	L-80562	Dekalb hybrid pig line 31 (organism)
36571002	L-86B02	Oryctolagus cuniculus (organism)
36572009	C-22864	Sudan black B stain (substance)
36582005	T-A9090	Brachial plexus structure (body structure)
36611001	L-80741	Long coat chihuahua (organism)
36641004	C-B1152	Potassium chloride K ⁴² (substance)
36672000	T-43112	Structure of distal portion of anterior descending branch of left coronary artery (body structure)
36765005	T-46100	Structure of subclavian artery (body structure)
36855005	L-88121	Canis lupus (organism)
36879007	C-22919	Water soluble eosin stain (substance)
36900006	C-B1105	Iodohippurate I ¹²⁵ sodium (substance)
36969009	P1-33530	Placement of stent in coronary artery (procedure)
37024005	L-80910	Welsh corgi superbreed (organism)
37035000	T-A2840	Structure of cingulum (body structure)
37058002	M-44140	Foreign body giant cell granuloma (morphologic abnormality)
37116003	L-80718	Belgian malinois dog (organism)
37117007	T-D7010	Right inguinal region structure (body structure)
37153009	P1-32502	Implantation of heart valve with tissue graft (procedure)
37161004	G-D160	Rectal route (qualifier value)
37197008	G-A180	Anterolateral (qualifier value)
37225000	C-149A1	⁵² Manganese (substance)
37274004	T-46440	Structure of gastroduodenal artery (body structure)
37279009	M-55160	Amyloid tumor (morphologic abnormality)
37285002	T-11211	Bone structure of manubrium (body structure)
37437001	C-B1098	Iodinated I ¹²⁵ sealed source (substance)
37453003	L-80870	Setter (organism)
37512009	T-B1200	Neurohypophysis structure (body structure)
37575004	C-22822	Carmoisine A stain (substance)
37630009	P5-39050	Percutaneous retrieval of intravascular foreign body (procedure)
37706002	F-32056	Hypokinesia of cardiac wall (finding)
37737002	G-D144	Intraluminal route (qualifier value)
37760005	D3-33140	Left anterior fascicular block (disorder)
37783008	T-12390	Bone structure of acetabulum (body structure)
37899009	T-A8820	Hypoglossal nerve structure (body structure)
37947008	C-B1051	Colloidal gold Au ¹⁹⁸ (substance)
38000004	T-C6020	Lymph (substance)
38048003	S-101A2	Uncle (person)
38101003	DA-74110	Hypermetropia (disorder)
38184008	L-80735	Bulldog (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
38199008	T-54010	Tooth structure (body structure)
38239002	G-D106	Intraperitoneal route (qualifier value)
38242008	T-90020	Male internal genitalia structure (body structure)
38266002	T-D0010	Entire body as a whole (body structure)
38271009	C-22964	Saffron stain (substance)
38341003	D3-02000	Hypertensive disorder, systemic arterial (disorder)
38344006	C-B0344	Sodium iodomethamate (substance)
38424001	C-B1181	Strontium chloride Sr ⁸⁷ (substance)
38449002	L-80842	Curly-coated retriever (organism)
38543004	C-22914	Lissamine green B stain (substance)
38586004	A-81080	Laser-generated electromagnetic radiation (physical force)
38707008	C-22936	Celestine blue B stain (substance)
38713004	M-94003	Astrocytoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
38717003	G-A143	Longitudinal (qualifier value)
38848004	T-58200	Duodenal structure (body structure)
38864007	T-D2700	Perineal structure (body structure)
38866009	T-D0011	Body part structure (body structure)
38896004	T-54790	Structure of deciduous mandibular left first molar tooth (body structure)
38902009	C-22825	Solochrome dark blue stain (substance)
38934000	T-AA820	Upper eyelid structure (body structure)
38991005	T-46350	Structure of superior phrenic artery (body structure)
38994002	T-54520	Structure of mandibular right third molar tooth (body structure)
39000009	M-91203	Hemangiosarcoma (morphologic abnormality)
39021009	DA-74100	Disorder of refraction (disorder)
39057004	T-35200	Pulmonary valve structure (body structure)
39200002	C-B1089	Iodinated I ¹³¹ albumin (substance)
39290007	C-12200	Barium (substance)
39322007	T-A8110	Trochlear nerve structure (body structure)
39348004	L-807D8	Maltese dog (organism)
39352004	T-15001	Joint structure (body structure)
39477002	T-59666	Feces (substance)
39481002	T-54160	Upper dental arch structure (body structure)
39525005	F-CB962	Tumor necrosis factor alpha (substance)
39532001	L-80435	Norman coach horse (organism)
39539005	F-70102	Abnormal renal function (finding)
39607008	T-28000	Lung structure (body structure)
39723000	T-15680	Sacroiliac joint structure (body structure)
39743006	T-28230	Structure of anterior segment of right upper lobe of lung (body structure)
39777001	C-22861	Sudan III stain (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
39790008	A-2C141	Non-electric heating pad, device (physical object)
39844006	T-54420	Structure of mandibular left canine tooth (body structure)
39855006	L-80350	Wiltshire horn sheep (organism)
39882003	L-80877	Silky terrier (organism)
39937001	T-01000	Skin structure (body structure)
40005008	T-54510	Structure of mandibular right second molar tooth (body structure)
40020002	T-28825	Structure of middle lobe of lung (body structure)
40076005	C-22852	Erie garnet stain (substance)
40121001	L-80832	Miniature poodle (organism)
40146001	T-A2020	Structure of cerebral cortex (body structure)
40199007	F-10340	Supine body position (finding)
40242007	T-C4623	Structure of lateral external iliac lymph node (body structure)
40250003	P1-31917	Interatrial transposition of venous return (procedure)
40254007	T-47260	Structure of digital artery of hand (body structure)
40265002	T-11511	Structure of arch of vertebra (body structure)
40266001	G-A640	Lobular (qualifier value)
40300007	T-48940	Structure of internal iliac vein (body structure)
40342009	C-6A16B	Thiamylal sodium (substance)
40388003	A-04010	Implant, device (physical object)
40400008	L-80816	Plott hound (organism)
40403005	P1-31602	Catheterization of right heart (procedure)
40415009	G-A118	Proximal (qualifier value)
40547002	L-80A31	Longhaired manx (organism)
40565003	C-105A1	¹¹ C (substance)
40617009	P2-22902	Artificial respiration (procedure)
40638003	T-AA180	Structure of both eyes (body structure)
40684008	T-C4632	Structure of inferior gluteal lymph node (body structure)
40689003	T-94000	Testis structure (body structure)
40701008	P5-B3000	Echocardiography (procedure)
40710000	C-B0327	Iodopyracet (substance)
40718007	C-22876	Fast red B salt stain (substance)
40727008	L-80913	West Highland white terrier (organism)
40772000	M-78260	Fibrous plaque (morphologic abnormality)
40779009	D2-60302	Discoid atelectasis (disorder)
40808006	C-22863	Oil red O stain (substance)
40898002	L-80893	Welsh Springer spaniel (organism)
40937006	C-114A5	¹²⁴ I (substance)
40983000	T-D8200	Upper arm structure (body structure)
41092008	L-80418	Cleveland bay horse (organism)
41111004	T-12717	Bone structure of shaft of femur (body structure)
41145006	T-C4613	Structure of lateral common iliac lymph node (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
41216001	T-92000	Prostatic structure (body structure)
41263004	L-80812	Papillon dog (organism)
41296002	T-AA500	Iris structure (body structure)
41313007	T-14163	Structure of internal intercostal muscle (body structure)
41320000	L-80713	Basset hound (organism)
41334000	D3-12002	Angina, class II (disorder)
41440006	P5-D9020	Radioisotope brain imaging (procedure)
41538003	L-80722	Bichons frise dog (organism)
41549009	C-80150	Angiotensin-converting enzyme inhibitor agent (product)
41561001	L-80561	Dekalb hybrid pig line 30 (organism)
41584008	L-807A2	Wire fox terrier (organism)
41598000	F-B2700	Estrogen (substance)
41601005	T-11309	Structure of shaft of rib (body structure)
41695006	T-D1160	Scalp structure (body structure)
41699000	M-36700	Effusion (morphologic abnormality)
41706005	L-80340	Perendale sheep (organism)
41738000	L-80436	Palomino horse (organism)
41750006	C-22965	Brazilin stain (substance)
41754002	L-80429	Lipizzaner horse (organism)
41758004	C-181A3	¹⁶⁹ Ytterbium (substance)
41801008	T-43000	Coronary artery structure (body structure)
41842006	P5-D6500	Radioisotope study of hematopoietic system (procedure)
41879009	T-43202	Structure of distal portion of right coronary artery (body structure)
41919003	M-85023	Juvenile carcinoma of the breast (morphologic abnormality)
41967008	C-13700	Silver (substance)
41976001	P1-31600	Cardiac catheterization (procedure)
42018006	L-80500	Porcine species (organism)
42024000	L-30606	Murine poliovirus (organism)
42182000	M-52470	Cystic medial necrosis (morphologic abnormality)
42248000	C-22809	Methyl orange stain (substance)
42250008	L-80728	Boxer dog (organism)
42252000	L-807B2	German shepherd dog (organism)
42258001	T-46510	Superior mesenteric artery structure (body structure)
42320003	T-93020	Structure of left seminal vesicle (body structure)
42343007	D3-16010	Congestive heart failure (disorder)
42385006	D7-90364	Lactocele (disorder)
42399005	D7-11010	Renal failure syndrome (disorder)
42417005	C-B1300	Carbon ¹⁴ triolein (substance)
42425007	G-A466	Equivocal (qualifier value)
42472007	T-C4621	Structure of medial external iliac lymph node (body structure)
42575006	T-D1460	Structure of pituitary fossa (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
42694008	T-D8030	All legs (body structure)
42695009	T-A4000	Thalamic structure (body structure)
42700002	M-02100	Round shape (qualifier value)
42724005	L-80410	American saddlebred horse (organism)
42728008	C-B1070	Indium ¹¹³ pentetate (substance)
42798000	G-A166	Area (qualifier value)
42902003	L-80734	White bull terrier (organism)
42932006	T-A2760	Structure of forceps minor (body structure)
42948007	L-80608	Norwegian landrace pig (organism)
42973007	T-D3160	Structure of thoracic inlet (body structure)
43045000	T-AA862	Lacrimal caruncle structure (body structure)
43106008	C-22915	Pyronine G stain (substance)
43119007	T-45320	Structure of posterior communicating artery (body structure)
43219001	L-80A09	Birman cat (organism)
43239002	C-116A3	⁷⁵ Se (substance)
43281008	T-54780	Structure of deciduous mandibular left canine tooth (body structure)
43299000	M-32310	Miliary aneurysm (morphologic abnormality)
43500007	L-80531	Boar power pig 454 (organism)
43526002	M-18000	Operative site (morphologic abnormality)
43529009	L-80A13	Chartreux cat (organism)
43538006	C-B0312	Non radiopaque medium (substance)
43549000	C-22912	Solochrome azurine (BS) stain (substance)
43622005	T-54670	Structure of deciduous maxillary left lateral incisor tooth (body structure)
43674008	G-A122	Apical (qualifier value)
43863001	T-48530	Structure of superior left pulmonary vein (body structure)
43899006	T-47500	Structure of popliteal artery (body structure)
43914001	F-F7100	Laryngeal voice function (observable entity)
44103008	D3-31715	Ventricular arrhythmia (disorder)
44132006	M-41610	Abscess (morphologic abnormality)
44230005	L-80115	Brown Swiss cattle breed (organism)
44241007	D3-29001	Heart valve stenosis (disorder)
44324008	PA-50030	Hemodynamic measurements (procedure)
44488008	C-22849	Bismark brown R stain (substance)
44491008	P5-06000	Fluoroscopy (procedure)
44567001	T-25000	Tracheal structure (body structure)
44578009	P1-48304	Core needle biopsy of breast (procedure)
44588005	C-11400	Iodine (substance)
44598004	M-88900	Leiomyoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
44612009	T-11221	Structure of sternal angle (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
44627009	T-32550	Structure of outflow tract of right ventricle (body structure)
44696006	L-80714	Beagle (organism)
44714003	T-28600	Structure of upper lobe of left lung (body structure)
44771000	D7-90435	Microcalcifications of the breast (disorder)
44777001	P1-31920	Creation of conduit between right ventricle and pulmonary artery (procedure)
44788007	T-29100	Right pleura structure (body structure)
44808001	D3-30000	Conduction disorder of the heart (disorder)
44812007	P1-C0030	Inhalation anesthesia, machine system, closed, no rebreathing of primary agent (procedure)
44830000	T-47650	Structure of lateral plantar artery (body structure)
44835005	L-80312	Debouillet sheep (organism)
44855006	L-80A58	Tonkinese cat (organism)
44909008	T-A9630	Sympathetic trunk structure (body structure)
44914007	T-C4700	Upper limb lymph node structure (body structure)
44947003	T-14020	Structure of erector spinae muscle (body structure)
44984001	T-47200	Structure of ulnar artery (body structure)
45001002	T-11034	Bone matrix (substance)
45007003	D3-04000	Low blood pressure (disorder)
45048000	T-D1600	Neck structure (body structure)
45106005	C-22851	Congo red stain (substance)
45206002	T-21000	Nasal structure (body structure)
45211000	P1-05535	Catheterization (procedure)
45215009	C-15600	Tantalum (substance)
45227007	D3-23000	Hypertrophic obstructive cardiomyopathy (disorder)
45234009	T-54690	Structure of deciduous maxillary left first molar tooth (body structure)
45284002	L-80149	Maine Anjou cattle breed (organism)
45289007	T-61100	Parotid gland structure (body structure)
45292006	T-81000	Vulval structure (body structure)
45316007	P5-D0040	Radionuclide localization of tumor (procedure)
45341000	T-44100	Structure of trunk of pulmonary artery (body structure)
45460008	P2-68060	Intrauterine transfusion (procedure)
45475000	C-22962	Indigo carmine stain (substance)
45503006	D4-31120	Common ventricle (disorder)
45559001	M-78266	Focal fibrosis (morphologic abnormality)
45561005	L-80762	Black and tan coonhound (organism)
45625009	L-80880	Spaniel (organism)
45631007	T-47300	Structure of radial artery (body structure)
45635003	L-80571	FHC elite pig 1 (organism)
45653009	T-28820	Structure of upper lobe of lung (body structure)
45690005	L-80334	Mouflon sheep (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
45790002	L-80405	American Albino horse (organism)
45793000	T-B2000	Pineal structure (body structure)
45804006	F-20030	Autonomous breathing, function (observable entity)
45849009	C-B1220	Technetium Tc ^{99m} sodium glucoheptonate (substance)
45929001	S-10164	Half-brother (person)
46027005	T-48920	Structure of common iliac vein (body structure)
46030003	T-35100	Tricuspid valve structure (body structure)
46053002	G-A119	Distal (qualifier value)
46055009	T-C4170	Structure of submental lymph node (body structure)
46136006	P2-31010	Electrocardiogram with exercise test (procedure)
46139004	C-22802	Martius yellow stain (substance)
46157003	T-C4592	Structure of appendicular lymph node (body structure)
46212000	M-90300	Juvenile fibroadenoma (morphologic abnormality)
46239008	L-807D4	Komondor dog (organism)
46385009	T-1228A	Glenoid structure (body structure)
46392004	L-80332	Delaine merino sheep (organism)
46408008	L-80451	American pony (organism)
46602004	C-10004	Electron (substance)
46662001	P2-4A000	Examination of breast (procedure)
46713006	G-D172	Nasal route (qualifier value)
46720004	M-88500	Lipoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
46725009	L-80912	Pembroke Welsh corgi (organism)
46750007	T-28080	Structure of hilum of lung (body structure)
46862004	T-D2600	Buttock structure (body structure)
46866001	DD-13000	Fracture of lower limb (disorder)
47030008	C-22974	Insoluble berlin blue stain (substance)
47055002	T-54470	Structure of mandibular right canine tooth (body structure)
47075006	L-80780	Doberman pinscher (organism)
47079000	P5-B8500	Ultrasonography of breast (procedure)
47109002	T-C4300	Structure of lymph node of thorax (body structure)
47192000	C-B0345	Meglumine diatrizoate (substance)
47284001	M-88211	Aggressive fibromatosis (morphologic abnormality)
47429007	G-C002	Associated with (attribute)
47432005	P1-32504	Implantation of heart valve prosthesis or synthetic device (procedure)
47471008	T-C4850	Popliteal lymph node structure (body structure)
47486002	C-22877	Fast red ITR stain (substance)
47488001	M-85040	Intracystic papillary adenoma (morphologic abnormality)
47542005	L-80814	Petit Basset Griffon Vendéen dog (organism)
47588004	C-132A8	²⁰³ Pb (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
47625008	G-D101	Intravenous route (qualifier value)
47631006	M-52450	Adventitial degeneration (morphologic abnormality)
47659007	L-80712	Basenji (organism)
47699005	L-80879	Soft-coated wheaten terrier (organism)
47728000	T-12423	Bone structure of shaft of radius (body structure)
47729008	C-B1150	Potassium chloride K ⁴³ (substance)
47795006	L-80574	FHC elite pig 4 (organism)
47842004	L-80417	Canadian horse (organism)
47898004	C-80490	Verapamil (product)
47962008	T-32636	Structure of myocardium of apex of heart (body structure)
47975008	T-53130	Structure of root of tongue (body structure)
47985009	T-C4410	Structure of celiac lymph node (body structure)
47995002	C-22932	Alcohol soluble nigrosine stain (substance)
48006008	C-10001	Ion (substance)
48193007	T-C4822	Prefemoral lymph node (body structure)
48338005	T-59438	Structure of right colic flexure (body structure)
48341001	C-151B2	¹⁹² Iridium (substance)
48345005	T-48610	Superior vena cava structure (body structure)
48367006	T-74250	Structure of urinary bladder cavity (body structure)
48387007	P1-26100	Incision of trachea (procedure)
48394005	L-80505	Beltsville pig (organism)
48402004	T-54380	Structure of mandibular left second molar tooth (body structure)
48434008	M-52100	Atheroma (morphologic abnormality)
48470006	L-80536	Boar power pig 656 (organism)
48477009	T-52000	Lip structure (body structure)
48524002	L-80803	Mastiff dog (organism)
48540004	C-22885	Patent blue V sodium salt stain (substance)
48544008	T-D4120	Structure of right lower quadrant of abdomen (body structure)
48603004	C-A6530	Warfarin (product)
48694002	F-0B320	Anxiety (finding)
48697009	L-80309	Clun Forest sheep (organism)
48698004	C-80160	Calcium channel blocking agent (product)
48702000	L-80145	Limousin cattle breed (organism)
48724000	D3-29012	Mitral valve regurgitation (disorder)
48895003	C-145A5	^{113m} Indium (substance)
48918001	T-C4150	Structure of facial lymph node (body structure)
49076000	T-15720	Knee joint structure (body structure)
49082002	T-48435	Structure of small cardiac vein (body structure)
49240006	L-80644	Palouse pig (organism)
49330006	T-54800	Structure of deciduous mandibular left second molar tooth (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
49370004	G-A104	Lateral (qualifier value)
49394004	T-C4420	Structure of superior mesenteric lymph node (body structure)
49421002	L-80904	Welsh terrier (organism)
49430005	M-88503	Liposarcoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
49436004	D3-31520	Atrial fibrillation (disorder)
49460000	T-51120	Soft palate structure (body structure)
49462008	L-80576	FHC elite pig 6 (organism)
49530007	G-A127	Afferent (qualifier value)
49608001	G-A402	Irregular (qualifier value)
49687009	C-22A11	Coriphosphine stain (substance)
49727002	F-24100	Cough (finding)
49755003	M-01000	Morphologically abnormal structure (morphologic abnormality)
49841001	T-A1740	Third ventricle structure (body structure)
49848007	T-32620	Structure of myocardium of left ventricle (body structure)
49852007	T-49250	Structure of median cubital vein (body structure)
49872002	L-30000	Virus (organism)
49992008	C-913A4	Dexamethasone sodium phosphate (product)
49998007	C-60700	Sufentanil (substance)
50016007	T-11240	Structure of costal cartilage (body structure)
50062004	C-22889	Fuchsin basic stain (substance)
50125003	L-80874	Shetland sheepdog (organism)
50193000	T-C4622	Intermediate external iliac lymph node (body structure)
50318003	C-A1204	Progesterone preparation (product)
50408007	T-44400	Structure of left pulmonary artery (body structure)
50441005	L-80A59	Turkish angora cat (organism)
50519007	T-D4110	Structure of right upper quadrant of abdomen (body structure)
50536004	T-F1810	Structure of umbilical artery (body structure)
50672002	C-14700	Hafnium (substance)
50697003	P1-C0010	General anesthesia (procedure)
50717006	L-80308	Cheviot sheep (organism)
50755001	T-13450	Structure of scalenus anterior muscle (body structure)
50849002	P0-10800	Emergency room admission (procedure)
50916005	M-74220	Fibrosing adenosis (morphologic abnormality)
50920009	D3-26000	Myocarditis (disorder)
50959000	L-80173	Tarentaise cattle breed (organism)
50960005	M-37000	Hemorrhage (morphologic abnormality)
51023000	L-80459	Tennessee walking horse (organism)
51114001	T-41000	Arterial structure (body structure)
51159009	T-13630	Structure of teres minor muscle (body structure)
51185008	T-D3000	Thoracic structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
51249003	T-48540	Structure of inferior left pulmonary vein (body structure)
51282000	T-11510	Bone structure of spine (body structure)
51283005	T-11160	Palatine bone structure (body structure)
51299004	T-12310	Bone structure of clavicle (body structure)
51345006	T-B4000	Carotid body structure (body structure)
51398009	M-75500	Hamartoma (morphologic abnormality)
51420009	C-10940	Silicon (substance)
51440002	G-A102	Right and left (qualifier value)
51549004	M-88903	Leiomyosarcoma, no subtype (morphologic abnormality)
51567006	C-22874	Sirius red F3B stain (substance)
51599000	D2-04460	Edema of larynx (disorder)
51668007	M-32320	Mycotic aneurysm (morphologic abnormality)
51678005	T-54660	Structure of deciduous maxillary left central incisor tooth (body structure)
51683002	P1-A3102	Radial keratotomy (procedure)
51692004	L-80A42	Devon rex cat breed (organism)
51698000	T-12287	Structure of dorsal aspect of scapula (body structure)
51795009	F-10240	Musculoskeletal torsion (observable entity)
51800004	C-136B6	²²² Rn (substance)
51845000	F-10326	Anatomical position (finding)
51852003	T-F6800	Embryonic vascular structure (body structure)
51937006	L-80144	Jersey cattle breed (organism)
51943008	T-54700	Structure of deciduous maxillary left second molar tooth (body structure)
52017007	C-85800	Antiemetic (product)
52019005	F-10220	External rotation, function (observable entity)
52082005	T-18010	Structure of ligament (body structure)
52101004	G-A203	Present (qualifier value)
52105008	L-80900	Vizsla superbreed (organism)
52124006	A-26810	Central venous catheter, device (physical object)
52253003	L-80806	Newfoundland dog (organism)
52359001	T-49340	Structure of radial vein (body structure)
52374004	T-11156	Ethmoid bone structure (body structure)
52408003	C-B1111	Iodinated I ¹³¹ gamma globulin (substance)
52433000	T-43121	Structure of proximal portion of circumflex branch of left coronary artery (body structure)
52509009	T-11220	Structure of body of sternum (body structure)
52554005	T-C4841	Superior medial inguinal lymph node (body structure)
52612000	T-D2300	Lumbar region back structure (body structure)
52687003	T-12746	Bone structure of shaft of tibia (body structure)
52731004	T-D4010	Abdominal cavity structure (body structure)
52745005	C-129A2	⁵¹ Cr (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
52836003	C-21403	Paraformaldehyde (substance)
52856002	M-32360	Cylindroid aneurysm (morphologic abnormality)
52943005	T-A1710	Structure of posterior horn of lateral ventricle (body structure)
52946002	L-80705	Affenpinscher (organism)
52952001	L-807C5	Irish wolfhound (organism)
52988006	M-01100	Lesion (morphologic abnormality)
53031002	L-80120	Dexter cattle breed (organism)
53036007	T-D8040	Wing structure (body structure)
53074004	T-C4320	Structure of hilar lymph node (body structure)
53085002	T-32500	Right ventricular structure (body structure)
53118009	T-A1720	Structure of inferior horn of lateral ventricle (body structure)
53120007	T-D8000	Upper limb structure (body structure)
53151000	M-52130	Fatty streaks (morphologic abnormality)
53207004	C-B1092	Diiodofluorescein I ¹³¹ (substance)
53228008	L-80709	Alaskan malamute (organism)
53238003	T-A8060	Optic tract structure (body structure)
53315004	C-128A2	⁶⁸ Germanium (substance)
53342003	T-21300	Internal nose structure (body structure)
53350007	A-04000	Prosthesis, device (physical object)
53360003	L-80338	Oxford Down sheep (organism)
53430007	F-8A030	Pain of breast (finding)
53431006	L-80523	Boar power pig 59 (organism)
53438000	P5-C0000	Radiation therapy procedure or service (procedure)
53505006	T-59900	Anal structure (body structure)
53511009	C-22812	Tropaeolin OO stain (substance)
53520000	T-A9605	Autonomic nerve structure (body structure)
53549008	T-45400	Structure of ophthalmic artery (body structure)
53567001	L-80458	Suffolk horse (organism)
53585008	P5-D5000	Radioisotope study of gastrointestinal system (procedure)
53617003	P2-22010	Monitoring of respiration (regime/therapy)
53620006	T-15290	Temporomandibular joint structure (body structure)
53654007	M-88103	Fibrosarcoma (morphologic abnormality)
53655008	T-43210	Structure of posterior descending branch of right coronary artery (body structure)
53700003	C-127A3	⁶⁷ Copper (substance)
53727004	T-29200	Left pleura structure (body structure)
53741008	D3-13040	Coronary arteriosclerosis (disorder)
53840002	T-D9440	Structure of calf of leg (body structure)
53843000	T-D6407	Structure of rectouterine pouch (body structure)
53922000	L-807C9	Japanese chin dog (organism)
53951001	C-B1213	Technetium Tc ^{99m} oxidronate (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
53958007	P1-0D300	Harvesting of donor material (procedure)
53967007	T-14161	Structure of external intercostal muscle (body structure)
54002007	M-32340	Saccular aneurysm (morphologic abnormality)
54019009	T-61300	Submandibular salivary apparatus (body structure)
54066008	T-55000	Pharyngeal structure (body structure)
54098002	L-80415	Arabian horse (organism)
54102005	G-F211	G1 grade (finding)
54165005	T-A1520	Structure of cisterna magna (body structure)
54221006	C-22832	Orange G stain (substance)
54232006	L-80660	Welsh pig (organism)
54247002	T-42100	Ascending aorta structure (body structure)
54268001	T-C4600	Pelvic lymph node structure (body structure)
54300008	G-D002	Vaginal approach (qualifier value)
54409005	T-45308	Structure of carotid siphon (body structure)
54432009	C-22961	Alizarin blue S stain (substance)
54446009	F-63750	Lysolecithin (substance)
54447000	L-80424	Haflinger horse (organism)
54493002	M-35063	Intramural hematoma (morphologic abnormality)
54640009	P5-32130	Aortography (procedure)
54699009	L-80408	American miniature horse (organism)
54735007	T-11AD0	Bone structure of sacrum (body structure)
54791001	C-22811	Metanil yellow stain (substance)
54858000	L-80779	Scottish deerhound (organism)
54993008	F-32110	Cardiac index (observable entity)
55011004	G-A555	Steady (qualifier value)
55024004	T-11102	Optic canal structure (body structure)
55058007	L-807C0	Griffon dog (organism)
55060009	T-22200	Frontal sinus structure (body structure)
55117002	C-142B2	¹³⁷ Cesium (substance)
55167009	L-80414	Appaloosa horse (organism)
55199003	M-75300	Hypoplasia (morphologic abnormality)
55233005	T-A2850	Structure of inferior longitudinal fasciculus (body structure)
55494003	C-B1205	Technetium Tc ^{99m} albumin microspheres (substance)
55499008	T-12714	Structure of lesser trochanter of femur (body structure)
55530007	L-80211	La Mancha goat (organism)
55584005	M-35300	Embolus (morphologic abnormality)
55607006	F-01000	Problem (finding)
55673009	C-B1088	Iothalamate sodium I ¹²⁵ (product)
55678000	T-11512	Structure of spinous process of vertebra (body structure)
55745002	C-80450	Propranolol (product)
55814006	C-B1090	Iodinated I ¹³¹ aggregated albumin (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
55831004	C-22888	Xylene cyanol FF stain (substance)
55855009	D3-90000	Disorder of pericardium (disorder)
55864004	F-10330	Kneeling (finding)
55921005	M-97323	Multiple myeloma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
55940004	T-C5300	Adenoidal structure (body structure)
55959002	L-80763	Blue tick coonhound (organism)
56006008	C-B1072	Indium ¹¹³ oxoquinoline platelet label (substance)
56021002	M-36050	Seroma (morphologic abnormality)
56052001	T-A8410	Facial nerve structure (body structure)
56084008	L-80529	Boar power pig 292 (organism)
56086005	L-80437	Paso Fino horse (organism)
56193007	T-A8070	Oculomotor nerve structure (body structure)
56208002	M-38000	Ulcer (morphologic abnormality)
56243001	L-80773	Wirehaired miniature dachshund (organism)
56265001	D3-10000	Heart disease (disorder)
56329008	T-B1000	Pituitary structure (body structure)
56353002	A-13600	Staple, device (physical object)
56400007	T-48740	Structure of renal vein (body structure)
56459004	T-D9700	Foot structure (body structure)
56468002	M-91220	Venous hemangioma (morphologic abnormality)
56475001	C-B1062	Disodium indium ¹¹¹ (substance)
56609000	C-145A4	¹¹¹ Indium (substance)
56757003	P1-03154	Scraping (procedure)
56786000	D3-29051	Pulmonic valve stenosis (disorder)
56789007	T-43205	Structure of ostium of right coronary artery (body structure)
56849005	T-49650	Structure of popliteal vein (body structure)
56851009	G-A437	Maximal (qualifier value)
56867003	C-B1073	Indium ¹¹³ oxoquinoline red blood cell label (substance)
56873002	T-11210	Bone structure of sternum (body structure)
56917006	L-80A41	Cornish rex cat breed (organism)
56953008	F-60710	Osmolality (observable entity)
56984005	L-80781	Drever dog (organism)
57034009	T-42300	Aortic arch structure (body structure)
57054005	D3-15100	Acute myocardial infarction (disorder)
57120006	L-80766	Treeing walker coonhound (organism)
57126000	C-20005	Glue (substance)
57134006	A-00110	Instrument, device (physical object)
57141000	M-84013	Apocrine adenocarcinoma (morphologic abnormality)
57177007	G-0002	Family history with explicit context (situation)
57183005	G-A174	Along edge (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
57190000	DA-74120	Myopia (disorder)
57195005	G-A123	Basal (qualifier value)
57238002	P1-30530	Selective embolization of artery (procedure)
57349006	L-80743	Long and short coat chihuahua (organism)
57383004	T-32831	Structure of right branch of atrioventricular bundle (body structure)
57396003	T-43120	Structure of circumflex branch of left coronary artery (body structure)
57429001	L-80771	Longhaired miniature dachshund (organism)
57485005	P2-22500	Oxygen therapy (procedure)
57597008	M-74200	Adenosis (morphologic abnormality)
57613003	L-80593	Kleen leen white pig (organism)
57651003	T-14030	Structure of iliocostalis muscle (body structure)
57671007	T-96000	Vas deferens structure (body structure)
57753006	C-22857	Brilliant yellow stain (substance)
57754000	M-32221	Varicose aneurysm (morphologic abnormality)
57823005	T-43125	Structure of left posterior lateral branch of circumflex branch of left coronary artery (body structure)
57826002	T-54250	Structure of maxillary right first premolar tooth (body structure)
57849000	L-80872	Gordon setter (organism)
57850000	T-46400	Structure of celiac artery (body structure)
57947002	L-80862	Giant schnauzer (organism)
58095006	T-32150	Interatrial septum structure (body structure)
58100008	G-D102	Intra-arterial route (qualifier value)
58108001	L-80844	Golden retriever (organism)
58116005	L-80811	Otter hound (organism)
58130000	T-C4230	Structure of jugular lymph node (body structure)
58190003	F-39200	Vascular flow, function (observable entity)
58264006	L-80440	Pinto (organism)
58281002	C-17800	Gadolinium (substance)
58311005	L-80604	Dutch landrace pig (organism)
58322009	F-20020	Expiration (observable entity)
58341007	L-80753	Rough and smooth collie (organism)
58541008	C-155A2	²⁴ Sodium (substance)
58602004	T-D2310	Flank structure (body structure)
58631000	C-22839	Eriochrome blue black SE stain (substance)
58646007	T-54740	Structure of deciduous mandibular right first molar tooth (body structure)
58718002	D3-17100	Rheumatic fever (disorder)
58742003	T-12980	Structure of sesamoid bone of foot (body structure)
58755002	C-22954	Water soluble anthracene brown stain (substance)
58888001	L-80887	Parti-color cocker spaniel (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
59011009	T-45800	Structure of basilar artery (body structure)
59057006	C-A7021	Antihemophilic factor preparation (product)
59066005	T-11133	Mastoid structure (body structure)
59082006	C-A7430	Urokinase (substance)
59118001	D3-33110	Right bundle branch block (disorder)
59210004	L-80335	Navajo sheep (organism)
59214008	P1-48830	Reduction mammoplasty (procedure)
59218006	P2-35440	Temporary transcutaneous pacing (procedure)
59282003	D3-40230	Pulmonary embolism (disorder)
59351004	F-61080	Citrate (substance)
59438005	T-43110	Structure of anterior descending branch of left coronary artery (body structure)
59441001	T-C4000	Structure of lymph node (body structure)
59492009	L-80774	Longhaired standard dachshund (organism)
59503006	T-C4160	Structure of submandibular lymph node (body structure)
59528003	L-80849	Saluki dog (organism)
59643008	L-807B1	French bulldog (organism)
59652004	T-32100	Atrial structure (body structure)
59667000	L-80572	FHC elite pig 2 (organism)
59749000	T-45410	Structure of lacrimal artery (body structure)
59752008	T-A7081	Dorsal funiculus structure (body structure)
59820001	T-40000	Blood vessel structure (body structure)
59844004	C-135A2	⁴² Potassium (substance)
59972007	F-32030	Atrial systole, function (observable entity)
59975009	L-807A5	English foxhound (organism)
60001007	F-81890	Not pregnant (finding)
60005003	T-14110	Pectoralis major muscle structure (body structure)
60028002	T-49010	Structure of uterine vein (body structure)
60046008	D2-80100	Pleural effusion (disorder)
60057003	C-138A9	²⁰¹ Thallium (substance)
60074003	F-10120	Abduction, function (observable entity)
60105000	T-A2781	Structure of tapetum of corpus callosum (body structure)
60113004	DA-76000	Disorder of eyelid (disorder)
60132005	G-A366	Generalized (qualifier value)
60176003	T-45540	Structure of anterior cerebral artery (body structure)
60184004	T-59470	Sigmoid colon structure (body structure)
60213007	G-D107	Intramedullary route (qualifier value)
60227002	T-C4614	Subaortic common iliac lymph node (body structure)
60234000	D3-29022	Aortic valve regurgitation (disorder)
60252000	L-80836	Pug dog (organism)
60441008	C-22853	Trypan blue stain (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
60459006	C-B1124	Iron Fe ⁵⁹ labeled dextran (substance)
60517007	L-80911	Cardigan Welsh corgi (organism)
60533005	C-A7001	Astringent drug (product)
60573004	D3-29021	Aortic valve stenosis (disorder)
60583000	G-A120	Postaxial (qualifier value)
60614009	S-10161	Natural brother (person)
60621009	F-01860	Body mass index (observable entity)
60732002	D4-31310	Atrial septal defect with endocardial cushion defect, partial type (disorder)
60734001	T-49530	Great saphenous vein structure (body structure)
60739006	C-22957	Waxoline blue stain (substance)
60797005	F-32050	Cardiac wall motion, function (observable entity)
60819002	T-D1206	Cheek structure (body structure)
60835009	T-42350	Structure of postductal region of aortic arch (body structure)
60911003	T-11130	Temporal bone structure (body structure)
60920007	C-22902	Fuchsin acid stain (substance)
60958006	L-80620	Maryland pig (organism)
60965003	T-C4670	Structure of epigastric lymph node (body structure)
60996007	T-C4002	Structure of deep lymph node (body structure)
61026006	G-F213	G3 grade (finding)
61036003	L-80533	Boar power pig 545 (organism)
61068006	C-22926	Thioflavine T stain (substance)
61083001	L-80630	Minnesota pig (organism)
61088005	C-2A000	Plastic (substance)
61242005	T-AA813	Lateral canthus structure (body structure)
61286000	L-80835	Pudelpointer (organism)
61320006	L-80896	Tahltan bear dog (organism)
61397002	G-A172	Subcapsular (qualifier value)
61405001	L-80864	Scottish terrier (organism)
61420007	PA-00620	Tube feeding of patient (regime/therapy)
61490001	D3-12001	Angina, class I (disorder)
61492009	T-C4440	Structure of hepatic lymph node (body structure)
61593002	P5-B0700	Ultrasonic guidance procedure (procedure)
61671002	T-11134	Structure of internal acoustic meatus of temporal bone (body structure)
61685007	T-D9000	Lower limb structure (body structure)
61695000	T-1A180	Tunica media vasorum (body structure)
61716009	C-173A5	⁸¹ m [^] Krypton (substance)
61746007	PA-00500	Taking patient vital signs (procedure)
61753003	L-80A51	Colorpoint shorthaired cat (organism)
61773008	C-80401	Lidocaine hydrochloride (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
61853006	T-1151F	Spinal canal structure (body structure)
61868007	T-54750	Structure of deciduous mandibular right second molar tooth (body structure)
61897005	T-54320	Structure of maxillary left first premolar tooth (body structure)
61946003	C-A0900	Estrogenic preparation (product)
61959006	D4-31400	Common truncus arteriosus (disorder)
61962009	T-A5100	Midbrain structure (body structure)
61968008	A-10150	Syringe, device (physical object)
61973002	L-80565	Dekalb hybrid pig line 61 (organism)
62026008	D3-33150	Left posterior fascicular block (disorder)
62064005	M-90503	Mesothelioma, malignant (morphologic abnormality)
62067003	D4-31A00	Hypoplastic left heart syndrome (disorder)
62137007	L-80845	Labrador retriever (organism)
62153005	L-80112	Blonde d'Aquitaine (organism)
62189002	M-52103	Ulcerated atheromatous plaque (morphologic abnormality)
62228004	L-80888	English Springer spaniel (organism)
62275004	D3-02004	Hypertensive episode (disorder)
62296006	S-10116	Natural grandfather (person)
62372003	G-A137	Segmental (qualifier value)
62413002	T-12420	Bone structure of radius (body structure)
62442005	C-B0316	Chloriodized oil (substance)
62482003	G-A374	Low (qualifier value)
62517004	C-B1011	Sodium chromate Cr ⁵¹ (substance)
62555009	T-15317	Structure of atlantoaxial joint (body structure)
62630005	T-C4352	Supramammary lymph node (body structure)
62683002	T-C4360	Mediastinal lymph node structure (body structure)
62736007	T-AA830	Lower eyelid structure (body structure)
62790004	L-80807	Norfolk terrier (organism)
62818001	T-B1100	Adenohypophysis structure (body structure)
62824007	G-A117	Transverse (qualifier value)
62834003	T-50110	Upper gastrointestinal tract structure (body structure)
62869001	T-48286	Structure of central vein of the retina (body structure)
62872008	T-A2980	Structure of anterior commissure (body structure)
63130001	M-78280	Surgical scar (morphologic abnormality)
63161005	G-A332	Principal (qualifier value)
63264007	M-89803	Carcinosarcoma (morphologic abnormality)
63269002	L-80761	American coonhound (organism)
63289001	A-12020	Surgical metal nail, device (physical object)
63360001	C-168A4	⁸⁹ Zirconium (substance)
63390008	L-80834	Portuguese water dog (organism)
63467002	D3-33120	Left bundle branch block (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
63507001	T-48930	Structure of external iliac vein (body structure)
63562005	A-12210	Cervical collar, device (physical object)
63634009	M-94403	Glioblastoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
63697000	P1-36858	Cardiopulmonary bypass operation (procedure)
63754004	C-16200	Yttrium (substance)
63762007	T-04080	Both breasts (body structure)
63929007	C-22905	Alkali blue 6B stain (substance)
63972001	L-80A32	Ocicat (organism)
64033007	T-71000	Kidney structure (body structure)
64038003	T-C4370	Intercostal lymph node (body structure)
64112001	C-22878	Fast blue RR salt stain (substance)
64131007	T-48710	Inferior vena cava structure (body structure)
64158000	L-80208	Angora goat (organism)
64234005	T-12730	Bone structure of patella (body structure)
64318009	P5-00032	Diagnostic radiography, stereotactic localization (procedure)
64468002	T-46310	Structure of bronchial artery (body structure)
64488003	C-B1100	Iodinated I ¹²⁵ human serum albumin (substance)
64520006	C-A6710	Protamine sulfate (substance)
64556009	T-C4612	Structure of intermediate common iliac lymph node (body structure)
64572001	DF-00000	Disease (disorder)
64591001	L-80323	Karakul sheep (organism)
64605006	T-1274B	Bone structure of distal tibia (body structure)
64634000	DA-75300	Corneal opacity (disorder)
64658001	T-14166	Structure of subcostal muscle (body structure)
64688005	T-11BF0	Bone structure of coccyx (body structure)
64715009	D3-02500	Hypertensive heart disease (disorder)
64730000	F-33300	Normal sinus rhythm (finding)
64739004	T-93000	Seminal vesicle structure (body structure)
64957009	G-A648	Uncertain (qualifier value)
64991008	C-22975	Soluble berlin blue stain (substance)
65026000	C-68050	Ephedrine (product)
65054007	C-141A1	⁶² Zinc (substance)
65123005	F-61620	Choline (substance)
65124004	M-02570	Swelling (finding)
65156006	C-B1215	Technetium Tc ^{99m} pyrophosphate and polyphosphate (substance)
65187008	L-80307	Black faced Highland sheep (organism)
65197004	T-35310	Structure of anulus fibrosus of mitral orifice (body structure)
65216001	T-A1000	Cerebrospinal fluid (substance)
65240009	P1-86E70	Obstetrical version (procedure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
65265006	F-D7B50	Thromboplastin (product)
65266007	T-C4820	Structure of deep inguinal lymph node (body structure)
65344003	L-80150	Marchigiana cattle breed (organism)
65345002	C-2A400	Epoxy resin (substance)
65349008	T-C4620	Structure of external iliac lymph node (body structure)
65355003	T-45110	Right common carotid artery structure (body structure)
65388005	P5-B8310	Ultrasonic guidance for amniocentesis (procedure)
65431007	T-AA260	Structure of corneal endothelium (body structure)
65445001	C-22897	Ethyl violet stain (substance)
65492002	L-80326	Lincoln sheep (organism)
65577000	A-2C152	X-ray shield, device (physical object)
65580004	C-22953	Alizarin red S stain (substance)
65624003	T-54620	Structure of deciduous maxillary right lateral incisor tooth (body structure)
65656005	S-10121	Natural mother (person)
65659003	P1-30351	Atherectomy by rotary cutter (procedure)
65690001	T-C4340	Structure of paratracheal lymph node (body structure)
65692009	M-80323	Spindle cell carcinoma (morphologic abnormality)
65694005	L-80A55	Siamese cat (organism)
65709003	G-A324	Disseminated (qualifier value)
65730007	C-22829	Ponceau 3R stain (substance)
65801008	P1-03000	Excision (procedure)
65818007	A-25500	Stent, device (physical object)
65877006	M-90100	Fibroadenoma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
66019005	T-D0300	Limb structure (body structure)
66130006	F-32330	Left to right cardiovascular shunt (finding)
66168008	L-80425	Hanoverian horse (organism)
66303006	T-54350	Structure of maxillary left second molar tooth (body structure)
66314009	L-80147	Longhorn cattle breed (organism)
66377006	P5-D0042	Radionuclide localization of tumor, limited area (procedure)
66459002	G-A103	Unilateral (qualifier value)
66495005	L-80738	Cavalier King Charles spaniel (organism)
66559000	T-46421	Structure of common hepatic artery (body structure)
66562002	C-F3302	Cigarette smoking tobacco (substance)
66657009	D3-31710	Paroxysmal ventricular tachycardia (disorder)
66712005	L-80727	Bouvier des Flandres (organism)
66720007	T-A1650	Lateral ventricle structure (body structure)
66739002	G-D001	Abdominal approach (qualifier value)
66754008	T-59200	Appendix structure (body structure)
66787007	G-A107	Cephalic (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
66857006	F-24210	Hemoptysis (disorder)
66859009	C-81590	Dipyridamole (product)
66911005	L-80130	Galloway cattle breed (organism)
67046006	T-AA621	Structure of fovea centralis (body structure)
67088002	L-80782	English toy spaniel (organism)
67170007	T-41100	Lumen of artery (body structure)
67338003	P1-31612	Cardiac catheterization, left heart, transseptal (procedure)
67362008	D3-83300	Aortic aneurysm (disorder)
67414001	L-80311	Cotswold sheep (organism)
67440007	C-80131	Alpha-adrenergic blocking agent (product)
67448000	L-80133	German Fleck-Vieh cattle breed (organism)
67453005	T-12780	Bone structure of talus (body structure)
67507000	C-80110	Antiarrhythmic drug (product)
67515002	L-80310	Corriedale sheep (organism)
67617000	M-72170	Intraductal hyperplasia (morphologic abnormality)
67629009	P1-31604	Catheterization of left heart (procedure)
67684001	L-80813	Pekingese dog (organism)
67690002	C-B1081	Sodium iodide I ¹²³ (substance)
67701001	T-A6640	Inferior cerebellar peduncle structure (body structure)
67720004	L-80575	FHC elite pig 5 (organism)
67763001	D3-04001	Hypotensive episode (disorder)
67834006	T-54710	Structure of deciduous mandibular right central incisor tooth (body structure)
67937003	T-47100	Structure of axillary artery (body structure)
67941004	T-C4331	Structure of superior tracheobronchial lymph node (body structure)
67956008	C-22928	Neutral red stain (substance)
67966000	A-26440	Enema tube, device (physical object)
67977006	L-80883	Clumber spaniel (organism)
68053000	T-47700	Structure of anterior tibial artery (body structure)
68085002	T-54210	Structure of maxillary right third molar tooth (body structure)
68086001	L-80A33	Persian cat (organism)
68171009	T-C4710	Axillary lymph node structure (body structure)
68183006	A-12030	Bone screw, device (physical object)
68235000	F-24442	Nasal congestion (finding)
68237008	D4-33622	Partial anomalous pulmonary venous connection (disorder)
68263003	C-22804	Janus green B stain (substance)
68276009	A-27500	Bottle, device (physical object)
68300000	T-32210	Structure of right auricular appendage (body structure)
68339009	T-C4144	Superficial intraparotid lymph node (body structure)
68367000	T-D9100	Thigh structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
68453008	M-80103	Carcinoma, no subtype (morphologic abnormality)
68457009	P5-31500	Percutaneous transluminal balloon angioplasty (procedure)
68459007	C-22833	Crystal ponceau stain (substance)
68493006	G-A169	Gutter (qualifier value)
68496003	D5-41170	Polyp of colon (disorder)
68505006	T-D4140	Structure of left lower quadrant of abdomen (body structure)
68512002	L-80526	Boar power pig 141 (organism)
68523003	T-A2030	Cerebral white matter structure (body structure)
68552000	L-80200	Caprine species (organism)
68580003	C-130A3	⁵⁹ Iron (substance)
68630002	C-114A6	¹²⁵ Iodine (substance)
68703001	T-AA310	Choroidal structure (body structure)
68705008	T-49110	Structure of axillary vein (body structure)
68787002	T-43111	Structure of proximal portion of anterior descending branch of left coronary artery (body structure)
68796002	P5-D1000	Radioisotope study of musculoskeletal system (procedure)
68878000	T-C4442	Structure of lymph node of epiploic foramen (body structure)
68881005	T-C4513	Structure of superior rectal lymph node (body structure)
68915008	T-C4210	Structure of lateral cervical lymph node (body structure)
68967007	C-B1087	Iodocholesterol I ¹³¹ (substance)
68978004	F-25040	Hyperventilation (finding)
69067004	L-80452	Shetland pony (organism)
69076006	C-B1180	Strontium chloride Sr ⁸⁵ (substance)
69089000	C-130A1	⁵² Iron (substance)
69105007	T-45010	Carotid artery structure (body structure)
69133007	C-22862	Sudan IV stain (substance)
69158002	P2-35200	Intra-atrial pacing (procedure)
69245005	P1-05035	Intra-arterial infusion of thrombolytic agent (procedure)
69249004	L-80903	Weimaraner (organism)
69255009	T-C4630	Structure of hypogastric lymph node (body structure)
69327007	T-46200	Structure of internal thoracic artery (body structure)
69421009	T-46423	Structure of right branch of hepatic artery (body structure)
69440003	C-80123	Cardiotonic agent (substance)
69461005	L-80553	Chester white pig (organism)
69474004	L-80850	Samoyed dog (organism)
69529009	L-80724	Border terrier (organism)
69536005	T-D1100	Head structure (body structure)
69592005	L-80863	Standard schnauzer (organism)
69602006	L-80590	Kleen leen pig (organism)
69691007	T-C4750	Structure of pectoral axillary lymph node (body structure)
69695003	T-57000	Stomach structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
69748006	T-B6000	Thyroid structure (body structure)
69783005	C-B0324	Meglumine iodipamide (substance)
69805005	A-28040	Insulin pump, device (physical object)
69833005	T-47410	Structure of right femoral artery (body structure)
69839009	C-B1096	Iodinated I ¹²⁵ povidone (substance)
69855002	L-80A06	American shorthair cat (organism)
69862006	L-80775	Smooth standard dachshund (organism)
69930009	T-65010	Pancreatic duct structure (body structure)
69954004	D3-87780	Thrombophlebitis of breast (disorder)
69986009	L-80700	Canine species (organism)
70007007	T-A5160	Substantia nigra structure (body structure)
70074004	T-26100	Right main bronchus structure (body structure)
70086001	C-B1304	Cholyl-carbon ¹⁴ glycine (substance)
70105001	T-A2880	Structure of optic radiation (body structure)
70106000	F-63600	Lipid (substance)
70142008	D4-31220	Atrial septal defect (disorder)
70150004	T-60650	Bile (substance)
70154008	C-B1099	Iodinated I ¹²⁵ sodium iodine (substance)
70215001	T-A2730	Structure of genu of corpus callosum (body structure)
70232002	G-7154	Frequent (qualifier value)
70238003	T-32640	Structure of inflow tract of left ventricle (body structure)
70253006	T-48814	Structure of left main branch of portal vein (body structure)
70258002	T-15750	Ankle joint structure (body structure)
70382005	T-45900	Structure of posterior cerebral artery (body structure)
70431006	L-80205	Alpine goat (organism)
70457009	L-80428	Icelandic horse (organism)
70520000	C-22828	Ponceau xylidine stain (substance)
70544003	C-146B1	¹⁹⁹ Gold (substance)
70594002	M-87303	Amelanotic melanoma (morphologic abnormality)
70653001	L-80A11	British shorthaired cat (organism)
70791007	T-47040	Structure of artery of lower extremity (body structure)
70822001	F-32070	Cardiac ejection fraction, function (observable entity)
70847004	T-F1300	Structure of amnion (body structure)
70925003	T-11170	Bone structure of maxilla (body structure)
70984001	M-32260	Serpentine aneurysm (morphologic abnormality)
70995007	D3-40300	Pulmonary hypertension (disorder)
71173004	M-01460	Compression (morphologic abnormality)
71175006	L-80736	Bullmastiff (organism)
71232009	M-90201	Phyllodes tumor, borderline (morphologic abnormality)
71252005	T-83200	Cervix uteri structure (body structure)
71271007	T-48411	Structure of coronary sinus ostium (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
71341001	T-12710	Bone structure of femur (body structure)
71384000	A-17450	Warmer, device (physical object)
71388002	P0-00000	Procedure (procedure)
71425003	C-127A1	⁶¹ Copper (substance)
71585003	T-48160	Structure of external jugular vein (body structure)
71616004	T-13001	Skeletal and/or smooth muscle structure (body structure)
71633006	C-155A1	²² Sodium (substance)
71636003	C-B1082	Fibrinogen I ¹²³ (substance)
71647005	C-105A2	¹⁴ Carbon (substance)
71651007	P5-40010	Mammography (procedure)
71758008	T-49640	Structure of peroneal vein (body structure)
71759000	C-81560	Nitroglycerin (product)
71836000	T-23000	Nasopharyngeal structure (body structure)
71854001	T-59300	Colon structure (body structure)
71908006	D3-31720	Ventricular fibrillation (disorder)
71923001	L-80607	Italian landrace pig (organism)
71957009	C-22922	Phloxin B stain (substance)
71966008	T-03000	Subcutaneous tissue structure (body structure)
72001000	T-12700	Bone structure of lower limb (body structure)
72015003	C-B1084	Iodinated I ¹²⁵ albumin (substance)
72021004	T-45210	Structure of superior thyroid artery (body structure)
72092001	D3-81100	Arteriosclerotic vascular disease (disorder)
72107004	T-48340	Structure of azygous vein (body structure)
72159005	C-B1023	Cyanocobalamin Co ⁶⁰ (substance)
72164009	F-61A90	Inositol (substance)
72166006	M-52300	Fibroelastosis (morphologic abnormality)
72184008	T-11303	Structure of neck of rib (body structure)
72329005	L-80322	Finnish landrace sheep (organism)
72371006	C-22879	Fast violet B salt stain (substance)
72381005	T-C4404	Gut-associated lymph node (body structure)
72394007	L-80412	American tunis horse (organism)
72410000	T-D3300	Mediastinal structure (body structure)
72454006	C-163A8	^{99m} Techetium (substance)
72481006	T-28300	Structure of middle lobe of right lung (body structure)
72495009	M-84803	Mucinous adenocarcinoma (morphologic abnormality)
72506001	A-11206	Implantable defibrillator, device (physical object)
72542009	T-32632	Structure of myocardium of diaphragmatic region (body structure)
72572003	C-22826	Diamond black stain (substance)
72573008	T-13620	Infraspinatus muscle structure (body structure)
72592005	T-59442	Structure of left colic flexure (body structure)
72607000	G-D108	Intrathecal route (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
72641008	P1-C0B00	Administration of sedative (procedure)
72648002	L-80348	Suffolk sheep (organism)
72674008	T-280D0	Bronchopulmonary segment structure (body structure)
72696002	T-D9200	Knee region structure (body structure)
72717003	C-14800	Magnesium (substance)
72876007	T-54310	Structure of maxillary left canine tooth (body structure)
73002000	P2-36102	Measurement of systemic arterial pressure (regime/therapy)
73005003	L-80578	FHC elite pig 8 (organism)
73049001	L-80A44	Scottish fold cat (organism)
73050001	T-32634	Structure of myocardium of anterolateral region (body structure)
73056007	T-04020	Right breast structure (body structure)
73065000	C-B1041	Gallium ⁶⁷ citrate (substance)
73117003	T-11150	Sphenoid bone structure (body structure)
73166001	T-42580	Structure of aortic bifurcation (body structure)
73191001	L-80331	American merino sheep (organism)
73212002	C-B0318	Iodipamide (product)
73219006	M-88610	Angiolipoma (morphologic abnormality)
73251007	C-22A02	Auramine G stain (substance)
73271003	L-80A19	Domestic leopard cat (organism)
73318001	L-80820	Pointer (organism)
73319009	L-80760	Coonhound (organism)
73400003	T-11513	Structure of transverse process of vertebra (body structure)
73544002	P1-32000	Operation on heart valve (procedure)
73580002	T-48430	Structure of middle cardiac vein (body structure)
73634005	T-46710	Common iliac artery structure (body structure)
73648005	L-80661	Wessex saddleback pig (organism)
73678001	S-10151	Natural sister (person)
73685002	C-B1231	Thallous chloride TI ²⁰¹ (substance)
73745003	C-B1093	Iodinated I ¹²⁵ oleic acid and triolein (substance)
73774007	D3-28102	Subacute bacterial endocarditis (disorder)
73829009	T-32200	Right atrial structure (body structure)
73892005	C-22971	Carmine stain (substance)
73930003	T-14150	Structure of levator costae muscle (body structure)
73931004	T-48813	Structure of right main branch of portal vein (body structure)
73937000	T-54680	Structure of deciduous maxillary left canine tooth (body structure)
73949004	C-67770	Atropine (product)
74021003	D3-33200	Bifascicular block (disorder)
74031005	T-32832	Left bundle branch structure (body structure)
74135004	T-15009	Meniscus structure of joint (body structure)
74156002	T-47660	Structure of medial plantar artery (body structure)
74160004	T-02424	Skin structure of chest (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
74173000	L-80847	Rhodesian ridgeback dog (organism)
74203007	T-C4260	Structure of prelaryngeal lymph node (body structure)
74262004	T-51004	Oral cavity structure (body structure)
74280008	M-83153	Glycogen-rich carcinoma (morphologic abnormality)
74308000	T-93010	Structure of right seminal vesicle (body structure)
74344005	T-54370	Structure of mandibular left third molar tooth (body structure)
74364000	M-80413	Small cell carcinoma (morphologic abnormality)
74386004	T-11149	Nasal bone structure (body structure)
74517004	L-80640	Montana pig (organism)
74536009	L-80716	Belgian groenendael dog (organism)
74551000	M-02560	Circumference (qualifier value)
74554008	C-B0341	Iodophthalein (substance)
74568001	L-80656	Red wattle pig (organism)
74615001	D3-31121	Tachycardia-bradycardia (disorder)
74626007	C-50013	Drug diluent (product)
74670003	T-15460	Wrist joint structure (body structure)
74745008	L-80207	Rock alpine goat (organism)
74872008	T-11110	Frontal bone structure (body structure)
74899005	L-80520	Boar power pig (organism)
74921000	L-80560	Dekalb hybrid pig line (organism)
74937006	M-52102	Complicated atheromatous plaque (morphologic abnormality)
74947009	C-10080	Gaseous substance (substance)
74970001	L-80527	Boar power pig 161 (organism)
75040000	T-C4143	Deep intraparotid lymph node (body structure)
75042008	T-A1220	Arachnoid structure (body structure)
75053002	D3-81660	Acute febrile mucocutaneous lymph node syndrome (disorder)
75093004	T-02480	Skin structure of abdomen (body structure)
75118006	PA-00600	Feeding patient (regime/therapy)
75129005	T-1242B	Bone structure of distal radius (body structure)
75245000	T-26500	Left main bronchus structure (body structure)
75294000	G-A600	Descending (qualifier value)
75319007	T-11219	Structure of clavicular notch of sternum (body structure)
75367002	F-31000	Blood pressure (observable entity)
75397005	T-42340	Structure of preductal region of aortic arch (body structure)
75494002	L-807C6	Irish terrier (organism)
75531005	T-47020	Structure of artery of upper extremity (body structure)
75540009	G-A373	High (qualifier value)
75573002	T-C5100	Tonsillar structure (palatine) (body structure)
75696008	C-166A2	^45^Titanium (substance)
75709004	L-80650	Pic pig (organism)
75753009	M-35000	Blood clot (morphologic abnormality)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
75772009	T-12800	Bone structure of navicular (body structure)
75777003	F-CB250	Cytokine (substance)
75902001	T-43124	Structure of atrioventricular branch of circumflex branch of left coronary artery (body structure)
75911001	L-80751	Bearded collie (organism)
75956008	C-22967	Hematein stain (substance)
75959001	C-781E0	Tamoxifen (product)
75976002	G-4041	Mild risk of (contextual qualifier) (qualifier value)
76001002	C-22916	Pyronine B stain (substance)
76015000	T-46420	Hepatic artery (body structure)
76025005	P1-31876	Correction of ventricular septal defect (procedure)
76048000	C-22929	Azocarmine G (GX) stain (substance)
76117006	T-45430	Structure of central retinal artery (body structure)
76155001	C-B0328	Iopanoic acid (product)
76171001	F-20240	Air trapping (finding)
76197007	M-72000	Hyperplasia (morphologic abnormality)
76267008	D3-29050	Pulmonary valve disorder (disorder)
76290003	T-C4633	Structure of superior gluteal lymph node (body structure)
76302002	L-80456	Spanish mustang horse (organism)
76351004	L-80914	Whippet dog (organism)
76364003	L-80521	Boar power pig 27 (organism)
76365002	T-04004	Structure of upper outer quadrant of breast (body structure)
76388001	F-38277	ST segment elevation (finding)
76439002	C-22859	Fat red 7B stain (substance)
76467006	L-80454	Quarter horse (organism)
76497003	L-80132	Gelbveih cattle breed (organism)
76505004	T-D8810	Thumb structure (body structure)
76554006	L-80717	Belgian laeken dog (organism)
76604009	L-80153	Nellore cattle breed (organism)
76605005	C-22866	Biebrich scarlet stain (substance)
76611008	P1-30352	Atherectomy by laser (procedure)
76633005	C-22875	Fast red TR salt stain (substance)
76649007	D7-90382	Sebaceous cyst of skin of breast (disorder)
76659008	T-C4475	Structure of pancreaticoduodenal lymph node (body structure)
76704003	T-C4842	Superior lateral inguinal lymph node (body structure)
76710003	T-AA650	Structure of external limiting membrane of retina (body structure)
76724004	L-807C3	Harrier dog (organism)
76752008	T-04000	Breast structure (body structure)
76784001	T-82000	Vaginal structure (body structure)
76838003	T-C4220	Structure of supraclavicular lymph node (body structure)
76848001	T-39000	Pericardial structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
76862008	T-43105	Structure of ostium of left coronary artery (body structure)
76878005	T-C4456	Structure of lymph node of greater curvature of stomach (body structure)
76925007	C-22903	Alkali blue 5B (4B) stain (substance)
76927004	P5-D7000	Radioisotope study of genitourinary system (procedure)
76994004	L-80808	Norwegian elkhound (organism)
77004003	C-111A1	¹⁸ F-fluorine (substance)
77012006	T-F1320	Amniotic fluid (substance)
77073008	C-22941	Nile blue stain (substance)
77130001	T-54430	Structure of mandibular left lateral incisor tooth (body structure)
77176002	S-32000	Smoker (finding)
77213006	L-80706	Afghan hound (organism)
77236002	L-80611	Large white pig (organism)
77296004	D7-90452	Infarction of breast (disorder)
77313009	C-B1223	Technetium Tc ^{99m} exametazime (substance)
77343006	P5-009A0	Angiography (procedure)
77386006	F-84000	Patient currently pregnant (finding)
77444004	A-12024	Bone pin, device (physical object)
77477000	P5-08000	Computerized axial tomography (procedure)
77510008	C-B1071	Indium ¹¹³ oxoquinoline white blood cell label (substance)
77568009	T-D2100	Back structure, excluding neck (body structure)
77583004	T-35410	Structure of anulus fibrosus of aorta (body structure)
77621008	T-D1620	Structure of supraclavicular region of neck (body structure)
77671006	F-B1810	Antidiuretic hormone (substance)
77720000	A-12062	Clip, device (physical object)
77778009	T-C4474	Structure of pancreatic lymph node (body structure)
77831004	T-04002	Structure of upper inner quadrant of breast (body structure)
78014005	T-70060	Urine (substance)
78023008	C-158A5	⁸⁷ mSr strontium (substance)
78067005	T-F1100	Placental structure (body structure)
78076003	T-AA700	Structure of lens of eye (body structure)
78197004	M-85012	Comedocarcinoma, noninfiltrating (morphologic abnormality)
78214003	L-807D6	Lakeland terrier (organism)
78246003	L-80804	Mexican hairless dog (organism)
78267003	D9-30400	Cocaine abuse (disorder)
78277001	T-A2500	Temporal lobe structure (body structure)
78421000	G-D103	Intramuscular route (qualifier value)
78480002	T-44200	Structure of right pulmonary artery (body structure)
78481003	C-B1108	lofetamine I ¹²³ hydrochloride (substance)
78541007	L-80171	Milking Shorthorn cattle breed (organism)
78570003	C-B1067	Indium ¹¹¹ transferrin (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
78678003	L-8B100	Sus scrofa (organism)
78686003	C-B1017	Copper ⁶⁴ acetate (substance)
78869007	C-22955	Nuclear fast red stain (substance)
78904004	T-D3050	Chest wall structure (body structure)
78961009	T-C3000	Splenic structure (body structure)
78972004	T-11515	Structure of pedicle of vertebra (body structure)
78994007	L-80602	British landrace pig (organism)
79058000	L-80100	Bovine species (organism)
79068005	A-30360	Needle, device (physical object)
79142001	T-44010	Suprapulmonic valve area structure (body structure)
79197006	C-159A2	⁸² Rubidium (substance)
79295007	L-80726	Boston terrier (organism)
79361005	T-15200	Structure of fontanel of skull (body structure)
79458005	G-A599	Ascending (qualifier value)
79477007	C-131A1	⁶⁶ Gallium (substance)
79523006	C-113A2	⁷⁶ Bromine (substance)
79601000	T-12280	Bone structure of scapula (body structure)
79603002	L-80343	Romedale sheep (organism)
79610008	C-B1216	Technetium Tc ^{99m} serum albumin (substance)
79619009	D3-29011	Mitral valve stenosis (disorder)
79652003	T-AA770	Internal structure of eyeball (body structure)
79654002	M-36300	Edema (morphologic abnormality)
79692001	F-32340	Right to left cardiovascular shunt (finding)
79811009	A-18041	Electric blanket, device (physical object)
79814001	L-80655	Poland China pig (organism)
79926007	T-C4650	Structure of sacral lymph node (body structure)
79952001	A-26860	Swan-Ganz catheter, device (physical object)
80049006	T-A2750	Structure of forceps major (body structure)
80084005	L-80612	Lucie pig (organism)
80131009	L-80600	Landrace pig (organism)
80140008	T-54480	Structure of mandibular right first premolar tooth (body structure)
80144004	T-12770	Bone structure of calcaneum (body structure)
80243003	T-AA810	Eyelid structure (body structure)
80248007	T-04030	Left breast structure (body structure)
80260008	C-B1094	Iodinated I ¹²⁵ levothyroxine (substance)
80272002	T-45160	Structure of carotid bifurcation (body structure)
80274001	F-70210	Glomerular filtration rate (observable entity)
80305003	C-22856	Pontamine sky blue 6BX stain (substance)
80313002	F-37150	Palpitations (finding)
80434005	T-A2870	Structure of vertical occipital fasciculus (body structure)
80447000	T-A1800	Structure of cerebral aqueduct (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
80576000	L-80892	Sussex spaniel (organism)
80581009	T-D4001	Upper abdomen structure (body structure)
80621003	T-A1900	Structure of choroid plexus (body structure)
80622005	T-A8130	Abducens nerve structure (body structure)
80647007	T-54260	Structure of maxillary right canine tooth (body structure)
80751004	C-172A8	¹³³ Xenon (substance)
80769008	T-C4860	Structure of tibial lymph node (body structure)
80777007	L-80413	Andalusian horse (organism)
80835003	L-80170	Shorthorn cattle breed (organism)
80865008	P5-40030	Specimen mammography (procedure)
80867000	T-C4631	Structure of gluteal lymph node (body structure)
80891009	T-32000	Heart structure (body structure)
80917008	C-00224	Toxin (substance)
80919006	A-61000	Jewelry (physical object)
80943009	F-01500	Risk factor (observable entity)
80979001	L-80657	San Pierre pig (organism)
81016008	T-AA630	Optic disc structure (body structure)
81040000	T-44000	Pulmonary artery structure (body structure)
81105003	T-C4200	Cervical lymph node structure (body structure)
81128002	T-42200	Structure of sinus of Valsalva (body structure)
81132008	T-C4290	Structure of scalene lymph node (body structure)
81267004	L-80154	Normande cattle breed (organism)
81274009	M-73310	Apocrine metaplasia (morphologic abnormality)
81323004	F-00001	Normal general body function (finding)
81397005	C-22A01	Auramine O stain (substance)
81502006	T-55300	Hypopharyngeal structure (body structure)
81529001	L-80723	Bloodhound (organism)
81607005	L-807D2	Keeshond (organism)
81621007	C-B1066	Indium ¹¹¹ red cell label (substance)
81654009	G-A138	Coronal (qualifier value)
81669005	M-95401	Neurofibromatosis (morphologic abnormality)
81727001	T-13300	Skeletal muscle structure of neck (body structure)
81745001	T-AA000	Structure of eye proper (body structure)
81761004	C-B1203	Technetium Tc ^{99m} microaggregated albumin (substance)
81827009	M-02550	Diameter (qualifier value)
81839001	C-A6500	Anticoagulant (product)
81866001	L-80A21	Maine coon cat (organism)
81911001	C-F3310	Chewing tobacco (substance)
82078001	PA-20110	Collection of blood specimen for laboratory (procedure)
82206008	L-80885	Black cocker spaniel (organism)
82264009	C-677C0	Homatropine (product)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
82280004	G-A545	Smooth (qualifier value)
82334004	G-A385	Indeterminate (qualifier value)
82365008	T-C4350	Structure of parasternal lymph node (body structure)
82411007	C-22925	Rose bengal stain (substance)
82440005	L-80327	Hampshire Down sheep (organism)
82449006	A-26836	Peripheral intravenous catheter, device (physical object)
82471001	T-32300	Left atrial structure (body structure)
82474009	T-12771	Calcaneal tubercle structure (body structure)
82561000	T-15690	Symphysis pubis structure (body structure)
82566005	C-F5000	Animal feed (substance)
82573000	C-80400	Lidocaine (product)
82628004	T-54460	Structure of mandibular right lateral incisor tooth (body structure)
82676003	L-88120	Wolf (organism)
82680008	T-D0310	Digit structure (body structure)
82682000	C-22895	Victoria blue 4R stain (substance)
82711006	M-85003	Infiltrating duct carcinoma (morphologic abnormality)
82799009	F-32100	Cardiac output (observable entity)
82849001	T-D4900	Retroperitoneal compartment structure (body structure)
82909008	L-80622	Middle white pig (organism)
83018002	T-47690	Plantar arterial arch structure (body structure)
83036002	F-61760	Lactate (substance)
83059008	A-26400	Tube, device (physical object)
83173002	L-80160	Scottish Highland cattle breed (organism)
83216009	L-80733	Staffordshire bull terrier (organism)
83236005	L-80895	Saint Bernard dog (organism)
83251001	T-A2200	Frontal lobe structure (body structure)
83323007	F-12100	Bone formation, function (observable entity)
83330001	D4-32012	Patent ductus arteriosus (disorder)
83380007	T-C4458	Structure of gastro-omental lymph node (body structure)
83419000	T-49410	Femoral vein structure (body structure)
83420006	S-10181	Natural daughter (person)
83422003	P1-30022	Diagnostic procedure on blood vessel (procedure)
83423008	C-B0342	Sodium diprotrizoate (substance)
83504004	L-80793	Finnish spitz dog (organism)
83555006	T-C6010	Structure of lymphatic vessel (body structure)
83578000	G-B102	Surgical (qualifier value)
83598005	C-17200	Xenon (substance)
83600004	C-22920	Spirit soluble eosin stain (substance)
83670000	T-D4425	Peritoneal cavity structure (body structure)
83750004	C-80610	Bile acid sequestrant antilipemic agent (product)
83799000	D4-31040	Corrected transposition of great vessels (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
83881004	C-12013	Aluminum oxide (substance)
83996001	L-80119	Criollo cattle breed (organism)
84081007	L-80537	Boar power pig 747 (organism)
84114007	D3-16000	Heart failure (disorder)
84217005	C-22845	Titan yellow stain (substance)
84219008	T-C4610	Structure of iliac lymph node (body structure)
84229001	F-01360	Fatigue (finding)
84232003	L-80592	Kleen leen red pig (organism)
84301002	T-AB200	External auditory canal structure (body structure)
84315000	L-80532	Boar power pig 474 (organism)
84360004	M-02120	Ovoid shape (qualifier value)
84367001	L-80871	English setter (organism)
84386009	C-6A16E	Tribromoethanol (substance)
84421000	T-487A0	Structure of abdominal vein (body structure)
84514002	L-80708	Akita dog (organism)
84528008	L-80603	Danish landrace pig (organism)
84548001	L-807D5	Kuvasz dog (organism)
84654008	T-32833	Structure of left anterior division of left branch of atrioventricular bundle (body structure)
84656005	C-22A03	Atebrin FS stain (substance)
84660008	L-807D1	Karelian bear dog (organism)
84712000	T-32156	Structure of limbus of fossa ovalis (body structure)
84757009	DA-30000	Epilepsy (disorder)
84782009	T-A0500	Peripheral nerve structure (body structure)
84797007	L-80A43	Russian blue cat (organism)
84812008	C-A6540	Heparin (product)
84839000	L-80135	Guernsey cattle breed (organism)
84847000	C-15300	Platinum (substance)
84923006	L-80105	Aberdeen Angus cattle breed (organism)
85050009	T-12410	Bone structure of humerus (body structure)
85066006	C-22873	Azo black stain (substance)
85119005	T-D7020	Left inguinal region structure (body structure)
85144002	L-80719	Belgian sheepdog (organism)
85190005	C-22848	Bismark brown Y stain (substance)
85234005	T-45700	Structure of vertebral artery (body structure)
85235006	T-46120	Structure of left subclavian artery (body structure)
85272000	C-80430	Nifedipine (product)
85284003	D3-12003	Angina, class III (disorder)
85293002	T-1A007	Interstitial tissue (body structure)
85315007	L-80662	Yorkshire pig (organism)
85380009	T-C4843	Structure of inferior inguinal lymph node (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
85383006	T-46640	Accessory renal artery (body structure)
85431000	M-32350	Fusiform aneurysm (morphologic abnormality)
85439003	T-48400	Structure of cardiac vein (body structure)
85562004	T-D8700	Hand structure (body structure)
85596006	C-22A05	Fluorescein stain (substance)
85598007	D3-91030	Constrictive pericarditis (disorder)
85606007	P5-D3300	Radionuclide cardiac ventriculography (procedure)
85637007	T-A3700	Internal capsule structure of brain (body structure)
85659009	M-32200	Aneurysm (morphologic abnormality)
85693008	C-B1200	Technetium Tc ^{99m} aggregated albumin (substance)
85710004	T-12350	Bone structure of ischium (body structure)
85726003	M-32240	Mixed aneurysm (morphologic abnormality)
85756007	T-D0050	Body tissue structure (body structure)
85816001	T-51600	Structure of retromolar area of mouth (body structure)
85856004	T-15420	Acromioclavicular joint structure (body structure)
85898001	D3-20000	Cardiomyopathy (disorder)
85981002	C-22838	Chromotrope 2R stain (substance)
86049000	M-80003	Malignant neoplasm, primary (morphologic abnormality)
86117002	T-45300	Internal carotid artery structure (body structure)
86122002	A-32110	Bullet, device (physical object)
86136007	T-A5272	Lateral lemniscus structure (body structure)
86273004	P1-03100	Biopsy (procedure)
86290005	F-21000	Respiratory rate (observable entity)
86299006	D4-31110	Tetralogy of Fallot (disorder)
86308005	C-68000	Sympathomimetic agent (product)
86367003	T-D4130	Structure of left upper quadrant of abdomen (body structure)
86407004	A-17350	Table, device (physical object)
86440008	L-80652	Pic line pig 24 (organism)
86521004	C-113A3	⁷⁷ Bromine (substance)
86541009	C-22869	Brilliant crocein stain (substance)
86547008	T-47740	Structure of dorsalis pedis artery (body structure)
86570000	T-46500	Structure of mesenteric artery (body structure)
86584005	C-B0323	Iodoalphonic acid (substance)
86593006	L-80732	Colored bull terrier (organism)
86598002	T-280A0	Structure of apex of lung (body structure)
86616005	M-85002	Intraductal carcinoma, noninfiltrating, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
86694007	L-80582	Hormel miniature pig (organism)
86750008	C-22823	Nitrazine yellow stain (substance)
86767001	L-80822	German shorthaired pointer (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
86920006	L-80321	Horned dorset sheep breed (organism)
86969008	T-80010	Female external genitalia structure (body structure)
87017008	G-A351	Focal (qualifier value)
87029004	L-80810	Old English sheepdog (organism)
87061000	L-80528	Boar power pig 282 (organism)
87068006	F-10390	Stooped-over position (finding)
87111007	L-80737	Cairn terrier (organism)
87166008	T-21342	Vomer bone structure (body structure)
87219003	L-80897	Tibetan spaniel (organism)
87342007	T-12750	Bone structure of fibula (body structure)
87343002	D3-12400	Prinzmetal angina (disorder)
87386002	D7-90560	Peau d'orange surface of breast (disorder)
87410002	C-B1225	Technetium Tc ⁹⁹ N-substituted iminodiacetate (substance)
87437000	C-116A2	⁷³ Selenium (substance)
87445005	C-B0335	Ipodate (substance)
87463005	T-A2970	Cerebral fornix structure (body structure)
87563008	T-A0102	Structure of diencephalon (body structure)
87612001	T-C2000	Blood (substance)
87644002	T-95000	Epididymis structure (body structure)
87687004	G-A151	Extra-articular (qualifier value)
87704003	T-54360	Structure of maxillary left third molar tooth (body structure)
87708000	F-BB000	Vitamin (substance)
87731000	F-12300	Weight bearing function of bone (observable entity)
87737001	M-84903	Signet ring cell carcinoma (morphologic abnormality)
87759004	T-80020	Female internal genitalia structure (body structure)
87811005	C-A7440	Injectable fibrinolysin (substance)
87853006	C-B1210	Technetium Tc ^{99m} iron ascorbate (substance)
87878005	T-32600	Left ventricular structure (body structure)
87913009	M-90203	Phyllodes tumor, malignant (morphologic abnormality)
87953007	T-73000	Ureteric structure (body structure)
87958003	C-B1121	Ferrous citrate Fe ⁵⁹ (substance)
87962009	L-80337	North County cheviot sheep (organism)
88166005	C-B1016	Copper ⁶⁴ versenate (substance)
88176008	T-54170	Lower dental arch structure (body structure)
88210001	T-32810	Structure of sinoatrial node (body structure)
88241000	F-10216	Pronation, function (observable entity)
88340001	T-14040	Structure of longissimus muscle (body structure)
88376000	C-29000	Carcinogen (substance)
88442005	T-A2700	Corpus callosum structure (body structure)
88446008	G-A405	Laminar (qualifier value)
88454005	T-14167	Structure of transverse thoracis muscle (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
88473009	C-B1171	Selenomethionine Se ⁷⁵ (substance)
88480006	C-13500	Potassium (substance)
88556005	T-45510	Structure of cerebral artery (body structure)
88593004	T-42310	Structure of aortic isthmus (body structure)
88619007	F-39790	Vascular resistance, function (observable entity)
88625006	C-22904	Water soluble aniline blue stain (substance)
88660000	C-22867	Fast sulfon black F stain (substance)
88779009	L-807A4	American foxhound (organism)
88807001	L-80157	Red Poll cattle breed (organism)
88824007	T-54610	Structure of deciduous maxillary right central incisor tooth (body structure)
88882009	T-A8640	Vagus nerve structure (body structure)
88921000	T-1A080	Fibril (substance)
88986008	T-D1120	Vertex structure (body structure)
89028002	C-22966	Curcumin stain (substance)
89065000	L-80A12	Burmese cat (organism)
89084002	M-95400	Neurofibroma, no International Classification of Diseases for Oncology subtype (morphologic abnormality)
89093001	T-42210	Structure of right sinus of Valsalva (body structure)
89138009	D3-00200	Cardiogenic shock (disorder)
89139001	C-22887	Light green SF stain (substance)
89148006	C-22882	Fast garnet GBC salt stain (substance)
89164003	D7-90530	Breast lump (finding)
89177007	C-10005	Proton (substance)
89187006	T-20001	Airway structure (body structure)
89202009	T-A2820	Structure of superior longitudinal fasciculus (body structure)
89272005	C-144A4	⁵⁸ Cobalt (substance)
89278009	T-A3400	Structure of putamen (body structure)
89323001	D3-12004	Angina, class IV (disorder)
89340005	T-11514	Structure of lamina of vertebra (body structure)
89450005	L-80790	Eskimo dog (organism)
89457008	C-10072	Radioactive isotope (substance)
89545001	T-D1200	Face structure (body structure)
89546000	T-11100	Bone structure of cranium (body structure)
89552004	T-54760	Structure of deciduous mandibular left central incisor tooth (body structure)
89577003	C-22855	Pontamine sky blue 5BX stain (substance)
89595000	C-B0319	Iodized oil (substance)
89625000	T-54390	Structure of mandibular left first molar tooth (body structure)
89648005	L-80421	Fjord horse (organism)
89665001	L-80349	Targhee sheep (organism)
89708009	L-80210	Chamoisee goat (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
89736004	D3-28005	Valvular endocarditis (disorder)
89740008	M-85203	Lobular carcinoma (morphologic abnormality)
89814007	P1-31850	Repair of ventricular septal defect with prosthesis (procedure)
89818005	C-B1224	Technetium Tc ⁹⁹ tagged red cells (substance)
89837001	T-74000	Urinary bladder structure (body structure)
89856006	C-22868	Ponceau S stain (substance)
89858007	T-C4330	Tracheobronchial lymph node, located near carina (body structure)
89890002	T-C6000	Structure of lymphatic system (body structure)
89928000	L-80570	FHC pig (organism)
90024005	T-46740	Structure of internal iliac artery (body structure)
90050009	L-80406	American Buckskin horse (organism)
90069004	G-A182	Posterolateral (qualifier value)
90096001	F-32120	Stroke volume (observable entity)
90101001	L-807B0	Foxhound (organism)
90219004	T-48410	Coronary sinus structure (body structure)
90290004	T-D4230	Umbilical region structure (body structure)
90315007	T-35250	Pulmonary valve sinuses (body structure)
90318009	T-35210	Structure of anulus fibrosus of pulmonary artery (body structure)
90418005	T-90010	Male external genitalia structure (body structure)
90444005	L-80901	Smooth haired vizsla (organism)
90539001	D3-10510	Ventricular aneurysm (disorder)
90561006	T-35120	Right atrioventricular ostium structure (body structure)
90572001	T-28830	Structure of lower lobe of lung (body structure)
90588001	T-13650	Subscapularis muscle structure (body structure)
90606007	T-C4001	Structure of superficial lymph node (body structure)
90612002	L-80158	Salers cattle breed (organism)
90617008	C-B1068	Indium ¹¹³ bleomycin (substance)
90733003	C-B0348	Metrizamide (substance)
90734009	G-A270	Chronic (qualifier value)
90745007	C-B0315	Bunamiodyl (substance)
90771006	T-48840	Structure of superior mesenteric vein (body structure)
90828009	D3-22100	Primary restrictive cardiomyopathy (disorder)
90885005	L-8057A	Gloucester old spot pig (organism)
90892000	F-32010	Diastole, function (observable entity)
91079009	T-46820	Structure of uterine artery (body structure)
91083009	T-43201	Structure of proximal portion of right coronary artery (body structure)
91085002	T-32834	Structure of left posterior division of left branch of atrioventricular bundle (body structure)
91096005	P2-34122	Monitoring of electrocardiogram at surgery (procedure)
91134007	T-35300	Mitral valve structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
91238003	T-1243B	Bone structure of distal ulna (body structure)
91295002	C-22881	Fast blue BB salt stain (substance)
91394001	T-C4580	Structure of retroperitoneal lymph node (body structure)
91397008	T-11196	Bone structure of face (body structure)
91429002	L-80860	Schnauzer superbreed (organism)
91470000	T-D8104	Axillary region structure (body structure)
91539005	T-48501	Structure of right pulmonary vein (body structure)
91553005	L-80792	Canadian eskimo dog (organism)
91602002	P1-28160	Thoracentesis (procedure)
91606004	C-22973	Cochineal stain (substance)
91609006	T-11180	Bone structure of mandible (body structure)
91691001	T-D3136	Structure of parasternal region (body structure)
91707000	T-F7040	Structure of primitive pulmonary artery (body structure)
91716001	T-AB500	Mastoid cells and antra structure (body structure)
91720002	T-D0080	Body substance (substance)
91723000	T-D0005	Anatomical structure (body structure)
91732003	T-461A0	Structure of dorsal scapular artery (body structure)
91747007	T-40230	Lumen of blood vessel (body structure)
91748002	T-43115	Structure of mid portion of anterior descending branch of left coronary artery (body structure)
91750005	T-43117	Structure of first diagonal branch of anterior descending branch of left coronary artery (body structure)
91751009	T-43118	Structure of second diagonal branch of anterior descending branch of left coronary artery (body structure)
91752002	T-43119	Structure of third diagonal branch of anterior descending branch of left coronary artery (body structure)
91753007	T-43127	Structure of mid portion of circumflex branch of left coronary artery (body structure)
91754001	T-43128	Structure of first obtuse marginal branch of circumflex branch of left coronary artery (body structure)
91755000	T-43129	Structure of second obtuse marginal branch of circumflex branch of left coronary artery (body structure)
91756004	T-4312A	Structure of third obtuse marginal branch of circumflex branch of left coronary artery (body structure)
91757008	T-4312B	Structure of first left posterolateral branch of circumflex branch of left coronary artery (body structure)
91758003	T-4312C	Structure of second left posterolateral branch of circumflex branch of left coronary artery (body structure)
91759006	T-4312D	Structure of third left posterolateral branch of circumflex branch of left coronary artery (body structure)
91760001	T-4312E	Left posterior descending circumflex coronary artery (body structure)
91761002	T-43213	Structure of first right posterolateral branch of the posterior descending branch of right coronary artery (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
91762009	T-43214	Structure of second right posterolateral branch of the posterior descending branch of right coronary artery (body structure)
91763004	T-43215	Structure of third right posterolateral branch of the posterior descending branch of right coronary artery (body structure)
91772007	T-D0062	Organ parenchyma (body structure)
91830000	T-D00AB	Structure of body conduit (body structure)
92248004	D7-F0810	Benign neoplasm of nipple of female breast (disorder)
92652009	D7-F0902	Carcinoma in situ of male breast (disorder)
93143009	DC-F4113	Leukemia, disease (disorder)
93473009	D3-F0620	Hemangioma of subcutaneous tissue (disorder)
94150003	D4-31154	Membranous ventricular septum defect (disorder)
94391008	D2-F1106	Secondary malignant neoplasm of lung (disorder)
95217000	DA-73460	Pseudophakia (disorder)
95324001	D0-00050	Skin lesion (disorder)
95376002	D0-B0300	Injection site disorder (disorder)
95377006	D0-B0310	Injection site reaction (disorder)
95378001	D0-B0311	Injection site hypersensitivity (disorder)
95379009	D0-B0312	Injection site irritation (disorder)
95380007	D0-B0314	Injection site pigmentation change (disorder)
95381006	D0-B0320	Injection site infection (disorder)
95382004	D0-B0324	Injection site abscess (disorder)
95383009	D0-B0326	Injection site sterile abscess (disorder)
95384003	D0-B0330	Injection site extravasation (disorder)
95385002	D0-B0334	Injection site hemorrhage (disorder)
95386001	D0-B0338	Injection site thrombosis (disorder)
95387005	D0-B0339	Injection site malabsorption (disorder)
95388000	D0-B0340	Injection site pain (disorder)
95389008	D0-B0342	Injection site burning (disorder)
95390004	D0-B0346	Injection site nerve damage (disorder)
95391000	D0-B0350	Injection site inflammation (disorder)
95392007	D0-B0352	Injection site edema (disorder)
95393002	D0-B0354	Injection site dermatitis (disorder)
95394008	D0-B0356	Injection site urticaria (disorder)
95395009	D0-B0360	Injection site mass (disorder)
95396005	D0-B0364	Injection site cyst (disorder)
95397001	D0-B0370	Injection site necrosis (disorder)
95398006	D0-B0380	Injection site anesthesia (disorder)
95399003	D0-B0382	Injection site paresthesia (disorder)
95400005	D0-B0390	Injection site ulcer (disorder)
95401009	D0-B0394	Injection site bruising (disorder)
95402002	D0-B03A0	Injection site induration (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
95403007	D0-B03A2	Injection site fibrosis (disorder)
95404001	D0-B03A4	Injection site atrophy (disorder)
96218000	C-62960	Acepromazine (substance)
96227004	C-64090	Zolazepam hydrochloride (substance)
96229001	C-640A0	Azaperone (substance)
96230006	C-640B0	Xylazine hydrochloride (substance)
96265006	C-6A190	Tiletamine hydrochloride (substance)
96302009	C-80800	Hydroxymethylglutaryl-coenzyme A reductase inhibitor (product)
96308008	C-81300	Angiotensin II receptor antagonist (product)
96329004	C-97302	Nasal decongestant preparation (product)
96387000	C-B0301	Ionic iodinated contrast media (product)
96388005	C-B0302	Nonionic iodinated contrast media (product)
96390006	C-B1218	Technetium Tc ^{99m} medronate (substance)
102292000	T-14668	Skeletal muscle structure of lower limb (body structure)
102298001	T-35020	Structure of chordae tendineae cordis (body structure)
102304005	A-10141	Measuring ruler, device (physical object)
102312002	A-25600	Atherectomy device (physical object)
102313007	A-25610	Rotational atherectomy device (physical object)
102314001	A-25612	Embolization coil, device (physical object)
102315000	A-25614	Embolization ball, device (physical object)
102316004	A-25616	Embolization particulate, device (physical object)
102317008	A-26802	Guiding catheter, device (physical object)
102319006	A-26912	Percutaneous transluminal angioplasty balloon, device (physical object)
102320000	A-27322	Detachable balloon, device (physical object)
102321001	A-2B210	Operating microscope, device (physical object)
102322008	A-2C600	External prosthesis for sonographic procedure, device (physical object)
102323003	A-2C602	Water bag prosthesis for imaging procedure, device (physical object)
102324009	A-2C604	Saline bag prosthesis for imaging procedure, device (physical object)
102325005	A-2C606	Gel prosthesis for imaging procedure, device (physical object)
102378009	A-32475	BB shot, device (qualifier value)
102459008	F-00453	Increased tolerance (finding)
102460003	F-00454	Decreased tolerance (finding)
102535000	F-10317	Right lateral decubitus position (finding)
102536004	F-10319	Left lateral decubitus position (finding)
102538003	F-10450	Recumbent body position (finding)
102539006	F-10460	Semi-erect body position (finding)
102540008	F-10470	Headfirst position (finding)
102541007	F-10480	Feetfirst position (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
102589003	F-37012	Atypical chest pain (finding)
102594003	F-38002	Electrocardiogram abnormal (finding)
102874004	F-84094	Possible pregnancy (finding)
102877006	F-84430	Nulliparous (finding)
103321005	G-0202	Request by physician (contextual qualifier) (qualifier value)
103335007	G-7290	Duration (attribute)
103339001	G-A185	Long axis (qualifier value)
103340004	G-A186	Short axis (qualifier value)
103342007	G-A188	Mid-longitudinal (qualifier value)
103343002	G-A189	Parasagittal (qualifier value)
103344008	G-A1A1	Transvesical (qualifier value)
103345009	G-A1A2	Transthecal (qualifier value)
103346005	G-A1A3	Transsplenic (qualifier value)
103347001	G-A1A4	Transrenal (qualifier value)
103348006	G-A1A5	Transpleural (qualifier value)
103349003	G-A1A6	Transpancreatic (qualifier value)
103353001	G-A1B2	Transgastric (qualifier value)
103354007	G-A1B3	Transmural (qualifier value)
103355008	G-A220	Width (qualifier value)
103361006	G-A556	Unsteady (qualifier value)
103381007	G-D027	Transhepatic approach (qualifier value)
103382000	G-D032	Transtemporal approach (qualifier value)
103383005	G-D033	Transesophageal approach (qualifier value)
103386002	G-D052	Transvenous approach (qualifier value)
103387006	G-D054	Transarterial approach (qualifier value)
103390000	G-D210	Elective (qualifier value)
103391001	G-D216	Urgency (qualifier value)
103693007	P0-00002	Diagnostic procedure (procedure)
103709008	P1-00018	Failed attempted procedure (situation)
103712006	P1-05536	Manipulation of catheter (procedure)
103713001	P1-05537	Replacement of catheter (procedure)
103714007	P1-05538	Occlusion of catheter (procedure)
103715008	P1-05539	Removal of catheter (procedure)
103716009	P1-05550	Placement of stent (procedure)
104210008	P3-50495	Hematoxylin and eosin stain method (procedure)
105371005	P5-0A100	Single photon emission computerized tomography (procedure)
105372003	P5-39015	Transcatheter deployment of detachable balloon (procedure)
105373008	P5-39191	Percutaneous insertion of intravascular filter (procedure)
105376000	P5-B3002	Transesophageal echocardiography (procedure)
105501005	S-20570	Dependence on enabling machine or device (finding)
105590001	F-61002	Substance (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
105830007	C-120F9	Aluminum AND/OR aluminum compound (substance)
105837005	C-127F9	Copper AND/OR copper compound (substance)
105840005	C-130F9	Iron AND/OR iron compound (substance)
105842002	C-132F9	Lead AND/OR lead compound (substance)
105847008	C-137F9	Silver AND/OR silver compound (substance)
105849006	C-139F9	Tin AND/OR tin compound (substance)
105860002	C-150F9	Molybdenum AND/OR molybdenum compound (substance)
105866008	C-156F9	Tantalum AND/OR tantalum compound (substance)
105874009	C-164F9	Tungsten AND/OR tungsten compound (substance)
105877002	C-167F9	Rhodium AND/OR rhodium compound (substance)
106233006	G-A1F8	Topographical modifier (qualifier value)
106292003	J-07100	Professional nurse (occupation)
107007004	L-8B9F9	Subfamily Bovinae (organism)
107644003	M-020F9	Shape finding (qualifier value)
107671003	M-520F8	Vascular sclerosis (morphologic abnormality)
108294005	P5-D30F8	Nuclear medicine diagnostic procedure on cardiovascular system (procedure)
108300008	P5-D90F8	Nuclear medicine diagnostic procedure on nervous system (procedure)
108369006	M-8FFFF	Neoplasm (morphologic abnormality)
108371006	T-12761	Bone structure of tarsus (body structure)
108502004	C-80349	Adenosine preparation (product)
108602006	C-80680	Fibrate antihyperlipidemic (product)
108880002	C-22AA1	Fluorexon stain (substance)
108899006	C-B7100	Contraceptives (product)
109029006	C-A0005	Raloxifene (substance)
109066000	C-A0173	Hydrocortisone sodium succinate (substance)
109069007	C-A01D1	Methylprednisolone sodium succinate (product)
109212003	C-B0314	Tyropanoate sodium (substance)
109218004	C-B0322	Iohexol (product)
109219007	C-B0329	Iopamidol (product)
109222009	C-B0332	Ioversol (product)
109223004	C-B0339	Ioxaglate meglumine (product)
109888004	D7-F0A02	Lobular carcinoma in situ of breast (disorder)
110265006	DD-66A67	Postoperative hemorrhage (disorder)
110421000	M-32210	Traumatic aneurysm (morphologic abnormality)
110451006	M-78190	Spindle cell nodule (morphologic abnormality)
110467000	P1-00410	Pre-surgery testing (procedure)
110517009	T-11011	Vertebral column and cranium (combined site) (body structure)
110535000	T-12403	radius AND ulna (combined site) (body structure)
110536004	T-12701	Tibia and fibula (combined site) (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
110550009	T-28910	Lung and tracheobronchial lymph nodes (combined site) (body structure)
110568007	T-48820	Structure of gastric vein (body structure)
110612005	T-59490	Anus, rectum and sigmoid colon (combined site) (body structure)
110621006	T-65600	Pancreatic duct and bile duct systems (combined site) (body structure)
110639002	T-88920	Uterus and fallopian tubes (combined site) (body structure)
110726009	T-DD006	Trachea and bronchus (combined site) (body structure)
110837003	T-DD123	Urinary bladder and urethra (combined site) (body structure)
110861005	T-DD163	Esophagus, stomach and duodenum (combined site) (body structure)
111017005	M-78066	Injection site scar (morphologic abnormality)
111045004	A-17200	Exerciser, device (physical object)
111084009	C-158A3	⁸⁵ Strontium (substance)
111095003	C-21402	Formaldehyde (substance)
111101002	C-22803	Naphthol yellow S stain (substance)
111102009	C-22917	Lissamine rhodamine stain (substance)
111132001	C-6A118	Nitrous oxide (substance)
111139005	C-80120	Inotropic agent (product)
111158001	C-B0337	Propylidone (substance)
111159009	C-B1085	Rose Bengal sodium I ¹³¹ (substance)
111160004	C-B1086	Sodium iodide I ¹³¹ (substance)
111161000	C-B1151	Potassium carbonate K ⁴² (substance)
111162007	C-B1211	Technetium Tc ^{99m} stannous etidronate (substance)
111287006	D3-29042	Tricuspid valve regurgitation (disorder)
111289009	D3-40208	Arteriovenous fistula of pulmonary vessels (disorder)
111973004	F-32020	Systole, function (observable entity)
112233002	G-A428	Marginal (qualifier value)
112381006	L-35500	Genus Dependovirus (organism)
112485003	L-80136	Gujarati cattle breed (organism)
112486002	L-80336	No-tail sheep (organism)
112487006	L-80344	Romnelet sheep (organism)
112488001	L-80423	Hackney horse (organism)
112489009	L-80510	Berkshire pig (organism)
112490000	L-80566	Dekalb hybrid pig line 63 (organism)
112491001	L-80710	Australian terrier (organism)
112492008	L-80725	Borzoï dog (organism)
112493003	L-80772	Smooth miniature dachshund (organism)
112494009	L-807B5	Greyhound (organism)
112811009	P1-31872	Closure of atrial septal defect (procedure)
112987001	P1-C0020	Inhalation anesthesia, machine system, closed, rebreathing of primary agent (procedure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
113011001	P2-01510	Palpation (procedure)
113160008	S-10191	Natural son (person)
113163005	S-11090	Friend (person)
113197003	T-11300	Bone structure of rib (body structure)
113198008	T-11304	Tubercle of rib structure (body structure)
113257007	T-30000	Structure of cardiovascular system (body structure)
113259005	T-35110	Structure of anulus fibrosus of tricuspid orifice (body structure)
113262008	T-42070	Thoracic aorta structure (body structure)
113263003	T-45120	Left common carotid artery structure (body structure)
113264009	T-45230	Structure of lingual artery (body structure)
113269004	T-46910	Structure of external iliac artery (body structure)
113270003	T-47420	Structure of left femoral artery (body structure)
113273001	T-48520	Structure of inferior right pulmonary vein (body structure)
113277000	T-51300	Oral mucous membrane structure (body structure)
113278005	T-54440	Structure of mandibular left central incisor tooth (body structure)
113305005	T-A6000	Cerebellar structure (body structure)
113336002	T-C4511	Structure of inferior mesenteric lymph node (body structure)
113338001	T-C4616	Subiliac lymph node (body structure)
113340006	T-C4840	Structure of superficial inguinal lymph node (body structure)
113342003	T-D0048	Structure of lumen of body system (body structure)
113343008	T-D0060	Body organ structure (body structure)
113345001	T-D4000	Abdominal structure (body structure)
113346000	T-D4450	Omental bursa structure (body structure)
113351006	T-D9540	Fetlock region of hindlimb (body structure)
115391007	F-65C50	N-acetyl-L-aspartate (substance)
116010006	T-15728	Stifle joint (body structure)
116152004	P5-08001	Spiral computed tomography scan (procedure)
116176007	T-C2007	Mixed venous blood (substance)
116224001	DD-60002	Complication of procedure (disorder)
116532005	C-84989	Prokinetic Agent (product)
116566001	C-10098	Steroid (substance)
116593003	C-37128	Methylprednisolone (substance)
116602009	C-37138	Prednisone (substance)
116676008	G-C504	Associated morphology (attribute)
116682006	G-C50A	Uses equipment (attribute)
117590005	T-AB001	Ear structure (body structure)
117610000	P2-34201	Measurement of cardiac output (procedure)
118375008	A-04140	Cardiac septum prosthesis, device (physical object)
118378005	A-11101	Pacemaker pulse generator, device (physical object)
118433006	F-31146	Pulmonary artery wedge pressure (observable entity)
118438002	G-D00B	Transoral approach (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
118495001	T-1241F	Bone structure of distal humerus (body structure)
118538004	G-D701	Mass, a measure of quantity of matter (property) (qualifier value)
118565006	G-D705	Volume (property) (qualifier value)
118578006	G-D709	Relative time (property) (qualifier value)
118586006	G-D750	Ratio (property) (qualifier value)
118634008	T-46002	Structure of artery of abdomen (body structure)
118645006	T-12375	Bone structure of pelvis (body structure)
118745001	P0-05083	Procedure on joint (procedure)
118755002	T-32423	Trabeculae carneae cordis (body structure)
118927008	D3-80515	Thrombotic disorder (navigational concept)
119238007	T-D0558	Brain stem part (body structure)
119255006	T-24454	Supraglottis structure (body structure)
119295008	G-8003	Specimen obtained by aspiration (specimen)
119376003	G-8300	Tissue specimen (specimen)
119406000	T-D0593	Thalamus part (body structure)
119410002	T-D0598	Nerve part (body structure)
119524001	T-1240F	Bone structure of proximal humerus (body structure)
119568004	T-45005	Structure of artery of neck (body structure)
119614000	P1-14810	Hip joint reconstruction (procedure)
119853006	P1-48501	Breast implantation (procedure)
120234003	T-46659	Structure of segmental branch of renal artery (body structure)
120576005	T-D0634	Fascial layer (body structure)
122448007	T-1300D	Cardiac muscle (tissue) (body structure)
122456005	A-23000	Laser device (physical object)
122459003	P1-01003	Dissection procedure (procedure)
122489005	T-70001	Urinary system structure (body structure)
122494005	T-11501	Structure of cervical vertebral column (body structure)
122495006	T-11502	Thoracic spine structure (body structure)
122496007	T-11503	Lumbar spine structure (body structure)
122595009	G-8311	Specimen from breast obtained by total mastectomy (specimen)
122737001	G-8318	Specimen from breast obtained by core needle biopsy (specimen)
122738006	G-8319	Specimen obtained from breast by stereotactically guided core needle biopsy (specimen)
122739003	G-831B	Specimen from breast obtained by incisional biopsy of breast mass (specimen)
122774002	T-49403	Structure of vein of lower extremity (body structure)
122775001	T-49103	Structure of vein of upper extremity (body structure)
122972007	T-48581	Pulmonary venous structure (body structure)
123037004	T-D000A	Body structure (body structure)
123851003	T-D0662	Mouth region structure (body structure)
125074003	L-80139	Hereford cattle superbreed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
125076001	L-87A02	Cavia porcellus (organism)
125084002	L-8A10B	Equus caballus gmelini (organism)
125091004	L-8B943	Bos taurus indicus (organism)
125097000	L-8C306	Capra hircus (organism)
125099002	L-8C336	Ovis aries (organism)
125101009	L-8C338	Merino sheep superbreed (organism)
125112009	M-00101	Morphology within normal limits (finding)
125271003	M-32202	Thrombosed aneurysm (morphologic abnormality)
125272005	M-32203	Expanding aneurysm (morphologic abnormality)
125273000	M-32204	Calcified aneurysm (morphologic abnormality)
125274006	M-32208	Multiple aneurysms (morphologic abnormality)
125357009	M-52301	Focal fibroelastosis (morphologic abnormality)
125358004	M-52302	Diffuse fibroelastosis (morphologic abnormality)
125682004	T-15516	Finger joint structure (body structure)
125707004	C-6A161	Alphadolone acetate (substance)
126065006	A-26434	Jejunostomy tube, device (physical object)
126510002	D0-F035F	Neoplasm of skin of breast (disorder)
126838000	D5-F131F	Neoplasm of colon (disorder)
127189005	DC-721C4	Axillary lymphadenopathy (disorder)
127457009	G-8310	Tissue specimen from breast (specimen)
127489000	G-C52F	Has active ingredient (attribute)
127790008	P3-00003	Staining method (procedure)
127919002	T-C4311	Interlobar lymph node of the lung (body structure)
127920008	T-C4312	Lobar lymph node of the lung (body structure)
127921007	T-C4313	Segmental lymph node of the lung (body structure)
127922000	T-C4314	Subsegmental lymph node of the lung (body structure)
127925003	T-C43A0	Superior mediastinal lymph node (body structure)
127926002	T-C43A1	Highest mediastinal lymph node (body structure)
127927006	T-C43A2	Upper paratracheal lymph node (mediastinal) (body structure)
127930004	T-C43A5	Prevascular/retrotracheal lymph node (body structure)
127931000	T-C43A6	Retrotracheal lymph node (mediastinal) (body structure)
127932007	T-C43A7	Lower paratracheal (including azygous) lymph node (body structure)
127937001	T-C43AC	Lymph node of aortic arch (body structure)
127938006	T-C43AD	Lymph node of aortopulmonary window (body structure)
127939003	T-C43AE	Para-aortic lymph node of the anterior mediastinum (body structure)
127940001	T-C43B2	Paraesophageal lymph node below carina (body structure)
127941002	T-C43B3	Lymph node of the pulmonary ligament (body structure)
127954009	T-D0684	Skeletal muscle structure (body structure)
128319008	T-A0190	Intracranial structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
128320002	T-A0191	Structure of intracranial vein (body structure)
128432002	G-DB10	Hemodynamic waveform, function (observable entity)
128433007	G-DB11	Hemodynamic pressure waveform, function (observable entity)
128434001	G-DB12	Hemodynamic flow waveform, function (observable entity)
128435000	G-DB13	Hemodynamic oxygen saturation waveform, function (observable entity)
128436004	G-DB14	Respiration impedance waveform, function (observable entity)
128437008	G-DB15	Temperature waveform, function (observable entity)
128438003	G-DB16	Left ventricle pressure waveform, function (observable entity)
128439006	G-DB17	Right ventricle pressure waveform, function (observable entity)
128440008	G-DB18	Right atrium pressure waveform, function (observable entity)
128441007	G-DB19	Left atrium pressure waveform, function (observable entity)
128442000	G-DB20	Femoral artery pressure waveform (observable entity)
128443005	G-DB21	Pulmonary arterial waveform (observable entity)
128444004	G-DB22	Aortic pressure waveform, function (observable entity)
128445003	G-DB23	Central venous pressure waveform, function (observable entity)
128446002	G-DB24	Intra-arterial waveform (observable entity)
128447006	G-DB25	Pulmonary artery oxygen saturation waveform, function (observable entity)
128448001	G-DB26	Pulmonary capillary wedge pressure waveform, function (observable entity)
128449009	G-DB27	Pulmonary artery wedge pressure waveform (observable entity)
128450009	G-DB28	Mitral valve pullback pressure, function (observable entity)
128451008	G-DB29	Tricuspid valve pullback pressure waveform, function (observable entity)
128452001	G-DB30	Pulmonary valve pullback pressure waveform (observable entity)
128453006	G-DB31	Aortic valve pullback pressure waveform, function (observable entity)
128454000	G-DB32	Thermal cardiac output waveform, function (observable entity)
128455004	G-DB33	Dye dilution cardiac output waveform, function (observable entity)
128462008	DF-00436	Secondary malignant neoplastic disease (disorder)
128538000	P1-03021	Removal of device (procedure)
128548003	T-49424	Boyd's perforating vein (body structure)
128549006	T-49426	Cockett's perforating vein (body structure)
128551005	D3-81922	Aortic fistula (disorder)
128552003	G-DB34	Hemodynamic impedance waveform, function (observable entity)
128553008	T-49215	Structure of antecubital vein (body structure)
128554002	T-49429	Dodd's perforating vein (body structure)
128555001	D4-32504	Congenital coronary artery fistula to left atrium (disorder)
128556000	D4-32506	Congenital coronary artery fistula to left ventricle (disorder)
128557009	D4-32509	Congenital coronary artery fistula to right atrium (disorder)
128558004	D4-32510	Congenital coronary artery fistula to right ventricle (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
128559007	T-47490	Structure of genicular artery (body structure)
128560002	T-4942A	Hunterian perforating vein (body structure)
128563000	D4-31052	Juxtaposed atrial appendage (disorder)
128564006	T-32602	Structure of apex of left ventricle (body structure)
128565007	T-32502	Structure of apex of right ventricle (body structure)
128566008	D4-33512	Congenital pulmonary vein confluence (disorder)
128567004	D4-33514	Congenital pulmonary venous atrium (disorder)
128568009	D4-33516	Congenital systemic venous atrium (disorder)
128569001	T-49535	Posterior medial tributary of superficial venous system of lower extremity (body structure)
128570000	D4-31022	Left ventricle outflow chamber (disorder)
128572008	D4-31032	Right ventricle outflow chamber (disorder)
128573003	PA-50031	Hemodynamic measurement via dual catheter method (regime/therapy)
128575005	PA-50033	Hemodynamic measurement via pullback method (regime/therapy)
128576006	PA-50034	Computed hemodynamic measurement method (regime/therapy)
128577002	PA-50035	Composite hemodynamic measurement method (regime/therapy)
128578007	PA-50036	Static catheter hemodynamic measurement method (regime/therapy)
128579004	PA-50037	Hemodynamic measurement via wedge method (regime/therapy)
128580001	PA-50038	Averaged hemodynamic measurement method (regime/therapy)
128581002	PA-50039	Fluid filled catheter hemodynamic measurement method (regime/therapy)
128582009	PA-5003A	Tip manometer hemodynamic measurement method (regime/therapy)
128583004	T-4884A	Structure of mesenteric vein (body structure)
128584005	D4-33142	Congenital pulmonary artery conduit (disorder)
128585006	T-48503	Anomalous pulmonary vein (morphologic abnormality)
128586007	T-32190	Pulmonary chamber of cor triatriatum (morphologic abnormality)
128587003	T-D930A	Structure of saphenofemoral junction (body structure)
128589000	T-44007	Systemic collateral artery to lung (morphologic abnormality)
128591008	G-DE02	Structure of high right atrium (body structure)
128592001	G-DE04	Lateral high right atrium (body structure)
128593006	G-DE06	Structure of mid right atrium (body structure)
128594000	G-DE08	Structure of low right atrium (body structure)
128595004	T-32202	Structure of tendon of Todaro (body structure)
128617001	M-39390	Arteriovenous fistula (morphologic abnormality)
128632008	M-80463	Non-small cell carcinoma (morphologic abnormality)
128651002	M-82040	Lactating adenoma (morphologic abnormality)
128696009	M-85072	Intraductal micropapillary carcinoma (morphologic abnormality)
128738002	M-88250	Myofibroblastoma (morphologic abnormality)
128765009	M-89830	Adenomyoepithelioma (morphologic abnormality)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
128947001	G-D870	Graft to cited body segment (substance)
128948006	G-D872	Graft to distal anastomosis (substance)
128949003	G-D871	Graft to proximal anastomosis (substance)
128950003	G-D873	Arterial graft to cited segment (substance)
128951004	G-D874	Venous graft to cited segment (substance)
128952006	P1-3160A	Catheterization of both left and right heart with graft (procedure)
128953001	P1-3160B	Catheterization of both left and right heart without graft (procedure)
128954007	G-7292	Procedure phase (qualifier value)
128955008	G-7293	Cardiac catheterization baseline phase (qualifier value)
128956009	G-7294	Cardiac catheterization image acquisition phase (qualifier value)
128957000	G-7295	Cardiac catheterization intervention phase (qualifier value)
128958005	G-7296	Cardiac catheterization pre-intervention phase (qualifier value)
128959002	G-7297	Cardiac catheterization therapy phase (qualifier value)
128960007	G-7298	Cardiac catheterization post-intervention phase (qualifier value)
128961006	G-7299	Cardiac catheterization bailout phase (qualifier value)
128963009	P2-71302	Head up physiologic challenge (procedure)
128964003	P2-71304	Leg up physiologic challenge (procedure)
128965002	P2-71306	Hand grip physiologic challenge (procedure)
128966001	P2-71308	Negative lower body pressure physiologic challenge (procedure)
128967005	P2-71310	Exercise challenge (procedure)
128968000	P2-71312	Vagal stimulation physiologic challenge (procedure)
128969008	P2-71314	Held inspiration physiologic challenge (procedure)
128970009	P2-71316	Held ventilation physiologic challenge (procedure)
128971008	P2-71318	Post volume challenge (procedure)
128974000	F-01602	Baseline state (finding)
128975004	F-01604	Resting state (finding)
128976003	F-01606	Exercise state (finding)
128977007	F-01608	Pre-exercise state (finding)
128979005	T-45416	Lacrimal artery, right (body structure)
128981007	A-00203	Baffle, device (physical object)
129082007	G-729A	Electrophysiology procedure baseline phase (qualifier value)
129083002	G-729B	Cardiac catheterization post-contrast phase (qualifier value)
129085009	G-72BB	Cardiac catheterization procedure phase (qualifier value)
129086005	G-729C	Sinus node recovery phase (qualifier value)
129087001	G-729D	Atrial effective refractory period (observable entity)
129088006	G-729E	Ventricular effective refractory period (observable entity)
129089003	G-729F	Radiofrequency ablation procedure phase (qualifier value)
129090007	G-7304	Carotid sinus massage procedure phase (qualifier value)
129091006	G-7305	Post-defibrillation procedure phase (qualifier value)
129092004	G-7406	Electrophysiology mapping phase (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
129093009	G-7408	Post-ablation phase (qualifier value)
129095002	P2-7131A	Bruce protocol (qualifier value)
129096001	P2-7131B	Modified Bruce protocol (qualifier value)
129097005	P2-7131C	Balke protocol (qualifier value)
129098000	P2-7131D	Ellestad protocol (procedure)
129099008	P2-7131E	Ramp protocol (procedure)
129100000	P2-7131F	Pepper protocol (procedure)
129101001	P2-713A0	Naughton protocol (qualifier value)
129102008	P2-713A1	Modified Naughton protocol (qualifier value)
129113006	A-28051	Intra-aortic balloon pump, device (physical object)
129226004	G-D065	Transorbital approach (qualifier value)
129379006	P0-02125	Fusion - action (qualifier value)
129380009	P0-02126	Anchoring - action (qualifier value)
129411004	P0-02160	Traction - action (qualifier value)
129428001	P0-02179	Preventive - procedure intent (qualifier value)
129460009	A-10042	Compression paddle, device (physical object)
129463006	A-1016B	J wire, device (physical object)
129467007	A-16016	Identification plate, device (physical object)
129499001	C-B1033	Spiperone F ¹⁸ (substance)
129500005	C-B1034	Fluoro-L-dopa F ¹⁸ (substance)
129501009	C-B1032	Sodium fluoride F ¹⁸ (substance)
129502002	C-B1036	Thymidine F ¹⁸ (substance)
129503007	C-B1037	Rubidium chloride Rb ⁸² (substance)
129504001	C-B1038	Oxygen O ¹⁵ (substance)
129505000	C-B1039	Oxygen-water O ¹⁵ (substance)
129506004	C-B103A	Carbon monoxide O ¹⁵ (substance)
129507008	C-B103B	Carbon dioxide O ¹⁵ (substance)
129508003	C-B103C	Ammonia N ¹³ (substance)
129509006	C-B103D	Glutamate N ¹³ (substance)
129510001	C-B103E	Methionine C ¹¹ (substance)
129511002	C-B103F	Carfentanil C ¹¹ (substance)
129512009	C-B1042	Raclopride C ¹¹ (substance)
129513004	C-B1043	Acetate C ¹¹ (substance)
129514005	C-B1044	Palmitate C ¹¹ (substance)
129515006	C-B1045	Carbon monoxide C ¹¹ (substance)
129516007	C-B1046	Germanium Ge ⁶⁸ (substance)
129517003	C-B1047	Sodium Na ²² (substance)
129715009	F-01710	Mammographic breast composition finding (finding)
129716005	F-01711	Almost entirely fat breast composition (finding)
129717001	F-01712	Mammographic breast composition showing scattered fibroglandular densities (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
129718006	F-01713	Heterogeneously dense breast composition (finding)
129719003	F-01714	Extremely dense breast composition (finding)
129720009	F-01720	Finding of change since previous mammogram (finding)
129721008	F-01721	New finding since previous mammogram (finding)
129722001	F-01722	Finding partially removed since previous mammogram (finding)
129723006	F-01723	No significant change since previous mammogram (finding)
129726003	F-01726	Increase in number of calcifications since previous mammogram (finding)
129727007	F-01727	Decrease in number of calcifications since previous mammogram (finding)
129728002	F-01728	Finding less well defined since previous mammogram (finding)
129729005	F-01729	Finding more defined since previous mammogram (finding)
129730000	F-0172A	Removal of implant since previous mammogram (finding)
129731001	F-0172B	Implant revised since previous mammogram (finding)
129737002	F-01740	Radiographic lesion margin characteristics (finding)
129738007	F-01741	Lesion with circumscribed margin (finding)
129739004	F-01742	Lesion with microlobulated margin (finding)
129740002	F-01743	Lesion with obscured margin (finding)
129741003	F-01744	Lesion with indistinct margin (finding)
129742005	F-01745	Lesion with spiculated margin (finding)
129744006	F-01751	Lesion with high radiographic density (finding)
129745007	F-01752	Lesion with equal (isodense) radiographic density (finding)
129746008	F-01753	Lesion with low radiographic density (not containing fat) (finding)
129747004	F-01754	Lesion with fat containing (radiolucent) density (finding)
129748009	F-01760	Radiographic calcification finding (finding)
129749001	F-01761	Coarse (popcorn-like) radiographic calcification (finding)
129750001	F-01762	Dystrophic radiographic calcification (finding)
129751002	F-01763	Eggshell radiographic calcification (finding)
129752009	F-01764	Large rod-like radiographic calcification (finding)
129753004	F-01765	Milk of calcium radiographic calcification (finding)
129754005	F-01766	Lucent-centered radiographic calcification (finding)
129755006	F-01767	Punctate radiographic calcification (finding)
129756007	F-01768	Round shaped radiographic calcification (finding)
129757003	F-01769	Radiographic finding of calcified skin of breast (finding)
129758008	F-0176A	Radiographic finding of calcified suture material (finding)
129759000	F-0176B	Radiographic finding of vascular calcification (finding)
129760005	F-0176C	Radiographic finding of amorphous calcification (finding)
129761009	F-0176D	Fine, linear, (casting) radiographic calcification (finding)
129762002	F-0176E	Fine, linear, branching (casting) radiographic calcification (finding)
129763007	F-0176F	Heterogeneous radiographic calcification (finding)
129764001	F-01770	Radiographic calcification with diffuse distribution (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
129765000	F-01771	Radiographic calcification with linear distribution (finding)
129766004	F-01772	Radiographic calcification with grouped distribution (finding)
129767008	F-01773	Radiographic calcification with regional distribution (finding)
129768003	F-01774	Radiographic calcification with segmental distribution (finding)
129769006	F-01775	Radiographic calcification with clustered distribution (finding)
129770007	F-01776	Radiographic individual calcification (finding)
129772004	F-01781	1 o'clock position on mammogram (finding)
129773009	F-01782	2 o'clock position on mammogram (finding)
129774003	F-01783	3 o'clock position on mammogram (finding)
129775002	F-01784	4 o'clock position on mammogram (finding)
129776001	F-01785	5 o'clock position on mammogram (finding)
129777005	F-01786	6 o'clock position on mammogram (finding)
129778000	F-01787	7 o'clock position on mammogram (finding)
129779008	F-01788	8 o'clock position on mammogram (finding)
129780006	F-01789	9 o'clock position on mammogram (finding)
129781005	F-0178A	10 o'clock position on mammogram (finding)
129782003	F-0178B	11 o'clock position on mammogram (finding)
129783008	F-0178C	12 o'clock position on mammogram (finding)
129784002	F-0178D	Subareolar position on mammogram (finding)
129785001	F-0178E	Axillary tail position on mammogram (finding)
129786000	F-0178F	Central portion of breast position on mammogram (finding)
129788004	F-01791	Mammographic breast mass finding (finding)
129789007	F-01792	Focal asymmetric breast tissue finding (finding)
129790003	F-01793	Asymmetric breast tissue finding (finding)
129791004	F-01794	Axilla position on mammogram (finding)
129792006	F-01795	Mammographic architectural distortion of breast (finding)
129793001	F-01796	Mammographic breast density (finding)
129794007	F-01797	Tubular shaped density of breast (finding)
129795008	F-01798	Mammographic trabecular thickening of breast (finding)
129796009	F-01799	Mammographic skin retraction of breast (finding)
129797000	F-0179A	Mammographic skin thickening of breast (finding)
129806009	F-017B1	Mammographic difference in size (finding)
129807000	F-017B2	Mammographic difference in opacity (finding)
129808005	F-017B3	Mammographic difference in location (finding)
129809002	F-017B4	Mammographic difference in spatial proximity (finding)
129810007	F-017B5	Mammographic difference in number of calcifications (finding)
129811006	F-017B6	Mammographic difference in shape (finding)
129812004	F-017B7	Mammographic difference in margin (finding)
129813009	F-017B8	Mammographic difference in symmetry (finding)
130963002	F-8A063	Asynchronous involution of breast (finding)
131183008	G-A15A	Intra-articular (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131184002	G-A16A	Area of defined region (qualifier value)
131185001	G-A18A	Vertical long axis (qualifier value)
131186000	G-A18B	Horizontal long axis (qualifier value)
131187009	G-A193	Major Axis (qualifier value)
131188004	G-A194	Minor Axis (qualifier value)
131189007	G-A195	Perpendicular axis (qualifier value)
131190003	G-A196	Radius (qualifier value)
131191004	G-A197	Perimeter (qualifier value)
131192006	G-A198	Diameter of circumscribed circle (qualifier value)
131197000	G-D785	Depth (qualifier value)
131426006	L-80121	Africander cattle breed (organism)
131427002	L-80122	Ankole cattle breed (organism)
131428007	L-80123	Ankole-Watusi cattle breed (organism)
131429004	L-80124	Baladi cattle breed (organism)
131430009	L-80125	Belmont Red cattle breed (organism)
131431008	L-80126	Bonsmara cattle breed (organism)
131432001	L-80127	Damietta cattle breed (organism)
131433006	L-80128	Horro cattle breed (organism)
131434000	L-80129	Kuri cattle breed (organism)
131435004	L-8012A	Nguni cattle breed (organism)
131436003	L-8012B	Philippine Native cattle breed (organism)
131437007	L-8012C	Romagnola cattle breed (organism)
131438002	L-8012E	Sanhe cattle breed (organism)
131439005	L-8012F	Tswana cattle breed (organism)
131440007	L-80138	Tuli cattle breed (organism)
131441006	L-8013A	Aliab Dinka cattle breed (organism)
131442004	L-8013B	Alur cattle breed (organism)
131443009	L-8013C	Ankina cattle breed (organism)
131444003	L-8013D	Apulian Podolian cattle breed (organism)
131445002	L-8013E	Arado cattle breed (organism)
131446001	L-8013F	Aweil Dinka cattle breed (organism)
131447005	L-8014C	Bahima cattle breed (organism)
131448000	L-8014D	Bapedi cattle breed (organism)
131449008	L-8014E	Baria (Vietnam/Madagascar) cattle breed (organism)
131450008	L-8014F	Barotse cattle breed (organism)
131451007	L-8015A	Barra do Cuanzo cattle breed (organism)
131452000	L-8015B	Bashi cattle breed (organism)
131453005	L-8015C	Basuto cattle breed (organism)
131454004	L-8015D	Batangas cattle breed (organism)
131455003	L-8015E	Bavenda cattle breed (organism)
131456002	L-8015F	Beja cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131457006	L-80161	Calabrian cattle breed (organism)
131458001	L-80162	Blonde-du Cap Bon cattle breed (organism)
131459009	L-80163	Chan-Doc cattle breed (organism)
131460004	L-80164	Chernigov cattle breed (organism)
131461000	L-80165	Chino Santandereano cattle breed (organism)
131462007	L-80166	Cinisara cattle breed (organism)
131463002	L-80167	Cuprem Hybrid cattle breed (organism)
131464008	L-80168	Dabieshan cattle breed (organism)
131465009	L-80169	Damara cattle breed (organism)
131466005	L-8016A	Danakil cattle breed (organism)
131467001	L-8016B	Dnieper cattle breed (organism)
131468006	L-8016C	Doayo cattle breed (organism)
131469003	L-8016D	Eastern Nuer cattle breed (organism)
131470002	L-8016E	Egyptian cattle breed (organism)
131471003	L-8016F	Fogera cattle breed (organism)
131472005	L-80177	Garfagnina cattle breed (organism)
131473000	L-80178	Grati cattle breed (organism)
131474006	L-80179	Gaunling cattle breed (organism)
131475007	L-8017A	Halhin Gol cattle breed (organism)
131476008	L-8017B	Holmonger cattle breed (organism)
131477004	L-8017C	Ilocos cattle breed (organism)
131478009	L-8017D	Iloilo cattle breed (organism)
131479001	L-8017E	Inkuku cattle breed (organism)
131480003	L-8017F	Iskar cattle breed (organism)
131481004	L-80180	Istrian cattle breed (organism)
131482006	L-80181	Javanese Ongole cattle breed (organism)
131483001	L-80182	Javanese Zebu cattle breed (organism)
131484007	L-80183	Jinnan cattle breed (organism)
131485008	L-80184	Kalmyk cattle breed (organism)
131486009	L-80185	Kaokoveld cattle breed (organism)
131487000	L-80186	Kazakh Whitehead cattle breed (organism)
131488005	L-80187	Kedah-Kelantan cattle breed (organism)
131489002	L-80188	Kigezi cattle breed (organism)
131490006	L-80189	Kisantu cattle breed (organism)
131491005	L-8018A	Kolubara cattle breed (organism)
131492003	L-8018B	Kurgan cattle breed (organism)
131493008	L-8018C	Kyoga cattle breed (organism)
131494002	L-8018D	Lucanian cattle breed (organism)
131495001	L-8018E	Maremma cattle breed (organism)
131496000	L-8018F	Marianas cattle breed (organism)
131497009	L-80190	Maryuti cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131498004	L-80191	Mauritius Créole cattle breed (organism)
131499007	L-80192	Menufi cattle breed (organism)
131500003	L-80193	Mezzalina cattle breed (organism)
131501004	L-80194	Modicana cattle breed (organism)
131502006	L-80195	Moi cattle breed (organism)
131503001	L-80196	Nama cattle breed (organism)
131504007	L-80197	Nanyang cattle breed (organism)
131505008	L-80198	N'Dama Sanga cattle breed (organism)
131506009	L-80199	Nganda cattle breed (organism)
131507000	L-8019A	Nilotic Sanga cattle breed (organism)
131508005	L-8019B	Nkone cattle breed (organism)
131509002	L-8019C	North Malawi Angoni cattle breed (organism)
131510007	L-8019D	Nuer cattle breed (organism)
131511006	L-8019E	Nuras cattle breed (organism)
131512004	L-8019F	Nyoro cattle breed (organism)
131513009	L-801A0	Ovambo cattle breed (organism)
131514003	L-801A1	Pantelleria cattle breed (organism)
131515002	L-801A2	Pinzhou cattle breed (organism)
131516001	L-801A3	Porto Amboim cattle breed (organism)
131517005	L-801A4	Posavina cattle breed (organism)
131518000	L-801A5	Romanian Steppe cattle breed (organism)
131519008	L-801A6	Saidi cattle breed (organism)
131520002	L-801A7	Sardo-Modicana cattle breed (organism)
131521003	L-801A8	Sengologa cattle breed (organism)
131522005	L-801A9	Serere cattle breed (organism)
131523000	L-801AA	Seshaga cattle breed (organism)
131524006	L-801AB	Siberian Black Pied cattle breed (organism)
131525007	L-801AC	Socotra cattle breed (organism)
131526008	L-801AD	Southern Tswana cattle breed (organism)
131527004	L-801AE	Spreca cattle breed (organism)
131528009	L-801AF	Sunkuma cattle breed (organism)
131529001	L-801B0	Taiwan Zebu cattle breed (organism)
131530006	L-801B1	Thai cattle breed (organism)
131531005	L-801B2	Thailand Fighting Zebu cattle breed (organism)
131532003	L-801B3	Thanh-Hoa cattle breed (organism)
131533008	L-801B4	Tibetan cattle breed (organism)
131534002	L-801B5	Tonga cattle breed (organism)
131535001	L-801B6	Toro cattle breed (organism)
131536000	L-801B7	Tuni cattle breed (organism)
131537009	L-801B8	Turkish Gray Steppe cattle breed (organism)
131538004	L-801B9	Tuy-Hoa cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131539007	L-801BA	Ujumqin cattle breed (organism)
131540009	L-801BB	Abigar cattle breed (organism)
131541008	L-801BC	Africangus cattle breed (organism)
131542001	L-801BD	Agerolese cattle breed (organism)
131543006	L-801BE	Albese cattle breed (organism)
131544000	L-801BF	Ukrainian Gray cattle breed (organism)
131545004	L-801C0	Vietnamese Yellow cattle breed (organism)
131546003	L-801C1	Watusi (United States of America) cattle breed (organism)
131547007	L-801C2	Wenshan cattle breed (organism)
131548002	L-801C3	Yakut cattle breed (organism)
131549005	L-801C4	Yunnan Zebu cattle breed (organism)
131550005	L-801C5	Zambia Angoni cattle breed (organism)
131551009	L-801C6	Drakensberger cattle breed (organism)
131552002	L-801C7	Modicana lowland cattle breed (organism)
131553007	L-801C8	Taiwan Yellow cattle breed (organism)
131554001	L-801C9	Menggu cattle breed (organism)
131555000	L-801CA	Albères cattle breed (organism)
131556004	L-801CB	Alentejana cattle breed (organism)
131557008	L-801CC	American White Park cattle breed (organism)
131558003	L-801CD	Amerifaxcattle breed (organism)
131559006	L-801CE	Anatolian Black cattle breed (organism)
131560001	L-801CF	Andalusian Black cattle breed (organism)
131561002	L-801D0	Andalusian Gray cattle breed (organism)
131562009	L-801D1	Angeln cattle breed (organism)
131563004	L-801D2	Asturian Mountain cattle breed (organism)
131564005	L-801D3	Asturian Valley cattle breed (organism)
131565006	L-801D4	Aubrac cattle breed (organism)
131566007	L-801D5	Aulie-Ata cattle breed (organism)
131567003	L-801D6	Australian Lowline cattle breed (organism)
131568008	L-801D7	Barzona cattle breed (organism)
131569000	L-801D8	Bazadais cattle breed (organism)
131570004	L-801D9	Beefmaker cattle breed (organism)
131571000	L-801DA	Belarus Red cattle breed (organism)
131572007	L-801DB	Belgian Blue cattle breed (organism)
131573002	L-801DC	Belgian Red cattle breed (organism)
131574008	L-801DD	Belmont Adaptaur cattle breed (organism)
131575009	L-801DE	Berrendas cattle breed (organism)
131576005	L-801DF	Blacksided Trondheim and Norland cattle breed (organism)
131577001	L-801E0	Blanco Orejinegro cattle breed (organism)
131578006	L-801E1	Braunvieh cattle breed (organism)
131579003	L-801E2	British White cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131580000	L-801E3	Cachena cattle breed (organism)
131581001	L-801E4	Canary Island cattle breed (organism)
131582008	L-801E5	Carinthian Blond cattle breed (organism)
131583003	L-801E6	Caucasian cattle breed (organism)
131584009	L-801E7	Charolais cattle breed (organism)
131585005	L-801EA	Chinese Black-and-White cattle breed (organism)
131586006	L-801EB	Corriente cattle breed (organism)
131587002	L-801EC	Costeño con Cuernos cattle breed (organism)
131588007	L-801ED	Damascus cattle breed (organism)
131589004	L-801EE	Danish Red cattle breed (organism)
131590008	L-801EF	Devon cattle breed (organism)
131591007	L-801F0	Dølafe cattle breed (organism)
131592000	L-801F1	Dutch Belted cattle breed (organism)
131593005	L-801F2	Dutch Friesian cattle breed (organism)
131594004	L-801F3	English Longhorn cattle breed (organism)
131595003	L-801F4	Estonian Red cattle breed (organism)
131596002	L-801F5	Evolène cattle breed (organism)
131597006	L-801F6	Fighting Bull cattle breed (organism)
131598001	L-801F7	Fjall cattle breed (organism)
131599009	L-801F8	Florida Cracker/Pineywoods cattle breed (organism)
131600007	L-801F9	Galician Blond cattle breed (organism)
131601006	L-801FA	Gascon cattle breed (organism)
131602004	L-801FB	German Red Pied cattle breed (organism)
131603009	L-801FC	Glan cattle breed (organism)
131604003	L-801FD	Gloucester cattle breed (organism)
131605002	L-801FE	Groningen Whiteheaded cattle breed (organism)
131606001	L-801FF	Hartón cattle breed (organism)
131607005	L-80217	Mixed Breed Goat (organism)
131608000	L-80218	Australian Goat breed (organism)
131609008	L-80219	Arapawa Island goat breed (organism)
131610003	L-8021A	Maltese goat breed (organism)
131611004	L-8021B	Provençale goat breed (organism)
131612006	L-8021C	Negra Serrana goat breed (organism)
131613001	L-8021D	Orobica goat breed (organism)
131614007	L-8021E	Roya-Vesubie goat breed (organism)
131615008	L-8021F	Retinta Extremena goat breed (organism)
131616009	L-80220	Appenzell goat breed (organism)
131617000	L-80221	American Cashmere goat breed (organism)
131618005	L-80222	Altai Mountain goat breed (organism)
131619002	L-80223	Pyrenean goat breed (organism)
131620008	L-80224	Bagot goat breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131621007	L-80225	Russian White goat breed (organism)
131622000	L-80226	Moxotó goat breed (organism)
131623005	L-80227	Myotonic goat breed (organism)
131624004	L-80228	Nachi goat breed (organism)
131625003	L-80229	Nigerian Dwarf goat breed (organism)
131626002	L-8022A	Sarda goat breed (organism)
131627006	L-8022B	Serpentina goat breed (organism)
131628001	L-8022C	Serrana goat breed (organism)
131629009	L-8022D	Verata goat breed (organism)
131630004	L-8022E	Verzasca black goat breed (organism)
131631000	L-80230	Norwegian goat breed (organism)
131632007	L-80231	Oberhasli goat breed (organism)
131633002	L-80232	Peacock Goat breed (organism)
131634008	L-80233	Philippine goat breed (organism)
131635009	L-80234	Loashan goat breed (organism)
131636005	L-80235	San Clemente goat breed (organism)
131637001	L-80236	Somali goat breed (organism)
131638006	L-80237	Spanish goat breed (organism)
131639003	L-80238	Rove goat breed (organism)
131640001	L-80239	SRD goat breed (organism)
131641002	L-80240	Swedish Landrace goat breed (organism)
131642009	L-80241	Thuringian goat breed (organism)
131643004	L-80242	Uzbek Black goat breed (organism)
131644005	L-80243	Zhongwei goat breed (organism)
131645006	L-80244	Barbari goat breed (organism)
131646007	L-80245	Poitou goat breed (organism)
131647003	L-80246	Repartida goat breed (organism)
131648008	L-80247	Booted Goat breed (organism)
131649000	L-80248	Corsican goat breed (organism)
131650000	L-80249	Chapar goat breed (organism)
131651001	L-80250	Canindé goat breed (organism)
131652008	L-80251	Canary Island goat breed (organism)
131653003	L-80252	Daera Din Panah goat breed (organism)
131654009	L-80253	British Alpine goat breed (organism)
131655005	L-80254	Bhuj goat breed (organism)
131656006	L-80255	Boer goat breed (organism)
131657002	L-80256	Benadir goat breed (organism)
131658007	L-80257	Créole Antilles goat breed (organism)
131659004	L-80258	Beetal goat breed (organism)
131660009	L-80259	Golden Guernsey goat breed (organism)
131661008	L-80260	Danish Landrace goat breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131662001	L-80261	Kaghani goat breed (organism)
131663006	L-80263	Irish Goat breed (organism)
131664000	L-80265	Grisons Striped goat breed (organism)
131665004	L-80266	Jining Gray goat breed (organism)
131666003	L-80267	Finnish Landrace goat breed (organism)
131667007	L-80268	Erzgebirg goat breed (organism)
131668002	L-80269	Kamori goat breed (organism)
131669005	L-80270	Don goat breed (organism)
131670006	L-80271	Kiko goat breed (organism)
131671005	L-80272	Kinder goat breed (organism)
131672003	L-80273	Pygora goat breed (organism)
131673008	L-80274	Wooden Leg goat breed (organism)
131674002	L-80275	Alpine Chamoisee goat breed (organism)
131675001	L-80276	Massif Central goat breed (organism)
131676000	L-80277	Malagueña goat breed (organism)
131677009	L-80278	Algarvia goat breed (organism)
131678004	L-80279	British Saanen goat breed (organism)
131679007	L-80280	British Toggenburg goat breed (organism)
131680005	L-80281	Bündner goat breed (organism)
131681009	L-80282	Blanca Andaluza goat breed (organism)
131682002	L-80283	Blanca Celtiberica goat breed (organism)
131683007	L-80284	Bravia goat breed (organism)
131684001	L-80285	Black Grisonne goat breed (organism)
131685000	L-80286	Chamois of the Alps goat breed (organism)
131686004	L-80287	Charnequeria goat breed (organism)
131687008	L-80288	Carpathe goat breed (organism)
131688003	L-80289	Col Noir du Valais goat breed (organism)
131689006	L-80290	Damani goat breed (organism)
131690002	L-80291	Des Fosses (Communes de l'Ouest) goat breed (organism)
131691003	L-80292	English goat breed (organism)
131692005	L-80293	English Guernsey goat breed (organism)
131693000	L-80294	German colored goat breed (organism)
131694006	L-80295	Guadarrama goat breed (organism)
131695007	L-80296	Garganica goat breed (organism)
131696008	L-80297	Girgentana goat breed (organism)
131697004	L-80298	Jonica goat breed (organism)
131698009	L-80299	Murciana-Granadina goat breed (organism)
131699001	L-8031A	Bündner Oberland sheep breed (organism)
131700000	L-8031B	British Milk Sheep breed (organism)
131701001	L-8031C	Brillenschaf sheep breed (organism)
131702008	L-8031D	Brecknock Hill Cheviot sheep breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131703003	L-8031E	Cholistani sheep breed (organism)
131704009	L-8031F	Bibrik sheep breed (organism)
131705005	L-8032A	Columbia sheep breed (organism)
131706006	L-8032B	Black Welsh Mountain Sheep breed (organism)
131707002	L-8032C	Blackhead Persian sheep breed (organism)
131708007	L-8032D	Bleu du Maine sheep breed (organism)
131709004	L-8032E	Bluefaced Leicester sheep breed (organism)
131710009	L-8032F	Bond sheep breed (organism)
131711008	L-8033A	Border Leicester sheep breed (organism)
131712001	L-8033B	Boreray sheep breed (organism)
131713006	L-8033C	Bovska sheep breed (organism)
131714000	L-8033D	Braunes Bergschaf sheep breed (organism)
131715004	L-8033E	Brazilian Somali sheep breed (organism)
131716003	L-8033F	Beulah Speckled-Face sheep breed (organism)
131717007	L-8034A	Dartmoor sheep breed (organism)
131718002	L-8034B	Fabrianese sheep breed (organism)
131719005	L-8034C	Exmoor Horn sheep breed (organism)
131720004	L-8034D	Elliottdale sheep breed (organism)
131721000	L-8034E	Drysdale sheep breed (organism)
131722007	L-8034F	Dorset Down sheep breed (organism)
131723002	L-80351	German Blackheaded Mutton sheep breed (organism)
131724008	L-80352	Kooka sheep breed (organism)
131725009	L-80353	Friesian Milk Sheep breed (organism)
131726005	L-80354	Gansu Alpine Fine-wool sheep breed (organism)
131727001	L-80355	German Whiteheaded Mutton sheep breed (organism)
131728006	L-80356	Graue Gehoernte Heidschnucke sheep breed (organism)
131729003	L-80357	Han sheep breed (organism)
131730008	L-80358	Gromark sheep breed (organism)
131731007	L-80359	Gulf Coast Native sheep breed (organism)
131732000	L-8035A	Dorper sheep breed (organism)
131733005	L-8035B	Devon Closewool sheep breed (organism)
131734004	L-8035C	Deutsches Blaukoepfiges Fleischschaf sheep breed (organism)
131735003	L-8035D	Derbyshire Gritstone sheep breed (organism)
131736002	L-8035E	Coburger Fuchsschaf sheep breed (organism)
131737006	L-8035F	Danish Landrace sheep breed (organism)
131738001	L-80360	Gute sheep breed (organism)
131739009	L-80361	Hampshire sheep breed (organism)
131740006	L-80362	Gentile di Puglia sheep breed (organism)
131741005	L-80363	German Mountain sheep breed (organism)
131742003	L-80364	Luzen sheep breed (organism)
131743008	L-80365	Katahdin sheep breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131744002	L-80366	Leineschaf sheep breed (organism)
131745001	L-80367	Lincoln Longwool sheep breed (organism)
131746000	L-80368	Llanwenog sheep breed (organism)
131747009	L-80369	Lleyn sheep breed (organism)
131748004	L-8036A	Damara sheep breed (organism)
131749007	L-8036B	Damani sheep breed (organism)
131750007	L-8036C	Dalesbred sheep breed (organism)
131751006	L-8036D	Dala sheep breed (organism)
131752004	L-8036E	Criollo sheep breed (organism)
131753009	L-8036F	Cormo sheep breed (organism)
131754003	L-80370	Lati sheep breed (organism)
131755002	L-80371	Lonk sheep breed (organism)
131756001	L-80372	Langhe sheep breed (organism)
131757005	L-80373	Manx Loaghtan sheep breed (organism)
131758000	L-80374	Masai sheep breed (organism)
131759008	L-80375	Merinolandschaf sheep breed (organism)
131760003	L-80376	Lohi sheep breed (organism)
131761004	L-80377	Ile-de-France sheep breed (organism)
131762006	L-80378	Hasht Nagri sheep breed (organism)
131763001	L-80379	Hazaragie sheep breed (organism)
131764007	L-8037A	Coopworth sheep breed (organism)
131765008	L-8037B	Comisana sheep breed (organism)
131766009	L-8037C	Comeback sheep breed (organism)
131767000	L-8037D	Sicilian Barbary sheep breed (organism)
131768005	L-8037E	Africana sheep breed (organism)
131769002	L-8037F	Welsh Mountain Badger Faced sheep breed (organism)
131770001	L-80380	Hebridean sheep breed (organism)
131771002	L-80381	Heidschnucke sheep breed (organism)
131772009	L-80382	Herdwick sheep breed (organism)
131773004	L-80383	Hill Radnor sheep breed (organism)
131774005	L-80384	Icelandic sheep breed (organism)
131775006	L-80385	Harnai sheep breed (organism)
131776007	L-80386	Istrian Pramenka sheep breed (organism)
131777003	L-80387	Jacob sheep breed (organism)
131778008	L-80388	Jezerskosolcavska sheep breed (organism)
131779000	L-80389	Kachhi sheep breed (organism)
131780002	L-8038A	Wensleydale sheep breed (organism)
131781003	L-8038B	West African Dwarf sheep breed (organism)
131782005	L-8038C	White Suffolk sheep breed (organism)
131783000	L-8038D	Whiteface Dartmoor sheep breed (organism)
131784006	L-8038E	Whiteface Woodland sheep breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131785007	L-8038F	Xinjiang Finewool sheep breed (organism)
131786008	L-80390	Kajli sheep breed (organism)
131787004	L-80391	Hog Island Sheep breed (organism)
131788009	L-80392	Biellese sheep breed (organism)
131789001	L-80393	Chios sheep breed (organism)
131790005	L-80394	Santa Cruz sheep breed (organism)
131791009	L-80395	Charollais sheep breed (organism)
131792002	L-80396	Castlemilk Moorit sheep breed (organism)
131793007	L-80397	Campanian Barbary sheep breed (organism)
131794001	L-80398	California Variegated Mutant sheep breed (organism)
131795000	L-80399	California Red sheep breed (organism)
131796004	L-8039A	Sopravissana sheep breed (organism)
131797008	L-8039B	Somali sheep breed (organism)
131798003	L-8039C	Welsh Hill Speckled Face sheep breed (organism)
131799006	L-8039D	Skudde sheep breed (organism)
131800005	L-8039E	Waziri sheep breed (organism)
131801009	L-8039F	Shetland sheep breed (organism)
131802002	L-80403	Cambridge sheep breed (organism)
131803007	L-80404	Solognote sheep breed (organism)
131804001	L-8040A	Colombian Criollo horse breed (organism)
131805000	L-8040B	Comtois horse breed (organism)
131806004	L-8040C	Corsican horse breed (organism)
131807008	L-8040D	Costa Rican Saddle Horse horse breed (organism)
131808003	L-8040E	Costeno horse breed (organism)
131809006	L-8040F	Cuban Paso horse breed (organism)
131816007	L-80420	Rough Fell sheep breed (organism)
131819000	L-8042D	Danish Warmblood horse breed (organism)
131822003	L-80432	Swaledale sheep breed (organism)
131823008	L-80434	Polypay sheep breed (organism)
131830002	L-80441	Pagliarola sheep breed (organism)
131831003	L-80442	Pomeranian Coarsewool sheep breed (organism)
131832005	L-80443	Sheep, Breed Undetermined sheep breed (organism)
131833000	L-80444	Orkney sheep breed (organism)
131834006	L-80445	Old Norwegian sheep breed (organism)
131835007	L-80446	Old Format Sheep breed (organism)
131836008	L-80447	Norwegian Fur sheep breed (organism)
131837004	L-80448	Norfolk Horn sheep breed (organism)
131838009	L-80449	Navajo-Churro sheep breed (organism)
131851004	L-80466	Racka sheep breed (organism)
131852006	L-80467	Rasa Aragonesa sheep breed (organism)
131853001	L-80468	Red Engadine sheep breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131854007	L-80469	Rhoenschaf sheep breed (organism)
131861006	L-80470	Hucul horse breed (organism)
131862004	L-80471	AraAppaloosa horse breed (organism)
131863009	L-80472	Argentine Criollo horse breed (organism)
131864003	L-80473	Argentine Polo Pony horse breed (organism)
131865002	L-80474	Australian Pony horse breed (organism)
131866001	L-80475	Auxois horse breed (organism)
131867005	L-80476	Avelignese horse breed (organism)
131868000	L-80477	Azerbaijan horse breed (organism)
131869008	L-80478	Azores horse breed (organism)
131870009	L-80479	Bali horse breed (organism)
131871008	L-8047A	Balikun horse breed (organism)
131872001	L-8047B	Waziri horse breed (organism)
131873006	L-8047C	Banker Horse horse breed (organism)
131874000	L-8047D	Bardigiano horse breed (organism)
131875004	L-8047E	Batak horse breed (organism)
131876003	L-8047F	Bavarian Warmblood horse breed (organism)
131877007	L-80480	Belgian Ardennais horse breed (organism)
131878002	L-80481	Belgian Halfblood horse breed (organism)
131879005	L-80482	Belgian Warmblood horse breed (organism)
131880008	L-80483	Bhutia horse breed (organism)
131881007	L-80484	Black Sea Horse horse breed (organism)
131882000	L-80485	Bosnian horse breed (organism)
131883005	L-80486	Boulonnais horse breed (organism)
131884004	L-80487	Brandenburg horse breed (organism)
131885003	L-80488	Brazilian Sport Horse horse breed (organism)
131886002	L-80489	British Appaloosa horse breed (organism)
131887006	L-8048A	British Riding Pony horse breed (organism)
131888001	L-8048B	British Spotted Pony horse breed (organism)
131889009	L-8048C	Buohai horse breed (organism)
131890000	L-8048D	Buryat horse breed (organism)
131891001	L-8048E	Calabrian horse breed (organism)
131892008	L-8048F	Camargue horse breed (organism)
131893003	L-80490	Canadian Cutting Horse horse breed (organism)
131894009	L-80491	Canadian Rustic Pony horse breed (organism)
131895005	L-80492	Canadian Sport Horse horse breed (organism)
131896006	L-80493	Canik horse breed (organism)
131897002	L-80494	Cape Horse horse breed (organism)
131898007	L-80496	Cerbat horse breed (organism)
131899004	L-80497	Chakouyi horse breed (organism)
131900009	L-80498	Chara Horse horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131901008	L-80499	Chickasaw horse breed (organism)
131902001	L-8049A	Chilote horse breed (organism)
131903006	L-8049B	Chinese Kazakh horse breed (organism)
131904000	L-8049C	Chinese Mongolian horse breed (organism)
131905004	L-8049D	Chumbivilcas horse breed (organism)
131906003	L-8049E	Chumysh horse breed (organism)
131907007	L-8049F	Cirit horse breed (organism)
131908002	L-804A1	Irish Draft horse breed (organism)
131909005	L-804A2	Irish Hunter horse breed (organism)
131910000	L-804A3	Cuban Trotter horse breed (organism)
131911001	L-804A4	Italian Heavy Draft horse breed (organism)
131912008	L-804A5	Jabe horse breed (organism)
131913003	L-804A6	Java horse breed (organism)
131914009	L-804A7	Vendéen sheep breed (organism)
131915005	L-804A8	Czech Warmblood horse breed (organism)
131916006	L-804A9	Jinhong horse breed (organism)
131917002	L-804AA	Jinzhou horse breed (organism)
131919004	L-804AC	Danubian horse breed (organism)
131920005	L-804AD	Karachai horse breed (organism)
131921009	L-804AE	Karakacan horse breed (organism)
131922002	L-804AF	Kathiawari horse breed (organism)
131923007	L-804B1	Ke-Er-Qin horse breed (organism)
131924001	L-804B2	Kirgiz horse breed (organism)
131925000	L-804B3	Kuznet horse breed (organism)
131926004	L-804B4	Landais horse breed (organism)
131927008	L-804B5	Lewitzer horse breed (organism)
131928003	L-804B6	Lichuan horse breed (organism)
131929006	L-804B7	Lijiang horse breed (organism)
131930001	L-804B8	Llanero horse breed (organism)
131931002	L-804B9	Lombok horse breed (organism)
131932009	L-804BA	Lundy Pony horse breed (organism)
131933004	L-804BB	Malakan horse breed (organism)
131934005	L-804BC	Malopolski horse breed (organism)
131935006	L-804BD	Datong horse breed (organism)
131936007	L-804BE	Mangalarga Paulista horse breed (organism)
131937003	L-804BF	Dulmen Pony horse breed (organism)
131938008	L-804C1	Maremmana horse breed (organism)
131939000	L-804C2	Marwari horse breed (organism)
131940003	L-804C3	Megezh horse breed (organism)
131941004	L-804C4	Megrel horse breed (organism)
131942006	L-804C5	Merens horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131943001	L-804C6	Messara horse breed (organism)
131944007	L-804C7	Sumba horse breed (organism)
131945008	L-804C8	Sumbawa horse breed (organism)
131946009	L-804C9	Swedish Ardennes horse breed (organism)
131947000	L-804CA	Dutch Tuigpaard horse breed (organism)
131948005	L-804CB	East and Southeast Anadolu horse breed (organism)
131949002	L-804CC	Thai Pony horse breed (organism)
131950002	L-804CD	Thessalonian horse breed (organism)
131951003	L-804CE	Tibetan horse breed (organism)
131952005	L-804CF	Tieling horse breed (organism)
131953000	L-804D1	Timor horse breed (organism)
131954006	L-804D2	Trakya horse breed (organism)
131955007	L-804D3	Trote en Gallope horse breed (organism)
131956008	L-804D4	Turkoman horse breed (organism)
131957004	L-804D5	Tushin horse breed (organism)
131958009	L-804D6	Tuva horse breed (organism)
131959001	L-804D7	Uzunyayla horse breed (organism)
131960006	L-804D9	Voronezh Coach Horse horse breed (organism)
131961005	L-804DA	Elegant Warmblood horse breed (organism)
131962003	L-804DB	Welsh Cob horse breed (organism)
131963008	L-804DC	Welsh Mountain Pony horse breed (organism)
131964002	L-804DE	English Hack horse breed (organism)
131965001	L-804DF	Wurttemberg horse breed (organism)
131966000	L-804E1	Xilingol horse breed (organism)
131967009	L-804E2	Yanqi horse breed (organism)
131968004	L-804E3	Yemeni Horses horse breed (organism)
131969007	L-804E4	Yili horse breed (organism)
131970008	L-804E5	Yiwu horse breed (organism)
131971007	L-804E6	Yunnan horse breed (organism)
131972000	L-804E7	German Riding Pony horse breed (organism)
131973005	L-804E8	Guangzhong horse breed (organism)
131974004	L-804E9	Guizhou horse breed (organism)
131975003	L-804EA	Guoxia horse breed (organism)
131976002	L-804EB	Erlunchun horse breed (organism)
131977006	L-804EC	Half Saddlebred horse breed (organism)
131978001	L-804ED	Flores horse breed (organism)
131979009	L-804EE	Freiberg horse breed (organism)
131980007	L-804EF	Hessen horse breed (organism)
131981006	L-804F1	Hinis horse breed (organism)
131982004	L-804F2	Hirzai horse breed (organism)
131983009	L-804F3	Hungarian Coldblood horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
131984003	L-804F4	Hungarian Dun horse breed (organism)
131985002	L-804F5	Hungarian Sport Horse horse breed (organism)
131986001	L-804F6	International Striped Horse horse breed (organism)
131987005	L-804F7	Irish Cob horse breed (organism)
131988000	L-804F8	Mezen horse breed (organism)
131989008	L-804F9	Mezohegyes Sport Horse horse breed (organism)
131990004	L-804FA	French Cob horse breed (organism)
131991000	L-804FB	French Saddle pony horse breed (organism)
131992007	L-804FC	Murakoz horse breed (organism)
131993002	L-804FE	Finnhorse Draft horse breed (organism)
131994008	L-804FF	Mecklenburg horse breed (organism)
131998006	L-80504	Catalana chicken breed (organism)
132009005	L-80542	Haiti Créole pig breed (organism)
132010000	L-80543	Manor Hybrid pig breed (organism)
132011001	L-80544	Hamline pig breed (organism)
132012008	L-80545	Manor Ranger pig breed (organism)
132013003	L-80546	Manor Meishan pig breed (organism)
132014009	L-80547	Cotswold Gold pig breed (organism)
132015005	L-80548	Cotswold Platinum pig breed (organism)
132016006	L-80549	Cotswold 16 pig breed (organism)
132017002	L-8054A	Cotswold 29 pig breed (organism)
132018007	L-8054B	Cotswold 90 pig breed (organism)
132019004	L-8054C	Hampden pig breed (organism)
132020005	L-8054D	SPM pig breed (organism)
132021009	L-8054E	High Conformation White pig breed (organism)
132022002	L-8054F	Line 32 pig breed (organism)
132023007	L-80555	Line 21 pig breed (organism)
132024001	L-80556	Meatline pig breed (organism)
132025000	L-80557	Hampline pig breed (organism)
132026004	L-80558	Euroline pig breed (organism)
132027008	L-80559	Norline pig breed (organism)
132028003	L-8055A	Premier pig breed (organism)
132029006	L-8055B	Tribred pig breed (organism)
132030001	L-8055C	American Essex pig breed (organism)
132031002	L-8055D	Sino-Gascony pig breed (organism)
132032009	L-8055E	Guadeloupe Créole pig breed (organism)
132033004	L-8055F	Managra pig breed (organism)
132034005	L-8056A	Canadian Landrace pig breed (organism)
132035006	L-8056B	Canadian Yorkshire pig breed (organism)
132036007	L-8056C	Minnesota pig (organism)
132037003	L-8056D	Pineywoods pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132038008	L-8056E	Catalina Island pig breed (organism)
132039000	L-8056F	Ras-n-Lansa pig breed (organism)
132040003	L-8057B	Pitman-Moore Miniature pig breed (organism)
132041004	L-8057C	Vita Vet Lab Minipig pig breed (organism)
132042006	L-8057D	Hanford Miniature pig breed (organism)
132043001	L-8057E	Black Hampshire pig breed (organism)
132044007	L-8057F	Red Hamprace pig breed (organism)
132045008	L-80583	American Yorkshire pig breed (organism)
132046009	L-80584	American Berkshire pig breed (organism)
132047000	L-80585	Camborough Blue pig breed (organism)
132048005	L-80586	Camborough 12 pig breed (organism)
132049002	L-80587	Westrain pig breed (organism)
132050002	L-80588	Dalland 030 pig breed (organism)
132051003	L-80589	Razor-Back pig breed (organism)
132052005	L-8058A	Macau pig breed (organism)
132053000	L-8058B	Moura pig breed (organism)
132054006	L-8058C	Canastra pig breed (organism)
132055007	L-8058D	Pirapetinga pig breed (organism)
132056008	L-8058E	Piau pig breed (organism)
132057004	L-8058F	Nilo-Canastra pig breed (organism)
132058009	L-80595	Canastrão pig breed (organism)
132059001	L-80596	Canastrão, Junqueira pig breed (organism)
132060006	L-80597	Canastrão, Capitão Chico pig breed (organism)
132061005	L-80598	Canastrão, Zabumba pig breed (organism)
132062003	L-80599	Canastrão, Cabano pig breed (organism)
132063008	L-8059A	Canastrão, Vermelho pig breed (organism)
132064002	L-8059B	Piau, Caruncho Piau pig breed (organism)
132065001	L-8059C	Canastrinho pig breed (organism)
132066000	L-8059D	Honduras Switch-Tail pig breed (organism)
132067009	L-8059E	Mastergilt pig breed (organism)
132068004	L-8059F	Sovereign pig breed (organism)
132069007	L-805A1	Poltava pig breed (organism)
132070008	L-805A2	Lipetsk pig breed (organism)
132071007	L-805A3	Soviet Meat pig breed (organism)
132072000	L-805A4	Central Russian pig breed (organism)
132073005	L-805A5	Steppe Meat pig breed (organism)
132074004	L-805A6	Kharkov pig breed (organism)
132075003	L-805A7	Dnepropetrovsk pig breed (organism)
132076002	L-805A8	Russian Large White pig breed (organism)
132077006	L-805A9	Forest Mountain pig breed (organism)
132078001	L-805AA	Dnieper pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132079009	L-805AB	Iberian pig breed (organism)
132080007	L-805AC	Iberian, Extremadura Red pig breed (organism)
132081006	L-805AD	Iberian, Jabugo Spotted pig breed (organism)
132082004	L-805AE	Iberian, Black Iberian pig breed (organism)
132083009	L-805AF	Philippine Native, Ilocos pig breed (organism)
132084003	L-805B1	Philippine Native, Jalajala pig breed (organism)
132085002	L-805B2	Mangalızta pig breed (organism)
132086001	L-805B3	Alentejana pig breed (organism)
132087005	L-805B4	Belgian Landrace, BN pig breed (organism)
132088000	L-805B5	French Large White pig breed (organism)
132089008	L-805B6	Hyper Large White pig breed (organism)
132090004	L-805B7	Tia Meslan pig breed (organism)
132091000	L-805B8	Pen ar Lan 77 pig breed (organism)
132092007	L-805B9	Penshire pig breed (organism)
132093002	L-805BA	Laconie pig breed (organism)
132094008	L-805BB	Murcian pig breed (organism)
132095009	L-805BC	Cavallino pig breed (organism)
132096005	L-805BD	Calabrian pig breed (organism)
132097001	L-805BE	Apulian pig breed (organism)
132098006	L-805BF	Siena Belted pig breed (organism)
132099003	L-805C1	Calascibetta pig breed (organism)
132100006	L-805C2	Güssing Forest Pig pig breed (organism)
132101005	L-805C3	Swiss Edelschwein pig breed (organism)
132102003	L-805C4	North Caucasus pig breed (organism)
132103008	L-805C5	Don pig breed (organism)
132104002	L-805C6	Rostov pig breed (organism)
132105001	L-805C7	Russian Long-Eared White pig breed (organism)
132106000	L-805C8	Russian Short-Eared White pig breed (organism)
132107009	L-805C9	Prisheksninsk pig breed (organism)
132108004	L-805CA	Breitov pig breed (organism)
132109007	L-805CB	Livny pig breed (organism)
132110002	L-805CC	Tsivilsk pig breed (organism)
132111003	L-805CD	Urzhum pig breed (organism)
132112005	L-805CE	Minisib pig breed (organism)
132113000	L-805CF	Sakhalin White pig breed (organism)
132114006	L-805D0	North Siberian pig breed (organism)
132115007	L-805D1	Siberian Black Pied pig breed (organism)
132116008	L-805D2	Kemerovo pig breed (organism)
132117004	L-805D3	KM-1 pig breed (organism)
132118009	L-805D4	Aksai Black Pied pig breed (organism)
132119001	L-805D5	Semirechensk pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132120007	L-805D6	Min pig breed (organism)
132121006	L-805D7	Sanjiang White pig breed (organism)
132122004	L-805D8	Basque Black Pied pig breed (organism)
132123009	L-805D9	Corsican pig breed (organism)
132124003	L-805DA	Créole pig breed (organism)
132125002	L-805DB	Gascony pig breed (organism)
132126001	L-805DC	Limousin pig breed (organism)
132127005	L-805DD	Harbin White pig breed (organism)
132128000	L-805DE	Heilongjiang Spotted pig breed (organism)
132129008	L-805DF	Liaoning Black pig breed (organism)
132130003	L-805E1	Huang-Huai-Hai Black, Shenxian pig breed (organism)
132131004	L-805E2	Huang-Huai-Hai Black pig breed (organism)
132132006	L-805E3	Bamei pig breed (organism)
132133001	L-805E4	Hanjiang Black pig breed (organism)
132134007	L-805E5	Ding pig breed (organism)
132135008	L-805E6	Huai pig breed (organism)
132136009	L-805E7	New Huai pig breed (organism)
132137000	L-805E8	Mashen pig breed (organism)
132138005	L-805E9	Yimeng Black pig breed (organism)
132139002	L-805EB	Hetao Lop-Ear pig breed (organism)
132140000	L-805EC	Korean Native pig breed (organism)
132141001	L-805ED	Korean Improved pig breed (organism)
132142008	L-805EE	Penbuk pig breed (organism)
132143003	L-805EF	Beijing Black pig breed (organism)
132144009	L-805F1	Chenghua pig breed (organism)
132145005	L-805F2	Taoyuan pig breed (organism)
132146006	L-805F3	Taiwan Small Black pig breed (organism)
132147002	L-805F4	Taiwan Small Red pig breed (organism)
132148007	L-805F5	Guanling pig breed (organism)
132149004	L-805F6	Huchuan Mountain pig breed (organism)
132150004	L-805F7	Rongchang pig breed (organism)
132151000	L-805F8	Wujin pig breed (organism)
132152007	L-805F9	Dahe pig breed (organism)
132153002	L-805FA	Yanan pig breed (organism)
132154008	L-805FB	South Yunnan Short-Eared pig breed (organism)
132155009	L-805FC	Hainan, Lingao pig breed (organism)
132156005	L-805FD	Hainan, Tunchang pig breed (organism)
132157001	L-805FE	Hainan, Wenchang pig breed (organism)
132158006	L-805FF	Liang Guang Small Spotted pig breed (organism)
132159003	L-8060A	German Pasture pig breed (organism)
132160008	L-8060B	Piau, Sorocaba pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132161007	L-8060C	Nilo pig breed (organism)
132162000	L-8060D	Bahia pig breed (organism)
132163005	L-8060E	Perna-Curta pig breed (organism)
132164004	L-8060F	Carunchinho pig breed (organism)
132165003	L-80613	Mandi pig breed (organism)
132166002	L-80614	Orehla de Colher pig breed (organism)
132167006	L-80615	Venezuelan Black pig breed (organism)
132168001	L-80616	Bolivian pig breed (organism)
132169009	L-80617	Pelón pig breed (organism)
132170005	L-80618	Mexican Wattled pig breed (organism)
132171009	L-80619	Dalland 080 pig breed (organism)
132173007	L-8061B	Monarch pig breed (organism)
132174001	L-8061C	Bisaro pig breed (organism)
132175000	L-8061D	Black Hairless pig breed (organism)
132176004	L-8061E	Black Mangalitsa pig breed (organism)
132178003	L-80623	Borghigiana pig breed (organism)
132179006	L-80624	Chianina pig breed (organism)
132180009	L-80625	Cosentina pig breed (organism)
132181008	L-80626	Cuino pig breed (organism)
132182001	L-80627	Friuli Black pig breed (organism)
132183006	L-80628	Fumati pig breed (organism)
132184000	L-80629	Galician pig breed (organism)
132185004	L-8062A	German Berkshire pig breed (organism)
132186003	L-8062B	Ghuri pig breed (organism)
132187007	L-8062C	Jianli pig breed (organism)
132188002	L-8062D	Lucanian pig breed (organism)
132189005	L-8062E	Maremmiana pig breed (organism)
132190001	L-8062F	Miami pig breed (organism)
132191002	L-80634	Montmorillon pig breed (organism)
132192009	L-80635	Old Swedish Spotted pig breed (organism)
132193004	L-80636	Oliventina pig breed (organism)
132194005	L-80637	Parmense pig breed (organism)
132195006	L-80638	Romagnola pig breed (organism)
132196007	L-80639	Siberian pig breed (organism)
132197003	L-8063A	Small White pig breed (organism)
132198008	L-8063B	Baltaret pig breed (organism)
132199000	L-8063C	Tunchang pig breed (organism)
132200002	L-8063D	Sterling pig breed (organism)
132201003	L-8063E	Vich pig breed (organism)
132202005	L-8063F	Vietnamese pig breed (organism)
132203000	L-80645	Vitoria pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132204006	L-80646	Wai Chow pig breed (organism)
132205007	L-80647	Yorkshire Blue and White pig breed (organism)
132206008	L-80648	Dalland 020 pig breed (organism)
132207004	L-80649	Wiltshire pig breed (organism)
132208009	L-8064A	Hamroc pig breed (organism)
132209001	L-8064B	DRU (TM) Terminals pig breed (organism)
132210006	L-8064C	Camborough 22 pig breed (organism)
132211005	L-8064D	Camborough 15 pig breed (organism)
132212003	L-8064E	PR 1050 pig breed (organism)
132213008	L-8064F	PR 1075 pig breed (organism)
132214002	L-8065A	Chryak PIC pig breed (organism)
132215001	L-8065B	Canadian Royal Blue pig breed (organism)
132216000	L-8065C	Line 500 Duroc pig breed (organism)
132217009	L-8065D	Bodmin 950 pig breed (organism)
132218004	L-8065E	Canadian Duroc pig breed (organism)
132219007	L-8065F	Canadian Hampshire pig breed (organism)
132220001	L-80664	Ba Xuyen pig breed (organism)
132221002	L-80665	Arapawa Island pig breed (organism)
132222009	L-80666	Wuzhishan pig breed (organism)
132223004	L-80667	Philippine Native pig breed (organism)
132224005	L-80668	Sinclair Miniature pig breed (organism)
132225006	L-80669	Saddleback pig breed (organism)
132226007	L-8066A	Yucatan Miniature pig breed (organism)
132227003	L-8066B	Bantu pig breed (organism)
132228008	L-8066C	Tibetan pig breed (organism)
132229000	L-8066D	Turopolje pig breed (organism)
132230005	L-8066E	Vietnamese Pot-Bellied Pig pig breed (organism)
132231009	L-8066F	American Landrace pig breed (organism)
132232002	L-80670	Swallow Belied Mangalitza pig breed (organism)
132233007	L-80671	Fengjing pig breed (organism)
132234001	L-80672	Finnish Landrace pig breed (organism)
132235000	L-80673	Guinea Hog pig breed (organism)
132236004	L-80674	Hezuo pig breed (organism)
132237008	L-80675	Ossabaw Island pig breed (organism)
132238003	L-80676	Kele pig breed (organism)
132239006	L-80677	Krskopolje pig breed (organism)
132240008	L-80678	Kunekune pig breed (organism)
132241007	L-80679	Large Black-White pig breed (organism)
132242000	L-8067A	Lithuanian Native pig breed (organism)
132243005	L-8067B	Meishan pig breed (organism)
132244004	L-8067C	Jinhua pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132245003	L-8067D	Ningxiang pig breed (organism)
132246002	L-8067E	Mora Romagnola pig breed (organism)
132247006	L-8067F	Mukota pig breed (organism)
132248001	L-80680	Minzhu pig breed (organism)
132249009	L-80681	Neijiang pig breed (organism)
132250009	L-80682	Mulefoot pig breed (organism)
132251008	L-80683	Normand pig breed (organism)
132252001	L-80684	Angeln Saddleback pig breed (organism)
132253006	L-80685	Greek Local pig breed (organism)
132254000	L-80686	Icelandic pig breed (organism)
132255004	L-80687	Casertana pig breed (organism)
132256003	L-80688	Madonie-Sicilian pig breed (organism)
132257007	L-80689	Sardinian pig breed (organism)
132258002	L-8068A	Sicilian pig breed (organism)
132259005	L-8068B	Zlotniki Spotted pig breed (organism)
132260000	L-8068C	Zlotniki White pig breed (organism)
132261001	L-8068D	Siska pig breed (organism)
132262008	L-8068E	Sumadija pig breed (organism)
132263003	L-8068F	Froxfield Pygmy pig breed (organism)
132264009	L-80690	Danish Large White pig breed (organism)
132265005	L-80691	Danish Duroc pig breed (organism)
132266006	L-80692	Danish Hampshire pig breed (organism)
132267002	L-80693	Piggham pig breed (organism)
132268007	L-80694	New York Red pig breed (organism)
132269004	L-80695	Finnish Yorkshire pig breed (organism)
132270003	L-80696	Dutch Yorkshire pig breed (organism)
132271004	L-80697	Pulawy pig breed (organism)
132272006	L-80698	Pomeranian pig breed (organism)
132273001	L-80699	Polish Landrace pig breed (organism)
132274007	L-8069A	Estonian Bacon pig breed (organism)
132275008	L-8069B	Latvian White pig breed (organism)
132276009	L-8069C	Lithuanian White pig breed (organism)
132277000	L-8069D	BKB-1 pig breed (organism)
132278005	L-8069E	Belorus Black Pied pig breed (organism)
132279002	L-8069F	Mirgorod pig breed (organism)
132280004	L-806A1	Liang Guang Small Spotted, Luchuan pig breed (organism)
132281000	L-806A2	Fujian Small pig breed (organism)
132282007	L-806A3	North Fujian Black-and-White pig breed (organism)
132283002	L-806A4	Fuan Spotted pig breed (organism)
132284008	L-806A5	Putian pig breed (organism)
132285009	L-806A6	Fuzhou Black pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132286005	L-806A7	Minbei Spotted pig breed (organism)
132287001	L-806A8	Lantang pig breed (organism)
132288006	L-806A9	Liang Guang Small Spotted, Guangdong Small Ear pig breed (organism)
132289003	L-806AA	Longlin pig breed (organism)
132290007	L-806AB	Yuedong Black pig breed (organism)
132291006	L-806AC	Xiang pig breed (organism)
132292004	L-806AD	Cantonese pig breed (organism)
132293009	L-806AE	Jinhua, Dongyang pig breed (organism)
132294003	L-806AF	Jinhua, Yongkang pig breed (organism)
132295002	L-806B1	Daweizi pig breed (organism)
132296001	L-806B2	Huazhong Two-End Black pig breed (organism)
132297005	L-806B3	Huazhong Two-End Black, Jianli pig breed (organism)
132298000	L-806B4	Huazhong Two-End Black, Tongcheng pig breed (organism)
132299008	L-806B5	Huazhong Two-End Black, Satzeling pig breed (organism)
132300000	L-806B6	Ganzhongnan Spotted pig breed (organism)
132301001	L-806B7	Hang pig breed (organism)
132302008	L-806B8	Leping pig breed (organism)
132303003	L-806B9	Longyou Black pig breed (organism)
132304009	L-806BA	Wuyi Black pig breed (organism)
132305005	L-806BB	Lee-Sung pig breed (organism)
132306006	L-806BC	Lan-Yu pig breed (organism)
132307002	L-806BD	Vietnamese Yorkshire pig breed (organism)
132308007	L-806BE	Yujiang pig breed (organism)
132309004	L-806BF	Wanzhe Spotted pig breed (organism)
132310009	L-806C1	Wanzhe Spotted, Chunan Spotted pig breed (organism)
132311008	L-806C2	Wanzhe Spotted, Wannan Spotted pig breed (organism)
132312001	L-806C3	Shengxian Spotted pig breed (organism)
132313006	L-806C4	Qingping pig breed (organism)
132314000	L-806C5	Xiangxi Black pig breed (organism)
132315004	L-806C6	Bamaxiang pig breed (organism)
132316003	L-806C7	Taihu pig breed (organism)
132317007	L-806C8	Erhulian pig breed (organism)
132318002	L-806C9	Jiaxing Black pig breed (organism)
132319005	L-806CA	Mi pig breed (organism)
132320004	L-806CB	Shahutou pig breed (organism)
132321000	L-806CC	Jiaoxi pig breed (organism)
132322007	L-806CD	Shanghai White pig breed (organism)
132323002	L-806CE	Hubei White pig breed (organism)
132324008	L-806CF	Xinjin pig breed (organism)
132325009	L-806D1	Xinjin, Jilin Black pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132326005	L-806D2	Xinjin, Ning-an pig breed (organism)
132327001	L-806D3	Í pig breed (organism)
132328006	L-806D4	DBI pig breed (organism)
132329003	L-806D5	Xinjin, Xinjin pig breed (organism)
132330008	L-806D6	Meixin pig breed (organism)
132331007	L-806D7	North East China Spotted pig breed (organism)
132332000	L-806D8	Fannong Spotted pig breed (organism)
132333005	L-806D9	Laoshan pig breed (organism)
132334004	L-806DA	Nanjing Black pig breed (organism)
132335003	L-806DB	Shanxi Black pig breed (organism)
132336002	L-806DC	Ganzhou White pig breed (organism)
132337006	L-806DD	Guangxi White pig breed (organism)
132338001	L-806DE	Hanzhong White pig breed (organism)
132339009	L-806DF	Lutai White pig breed (organism)
132340006	L-806E1	Yili White pig breed (organism)
132341005	L-806E2	Xinjiang White pig breed (organism)
132342003	L-806E3	BSI pig breed (organism)
132343008	L-806E4	Mong Cai pig breed (organism)
132344002	L-806E5	Lang Hong pig breed (organism)
132345001	L-806E6	Muong Khuong pig breed (organism)
132346000	L-806E7	Meo pig breed (organism)
132347009	L-806E8	Tong Con pig breed (organism)
132348004	L-806E9	Ha Bac pig breed (organism)
132349007	L-806EA	Thai Binh pig breed (organism)
132350007	L-806EB	Co pig breed (organism)
132351006	L-806EC	Swiss Improved Landrace pig breed (organism)
132352004	L-806ED	German Landrace B pig breed (organism)
132353009	L-806EE	Edelschwein pig breed (organism)
132354003	L-806EF	Swabian-Hall pig breed (organism)
132355002	L-806F1	Bentheim Black Pied pig breed (organism)
132356001	L-806F2	Baldinger Spotted pig breed (organism)
132357005	L-806F3	German Red Pied pig breed (organism)
132358000	L-806F4	German Cornwall pig breed (organism)
132359008	L-806F5	Göttingen Miniature pig breed (organism)
132360003	L-806F6	Munich Miniature pig breed (organism)
132361004	L-806F8	Leicoma pig breed (organism)
132362006	L-806F9	Schwerfurt Meat pig breed (organism)
132363001	L-806FA	Hungarian White pig breed (organism)
132364007	L-806FB	Hungahyb pig breed (organism)
132365008	L-806FC	Bulgarian Native pig breed (organism)
132366009	L-806FD	East Balkan pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132367000	L-806FE	Kula pig breed (organism)
132368005	L-806FF	Nghia Binh pig breed (organism)
132369002	L-8077A	Dachshund, Miniature breed (organism)
132371002	L-807E2	Bichon Teneriffe dog breed (organism)
132372009	L-807E3	Bizanian Hound dog breed (organism)
132373004	L-807E4	Saint Hubert bloodhound dog breed (organism)
132374005	L-807E5	Bloodhound, Southern Hound dog breed (organism)
132376007	L-807E7	Brandlbracke dog breed (organism)
132377003	L-807E8	Braque d'Ariège dog breed (organism)
132378008	L-807E9	Portuguese Guard Dog breed (organism)
132379000	L-807EA	Great Münsterländer dog breed (organism)
132380002	L-807EB	Beagle, Smooth dog breed (organism)
132381003	L-807EC	Beagle, Rough dog breed (organism)
132382005	L-807ED	Belgian Griffon, Rough dog breed (organism)
132383000	L-807EE	Belgian Griffon, Smooth dog breed (organism)
132384006	L-807EF	Braque Belge dog breed (organism)
132385007	L-807F1	Belgian Street Dog breed (organism)
132386008	L-807F2	Bernese Hound dog breed (organism)
132387004	L-808A1	Eurasier dog breed (organism)
132388009	L-808A2	English Bulldog breed (organism)
132389001	L-808A3	Dogue de Bordeaux dog breed (organism)
132390005	L-808A4	Kai Ken dog breed (organism)
132391009	L-808A5	Kui Milk dog breed (organism)
132392002	L-808A6	Argentine Dogo dog breed (organism)
132393007	L-808A7	Alentejo herder dog breed (organism)
132394001	L-808A8	Saint Bernard, Long-haired dog breed (organism)
132395000	L-808A9	Saint Bernard, Short-haired dog breed (organism)
132396004	L-808AA	West Siberian Laika dog breed (organism)
132397008	L-808AB	Basset Fauve de Bretagne dog breed (organism)
132398003	L-808AC	Japanese Retriever dog breed (organism)
132399006	L-808AD	Kai Dog breed (organism)
132400004	L-808AE	American Blue Gascon Hound dog breed (organism)
132401000	L-808AF	Beagle Harrier dog breed (organism)
132402007	L-808B1	Kangal Dog breed (organism)
132403002	L-808B2	Leopard Cur dog breed (organism)
132404008	L-808B3	Patterdale Terrier dog breed (organism)
132405009	L-808B4	Petit Brabaçon dog breed (organism)
132406005	L-808B5	Aidi dog breed (organism)
132407001	L-808B6	American Indian Dog breed (organism)
132408006	L-808B7	Austrian Pinscher dog breed (organism)
132409003	L-808B8	American Eskimo, standard dog breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132410008	L-808B9	American Eskimo, Miniature dog breed (organism)
132411007	L-808BA	American Eskimo, Toy dog breed (organism)
132412000	L-808BB	Basset Griffon Vendéen dog breed (organism)
132413005	L-808BC	Batard dog breed (organism)
132414004	L-808BD	Basset Bleu de Gascogne dog breed (organism)
132415003	L-808BE	Braque Dupuy dog breed (organism)
132416002	L-808BF	Bruno de Jura dog breed (organism)
132417006	L-808C1	Cão da Serra de Aires dog breed (organism)
132418001	L-808C2	Cão de Castro Laboreiro dog breed (organism)
132419009	L-808C3	Cão de Fila Miguel dog breed (organism)
132420003	L-808C4	Catalan Sheepdog breed (organism)
132421004	L-808C5	Caucasian Shepherd Dog breed (organism)
132422006	L-808C6	Cirneco dell'Etna dog breed (organism)
132423001	L-808C7	English Toy Terrier dog breed (organism)
132424007	L-808C8	German Spitz dog breed (organism)
132426009	L-808CA	Fauve de Bretagne dog breed (organism)
132427000	L-808CB	Hellenic Hound dog breed (organism)
132428005	L-808CC	Holland Shepherd dog breed (organism)
132429002	L-808CD	Japanese Spitz dog breed (organism)
132430007	L-808CE	Jämthund dog breed (organism)
132431006	L-808CF	Jindo dog breed (organism)
132432004	L-808D1	Karelo-Finnish Laika dog breed (organism)
132433009	L-808D2	King Shepherd dog breed (organism)
132434003	L-808D3	Kishu dog breed (organism)
132435002	L-808D4	Kirhiz dog breed (organism)
132436001	L-808D5	Magyar Agár dog breed (organism)
132437005	L-808D6	Middle Asian Ovtcharka dog breed (organism)
132438000	L-808D7	Mi-Ki dog breed (organism)
132439008	L-808D8	Miniature Australian Shepherd dog breed (organism)
132440005	L-808D9	Min-pei dog breed (organism)
132441009	L-808DA	Mountain Cur dog breed (organism)
132442002	L-808DB	Moscow Longhaired Toy Terrier dog breed (organism)
132443007	L-808DC	Perdigueiro Portuguese dog breed (organism)
132444001	L-808DD	Podengo Canario dog breed (organism)
132445000	L-808DE	Podengo Pequeno dog breed (organism)
132446004	L-808DF	Pressa Mallorquin dog breed (organism)
132447008	L-808E1	Pyrenean Mastiff dog breed (organism)
132448003	L-808E2	Rastreador Brasileiro dog breed (organism)
132449006	L-808E3	Sabueso Español dog breed (organism)
132450006	L-808E4	Schiller Hound dog breed (organism)
132451005	L-808E5	South Russian Steppe Hound dog breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132452003	L-808E6	Styrian Mountain dog breed (organism)
132453008	L-808E7	Berger du Languedoc dog breed (organism)
132454002	L-808E8	Teddy Roosevelt Terrier dog breed (organism)
132455001	L-808E9	Transylvanian Hound dog breed (organism)
132456000	L-808EA	Trigg Hound dog breed (organism)
132457009	L-808EB	Tyrolean Hound dog breed (organism)
132458004	L-808EC	White Shepherd dog breed (organism)
132459007	L-808ED	Wirehair Styrian mountain dog breed (organism)
132460002	L-808EE	Yugoslavian Hound dog breed (organism)
132461003	L-808EF	Old Farm Collie dog breed (organism)
132462005	L-808F1	Old German Shepherd dog breed (organism)
132463000	L-808F2	New Zealand Heading Dog breed (organism)
132464006	L-808F3	German Koolie dog breed (organism)
132465007	L-808F4	Smithfield dog breed (organism)
132466008	L-808F5	Spanish Greyhound dog breed (organism)
132467004	L-808F6	Armant dog breed (organism)
132468009	L-808F8	Australian Greyhound dog breed (organism)
132469001	L-808F9	Australian Terrier, rough-coated dog breed (organism)
132470000	L-808FA	Australian Terrier, silky dog breed (organism)
132471001	L-808FB	Austrian Hound dog breed (organism)
132472008	L-808FC	Austrian Smooth-Haired Bracke dog breed (organism)
132473003	L-808FD	Balkan Hound dog breed (organism)
132474009	L-808FE	Banjara greyhound dog breed (organism)
132475005	L-808FF	Beagle, Standard dog breed (organism)
132476006	L-80916	Estrela Mountain Dog breed (organism)
132477002	L-80917	Epagneul Picard dog breed (organism)
132478007	L-80918	Epagneul Bleu de Picardie dog breed (organism)
132479004	L-80919	Estonian Hound dog breed (organism)
132480001	L-80920	Epagneul Pont-Audemer dog breed (organism)
132481002	L-80921	Eurasian dog breed (organism)
132482009	L-80922	Fell Terrier dog breed (organism)
132483004	L-80923	Fila Brasileiro dog breed (organism)
132484005	L-80924	Finnish Hound dog breed (organism)
132485006	L-80925	Finnish Lapphund dog breed (organism)
132486007	L-80926	Entlebucher dog breed (organism)
132487003	L-80927	French Guard Dog breed (organism)
132488008	L-80928	French Spaniel dog breed (organism)
132489000	L-80929	Coton de Tuléar dog breed (organism)
132490009	L-80930	Hamiltonstövare dog breed (organism)
132491008	L-80931	Danish Broholmer dog breed (organism)
132492001	L-80932	English Shepherd dog breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132493006	L-80933	Drentse Patrijshond dog breed (organism)
132494000	L-80934	Dunker dog breed (organism)
132495004	L-80935	Kooikerhondje dog breed (organism)
132496003	L-80936	Dutch Shepherd dog breed (organism)
132497007	L-80937	East Siberian Laika dog breed (organism)
132498002	L-80938	Deutsche bracke dog breed (organism)
132499005	L-80939	Hanoverian Hound dog breed (organism)
132500001	L-80940	Hovawart dog breed (organism)
132501002	L-80941	Icelandic Sheepdog breed (organism)
132502009	L-80942	Inca Hairless Dog breed (organism)
132503004	L-80943	Irish Red and White Setter dog breed (organism)
132504005	L-80944	Jagdterrier dog breed (organism)
132505006	L-80945	German Spaniel dog breed (organism)
132506007	L-80946	Grand Anglo-Français dog breed (organism)
132507003	L-80947	Grand Bassett Griffon Vendéen dog breed (organism)
132508008	L-80948	Grand Bleu de Gascogne dog breed (organism)
132509000	L-80949	Grand Gascon-Saintongeais dog breed (organism)
132510005	L-80950	German Pinscher dog breed (organism)
132511009	L-80951	Greater Swiss Mountain Dog breed (organism)
132512002	L-80952	Greenland Dog breed (organism)
132513007	L-80953	Griffon Fauve de Bretagne dog breed (organism)
132514001	L-80954	Griffon Nivernais dog breed (organism)
132515000	L-80955	Grand Griffon Vendéen dog breed (organism)
132516004	L-80956	Ainu dog breed (organism)
132517008	L-80957	Basset Artésien Normand dog breed (organism)
132518003	L-80958	Bavarian Mountain Hound dog breed (organism)
132519006	L-80959	Beauceron dog breed (organism)
132520000	L-80960	Azawakh dog breed (organism)
132521001	L-80961	Australian Shepherd dog breed (organism)
132522008	L-80962	Belgian Wolfhound dog breed (organism)
132523003	L-80963	Bergamasco dog breed (organism)
132524009	L-80964	Berger de Picard dog breed (organism)
132525005	L-80965	Berger de Pyrenees dog breed (organism)
132526006	L-80966	Billy dog breed (organism)
132527002	L-80967	Belgian Griffon dog breed (organism)
132528007	L-80968	American Hairless Terrier dog breed (organism)
132529004	L-80969	Beagle, Elizabethan dog breed (organism)
132530009	L-80970	Japanese Pointer dog breed (organism)
132531008	L-80971	Akbash dog breed (organism)
132532001	L-80972	Alapaha blueblood bulldog breed (organism)
132533006	L-80973	Barbet dog breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132534000	L-80974	American Bulldog breed (organism)
132535004	L-80975	Black Russian Terrier dog breed (organism)
132536003	L-80976	Anglo-Francais de moyen venerie dog breed (organism)
132537007	L-80977	Anglo-Francais de petit venerie dog breed (organism)
132538002	L-80978	Appenzeller dog breed (organism)
132539005	L-80979	Ariégeois dog breed (organism)
132540007	L-80980	Alano Español dog breed (organism)
132541006	L-80981	Australian Kelpie dog breed (organism)
132542004	L-80982	Alpine dachsbracke dog breed (organism)
132543009	L-80983	Chien Français Blanc et Noir dog breed (organism)
132544003	L-80984	Carolina Dog breed (organism)
132545002	L-80985	Catahoula Leopard dog breed (organism)
132546001	L-80986	Caucasian Mountain Dog breed (organism)
132547005	L-80987	Cesky Fousek dog breed (organism)
132548000	L-80988	Cesky Terrier dog breed (organism)
132549008	L-80989	Chart Polski dog breed (organism)
132550008	L-80990	Black Forest Hound dog breed (organism)
132551007	L-80991	Chien d'Artois dog breed (organism)
132552000	L-80992	Canaan dog breed (organism)
132553005	L-80993	Chien Français Tricolore dog breed (organism)
132554004	L-80994	Chinese Crested dog breed (organism)
132555003	L-80995	Chinese Foo Dog breed (organism)
132556002	L-80996	Chinese Imperial ch'in dog breed (organism)
132557006	L-80997	Chinook dog breed (organism)
132558001	L-80998	Chien Français Blanc et Orange dog breed (organism)
132559009	L-80999	Braque Francais de Grand Taille dog breed (organism)
132560004	L-809A1	Bolognese dog breed (organism)
132561000	L-809A2	Border Collie dog breed (organism)
132562007	L-809A3	Bracco Italiano dog breed (organism)
132563002	L-809A4	Cane Corso dog breed (organism)
132564008	L-809A5	Braque du Bourbonnais dog breed (organism)
132565009	L-809A6	Braque Francais de Petite Taille dog breed (organism)
132566005	L-809A7	Braque Saint-Germain dog breed (organism)
132567001	L-809A8	Briquet Basset Griffon Vendéen dog breed (organism)
132568006	L-809A9	Black Mouth Cur dog breed (organism)
132569003	L-809AA	Braque d'Auvergne dog breed (organism)
132570002	L-809AB	Schapendoes dog breed (organism)
132571003	L-809AC	Sarplaninac dog breed (organism)
132572005	L-809AD	Russo-Laika dog breed (organism)
132573000	L-809AE	Bosnian Hound dog breed (organism)
132574006	L-809AF	Rat Terrier dog breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132575007	L-809B1	Pumi dog breed (organism)
132576008	L-809B2	Presa Canario dog breed (organism)
132577004	L-809B3	Portuguese Pointer dog breed (organism)
132578009	L-809B4	Porcelaine dog breed (organism)
132579001	L-809B5	Shropshire Terrier dog breed (organism)
132580003	L-809B6	Boykin Spaniel dog breed (organism)
132581004	L-809B7	Southern Blackmouth Cur dog breed (organism)
132582006	L-809B8	South Russian Ovcharka dog breed (organism)
132583001	L-809B9	Small Spanish Hound dog breed (organism)
132584007	L-809BA	Small Münsterländer dog breed (organism)
132585008	L-809BB	Slovak Cuvak dog breed (organism)
132586009	L-809BC	Shiloh Shepherd dog breed (organism)
132587000	L-809BD	Shiba Inu dog breed (organism)
132588005	L-809BE	Welsh Sheepdog breed (organism)
132589002	L-809BF	Shar-pei dog breed (organism)
132590006	L-809C1	Sloughi dog breed (organism)
132591005	L-809C2	Owczarek Podhalanski dog breed (organism)
132592003	L-809C3	Norbottenspets dog breed (organism)
132593008	L-809C4	Norwegian Dunkerhound dog breed (organism)
132594002	L-809C5	Old Danish Bird Dog breed (organism)
132595001	L-809C6	Old Format Dachhund dog breed (organism)
132596000	L-809C7	Old Format Manchester Terrier dog breed (organism)
132597009	L-809C8	Old Format Min/Toy Poodle dog breed (organism)
132598004	L-809C9	Old Format Welsh Corgi dog breed (organism)
132599007	L-809CA	Neopolitan Mastiff dog breed (organism)
132600005	L-809CB	Perdiguero de Burgos dog breed (organism)
132601009	L-809CC	Perdiguero Navarro dog breed (organism)
132602002	L-809CD	Peruvian Inca Orchid dog breed (organism)
132603007	L-809CE	Petit Bleu de Gascogne dog breed (organism)
132604001	L-809CF	Petit Gascon-Saintongeais dog breed (organism)
132605000	L-809D1	Petit Griffon Bleu de Gascogne dog breed (organism)
132606004	L-809D2	Olde English Bulldogge dog breed (organism)
132607008	L-809D3	Löwchen dog breed (organism)
132608003	L-809D4	Polski Owczarek Nizinny dog breed (organism)
132609006	L-809D5	Polish Hound dog breed (organism)
132610001	L-809D6	Poitevin dog breed (organism)
132611002	L-809D7	Spanish Pointer dog breed (organism)
132612009	L-809D8	Kyi-Leo dog breed (organism)
132613004	L-809D9	Large Spanish Hound dog breed (organism)
132614005	L-809DA	Lundehund dog breed (organism)
132615006	L-809DB	Lurcher Hound dog breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132616007	L-809DC	Maremma Sheepdogs dog breed (organism)
132617003	L-809DD	McNab dog breed (organism)
132618008	L-809DE	Miniature Bull Terrier dog breed (organism)
132619000	L-809DF	Mixed breed dog (organism)
132620006	L-809E1	Mudi dog breed (organism)
132621005	L-809E2	Munster Lander Pointer dog breed (organism)
132622003	L-809E3	Leonberger dog breed (organism)
132623008	L-809E4	Chi Terrier dog breed (organism)
132624002	L-809E5	Krasky Ovcara dog breed (organism)
132625001	L-809E6	Kromfohrlander dog breed (organism)
132626000	L-809E7	Havanese dog breed (organism)
132627009	L-809E8	American lamasee dog breed (organism)
132629007	L-809EA	Norwegian Lundehund dog breed (organism)
132630002	L-809EB	North American Shepherd dog breed (organism)
132631003	L-809EC	Kyi Apso dog breed (organism)
132632005	L-809ED	Swedish Lapphund dog breed (organism)
132633000	L-809EE	Treeing Tennessee Brindle dog breed (organism)
132634006	L-809EF	Telomian dog breed (organism)
132635007	L-809F1	Swedish Vallhund dog breed (organism)
132636008	L-809F2	Stumpy Tail Cattle Dog breed (organism)
132637004	L-809F3	Stabyhoun dog breed (organism)
132638009	L-809F4	Spinone Italiano dog breed (organism)
132639001	L-809F5	Spanish Mastiff dog breed (organism)
132640004	L-809F6	Berger Shetland dog breed (organism)
132641000	L-809F7	Thai Ridgeback dog breed (organism)
132642007	L-809F8	Swiss Mountain Dog breed (organism)
132643002	L-809F9	Tibetan Mastiff dog breed (organism)
132644008	L-809FA	Glen of Imaal Terrier dog breed (organism)
132645009	L-809FB	Tosa Inu dog breed (organism)
132646005	L-809FC	Toy Havanese Terrier dog breed (organism)
132647001	L-809FD	Treeing Cur dog breed (organism)
132648006	L-809FE	Treeing Feist dog breed (organism)
132649003	L-809FF	Greater Swiss Mountain Hound dog breed (organism)
132650003	L-80A70	Harlequin cat breed (organism)
132651004	L-80A71	Manxamese cat breed (organism)
132652006	L-80A73	Maltese cat breed (organism)
132653001	L-80A74	Mixed breed cat (organism)
132654007	L-80A75	Ragdoll cat breed (organism)
132655008	L-80A76	Turkish van cat breed (organism)
132656009	L-80A77	British Blue cat breed (organism)
132657000	L-80A78	American Bobtail Shorthair cat breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132658005	L-80A79	American Bobtail Longhair cat breed (organism)
132659002	L-80A80	American Curl cat breed (organism)
132660007	L-80A81	Australian Mist cat breed (organism)
132661006	L-80A83	Bengal cat breed (organism)
132662004	L-80A84	Brazilian Shorthair cat breed (organism)
132663009	L-80A85	California Spangled cat breed (organism)
132664003	L-80A86	Chantilly/Tiffany cat breed (organism)
132665002	L-80A87	Shorthair cat breed (organism)
132666001	L-80A88	German Rex cat breed (organism)
132667005	L-80A89	LaPerm Shorthair cat breed (organism)
132668000	L-80A90	LaPerm Longhair cat breed (organism)
132669008	L-80A91	Munchkin Shorthair cat breed (organism)
132670009	L-80A92	Munchkin Longhair cat breed (organism)
132671008	L-80A93	Nebelung cat breed (organism)
132672001	L-80A94	Norwegian Forest cat breed (organism)
132673006	L-80A95	Oriental Longhair cat breed (organism)
132675004	L-80A97	Ragamuffin cat breed (organism)
132676003	L-80A99	Selkirk Rex cat breed (organism)
132677007	L-80AA1	Siberian cat breed (organism)
132678002	L-80AA2	Snowshoe cat breed (organism)
132679005	L-80AA3	Sokoke cat breed (organism)
132680008	L-80AA4	Sphynx cat breed (organism)
132681007	L-80B01	Bergamasca sheep breed (organism)
132682000	L-80B02	Portland sheep breed (organism)
132684004	L-80B04	Weisse Hornlose Heidschnucke sheep breed (organism)
132685003	L-80B05	Drents Heideschaap sheep breed (organism)
132686002	L-80B06	Kameroen sheep breed (organism)
132687006	L-80B07	Mergelland sheep breed (organism)
132688001	L-80B08	Ouessant sheep breed (organism)
132689009	L-80B09	Canadian Arcott sheep breed (organism)
132690000	L-80B10	Noordhollander sheep breed (organism)
132697002	L-80B17	Rijnlam-A sheep breed (organism)
132698007	L-80B18	Schoonebeker sheep breed (organism)
132699004	L-80B19	Wallis Blacknosed Sheep breed (organism)
132701004	L-80B22	Newfoundland sheep breed (organism)
132702006	L-80B23	Wallis Country Sheep breed (organism)
132703001	L-80B24	Rideau Arcott sheep breed (organism)
132704007	L-80B25	Tukidale sheep breed (organism)
132705008	L-80B26	Polwarth sheep breed (organism)
132706009	L-80B27	Ryeland sheep breed (organism)
132707000	L-80B2A	Thalli sheep breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132708005	L-80B2B	Tong sheep breed (organism)
132709002	L-80B2C	Touabire sheep breed (organism)
132710007	L-80B2D	Tunis sheep breed (organism)
132711006	L-80B2E	Tyrol Mountain sheep breed (organism)
132712004	L-80B2F	Uda sheep breed (organism)
132716001	L-80B33	German Mutton Merino sheep breed (organism)
132717005	L-80B34	Medium-Wool Merino sheep breed (organism)
132718000	L-80B35	Fonthill Merino sheep breed (organism)
132719008	L-80B36	South African Mutton Merino sheep breed (organism)
132720002	L-80B37	Strong Wool Merino sheep breed (organism)
132721003	L-80B38	Poll Merino sheep breed (organism)
132722005	L-80B39	Fine Merino sheep breed (organism)
132723000	L-80B3A	South African Merino sheep breed (organism)
132724006	L-80B40	Superfine Merino sheep breed (organism)
132731005	L-80B47	Baden Wurttemberg horse breed (organism)
132732003	L-80B48	British Warmblood horse breed (organism)
132733008	L-80B49	Israeli horse breed (organism)
132734002	L-80B4A	French Ardennais horse breed (organism)
132735001	L-80B4B	Booroola Merino sheep breed (organism)
132736000	L-80B50	Cukurova horse breed (organism)
132737009	L-80B51	Czech Coldblood horse breed (organism)
132738004	L-80B52	Czechoslovakian Small Riding Horse horse breed (organism)
132739007	L-80B53	Jianchang horse breed (organism)
132740009	L-80B54	Jielin horse breed (organism)
132741008	L-80B55	Wielkopolski horse breed (organism)
132742001	L-80B56	Eleia horse breed (organism)
132743006	L-80B57	English Cob horse breed (organism)
132744000	L-80B58	Welsh Pony horse breed (organism)
132745004	L-80B59	Welsh Pony of Cob Type horse breed (organism)
132746003	L-80B5A	English Hunter horse breed (organism)
132747007	L-80B5B	Eriskay Pony horse breed (organism)
132748002	L-80B5C	Hackney Pony horse breed (organism)
132749005	L-80B5D	Estonian Draft horse breed (organism)
132750005	L-80B5E	Heihe horse breed (organism)
132751009	L-80B5F	Heilongkaing horse breed (organism)
132757008	L-80B65	Danish Sport Pony horse breed (organism)
132758003	L-80B66	Kabarda horse breed (organism)
132759006	L-80B67	Kalmyk horse breed (organism)
132760001	L-80B68	Mangalarga Marchador horse breed (organism)
132761002	L-80B69	Don horse breed (organism)
132762009	L-80B6A	Manipuri horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132763004	L-80B6B	Swiss Warmblood horse breed (organism)
132764005	L-80B6C	Tavda horse breed (organism)
132765006	L-80B6D	East Bulgarian horse breed (organism)
132766007	L-80B6E	East Friesian (Old Type) horse breed (organism)
132767003	L-80B6F	East Friesian Warmblood (Modern Type) horse breed (organism)
132768008	L-80B70	Kakhetian pig breed (organism)
132769000	L-80B71	West French White pig breed (organism)
132770004	L-80B80	Miniature Hereford cattle breed (organism)
132771000	L-80B81	Jem-Jem Zebu cattle breed (organism)
132772007	L-80B82	Minusin horse breed (organism)
132773002	L-80B83	Morochuco horse breed (organism)
132774008	L-80B84	French Trotter horse breed (organism)
132775009	L-80B85	Furioso horse breed (organism)
132776005	L-80B86	Murghese horse breed (organism)
132777001	L-80B87	Mytilene horse breed (organism)
132778006	L-80B88	Namib Desert Horse horse breed (organism)
132779003	L-80B89	Danish Oldenborg horse breed (organism)
132780000	L-80B8A	Volynsk cattle breed (organism)
132781001	L-80B8B	Senepol cattle breed (organism)
132782008	L-80B8C	Shilluk cattle breed (organism)
132783003	L-80B8D	Sar Planina sheep breed (organism)
132784009	L-80B8E	Santa Inês sheep breed (organism)
132785005	L-80B8F	Sahel-type sheep breed (organism)
132786006	L-80B90	Rygja sheep breed (organism)
132787002	L-80B91	Rya sheep breed (organism)
132788007	L-80B92	Moghani sheep breed (organism)
132789004	L-80B93	Rouge de l'Quest sheep breed (organism)
132790008	L-80B94	Soay sheep breed (organism)
132791007	L-80B95	South Suffolk sheep breed (organism)
132792000	L-80B96	South Wales Mountain sheep breed (organism)
132793005	L-80B97	Spælsau sheep breed (organism)
132794004	L-80B98	Spiegel sheep breed (organism)
132795003	L-80B99	St. Croix sheep breed (organism)
132796002	L-80B9A	Steigar sheep breed (organism)
132797006	L-80B9B	Steinschaf sheep breed (organism)
132798001	L-80B9C	Welsh Mountain sheep breed (organism)
132799009	L-80B9D	Swedish Fur Sheep breed (organism)
132800008	L-80B9E	Teeswater sheep breed (organism)
132801007	L-80B9F	Texel sheep breed (organism)
132802000	L-80BA1	Pelibüey sheep breed (organism)
132803005	L-80BA2	Morada Nova sheep breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132804004	L-80BA3	Balkhi sheep breed (organism)
132805003	L-80BA4	Bavarian Forest sheep breed (organism)
132806002	L-80BA5	Barbados Blackbelly sheep breed (organism)
132807006	L-80BA6	Romney sheep breed (organism)
132808001	L-80BA7	Awassi sheep breed (organism)
132809009	L-80BA8	Arapawa Island sheep breed (organism)
132810004	L-80BA9	Arabi sheep breed (organism)
132811000	L-80BB1	Apennine sheep breed (organism)
132812007	L-80BB2	American Tunis sheep breed (organism)
132813002	L-80BB3	Balwen Welsh Mountain sheep breed (organism)
132814008	L-80BB4	Priangan sheep breed (organism)
132815009	L-80BB5	Rabo Largo sheep breed (organism)
132843000	L-80BE6	Muban pig breed (organism)
132844006	L-80BE7	Iban pig breed (organism)
132845007	L-80BE8	Altay sheep breed (organism)
132846008	L-80BE9	Faeroes sheep breed (organism)
132849001	L-80BF6	Pitt Island sheep breed (organism)
132851002	L-80BF8	Pinzirita sheep breed (organism)
132852009	L-80BF9	Sardinian sheep breed (organism)
132853004	L-80C01	East Friesian sheep breed (organism)
132854005	L-80C02	Ujumqin sheep breed (organism)
132855006	L-80C22	DLS sheep breed (organism)
132856007	L-80C23	Walachenschaf sheep breed (organism)
132857003	L-80C24	Outaouais Arcott sheep breed (organism)
132858008	L-80C25	Ossimi sheep breed (organism)
132859000	L-80C29	Bentheimer Landschaf sheep breed (organism)
132860005	L-80C30	Barbado sheep breed (organism)
132861009	L-80C31	Baluchi sheep breed (organism)
132888004	L-86B36	Blanc de Bouscat rabbit breed (organism)
132901006	L-86B49	New Zealand rabbit breed (organism)
132951001	L-8A111	American Indian Horse horse breed (organism)
132952008	L-8A112	American Mustang horse breed (organism)
132953003	L-8A113	American Quarter Horse horse breed (organism)
132954009	L-8A115	American Shetland pony horse breed (organism)
132955005	L-8A116	Anadolu horse breed (organism)
132956006	L-8A117	Andean horse breed (organism)
132957002	L-8A118	Anglo-Kabarda horse breed (organism)
132960009	L-8A125	Narym horse breed (organism)
132961008	L-8A126	National Spotted Saddle Horse horse breed (organism)
132962001	L-8A127	Nigerian horse breed (organism)
132963006	L-8A128	North Swedish Trotter horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
132964000	L-8A129	Oriental Horse horse breed (organism)
132965004	L-8A12A	Rhineland Heavy Draft horse breed (organism)
132966003	L-8A12B	Romanian Saddle Horse horse breed (organism)
132967007	L-8A12C	Rottal horse breed (organism)
132968002	L-8A12D	Royal Canadian Mounted Police Horse horse breed (organism)
132969005	L-8A12E	Russian Saddle Horse horse breed (organism)
132970006	L-8A12F	Sable Island Horse horse breed (organism)
132971005	L-8A130	Panje horse breed (organism)
132972003	L-8A131	Patibarcina horse breed (organism)
132973008	L-8A132	Pechora horse breed (organism)
132974002	L-8A133	Peneia horse breed (organism)
132975001	L-8A134	Periangan horse breed (organism)
132976000	L-8A135	Persian Arab horse breed (organism)
132977009	L-8A136	Petiso Argentino horse breed (organism)
132978004	L-8A137	Polish Draft horse breed (organism)
132979007	L-8A138	Priob horse breed (organism)
132980005	L-8A139	Rahvan horse breed (organism)
132981009	L-8A13A	Salerno horse breed (organism)
132982002	L-8A13B	Sandalwood horse breed (organism)
132983007	L-8A13C	Sandan horse breed (organism)
132984001	L-8A13D	Pindos horse breed (organism)
132985000	L-8A13E	Piquira Pony horse breed (organism)
132986004	L-8A13F	Pleven horse breed (organism)
132990002	L-8A14A	Garrano tarpan horse X domestic horse breed (organism)
132991003	L-8A14B	Konink tarpan horse X domestic horse breed (organism)
132992005	L-8A14C	Asturian tarpan horse X domestic horse breed (organism)
132993000	L-8A14D	Pottok tarpan horse X domestic horse breed (organism)
132994006	L-8A150	Russian Trotter horse breed (organism)
132995007	L-8A151	West African Barb horse breed (organism)
132996008	L-8A152	Fell Pony horse breed (organism)
132997004	L-8A153	National Show Horse horse breed (organism)
132998009	L-8A154	Zhemaichu horse breed (organism)
132999001	L-8A155	Yonaguni horse breed (organism)
133000000	L-8A156	Yakut horse breed (organism)
133001001	L-8A157	Tawleed horse breed (organism)
133002008	L-8A158	Western Sudan Pony horse breed (organism)
133003003	L-8A159	Welera Pony horse breed (organism)
133004009	L-8A15A	Vyatka horse breed (organism)
133005005	L-8A15B	Vladimir Heavy Draft horse breed (organism)
133006006	L-8A15C	Vlaamperd horse breed (organism)
133007002	L-8A15D	Ukrainian Saddle Horse horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133008007	L-8A15E	Tori horse breed (organism)
133009004	L-8A15F	Tokara horse breed (organism)
133010009	L-8A160	New Kirgiz horse breed (organism)
133011008	L-8A161	Oldenburg horse breed (organism)
133012001	L-8A162	Misaki horse breed (organism)
133013006	L-8A163	Miyako horse breed (organism)
133014000	L-8A164	Mongolian horse breed (organism)
133015004	L-8A165	Waler horse breed (organism)
133016003	L-8A166	Dutch Draft horse breed (organism)
133017007	L-8A167	Egyptian horse breed (organism)
133018002	L-8A168	Estonian Native horse breed (organism)
133019005	L-8A169	Exmoor Pony horse breed (organism)
133020004	L-8A16A	Faeroes Island Horse horse breed (organism)
133021000	L-8A16B	Falabella horse breed (organism)
133022007	L-8A16C	Dutch Warmblood horse breed (organism)
133023002	L-8A16D	Dongola horse breed (organism)
133024008	L-8A16E	Døle horse breed (organism)
133025009	L-8A16F	Djerma horse breed (organism)
133026005	L-8A170	Deliboz horse breed (organism)
133027001	L-8A171	Dartmoor Pony horse breed (organism)
133028006	L-8A172	Crioulo horse breed (organism)
133029003	L-8A173	Finnhorse horse breed (organism)
133030008	L-8A174	Sanfratello horse breed (organism)
133031007	L-8A175	Morab horse breed (organism)
133032000	L-8A176	Moyle horse breed (organism)
133033005	L-8A177	Mustang horse breed (organism)
133034004	L-8A178	M'Bayar horse breed (organism)
133035003	L-8A179	Lusitano horse breed (organism)
133036002	L-8A17A	Newfoundland Pony horse breed (organism)
133037006	L-8A17B	Noma horse breed (organism)
133038001	L-8A17C	Nooitgedacht Pony horse breed (organism)
133039009	L-8A17D	Nordland horse breed (organism)
133040006	L-8A17E	Noric horse breed (organism)
133041005	L-8A17F	North Swedish Horse horse breed (organism)
133042003	L-8A180	Northeastern horse breed (organism)
133043008	L-8A181	Kisber Felver horse breed (organism)
133044002	L-8A182	Anglo-Arab horse breed (organism)
133045001	L-8A183	Nonius horse breed (organism)
133046000	L-8A184	Nooitgedacht horse breed (organism)
133047009	L-8A185	Iomud horse breed (organism)
133048004	L-8A186	Jutland horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133049007	L-8A187	Karabair horse breed (organism)
133050007	L-8A188	Karabakh horse breed (organism)
133051006	L-8A189	Kazakh horse breed (organism)
133052004	L-8A18A	Mangalarga horse breed (organism)
133053009	L-8A18B	Kirdi Pony horse breed (organism)
133054003	L-8A18C	Kiso horse breed (organism)
133055002	L-8A18D	Kladruby horse breed (organism)
133056001	L-8A18E	Knabstrup horse breed (organism)
133057005	L-8A18F	Kushum horse breed (organism)
133058000	L-8A190	Kustanai horse breed (organism)
133059008	L-8A191	Latvian horse breed (organism)
133060003	L-8A192	Lithuanian Heavy Draft horse breed (organism)
133061004	L-8A193	Lokai horse breed (organism)
133062006	L-8A194	Kiger Mustang horse breed (organism)
133063001	L-8A195	Pony of the Americas horse breed (organism)
133064007	L-8A196	Pintabian horse breed (organism)
133065008	L-8A197	Pantaneiro horse breed (organism)
133066009	L-8A198	Orlov Trotter horse breed (organism)
133067000	L-8A199	Northern Ardennais horse breed (organism)
133068005	L-8A19A	Abtenauer horse breed (organism)
133069002	L-8A19B	Adaev horse breed (organism)
133070001	L-8A19C	Albanian horse breed (organism)
133071002	L-8A19E	Alter Real horse breed (organism)
133072009	L-8A19F	American Bashkir Curly horse breed (organism)
133073004	L-8A1A1	Poitou Mule Producer horse breed (organism)
133074005	L-8A1A2	Polesian horse breed (organism)
133075006	L-8A1A3	Sardinian Anglo-Arab horse breed (organism)
133076007	L-8A1A4	Sardinian Pony horse breed (organism)
133077003	L-8A1A5	Sarvar horse breed (organism)
133078008	L-8A1A6	Schleswig horse breed (organism)
133079000	L-8A1A7	Schwarzwald Fuchse horse breed (organism)
133080002	L-8A1A8	Senne horse breed (organism)
133081003	L-8A1A9	Shan horse breed (organism)
133082005	L-8A1AA	Silesian horse breed (organism)
133083000	L-8A1AB	Sini horse breed (organism)
133084006	L-8A1AC	Skyros horse breed (organism)
133085007	L-8A1AD	Slovak Warmblood horse breed (organism)
133086008	L-8A1AE	Sokolka horse breed (organism)
133087004	L-8A1AF	South African Miniature horse breed (organism)
133088009	L-8A1B1	South German Coldblood horse breed (organism)
133089001	L-8A1B2	Southwest Spanish Mustang horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133090005	L-8A1B4	Spanish-American Horse horse breed (organism)
133091009	L-8A1B5	Spanish Anglo-Arab horse breed (organism)
133092002	L-8A1B6	Spanish Colonial Horse horse breed (organism)
133093007	L-8A1B7	Spiti horse breed (organism)
133094001	L-8A1B8	Sulawesi horse breed (organism)
133095000	L-8A1B9	Criollo horse breed (organism)
133096004	L-8A1BA	Hequ horse breed (organism)
133097008	L-8A1BB	Connemara Pony horse breed (organism)
133098003	L-8A1BC	Colorado Ranger horse breed (organism)
133099006	L-8A1BD	Dales Pony horse breed (organism)
133100003	L-8A1BE	Gotland horse breed (organism)
133101004	L-8A1BF	Chincoteague Pony horse breed (organism)
133102006	L-8A1C1	Hokkaido horse breed (organism)
133103001	L-8A1C2	Highland Pony horse breed (organism)
133104007	L-8A1C3	Groningen horse breed (organism)
133105008	L-8A1C4	Cuban Pinto horse breed (organism)
133106009	L-8A1C5	Fleuve horse breed (organism)
133107000	L-8A1C6	Golden American Saddlebred horse breed (organism)
133108005	L-8A1C7	Gidran horse breed (organism)
133109002	L-8A1C8	Gelderland horse breed (organism)
133110007	L-8A1C9	Galician Pony horse breed (organism)
133111006	L-8A1CA	Friesian horse breed (organism)
133112004	L-8A1CB	Frederiksborg horse breed (organism)
133113009	L-8A1CC	Fouta horse breed (organism)
133114003	L-8A1CD	Florida Cracker horse breed (organism)
133115002	L-8A1CE	Guangxi horse breed (organism)
133116001	L-8A1CF	Ardennes horse breed (organism)
133117005	L-8A1D1	American Walking Pony horse breed (organism)
133118000	L-8A1D2	Azteca horse breed (organism)
133119008	L-8A1D3	American Cream Draft horse breed (organism)
133120002	L-8A1D4	Altai horse breed (organism)
133121003	L-8A1D5	Akhal-Teke horse breed (organism)
133122005	L-8A1D6	Abyssinian horse breed (organism)
133123000	L-8A1D7	Bhirum Pony horse breed (organism)
133124006	L-8A1D8	Cheju horse breed (organism)
133125007	L-8A1D9	Cayuse horse breed (organism)
133126008	L-8A1DA	Caspian horse breed (organism)
133127004	L-8A1DB	Carthusian horse breed (organism)
133128009	L-8A1DC	Campolina horse breed (organism)
133129001	L-8A1DD	Byelorussian Harness horse breed (organism)
133130006	L-8A1DE	Budyonny horse breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133131005	L-8A1DF	Australian Brumby horse breed (organism)
133132003	L-8A1E1	Australian Stock Horse horse breed (organism)
133133008	L-8A1E2	Basuto Pony horse breed (organism)
133134002	L-8A1E3	Bashkir Curly horse breed (organism)
133135001	L-8A1E4	Bashkir horse breed (organism)
133136000	L-8A1E5	Barb horse breed (organism)
133137009	L-8A1E6	Ban-ei horse breed (organism)
133138004	L-8A1E7	Carpathian Pony horse breed (organism)
133139007	L-8A1E8	Baluchi horse breed (organism)
133140009	L-8A1E9	Balearic horse breed (organism)
133141008	L-8A1EA	Chilean Corralero horse breed (organism)
133142001	L-8A1EB	Breton horse breed (organism)
133143006	L-8A1EC	Taishuh horse breed (organism)
133144000	L-8A1ED	Swedish Warmblood horse breed (organism)
133145004	L-8A1EE	Sudan Country-Bred horse breed (organism)
133146003	L-8A1EF	Spanish-Norman horse breed (organism)
133147007	L-8A1F1	Spanish Barb horse breed (organism)
133148002	L-8A1F2	Soviet Heavy Draft horse breed (organism)
133149005	L-8A1F3	Sorraia horse breed (organism)
133150005	L-8A1F4	Somali Pony horse breed (organism)
133151009	L-8A1F5	Tersk horse breed (organism)
133152002	L-8A1F6	Shagya horse breed (organism)
133153007	L-8A1F7	Selle Francais horse breed (organism)
133154001	L-8A1F8	Sanhe horse breed (organism)
133155000	L-8A1FA	Russian Heavy Draft horse breed (organism)
133156004	L-8A1FB	Rocky Mountain Horse horse breed (organism)
133157008	L-8A1FC	Racking Horse horse breed (organism)
133158003	L-8A1FD	Quarter Pony horse breed (organism)
133159006	L-8A1FE	Quarab horse breed (organism)
133160001	L-8A1FF	Single-Footing Horse horse breed (organism)
133161002	L-8B105	Tuy Hoa Hairless pig breed (organism)
133162009	L-8B106	Hainan pig breed (organism)
133163004	L-8B107	Sino-Vietnamese pig breed (organism)
133164005	L-8B108	Bo Xu pig breed (organism)
133165006	L-8B109	Thuoc Nhieu pig breed (organism)
133166007	L-8B111	Burmese pig breed (organism)
133167003	L-8B112	Chin pig breed (organism)
133168008	L-8B113	Siamese pig breed (organism)
133169000	L-8B114	Hailum pig breed (organism)
133170004	L-8B115	Kwai pig breed (organism)
133171000	L-8B116	Raad pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133172007	L-8B117	Akha pig breed (organism)
133173002	L-8B118	South China pig breed (organism)
133174008	L-8B119	South China Black pig breed (organism)
133175009	L-8B121	Balinese pig breed (organism)
133176005	L-8B122	Diani pig breed (organism)
133177001	L-8B123	Kaman pig breed (organism)
133178006	L-8B124	Ashanti Dwarf pig breed (organism)
133179003	L-8B125	Koronadal pig breed (organism)
133180000	L-8B126	Ohmini pig breed (organism)
133181001	L-8B127	Clawn pig breed (organism)
133182008	L-8B128	Sus scrofa domestic pig X Japanese wild boar intragenus hybrid (organism)
133183003	L-8B129	Kangaroo Island pig breed (organism)
133184009	L-8B130	Captain Cooker pig breed (organism)
133185005	L-8B131	West African pig breed (organism)
133186006	L-8B132	Nigerian pig breed (organism)
133187002	L-8B133	Bakosi pig breed (organism)
133188007	L-8B134	Windsnyer pig breed (organism)
133189004	L-8B135	Kolbroek pig breed (organism)
133190008	L-8B136	South African Landrace pig breed (organism)
133191007	L-8B137	Bulgarian White pig breed (organism)
133192000	L-8B139	Bulgarian Landrace pig breed (organism)
133193005	L-8B140	Danube White pig breed (organism)
133194004	L-8B141	Dermantsi Pied pig breed (organism)
133195003	L-8B142	Romanian Native, Stocli pig breed (organism)
133196002	L-8B143	Romanian Native, Baltaret pig breed (organism)
133197006	L-8B144	Banat White pig breed (organism)
133198001	L-8B145	Bazna pig breed (organism)
133199009	L-8B146	Dobrogea Black pig breed (organism)
133200007	L-8B147	Strei pig breed (organism)
133201006	L-8B148	Romanian Large White pig breed (organism)
133202004	L-8B149	Romanian Meat Pig pig breed (organism)
133203009	L-8B150	Gurktal pig breed (organism)
133204003	L-8B151	Black Slavonian pig breed (organism)
133205002	L-8B152	Resava pig breed (organism)
133206001	L-8B153	Morava pig breed (organism)
133207005	L-8B155	Dzumalia pig breed (organism)
133208000	L-8B156	Macedonian pig breed (organism)
133209008	L-8B157	Albanian Native pig breed (organism)
133210003	L-8B158	Shkodra pig breed (organism)
133211004	L-8B159	Slovenian White pig breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133212006	L-8B160	Subotica White pig breed (organism)
133213001	L-8B161	Prestice pig breed (organism)
133214007	L-8B162	Slovakian Black Pied pig breed (organism)
133215008	L-8B163	Czech Improved White pig breed (organism)
133216009	L-8B164	Moravian Large Yorkshire pig breed (organism)
133217000	L-8B165	Slovakian White pig breed (organism)
133218005	L-8B166	Slovhyb-1 pig breed (organism)
133219002	L-8B167	Nitra Hybrid pig breed (organism)
133220008	L-8B168	Synthetic SL98 pig breed (organism)
133221007	L-8B169	SL96 pig breed (organism)
133222000	L-8B170	Czech Meat pig breed (organism)
133223005	L-8B171	Czech Miniature pig breed (organism)
133224004	L-8B172	Small Polish Prick-Eared pig breed (organism)
133225003	L-8B173	Polesian pig breed (organism)
133226002	L-8B174	Nadbuzanska pig breed (organism)
133227006	L-8B175	Sarny pig breed (organism)
133228001	L-8B176	Krolevets pig breed (organism)
133229009	L-8B177	Polish Marsh pig breed (organism)
133230004	L-8B178	Large Polish Long-Eared pig breed (organism)
133231000	L-8B958	Herens cattle breed (organism)
133232007	L-8B959	Hinterwald cattle breed (organism)
133233002	L-8B95A	Hungarian Gray cattle breed (organism)
133234008	L-8B95B	Icelandic cattle breed (organism)
133235009	L-8B95C	Illawarra cattle breed (organism)
133236005	L-8B95D	Irish Moiled cattle breed (organism)
133237001	L-8B95E	Israeli Holstein cattle breed (organism)
133238006	L-8B95F	Istoben cattle breed (organism)
133239003	L-8B961	Jaulan cattle breed (organism)
133240001	L-8B962	Kazakh cattle breed (organism)
133241002	L-8B963	Kerry cattle breed (organism)
133242009	L-8B964	Kholmogory cattle breed (organism)
133243004	L-8B966	Latvian Brown cattle breed (organism)
133244005	L-8B967	Lincoln Red Shorthorn cattle breed (organism)
133245006	L-8B968	Lithuanian Red cattle breed (organism)
133246007	L-8B969	Mashona cattle breed (organism)
133247003	L-8B96A	Milking Devon cattle breed (organism)
133248008	L-8B96B	Mirandesa cattle breed (organism)
133249000	L-8B96C	Mixed dairy cattle breed (organism)
133250000	L-8B96D	Mongolian cattle breed (organism)
133251001	L-8B96E	Morucha cattle breed (organism)
133252008	L-8B96F	Kurdi cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133253003	L-8B971	N'dama cattle breed (organism)
133254009	L-8B972	Norwegian Red cattle breed (organism)
133255005	L-8B973	Parthenais cattle breed (organism)
133256006	L-8B974	Polish Red cattle breed (organism)
133257002	L-8B975	Rätien Gray cattle breed (organism)
133258007	L-8B976	Red and White cattle breed (organism)
133259004	L-8B977	Red Angus cattle breed (organism)
133260009	L-8B978	Red Polled Østland cattle breed (organism)
133261008	L-8B979	Red Steppe cattle breed (organism)
133262001	L-8B97A	Reggiana cattle breed (organism)
133263006	L-8B97B	Retinta cattle breed (organism)
133264000	L-8B97C	Romoinuano cattle breed (organism)
133265004	L-8B97D	Russian Black Pied cattle breed (organism)
133266003	L-8B97E	RX3 cattle breed (organism)
133267007	L-8B97F	Salorn cattle breed (organism)
133268002	L-8B983	Murboden cattle breed (organism)
133269005	L-8B984	San Martinero cattle breed (organism)
133270006	L-8B985	Sarabi cattle breed (organism)
133271005	L-8B987	Sharabi cattle breed (organism)
133272003	L-8B988	Shetland cattle breed (organism)
133273008	L-8B989	Simbrah cattle breed (organism)
133274002	L-8B98A	South Devon cattle breed (organism)
133275001	L-8B98B	Suffolk cattle breed (organism)
133276000	L-8B98C	Sussex cattle breed (organism)
133277009	L-8B98D	Swedish Red Polled cattle breed (organism)
133278004	L-8B98E	Telemark cattle breed (organism)
133279007	L-8B98F	Texas Longhorn cattle breed (organism)
133280005	L-8B990	Texon cattle breed (organism)
133281009	L-8B991	Vestland Fjord cattle breed (organism)
133282002	L-8B992	Vestland Red Polled cattle breed (organism)
133283007	L-8B993	Wagyu cattle breed (organism)
133284001	L-8B994	White Cáceres cattle breed (organism)
133285000	L-8B995	Xinjiang Brown cattle breed (organism)
133286004	L-8B996	Yanbian cattle breed (organism)
133287008	L-8B998	Zaobei cattle breed (organism)
133288003	L-8B999	Zavot cattle breed (organism)
133289006	L-8B99A	Znamensk cattle breed (organism)
133290002	L-8B99B	Alistana-Sanabresa cattle breed (organism)
133291003	L-8B99C	Andalusian Blond cattle breed (organism)
133292005	L-8B99D	Aosta Black Pied cattle breed (organism)
133293000	L-8B99E	Aosta Chestnut cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133294006	L-8B99F	Aosta Red Pied cattle breed (organism)
133295007	L-8B9A0	Aracena cattle breed (organism)
133296008	L-8B9A1	Argentine Friesian cattle breed (organism)
133297004	L-8B9A2	Armorican cattle breed (organism)
133298009	L-8B9A3	Arouquesa cattle breed (organism)
133299001	L-8B9A4	Aure et Saint-Girons cattle breed (organism)
133300009	L-8B9A5	Australian White cattle breed (organism)
133301008	L-8B9A6	Austrian Simmental cattle breed (organism)
133302001	L-8B9A7	Austrian Yellow cattle breed (organism)
133303006	L-8B9A8	Avetonou cattle breed (organism)
133304000	L-8B9A9	Avilena cattle breed (organism)
133305004	L-8B9AA	Avilena-Black Iberian cattle breed (organism)
133306003	L-8B9AB	Bakosi cattle breed (organism)
133307007	L-8B9AC	Bakwiri cattle breed (organism)
133308002	L-8B9AD	Baltic Black Pied cattle breed (organism)
133309005	L-8B9AE	Baoule cattle breed (organism)
133310000	L-8B9AF	Barrosa cattle breed (organism)
133311001	L-8B9B0	Barroso cattle breed (organism)
133312008	L-8B9B1	Bearnais cattle breed (organism)
133313003	L-8B9B2	Beef shorthorn cattle breed (organism)
133314009	L-8B9B3	Beef synthetic cattle breed (organism)
133315005	L-8B9B4	Beijing Black Pied cattle breed (organism)
133316006	L-8B9B5	Beiroa cattle breed (organism)
133317002	L-8B9B6	Belgian Black Pied Holsteincattle breed (organism)
133318007	L-8B9B7	Belgian Red Pied cattle breed (organism)
133319004	L-8B9B8	Belgian White and Red cattle breed (organism)
133320005	L-8B9B9	Belted Welsh cattle breed (organism)
133321009	L-8B9BA	Bestuzhev cattle breed (organism)
133322002	L-8B9BB	Betizuak cattle breed (organism)
133323007	L-8B9BC	Black Baldy cattle breed (organism)
133324001	L-8B9BD	Black Forest cattle breed (organism)
133325000	L-8B9BE	Black Iberian cattle breed (organism)
133326004	L-8B9BF	Northern Blue cattle breed (organism)
133327008	L-8B9C0	Bragado do Sorraia cattle breed (organism)
133328003	L-8B9C1	Braganca cattle breed (organism)
133329006	L-8B9C2	Brandrood Ijsselveen cattle breed (organism)
133330001	L-8B9C3	Brazilian Polled cattle breed (organism)
133331002	L-8B9C4	Breton Black Pied cattle breed (organism)
133332009	L-8B9C5	Brown Atlas cattle breed (organism)
133333004	L-8B9C6	Bulgarian Brown cattle breed (organism)
133334005	L-8B9C7	Bulgarian Red cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133335006	L-8B9C8	Burlina cattle breed (organism)
133336007	L-8B9C9	Burwash cattle breed (organism)
133337003	L-8B9CA	Byelorussian Red cattle breed (organism)
133338008	L-8B9CB	Byelorussian Synthetic cattle breed (organism)
133339000	L-8B9CC	Cabannina cattle breed (organism)
133340003	L-8B9CD	Caldeano cattle breed (organism)
133341004	L-8B9CE	Caldelana cattle breed (organism)
133342006	L-8B9CF	Calvana cattle breed (organism)
133343001	L-8B9D0	Camargue cattle breed (organism)
133344007	L-8B9D1	Cambodian cattle breed (organism)
133345008	L-8B9D2	Caracu cattle breed (organism)
133346009	L-8B9D3	Carpathian Brown cattle breed (organism)
133347000	L-8B9D4	Casanareno cattle breed (organism)
133348005	L-8B9D5	Central Russian Black Pied cattle breed (organism)
133349002	L-8B9D6	Chaouia cattle breed (organism)
133350002	L-8B9D7	Charollandais cattle breed (organism)
133351003	L-8B9D8	Char-swiss cattle breed (organism)
133352005	L-8B9D9	Korean Black cattle breed (organism)
133353000	L-8B9DA	Chesi cattle breed (organism)
133354006	L-8B9DB	Cheurfa cattle breed (organism)
133355007	L-8B9DC	Chiford cattle breed (organism)
133356008	L-8B9DD	Chimaine cattle breed (organism)
133357004	L-8B9DE	Chinampo cattle breed (organism)
133358009	L-8B9DF	Cildir cattle breed (organism)
133359001	L-8B9E0	COOPELSO 93 cattle breed (organism)
133360006	L-8B9E1	Thrace cattle breed (organism)
133361005	L-8B9E2	Corsican cattle breed (organism)
133362003	L-8B9E3	Cretan Lowland cattle breed (organism)
133363008	L-8B9E4	Cretan Mountain cattle breed (organism)
133364002	L-8B9E5	Croatian Red cattle breed (organism)
133365001	L-8B9E6	Cukurova cattle breed (organism)
133366000	L-8B9E7	Curraleiro cattle breed (organism)
133367009	L-8B9E8	Cyprus cattle breed (organism)
133368004	L-8B9E9	Czech Pied cattle breed (organism)
133369007	L-8B9EA	Dagestan Mountain cattle breed (organism)
133370008	L-8B9EB	Dairy Shorthorn cattle breed (organism)
133371007	L-8B9EC	Dairy Synthetic cattle breed (organism)
133372000	L-8B9ED	Danish Red Pied cattle breed (organism)
133373005	L-8B9EE	Dengchuan cattle breed (organism)
133374004	L-8B9EF	Dexter-Kerry cattle breed (organism)
133375003	L-8B9F0	Doran cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133376002	L-8B9F1	Dorna cattle breed (organism)
133377006	L-8B9F2	Dortyol cattle breed (organism)
133378001	L-8B9F3	East Anatolian Red cattle breed (organism)
133379009	L-8B9F4	East Finnish cattle breed (organism)
133380007	L-8B9F5	East Macedonian cattle breed (organism)
133381006	L-8B9F6	Epirus cattle breed (organism)
133382004	L-8B9F7	Estonian Black Pied cattle breed (organism)
133383009	L-8B9FA	Ferrandais cattle breed (organism)
133384003	L-8B9FB	Finnish Ayrshire cattle breed (organism)
133385002	L-8B9FC	Flemish cattle breed (organism)
133386001	L-8B9FD	Red Flemish cattle breed (organism)
133387005	L-8B9FE	Fort Cross cattle breed (organism)
133388000	L-8B9FF	Fрати cattle breed (organism)
133389008	L-8BA00	Estonian Native cattle breed (organism)
133390004	L-8BA01	Faeroes cattle breed (organism)
133391000	L-8BA02	French Brown cattle breed (organism)
133392007	L-8BA03	Frijolillo cattle breed (organism)
133393002	L-8BA04	FRS cattle breed (organism)
133394008	L-8BA05	Gacko cattle breed (organism)
133395009	L-8BA06	Gado da Terra cattle breed (organism)
133396005	L-8BA07	Georgian Mountain cattle breed (organism)
133397001	L-8BA08	German Black Pied cattle breed (organism)
133398006	L-8BA09	German Black Pied Dairy cattle breed (organism)
133399003	L-8BA0A	Pechora cattle breed (organism)
133400005	L-8BA0B	Pee Wee cattle breed (organism)
133401009	L-8BA0C	Peloponnesus cattle breed (organism)
133402002	L-8BA0D	Pester cattle breed (organism)
133403007	L-8BA0E	Pie Rouge de l'Est cattle breed (organism)
133404001	L-8BA0F	Pisana cattle breed (organism)
133405000	L-8BA10	German Brown cattle breed (organism)
133406004	L-8BA11	German Shorthorn cattle breed (organism)
133407008	L-8BA12	Ghana Shorthorn cattle breed (organism)
133408003	L-8BA13	Glan-Donnersberg cattle breed (organism)
133409006	L-8BA14	Gole cattle breed (organism)
133410001	L-8BA15	Golpayegani cattle breed (organism)
133411002	L-8BA16	Gorbatov Red cattle breed (organism)
133412009	L-8BA17	Goryn cattle breed (organism)
133413004	L-8BA19	Greater Caucasus cattle breed (organism)
133414005	L-8BA1A	Polish Black and White Lowland cattle breed (organism)
133415006	L-8BA1B	Polish Simmental cattle breed (organism)
133416007	L-8BA1C	Polled Jersey cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133417003	L-8BA1D	Polled Lincoln Red cattle breed (organism)
133418008	L-8BA1E	Polled Shorthorn (United States of America) cattle breed (organism)
133419000	L-8BA1F	Polled Simmental cattle breed (organism)
133420006	L-8BA20	Greek Shorthorn cattle breed (organism)
133421005	L-8BA21	Greek Steppe cattle breed (organism)
133422003	L-8BA22	Gray Alpine cattle breed (organism)
133423008	L-8BA23	Guadiana Spotted cattle breed (organism)
133424002	L-8BA24	Guelma cattle breed (organism)
133425001	L-8BA25	Harz Red cattle breed (organism)
133426000	L-8BA26	Hawaiian wild cattle breed (organism)
133427009	L-8BA27	Hereland cattle breed (organism)
133428004	L-8BA28	Holgus cattle breed (organism)
133429007	L-8BA29	Hrbinecky cattle breed (organism)
133430002	L-8BA2A	Polled Sussex cattle breed (organism)
133431003	L-8BA2B	Polled Welsh Black cattle breed (organism)
133432005	L-8BA2C	Pontremolese cattle breed (organism)
133433000	L-8BA2D	Preta cattle breed (organism)
133434006	L-8BA2E	Puerto Rican Criollo cattle breed (organism)
133435007	L-8BA2F	Pyrenean cattle breed (organism)
133436008	L-8BA30	Huertana cattle breed (organism)
133437004	L-8BA31	Hungarian Pied cattle breed (organism)
133438009	L-8BA32	Hungarofries cattle breed (organism)
133439001	L-8BA33	Improved Rodopi cattle breed (organism)
133440004	L-8BA34	INRA 95 cattle breed (organism)
133441000	L-8BA35	Italian Brown cattle breed (organism)
133442007	L-8BA36	Italian Red Pied cattle breed (organism)
133443002	L-8BA37	Japanese Black cattle breed (organism)
133444008	L-8BA38	Japanese Brown cattle breed (organism)
133445009	L-8BA39	Japanese Poll cattle breed (organism)
133446005	L-8BA3A	Qinchuan cattle breed (organism)
133447001	L-8BA3B	Ramo Grande cattle breed (organism)
133448006	L-8BA3C	Randall Lineback cattle breed (organism)
133449003	L-8BA3D	Red Galloway cattle breed (organism)
133450003	L-8BA3E	Regus cattle breed (organism)
133451004	L-8BA3F	Rendena cattle breed (organism)
133452006	L-8BA40	Japanese Shorthorn cattle breed (organism)
133453001	L-8BA41	Jarmelista cattle breed (organism)
133454007	L-8BA42	Kabyle cattle breed (organism)
133455008	L-8BA43	Kapsiki cattle breed (organism)
133456009	L-8BA44	Katerini cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133457000	L-8BA45	Kenran cattle breed (organism)
133458005	L-8BA46	Khevsurian cattle breed (organism)
133459002	L-8BA47	Kilis cattle breed (organism)
133460007	L-8BA48	Kochi cattle breed (organism)
133461006	L-8BA49	Korean Native cattle breed (organism)
133462004	L-8BA4A	Rhaetian Gray cattle breed (organism)
133463009	L-8BA4B	Rio Limon Dairy Criollo cattle breed (organism)
133464003	L-8BA4C	Rodopi cattle breed (organism)
133465002	L-8BA4D	Romanian Red cattle breed (organism)
133466001	L-8BA4E	Romanian Brown cattle breed (organism)
133467005	L-8BA4F	Russian Brown cattle breed (organism)
133468000	L-8BA50	Kostroma cattle breed (organism)
133469008	L-8BA51	Kravarsky cattle breed (organism)
133470009	L-8BA52	Kuchinoshima cattle breed (organism)
133471008	L-8BA53	Murray Gray cattle breed (organism)
133472001	L-8BA54	Australian Shorthorn cattle breed (organism)
133473006	L-8BA55	Kumamoto cattle breed (organism)
133474000	L-8BA56	Lagune cattle breed (organism)
133475004	L-8BA57	Lakenvelder cattle breed (organism)
133476003	L-8BA58	Latvian Blue Roan cattle breed (organism)
133477007	L-8BA59	La Velasquez cattle breed (organism)
133478002	L-8BA5A	Sardinian cattle breed (organism)
133479005	L-8BA5B	Sardinian brown cattle breed (organism)
133480008	L-8BA5C	Savinja Gray cattle breed (organism)
133481007	L-8BA5D	Sayaguesa cattle breed (organism)
133482000	L-8BA5E	Seferihisar cattle breed (organism)
133483005	L-8BA5F	Shkodra Red cattle breed (organism)
133484004	L-8BA60	Lebanese cattle breed (organism)
133485003	L-8BA61	Lebedin cattle breed (organism)
133486002	L-8BA62	Lesser Caucasus cattle breed (organism)
133487006	L-8BA63	Liberian Dwarf cattle breed (organism)
133488001	L-8BA64	Libyan cattle breed (organism)
133489009	L-8BA65	Lim cattle breed (organism)
133490000	L-8BA66	Limiana cattle breed (organism)
133491001	L-8BA67	Limpurger cattle breed (organism)
133492008	L-8BA68	Lobi cattle breed (organism)
133493003	L-8BA69	Lourdais cattle breed (organism)
133494009	L-8BA6A	Slovakian Pied cattle breed (organism)
133495005	L-8BA6B	Slovakian Pinzgau cattle breed (organism)
133496006	L-8BA6C	Slovenian Brown cattle breed (organism)
133497002	L-8BA6D	Somba cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133498007	L-8BA6E	South African Brown Swiss cattle breed (organism)
133499004	L-8BA6F	South Anatolian Red cattle breed (organism)
133500008	L-8BA70	Lucerna cattle breed (organism)
133501007	L-8BA71	Luxi cattle breed (organism)
133502000	L-8BA72	Macedonian Busa cattle breed (organism)
133503005	L-8BA73	Makaweli cattle breed (organism)
133504004	L-8BA74	Marinhova cattle breed (organism)
133505003	L-8BA75	Maronesa cattle breed (organism)
133506002	L-8BA76	Mazury cattle breed (organism)
133507006	L-8BA77	Messaoria cattle breed (organism)
133508001	L-8BA78	Metohija Red cattle breed (organism)
133509009	L-8BA79	Mingrelian Red cattle breed (organism)
133510004	L-8BA7A	Southern Ukrainian cattle breed (organism)
133511000	L-8BA7B	Spanish Brown Alpine cattle breed (organism)
133512007	L-8BA7C	Suksun cattle breed (organism)
133513002	L-8BA7D	Swiss Black Pied cattle breed (organism)
133514008	L-8BA7E	Sychevka cattle breed (organism)
133515009	L-8BA7F	Sykia cattle breed (organism)
133516005	L-8BA80	Minhota cattle breed (organism)
133517001	L-8BA81	Minorcan cattle breed (organism)
133518006	L-8BA82	Mishima cattle breed (organism)
133519003	L-8BA83	Modenese cattle breed (organism)
133520009	L-8BA84	Monchina cattle breed (organism)
133521008	L-8BA85	Montafon cattle breed (organism)
133522001	L-8BA86	Montbeliard cattle breed (organism)
133523006	L-8BA87	Morenas del Noroeste cattle breed (organism)
133524000	L-8BA88	Murcian cattle breed (organism)
133525004	L-8BA89	Murnau-Werdenfels cattle breed (organism)
133526003	L-8BA8A	Tagil cattle breed (organism)
133527007	L-8BA8B	Tajma cattle breed (organism)
133528002	L-8BA8C	Tambov Red cattle breed (organism)
133529005	L-8BA8D	Tarina cattle breed (organism)
133530000	L-8BA8E	Thessaly cattle breed (organism)
133531001	L-8BA8F	Tinima cattle breed (organism)
133532008	L-8BA90	Nantais cattle breed (organism)
133533003	L-8BA91	Nejdi cattle breed (organism)
133534009	L-8BA92	N'Gabou cattle breed (organism)
133535005	L-8BA93	North Finncattle cattle breed (organism)
133536006	L-8BA94	Oropa cattle breed (organism)
133537002	L-8BA95	Oulmes Blond cattle breed (organism)
133538007	L-8BA96	Pajuna cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133539004	L-8BA97	Palmera cattle breed (organism)
133540002	L-8BA98	Pankota Red cattle breed (organism)
133541003	L-8BA99	Paphos cattle breed (organism)
133542005	L-8BA9A	Tinos cattle breed (organism)
133543000	L-8BA9B	Transylvanian Pinzgau cattle breed (organism)
133544006	L-8BA9C	Tropical Dairy Cattle cattle breed (organism)
133545007	L-8BA9D	Tropicana cattle breed (organism)
133546008	L-8BA9E	Tudanca cattle breed (organism)
133547004	L-8BA9F	Turino cattle breed (organism)
133548009	L-8BAA0	Turkish Brown cattle breed (organism)
133549001	L-8BAA1	Tux-Zillertal cattle breed (organism)
133550001	L-8BAA2	Tyrol Gray cattle breed (organism)
133551002	L-8BAA3	Abondance cattle breed (organism)
133552009	L-8BAA4	Ala-Tau cattle breed (organism)
133553004	L-8BAA5	Albanian Illyrian cattle breed (organism)
133554005	L-8BAA6	Albanian Dwarf cattle breed (organism)
133555006	L-8BAA7	Ukrainian Whiteheaded cattle breed (organism)
133556007	L-8BAA8	Ural Black Pied cattle breed (organism)
133557003	L-8BAA9	Valdres cattle breed (organism)
133558008	L-8BAAA	Vaynol cattle breed (organism)
133559000	L-8BAAB	Verinesa cattle breed (organism)
133560005	L-8BAAC	Vianesa cattle breed (organism)
133561009	L-8BAAD	Villard-de-Lans cattle breed (organism)
133562002	L-8BAAE	Vogelsberg cattle breed (organism)
133563007	L-8BAAF	Pie Rouge des Plaines cattle breed (organism)
133564001	L-8BAB0	Vorderwald cattle breed (organism)
133565000	L-8BAB1	West African Dwarf Shorthorn cattle breed (organism)
133566004	L-8BAB2	West Finnish cattle breed (organism)
133567008	L-8BAB3	West Macedonian cattle breed (organism)
133568003	L-8BAB4	Whitebred Shorthorn cattle breed (organism)
133569006	L-8BAB5	White Galloway cattle breed (organism)
133570007	L-8BAB6	White Welsh cattle breed (organism)
133571006	L-8BAB7	Witrik cattle breed (organism)
133572004	L-8BAB8	Yacumento cattle breed (organism)
133573009	L-8BAB9	Yaroslavl cattle breed (organism)
133574003	L-8BABA	Yurino cattle breed (organism)
133575002	L-8BABB	Aleppo cattle breed (organism)
133576001	L-8BABC	Schwyz cattle breed (organism)
133577005	L-8BABD	Busa cattle breed (organism)
133578000	L-8BABE	Chiangus cattle breed (organism)
133579008	L-8BABF	Hallingdal cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133580006	L-8BAC0	Danish Jersey cattle breed (organism)
133581005	L-8BAC1	Enderby Island cattle breed (organism)
133582003	L-8BAC2	German Angus cattle breed (organism)
133583008	L-8BAC3	Israeli Red cattle breed (organism)
133584002	L-8BAC4	Lineback cattle breed (organism)
133585001	L-8BAC5	Mertolenga cattle breed (organism)
133586000	L-8BAC6	Red Friesian cattle breed (organism)
133587009	L-8BAC7	Senegus cattle breed (organism)
133588004	L-8BAC8	Southern Crioulo cattle breed (organism)
133589007	L-8BAC9	Vosges cattle breed (organism)
133590003	L-8BACA	Montanara cattle breed (organism)
133591004	L-8BACB	Almanzorena cattle breed (organism)
133592006	L-8BACC	Lorquina cattle breed (organism)
133593001	L-8BACD	Calasparrena cattle breed (organism)
133594007	L-8BACE	Amritmahal cattle breed (organism)
133595008	L-8BACF	Bachaur cattle breed (organism)
133596009	L-8BAD0	Barka cattle breed (organism)
133597000	L-8BAD1	Bengali cattle breed (organism)
133598005	L-8BAD2	Bhagnari cattle breed (organism)
133599002	L-8BAD3	Boran cattle breed (organism)
133600004	L-8BAD4	Channi cattle breed (organism)
133601000	L-8BAD5	Cholistani cattle breed (organism)
133602007	L-8BAD6	Dajal cattle breed (organism)
133603002	L-8BAD7	Dangi cattle breed (organism)
133604008	L-8BAD8	Deoni cattle breed (organism)
133605009	L-8BAD9	Dhanni cattle breed (organism)
133606005	L-8BADA	Gaolao cattle breed (organism)
133607001	L-8BADB	Hallikar cattle breed (organism)
133608006	L-8BADC	Hariana cattle breed (organism)
133609003	L-8BADD	Indo-Brazilian cattle breed (organism)
133610008	L-8BADE	Kangayam cattle breed (organism)
133611007	L-8BADF	Kankrej cattle breed (organism)
133612000	L-8BAE0	Kenkatha cattle breed (organism)
133613005	L-8BAE1	Kherigarh cattle breed (organism)
133614004	L-8BAE2	Khillari cattle breed (organism)
133615003	L-8BAE3	Krishna Valley cattle breed (organism)
133616002	L-8BAE4	Lohani cattle breed (organism)
133617006	L-8BAE5	Malvi cattle breed (organism)
133618001	L-8BAE6	Mewati cattle breed (organism)
133619009	L-8BAE7	Nagori cattle breed (organism)
133620003	L-8BAE9	Nelore cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133621004	L-8BAEA	Nimari cattle breed (organism)
133622006	L-8BAEB	Ponwar cattle breed (organism)
133623001	L-8BAEC	Rath cattle breed (organism)
133624007	L-8BAED	Rathi cattle breed (organism)
133625008	L-8BAEE	Red Sindhi cattle breed (organism)
133626009	L-8BAEF	Rojhan cattle breed (organism)
133627000	L-8BAF0	Sahiwal cattle breed (organism)
133628005	L-8BAF1	Siri zebu cattle breed (organism)
133629002	L-8BAF2	Tharparkar cattle breed (organism)
133630007	L-8BAF3	Zanzibar Zebu cattle breed (organism)
133631006	L-8BAF4	Arsi cattle breed (organism)
133632004	L-8BAF5	Atpadi Mahal cattle breed (organism)
133633009	L-8BAF6	Azaouak cattle breed (organism)
133634003	L-8BAF7	Azerbaijan Zebu cattle breed (organism)
133635002	L-8BAF8	Baggara cattle breed (organism)
133636001	L-8BAF9	Bambawa cattle breed (organism)
133637005	L-8BAFA	Bami cattle breed (organism)
133638000	L-8BAFB	Banyo cattle breed (organism)
133639008	L-8BAFC	Bargur cattle breed (organism)
133640005	L-8BAFD	Bari cattle breed (organism)
133641009	L-8BAFE	Bimal cattle breed (organism)
133642002	L-8BAFF	Borneo Zebu cattle breed (organism)
133643007	L-8BB00	Butana cattle breed (organism)
133644001	L-8BB01	Chittagong Red cattle breed (organism)
133645000	L-8BB02	Cutchi cattle breed (organism)
133646004	L-8BB03	Dairy Zebu of Uberaba cattle breed (organism)
133647008	L-8BB04	Dashtiari cattle breed (organism)
133648003	L-8BB05	Diali cattle breed (organism)
133649006	L-8BB06	Didinga cattle breed (organism)
133650006	L-8BB07	Dongola cattle breed (organism)
133651005	L-8BB09	Fellata cattle breed (organism)
133652003	L-8BB0A	Turkmen zebu cattle breed (organism)
133653008	L-8BB0B	Abyssinian Highland Zebu cattle breed (organism)
133654002	L-8BB0C	Abyssinian Shorthorned Zebu cattle breed (organism)
133655001	L-8BB0E	Aceh cattle breed (organism)
133656000	L-8BB0F	Achham cattle breed (organism)
133657009	L-8BB10	Garre cattle breed (organism)
133658004	L-8BB11	Gasara cattle breed (organism)
133659007	L-8BB12	Gobra cattle breed (organism)
133660002	L-8BB13	Goomsur cattle breed (organism)
133661003	L-8BB14	Gujamavu cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133662005	L-8BB15	Leiqiong cattle breed (organism)
133663000	L-8BB16	Hissar cattle breed (organism)
133664006	L-8BB17	Ingessana cattle breed (organism)
133665007	L-8BB18	Jamaica Brahman cattle breed (organism)
133666008	L-8BB19	Jellicut cattle breed (organism)
133667004	L-8BB1A	Adamawa cattle breed (organism)
133668009	L-8BB1B	Aden Zebu cattle breed (organism)
133669001	L-8BB1C	Afghan cattle breed (organism)
133670000	L-8BB1D	Alambadi cattle breed (organism)
133671001	L-8BB1E	Umblachery cattle breed (organism)
133672008	L-8BB1F	Venezuelan Zebu cattle breed (organism)
133673003	L-8BB20	Pantaneiro cattle breed (organism)
133674009	L-8BB21	Jenubi cattle breed (organism)
133675005	L-8BB22	Jiddu cattle breed (organism)
133676006	L-8BB23	Jijiga Zebu cattle breed (organism)
133677002	L-8BB24	Kabota cattle breed (organism)
133678007	L-8BB25	Kachcha Siri cattle breed (organism)
133679004	L-8BB26	Kalakheri cattle breed (organism)
133680001	L-8BB27	Kamdino cattle breed (organism)
133681002	L-8BB28	Kandahari cattle breed (organism)
133682009	L-8BB29	Kaningan cattle breed (organism)
133683004	L-8BB2A	Wakwa cattle breed (organism)
133684005	L-8BB2B	White Fulani cattle breed (organism)
133685006	L-8BB2C	Yemeni Zebu cattle breed (organism)
133686007	L-8BB2D	Iranian Zebu cattle breed (organism)
133687003	L-8BB2E	Khorsan cattle breed (organism)
133688008	L-8BB2F	Polled Gir cattle breed (organism)
133689000	L-8BB30	Kappiliyan cattle breed (organism)
133690009	L-8BB31	Karamajong cattle breed (organism)
133691008	L-8BB32	Kenana cattle breed (organism)
133692001	L-8BB33	Kenya Boran cattle breed (organism)
133693006	L-8BB34	Kenya Zebu cattle breed (organism)
133694000	L-8BB35	Khamala cattle breed (organism)
133695004	L-8BB36	Khurasani zebu cattle breed (organism)
133696003	L-8BB37	Kilara cattle breed (organism)
133697007	L-8BB38	Kinniya cattle breed (organism)
133698002	L-8BB39	Konari cattle breed (organism)
133699005	L-8BB3A	Guzerat cattle breed (organism)
133700006	L-8BB3B	Tadzhik zebu cattle breed (organism)
133701005	L-8BB3C	Deogir cattle breed (organism)
133702003	L-8BB3D	Gayal cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133703008	L-8BB3E	American bison X cattle breed (organism)
133704002	L-8BB3F	Australian Braford cattle breed (organism)
133705001	L-8BB40	Krishnagari cattle breed (organism)
133706000	L-8BB41	Kumauni cattle breed (organism)
133707009	L-8BB42	Ladakhi cattle breed (organism)
133708004	L-8BB43	Latuka cattle breed (organism)
133709007	L-8BB44	Lugware cattle breed (organism)
133710002	L-8BB45	Madagascar Zebu cattle breed (organism)
133711003	L-8BB46	Madaripur cattle breed (organism)
133712005	L-8BB47	Magal cattle breed (organism)
133713000	L-8BB48	Malawi Zebu cattle breed (organism)
133714006	L-8BB49	Malnad Gidda cattle breed (organism)
133715007	L-8BB4A	Australian Friesian Sahiwal cattle breed (organism)
133716008	L-8BB4B	Braford cattle breed (organism)
133717004	L-8BB4C	Brahmousin cattle breed (organism)
133718009	L-8BB4D	Canchim cattle breed (organism)
133719001	L-8BB4E	Charbray cattle breed (organism)
133720007	L-8BB4F	Droughtmaster cattle breed (organism)
133721006	L-8BB50	Mampati cattle breed (organism)
133722004	L-8BB51	Manapari cattle breed (organism)
133723009	L-8BB52	Maure cattle breed (organism)
133724003	L-8BB53	Mazandarani cattle breed (organism)
133725002	L-8BB54	Merauke cattle breed (organism)
133727005	L-8BB56	Mhaswad cattle breed (organism)
133728000	L-8BB57	Miniature Zebu cattle breed (organism)
133729008	L-8BB58	Mongalla cattle breed (organism)
133730003	L-8BB59	Morang cattle breed (organism)
133731004	L-8BB5A	Gelbray cattle breed (organism)
133732006	L-8BB5B	Jamaica Black cattle breed (organism)
133733001	L-8BB5C	Jamaica Hope cattle breed (organism)
133734007	L-8BB5D	Jamaica Red cattle breed (organism)
133735008	L-8BB5E	Karan Fries cattle breed (organism)
133736009	L-8BB5F	Karan Swiss cattle breed (organism)
133737000	L-8BB60	Mozambique Angoni cattle breed (organism)
133738005	L-8BB61	Mpwapwa cattle breed (organism)
133739002	L-8BB62	Murle cattle breed (organism)
133740000	L-8BB63	Nakali cattle breed (organism)
133741001	L-8BB64	Nepalese Hill Zebu cattle breed (organism)
133742008	L-8BB65	N'Gaoundere cattle breed (organism)
133743003	L-8BB66	Nkedi cattle breed (organism)
133744009	L-8BB67	North Bangladesh Gray cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133745005	L-8BB68	North Somali Zebu cattle breed (organism)
133746006	L-8BB69	Polled Guzerat cattle breed (organism)
133747002	L-8BB6A	Mandalong cattle breed (organism)
133748007	L-8BB6B	Australian Milking Zebu cattle breed (organism)
133749004	L-8BB6C	Red Brangus cattle breed (organism)
133750004	L-8BB6D	Santa Cruz cattle breed (organism)
133751000	L-8BB6E	Siboney cattle breed (organism)
133752007	L-8BB6F	Bambara cattle breed (organism)
133753002	L-8BB70	Polled Nelore cattle breed (organism)
133754008	L-8BB71	Prewakwa cattle breed (organism)
133755009	L-8BB72	Pul-M'bor cattle breed (organism)
133756005	L-8BB73	Punganur cattle breed (organism)
133757001	L-8BB74	Ramgarhi cattle breed (organism)
133758006	L-8BB75	Red Bororo cattle breed (organism)
133759003	L-8BB76	Red Desert cattle breed (organism)
133760008	L-8BB77	Red Kandhari cattle breed (organism)
133761007	L-8BB78	Shakhansurri cattle breed (organism)
133762000	L-8BB79	Sheko cattle breed (organism)
133763005	L-8BB7A	Bambey cattle breed (organism)
133764004	L-8BB7B	Batanes Black cattle breed (organism)
133765003	L-8BB7C	Borgou cattle breed (organism)
133766002	L-8BB7D	Brahorn cattle breed (organism)
133767006	L-8BB7E	Bralers cattle breed (organism)
133768001	L-8BB7F	Bra-Maine cattle breed (organism)
133769009	L-8BB80	Shendi cattle breed (organism)
133770005	L-8BB81	Shuwa cattle breed (organism)
133771009	L-8BB82	Sinhala cattle breed (organism)
133772002	L-8BB83	Sistani cattle breed (organism)
133773007	L-8BB84	Small East African Zebu cattle breed (organism)
133774001	L-8BB85	Sokoto Gudali cattle breed (organism)
133775000	L-8BB86	Somali cattle breed (organism)
133776004	L-8BB87	Sonkheri cattle breed (organism)
133777008	L-8BB88	Son Valley cattle breed (organism)
133778003	L-8BB89	South China Zebu cattle breed (organism)
133779006	L-8BB8A	Bra-Swiss cattle breed (organism)
133780009	L-8BB8B	Bravon cattle breed (organism)
133781008	L-8BB8C	Brazilian Dairy hybrid cattle (organism)
133782001	L-8BB8D	Burmese cattle breed (organism)
133783006	L-8BB8E	Bushuev cattle breed (organism)
133784000	L-8BB8F	Caiua cattle breed (organism)
133785004	L-8BB90	South Malawi Zebu cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133786003	L-8BB91	Sudanese Fulani cattle breed (organism)
133787007	L-8BB92	Tabapua cattle breed (organism)
133788002	L-8BB93	Tamankaduwa cattle breed (organism)
133789005	L-8BB94	Tanzanian Zebu cattle breed (organism)
133790001	L-8BB95	Tarai cattle breed (organism)
133791002	L-8BB96	Thillari cattle breed (organism)
133792009	L-8BB97	Toposa cattle breed (organism)
133793004	L-8BB98	Toronke cattle breed (organism)
133794005	L-8BB99	Toupouri cattle breed (organism)
133795006	L-8BB9A	Carazebu cattle breed (organism)
133796007	L-8BB9B	Central Asian Zebu cattle breed (organism)
133797003	L-8BB9C	Charford cattle breed (organism)
133798008	L-8BB9D	Cuban Criollo cattle breed (organism)
133799000	L-8BB9E	Cuban Zebu cattle breed (organism)
133800001	L-8BB9F	Dishty cattle breed (organism)
133801002	L-8BC00	Djakore cattle breed (organism)
133802009	L-8BC01	Gambian N'Dama cattle breed (organism)
133803004	L-8BC03	Ghana Sanga cattle breed (organism)
133804005	L-8BC04	Girolando cattle breed (organism)
133805006	L-8BC05	Guzerando cattle breed (organism)
133806007	L-8BC06	Hatton cattle breed (organism)
133807003	L-8BC07	Ibage cattle breed (organism)
133808008	L-8BC08	Iraqi cattle breed (organism)
133809000	L-8BC09	Jerdi cattle breed (organism)
133810005	L-8BC10	Jersind cattle breed (organism)
133811009	L-8BC11	Jotko cattle breed (organism)
133812002	L-8BC12	Kanem cattle breed (organism)
133813007	L-8BC13	Keteku cattle breed (organism)
133814001	L-8BC14	Lavinia cattle breed (organism)
133815000	L-8BC15	Local Indian Dairy cattle breed (organism)
133816004	L-8BC16	Mantiqueira cattle breed (organism)
133817008	L-8BC17	Ndagu cattle breed (organism)
133818003	L-8BC18	Normanzu cattle breed (organism)
133819006	L-8BC19	Nuba Mountain cattle breed (organism)
133820000	L-8BC20	Pabna cattle breed (organism)
133821001	L-8BC21	Mixed Perijanero cattle breed (organism)
133822008	L-8BC22	Pitangueiras cattle breed (organism)
133823003	L-8BC23	Quasah cattle breed (organism)
133824009	L-8BC24	Rana cattle (organism)
133825005	L-8BC25	Ranger cattle (organism)
133826006	L-8BC26	Renitelo cattle breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
133827002	L-8BC27	Riopardenze cattle breed (organism)
133828007	L-8BC28	Rustaqi cattle breed (organism)
133829004	L-8BC29	Sabre cattle breed (organism)
133830009	L-8BC30	Sahford cattle breed (organism)
133831008	L-8BC31	Schwyz-Zeבוד cattle breed (organism)
133832001	L-8BC32	Suia cattle breed (organism)
133833006	L-8BC33	Suisbu cattle breed (organism)
133834000	L-8BC34	Sunandini cattle breed (organism)
133835004	L-8BC35	Taino cattle breed (organism)
133836003	L-8BC36	Thibar cattle breed (organism)
133837007	L-8BC37	Toubou cattle breed (organism)
133838002	L-8BC38	Tropical cattle breed (organism)
133839005	L-8BC39	TSSH-1 cattle breed (organism)
133840007	L-8BC40	Victoria cattle breed (organism)
133841006	L-8BC41	Wokalup cattle breed (organism)
133842004	L-8BC42	Madura cattle breed (organism)
133855003	M-78731	Radial scar (morphologic abnormality)
133874006	P1-86C50	Selective fetal reduction (procedure)
133875007	P1-93506	Injection of prostaglandin (procedure)
133882006	P2-71317	Drug infusion challenge (procedure)
133884007	P5-B3402	Computer assisted image analysis for spatial collocation (procedure)
133885008	P5-B3404	Computer assisted image analysis for spatial proximity (procedure)
133886009	P5-B3406	Computer assisted image analysis for temporal correlation (procedure)
133887000	P5-B3408	Computer assisted image analysis for image quality (procedure)
133888005	P5-B3410	Computer assisted image analysis for focal asymmetric density (procedure)
133889002	P5-B3412	Computer assisted image analysis for asymmetric breast tissue (procedure)
133890006	P5-B3414	Computer assisted image analysis for breast composition analysis (procedure)
133910006	PA-5003B	Conductance catheter method (procedure)
133911005	PA-5003C	Doppler catheter method (procedure)
133912003	PA-5003D	Fiberoptic catheter method (procedure)
133913008	PA-5003E	Hall catheter method (procedure)
133914002	PA-5003F	Thermistor catheter method (procedure)
133943005	T-D2340	Left lumbar region (body structure)
133944004	T-D2342	Right lumbar region (body structure)
133945003	T-D4211	Left hypochondriac region structure (body structure)
133946002	T-D4212	Right hypochondriac region structure (body structure)
134198009	G-C150	Etiology (attribute)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
134223000	R-41727	Narrow (qualifier value)
143824007	T-C4147	Structure of intraglandular parotid lymph node (body structure)
143925009	T-C4155	Structure of buccinator lymph node (body structure)
144026003	T-C4156	Structure of nasolabial lymph node (body structure)
144127009	T-C4157	Structure of submaxillary lymph node (body structure)
155237005	T-C421D	Structure of inferior auricular lymph node (body structure)
155338003	T-C4102	Structure of mandibular lymph node (body structure)
158965000	J-0016E	Medical practitioner (occupation)
158971006	J-00172	Hospital registrar (occupation)
159016003	J-00187	Medical radiographer (occupation)
160270001	R-20773	No family history: Cardiovascular disease (situation)
160274005	R-2087E	No family history diabetes (situation)
160303001	G-0157	Family history: Diabetes mellitus (situation)
160476009	F-02455	Social / personal history observable (observable entity)
160573003	F-02573	Alcohol intake (observable entity)
161045001	F-0351E	Disability - severe (finding)
161445009	G-023F	History of diabetes mellitus (situation)
161453001	G-0244	History of obesity (situation)
161501007	G-0269	History of hypertension (situation)
161505003	G-026D	History of heart failure (situation)
161622006	G-02BD	History of lower limb amputation (situation)
161656000	G-02D0	History of regular medication (situation)
161763005	G-0304	History of ectopic pregnancy (situation)
161765003	G-0305	History of premature delivery (situation)
161798008	G-0319	History of female infertility (situation)
161806007	G-031E	History of eclampsia (situation)
161807003	G-031F	History of severe pre-eclampsia (situation)
161901003	F-0600C	Chronic sick (finding)
161971004	F-A265A	Chest pain not present (situation)
162164007	F-03753	Nipple discharge symptom (finding)
162290004	F-F1722	Dry eyes (finding)
162467007	R-209F6	Free of symptoms (situation)
164150006	R-20099	On examination - axillary lymphadenopathy (disorder)
164854000	F-000B7	Electrocardiogram normal (finding)
164929001	F-000C3	Electrocardiogram: ST interval normal (finding)
164931005	F-03204	ST elevation (observable entity)
165076002	F-000FF	Cardiac function test abnormal (finding)
165079009	P0-006E4	Exercise tolerance test (procedure)
165082004	F-00101	Exercise tolerance test normal (finding)
165084003	F-00103	Exercise tolerance test abnormal (finding)
165816005	F-0331B	Human immunodeficiency virus positive (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
167364008	T-C4254	Structure of median retropharyngeal lymph node (body structure)
167464007	T-C4255	Structure of lateral retropharyngeal lymph node (body structure)
167664004	T-C4263	Structure of delphian lymph node (body structure)
167864002	T-C4018	Structure of deep lateral cervical lymph node (body structure)
167965000	T-C421E	Structure of superficial lateral cervical lymph node (body structure)
168159002	T-C4238	Structure of lateral jugular lymph node (body structure)
168360002	T-C4019	Structure of deep anterior cervical lymph node (body structure)
168460001	T-C4244	Structure of pretracheal lymph node (body structure)
168557005	T-C401A	Structure of superficial anterior cervical lymph node (body structure)
169167001	P5-D0061	Radionuclide lymphogram (procedure)
169254007	F-01BF8	Ultrasound scan normal (finding)
169413002	P0-007AC	Hormone therapy (procedure)
170745003	F-02F14	Diabetic on diet only (finding)
170746002	F-02F15	Diabetic on oral treatment (finding)
170747006	F-02F16	Diabetic on insulin (finding)
170887008	T-D161E	Submental triangle structure (body structure)
171224000	F-03C97	Risk factors present at heart disease screening (observable entity)
172049005	P1-4834A	Quadrantectomy of breast (procedure)
174822005	P1-31003	Atrial inversion operation using atrial wall (procedure)
174826008	P1-31919	Arterial switch operation (procedure)
174830006	P0-0530F	Repair of total anomalous pulmonary venous connection (procedure)
174836000	P1-31037	Repair of defect of the atrioventricular septum (procedure)
174900004	P1-38803	Repair of partial anomalous pulmonary venous connection (procedure)
180640008	G-D13E	Approach via tracheostomy (qualifier value)
180933005	T-A1604	Fifth ventricle (body structure)
181131000	T-04009	Entire breast (body structure)
181347005	T-47402	Common femoral artery (body structure)
181349008	T-47403	Superficial femoral artery (body structure)
181351007	T-4704C	Tibial artery (body structure)
181469002	T-00009	Entire skin (body structure)
181768009	T-D03C2	Lymphatic tissue (body structure)
181900008	T-116EE	Superior articular facet of axis (body structure)
181901007	T-116EF	Inferior articular facet of axis (body structure)
182744004	P2-77110	Extracorporeal circulation procedure (procedure)
182833002	F-04460	Medication given (situation)
183973000	T-D002F	Body surface point (body structure)
193570009	DA-73402	Cataract (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
194828000	D3-13012	Angina (disorder)
194842008	D3-13001	Single coronary vessel disease (disorder)
194843003	D3-13013	Double coronary vessel disease (disorder)
194983005	D3-29025	Aortic incompetence, non-rheumatic (disorder)
194996006	T-48403	Structure of anterior cardiac vein (body structure)
195020003	D3-20003	Hypertrophic cardiomyopathy without obstruction (disorder)
195042002	R-F81AE	Second degree atrioventricular block (disorder)
195060002	D3-31351	Ventricular pre-excitation (disorder)
195073003	T-48405	Structure of smallest cardiac vein (body structure)
195164009	T-48406	Structure of atrial vein (body structure)
195295006	D3-80505	Raynaud's disease (disorder)
195328002	T-48404	Structure of ventricular vein (body structure)
195416006	T-484A4	Structure of posterior vein of left ventricle (body structure)
195496005	T-48407	Structure of atrioventricular vein (body structure)
195675009	F-30004	Cardiac akinesia (finding)
195879000	T-14001	Structure of abdominal wall muscle (body structure)
195967001	D2-00036	Asthma (disorder)
196446004	T-C4307	Structure of prevertebral lymph node (body structure)
196516004	T-C437C	Structure of prepericardial lymph node (body structure)
196587000	T-C4306	Structure of lateral pericardial lymph node (body structure)
196662004	T-C4308	Structure of intrapulmonary lymph node (body structure)
196751009	T-C4309	Structure of diaphragmatic lymph node (body structure)
196821008	T-C4305	Structure of innominate lymph node (body structure)
204317008	D4-31012	Patent foramen ovale (disorder)
206034008	T-4630D	Structure of esophageal artery (body structure)
213262007	F-01FBA	Postoperative hematoma formation (disorder)
218728005	D3-83001	Interrupted aortic arch (disorder)
223366009	J-00552	Healthcare professional (occupation)
224944003	R-40333	Paternal (qualifier value)
225728007	R-300E3	Accident and Emergency department (environment)
225761000	R-40B16	As required (qualifier value)
225908003	F-009EA	Pain score (observable entity)
228366006	F-931D4	Finding relating to drug misuse behavior (finding)
228736002	A-010FB	Surface bolus (physical object)
228739009	A-010FE	Shielding block (physical object)
228745001	A-01105	Bite block (physical object)
228748004	A-040ED	Brachytherapy implant (physical object)
228761004	A-0110F	Collimator (physical object)
228790005	R-429DF	Irradiated volume (observable entity)
228791009	R-429E0	Gross tumor volume (observable entity)
228792002	R-429EB	Clinical target volume (observable entity)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
228793007	R-429EC	Planning target volume (observable entity)
229033006	P5-D0072	Radioisotope scan of total body (procedure)
230690007	D3-8900D	Cerebrovascular accident (disorder)
231249005	P1-C0208	Local anesthetic intrathecal block (procedure)
232077005	DA-7930D	Empty vitreous (disorder)
232717009	P1-3301A	Coronary artery bypass grafting (procedure)
233022006	P1-31028	Construction of conduit - right atrium to pulmonary trunk (procedure)
233134001	P1-31088	Damus-Stansel-Kaye operation (procedure)
233139006	P1-31089	Norwood type operation (procedure)
233159005	P1-31C03	Ablation operation for arrhythmia (procedure)
233170003	P1-3157D	Implantation of automatic cardiac defibrillator (procedure)
233199008	P0-057E8	Closure of ductus arteriosus with clip (procedure)
233224003	P1-36956	Central aortopulmonary shunt operation (procedure)
233230003	P1-3696A	Hemi-Fontan operation (procedure)
233817007	D3-1301F	Triple vessel disease of the heart (disorder)
233819005	D3-13020	Stable angina (disorder)
233823002	D3-13021	Silent myocardial ischemia (disorder)
233981004	D3-80027	Arterial aneurysm (disorder)
233982006	D3-80002	Cirsoid aneurysm (disorder)
234021009	D3-80033	Cystic adventitial disease (disorder)
234171009	D3-04006	Drug-induced hypotension (disorder)
236423003	D7-11007	Renal impairment (disorder)
236886002	P1-8330D	Hysterectomy (procedure)
237380007	P1-48011	Pre-biopsy localization of breast lesion (procedure)
237473006	DD-66544	Rupture of breast implant (disorder)
237897009	D6-34737	Vascular calcification (disorder)
238108007	F-029F7	Cachexia (finding)
238810007	D0-30017	Flushing (disorder)
239503002	P1-189C2	Resurfacing of the patella (procedure)
240946003	P0-05AFA	Percutaneous removal of endovascular foreign body (procedure)
241213007	P5-30031	Cardiac shunt study (procedure)
241434002	P5-0A001	Positron emission tomography brain study (procedure)
241439007	P5-0A006	Positron emission tomography heart study (procedure)
241443006	P5-0A00A	Positron emission tomography study for localization of tumor (procedure)
241466007	P5-B001D	Intravascular ultrasound scan (procedure)
241539009	P5-0801C	Computed tomography of breast (procedure)
241547009	P5-08025	Computed tomography of heart (procedure)
241553009	P5-0802B	Computed tomography of abdominal aorta (procedure)
241615005	P5-0900D	Magnetic resonance imaging of breast (procedure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
241620005	P5-09011	Magnetic resonance imaging of heart (procedure)
241663008	P5-0903A	Magnetic resonance imaging of vessels (procedure)
241687005	P1-C0012	Induction of general anesthesia (procedure)
241695009	P1-C001A	Maintenance of general anesthesia (procedure)
243147009	P2-2290D	Controlled ventilation (procedure)
243154003	P2-22914	High frequency jet ventilation (procedure)
243156001	P2-22916	Continuous flow ventilation (procedure)
243776001	PA-2011E	Blood sampling from extracorporeal blood circuit (procedure)
243898001	T-D0059	Anatomical reference plane (body structure)
243902007	T-D005D	Level of C2/C3 intervertebral disc (body structure)
243903002	T-D005E	Level of C3/C4 intervertebral disc (body structure)
243904008	T-D005F	Level of C4/C5 intervertebral disc (body structure)
243905009	T-D007C	Level of C5/C6 intervertebral disc (body structure)
243906005	T-D007D	Level of C6/C7 intervertebral disc (body structure)
243908006	T-D007F	Level of T1/T2 intervertebral disc (body structure)
243909003	T-D008B	Level of T2/T3 intervertebral disc (body structure)
243910008	T-D008C	Level of T3/T4 intervertebral disc (body structure)
243911007	T-D008D	Level of T4/T5 intervertebral disc (body structure)
243912000	T-D008E	Level of T5/T6 intervertebral disc (body structure)
243913005	T-D008F	Level of T6/T7 intervertebral disc (body structure)
243914004	T-D0091	Level of T7/T8 intervertebral disc (body structure)
243915003	T-D0092	Level of T8/T9 intervertebral disc (body structure)
243916002	T-D0093	Level of T9/T10 intervertebral disc (body structure)
243917006	T-D0094	Level of T10/T11 intervertebral disc (body structure)
243918001	T-D0095	Level of T11/T12 intervertebral disc (body structure)
243920003	T-D0097	Level of L1/L2 intervertebral disc (body structure)
243921004	T-D0098	Level of L2/L3 intervertebral disc (body structure)
243922006	T-D0099	Level of L3/L4 intervertebral disc (body structure)
243923001	T-D009A	Level of L4/L5 intervertebral disc (body structure)
243925008	T-D009C	Level of C7/T1 intervertebral disc (body structure)
243926009	T-D009D	Level of T12/L1 intervertebral disc (body structure)
243927000	T-D009E	Level of L5/S1 intervertebral disc (body structure)
243977002	T-D4434	Rutherford Morrison's pouch (body structure)
244251006	T-43002	Septal artery (body structure)
244252004	T-43003	Intermediate artery (body structure)
244411005	T-4940E	Iliac vein structure (body structure)
244415001	T-4941A	Saphenopopliteal junction (body structure)
244453006	T-A800B	Optic chiasma (body structure)
245321008	T-C4235	Upper jugular lymph node (body structure)
245322001	T-C4236	Middle jugular lymph node (body structure)
245323006	T-C4237	Lower jugular lymph node (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
245324000	T-C4216	Posterior triangle cervical lymph node (body structure)
245328002	T-C4217	Postauricular lymph node (body structure)
245341003	T-C4379	Tracheobronchial lymph node (body structure)
245344006	T-C4411	Perigastric lymph node (body structure)
245346008	T-C447A	Peripancreatic lymph node (body structure)
245544005	P1-31018	Implantation of baffle, atrial or interatrial (procedure)
245616001	T-54641	Entire deciduous maxillary right first molar tooth (body structure)
245619008	T-54621	Entire deciduous maxillary right lateral incisor tooth (body structure)
245620002	T-54611	Entire deciduous maxillary right central incisor tooth (body structure)
245631005	T-54741	Entire deciduous mandibular right first molar tooth (body structure)
245639007	T-54781	Entire deciduous mandibular left canine tooth (body structure)
246090004	G-C189	Associated finding (attribute)
246092007	G-A60B	Cardiac cycle phase (attribute)
246101005	G-0180	Reason for stopping test (attribute)
246112005	G-C197	Severity (attribute)
246205007	G-C1C6	Quantity (attribute)
246206008	F-02A3B	Number of lesions (observable entity)
246244004	G-D775	Type of stenosis (attribute)
246262008	G-C1E3	Score (attribute)
246345001	G-C1F9	Graft material (attribute)
246432004	R-42009	Number of occurrences (qualifier value)
246464006	R-42019	Function (observable entity)
246489000	G-C11C	Pharmacological stress used (attribute)
247094004	F-035F3	Gas in vitreous cavity (finding)
247095003	F-035FD	Oil in vitreous cavity (finding)
247441003	F-4410C	Erythema (finding)
247472004	D0-00165	Weal (disorder)
248243004	F-03D1D	Exercise tolerance (observable entity)
248300009	F-03D38	Body fat observable (observable entity)
248366000	F-03D8C	Chest circumference (observable entity)
248523006	F-54005	Rectal mass (finding)
248536006	F-03E55	Finding of functional performance and activity (finding)
248584002	F-21334	Catching breath (finding)
248585001	F-21303	Irregular breathing (finding)
248808008	F-009E4	Breast size (observable entity)
248983002	R-20658	Obstetric history (observable entity)
249192005	F-00AA0	Number of umbilical arteries (observable entity)
249708006	T-C4582	Structure of renal hilar lymph node (body structure)
250431005	F-00E6D	Color of fluid (observable entity)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
250767002	F-0212C	Pulmonary artery pressure (observable entity)
250881009	F-021FF	Equipment temperature (observable entity)
250907009	F-02220	Left ventricular function (observable entity)
250909007	F-02225	Left ventricular wall motion (observable entity)
250924003	F-02236	Left ventricular size (observable entity)
250929008	F-0224E	Left ventricular cavity size (observable entity)
250949004	F-0227A	Right ventricular wall motion (observable entity)
250964004	F-022A1	Right ventricular cavity size (observable entity)
251011009	F-0231F	Aortic valve area (observable entity)
251012002	F-02320	Mitral valve area (observable entity)
251013007	F-02321	Pulmonary valve area (observable entity)
251014001	F-02322	Tricuspid valve area (observable entity)
251050008	F-0238B	Pulmonary to systemic flow ratio (observable entity)
251053005	F-0238D	Myocardial perfusion (observable entity)
251055003	F-3014D	Reversible myocardial perfusion defect (finding)
251056002	F-3014E	Partially reversible myocardial perfusion defect (finding)
251057006	F-3014F	Fixed myocardial perfusion defect (finding)
251081004	F-023F7	Cardiovascular pressure gradient (observable entity)
251120003	D3-33122	Incomplete left bundle branch block (disorder)
251124007	D3-33112	Incomplete right bundle branch block (disorder)
251135002	F-38056	Borderline normal electrocardiogram (finding)
251159007	D3-31704	Ventricular tachycardia, polymorphic (disorder)
251271006	F-02692	Vascular resistance (observable entity)
251786004	F-02FA4	Extrafoveal ocular fixation (finding)
251795007	F-02FB4	Power of sphere (observable entity)
251797004	F-A2143	Power of cylinder (observable entity)
251799001	F-02FB7	Axis of cylinder (observable entity)
252064005	F-0319E	Arterial velocity (observable entity)
252068008	F-031A2	Pulsatility index, arterial velocity waveform (observable entity)
252129004	F-031F7	Test duration (observable entity)
252130009	F-031F8	Total exercise time (observable entity)
252131008	F-031F9	Time from start of test (observable entity)
252418006	P5-B3004	Transthoracic echocardiography (procedure)
252420009	P5-B3005	Intravascular echocardiography (procedure)
252421008	P5-B3006	Intracavitary echocardiography (procedure)
252426003	P5-3003A	Cardiac ventriculography (procedure)
252427007	P5-30107	Coronary bypass graft angiography (procedure)
252432008	P5-D3008	Radionuclide myocardial perfusion study (procedure)
252680004	P5-D0063	Radionuclide study for localization of tumor or inflammatory disease (procedure)
253276007	D4-31005	Cor trilobulare biventriculare (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
253551005	D4-31166	Restrictive ventricular septal defect (disorder)
253590009	D3-29082	Pulmonary atresia with intact ventricular septum (disorder)
253591008	D4-31611	Pulmonary atresia with ventricular septal defect (disorder)
253639004	D3-4020B	Intrapulmonary arteriovenous fistula (disorder)
253678000	D4-32030	Thoracic aortic coarctation (disorder)
253728007	D4-3252B	Right dominant coronary system (disorder)
253729004	D4-3252C	Left dominant coronary system (disorder)
253730009	D4-3252D	Balanced coronary system (disorder)
255218000	R-40365	Mid-frequency (qualifier value)
255227004	G-A39A	Recurrent (qualifier value)
255235001	R-411C0	Pre-dose (qualifier value)
255236000	F-32021	Peak systolic, function (observable entity)
255238004	R-40377	Continuous (qualifier value)
255253007	R-4038D	End of protocol (qualifier value)
255254001	F-32011	End-diastolic, function (observable entity)
255282008	M-020FA	Discoïd (qualifier value)
255288007	R-403A7	Nodular (qualifier value)
255321001	R-403CC	Ulcerative (qualifier value)
255378009	R-40411	Aneurysmal (qualifier value)
255380003	R-40416	Eccentric (qualifier value)
255423002	R-40448	Fibrous (qualifier value)
255460003	G-C028	Inward (attribute)
255465008	R-4047B	Concentric (qualifier value)
255482005	R-40491	Left upper segment (qualifier value)
255496004	R-4049E	Right lower segment (qualifier value)
255499006	R-404A0	Right upper segment (qualifier value)
255507004	R-404A8	Small (qualifier value)
255508009	R-404A9	Medium (qualifier value)
255509001	R-404AA	Large (qualifier value)
255511005	R-404AC	Long (qualifier value)
255518004	R-404B3	Down (qualifier value)
255521002	R-404B6	Downward gaze (qualifier value)
255523004	R-404B7	Gaze down and left (qualifier value)
255524005	R-404B8	Gaze down and right (qualifier value)
255525006	R-404B9	Gaze up and left (qualifier value)
255526007	R-404BA	Gaze up and right (qualifier value)
255530005	R-404BC	Left gaze (qualifier value)
255531009	R-404BD	Right gaze (qualifier value)
255532002	R-404BE	Up (qualifier value)
255533007	R-404BF	Upward gaze (qualifier value)
255543005	R-404C7	Outward (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
255549009	R-404CC	Anterior (qualifier value)
255551008	R-404CE	Posterior (qualifier value)
255561001	R-404D5	Medial (qualifier value)
255566006	R-404DA	Post-dose (qualifier value)
255590007	R-404ED	Extents (qualifier value)
255593009	R-404F0	Circumferential (qualifier value)
255594003	R-404F1	Complete (qualifier value)
255603008	R-404F9	Major (qualifier value)
255604002	R-404FA	Mild (qualifier value)
255605001	R-404FB	Minimal (qualifier value)
255606000	R-404FC	Minor (qualifier value)
255609007	R-404FE	Partial (qualifier value)
255619001	R-40507	Total (qualifier value)
255631004	C-5008C	Antibiotic (product)
255632006	R-F1216	Anticonvulsant (substance)
255641001	F-61117	Caffeine (substance)
255667006	F-61118	Paraffin (substance)
255792001	C-2280A	Acid phosphatase stain (substance)
255793006	C-2280B	Albert's stain (substance)
255794000	C-2280C	Auramine stain (substance)
255795004	C-2280D	Beta-glucuronidase stain (substance)
255796003	C-2280E	Chloroacetate esterase stain (substance)
255797007	C-2280F	Feulgen reaction stain (substance)
255798002	C-22810	Field's stain (substance)
255799005	C-22816	Flagellar stain (substance)
255800009	C-22817	Immunofluorescent stain (substance)
255801008	C-22818	Jenner-Giemsa stain (substance)
255802001	C-22819	Leishman stain (substance)
255803006	C-2281A	May-Grunwald giemsa stain (substance)
255804000	C-2281B	Methyl green pyronin stain (substance)
255805004	C-2281C	Myeloperoxidase stain (substance)
255806003	C-2281D	Neutrophil alkaline phosphatase stain (substance)
255807007	C-2281E	Nonspecific esterase stain (substance)
255808002	C-2281F	Periodic acid Schiff stain (substance)
255809005	C-22820	Prussian blue stain (substance)
255810000	C-2282A	Romanowsky stain (substance)
255811001	C-2282B	Spore stain (substance)
255813003	C-2282C	Ziehl-Neelsen stain (substance)
256235009	R-40C16	Exercise (observable entity)
256496006	F-611FC	Gold alloy (substance)
256501007	F-61202	Carbon fiber (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
256506002	F-61207	Stainless steel material (substance)
256526003	F-6121C	Cobalt-chromium alloy (substance)
256579008	C-14314	Calcium hydroxyapatite (substance)
256674009	T-D008A	Fat (substance)
256779006	T-F1412	Structure of vitelline artery of placenta (body structure)
256875007	T-F1413	Structure of vitelline vein of placenta (body structure)
257327003	A-12018	Dynamic hip screw plate (physical object)
257357007	A-04831	Silicone gel implant (physical object)
257362008	A-25501	Plastic stent (physical object)
257363003	A-25502	Metal stent (physical object)
257409000	A-14611	Vena cava filter (physical object)
257771002	R-41C37	Cemented component fixation (qualifier value)
257833000	P1-10997	Internal fixation using staple (procedure)
257834006	P1-10998	Internal fixation using screw (procedure)
257835007	P1-10999	Internal fixation using plate (procedure)
257837004	P1-1099B	Internal fixation using internal fixator system (procedure)
257912008	P0-021AB	Rotation - action (qualifier value)
257950002	R-41C8D	Salvage procedure (qualifier value)
258083009	R-41D27	Visual estimation (qualifier value)
258090004	R-41D2D	Calculated (qualifier value)
258104002	R-41D41	Measured (qualifier value)
258153002	F-021E1	Target heart rate achieved (observable entity)
258177008	P5-09051	Magnetic resonance imaging guidance (procedure)
258181008	R-41D8B	Electrocardiogram analysis (qualifier value)
258214002	G-C16B	Stage (attribute)
258215001	R-41DA8	Stage 1 (qualifier value)
258219007	R-41DAC	Stage 2 (qualifier value)
258224005	R-41DB0	Stage 3 (qualifier value)
258228008	R-41DB4	Stage 4 (qualifier value)
258245003	R-41DC5	G4 grade (finding)
258270003	R-41DDC	High risk tumor (tumor staging)
258433009	G-803C	Smear sample (specimen)
258562007	G-81A0	Genetic sample (specimen)
258661006	G-81EA	Slide (specimen)
259153006	C-20830	Chloroform (substance)
259170003	C-21216	Diethyl ether (substance)
259221006	C-2102B	Methanol (substance)
260245000	R-40271	Findings values (qualifier value)
260360000	G-A37A	Very high (qualifier value)
260376009	R-40750	Enlarged (qualifier value)
260385009	R-40759	Negative (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
260388006	R-4075C	No status change (qualifier value)
260395002	R-40765	Normal range (qualifier value)
260408008	G-A205	Weakly positive (qualifier value)
260409000	R-40771	Well defined (qualifier value)
260413007	R-40775	None (qualifier value)
260426006	R-40782	Medial oblique (qualifier value)
260427002	R-40783	Oblique lateral (qualifier value)
260450008	R-40799	Lordotic projection (qualifier value)
260473000	R-407B0	Waters - 35 degree tilt to radiographic baseline (qualifier value)
260492003	R-40809	Brewerton's projection (qualifier value)
260493008	R-4080A	Harris Beath axial projection (qualifier value)
260496000	R-4080D	Judet projection (qualifier value)
260497009	R-4080E	Mortice projection (qualifier value)
260499007	R-40810	Occlusal projection (qualifier value)
260506009	R-40816	Van Rosen projection (qualifier value)
260521003	R-40819	Internal (qualifier value)
260528009	R-4081A	Median (qualifier value)
260585005	G-D05F	Via brachial artery (qualifier value)
260590008	G-D067	Via femoral artery (qualifier value)
260601006	G-D071	Via femoral vein (qualifier value)
260674002	G-C048	Direction of flow (attribute)
260787004	A-00004	Physical object (physical object)
260858005	G-C093	Extent (attribute)
260867005	R-40861	Period of collection (qualifier value)
260870009	G-C09C	Priority (attribute)
260905004	G-C0B2	Condition (attribute)
260911001	G-C0B7	Dosage (attribute)
261004008	R-408C3	Diagnostic intent (qualifier value)
261039008	R-40928	Valsalva maneuver (qualifier value)
261061003	R-40939	Bronchial (qualifier value)
261073003	R-40940	Epicardial (qualifier value)
261074009	R-40941	External (qualifier value)
261089000	R-4094A	Inferior (qualifier value)
261129000	G-A10A	Mediolateral (qualifier value)
261197005	R-409E2	Doppler color flow (qualifier value)
261198000	R-409E3	Doppler continuous wave (qualifier value)
261199008	R-409E4	Doppler pulsed (qualifier value)
261249004	F-61165	Nickel cobalt chromium (substance)
261250004	F-61166	Nickel titanium (substance)
261459001	G-D0C6	Via arm vein (qualifier value)
261613009	R-41177	Stage 0 (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
261617005	R-4117B	Stage 5 (qualifier value)
261665006	R-41198	Unknown (qualifier value)
261712009	C-100EA	Acrylic polymer (substance)
262003004	C-70841	Normal saline (product)
262008008	R-4135B	Not performed (qualifier value)
262061000	R-413B7	Postoperative period (qualifier value)
262068006	R-413C5	Preoperative (qualifier value)
262202000	R-41531	Therapeutic intent (qualifier value)
262301009	A-00D7B	Opaque marker (physical object)
263654008	R-42037	Abnormal (qualifier value)
263677008	R-42047	Antegrade direction (qualifier value)
263707001	R-4205B	Clear (qualifier value)
263720003	P0-021B2	Compression - action (qualifier value)
263816006	R-420AE	Muscular (qualifier value)
263943000	R-4210B	Anterior wall (qualifier value)
263972004	T-A1509	Cerebellar subarachnoid space (body structure)
264045001	R-42142	Intraluminal (qualifier value)
264068005	R-4214B	Left lower segment (qualifier value)
264114003	R-4215C	Ostium (qualifier value)
264159006	R-42175	Posterior wall (qualifier value)
264217000	R-42191	Superior (qualifier value)
264293000	T-41065	Coronary artery graft (morphologic abnormality)
264481007	T-4942D	Entire gastrocnemius vein (body structure)
264579008	R-423C3	Thrombosis (qualifier value)
264844003	T-32613	Left ventricle apical anterior segment (body structure)
264845002	T-32614	Left ventricle apical septal segment (body structure)
264846001	T-32615	Left ventricle basal inferior segment (body structure)
264847005	T-32616	Left ventricle mid inferior segment (body structure)
264848000	T-32617	Left ventricle mid anterior segment (body structure)
264849008	T-32618	Left ventricle apical inferior segment (body structure)
264850008	T-32619	Left ventricle basal anterior segment (body structure)
264853005	T-3261C	Left ventricle apical lateral segment (body structure)
265483003	P5-3003F	Right ventriculogram (procedure)
265484009	P5-30041	Left ventriculogram (procedure)
266706003	P2-31209	Continuous electrocardiogram monitoring (procedure)
266894000	G-032F	Family history: Cardiovascular disease (situation)
266897007	G-011E	Family history: Myocardial infarction (situation)
266919005	F-9321F	Never smoked tobacco (finding)
266995000	G-0335	History of cardiovascular disease (situation)
267011001	R-20767	Gynecological history (observable entity)
267036007	F-201B3	Dyspnea (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
268384009	F-042BA	Total blood volume (observable entity)
268400002	P2-3120A	12 lead electrocardiogram (procedure)
268461001	F-9B75C	Sheath contraception (finding)
268951004	R-207D7	On examination - breast lump palpated (finding)
270492004	D3-30001	First degree atrioventricular block (disorder)
271593001	F-06001	Moribund (finding)
271594007	D3-00006	Syncope (disorder)
271649006	F-008EC	Systolic blood pressure (observable entity)
271650006	F-008ED	Diastolic blood pressure (observable entity)
271801002	F-5005E	Taste sense altered (finding)
271807003	D0-00058	Eruption of skin (disorder)
271824009	F-21331	Respiration intermittent (finding)
271921002	F-00033	Electrocardiogram finding (observable entity)
271989003	D7-90010	Disorder of breast implant (disorder)
271993009	P5-009BF	Peripheral angiography (procedure)
272113006	R-407E0	Before values (qualifier value)
272114000	R-407E1	During values (qualifier value)
272123002	R-407E7	Frequencies (qualifier value)
272163001	R-40826	Mixture (qualifier value)
272180002	A-00916	Garment (physical object)
272224001	A-00927	Guide wire (physical object)
272287005	A-04036	Inlay dental restoration (physical object)
272466003	R-4087B	Optic foramen projection (qualifier value)
272476000	R-40885	Transthoracic projection (qualifier value)
272479007	R-40888	Posteroanterior projection (qualifier value)
272517003	R-40899	Respiratory cycle point (qualifier value)
272518008	R-4089A	Cardiovascular cycle point (qualifier value)
272519000	R-4089B	Absence findings (qualifier value)
272657006	T-D075D	Cardiac wall structure (body structure)
272673000	T-D016E	Bone structure (body structure)
272710004	T-D0170	Bone structure of thorax (body structure)
272737002	G-C581	Site of (attribute)
272741003	G-C171	Laterality (attribute)
272998002	T-48725	Structure of right hepatic vein (body structure)
273099000	T-48726	Structure of middle hepatic vein (body structure)
273202007	T-48727	Structure of left hepatic vein (body structure)
273249006	G-E048	Assessment scales (assessment scale)
273948005	R-F6E36	Chloral hydrate (substance)
274022008	P1-34001	Repair of coarctation of aorta (procedure)
274060004	T-4667C	Structure of lobar artery of kidney (body structure)
274143007	T-4667D	Structure of interlobar artery of kidney (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
274231001	T-4668A	Structure of arcuate artery of kidney (body structure)
274303007	R-202A9	On examination - lymph nodes (finding)
274331003	P1-4830F	Surgical biopsy of breast (procedure)
274640006	F-03261	Fever with chills (finding)
274662006	F-A0846	Transient limb paralysis (finding)
274668005	F-37015	Non-cardiac chest pain (finding)
275035006	P1-32006	Heart valve replacement - prosthesis (procedure)
275514001	F-300FA	Impaired left ventricular function (finding)
275552000	G-0069	History of kidney disease (situation)
276334009	F-13006	Position of joint (finding)
276755008	F-03DE9	Right atrial pressure (observable entity)
276772001	F-03DFE	Right ventricular systolic pressure (observable entity)
276774000	F-03E02	Right ventricular end-diastolic pressure (observable entity)
276780008	F-03E0D	Left ventricular systolic pressure (observable entity)
276781007	F-03E0E	Left ventricular end-diastolic pressure (observable entity)
276901002	F-03E86	Pulmonary vascular resistance (observable entity)
277016007	C-23805	Alphachloralose (substance)
277132007	P0-0000E	Therapeutic procedure (procedure)
277381004	F-00078	Stroke index (observable entity)
277591006	P1-03106	Computed tomography guided biopsy (procedure)
277592004	P1-03107	Magnetic resonance imaging guided biopsy (procedure)
277630003	T-32601	Left ventricular basal septal segment (body structure)
277631004	T-32603	Left ventricle basal lateral segment (body structure)
277634007	T-32503	Right ventricle midventricular segment (body structure)
277635008	T-32504	Right ventricle basal segment (body structure)
277671009	R-400B2	Intraoperative (qualifier value)
278201002	G-C032	Classification (attribute)
278307001	R-40553	On admission (qualifier value)
278318001	R-40554	Transorbital projection (qualifier value)
278528006	F-017C0	Facial swelling (finding)
278571002	T-C46AA	Structure of postvesicular lymph node (body structure)
278672000	T-C46AB	Structure of lateral vesicular lymph node (body structure)
278983006	T-D051D	Fissure of lung (body structure)
279046003	A-80002	Pressure - physical agent (physical force)
279047007	F-A2632	Persistent pain following procedure (finding)
279084009	F-37006	Chest discomfort (finding)
279141006	T-C4145	Superficial parotid lymph node (body structure)
279142004	T-C4146	Deep parotid lymph node (body structure)
279143009	T-C4154	Mastoid lymph node (body structure)
279144003	T-C4201	Superficial cervical lymph node (body structure)
279145002	T-C4202	Deep cervical lymph node (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
279170002	T-35111	Entire anulus fibrosus of tricuspid orifice (body structure)
279174006	T-35313	Entire anulus fibrosus of mitral orifice (body structure)
279189002	T-C4641	Structure of promontory common iliac lymph node (body structure)
279215006	T-A0036	Limbic lobe (body structure)
279271008	T-C4642	Structure of interiliac lymph node (body structure)
279317000	T-35014	Truncal valve structure (body structure)
279336005	T-A4904	Posterior cerebral commissure (body structure)
279549004	T-21301	Nasal cavity structure (body structure)
279609001	T-C4423	Structure of juxtaintestinal lymph node (body structure)
279784003	T-C4452	Structure of lymph node of lesser curvature of stomach (body structure)
279795009	T-C4401	Structure of lymph node of mesentery (body structure)
279866008	T-C4453	Structure of lymph node ring of cardia of stomach (body structure)
280062008	T-D3412	Esophageal aperture of diaphragm (body structure)
280216006	T-C4465	Structure of suprapyloric lymph node (body structure)
280314006	T-C4466	Structure of subpyloric lymph node (body structure)
280371009	T-A0109	Brain cerebrospinal fluid pathway (body structure)
280401006	T-D0721	Spinal cerebrospinal fluid pathway (body structure)
280402004	T-C4467	Structure of retropyloric lymph node (body structure)
280416009	F-01E06	Indeterminate result (qualifier value)
280556009	T-C4445	Structure of cystic lymph node (body structure)
280639005	T-C4446	Structure of common duct lymph node (body structure)
280677004	T-AA62D	Internal limiting membrane of retina (body structure)
280711000	T-12847	Region of metatarsal (body structure)
280734009	T-11531	Vertebral foramen (body structure)
280824006	T-C4473	Structure of splenic lymph node (body structure)
280915003	T-C447D	Structure of inferior pancreatic lymph node (body structure)
280999005	T-C447E	Structure of superior pancreatic lymph node (body structure)
281130003	T-D0765	Descending aorta structure (body structure)
281134007	T-D305A	Intercostal artery (body structure)
281157001	T-4000E	Systemic vascular structure (body structure)
281159003	T-4105E	Systemic arterial structure (body structure)
281227003	T-C447F	Structure of inferior pancreaticoduodenal lymph node (body structure)
281231009	T-D0767	Vascular structure of head (body structure)
281268007	M-09024	Insufficient sample (finding)
281320004	T-C4481	Structure of superior pancreaticoduodenal lymph node (body structure)
281379000	R-41FD9	Pre-admission (qualifier value)
281392002	T-D3208	Upper zone of lung (body structure)
281393007	T-D3209	Middle zone of lung (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
281394001	T-D320A	Lower zone of lung (body structure)
281496003	T-D6007	Pelvic vascular structure (body structure)
281676003	T-C4563	Structure of ileocolic lymph node (body structure)
281691001	P0-005ED	Physiological monitoring regime (regime/therapy)
281765006	T-C4522	Structure of prececal lymph node (body structure)
281847004	T-C4523	Structure of retrocecal lymph node (body structure)
282031000	T-C4565	Structure of midcolic lymph node (body structure)
282044005	T-46807	Structure of penile artery (body structure)
282258000	R-422F4	moles per unit volume (qualifier value)
284355001	T-3260A	Left ventricle anterior segment (body structure)
284356000	T-3260B	Left ventricle septal segment (body structure)
284357009	T-3260C	Left ventricle inferior segment (body structure)
284358004	T-3260D	Left ventricle lateral segment (body structure)
284470004	D3-30A03	Premature atrial contraction (disorder)
284639000	T-48832	Structure of umbilical portion of portal vein (body structure)
285425001	T-C4218	Upper deep cervical lymph node (body structure)
285427009	T-C4219	Middle deep cervical lymph node (body structure)
285429007	T-C421A	Lower deep cervical lymph node (body structure)
285570007	P0-00593	Taking of swab (procedure)
285645000	DF-00577	Disseminated malignancy of unknown primary (disorder)
286558002	A-11C08	Ureteric stent (physical object)
286866000	R-421A4	Mouth closed (finding)
287272002	D3-10008	Enlarged septal foramen of heart (disorder)
287572003	P1-48142	Diagnostic aspiration of breast cyst (procedure)
288546009	T-D07CB	Lower alveolar ridge structure (body structure)
288563008	R-42517	After values (qualifier value)
289894009	F-840B3	Menstrual bleeding present (finding)
289925000	F-61779	Waste material (substance)
290006006	F-61790	Photon (substance)
290069002	F-8A074	Discoloration of skin of breast (finding)
290084006	F-8A084	Breast normal (finding)
290113009	D7-90565	Bloody nipple discharge (disorder)
290119008	F-8A09C	Nipple problem (finding)
292094009	DF-10780	Radiopharmaceutical adverse reaction (disorder)
292095005	DF-10781	Contrast media adverse reaction (disorder)
293637006	DF-10F41	Allergy to contrast media (disorder)
293638001	DF-10F42	Allergy to X-ray contrast media (disorder)
297120004	A-00BA2	Anesthetic face mask (physical object)
297171002	T-D00F7	Cervicothoracic region of spine structure (body structure)
297172009	T-D00F8	Thoracolumbar region of spine structure (body structure)
297173004	T-D00F9	Lumbosacral region of spine structure (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
297174005	T-D00FA	Sacrococcygeal region of spine structure (body structure)
298336006	F-100EC	No motor response to command (finding)
299716001	T-41068	Iliac and/or femoral artery structures (body structure)
299993000	T-C4417	Structure of mesenteric artery lymph node (body structure)
300571009	F-03FC9	Finding of gestational sac (finding)
300577008	F-03FCD	Finding of lesion (finding)
300841009	R-428E7	Poorly defined (qualifier value)
300842002	G-C2FE	Shape (attribute)
300995000	D3-13025	Exercise-induced angina (disorder)
301121007	F-30172	Myocardial perfusion normal (finding)
301939004	F-0123A	Constricted pupil (finding)
302924003	D7-9002A	Breast hematoma (disorder)
303110006	R-422A4	Postprocedural period (qualifier value)
303111005	R-422A5	During menopause (qualifier value)
303337002	T-C5001	Tonsil and adenoid structure (body structure)
303402001	T-71019	Vascular structure of kidney (body structure)
303623000	T-C4867	Structure of posterior tibial lymph node (body structure)
303653007	P5-08067	Computed tomography of head (procedure)
303680000	P5-0807F	Computed tomography of cardiovascular system (procedure)
303713004	T-C4866	Structure of anterior tibial lymph node (body structure)
303827001	P5-00A0D	Trunk angiography (procedure)
303960004	C-50434	Thrombolytic (product)
304059001	R-427E6	Endocardial (qualifier value)
304121006	A-04459	Femoral head prosthesis (physical object)
304283002	R-42806	Half-life of radiopharmaceutical (qualifier value)
304292004	J-00556	Surgeon (occupation)
304367000	R-42808	Uncemented component fixation (qualifier value)
304915008	G-E002	Duke's coronary artery disease score (assessment scale)
305437000	T-3500E	Cardiac valve annulus (body structure)
306783000	T-1273F	Tibial plateau structure (body structure)
307047009	F-00BB8	Core body temperature measured in rectum (observable entity)
307152002	R-40FB8	Temporal periods relating to procedure (qualifier value)
307153007	R-40FB9	Before procedure (qualifier value)
307154001	R-40FBA	During procedure (qualifier value)
307280005	P0-004BA	Implantation of cardiac pacemaker (procedure)
307429007	R-410C3	After menopause (qualifier value)
307486002	R-4112F	Single event (qualifier value)
307701005	P1-0555A	Abdominal aortic aneurysm stenting (procedure)
308064009	G-0102	History of cerebrovascular disease (situation)
308546005	D3-80016	Dissection of aorta (disorder)
308689002	F-20172	Coin lesion of lung (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
308696000	P5-39106	Coarctation angioplasty (procedure)
309050000	G-80A5	Body substance sample (specimen)
309051001	G-80A6	Body fluid sample (specimen)
309058007	G-832D	Breast tru-cut biopsy sample (specimen)
309059004	G-8339	Frozen section breast sample (specimen)
309312004	T-D021B	Cartilage tissue (body structure)
309343006	J-004E8	Physician (occupation)
309390008	J-0050A	Hospital consultant (occupation)
309546004	G-833D	Lumpectomy breast sample (specimen)
309547008	G-833F	Segmentectomy breast sample (specimen)
309548003	G-8346	Breast duct sample (specimen)
309587003	F-8A057	Calcification of breast (finding)
309602000	R-41FFC	Temporal periods relating to feeding and eating (qualifier value)
309606002	R-41FFF	Before menopause (qualifier value)
309649001	R-2073F	On examination - lens (finding)
309825002	R-42018	Spatial and relational concepts (qualifier value)
309901009	R-3023A	Anesthetic department (environment)
309902002	R-3023B	Clinical oncology department (environment)
309903007	R-3023C	Radiotherapy department (environment)
309904001	R-3023D	Intensive care unit (environment)
309907008	R-30240	Cardiac intensive care unit (environment)
309910001	R-30243	Pediatric intensive care unit (environment)
309913004	R-30246	Clinical allergy department (environment)
309914005	R-30247	Audiology department (environment)
309915006	R-30248	Cardiology department (environment)
309918008	R-3024B	Respiratory medicine department (environment)
309923008	R-30250	Dermatology department (environment)
309925001	R-30252	Endocrinology department (environment)
309927009	R-30254	General medical department (environment)
309933000	R-3025A	Care of the elderly department (environment)
309934006	R-3025B	Infectious diseases department (environment)
309935007	R-3025C	Medical ophthalmology department (environment)
309936008	R-3025D	Nephrology department (environment)
309937004	R-3025E	Neurology department (environment)
309938009	R-3025F	Nuclear medicine department (environment)
309939001	R-30260	Palliative care department (environment)
309940004	R-30261	Rehabilitation department (environment)
309941000	R-30262	Rheumatology department (environment)
309942007	R-30263	Obstetrics and gynecology department (environment)
309943002	R-30264	Gynecology department (environment)
309944008	R-30265	Obstetrics department (environment)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
309948006	R-30269	Pediatric oncology department (environment)
309949003	R-3026A	Pain management department (environment)
309950003	R-3026B	Pathology department (environment)
309954007	R-3026F	Hematology department (environment)
309956009	R-30270	Medical microbiology department (environment)
309958005	R-30275	Psychiatry department (environment)
309959002	R-30276	Child and adolescent psychiatry department (environment)
309964003	R-3027B	Radiology department (environment)
309966001	R-3027D	Stroke unit (environment)
309967005	R-3027E	Surgical department (environment)
309968000	R-3027F	Breast surgery department (environment)
309969008	R-30280	Cardiothoracic surgery department (environment)
309970009	R-30281	Thoracic surgery department (environment)
309971008	R-30282	Cardiac surgery department (environment)
309972001	R-30283	Dental surgery department (environment)
309974000	R-30285	Oral surgery department (environment)
309978002	R-30289	Ear, nose and throat department (environment)
309979005	R-3028A	Endocrine surgery department (environment)
309980008	R-3028B	Gastrointestinal surgery department (environment)
309983005	R-3028E	Colorectal surgery department (environment)
309984004	R-3028F	General surgical department (environment)
309985003	R-30290	Hand surgery department (environment)
309989009	R-30294	Orthopedic department (environment)
309991001	R-30296	Pediatric surgical department (environment)
309992008	R-30297	Plastic surgery department (environment)
309993003	R-30298	Surgical transplant department (environment)
309994009	R-30299	Trauma surgery department (environment)
309995005	R-3029A	Urology department (environment)
309996006	R-3029B	Vascular surgery department (environment)
310030000	R-421D4	Endoscopy service (qualifier value)
310076001	R-421EB	Clinical biochemistry service (qualifier value)
310101009	R-42203	Speech and language therapy service (qualifier value)
310105000	R-42207	Optometry service (qualifier value)
310123008	R-42219	Psychology service (qualifier value)
310127009	R-4221D	Magnetic resonance imaging service (qualifier value)
310128004	R-4221E	Computerized tomography service (qualifier value)
310158005	R-4223B	Hepatobiliary surgical service (qualifier value)
310159002	R-4223C	Neurosurgical service (qualifier value)
310169008	R-42246	Ultrasonography service (qualifier value)
310200001	R-4225D	Cytology service (qualifier value)
310464005	R-302A2	Physiotherapy department (environment)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
310651003	T-D078C	Bone structure of proximal femur (body structure)
310652005	T-D078D	Bone structure of distal femur (body structure)
310787001	T-D03C3	Structure of lung and/or mediastinum (body structure)
310805002	C-2282E	Sudan black stain (substance)
311731000	F-616D8	Paraffin wax (substance)
312004007	R-42E61	Retrograde direction (qualifier value)
312064005	C-50309	Hypoglycemic agent (product)
312288001	T-D000F	Vascular graft (morphologic abnormality)
312500006	T-C4003	Regional lymph node structure (body structure)
312501005	T-C4004	Structure of lymph node of head and neck (body structure)
312502003	T-D200A	Lymph node structure of trunk (body structure)
312503008	T-C4005	Lymph node structure of limb (body structure)
312522004	T-35008	Common (non-mitral, non-tricuspid) atrioventricular valve structure (body structure)
312535008	T-20101	Pharynx and/or larynx structures (body structure)
312779009	T-D006D	Bone structure of head and/or neck (body structure)
312965008	P0-0526F	Laser assisted in situ keratomileusis (procedure)
313376005	R-207AD	No family history: breast carcinoma (situation)
313386006	F-029D4	Patient in remission (finding)
314116003	D3-13014	Post infarct angina (disorder)
314186008	D3-83602	Inflammatory abdominal aortic aneurysm (disorder)
314348007	R-20839	On examination - poor visual fixation (finding)
314439003	F-00E11	Maximum systolic blood pressure (observable entity)
314440001	F-00E14	Average systolic blood pressure (observable entity)
314451001	F-00E1F	Minimum diastolic blood pressure (observable entity)
314452008	F-00E21	Maximum diastolic blood pressure (observable entity)
314453003	F-00E22	Average diastolic blood pressure (observable entity)
314730000	T-C4414	Lymph node of stomach (body structure)
314736006	T-C463E	Female genital lymph node (body structure)
314796009	T-127A7	Malleolar structure of tibia (body structure)
314900004	C-2282D	Sudan stain (substance)
317665004	T-1153E	Structure of superior articular process of vertebra (body structure)
317766009	T-1153F	Structure of inferior articular process of vertebra (body structure)
320917000	C-6A102	Oxygen gas (product)
330888007	C-B0295	Rose bengal product (product)
333111009	R-F748A	Permethrin stain (substance)
337915000	L-85003	Homo sapiens (organism)
339648008	A-10DBC	Colostomy bag (physical object)
341036005	A-120DD	Colostomy set (physical object)
342706005	A-1009E	Ileostomy set (physical object)
344088002	A-105E3	Urostomy bag (physical object)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
344575009	A-10703	Urostomy set (physical object)
344994008	P2-35002	Intraventricular pacing (procedure)
346322006	C-80609	Anion exchange resin (product)
346441008	C-8060A	Fish oils (product)
346553009	C-80477	Lidocaine+prilocaine (product)
346607007	R-F2989	Papaverine (substance)
347379006	C-70434	Lactated Ringer's solution (product)
349947003	C-677B9	Ophthalmic form atropine (product)
349955005	C-51071	H1 antihistamine (product)
350086004	C-B02CC	Fluorescein product (product)
353842007	C-B1130	Thallium-201 (product)
353903006	C-B0382	Iopromide (product)
353912008	C-B038B	Iothalamate (product)
353962003	C-B03BC	Iodixanol (product)
354064008	C-B02C5	Methylene blue product (product)
354088005	C-B03C3	Gadodiamide (product)
354094002	C-B03C9	Metrizoate (product)
360038009	P0-021D6	Gluing - action (qualifier value)
360066001	A-11FCD	Left ventricular assist device (physical object)
360129009	A-040CB	Cardiac pacemaker lead (physical object)
360156006	R-42453	Screening - procedure intent (qualifier value)
360271000	P0-021FD	Prophylaxis - procedure intent (qualifier value)
360465008	D3-2906A	Idiopathic hypertrophic subaortic stenosis (disorder)
360481003	D4-31303	Common atrioventricular canal (disorder)
360568007	T-D07EA	Corticospinal tract in brainstem (body structure)
360592004	T-48081	Systemic venous structure (body structure)
360955006	T-2300C	Region of nasopharynx (body structure)
360992006	T-C4601	Vesicular lymph node (body structure)
360993001	T-C4602	Lacunar lymph node (body structure)
361078006	T-AB959	Area of internal auditory canal (body structure)
361097006	T-40003	Entire blood vessel (body structure)
362072009	T-4940B	Saphenous vein structure (body structure)
363537007	T-28812	Structure of extrapulmonary lymph node of lung (body structure)
363563002	M-300F2	Entrapment (morphologic abnormality)
363589002	G-C2D0	Associated procedure (attribute)
363654007	T-D14AE	Structure of orbit proper (body structure)
363675004	R-40641	Intents (nature of procedure values) (qualifier value)
363676003	R-40642	Palliative - procedure intent (qualifier value)
363679005	P0-0099A	Imaging (procedure)
363698007	G-C0E3	Finding site (attribute)
363703001	G-C0E8	Has intent (attribute)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
363704007	G-C0E9	Procedure site (attribute)
363713009	G-C0F2	Has interpretation (attribute)
363871006	F-04317	Mental state (observable entity)
364062005	F-043E6	Respiration observable (observable entity)
364091008	F-04403	Aortic root feature (observable entity)
364092001	F-04404	Coronary artery feature (observable entity)
364320009	F-0452A	Pregnancy observable (observable entity)
364393001	F-045CE	Nutritional observable (observable entity)
364528001	F-046D8	Skin observable (observable entity)
364644000	F-047E7	Functional observable (observable entity)
365416000	F-38035	Finding of electrocardiogram ST segment (finding)
365853002	F-01969	Imaging finding (finding)
365981007	F-93109	Finding of tobacco smoking behavior (finding)
366188009	F-30117	Finding of left ventricular function (finding)
367336001	P0-0058E	Chemotherapy (procedure)
367450005	R-4235F	Short (qualifier value)
367567000	T-D03B4	Structure of umbilical vein (body structure)
367624001	T-F680F	Structure of ductus venosus (body structure)
367643001	M-3340A	Cyst (morphologic abnormality)
368479001	T-49217	Structure of superficial palmar venous arch (body structure)
368481004	T-49218	Structure of deep palmar venous arch (body structure)
368536000	T-18774	Structure of axillary fascia (body structure)
368550005	T-C4752	Structure of paramammary lymph node (body structure)
369790002	G-F616	Nottingham Combined Grade I: 3-5 points (finding)
369791003	G-F617	Nottingham Combined Grade II: 6-7 points (finding)
369792005	G-F618	Nottingham Combined Grade III: 8-9 points (finding)
369991007	G-F749	N3: Metastasis to ipsilateral internal mammary lymph node(s) (finding)
370129005	G-C036	Measurement method (attribute)
370359005	F-38095	Electrocardiogram equivocal (finding)
370367002	F-201B6	Exercise tolerance test equivocal (finding)
370388006	F-00D5F	Patient immunocompromised (finding)
370512004	DD-661D2	Migration of implant or internal device (disorder)
370951003	F-02087	Piggyback intraocular lens (finding)
371013005	T-C430A	Cardiophrenic angle lymph node (body structure)
371036001	D7-76202	Postsurgical menopause (disorder)
371195002	T-D0821	Bone structure of upper limb (body structure)
371240000	G-A11A	Red color (qualifier value)
371244009	G-A11D	Yellow color (qualifier value)
371246006	G-A11E	Green color (qualifier value)
371251000	G-A12B	White color (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
371252007	G-A12C	Black color (qualifier value)
371253002	G-A12D	Gray color (qualifier value)
371254008	G-A12E	Brown color (qualifier value)
371398005	T-D0801	Eye region structure (body structure)
371422002	G-0338	History of substance abuse (situation)
371439000	R-00254	Specimen type (observable entity)
371469007	R-00258	Histologic grade (observable entity)
371524004	R-42B89	Clinical report (record artifact)
371564000	L-877FB	Genus Rattus (organism)
371565004	L-877FC	Rattus norvegicus (organism)
371572003	P0-006F1	Nuclear medicine procedure (procedure)
371785003	R-002CC	Ambu bag (physical object)
371786002	R-00359	Pressure support ventilator (physical object)
371787006	R-0038C	Volume support ventilator (physical object)
371788001	R-00310	Intracoronary Doppler guide wire (physical object)
371789009	R-00311	Intracoronary pressure guide wire (physical object)
371790000	R-00303	External counter-pulsation circulatory support device (physical object)
371791001	R-00361	Radiofrequency ablation device (physical object)
371794009	R-002F0	Cutting balloon angioplasty device (physical object)
371795005	R-00312	Intravascular ultrasound device (physical object)
371796006	R-002FD	Directional coronary atherectomy device (physical object)
371797002	R-0036F	Saline thrombectomy device (physical object)
371798007	R-00306	Fluid filled catheter (physical object)
371799004	R-0030A	Hall catheter (physical object)
371800000	R-00379	Thermistor catheter (physical object)
371801001	R-00304	Fiberoptic catheter (physical object)
371802008	R-00383	Tip manometer (physical object)
371803003	R-00334	Multi vessel coronary artery disease (disorder)
371804009	R-00313	Left main coronary artery disease (disorder)
371805005	R-00372	Significant coronary bypass graft disease (disorder)
371807002	R-0038F	Atypical angina (disorder)
371808007	R-00368	Recurrent angina status post percutaneous transluminal coronary angioplasty (disorder)
371809004	R-00366	Recurrent angina status post coronary stent placement (disorder)
371810009	R-00365	Recurrent angina status post coronary artery bypass graft (disorder)
371811008	R-00369	Recurrent angina status post rotational atherectomy (disorder)
371812001	R-00367	Recurrent angina status post directional coronary atherectomy (disorder)
371813006	R-002C8	Acute mitral regurgitation from chordal rupture (disorder)
371814000	R-002C7	Acute mitral regurgitation from chordal dysfunction (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
371815004	R-002C9	Acute mitral regurgitation from papillary muscle dysfunction (disorder)
371816003	R-002CA	Acute mitral regurgitation from papillary muscle rupture (disorder)
371817007	R-002CB	Acute ventricular septal rupture (disorder)
371824008	R-00336	Myocardial ischemia manifest on stress test status post myocardial infarction (finding)
371829003	R-00360	Pulmonary vein wedge pressure (observable entity)
371835003	R-00308	Fractional flow reserve using intracoronary bolus (observable entity)
371837006	R-0032D	Mitral valve flow (observable entity)
371838001	R-002E5	Cardiac output measurement by thermal bath method (procedure)
371839009	R-00394	Derived flow, non-valve (observable entity)
371840006	R-00385	Tricuspid valve flow (observable entity)
371841005	R-00309	Fractional flow reserve using intravenous infusion (observable entity)
371842003	R-00307	Fractional flow reserve (observable entity)
371843008	R-002E7	Cardiac output measurement by thermal inline method (procedure)
371845001	R-002D3	Aortic valve flow (observable entity)
371846000	R-0035D	Pulmonary valve flow (observable entity)
371847009	R-003A9	Tricuspid diastolic filling period (observable entity)
371848004	R-0035C	Pulmonary systolic ejection period (observable entity)
371849007	R-0032C	Mitral diastolic filling period (observable entity)
371850007	R-002D2	Aortic systolic ejection period (observable entity)
371851006	R-002D0	Angioplasty inflation pressure (observable entity)
371852004	R-002CF	Angioplasty inflation duration (observable entity)
371853009	R-002F5	Derived period, non-valve (observable entity)
371854003	R-0036C	Rotational atherectomy speed (observable entity)
371855002	R-00398	Hyperkinetic ventricular wall (finding)
371856001	R-0033F	Normal left heart hemodynamics (finding)
371857005	R-00340	Normal left ventricular systolic function and wall motion (finding)
371858000	R-0033E	Normal left and right heart hemodynamics (finding)
371859008	R-00342	Normal right heart hemodynamics (finding)
371860003	R-0033D	Normal coronary arteries (finding)
371861004	R-00328	Mild intimal coronary irregularities without significant stenoses (finding)
371862006	R-002F3	Depression of left ventricular systolic function (finding)
371863001	R-0039F	Perfusion finding (finding)
371864007	R-00381	Thrombolysis in Myocardial Infarction grade 2: partial perfusion (finding)
371865008	R-00382	Thrombolysis in Myocardial Infarction grade 3: complete perfusion (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
371866009	R-0037F	Thrombolysis in Myocardial Infarction grade 1: penetration without perfusion (finding)
371867000	R-0037E	Thrombolysis in Myocardial Infarction grade 0: no perfusion (finding)
371868005	R-00327	Mild hypokinesis of cardiac wall (finding)
371869002	R-0032F	Moderate hypokinesis of cardiac wall (finding)
371870001	R-00370	Severe hypokinesis of cardiac wall (finding)
371871002	R-00373	Single beats - numeric estimation technique (qualifier value)
371872009	R-003A1	Post stenotic dilation (finding)
371873004	R-00314	Luminal irregularities of coronary artery (finding)
371874005	R-002E3	Cardiac catheterization gradient assessment phase (qualifier value)
371875006	R-002FB	Device withdrawn and / or removed (finding)
371876007	R-002F7	Device at site of interest (finding)
371877003	R-002F8	Device inserted into sheath (finding)
371879000	R-002C4	Abnormally high (qualifier value)
371880002	R-002C5	Abnormally low (qualifier value)
371883000	R-00348	Outpatient procedure (procedure)
371884006	R-00363	Range of measurement uncertainty (qualifier value)
371885007	R-00362	Range of lower measurement uncertainty (qualifier value)
371886008	R-00364	Range of upper measurement uncertainty (qualifier value)
371887004	R-00338	Ninetieth percentile (qualifier value)
371888009	R-00397	Fifth percentile (qualifier value)
371889001	R-00337	Ninety-fifth percentile (qualifier value)
371890005	R-00377	Tenth percentile (qualifier value)
371892002	R-002F2	Delivered radiation dose (observable entity)
371893007	R-0036B	Restenotic lesion of coronary artery (finding)
371894001	R-002E2	Bifurcation lesion of coronary artery (disorder)
371895000	R-002EF	Culprit lesion of coronary artery (finding)
371896004	R-0037C	Thrombolytic agent administered less than 3 hours before percutaneous coronary intervention (situation)
371897008	R-0037A	Thrombolytic agent administered between 3 and 6 hours before percutaneous coronary intervention (situation)
371898003	R-0031B	Medication administered before lab visit (situation)
371899006	R-0031A	Medication administered after lab visit (situation)
371900001	R-00320	Medication not administered (situation)
371901002	R-0031E	Medication administered less than 72 hours before percutaneous coronary intervention (situation)
371902009	R-00399	Medication administered after percutaneous coronary intervention (situation)
371903004	R-0039A	Medication administered during percutaneous coronary intervention (situation)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
371904005	R-0031F	Medication administered prior to percutaneous coronary intervention (situation)
371905006	R-0031C	Medication administered during lab visit (situation)
371906007	R-0037B	Thrombolytic agent administered between 6 hours and 7 days before percutaneous coronary intervention (situation)
371907003	R-0034A	Oxygen administration by nasal cannula (procedure)
371908008	R-00349	Oxygen administration by mask (procedure)
371909000	R-00315	Magnet induced pacing (procedure)
371910005	R-002D9	Atrioventricular sequential pacing (procedure)
371911009	R-00318	Measurement of blood pressure using cuff method (procedure)
371912002	R-002E1	Best value - numeric estimation technique (qualifier value)
371913007	R-00355	Point source - numeric estimation technique (qualifier value)
371914001	R-00353	Peak to peak - numeric estimation technique (qualifier value)
371915000	R-002FC	Diffuse disease of coronary artery (finding)
371916004	R-0036A	Representative - numeric estimation technique (qualifier value)
371917008	R-00346	One standard deviation above mean (qualifier value)
371918003	R-00388	Two standard deviations below mean (qualifier value)
371919006	R-00347	One standard deviation below mean (qualifier value)
371920000	R-00387	Two standard deviations above mean (qualifier value)
371922008	R-00335	Multiple irregularities (qualifier value)
371923003	R-00329	Mild to moderate (qualifier value)
371924009	R-00330	Moderate to severe (qualifier value)
371925005	R-00333	Most significant (qualifier value)
371926006	R-0030C	Highly significant (qualifier value)
371928007	R-00345	Not significant (qualifier value)
371931008	R-002E9	Combined diagnostic and therapeutic (procedure)
371933006	R-0038B	Upper limit of reference range (qualifier value)
371934000	R-0039B	Normality undetermined (qualifier value)
371951007	R-003AA	Vena anonyma (body structure)
371952000	R-00376	Systemic arterial blood (substance)
371953005	R-0035B	Pulmonary artery blood (substance)
371954004	R-0035E	Pulmonary vein blood (substance)
372073000	T-A010F	Cerebral hemisphere structure (body structure)
372074006	T-14122	Skeletal muscle structure of chest wall (body structure)
372242005	T-AA092	Vitreous body part (body structure)
372249001	R-00274	Tumor margin status (observable entity)
372276001	R-00288	Nottingham Combined Grade (observable entity)
372460008	G-D173	Intracardiac route (qualifier value)
372463005	G-D17C	Intracoronary route (qualifier value)
372464004	G-D17D	Intradermal route (qualifier value)
372480009	C-00211	Macrolide (class of antibiotic, substance) (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
372578001	F-616E7	Plasma expander (substance)
372580007	F-616EB	Bronchodilator (substance)
372602008	F-616FE	Metronidazole (substance)
372614000	F-6171D	Sedative (substance)
372656001	F-6188F	Opiate antagonist (substance)
372664007	R-F2B1D	Benzodiazepine (substance)
372665008	F-61898	Non-steroidal anti-inflammatory agent (substance)
372666009	F-61899	Skeletal muscle relaxant (substance)
372677003	C-0023B	Lincomycin (substance)
372681003	F-618A5	Hemostatic agent (substance)
372693007	F-618AE	Class IV antiarrhythmic agent (substance)
372695000	F-618AF	Diuretic (substance)
372703009	R-F2B1F	Pentobarbital (substance)
372708000	F-618BA	Anti-heparin agent (substance)
372722000	C-0024C	Quinolone -class of antibiotic- (substance)
372724004	F-61916	Succinylcholine (substance)
372735009	C-0024E	Vancomycin (substance)
372787008	F-61957	Vasodilator (substance)
372788003	C-00257	Sulfonamide -class of antibiotic- (substance)
372790002	F-61959	Nondepolarizing agent (substance)
372798009	R-F2B23	Barbiturate (substance)
372806008	F-61969	Antihistamine (substance)
372813008	F-6196E	Antiarrhythmic agent (substance)
372855004	F-61995	Class III antiarrhythmic agent (substance)
372862008	F-6199A	Anticoagulant (substance)
372881000	F-619AA	Vasoconstrictor (substance)
372901004	R-F2B27	Butabarbital (substance)
372906009	F-619EF	Benzodiazepine antagonist (substance)
373061006	R-002F6	Device applied to patient (finding)
373062004	R-002FA	Device used (finding)
373066001	R-0038D	Yes (qualifier value)
373067005	R-00339	No (qualifier value)
373068000	R-0038A	Undetermined (qualifier value)
373095005	R-002ED	Coronary artery fistula to right atrium (disorder)
373098007	R-00317	Mean - numeric estimation technique (qualifier value)
373099004	R-00319	Median - numeric estimation technique (qualifier value)
373100007	R-0032E	Mode - numeric estimation technique (qualifier value)
373102004	R-003AC	Specimen from breast obtained by image guided core biopsy (specimen)
373104003	R-002E6	Cardiac output measurement by thermal dye dilution method (procedure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
373105002	R-002E4	Cardiac catheterization test/challenge phase (qualifier value)
373108000	R-00357	Post percutaneous transluminal coronary angioplasty (finding)
373110003	R-00300	Emergency procedure (procedure)
373111004	R-0035A	Procedure in coronary care unit (procedure)
373112006	R-00302	Evaluation of murmur (procedure)
373113001	R-0036E	Routine procedure (procedure)
373115008	R-0036D	Routine - numeric estimation technique (qualifier value)
373116009	D3-29096	Acute mitral regurgitation (disorder)
373121007	R-00378	Test not done (qualifier value)
373122000	R-00344	Normal ventricular wall motion (finding)
373123005	R-0030D	Hyperkinesis of region of cardiac wall (finding)
373124004	R-00343	Normal size cardiac chamber (finding)
373125003	R-002C6	Abnormally small cardiac chamber (finding)
373126002	R-0032A	Mildly enlarged cardiac chamber (finding)
373127006	R-00331	Moderately enlarged cardiac chamber (finding)
373128001	R-00316	Markedly enlarged cardiac chamber (finding)
373129009	R-00341	Normal overall cardiac contractility (finding)
373131000	R-0033B	Non-restrictive ventricular septal defect (disorder)
373132007	R-0033C	Normal aortic root (finding)
373133002	R-00301	Enlarged aortic root (finding)
373134008	R-002CD	Aneurysm of aortic root (finding)
373135009	R-002D1	Annular abscess of aortic root (disorder)
373136005	R-0030B	Heart valve calcification (finding)
373137001	R-0030F	Immobile heart valve (finding)
373138006	R-00389	Ulcerated lesion of coronary artery (finding)
373140001	R-0033A	No thrombus (situation)
373141002	R-00356	Possible thrombus (situation)
373142009	R-002F1	Definite thrombus (situation)
373143004	R-00371	Severe thrombus (finding)
373147003	R-00321	Administration of medication not done due to contraindication (situation)
373148008	R-0037D	Thrombolytic agent not administered because contraindicated (situation)
373150000	R-003CA	pNX: Regional lymph nodes cannot be assessed (e.g., previously removed, or not removed for pathologic study) (breast) (finding)
373151001	R-003CB	pN0: No regional lymph node metastasis histologically (i.e., none greater than 0.2 mm), no additional examination for isolated tumor cells (breast) (finding)
373156006	R-003D0	pN1: Metastasis in 1 to 3 axillary lymph nodes, and/or in internal mammary nodes with microscopic disease detected by sentinel lymph node dissection but not clinically apparent (breast) (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
373162001	R-003D6	pN2: Metastasis in 4 to 9 axillary lymph nodes, or in clinically apparent internal mammary lymph nodes in the absence of axillary lymph node metastasis (breast) (finding)
373163006	R-003D7	pN2a: Metastasis in 4 to 9 axillary lymph nodes (at least one tumor deposit greater than 2.0 mm) (breast) (finding)
373164000	R-003D8	pN2b: Metastasis in clinically apparent internal mammary lymph nodes in the absence of axillary lymph node metastasis (breast) (finding)
373165004	R-003D9	pN3a: Metastasis in 10 or more axillary lymph nodes (at least one tumor deposit greater than 2.0 mm), or metastasis to infraclavicular lymph nodes (breast) (finding)
373166003	R-003DB	pN3c: Metastasis in ipsilateral supraclavicular lymph nodes (breast) (finding)
373167007	R-003DA	pN3b: Tumor of breast with metastasis as per American Joint Committee on Cancer 6th Edition definition (breast) (finding)
373169005	R-003DD	pM0: No distant metastasis (breast) (finding)
373170006	R-003DC	pMX: Distant metastasis cannot be assessed (breast) (finding)
373171005	R-003DE	pM1: Distant metastasis (breast) (finding)
373172003	R-003BA	pT1: Tumor 2 cm or less in greatest dimension (breast) (finding)
373173008	R-003B8	pTX: Primary tumor cannot be assessed (breast) (finding)
373174002	R-003B9	pT0: No evidence of primary tumor (breast) (finding)
373175001	R-003BB	pTis: Carcinoma in situ (breast) (finding)
373176000	R-003BC	pTis: Ductal carcinoma in situ (breast) (finding)
373177009	R-003BD	pTis: Lobular carcinoma in situ (breast) (finding)
373178004	R-003BE	pTis: Paget disease without invasive carcinoma (breast) (finding)
373179007	R-003BF	pT1mic: Microinvasion 0.1 cm or less in greatest dimension (breast) (finding)
373180005	R-003C0	pT1a: Tumor more than 0.1 cm but not more than 0.5 cm in greatest dimension (breast) (finding)
373182002	R-003C3	pT2: Tumor more than 2 cm but not more than 5 cm in greatest dimension (breast) (finding)
373183007	R-003C2	pT1c: Tumor more than 1 cm but not more than 2 cm in greatest dimension (breast) (finding)
373184001	R-003C4	pT3: Tumor more than 5 cm in greatest dimension (breast) (finding)
373185000	R-003C5	pT4: Tumor of any size with direct extension to chest wall or skin (breast) (finding)
373186004	R-003C6	pT4a: Tumor of any size with extension to chest wall, not including pectoralis muscle (breast) (finding)
373187008	R-003C7	pT4b: Tumor of any size with edema (including peau d'orange) or ulceration of the skin of the breast or satellite skin nodules confined to the same breast (breast) (finding)
373189006	R-003C8	pT4c: Tumor of any size with direct extension to chest wall (not including pectoralis muscle) and edema (including peau d'orange) or ulceration of the skin of the breast or satellite skin nodules confined to the same breast (finding)
373190002	R-003C9	pT4d: Inflammatory carcinoma (breast) (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
373197004	R-00286	Polyp size, largest dimension (observable entity)
373204007	R-003C1	pT1b: Tumor more than 0.5 cm but not more than 1 cm in greatest dimension (breast) (finding)
373206009	C-00216	Tetracycline (class of antibiotic, substance) (substance)
373219008	F-617EF	Antifungal (substance)
373246003	F-6180B	Anticholinergic agent (substance)
373250005	F-6180F	Depolarizing agent (substance)
373254001	F-61814	beta-Blocking agent (substance)
373260001	F-6181B	Class I antiarrhythmic agent (substance)
373262009	C-0021C	Cephalosporin -class of antibiotic- (substance)
373263004	F-6181D	Cardiac adrenergic blocking agent (substance)
373265006	F-6181F	Analgesic (substance)
373270004	C-0021D	Penicillin -class of antibiotic- (substance)
373278006	F-61861	Class II antiarrhythmic agent (substance)
373288007	F-6186A	General anesthetic (substance)
373294004	F-6186F	Low molecular weight heparin (substance)
373297006	C-00231	Beta-lactam antibiotic (substance)
373304005	F-61878	Calcium channel blocker (substance)
373337007	F-618FE	Methylphenidate (substance)
373372005	F-02900	Histological grade finding (finding)
373464007	F-6182F	Ketamine (substance)
373476007	F-6183C	Midazolam (substance)
373477003	F-6183D	Local anesthetic (substance)
373488009	F-61848	Methohexital (substance)
373529000	F-618D7	Morphine (substance)
373530005	F-618D8	Caloric agent (substance)
373646006	F-61968	Giemsa stain (substance)
373682001	F-619B7	Wright stain (substance)
373738000	F-61639	Pancuronium (substance)
373780001	F-6169A	Mescaline (substance)
373808002	R-41560	Curative - procedure intent (qualifier value)
373825000	R-408F2	Staging - procedure intent (qualifier value)
373846009	R-41561	Adjuvant - intent (qualifier value)
373847000	R-41562	Neo-adjuvant - intent (qualifier value)
373933003	R-424BE	Acute onset (qualifier value)
373945007	D3-90008	Pericardial effusion (disorder)
384668003	F-02B9B	Nottingham Combined Grade cannot be determined (finding)
384692006	P5-C018A	Intracavitary brachytherapy (procedure)
385294005	T-61007	Salivary gland structure (body structure)
385356007	R-00443	Tumor stage finding (finding)
385380006	R-00461	Metastasis category finding (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
385382003	R-00463	Node category finding (finding)
385385001	R-00465	pT category finding (finding)
385420005	F-61D54	Contrast media (substance)
385474004	L-8B946	Bos taurus taurus subspecies domestic European cattle (organism)
385484003	C-22830	Gram stain (substance)
385524004	R-41F90	Lower limit of reference range (qualifier value)
385651009	G-D30B	In progress (qualifier value)
385655000	G-D30F	Suspended (qualifier value)
385656004	G-D316	Ended (qualifier value)
385673002	G-D217	Interval (qualifier value)
386053000	P0-009B4	Evaluation procedure (procedure)
386103008	T-D048E	Renal stone (substance)
386124003	R-10041	Transseptal catheter (physical object)
386125002	R-10042	Device crossed septum (finding)
386131004	R-10043	Ablation power (observable entity)
386132006	R-10044	Ablation frequency (observable entity)
386134007	R-10045	Significant (qualifier value)
386135008	R-10046	Significance undetermined (qualifier value)
386136009	R-10047	Standard deviation (qualifier value)
386137000	R-10048	Tortuous coronary artery (finding)
386138005	R-10049	Stented coronary artery (finding)
386139002	R-10050	Stenotic coronary artery (finding)
386140000	R-10051	Ectatic coronary artery (finding)
386509000	P0-0409B	Airway management (procedure)
386530009	F-02B35	Systemic vascular resistance (observable entity)
386616007	F-201BD	Shallow breathing (finding)
386661006	F-0A44A	Fever (finding)
386693003	C-68165	Ophthalmic phenylephrine (product)
386760001	P1-C0037	Topical local anesthetic (procedure)
386761002	P1-C0038	Local anesthesia (procedure)
386802000	P0-05CCA	Endometrial biopsy (procedure)
386839004	F-61AC5	Remifentanyl (substance)
386841003	F-61AC9	Desflurane (substance)
386842005	F-61ACA	Sevoflurane (substance)
386910003	F-61B21	Anastrozole (substance)
387056004	C-00286	Linezolid (substance)
387085005	F-61C76	Cocaine (substance)
387146001	F-61A26	Droperidol (substance)
387150008	F-61A28	Bupivacaine (substance)
387176008	F-61A3F	Enflurane (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
387218008	F-61A66	Etomidate (substance)
387239001	F-61A76	Gentian violet (substance)
387258005	F-61A7F	Chlorpromazine (substance)
387264003	R-F2B2C	Diazepam (substance)
387286002	F-61A95	Methadone (substance)
387341002	F-61AC4	Heroin (substance)
387351001	F-61AFE	Halothane (substance)
387362001	F-B2135	Epinephrine (substance)
387368002	F-61B0A	Isoflurane (substance)
387423006	F-61B48	Propofol (substance)
387448009	F-61BB2	Thiopental sodium (substance)
387480006	F-61BD0	Lidocaine (substance)
387560008	F-61C65	Alfentanil (substance)
387713003	P0-009C3	Surgical procedure (procedure)
387736007	P1-48145	Fine needle aspiration of breast (procedure)
388168008	L-8BA18	Genus Bos (organism)
388249000	L-8C3FB	Genus Capra (organism)
388254009	L-8C3FD	Genus Ovis (organism)
388393002	L-8B1FB	Genus Sus (organism)
388445009	L-000A9	Genus Equus (organism)
388490000	L-881FC	Genus Canis (organism)
388626009	L-000F9	Genus Felis (organism)
389080008	T-A0095	White matter structure of brain and spinal cord (body structure)
389081007	T-A0096	Gray matter structure of central nervous system (body structure)
389156006	A-00FAD	Goniolens (physical object)
392001008	A-00E8A	Scanning laser ophthalmoscope (physical object)
392004000	A-00E8B	Confocal scanning laser ophthalmoscope (physical object)
392007007	A-00E8C	Scanning laser polarimeter (physical object)
392012008	A-00FBE	Optical coherence tomography scanner (physical object)
392021009	P1-030C4	Lumpectomy of breast (procedure)
394774009	R-42501	Active problem (qualifier value)
394775005	R-42502	Inactive problem (qualifier value)
395112001	F-00F4E	Cardiovascular event risk (finding)
395511002	R-0045B	Polyp stalk length (observable entity)
395742005	C-14512	Indium chloride[111In] (substance)
395787009	C-B110E	Metaiodobenzylguanidine[123I] (substance)
395789007	C-B112D	Metaiodobenzylguanidine[131I] (substance)
395865006	C-11906	Rhenium[186Re] (substance)
396339007	M-35001	Thrombus (morphologic abnormality)
396345004	C-002B1	Carbapenem (substance)
396482007	R-10075	Left ventricle basal anteroseptal segment (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
396487001	P1-65359	Sentinel lymph node biopsy (procedure)
396488006	L-80453	Ariègeois pony breed (organism)
396505009	L-80A45	Oregon rex cat breed (organism)
396646008	R-10076	Left ventricle basal inferoseptal segment (body structure)
396647004	R-10077	Left ventricle mid anteroseptal segment (body structure)
396649001	R-10078	Left ventricle mid inferoseptal segment (body structure)
396652009	R-10079	Left ventricle basal inferolateral segment (body structure)
396654005	R-1007A	Left ventricle basal anterolateral segment (body structure)
396655006	R-1007B	Left ventricle mid inferolateral segment (body structure)
396656007	R-1007C	Left ventricle mid anterolateral segment (body structure)
397138000	F-037BB	Mammography assessment (Category 0) - Need additional imaging evaluation (finding)
397140005	F-037BC	Mammography assessment (Category 1) - Negative (finding)
397141009	F-037BD	Mammography assessment (Category 2) - Benign finding (finding)
397143007	F-037BF	Mammography assessment (Category 3) - Probably benign finding, short interval follow-up (finding)
397144001	F-037C0	Mammography assessment (Category 4) - Suspicious abnormality, biopsy should be considered (finding)
397145000	F-037C1	Mammography assessment (Category 5) - Highly suggestive of malignancy (finding)
397199005	G-8430	Specimen from breast obtained by excision (specimen)
397247004	A-2B201	Slit lamp biomicroscope (physical object)
397263007	F-048FA	A-constant of intraocular lens (observable entity)
397363009	G-035B	Common femoral vein structure (body structure)
397364003	G-035A	Superficial femoral vein structure (body structure)
397405001	G-035C	Hilar renal artery (body structure)
397406000	G-035D	Collateral branch of vessel (qualifier value)
397407009	G-035E	Structure of first lumbar artery (body structure)
397408004	G-035F	Structure of second lumbar artery (body structure)
397409007	G-0360	Structure of third lumbar artery (body structure)
397410002	G-0361	Structure of fourth lumbar artery (body structure)
397411003	G-0362	Structure of fifth lumbar artery (body structure)
397412005	G-0363	Structure of sixth lumbar artery (body structure)
397413000	G-0364	Vessel lumen diameter (observable entity)
397414006	G-0365	Vessel outside diameter (observable entity)
397415007	G-0366	Vessel lumen cross-sectional area (observable entity)
397417004	G-0367	Regurgitant flow (observable entity)
397418009	G-0368	Anterior-middle cerebral artery bifurcation (body structure)
397419001	G-0369	Anterior-posterior cerebral artery bifurcation (body structure)
397421006	G-036A	Vessel origin (qualifier value)
397423009	G-036C	Transjugular intrahepatic portosystemic shunt (morphologic abnormality)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
397425002	G-036D	Inferior right hepatic vein structure (body structure)
397427005	G-036B	Soleal vein (body structure)
397435008	G-036E	Posterior arch vein (body structure)
397437000	G-036F	Giacomini vein (body structure)
397439002	G-0370	Ileal vein structure (body structure)
397516006	P1-A3835	Photorefractive keratectomy (procedure)
397522002	A-00FCA	Keratoscope (physical object)
397559001	A-040F7	Phakic intraocular lens implant (physical object)
397898000	G-D320	Stop time (qualifier value)
398010007	P1-0558A	Insertion of hip prosthesis (procedure)
398013009	A-1450B	Implantable venous access port (physical object)
398161000	R-305C3	Postoperative anesthesia care unit (environment)
398164008	DF-0070B	Anesthesia finish time (observable entity)
398201009	G-D321	Start time (qualifier value)
398239001	P1-0512E	Monitored anesthesia care sedation (procedure)
398325003	DF-0068E	Anesthesia start time (observable entity)
398665005	F-A558A	Vasovagal syncope (disorder)
398705004	F-61D6F	Cannabis (substance)
398828005	F-61D70	Ophthalmic lubricant (product)
398979000	F-037AB	Pale complexion (finding)
398994001	G-A191	Five chamber view (qualifier value)
398996004	R-1028E	Leonard-George projection (qualifier value)
398998003	G-039C	Right ventricular inflow tract view (qualifier value)
399000008	R-10296	Mayer projection (qualifier value)
399001007	G-5216	Posterior emissive projection (qualifier value)
399002000	R-10299	Nolke projection (qualifier value)
399003005	R-10281	Hughston projection (qualifier value)
399004004	R-10246	Oblique axial projection (qualifier value)
399005003	R-10298	Miller projection (qualifier value)
399006002	R-10212	Left posterior oblique projection (qualifier value)
399007006	G-037C	Left ventricular peak diastolic tissue velocity during atrial systole (observable entity)
399011000	R-102D1	Axillary tail mammography view (qualifier value)
399012007	G-5220	Medial-lateral emissive projection (qualifier value)
399013002	R-1026D	Chassard-Lapin projection (qualifier value)
399020009	D3-20021	Congestive cardiomyopathy (disorder)
399022001	R-1029F	Pirie projection (qualifier value)
399023006	G-0380	Right ventricular peak systolic pressure (observable entity)
399024000	R-10295	May projection (qualifier value)
399025004	R-10282	Ischerwood projection (qualifier value)
399026003	R-102B1	Zanelli projection (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
399027007	G-038F	Cardiovascular orifice diameter (observable entity)
399028002	R-10270	Clements projection (qualifier value)
399030000	G-0374	Left ventricular systolic area (observable entity)
399033003	R-10202	Frontal projection (qualifier value)
399036006	G-039A	Parasternal short axis view at the mitral valve level (qualifier value)
399037002	R-1028F	Lewis projection (qualifier value)
399038007	R-10210	Right posterior oblique projection (qualifier value)
399039004	G-038D	Pulmonary vein D-wave velocity time integral (observable entity)
399048009	G-038A	Main pulmonary artery peak velocity (observable entity)
399051002	G-037E	Left ventricular isovolumic contraction time (observable entity)
399055006	R-102D7	Spot compression of breast (procedure)
399058008	G-0382	Ratio of aortic valve acceleration time to aortic valve ejection time (observable entity)
399059000	R-10216	Postero-anterior oblique projection (qualifier value)
399061009	R-10241	Axial projection (qualifier value)
399062002	G-0386	Ratio of mitral valve acceleration time to mitral valve deceleration time (observable entity)
399063007	G-0377	Left ventricular semi-major axis diastolic dimension (observable entity)
399064001	G-03A2	2D mode ultrasound (qualifier value)
399065000	R-1026B	Causton projection (qualifier value)
399067008	R-102CD	Lateral projection (qualifier value)
399070007	G-038B	Pulmonary vein A-wave duration (observable entity)
399071006	R-102C3	Plantodorsal projection (qualifier value)
399073009	R-10276	Fuchs projection (qualifier value)
399074003	G-5207	Left anterior oblique emissive projection (qualifier value)
399075002	G-5208	Right posterior oblique emissive projection (qualifier value)
399080006	R-10288	Kuchendorf projection (qualifier value)
399082003	R-10277	Gaynor-Hart projection (qualifier value)
399083008	R-10280	Hsieh projection (qualifier value)
399086000	G-0392	Lateral mitral annulus structure (body structure)
399089007	G-5210	Oblique axial emissive projection (qualifier value)
399093001	G-0391	Medial mitral annulus structure (body structure)
399097000	P1-0512A	Administration of anesthesia (procedure)
399098005	R-102A3	Staunig projection (qualifier value)
399099002	R-10230	Latero-medial oblique projection (qualifier value)
399101009	R-1024B	Cranio-caudal projection exaggerated medially (qualifier value)
399103007	R-10275	Friedman projection (qualifier value)
399104001	G-0387	Mitral valve closure to opening time (observable entity)
399106004	G-03A0	Suprasternal long axis view (qualifier value)
399108003	G-5206	Right anterior oblique emissive projection (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
399109006	G-0375	Left ventricular diastolic area (observable entity)
399110001	R-102C2	Tangential projection (qualifier value)
399118008	G-5223	Left lateral emissive projection (qualifier value)
399125001	R-102AC	Twining projection (qualifier value)
399127009	R-102A9	Teufel projection (qualifier value)
399129007	R-1027D	Holly projection (qualifier value)
399130002	R-102AF	West Point projection (qualifier value)
399132005	R-10252	Frontal-oblique axial projection (qualifier value)
399133000	G-037A	Left ventricular peak early diastolic tissue velocity (observable entity)
399135007	R-10220	Left anterior oblique projection (qualifier value)
399136008	G-5209	Left posterior oblique emissive projection (qualifier value)
399138009	R-1029E	Penner projection (qualifier value)
399139001	G-0396	Parasternal long axis view (qualifier value)
399140004	G-037B	Ratio of mitral valve peak velocity to left ventricular peak tissue velocity e-wave (observable entity)
399142007	R-10261	Albers-Schönberg projection (qualifier value)
399145009	G-03A1	Suprasternal short axis view (qualifier value)
399146005	R-10279	Grashey projection (qualifier value)
399148006	R-1026C	Chamberlain projection (qualifier value)
399152006	R-10284	Kandel projection (qualifier value)
399154007	G-0381	Right ventricular index of myocardial performance (observable entity)
399155008	G-0394	M-mode ultrasound (qualifier value)
399156009	R-1028A	Laquerriere-Pierquin projection (qualifier value)
399157000	R-1029A	Norgaard's projection (qualifier value)
399159002	G-5225	Latero-medial oblique emissive projection (qualifier value)
399160007	R-10204	Frontal oblique projection (qualifier value)
399161006	R-102D2	Cleavage mammography view (qualifier value)
399162004	R-10242	Cranio-caudal projection (qualifier value)
399163009	R-102D6	Magnified projection (qualifier value)
399166001	R-4099D	Fatal (qualifier value)
399167005	G-037D	Left ventricular peak systolic tissue velocity (observable entity)
399168000	R-1027F	Hough projection (qualifier value)
399169008	R-1028B	Lauenstein projection (qualifier value)
399171008	R-1029B	Ottonello projection (qualifier value)
399173006	R-10236	Left lateral projection (qualifier value)
399179005	R-1028D	Lawrence projection (qualifier value)
399181007	R-1029C	Pawlow projection (qualifier value)
399182000	R-102C1	Oblique projection (qualifier value)
399184004	R-10238	Left oblique projection (qualifier value)
399188001	R-102D0	Superolateral to inferomedial oblique projection (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
399192008	R-1024A	Cranio-caudal projection exaggerated laterally (qualifier value)
399195005	G-039D	Right ventricular outflow tract view (qualifier value)
399196006	R-10244	Caudo-cranial projection (qualifier value)
399197002	R-102D3	Lateral rolling of breast (procedure)
399198007	R-10232	Right lateral projection (qualifier value)
399199004	R-1027B	Henschen projection (qualifier value)
399200001	G-039F	Subcostal short axis view (qualifier value)
399201002	R-10283	Judd projection (qualifier value)
399206007	R-1028C	Law projection (qualifier value)
399209000	R-102D5	Displacement of breast implant (procedure)
399211009	G-03AA	History of myocardial infarction (situation)
399212002	R-1026A	Camp-Coventry projection (qualifier value)
399214001	G-A19C	Apical four chamber view (qualifier value)
399215000	R-102B0	Wigby-Taylor projection (qualifier value)
399218003	R-10263	Arcelin projection (qualifier value)
399220000	R-10515	Transverse body position (finding)
399225005	R-10250	Oblique caudo-cranial projection (qualifier value)
399226006	R-102D4	Medial rolling of breast (procedure)
399227002	R-10286	Kemp Harper projection (qualifier value)
399229004	G-0385	Mitral valve A-wave duration (observable entity)
399232001	G-A19B	Apical two chamber view (qualifier value)
399234000	R-102A0	Rhese projection (qualifier value)
399235004	G-0383	Left atrium systolic volume (observable entity)
399236003	R-10234	Right oblique projection (qualifier value)
399237007	R-10262	Alexander projection (qualifier value)
399238002	G-0388	Ratio of pulmonic valve acceleration time to pulmonic valve ejection time (observable entity)
399239005	G-0398	Parasternal short axis view at the aortic valve level (qualifier value)
399241006	R-102AA	Titterington projection (qualifier value)
399242004	R-102C6	Acanthioparietal projection (qualifier value)
399243009	R-102A2	Settegast projection (qualifier value)
399245002	R-1026F	Cleaves projection (qualifier value)
399246001	R-10266	Blackett-Healy projection (qualifier value)
399247005	R-102A7	Tarrant projection (qualifier value)
399251007	R-10292	Lorenz projection (qualifier value)
399255003	R-10256	Submentovertical projection (qualifier value)
399260004	R-10224	Medial-lateral projection (qualifier value)
399261000	G-03A5	History of coronary artery bypass grafting (situation)
399263002	R-10264	Beclere projection (qualifier value)
399264008	G-0373	Image mode (observable entity)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
399265009	R-102CF	Exaggerated cranio-caudal projection (qualifier value)
399266005	G-037F	Left ventricular index of myocardium performance (observable entity)
399267001	G-038C	Pulmonary vein S-wave velocity time integral (observable entity)
399268006	G-5224	Medio-lateral oblique emissive projection (qualifier value)
399270002	R-102AB	Towne's projection (qualifier value)
399271003	G-039B	Parasternal short axis view at the papillary muscle level (qualifier value)
399272005	R-102C5	Parietoacanthial projection (qualifier value)
399273000	G-5212	Sagittal-oblique axial emissive projection (qualifier value)
399277004	R-1027C	Hickey projection (qualifier value)
399278009	R-10268	Cahoon projection (qualifier value)
399280003	R-10285	Kasabach projection (qualifier value)
399281004	R-10274	Fleischner projection (qualifier value)
399282006	G-0389	Tricuspid valve closure to opening time (observable entity)
399284007	R-10297	Merchant projection (qualifier value)
399285008	R-1027E	Holmblad projection (qualifier value)
399287000	G-0376	Left ventricular area fractional change (observable entity)
399288005	R-10248	Oblique cranio-caudal projection (qualifier value)
399290006	R-102A1	Schüller projection (qualifier value)
399292003	R-102A4	Stecher projection (qualifier value)
399293008	G-0379	Left ventricular epicardial diastolic area, psax pap view (observable entity)
399294002	D7-90035	Cyst of breast (disorder)
399296000	R-102A8	Taylor projection (qualifier value)
399297009	G-5222	Right lateral emissive projection (qualifier value)
399300004	G-5221	Lateral-medial emissive projection (qualifier value)
399301000	G-0390	Regurgitant fraction (observable entity)
399303002	R-10272	Dunlap projection (qualifier value)
399306005	G-0397	Parasternal short axis view (qualifier value)
399308006	R-10291	Lindblom projection (qualifier value)
399309003	G-0378	Left ventricular truncated semi-major axis diastolic dimension (observable entity)
399310008	G-039E	Subcostal long axis view (qualifier value)
399311007	R-10278	Grandy projection (qualifier value)
399312000	R-10208	Antero-posterior oblique projection (qualifier value)
399313005	R-102A6	Swanson projection (qualifier value)
399316002	R-102C8	Parieto-orbital projection (qualifier value)
399318001	R-10287	Kovacs projection (qualifier value)
399320003	R-10271	Clements-Nakayama projection (qualifier value)
399321004	G-5215	Anterior emissive projection (qualifier value)
399325008	R-10254	Sagittal-oblique axial projection (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
399327000	R-10293	Low-Beer projection (qualifier value)
399330007	R-102AD	Valdini projection (qualifier value)
399331006	P5-0808E	Computed tomography without contrast (procedure)
399332004	R-10289	Kurzbauer projection (qualifier value)
399335002	R-102C4	Dorsoplantar projection (qualifier value)
399339008	G-0395	Apical long axis (qualifier value)
399341009	R-1027A	Haas projection (qualifier value)
399342002	R-10290	Lilienfeld projection (qualifier value)
399344001	R-10267	Broden projection (qualifier value)
399348003	R-10206	Antero-posterior projection (qualifier value)
399349006	R-102A5	Stenver's projection (qualifier value)
399351005	R-102C7	Orbito-parietal projection (qualifier value)
399352003	R-10228	Lateral-medial projection (qualifier value)
399354002	G-0384	Mitral valve E-wave deceleration time (observable entity)
399355001	R-1026E	Chausse projection (qualifier value)
399356000	R-40985	Right anterior oblique projection (qualifier value)
399358004	R-10269	Caldwell projection (qualifier value)
399360002	R-10257	Verticosubmental projection (qualifier value)
399362005	R-10265	Bertel projection (qualifier value)
399365007	R-1029D	Pearson projection (qualifier value)
399366008	R-10516	Oblique body position (finding)
399367004	G-038E	Cardiovascular orifice area (observable entity)
399368009	R-10226	Medio-lateral oblique projection (qualifier value)
399370000	R-10294	Lysholm projection (qualifier value)
399371001	G-0399	Parasternal short axis view at the level of the mitral chords (qualifier value)
399372008	R-10273	Ferguson projection (qualifier value)
399707004	R-41563	Supportive - procedure intent (qualifier value)
400047006	D3-8005B	Peripheral vascular disease (disorder)
401303003	D3-15119	Acute ST segment elevation myocardial infarction (disorder)
401314000	D3-1511A	Acute non-ST segment elevation myocardial infarction (disorder)
402603005	D0-2202B	Diffuse inflammatory erythema (disorder)
403618004	D0-3002F	Drug-induced flushing (disorder)
404640003	F-06017	Dizziness (finding)
404684003	R-005AE	Clinical finding (finding)
404706008	C-B10A2	Technetium[99mTc] sestamibi injection (product)
404707004	C-B10A4	Technetium[99mTc] tetrofosmin injection (product)
404846007	C-B014D	Gadopentetate dimeglumine (product)
405165006	F-0499A	Nausea and vomiting status: disruptive effects (observable entity)
405269005	R-305CE	Neonatal intensive care unit (environment)
405277009	J-005E6	Resident physician (occupation)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
405279007	J-005E8	Attending physician (occupation)
405738005	G-A12F	Blue color (qualifier value)
405739002	G-A132	Blue green color (qualifier value)
406660008	L-8C339	Galway sheep breed (organism)
406663005	L-8B102	Ukrainian steppe white pig (organism)
406711007	L-8A106	Brabant horse (organism)
406714004	L-8A10C	Gypsy Vanner horse (organism)
406715003	L-8A10D	Murgese horse (organism)
406721004	L-8A10F	Mixed breed horse (organism)
406722006	L-8C33A	Mixed breed sheep (organism)
406723001	L-93791	Mixed breed chicken (organism)
406725008	L-88106	Alaskan Klee Kai dog breed (organism)
406733009	L-001DE	Callithrix jacchus (organism)
406951002	C-22836	Silver stain (substance)
406952009	C-22837	Colloidal iron stain (substance)
406953004	C-2283A	Mallory bleach stain (substance)
406955006	C-2283C	Butyrate esterase stain (substance)
406957003	C-2283E	Van Gieson stain (substance)
406958008	C-2283F	Luxol fast blue stain (substance)
406959000	C-22840	Cresyl violet stain (substance)
406960005	C-22847	Cresyl echt violet stain (substance)
406961009	C-2284A	Methylene violet stain (substance)
406964001	C-2284B	Mucicarmine stain (substance)
406965000	C-2284C	Night blue stain (substance)
406966004	C-2284D	Orcein stain (substance)
406967008	C-2284E	Phosphotungstic acid-hematoxylin stain (substance)
406968003	C-2284F	Quinacrine fluorescent stain (substance)
406969006	C-22850	Thionin stain (substance)
406971006	C-2285B	Alkaline phosphatase stain (substance)
406972004	C-2285C	India ink stain (substance)
406973009	C-2285D	Naphthol-AS-D-chloracetate esterase stain (substance)
406974003	C-2285E	Peroxidase stain (substance)
406975002	C-2285F	Terminal deoxynucleotidyl transferase stain (substance)
406976001	C-22860	Acid fast stain (substance)
406977005	C-2286A	Rhodamine stain (substance)
406978000	C-2286B	Carbol fuchsin stain (substance)
406980006	C-2286C	Fouchet stain (substance)
406981005	C-2286D	Aldehyde fuchsin stain (substance)
406982003	C-2286E	Bauer's chromic acid leucofuchsin stain (substance)
406983008	C-2286F	Hansel stain (substance)
406984002	C-22870	Potassium hydroxide stain (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
406985001	C-2287A	Silver nitrate stain (substance)
406986000	C-2287B	Chromic acid stain (substance)
406988004	F-61DA5	Safranin stain (substance)
406989007	C-2287D	Trichrome stain (substance)
406990003	C-2287E	Aniline blue stain (substance)
406991004	C-2287F	Modified trichrome stain (substance)
406992006	C-22880	Verhoeff's hematoxylin stain (substance)
406993001	C-2288A	Protargol S stain (substance)
406995008	C-2288D	Thioflavine S stain (substance)
407402001	L-8A105	Warmblood horse breed (organism)
407559004	F-03F6E	Family history unknown (situation)
408379005	F-04A13	Imaging result equivocal (finding)
408551003	R-214DD	Exercise tolerance test refused (situation)
408573005	F-04AB2	Imaging result normal (finding)
408574004	F-04AB3	Imaging result abnormal (finding)
408643008	D0-F0369	Infiltrating duct carcinoma of breast (disorder)
408678008	DD-67703	Healthcare associated infectious disease (disorder)
408703009	R-101B0	Vascular stent length (observable entity)
408704003	R-101B2	Vascular stent volume (observable entity)
408705002	R-101AF	Vascular stent cross sectional area (observable entity)
408706001	R-101AD	Vascular stent diameter (observable entity)
408707005	R-101B3	Arterial stasis (finding)
408709008	R-101B5	Incomplete arterial stent apposition at time of placement (finding)
408710003	R-101B6	Incomplete arterial stent apposition subsequent to placement (finding)
408714007	R-101BA	Degree of blood vessel lumen cross sectional area reduction (observable entity)
408715008	R-101BB	Degree of blood vessel lumen diameter reduction (observable entity)
408716009	R-101BC	Stenotic lesion length (observable entity)
408720008	R-101C0	Left ventricular posterobasal segment (body structure)
408723005	R-101C3	Cranial left anterior oblique projection (qualifier value)
408724004	R-101C4	Caudal left anterior oblique projection (qualifier value)
408725003	R-101C5	Cranial right anterior oblique projection (qualifier value)
408726002	R-101C6	Caudal right anterior oblique projection (qualifier value)
408730004	G-C32C	Procedure context (attribute)
408732007	G-C32E	Subject relationship context (attribute)
408734008	R-10229	Diabetic Retinopathy Study field 1 (body structure)
408744005	R-1022D	Primary gaze (qualifier value)
408745006	R-10227	Convergent gaze (qualifier value)
409484007	C-B0303	Ioxilan (product)
409549005	F-61E5A	Wayson stain (substance)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
409586006	F-04BA9	Complaint (finding)
409595003	F-61E79	Biohazardous material (substance)
409599009	F-0061F	Laboratory biosafety level (observable entity)
409600007	R-41E4D	Biosafety level 1 (qualifier value)
409603009	R-41E4E	Biosafety level 2 (qualifier value)
409604003	R-41E4F	Biosafety level 3 (qualifier value)
409605002	R-41E50	Biosafety level 4 (qualifier value)
409615008	T-D04AC	Ascitic fluid (substance)
409688003	R-305D3	Hospital isolation room (environment)
409712001	D3-1081C	Mitral valve prolapse (disorder)
409783000	R-10239	Tumor invasion limited to skin (finding)
409897002	R-10219	Indirect ophthalmoscopy lens (physical object)
409898007	R-1021A	Fundus camera (physical object)
409899004	R-1021C	Specular microscope (physical object)
409900009	R-1021E	Direct ophthalmoscope (physical object)
409901008	R-1021D	Indirect ophthalmoscope (physical object)
409902001	R-1021F	Ophthalmic endoscope (physical object)
409903006	R-1021B	External camera (physical object)
409905004	L-80108	Black Angus cattle breed (organism)
409906003	L-8B947	Mixed breed cattle (organism)
409908002	L-8B948	Masai cattle breed (organism)
409914009	L-8880B	Domestic medium-haired cat (organism)
409926004	L-88107	Anatolian shepherd dog breed (organism)
410429000	D3-3002F	Cardiac arrest (disorder)
410430005	D2-60262	Cardiorespiratory arrest (disorder)
410434001	R-1022A	Diabetic Retinopathy Study field 2 (body structure)
410435000	R-1022B	Diabetic Retinopathy Study field 3 (body structure)
410436004	R-1022C	Diabetic Retinopathy Study field 4 (body structure)
410437008	R-1022E	Diabetic Retinopathy Study field 5 (body structure)
410438003	R-1022F	Diabetic Retinopathy Study field 6 (body structure)
410439006	R-10231	Diabetic Retinopathy Study field 7 (body structure)
410461001	R-1020E	Dual diffuse direct illumination - action (qualifier value)
410462008	R-1020F	Fine slit beam direct illumination - action (qualifier value)
410463003	R-10211	Broad tangential direct illumination - action (qualifier value)
410464009	R-10213	Indirect sclerotic scatter illumination - action (qualifier value)
410465005	R-10215	Indirect retroillumination from the iris - action (qualifier value)
410466006	R-10217	Indirect retroillumination from the retina - action (qualifier value)
410467002	R-10218	Indirect iris transillumination - action (qualifier value)
410516002	G-A46B	Known absent (qualifier value)
410652009	R-005B3	Blood product (product)
410668003	G-D7FE	Length property (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
410675002	G-C340	Route of administration (attribute)
410679008	G-A206	Surface (qualifier value)
410685001	R-1023E	Noncontact fundus lens (physical object)
410686000	R-1023B	Contact fundus lens (physical object)
410687009	R-1023D	Convex noncontact fundus lens (physical object)
410688004	R-1023A	Concave noncontact fundus lens (physical object)
410689007	R-1023C	Convex contact fundus lens (physical object)
410726006	T-D0829	Acoustic radiations structure (body structure)
410873007	C-B05A3	Mangafodipir trisodium (product)
410937004	F-61E2A	Oxytocic agent (substance)
412155002	F-61DF9	Polymer (substance)
413322009	F-04B88	Problem resolved (finding)
413488005	L-8880C	American bobtail cat breed (organism)
413530006	R-102DD	Anatomic structure potentially involved in evolution of disease (observable entity)
413815006	P0-05DA0	Chest imaging (procedure)
413854007	J-0714B	Circulating nurse (occupation)
413896006	R-10258	Common iliac artery bifurcation (body structure)
413912008	R-102DA	Contrast media seen in plaque (finding)
413975003	R-1025E	Depth of vessel from surface (observable entity)
413985002	R-102BA	Diastolic pressure equalization (finding)
413996005	R-1025B	Dilated portion of segment (qualifier value)
414088005	R-102B3	Emergency coronary artery bypass graft (procedure)
414089002	R-102B5	Emergency percutaneous coronary intervention (procedure)
414135002	R-10260	Estimated (qualifier value)
414165007	R-102AE	External elastic membrane of artery (body structure)
414298005	R-102C0	Full spectrum color (qualifier value)
414368000	R-1025A	Great saphenous vein of calf (body structure)
414369008	R-10259	Great saphenous vein of thigh (body structure)
414415007	R-102B7	History of chronic lung disease (situation)
414416008	R-102B8	History of hypercholesterolemia (situation)
414417004	R-102B6	History of renal failure (situation)
414485004	R-305D6	Induction room (environment)
414493004	R-102CA	Inferior rolling of breast (procedure)
414497003	R-102BE	Infra-red color (qualifier value)
414545008	D3-10030	Ischemic heart disease (disorder)
414576002	R-102B9	Large v-wave (finding)
414582004	P1-A3846	Laser assisted subepithelial keratomileusis (procedure)
414599003	R-1025F	Length of vessel segment (observable entity)
414617007	R-102B2	Loss of distal pulse (finding)
414722000	R-1024F	Middle cerebral artery M1 segment (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
414723005	R-10251	Middle cerebral artery M2 segment (body structure)
414795007	D3-1070D	Myocardial ischemia (disorder)
415070008	R-102B4	Percutaneous coronary intervention (procedure)
415076002	G-03D3	Personal history of primary malignant neoplasm of breast (situation)
415144009	R-10253	Posterior cerebral artery P1 segment (body structure)
415145005	R-10255	Posterior cerebral artery P2 segment (body structure)
415506007	J-0714A	Scrub nurse (occupation)
415582006	M-3400A	Stenosis (morphologic abnormality)
415637004	R-102BB	Structure of clinoid portion of internal carotid artery (body structure)
415646005	R-102BD	Structure of terminal portion of internal carotid artery (body structure)
415670009	R-102C9	Superior rolling of breast (procedure)
415684004	G-A47B	Suspected (qualifier value)
415690000	F-400A9	Sweating (finding)
415704007	C-B1133	Technetium Tc ^{99m} depreotide (substance)
415770004	R-102BF	Ultra-violet color (qualifier value)
415814008	R-1025D	Vessel intimal cross-sectional diameter (observable entity)
415815009	R-1025C	Vessel intimal diameter (observable entity)
415816005	R-102DB	Vessel lumen cross-sectional area increase (observable entity)
415817001	R-102DC	Vessel lumen cross-sectional diameter increase (observable entity)
416061003	R-FAB5E	Vascular coiling (finding)
416152001	R-FAB53	Neck and/or chest and/or abdomen structure (body structure)
416190007	R-FAB5C	End diastole (qualifier value)
416319003	R-FAB54	Neck and/or chest and/or abdomen and/or pelvis (body structure)
416323006	P5-0A00D	Positron emission tomography breast study (procedure)
416430001	R-FAB5B	End systole (qualifier value)
416471007	G-03E5	Family history of clinical finding (situation)
416550000	R-FAB55	Chest and/or abdomen structure (body structure)
416567007	R-FAB5A	Integrated ray-trace triangulation acquisition laser scanning device with conventional fundus imaging (physical object)
416631005	R-FAB58	Pelvis and/or lower extremity structure (body structure)
416775004	R-FAB56	Chest and/or abdomen and/or pelvis structure (body structure)
416804009	T-D9713	Hindfoot of quadruped (body structure)
416840006	L-88108	Boerboel dog breed (organism)
416885007	L-8077B	Standard dachshund (organism)
416949008	R-FAB57	Abdomen and/or pelvis structure (body structure)
417012009	L-8B103	Mixed breed pig (organism)
417136005	A-10029	Ileostomy bag (physical object)
417277001	L-8880D	Pixie-bob cat breed (organism)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
417324009	F-CB902	Vascular endothelial growth factor (substance)
417437006	R-FAB52	Neck and/or chest structure (body structure)
417696007	C-6A148	Medical air (product)
417746004	DF-00777	Traumatic injury (disorder)
417881006	F-61FDB	Radiopharmaceutical agent (substance)
418326009	F-D7011	Human fibrinogen (substance)
418363000	F-A21A7	Itching of skin (finding)
418433008	R-305EB	Surgical intensive care unit (environment)
418760000	F-6205D	Respiratory stimulant (substance)
418799008	R-005E0	Finding reported by subject or history provider (finding)
418903008	P5-00A25	Fluoroscopic angiography of left ventricle and coronary arteries (procedure)
419099009	F-04DA1	Dead (finding)
419161000	G-A13B	Unilateral left (qualifier value)
419176008	T-D04F2	Forefoot of quadruped (body structure)
419416005	P5-00A34	Fluoroscopic angiography of coronary arteries (procedure)
419442005	C-21047	Ethyl alcohol (substance)
419475002	F-04D55	Pinhole visual acuity (observable entity)
419545005	P5-00A5C	Computed tomography angiography of coronary arteries (procedure)
419670003	M-33415	Epidermoid cyst (morphologic abnormality)
419775003	F-04D54	Best corrected visual acuity (observable entity)
419804008	C-B1134	Samarium 153 (substance)
420050001	F-04D53	Uncorrected visual acuity (observable entity)
420223003	R-305EA	Pediatric medicine department (environment)
420287000	R-F2C86	Intraventricular route - cardiac (qualifier value)
420300004	F-3018B	New York Heart Association Classification - Class I (finding)
420303002	F-C0101	Interferon gamma (substance)
420572009	A-17454	Forced air warming blanket (physical object)
420800007	T-C4753	Structure of interpectoral lymph node (body structure)
420827006	A-00FF4	Pupillograph (physical object)
420913000	F-3018D	New York Heart Association Classification - Class III (finding)
421060004	T-D04FF	Structure of vertebral column (body structure)
421148003	F-620E8	Cholinergic receptor stimulating agent (substance)
421335007	A-17452	Warming blanket (physical object)
421624008	T-C471E	Structure of axillary vein lymph node (body structure)
421704003	F-3018C	New York Heart Association Classification - Class II (finding)
421861001	T-C4722	Structure of subclavian lymph node (body structure)
421974008	R-41564	Adjunct - intent (qualifier value)
421988007	T-C471F	Structure of external mammary lymph node (body structure)
422061002	DA-7931D	Vitreous opacities (disorder)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
422293003	F-3018E	New York Heart Association Classification - Class IV (finding)
422534007	R-40A95	Rafert-Long projection (qualifier value)
422540000	C-B07DC	Butanol O ¹⁵ (product)
422568001	R-40A92	Moore projection (qualifier value)
422587007	F-04E95	Nausea (finding)
422598008	C-B07E1	Fluoromisonidazole F ¹⁸ (product)
422670003	R-40A88	Apple projection (qualifier value)
422685009	P2-3110A	Cardiovascular stress test using the dipyridamole stress test protocol (procedure)
422763008	C-B07E2	Fluoromethane F ¹⁸ (product)
422789008	C-B07E7	Copper ⁶² labeled pyruvaldehyde-bis N-(4)-methyl-thiosemicarbazone (product)
422795009	R-40A93	Neer projection (qualifier value)
422855001	C-B07DB	Copper ⁶⁴ labeled diacetyl-bis N-(4)-methylthiosemicarbazone (product)
422861003	R-40A89	Burman projection (qualifier value)
422915004	A-010D8	Overbed trapeze device (physical object)
422934004	C-127A5	⁶² Copper (substance)
422954003	R-40A98	Stryker projection (qualifier value)
422975006	C-B07DF	[(18)F]fluoroethylflumazenil (product)
422980002	C-B07E8	Sodium iodide I ¹²⁴ (product)
422996004	R-40A99	Wolf projection (qualifier value)
423091003	R-40A8A	Colcher-Sussman projection (qualifier value)
423498000	C-B07DD	Ethylenediamine tetra-acetate gallium ⁶⁸ (product)
423543007	C-B07DE	Flumazenil C ¹¹ (product)
423546004	C-B07E4	Fluorobenzothiazole F ¹⁸ (product)
423578007	C-1018D	¹⁸⁸ Rhenium (substance)
423720000	R-40A94	Rafer projection (qualifier value)
423764008	C-135A4	³⁸ Potassium (substance)
423926000	L-804C0	Skyros pony breed (organism)
424045003	D4-31B68	Myocardial bridge of coronary artery (disorder)
424064009	P2-31107	Cardiovascular stress test using pharmacologic stress agent (procedure)
424079002	C-163AA	^{94m} Technetium (substance)
424086005	R-40A90	Hirtz Modification projection (qualifier value)
424111008	L-804B0	Pindos pony breed (organism)
424118002	C-163AD	Technetium Tc ^{99m} tetrofosmin (substance)
424225000	P2-31108	Cardiovascular stress test using the dobutamine stress test protocol (procedure)
424299003	C-163AB	Technetium Tc ^{99m} sestamibi (substance)
424318009	C-163AC	Technetium Tc ^{99m} teboroxime (substance)
424361007	G-C350	Using substance (attribute)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
424444005	P2-31109	Cardiovascular stress test using the adenosine stress test protocol (procedure)
424570009	C-B1135	Indium[111In]oxyquinoline (product)
424622008	F-04ECE	Potential acuity meter visual acuity (observable entity)
424655003	R-40A8F	Eraso Modification projection (qualifier value)
424705003	L-801E8	Bison bison X Simmental hybrid cattle breed (organism)
424708001	C-B07E0	Fluorethyltyrosin F ¹⁸ (product)
424789007	C-B07E5	Mespiperone C ¹¹ (product)
424811006	R-40A8B	Danielius-Miller projection (qualifier value)
424874008	C-B07E6	Monoclonal antibody I ¹²⁴ (product)
424875009	C-1018C	Oxygen O ¹⁴ (substance)
424962005	R-40A8C	Fisk projection (qualifier value)
424979004	P0-05DE2	Laryngeal mask airway insertion (procedure)
425030002	R-40A91	Kite projection (qualifier value)
425035007	R-40A96	Robert projection (qualifier value)
425042007	R-40A97	Rosenberg projection (qualifier value)
425118005	L-804A0	American draft pony breed (organism)
425141002	F-04ECF	Brightness acuity testing visual acuity (observable entity)
425157002	R-40A8D	Folio projection (qualifier value)
425181009	L-8B949	Bison bison X Bos taurus hybrid (organism)
425188003	R-40A8E	Garth projection (qualifier value)
425236000	C-B07E3	Fluorouracil F ¹⁸ (product)
425253007	L-80495	Draft pony superbreed (organism)
425364008	C-127A4	⁶⁰ Copper (substance)
425647002	T-D0859	Structure of surface of bone (body structure)
425704008	P0-02241	Power doppler ultrasound (qualifier value)
425808002	P2-3120C	18 lead electrocardiographic monitoring (procedure)
426005005	P5-080C2	Cardiac computed tomography for calcium scoring (procedure)
426252008	P5-0905E	Magnetic resonance imaging of whole body (procedure)
426347000	P0-00C29	Thrombolytic therapy (procedure)
426439001	R-3060E	Burns intensive care unit (environment)
426571006	L-8810A	Victorian Bulldogge (organism)
426865009	P0-02242	3D mode ultrasound (qualifier value)
426940008	P5-30045	Radionuclide angiocardiology (procedure)
427136006	L-8A114	Saddlebred horse superbreed (organism)
427667007	T-A0149	Nucleus accumbens (body structure)
427732000	F-04F74	Speed of blood pressure response (observable entity)
427751006	F-04F76	Extent of cardiac perfusion defect (observable entity)
427886002	P1-36993	Total cavopulmonary connection with lateral atrial tunnel (procedure)
427986001	G-4044	Normal risk of (contextual qualifier) (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
427989008	F-380B2	Chronotropic incompetence (finding)
427990004	F-04F84	Right ventricular cardiac index (observable entity)
428196007	D3-10711	Mixed myocardial ischemia and infarction (disorder)
428247006	R-40AA7	Blunted (qualifier value)
428417006	F-380B3	Early repolarization (finding)
428420003	F-04F92	Target heart rate (observable entity)
428531008	F-04F9F	Heart rate response (observable entity)
428549008	F-38793	Secondary ST-T abnormality on electrocardiogram (finding)
428550008	F-38287	T wave alternans (observable entity)
428552000	F-04FA0	Normal extracardiac tracer uptake (finding)
428613004	P1-080B4	Correction of congenital cardiovascular deformity (procedure)
428628004	F-04FA5	Right ventricular cardiac output (observable entity)
428630002	F-04FA6	Maximum heart rate achieved during course of procedure (observable entity)
428685003	P2-3110B	Stress test using cardiac pacing (procedure)
428691001	R-40AA8	Accentuated (qualifier value)
428750005	F-38794	Nonspecific ST-T abnormality on electrocardiogram (finding)
428752002	G-044D	Recent myocardial infarction (situation)
428813002	P2-31011	Pharmacologic and exercise stress test (procedure)
428824000	R-215D5	Resolution of myocardial ischemia (situation)
428825004	R-215D6	Improvement of left ventricular wall motion compared to prior study (finding)
428832008	F-04FB4	Transient ischemic dilatation ratio of left ventricular cavity (observable entity)
428920008	F-04FB8	Increased lung tracer uptake (finding)
428927006	R-215D9	New myocardial ischemia compared to prior study (finding)
428995007	P3-05013	Receiving of specimen in laboratory (procedure)
429058004	R-215DC	New left ventricular wall motion abnormality compared to prior study (finding)
429060002	P7-00044	Procedure to meet occupational requirement (procedure)
429157007	F-04FCA	Heart rate recovery time (observable entity)
429160000	F-04FCC	Functional capacity (observable entity)
429162008	F-04FCD	Extent of myocardial stress ischemia (observable entity)
429163003	P2-3120E	15 lead electrocardiographic monitoring (procedure)
429198000	D3-0200B	Exertional hypertension (disorder)
429232006	R-215DE	Decreased myocardial ischemia compared to prior study (finding)
429310004	C-1190E	Niobium AND/OR niobium compound (substance)
429382003	F-04FD3	Subdiaphragmatic tracer uptake (finding)
429391004	R-215E0	New myocardial infarction compared to prior study (finding)
429477006	R-215E1	Increased myocardial ischemia compared to prior study (finding)
429483009	F-04FD8	Right ventricular stroke volume (observable entity)
429551001	G-4045	Mild to moderate risk of (contextual qualifier) (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
429557002	G-4046	Moderate to high risk of (contextual qualifier) (qualifier value)
429559004	D3-13037	Typical angina (disorder)
429560009	A-1002A	Arm ergometer, device (physical object)
429561008	D3-0400A	Exertional hypotension (disorder)
429576000	F-04FE3	Abnormal extracardiac tracer uptake (finding)
429591003	C-1190F	Europium AND/OR europium compound (substance)
429616001	P1-30A31	Aortopulmonary reconstruction with right ventricle to pulmonary arterial valveless conduit (procedure)
429619008	F-04FE5	Right ventricular stroke index (observable entity)
429620002	P0-00C6B	Construction of left ventricle to aorta tunnel with right ventricle to pulmonary artery valved conduit (procedure)
429622005	F-38279	ST Depression (observable entity)
429710001	D4-31124	Transient ischemic dilatation of left ventricular cavity (disorder)
429733000	F-33019	Unable to achieve target heart rate (finding)
429740004	G-04C5	Family history of malignant neoplasm of breast (situation)
429884006	P5-B300C	Intraoperative echocardiography (procedure)
430028007	F-6220F	Michel transport medium (substance)
430091005	G-04E3	Family history of coronary arteriosclerosis (situation)
430276001	C-163B0	Technetium Tc ^{99m} pentetate (substance)
430346005	T-1A403	Liquid based cytologic material (specimen)
430757002	T-4858F	Structure of pulmonary vein great vessel (body structure)
430821002	C-12916	Chromium trioxide (substance)
430854000	P3-4500A	Touch preparation of specimen (procedure)
430855004	T-1A404	Touch preparation cytologic material (specimen)
430856003	G-8439	Tissue section (specimen)
430861001	G-843A	Macroscopic tissue specimen (specimen)
430862008	F-62219	Microscope slide mounting medium (substance)
430863003	F-6221A	Tissue embedding medium (substance)
430864009	F-6221B	Tissue fixative (substance)
430970004	G-843B	Core sample of tissue block (specimen)
431196006	G-843C	Tissue spot (specimen)
431491007	T-7000B	Structure of upper urinary tract proper (body structure)
431510009	C-2141B	Formalin (substance)
431511008	P5-D300B	Myocardial perfusion stress imaging using Thallium 201 (procedure)
431609005	P0-00CA7	Magnetic resonance imaging stress study of cardiac function (procedure)
431852008	P5-B300F	Pediatric echocardiography (procedure)
431938005	T-7000C	Structure of urinary tract proper (body structure)
432062000	C-80012	Adenosine A2 receptor agonist (product)
432554001	F-05018	Cardiac stress recovery state (finding)
432655005	F-05019	Cardiac stress state (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
432678004	F-0501A	Indication for procedure (observable entity)
433139009	P5-0907F	Dynamic magnetic resonance imaging of knee (procedure)
433231002	P5-B3090	Contrast echocardiography (procedure)
433232009	P0-05F95	Epicardial echocardiography (procedure)
433233004	P5-B3050	Exercise stress echocardiography (procedure)
433235006	P5-B8215	Fetal echocardiography (procedure)
433236007	P5-B3012	Transthoracic echocardiography (procedure)
433338005	F-62231	Carnoy fixative (substance)
433452008	P3-40003	Clearing of tissue specimen (procedure)
433454009	P3-40004	Microdissection of tissue specimen using laser (procedure)
433455005	P3-40005	Microwave heating of tissue specimen (procedure)
433456006	P3-40006	Protease digestion of tissue specimen (procedure)
433457002	P3-40009	Steam heating of tissue specimen (procedure)
433465004	P3-4000A	Sampling of tissue specimen (procedure)
433466003	A-0101B	Microscope slide (physical object)
433469005	F-62232	Frozen section embedding medium (substance)
433470006	P3-4000B	Dehydration of tissue specimen (procedure)
433471005	F-62233	Helly fixative (substance)
433472003	A-0101D	Microscope slide coverslip (physical object)
433473008	F-62234	Zenker fixative (substance)
433474002	F-62235	Bouin fluid (substance)
434161005	F-05028	Peak cardiac stress state (finding)
434162003	C-2141C	Neutral buffered formalin (substance)
434295000	F-62238	Formol sublimate (substance)
434464009	A-0101E	Tissue cassette (physical object)
434472006	P3-4000D	Sectioning of tissue block (procedure)
434473001	A-0101F	Specimen container lid (physical object)
434474007	P3-4000E	Surface recutting of tissue block (procedure)
434475008	P3-4000F	Step sectioning of tissue block (procedure)
434479002	P3-40011	Core sampling of tissue block (procedure)
434533009	A-01021	Electron microscopy grid (physical object)
434708008	A-01022	Tissue cassette for microarray (physical object)
434711009	A-01023	Specimen container (physical object)
434746001	A-01024	Specimen vial (physical object)
434822004	A-01025	Specimen well (physical object)
439470001	D1-50666	Arteriovenous fistula (disorder)
439858009	P5-B0128	Doppler ultrasonography of heart tissue (procedure)
440252007	PA-30029	Administration of radiopharmaceutical (procedure)
440935004	P0-099F5	History of beta adrenergic receptor blocking agent therapy (situation)
441480003	S-8000A	Primary care department (environment)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
441505008	R-40AA9	Dorsopalmar projection (qualifier value)
441509002	R-00728	Cardiac pacemaker in situ (finding)
441548002	R-30616	Tropical medicine department (environment)
441555000	R-40AAA	Inferomedial to superolateral oblique view (qualifier value)
441662001	R-3061B	Diagnostic imaging department (environment)
441672003	R-40AAC	Dorso-ventral projection (qualifier value)
441676000	P0-00E0B	Occlusion of patent ductus arteriosus using embolization coil (procedure)
441752004	P2-00161	Anterior compression of breast (procedure)
441850003	T-D0874	Appendiceal stump (morphologic abnormality)
441901008	M-32704	Inverted diverticulum (morphologic abnormality)
441950002	R-3061D	Histopathology department (environment)
441994008	R-3061E	Medical intensive care unit (environment)
442100006	T-540ED	Structure of maxillary incisor tooth (body structure)
442123009	P1-3180D	Sano procedure (procedure)
442170005	T-50153	Colonic intraluminal fluid (substance)
442274007	T-540EE	Structure of mandibular incisor tooth (body structure)
442441009	R-40AB0	Ventro-dorsal projection (qualifier value)
442580003	R-40AB2	Axillary tissue mammography view (qualifier value)
442581004	R-40AB3	Nipple in profile mammography view (qualifier value)
442582006	R-40AB4	Lateral 45 degree dorsal 50 degree proximal-mediopalmarodistal oblique projection (qualifier value)
442583001	R-40AB5	Dorsal 35 degree medial-palmarolateral oblique projection (qualifier value)
442585008	R-40AB6	Dorsal 40 degree lateral-plantaromedial oblique projection (qualifier value)
442586009	R-40AB7	Rostroventral-caudodorsal projection (qualifier value)
442587000	R-40AB8	Ventral 30 degree right-dorsal left oblique projection (qualifier value)
442588005	R-40AB9	Rostral 30 degree ventral-caudodorsal projection (qualifier value)
442589002	R-40ABA	Ventral 30 degree left-dorsal right oblique projection (qualifier value)
442590006	R-40ABB	Ventral left-dorsal right oblique projection (qualifier value)
442591005	R-40ABC	Palmar 75 degree proximal-dorsodistal oblique projection (qualifier value)
442592003	R-40ABD	Dorsoproximal-plantarodistal oblique projection (qualifier value)
442593008	R-40ABE	Infra-mammary fold mammography view (qualifier value)
442595001	R-40AC0	Right ventral-left dorsal oblique projection (qualifier value)
442596000	R-40AC1	Left 30 degree caudal-right rostral oblique projection (qualifier value)
442597009	R-40AC2	Dorsal 45 degree lateral-palmaromedial oblique projection (qualifier value)
442598004	R-40AC3	Left 45 degree dorsal-right ventral oblique projection (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
442599007	R-40AC4	Left 45 degree ventral-right dorsal oblique projection (qualifier value)
442600005	R-40AC5	Dorsal 45 degree medial-plantarolateral oblique projection (qualifier value)
442601009	R-40AC6	Dorsal 60 degree lateral-plantaromedial oblique projection (qualifier value)
442602002	R-40AC7	Dorsal 60 degree medial-palmarolateral oblique projection (qualifier value)
442603007	R-40AC8	Plantar 75 degree proximal-dorsodistal oblique projection (qualifier value)
442604001	R-40AC9	Caudodistal-cranioproximal oblique projection (qualifier value)
442605000	R-40ACA	Right 30 degree caudal-left rostral oblique projection (qualifier value)
442606004	R-40ACB	Dorsal 35 degree lateral-plantaromedial oblique projection (qualifier value)
442607008	R-40ACC	Right dorsal-left ventral oblique projection (qualifier value)
442608003	R-40ACD	Dorsal 35 degree medial-plantarolateral oblique projection (qualifier value)
442609006	R-40ACE	Dorsal 65 degree proximal-palmarodistal oblique projection (qualifier value)
442610001	R-40ACF	Dorsolateral-plantaromedial oblique projection (qualifier value)
442611002	R-40AD0	Dorsomedial-plantarolateral oblique projection (qualifier value)
442612009	R-40AD1	Right 20 degree ventral-left dorsal oblique projection (qualifier value)
442621005	R-40AD2	Dorsal 40 degree medial-palmarolateral oblique projection (qualifier value)
442622003	R-40AD3	Dorsal 40 degree medial-plantarolateral oblique projection (qualifier value)
442623008	R-40AD4	Dorsal 45 degree medial-palmarolateral projection (qualifier value)
442624002	R-40AD5	Dorsal 65 degree proximal-plantarodistal oblique projection (qualifier value)
442625001	R-40AD6	Plantaroproximal-dorsodistal oblique projection (qualifier value)
442626000	R-40AD7	Proximo-distal projection (qualifier value)
442627009	R-40AD8	Right 20 degree dorsal-left ventral oblique projection (qualifier value)
442628004	R-40AD9	Right 45 degree ventral-left dorsal oblique projection (qualifier value)
442629007	R-40ADA	Right caudal-left rostral oblique projection (qualifier value)
442630002	R-40ADB	Laterodorsoproximal-mediopalmarodistal oblique projection (qualifier value)
442631003	R-40ADC	Laterodorsoproximal-medioplantarodistal oblique projection (qualifier value)
442632005	R-40ADD	Left 20 degree rostral-right caudal oblique projection (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
442636008	R-40ADE	Left 20 degree ventral-right dorsal oblique projection (qualifier value)
442637004	R-40ADF	Rostradorsal-caudoventral oblique projection (qualifier value)
442638009	R-40AE0	Left caudal-right rostral oblique projection (qualifier value)
442639001	R-40AE1	Dorsal 60 degree lateral-palmaromedial oblique projection (qualifier value)
442641000	R-40AE3	Dorsal 60 degree medial-plantarolateral oblique projection (qualifier value)
442643002	R-40AE4	Dorsal 45 degree lateral-plantaromedial oblique projection (qualifier value)
442644008	R-40AE5	Left dorsal-right ventral oblique projection (qualifier value)
442645009	R-40AE6	Left rostral-right caudal oblique projection (qualifier value)
442657000	R-40AE8	Dorsolateral-palmaromedial oblique projection (qualifier value)
442658005	R-40AE9	Plantarolateral-dorsomedial oblique projection (qualifier value)
442659002	R-40AEA	Dorsorostral-ventrocaudal oblique projection (qualifier value)
442660007	R-40AEB	Right 45 degree dorsal-left ventral oblique projection (qualifier value)
442661006	R-40AEC	Lateral 45 degree dorsal 50 degree proximal-mediopantarodistal oblique projection (qualifier value)
442674000	R-40AEE	Palmaroproximal-dorsodistal oblique projection (qualifier value)
442675004	R-40AEF	Plantar 60 degree lateral-dorsomedial oblique projection (qualifier value)
442688001	F-05166	Finding of difference in border definition compared to previous radiologic examination (finding)
442690000	R-40AF0	Rostricaudal projection (qualifier value)
442691001	F-05167	Finding of difference in substance compared to previous radiologic examination (finding)
442700003	F-0516A	Finding of difference in texture compared to previous radiologic examination (finding)
442704007	F-0516C	Finding of difference in distribution compared to previous radiologic examination (finding)
442707000	F-0516E	Finding of difference in radiographic attenuation compared to previous radiologic examination (finding)
442711006	F-05170	Finding of difference in site involvement compared to previous radiologic examination (finding)
442714003	F-05173	Finding of difference in size compared to previous radiologic examination (finding)
442721003	R-40AF1	Ventral 20 degree rostral-dorsocaudal oblique projection (qualifier value)
442726008	F-05179	Finding of difference in location compared to previous radiologic examination (finding)
442729001	R-40AF2	Dorsomedial-palmarolateral projection (qualifier value)
442730006	R-40AF3	Rostral 20 degree dorsal-caudoventral oblique projection (qualifier value)
442738004	R-40AF4	Ventral right-dorsal left oblique projection (qualifier value)
442739007	R-40AF5	Left ventral-right dorsal oblique projection (qualifier value)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
442740009	R-40AF6	Palmar 45 degree medial-dorsolateral projection (qualifier value)
442741008	R-40AF7	Ventrorostral-dorsocaudal oblique projection (qualifier value)
442742001	R-40AF8	Palmaromedial-dorsolateral projection (qualifier value)
442743006	R-40AF9	Right 20 degree rostral-left caudal oblique projection (qualifier value)
442744000	R-40AFA	Dorsoproximal-palmarodistal oblique projection (qualifier value)
442745004	R-40AFB	Dorsal 20 degree rostral-ventrocaudal oblique projection (qualifier value)
442746003	R-40AFC	Dorsal 35 degree lateral-palmaromedial oblique projection (qualifier value)
442747007	R-40AFD	Right rostral-left caudal oblique projection (qualifier value)
442748002	R-40AFE	Left 20 degree dorsal-right ventral oblique projection (qualifier value)
442755000	F-0517E	Finding of difference in border shape compared to previous radiologic examination (finding)
443082005	G-0577	Parasternal long axis view of right ventricular inflow tract (qualifier value)
443083000	G-0578	Parasternal long axis view of right ventricular outflow tract (qualifier value)
443096004	T-D0877	Surgically constructed connection of aorta to pulmonary artery (morphologic abnormality)
443100003	R-40AFF	Subcostal view of cardiac outlets directed anteriorly (qualifier value)
443113009	T-D0878	Structure of posterior descending coronary artery (body structure)
443115002	F-8612F	Edema of fetal chest wall (finding)
443160001	G-0579	Subcostal short axis view at papillary muscle level (qualifier value)
443162009	R-40B00	Suprasternal coronal view (qualifier value)
443163004	R-40B01	Suprasternal sagittal view (qualifier value)
443167003	T-42102	Structure of aortic sinotubular junction (body structure)
443168008	F-0518A	Edema of fetal scalp (finding)
443208000	M-2460C	Pulmonary vein confluence to atrium connection (morphologic abnormality)
443260009	T-D0879	Surgically constructed outflow tract of left ventricle across ventricular septal defect to aorta (morphologic abnormality)
443271005	P5-080FF	Positron emission tomography with computed tomography fluorodeoxyglucose imaging of whole body (procedure)
443281009	T-42304	Structure of transverse aortic arch (body structure)
443283007	T-D087A	Neo-aortic valve (morphologic abnormality)
443297004	T-D087B	Surgically constructed connection of pulmonary vein to left atrium (morphologic abnormality)
443298009	T-D087C	Surgically constructed pathway through heart from inferior vena cava and superior vena cava to pulmonary artery (morphologic abnormality)
443325000	R-0077C	Automatic implantable cardiac defibrillator in situ (finding)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
443326004	T-D087D	Surgically constructed pathway from inferior vena cava to pulmonary artery (morphologic abnormality)
443327008	T-D087E	Surgically constructed pathway from superior vena cava to pulmonary artery (morphologic abnormality)
443328003	T-D087F	Surgically constructed connection of right ventricle to pulmonary artery conduit (morphologic abnormality)
443329006	M-20102	Bulboventricular foramen (morphologic abnormality)
443379009	D4-31125	Functional single ventricle (disorder)
443444008	M-2460D	Right superior vena cava (morphologic abnormality)
443445009	M-20103	Cor triatriatum orifice (morphologic abnormality)
443461006	DD-66228	Leakage of conduit from right atrium to pulmonary artery (disorder)
443499004	G-057B	Subcostal short axis view at mitral valve level (qualifier value)
443500008	G-057C	Subcostal short axis view at venous inflow level (qualifier value)
443501007	R-421AA	Vena contracta (qualifier value)
443562002	G-057D	Suprasternal long axis view of aortic arch (qualifier value)
443591004	T-F6858	Structure of common right pulmonary vein (body structure)
443609003	G-057E	Subcostal short axis view at aortic valve level (qualifier value)
443625008	T-D0880	Surgically constructed connection of systemic venous return to pulmonary artery (morphologic abnormality)
443640005	R-40B0A	Subcostal oblique coronal view (qualifier value)
443696003	T-D0881	Surgically constructed connection of left ventricle to pulmonary artery conduit (morphologic abnormality)
443698002	R-40B0E	Transesophageal short axis view (qualifier value)
443705001	T-F6859	Structure of common left pulmonary vein (body structure)
443714006	T-48505	Structure of right middle pulmonary vein (body structure)
443724003	T-D0882	Surgically constructed orifice between systemic venous pathway and left atrium (morphologic abnormality)
443726001	T-D0883	Neo-aortic root (morphologic abnormality)
443789005	T-D0884	Surgically constructed bidirectional pathway from superior vena cava to pulmonary artery (morphologic abnormality)
443808008	T-C430B	Structure of intramammary lymph node (body structure)
443809000	T-D0885	Surgically constructed convergence of inferior and superior vena cava pathways into common pathway superior to atrioventricular valve (morphologic abnormality)
443829004	P0-06135	Percutaneous transluminal balloon angioplasty of coarctation of aorta with insertion of stent (procedure)
443844003	P5-08118	Positron emission tomography with computed tomography of whole body for neoplasm uptake of methionine (procedure)
443907004	T-D0886	Surgically constructed pathway from pulmonary veins to tricuspid valve (morphologic abnormality)
443989003	P1-36994	Bidirectional Glenn shunt procedure of left superior vena cava (procedure)
444001009	P1-36995	Right Glenn shunt procedure (procedure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
444034006	P1-36996	Bidirectional Glenn shunt procedure of right superior vena cava (procedure)
444161008	G-0586	Maternal history of insulin dependence (situation)
444177009	T-D0887	Surgically constructed pathway from superior vena cava to mitral valve (morphologic abnormality)
444178004	P1-36997	Left Glenn shunt procedure (procedure)
444329004	T-D0888	Surgically constructed pathway from inferior vena cava to mitral valve (morphologic abnormality)
444361000	R-40B10	Ventricular isovolumic relaxation (qualifier value)
444371003	R-40B11	Ventricular ejection (qualifier value)
444379001	R-40B12	Ventricular isovolumic contraction (qualifier value)
444389002	R-40B1B	Early diastole of cardiac cycle (qualifier value)
444392003	R-40B1C	Diastolic rapid inflow (qualifier value)
444469002	R-40B21	Diastasis of cardiac cycle (qualifier value)
444471002	F-051DF	Broselow Luten pediatric weight estimation red zone (finding)
444474005	F-051E0	Broselow Luten pediatric weight estimation blue zone (finding)
444488009	F-051E3	Broselow Luten pediatric weight estimation pink zone (finding)
444489001	F-051E4	Broselow Luten pediatric weight estimation purple zone (finding)
444496004	F-051E5	Broselow Luten pediatric weight estimation orange zone (finding)
444503000	F-051E6	Broselow Luten pediatric weight estimation green zone (finding)
444504006	F-051E7	Broselow Luten pediatric weight estimation white zone (finding)
444505007	F-051E8	Broselow Luten pediatric weight estimation yellow zone (finding)
444850002	G-D1E4	Via radial artery (qualifier value)
444883009	C-101E8	Distilled water (substance)
444923006	C-101E9	Tap water (substance)
445084008	A-010DA	Blue optical filter of optical microscope (physical object)
445169002	A-010DC	Infrared optical filter of optical microscope (physical object)
445185007	P1-103D3	Resurfacing of head of femur (procedure)
445254006	A-010DD	Ultraviolet optical filter of optical microscope (physical object)
445278001	A-010DE	Violet optical filter of optical microscope (physical object)
445279009	A-010DF	Red optical filter of optical microscope (physical object)
445282004	A-00D87	Intravascular optical coherence tomography imaging device (physical object)
445316008	A-0010F	Component of optical microscope (physical object)
445340000	A-010E0	Yellow-green optical filter of optical microscope (physical object)
445391002	A-010E1	Polarizing optical filter of optical microscope (physical object)
445465004	A-010E2	Green optical filter of optical microscope (physical object)
445601002	A-00118	Low power scanning lens of optical microscope (physical object)
445621001	A-0011A	High power nonimmersion lens of optical microscope (physical object)
445622008	A-0011B	Oil immersion lens of optical microscope (physical object)
445623003	A-0011C	Rheinberg filter of optical microscope (physical object)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
445624009	A-0011D	Darkfield stop of optical microscope (physical object)
445625005	A-0011E	Phase contrast plate of optical microscope (physical object)
445633006	A-0011F	Nomarski prism of optical microscope (physical object)
445634000	A-00120	Condenser annulus of optical microscope (physical object)
445635004	A-00121	Hoffman modulator of optical microscope (physical object)
445663002	A-00123	de Sénarmont compensator of optical microscope (physical object)
445671003	A-00124	Xenon arc lamp microscope illuminator (physical object)
445679001	A-00125	Tungsten halogen lamp microscope illuminator (physical object)
445683001	A-00126	Light emitting diode lamp microscope illuminator (physical object)
445685008	A-00127	Mercury arc lamp microscope illuminator (physical object)
446315002	P5-70694	Dynamic magnetic resonance imaging of pelvis (procedure)
446406008	R-40B32	Inhalation technique (qualifier value)
446531006	C-114B6	Iodine ¹³¹ methylnorcholesterol (substance)
446534003	C-163B6	Technetium Tc ^{99m} galactosyl human serum albumin diethylenetriamine pentaacetic acid (substance)
446535002	C-163B7	Technetium Tc ^{99m} hydroxymethylene diphosphonate (substance)
446536001	C-163B8	Technetium Tc ^{99m} mercaptoacetyltriglycine (substance)
446800006	C-145AA	Indium ¹¹¹ pentetreotide (substance)
446871009	C-145AB	Indium ¹¹¹ capromab pendetide (substance)
447122006	R-F2CD4	Intratumor route (qualifier value)
447125008	C-163B9	Technetium Tc ^{99m} labeled carbon (substance)
447126009	C-163BA	Technetium Tc ^{99m} N-pyridoxyl-5-methyltryptophan (substance)
447127000	C-163BB	Technetium Tc ^{99m} phytate (substance)
447128005	C-163BC	Technetium Tc ^{99m} stannous colloid (substance)
447134003	C-114AB	Iodine ¹²³ 15-(4-iodophenyl)-3(R,S)-methylpentadecanoic acid (substance)
447201007	C-163BD	Technetium Tc ^{99m} dimercaptosuccinic acid (substance)
447295008	R-40644	Forensic intent (qualifier value)
447482001	L-87830	Genus Mus (organism)
447553000	C-101ED	¹⁷⁷ Lutetium (substance)
447612001	L-87831	Mus musculus (organism)
447996002	P0-06211	Intubation of respiratory tract (procedure)
448169003	L-00376	Felis catus (organism)
448216007	DF-00BEA	Malignant epithelial neoplasm of thyroid (disorder)
448442005	P2-22933	Transtacheal jet ventilation (procedure)
448771007	L-88124	Canis lupus subspecies familiaris (organism)
448895004	P1-0329D	Sampling for smear (procedure)
449310008	L-88423	Mustela putorius subspecies furo (organism)
450960006	T-D6515	Structure of mid portion of right coronary artery (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
456992002	C-E0273	Fluorocholine F ¹⁸ (substance)
456995000	C-E0269	Florbetapir F ¹⁸ (substance)
456997008	C-E0267	Flutemetamol F ¹⁸ (substance)
456999006	C-E0265	Fluciclatide F ¹⁸ (substance)
457000009	C-E026A	Fluciclovine F ¹⁸ (substance)
464557001	R-FCBB8	Parenteral/enteral solution bag (physical object)
464983000	R-FCE69	Thermoluminescent radiation dosimeter (physical object)
467354001	R-FDF5C	Contrast medium injection system manifold kit (physical object)
468192005	R-FDB79	Air heating pad system (physical object)
468440006	R-FD5EB	Digital imager, radiation therapy (physical object)
473188002	DF-1147C	Dizziness due to drug (disorder)
698247007	R-FAE6C	Cardiac arrhythmia (disorder)
698348000	R-FAED1	Structure of ophthalmic segment of internal carotid artery (body structure)
699453001	R-FB322	Central incisor region of oral cavity (body structure)
699503005	R-FB354	Third molar region of oral cavity (body structure)
699505003	R-FB356	Second molar region of oral cavity (body structure)
699507006	R-FB358	First molar region of oral cavity (body structure)
699508001	R-FB359	Second premolar region of oral cavity (body structure)
699509009	R-FB35A	First premolar region of oral cavity (body structure)
699510004	R-FB35B	Canine region of oral cavity (body structure)
699511000	R-FB35C	Lateral incisor region of oral cavity (body structure)
700032006	R-FB565	Structure of occipital region of scalp (body structure)
701933006	R-FCC16	Metal-oxide semiconductor field-effect transistor radiation therapy dosimetry system radiation therapy dosimetry system dosimeter (physical object)
702391001	R-FB83F	Renal cell carcinoma (disorder)
702569007	R-FB8F1	Cone beam computed tomography imaging - action (qualifier value)
702767007	R-FB9B7	Positron emission tomography of whole body (procedure)
703842006	R-FBDEA	1-phenylpropan-2-amine (substance)
705541005	R-FEAEC	Rectal catheter (physical object)
706247001	R-FCCF2	Medical x-ray film (physical object)
706440002	R-FEEFF	Cartridge (physical object)
706484002	R-FDCFF	Body reference point marker (physical object)
706683002	R-FEEC3	Headrest (physical object)
706699008	R-FE814	Chair (physical object)
707009005	R-FC4CC	Supernumerary deciduous maxillary right second molar tooth (morphologic abnormality)
707010000	R-FC4CD	Supernumerary deciduous maxillary right first molar tooth (morphologic abnormality)
707011001	R-FC4CE	Supernumerary deciduous maxillary right canine tooth (morphologic abnormality)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
707012008	R-FC4CF	Supernumerary deciduous maxillary right lateral incisor tooth (morphologic abnormality)
707013003	R-FC4D0	Supernumerary deciduous maxillary right central incisor tooth (morphologic abnormality)
707014009	R-FC4D1	Supernumerary deciduous maxillary left central incisor tooth (morphologic abnormality)
707015005	R-FC4D2	Supernumerary deciduous maxillary left lateral incisor tooth (morphologic abnormality)
707016006	R-FC4D3	Supernumerary deciduous maxillary left canine tooth (morphologic abnormality)
707017002	R-FC4D4	Supernumerary deciduous maxillary left first molar tooth (morphologic abnormality)
707018007	R-FC4D5	Supernumerary deciduous maxillary left second molar tooth (morphologic abnormality)
707021009	R-FC4D8	Supernumerary deciduous mandibular right second molar tooth (morphologic abnormality)
707022002	R-FC4D9	Supernumerary deciduous mandibular right first molar tooth (morphologic abnormality)
707023007	R-FC4DA	Supernumerary deciduous mandibular right canine tooth (morphologic abnormality)
707024001	R-FC4DB	Supernumerary deciduous mandibular right lateral incisor tooth (morphologic abnormality)
707025000	R-FC4DC	Supernumerary deciduous mandibular right central incisor tooth (morphologic abnormality)
707026004	R-FC4DD	Supernumerary deciduous mandibular left central incisor tooth (morphologic abnormality)
707028003	R-FC4DF	Supernumerary deciduous mandibular left lateral incisor tooth (morphologic abnormality)
707029006	R-FC4E0	Supernumerary deciduous mandibular left canine tooth (morphologic abnormality)
707030001	R-FC4E1	Supernumerary deciduous mandibular left first molar tooth (morphologic abnormality)
707031002	R-FC4E2	Supernumerary deciduous mandibular left second molar tooth (morphologic abnormality)
707032009	R-FC4E3	Supernumerary permanent maxillary right third molar tooth (morphologic abnormality)
707033004	R-FC4E4	Supernumerary permanent maxillary right second molar tooth (morphologic abnormality)
707035006	R-FC4E6	Supernumerary permanent maxillary right first molar tooth (morphologic abnormality)
707036007	R-FC4E7	Supernumerary permanent maxillary right second premolar tooth (morphologic abnormality)
707037003	R-FC4E8	Supernumerary permanent maxillary right first premolar tooth (morphologic abnormality)
707038008	R-FC4E9	Supernumerary permanent maxillary right canine tooth (morphologic abnormality)
707039000	R-FC4EA	Supernumerary permanent maxillary right lateral incisor tooth (morphologic abnormality)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
707041004	R-FC4EC	Supernumerary permanent maxillary right central incisor tooth (morphologic abnormality)
707042006	R-FC4ED	Supernumerary permanent maxillary left central incisor tooth (morphologic abnormality)
707043001	R-FC4EE	Supernumerary permanent maxillary left lateral incisor tooth (morphologic abnormality)
707044007	R-FC4EF	Supernumerary permanent maxillary left canine tooth (morphologic abnormality)
707045008	R-FC4F0	Supernumerary permanent maxillary left first premolar tooth (morphologic abnormality)
707046009	R-FC4F1	Supernumerary permanent maxillary left second premolar tooth (morphologic abnormality)
707047000	R-FC4F2	Supernumerary permanent maxillary left first molar tooth (morphologic abnormality)
707048005	R-FC4F3	Supernumerary permanent maxillary left second molar tooth (morphologic abnormality)
707049002	R-FC4F4	Supernumerary permanent maxillary left third molar tooth (morphologic abnormality)
707052005	R-FC4F7	Supernumerary permanent mandibular left third molar tooth (morphologic abnormality)
707054006	R-FC4F9	Supernumerary permanent mandibular left second molar tooth (morphologic abnormality)
707055007	R-FC4FA	Supernumerary permanent mandibular left first molar tooth (morphologic abnormality)
707056008	R-FC4FB	Supernumerary permanent mandibular left second premolar tooth (morphologic abnormality)
707057004	R-FC4FC	Supernumerary permanent mandibular left first premolar tooth (morphologic abnormality)
707058009	R-FC4FD	Supernumerary permanent mandibular left canine tooth (morphologic abnormality)
707059001	R-FC4FE	Supernumerary permanent mandibular left lateral incisor tooth (morphologic abnormality)
707060006	R-FC4FF	Supernumerary permanent mandibular left central incisor tooth (morphologic abnormality)
707061005	R-FC500	Supernumerary permanent mandibular right central incisor tooth (morphologic abnormality)
707062003	R-FC501	Supernumerary permanent mandibular right lateral incisor tooth (morphologic abnormality)
707063008	R-FC502	Supernumerary permanent mandibular right canine tooth (morphologic abnormality)
707064002	R-FC503	Supernumerary permanent mandibular right first premolar tooth (morphologic abnormality)
707065001	R-FC504	Supernumerary permanent mandibular right second premolar tooth (morphologic abnormality)
707066000	R-FC505	Supernumerary permanent mandibular right first molar tooth (morphologic abnormality)
707067009	R-FC506	Supernumerary permanent mandibular right second molar tooth (morphologic abnormality)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
707068004	R-FC507	Supernumerary permanent mandibular right third molar tooth (morphologic abnormality)
708174004	R-FF0C4	Interventional radiology service (qualifier value)
709853007	L-DA692	Canis lupus dingo (organism)
710864009	D3-80086	Dissection of artery (disorder)
711101009	R-FF2E7	Anatomical point (body structure)
712736002	C-D6858	Florbetaben [18F] (substance)
714754004	T-F6724	Structure of lateral calf perforator (body structure)
714759009	T-F6713	Structure of thigh perforator (body structure)
716891004	R0-00017	Structure of basal part of anterior fibromuscular stroma of prostate (body structure)
716892006	R-FFFF2	Structure of basal part of anterior fibromuscular stroma of right half prostate (body structure)
716893001	R-FFFDC	Structure of basal part of anterior fibromuscular stroma of left half prostate (body structure)
716894007	R-FFFBE	Structure of basal part of transition zone of right half prostate (body structure)
716895008	R0-00020	Structure of basal part of transition zone of left half prostate (body structure)
716896009	R0-00000	Structure of anterior basal part of transition zone of right half prostate (body structure)
716897000	R-FFFD6	Structure of anterior basal part of transition zone of left half prostate (body structure)
716898005	R-FFFB1	Structure of posterior basal part of transition zone of right half prostate (body structure)
716899002	R-FFFB7	Structure of posterior basal part of transition zone of left half prostate (body structure)
716900007	R-FFFD0	Structure of central zone of right half prostate (body structure)
716901006	R-FFFFC	Structure of central zone of left half prostate (body structure)
716902004	R0-00018	Structure of basal part of peripheral zone of right half prostate (body structure)
716903009	R-FFFC4	Structure of basal part of peripheral zone of left half prostate (body structure)
716904003	R-FFFE2	Structure of anterior basal part of peripheral zone of right half prostate (body structure)
716905002	R0-00001	Structure of anterior basal part of peripheral zone of left half prostate (body structure)
716906001	R0-0001E	Structure of posterolateral basal part of peripheral zone of right half prostate (body structure)
716907005	R-FFFC2	Structure of posterolateral basal part of peripheral zone of left half prostate (body structure)
716908000	R-FFFE0	Structure of middle regional part of anterior fibromuscular stroma of prostate (body structure)
716909008	R0-00004	Structure of middle regional part of anterior fibromuscular stroma of right half prostate (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
716910003	R0-00027	Structure of middle regional part of anterior fibromuscular stroma of left half prostate (body structure)
716911004	R-FFFB6	Structure of middle regional part of transition zone of right half prostate (body structure)
716912006	R-FFFD5	Structure of middle regional part of transition zone of left half prostate (body structure)
716913001	R-FFFF4	Structure of anterior middle regional part of transition zone of right half prostate (body structure)
716914007	R0-00013	Structure of anterior middle regional part of transition zone of left half prostate (body structure)
716915008	R-FFFC9	Structure of posterior middle regional part of transition zone of right half prostate (body structure)
716916009	R-FFFAB	Structure of posterior middle regional part of transition zone of left half prostate (body structure)
716917000	R0-0000F	Structure of lateral middle regional part of peripheral zone of right half prostate (body structure)
716918005	R-FFFE6	Structure of lateral middle regional part of peripheral zone of left half prostate (body structure)
716919002	R-FFFC D	Structure of anterior middle regional part of peripheral zone of right half prostate (body structure)
716920008	R-FFFB0	Structure of anterior middle regional part of peripheral zone of left half prostate (body structure)
716921007	R0-0000C	Structure of posterolateral middle regional part of peripheral zone of right half prostate (body structure)
716922000	R-FFFE9	Structure of posterolateral middle regional part of peripheral zone of left half prostate (body structure)
716923005	R-FFFD4	Structure of posteromedial middle regional part of peripheral zone of right half prostate (body structure)
716924004	R-FFFB5	Structure of posteromedial middle regional part of peripheral zone of left half prostate (body structure)
716925003	R0-0001B	Structure of apical part of anterior fibromuscular stroma of prostate (body structure)
716926002	R-FFFFD	Structure of apical part of anterior fibromuscular stroma of right half prostate (body structure)
716927006	R-FFFD F	Structure of apical part of anterior fibromuscular stroma of left half prostate (body structure)
716928001	R-FFFC1	Structure of apical part of transition zone of right half prostate (body structure)
716929009	R-FFFA9	Structure of apical part of transition zone of left half prostate (body structure)
716930004	R0-00006	Structure of anterior apical part of transition zone of right half prostate (body structure)
716931000	R-FFFE5	Structure of anterior apical part of transition zone of left half prostate (body structure)
716932007	R-FFFF3	Structure of posterior apical part of transition zone of right half prostate (body structure)
716933002	R0-00014	Structure of posterior apical part of transition zone of left half prostate (body structure)

Concept ID (SCT)	SNOMED ID (SRT)	SNOMED Fully Specified Name
716934008	R-FFFB3	Structure of apical part of peripheral zone of right half prostate (body structure)
716935009	R-FFFD3	Structure of apical part of peripheral zone of left half prostate (body structure)
716936005	R0-00003	Structure of anterior apical part of peripheral zone of right half prostate (body structure)
716937001	R0-00025	Structure of anterior apical part of peripheral zone of left half prostate (body structure)
716938006	R-FFFC0	Structure of posterolateral apical part of peripheral zone of right half prostate (body structure)
716939003	R-FFFDD	Structure of posterolateral apical part of peripheral zone of left half prostate (body structure)
716940001	R-FFFEA	Structure of posteromedial apical part of peripheral zone of right half prostate (body structure)
716941002	R0-0000B	Structure of posteromedial apical part of peripheral zone of left half prostate (body structure)
717027004	R-FFFD9	Structure of male external urethral sphincter (body structure)

